

# Letters

## Hybrid Multicarrier Modulation to Reduce Leakage Current in a Transformerless Cascaded Multilevel Inverter for Photovoltaic Systems

Rajasekar Selvamuthukumar, Abhishek Garg, and Rajesh Gupta

**Abstract**—This letter proposes a hybrid multicarrier pulse width modulation (H-MCPWM) technique to reduce leakage current in a transformerless cascaded multilevel inverter for photovoltaic (PV) systems. The transformerless PV inverter topology has the advantages of simple structure, low weight and provides higher efficiency. However, the topology makes a path for leakage current to flow through parasitic capacitance formed between the PV module and the ground. A modulation technique has significant impact to reduce the leakage current without adding any extra component. The proposed H-MCPWM technique ensures low leakage current in the transformerless PV inverter system with simplicity in implementation of the modulation technique using lesser number of carriers. Experimental prototype developed in the laboratory demonstrates the performance of the proposed modulation technique in reducing the leakage current.

**Index Terms**—Cascaded H-bridge multilevel inverter, hybrid multicarrier pulse width modulation (H-MCPWM), leakage current reduction, transformerless photovoltaic (PV) system.

### I. INTRODUCTION

THE total power generation from the photovoltaic (PV) system is relatively small as compared to other common energy resources due to its high installation cost. Reducing the PV system cost and increasing its efficiency have attained greater research interest. One of the solutions to reduce the cost of the PV power system is to remove transformer required in the output of the PV inverter [1]–[3]. Most of the national electricity regulatory authority made it compulsory to use transformer above certain threshold power in the system because it ensures galvanic isolation. However, the use of transformers increases weight, size, and cost of the PV system, and reduces the power conversion efficiency. This has motivated the research community to work in the transformerless PV system. The advancement of power electronics technology has made the use of transformerless PV inverter popular in kilo watt (kW) range by imposing standards such as DIN VDE 0126-1-1 [4], [5]. However removal of the transformer introduces harmful leakage current to flow through the parasitic capacitance which

exists between the PV module and the ground. This leakage current may increase the system losses, total harmonic distortion in the grid current, electromagnetic interferences, and safety concerns [6]–[9]. The factors used to limit magnitude of the common mode voltage include nature of the output pulsewidth of the inverter, number of commutation, and grounding of the PV system [10].

The commercial transformerless centralized PV inverter has been successfully connected in roof-top projects with ratings above 10 MW and it is recognized by IEEE 1547 and other standards. This encourages the possibility to use transformerless inverter topology for high-power applications [13]. Next-generation PV inverter has reached higher power ratings with modularity, and redundant topologies will be adopted in the design for reliability of the inverter. Traditional two- and three-level inverters are unable to provide high efficiency and grid code requirements for higher power and voltage ratings; therefore, converter topologies for medium-voltage and megawatt-scale PV inverters are moving toward the multilevel structures. Among various multilevel inverters, cascaded H-bridge multilevel inverter has various advantages compared to other topologies [14]. This use of cascaded H-bridge multilevel inverter opens up the option to eliminate the transformer from the PV system. In general, following two well-established modulation techniques are available for the multilevel inverter topologies which provide constant common mode voltage: space vector modulation (SVM) and multicarrier pulse width modulation (MCPWM). The SVM technique is more constructive from the view of switching timings. The switching sequence and modulation can be decided by the users, but it requires regress effort for implementation [15]–[18]. In [19], the author has demonstrated the use of SVM to reduce the leakage current in transformerless PV inverter topology by placing zero active vectors at appropriate switching instants. However, selection of switching states is not easy for practical implementation. The MCPWM technique eliminates the problem of common mode voltage applied in the neutral clamped multilevel inverter, which increases the computational burden due to more number of carrier signals [20].

In [21], the authors have reported the effect of common mode voltage using bipolar and unipolar modulation schemes on the neutral point clamped multilevel inverter and cascaded H-bridge multilevel inverter. As the level of cascaded H-bridge multilevel inverter increases, it is expected to get reduction in leakage current, and further studies are required to know the relation

Manuscript received November 8, 2013; revised February 10, 2014; accepted July 17, 2014. Date of publication August 7, 2014; date of current version November 3, 2014. This work was supported in part by the Science and Engineering Research Board, Govt. of India, under Grant SR/S3/EECE/0053/2012. Recommended for publication by Associate Editor H. Chung.

The authors are with the Department of Electrical Engineering, M. N. National Institute of Technology, Allahabad 211004, India (e-mail: rajasekar6387@gmail.com; abhishekgarg201@gmail.com; rajeshgupta310@rediffmail.com).

Color versions of one or more of the figures in this paper are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/TPEL.2014.2345501




Fig. 1. PV-supported transformerless single-phase five-level cascaded multi-level inverter.

between the modulation strategy and the leakage current. The cascaded H-bridge multilevel inverter has the advantages of less leakage current as compared to the conventional single H-bridge inverter due to reduced value of dc-link voltage per bridge. The common multicarrier modulation techniques used in the transformerless cascaded H-bridge multilevel PV inverter topologies introduce common mode voltage.

This letter proposes a hybrid multicarrier pulse width modulation (H-MCPWM) technique to reduce leakage current in transformerless cascaded H-bridge multilevel inverter for PV systems. When the common mode voltage changes in a large step value, it induces high leakage current in the PV system through the parasitic capacitance between the PV module and the ground. The reduced voltage transition in the common mode voltage reduces the leakage current. It is easy to implement the proposed modulation technique without much complexity and require half the number of carriers as required in the conventional MCPWM techniques.

## II. CASCADED MULTILEVEL INVERTER AND HYBRID MULTICARRIER MODULATION SCHEME FOR CONSTANT COMMON MODE VOLTAGE

Fig. 1 shows the PV-supported single-phase five-level cascaded H-bridge inverter topology, where two H-bridges are connected in cascade and provides a common output. The configuration of two cascaded H-bridges adds the output voltage of the upper and lower bridges to generate five-level stepped output voltage at the ac side, i.e.,  $V_{PV}$ ,  $V_{PV}/2$ ,  $0$ ,  $-V_{PV}/2$ , and  $-V_{PV}$ . It is assumed that the grid does not contribute common mode voltage in the system [9]. The converter topology and modulation method have significant contribution in leakage current generation. Therefore, the transformerless cascaded multilevel inverter shown in Fig. 1 is connected to a simple resistive load for

evaluation of the proposed modulation technique. The leakage current is generated in the parasitic capacitance formed between the PV module and the ground, where common mode voltage is also induced at the same point as shown in Fig. 1. The common mode voltage of any electrical circuit is the mean value of voltage between the outputs and a common reference point.

The negative terminal of the dc bus, i.e., terminal  $N$  is called here as common reference point for upper H-bridge inverter. Similarly, for lower H-bridge inverter,  $N'$  is the common reference point. The parasitic capacitance formed for the lower H-bridge and upper H-bridge is assumed to be the same, because both the H-bridges are supplied from the similar rated PV modules [11]. The common mode voltage (CMV) and leakage current in the two H-bridges are also same; hence, the capacitive currents flow from point  $N$  to ground and  $N'$  to ground is considered equal. The common mode voltage  $V_{cm}$  for the upper full-bridge (H-bridge) inverter is defined as follows [3]:

$$V_{cm} = \frac{V_{\alpha N} + V_{\beta N}}{2} \quad (1)$$

where  $V_{\alpha N}$  and  $V_{\beta N}$  are the voltages between the mid-point of the upper H-bridge inverter legs to the negative terminal of the dc link,  $V_{\alpha'\beta'}$  is the voltage between the mid points of the two legs of the lower H-bridge inverter, and let  $V_o$  is the output voltage across the load. The leakage current mainly depends upon the magnitude of the inverter common mode voltage. In order to derive the expression of the common mode voltage in the cascaded multilevel inverter, the following equations can be written from Fig. 1:

$$V_{cm} + V_{\alpha N} - V_L - V_o = 0 \quad (2)$$

$$V_{cm} + V_{\beta N} + V_L - V_{\alpha'\beta'} = 0. \quad (3)$$

The output voltage  $V_o$  has little effect on parasitic capacitance and hence it is neglected. It is assumed that the filter inductance  $L_s$  is considered the same in the two H-bridges for simplicity of the analysis and hence the voltage drop  $V_L$  due to the inductance  $L_s$  in the two H-bridges is also assumed equal [3]. The expression of the common mode voltage can be obtained in (4) by adding (2) and (3) as follows:

$$2V_{cm} + V_{\beta N} + V_{\alpha N} - V_{\alpha'\beta'} = 0. \quad (4)$$

Using (4), the common mode voltage can be expressed as follows:

$$V_{cm} = \frac{V_{\alpha'\beta'} - V_{\alpha N} - V_{\beta N}}{2}. \quad (5)$$

Now considering convention that the leakage current will flow from PV module to ground or vice versa as per the standards IEEE 80 [22], the sign of common mode voltage can be reversed as  $V'_{cm} = -V_{cm}$  and abbreviated now onward as CMV in this paper. Equation (5) is useful for determining the common mode voltage in various intervals of the reference period.

To minimize the leakage current flow through the parasitic capacitance, the common mode voltage is required to be maintained minimum during the switching instances. The minimum step value of the common mode voltage is defined by  $V_{PV}/(n-1)$  in the MCPWM technique [18]. In phase

TABLE I  
SWITCHING INSTANTS OF THE H-MCPWM TECHNIQUE FOR CONSTANT COMMON MODE VOLTAGE

Logic conditions	Switches on upper H-bridge				Switches on lower H-bridge				Common mode voltage
Mode-1: (0 to $T/2$ )	$S_{11}$	$S_{14}$	$S_{13}$	$S_{12}$	$S_{21}$	$S_{24}$	$S_{23}$	$S_{22}$	$V'_{cm}$
$V_{c1} > V_{ref} < V_{c2}$	1	1	0	0	0	0	1	1	$2V_{PV}/4$
$V_{c1} > V_{ref} > V_{c2}$	0	1	0	1	0	0	1	1	$V_{PV}/4$
$V_{c1} < V_{ref} > V_{c2}$	0	0	1	1	0	0	1	1	$2V_{PV}/4$
Mode-2: ( $T/2$ to $T$ )	$S_{11}$	$S_{14}$	$S_{13}$	$S_{12}$	$S_{21}$	$S_{24}$	$S_{23}$	$S_{22}$	-
$V_{c2} > V_{ref} < V_{c1}$	1	1	0	0	0	0	1	1	$2V_{PV}/4$
$V_{c2} > V_{ref} > V_{c1}$	1	1	0	0	1	0	1	0	$V_{PV}/4$
$V_{c2} < V_{ref} > V_{c1}$	1	1	0	0	1	1	0	0	0

disposition multicarrier pulse width modulation (PD-MCPWM), the common mode  $V'_{cm}$  varies in the band range of  $\pm V_{PV}/2$ . However, in this modulation method, total  $(n-1)$  number of carrier signals are used, where  $n$  is the inverter level. The proposed H-MCPWM is the modified version of the phase opposite disposition (POD) pulse width modulation technique, where the number of carriers required is half of that required in POD PWM and therefore computational burden is reduced. In this modulation method, the carrier signals used are in-phase with each other. The phase of all the carriers is shifted by  $180^\circ$  after each half-cycle. Table I shows the different switching instants and their corresponding magnitude of CMV. It has six switching instants, in which one instant has zero CMV, three instants have  $2V_{PV}/4$ , and two instants have  $V_{PV}/4$ , CMV. There is no voltage transition in zero CMV. The CMV may take the values depending upon the inverter switch states selected since the voltage-source inverter cannot provide pure sinusoidal voltages and has discrete output voltage levels synthesized from the output voltage of the PV [10], [23]. The voltage transition depends upon the direction of the current in the inverter; hence, the proposed H-MCPWM modulation technique ensures the reduced common mode voltage generation in the band limit of maximum  $\pm V_{PV}/4$ . The switching pattern of the proposed H-MCPWM technique for five-level cascaded multilevel inverter is illustrated in Fig. 2. The operation of the proposed H-MCPWM is divided into two modes of operation, i.e., mode-1 and mode-2, as explained next.

#### A. Mode-1 (0 to $T/2$ )

In this mode, all the carrier signals are in-phase with each other, the three-level voltages, i.e.,  $0$ ,  $-V_{PV}/2$ , and  $-V_{PV}$ , are generated using following switching scheme:

- 1) When the reference signal  $V_{ref}$  is smaller than the carrier signals  $V_{c1}$  and  $V_{c2}$ , then the switches  $S_{11}$ ,  $S_{14}$ ,  $S_{23}$ , and  $S_{22}$  are turned ON and the complimentary switches,  $S_{13}$ ,  $S_{12}$ ,  $S_{21}$ , and  $S_{24}$ , are turned OFF. In this situation  $V_{\alpha N} = V_{PV}/2$ ,  $V_{\beta N} = 0$ , and the output voltage is  $V_{\alpha\beta} = +V_{PV}/2$ .
- 2) When the reference signal  $V_{ref}$  is greater the carrier signal  $V_{c2}$ , and lesser than the carrier signal  $V_{c1}$ , then the switches  $S_{14}$ ,  $S_{12}$ ,  $S_{23}$ , and  $S_{22}$  are turned ON and the complimentary switches  $S_{11}$ ,  $S_{13}$ ,  $S_{21}$ , and  $S_{24}$  are turned OFF. In this situation  $V_{\alpha N} = 0$ ,  $V_{\beta N} = 0$ , and the output voltage is  $V_{\alpha\beta} = 0$ .




Fig. 2. Switching pattern of the proposed H-MCPWM technique for the five-level cascaded multilevel inverter.

- 3) When both the carrier signals,  $V_{c1}$  and  $V_{c2}$ , are smaller than the reference signal  $V_{ref}$ , then the switches,  $S_{13}$ ,  $S_{12}$ ,  $S_{23}$ , and  $S_{22}$ , are turned ON and the complimentary switches,  $S_{11}$ ,  $S_{14}$ ,  $S_{21}$ , and  $S_{24}$ , are turned OFF. In this situation  $V_{\alpha N} = 0$ ,  $V_{\beta N} = V_{PV}/2$ , and the output voltage is  $V_{\alpha\beta} = -V_{PV}/2$ .

#### B. Mode-2 ( $T/2$ to $T$ )

In this mode, all the carrier signals are phase shifted by  $180^\circ$ , the three-level voltages, i.e.,  $0$ ,  $+V_{PV}/2$ , and  $+V_{PV}$ , are generated using following switching scheme.

- 1) When the reference signal  $V_{ref}$  is smaller than the carrier signals  $V_{c1}$  and  $V_{c2}$ , then the switches,  $S_{11}$ ,  $S_{14}$ ,  $S_{23}$ , and  $S_{22}$ , are turned ON and the complimentary switches,  $S_{13}$ ,  $S_{12}$ ,  $S_{21}$ , and  $S_{24}$ , are turned OFF. In this situation  $V_{\alpha'N'} = 0$ ,  $V_{\beta'N'} = +V_{PV}/2$ , and the output voltage is  $V_{\alpha'\beta'} = -V_{PV}/2$ .
- 2) When the reference signal  $V_{ref}$  is greater the carrier signals  $V_{c1}$ , and lesser than the carrier signal  $V_{c2}$ , then

the switches,  $S_{11}$ ,  $S_{14}$ ,  $S_{21}$ , and  $S_{23}$ , are turned ON and the complimentary switches,  $S_{13}$ ,  $S_{12}$ ,  $S_{22}$ , and  $S_{24}$ , are turned OFF. In this situation  $V_{\alpha'N'} = +V_{PV}/2$ ,  $V_{\beta'N'} = +V_{PV}/2$ , and the output voltage is  $V_{\alpha'\beta'} = 0$ .

- 3) When both the carrier signals,  $V_{c1}$  and  $V_{c2}$ , are smaller than the reference signal  $V_{ref}$ , then the switches,  $S_{11}$ ,  $S_{14}$ ,  $S_{21}$ , and  $S_{24}$ , are turned ON and the complimentary switches,  $S_{13}$ ,  $S_{12}$ ,  $S_{23}$ , and  $S_{22}$ , are turned OFF. In this situation  $V_{\alpha'N'} = V_{PV}/2$ ,  $V_{\beta'N'} = 0$ , and the output voltage is  $V_{\alpha'\beta'} = +V_{PV}/2$ .

The summary of the switching instants employed in two modes of operation is presented in Table I. It is clearly visible from the previous discussion that the proposed H-MCPWM technique is able to generate five-level inverter output voltage and attain reduced common mode voltage in the band of maximum  $\pm V_{PV}/4$ , which is superior to the conventional MCPWM technique.

### III. RESULTS AND DISCUSSIONS

To validate the proposed H-MCPWM technique, a prototype model is developed in the laboratory. The system parameters used for the experimental studies consist of four AKSHAYA ASP-1250 solar PV modules (each module is rated for 50 W), dc-link capacitance (2200  $\mu$ F), ground resistance (10  $\Omega$ ), parasitic capacitance (100 nF), switching frequency (3 kHz), and inductance (5 mH). The Mitsubishi make intelligent power modules (IPM), PM50RSD120 having IGBT switches is chosen for the H-bridge inverter. The multicarrier modulation techniques are implemented on XILINX XC3S1400A, field-programmable gate array (FPGA), which generates the gating signals for the switches of the IPM.

Fig. 3(a)–(c) shows the inverter output voltage, common mode voltage, output current and leakage current, respectively, for the PD-MCPWM, POD-MCPWM, and proposed H-MCPWM techniques, for the five-level inverter. It can be seen from the figure that the output voltages of the inverter have five voltage steps, i.e., +40 V, +20 V, 0, –20 V, and –40 V. It can be observed from Fig. 3(a) and (b), respectively, that the CMV is 35.2 V (peak) in the PD-MCPWM technique and 26.0 V (peak) in the POD-MCPWM technique. The proposed H-MCPWM technique produces CMV of 24.5 V (peak) as observed from Fig. 3(c). It is in good agreement with the theoretical aspects explained in the previous section that the PD-MCPWM technique varies in the band range of  $\pm V_{PV}/2$  and hence, further reduction of CMV is not possible due to uncontrollable switching states. The H-MCPWM offers reduced magnitude of CMV to the band limit of maximum  $\pm V_{PV}/4$ . The proposed H-MCPWM provides reduced CMV during all the switching instants; hence, it renders low leakage current flow through the parasitic capacitance.

The simulation results comparison of different multicarrier PWM techniques, PD and POD-MCPWM [24], and the proposed H-MCPWM, regarding total harmonic distortion of the inverter output voltage and current, common mode voltage, leakage current magnitude and number of carrier requirements, is shown in Table II. The parameters used in simulation are: PV




Fig. 3. Inverter output voltage, common mode voltage, inverter output current, and leakage current for (a) PD-MCPWM, (b) POD-MCPWM, and (c) proposed H-MCPWM techniques.

TABLE II  
COMPARISON OF DIFFERENT MULTICARRIER PWM TECHNIQUES

Content	PD-MCPWM	POD-MCPWM	H-MCPWM
Total harmonic distortion% (voltage)	30.29%	30.96%	27.41%
Total harmonic distortion% (current)	4.71%	5.12%	4.25%
Common mode voltage	High	Low	Low
Leakage current (peak)	0.3 A	0.24 A	0.24 A
Leakage current (rms)	0.098 A	0.078 A	0.070 A
Number of carrier required	4	4	2

Device Utilization Summary			
Logic Utilization	Used	Available	Utilization
Number of Slice Flip Flops	296	9,312	3%
Number of 4 input LUTs	605	9,312	6%
Number of occupied Slices	454	4,656	9%
Number of Slices containing only related logic	454	454	100%
Number of Slices containing unrelated logic	0	454	0%
Total Number of 4 input LUTs	662	9,312	7%
Number used as logic	365		
Number used as a route-thru	57		
Number used as Shift registers	240		
Number of bonded IOBs	10	232	4%
Number of BUFMUXs	1	24	4%
Average Fanout of Non-Clock Nets	2.36		

(a)

Device Utilization Summary			
Logic Utilization	Used	Available	Utilization
Number of Slice Flip Flops	181	9,312	1%
Number of 4 input LUTs	424	9,312	4%
Number of occupied Slices	311	4,656	6%
Number of Slices containing only related logic	311	311	100%
Number of Slices containing unrelated logic	0	311	0%
Total Number of 4 input LUTs	460	9,312	4%
Number used as logic	304		
Number used as a route-thru	36		
Number used as Shift registers	120		
Number of bonded IOBs	6	232	2%
Number of BUFMUXs	1	24	4%
Average Fanout of Non-Clock Nets	2.75		

(b)

Fig. 4. FPGA device utilization summary report: (a) MCPWM (both PD and POD) techniques, and (b) proposed H-MCPWM technique.

output voltage of 120 V across the dc link of each H-bridge, parasitic capacitance (0.1  $\mu$ F), modulation index (0.9), filter inductance (1.8 mH), and load (20  $\Omega$ ). The table clearly shows the advantage of the proposed H-MCPWM as compared to the other multicarrier PWM techniques. Also the proposed H-MCPWM has less computational burden, as compared to the conventional MCPWM. To show this, the digital processor utilization summary report for XILINX XC3S1400A FPGA is shown in Fig. 4(a) and (b), respectively, for the MCPWM (same for both PD and POD) and for the proposed H-MCPWM techniques.

#### IV. CONCLUSION

This letter proposes H-MCPWM technique employed in transformerless cascaded multilevel inverter for the PV systems. The proposed modulation technique attains reduced common mode voltage with simplicity in implementation of the modulation technique. It has been illustrated that the proposed modulation technique has less leakage current as compared to the two- and three-level inverters. It is also observed that the proposed H-MCPWM offers less total harmonic distortion as compared to the conventional modulation methods. It uses only two carrier signals to generate the five-level inverter output which otherwise is four in other multicarrier modulation techniques.

#### REFERENCES

- [1] R. Gonzalez, J. Lopez, P. Sanchis, and L. Marroyo, "Transformerless inverter for single-phase photovoltaic systems," *IEEE Trans. Power Electron.*, vol. 22, no. 2, pp. 693–697, Mar. 2007.
- [2] Y. Wensong, L. Jih-Sheng, H. Qian, and C. Hutchens, "High-efficiency MOSFET inverter with H6-type configuration for photovoltaic nonisolated AC-module applications," *IEEE Trans. Power Electron.*, vol. 26, no. 4, pp. 1253–1260, Apr. 2011.
- [3] Y. Zhou, W. Huang, P. Zhao, and J. Zhao, "A transformerless grid-connected photovoltaic system based on the coupled inductor single-stage boost three-phase inverter," *IEEE Trans. Power Electron.*, vol. 29, no. 3, pp. 1041–1046, Mar. 2014.
- [4] L. Zhang, K. Sun, Y. Xing, and M. Xing, "H6 transformerless full-bridge PV grid-tied inverters," *IEEE Trans. Power Electron.*, vol. 29, no. 3, pp. 1229–1238, Mar. 2014.
- [5] T. Kerekes, R. Teodorescu, P. Rodriguez, G. Vazquez, and E. Aldabas, "A new high-efficiency single-phase transformerless PV inverter topology," *IEEE Trans. Ind. Electron.*, vol. 58, no. 1, pp. 184–191, Jan. 2011.
- [6] E. Koutroulis and F. Blaabjerg, "Design optimization of transformerless grid-connected PV inverters including reliability," *IEEE Trans. Power Electron.*, vol. 28, no. 1, pp. 325–335, Jan. 2013.
- [7] L. June-Seok and L. Kyo-Beum, "New modulation techniques for a leakage current reduction and a neutral-point voltage balance in transformerless photovoltaic systems using a three-level inverter," *IEEE Trans. Power Electron.*, vol. 29, no. 4, pp. 1720–1732, Apr. 2014.
- [8] Z. Li, S. Kai Sun, F. Lanlan, W. Hongfei, and X. Yan, "A family of neutral point clamped full-bridge topologies for transformerless photovoltaic grid-tied inverters," *IEEE Trans. Power Electron.*, vol. 28, no. 2, pp. 730–739, Feb. 2013.
- [9] Y. Bo, L. Wuhua, G. Yunjie, C. Wenfeng, and H. Xiangning, "Improved transformerless inverter with common-mode leakage current elimination for a photovoltaic grid-connected power system," *IEEE Trans. Power Electron.*, vol. 27, no. 2, pp. 752–762, Feb. 2012.
- [10] M. M. Renge and H. M. Suryawanshi, "Five-level diode clamped inverter to eliminate common mode voltage and reduce  $dv/dt$  in medium voltage rating induction motor drives," *IEEE Trans. Power Electron.*, vol. 23, no. 4, pp. 1598–1607, Jul. 2008.
- [11] Y. Zhou and H. Li, "Analysis and suppression of leakage current in cascaded-multilevel-inverter based PV systems," *IEEE Trans. Power Electron.*, vol. 29, no. 10, pp. 5265–5277, Oct. 2014.
- [12] R. Gonzalez, E. Gubia, J. Lopez, and L. Marroyo, "Transformerless single phase multilevel-based photovoltaic inverter," *IEEE Trans. Ind. Electron.*, vol. 55, no. 7, pp. 2694–2702, Jul. 2008.
- [13] (2014). [Online]. Available: <http://www.sungrowpower.com>
- [14] S. Gautam and R. Gupta, "Switching frequency derivation for the cascaded multilevel inverter operating in current control mode using multi-band hysteresis modulation," *IEEE Trans. Power Electron.*, vol. 29, no. 3, pp. 1480–1489, Mar. 2014.
- [15] A. M. Hava and E. Un, "A high-performance PWM algorithm for common-mode voltage reduction in three-phase voltage source inverters," *IEEE Trans. Power Electron.*, vol. 26, no. 7, pp. 1998–2008, Jul. 2011.
- [16] K. Zhou and D. Wang, "Relationship between space-vector modulation and three-phase carrier-based PWM: A comprehensive analysis," *IEEE Trans. Ind. Electron.*, vol. 49, no. 1, pp. 186–196, Jan. 2002.
- [17] L. P. Chiang, D. G. Holmes, Y. Fukuta, and T. A. Lipo, "Reduced common-mode modulation strategies for cascaded multilevel inverters," *IEEE Trans. Ind. Appl.*, vol. 39, no. 5, pp. 1386–1395, Sep./Oct. 2003.
- [18] L. Poh Chiang, D. G. Holmes, and T. A. Lipo, "Implementation and control of distributed PWM cascaded multilevel inverters with minimal harmonic distortion and common-mode voltage," *IEEE Trans. Power Electron.*, vol. 20, no. 1, pp. 90–99, Jan. 2005.
- [19] C. C. Hou, C. C. Shih, P. T. Cheng, and A. M. Hava, "Common-mode voltage reduction pulsewidth modulation techniques for three-phase grid-connected converters," *IEEE Trans. Power Electron.*, vol. 28, no. 4, pp. 1971–1979, Apr. 2013.
- [20] G. Xiaoqiang, M. C. Cavalcanti, A. M. Farias, and J. M. Guerrero, "Single-carrier modulation for neutral-point-clamped inverters in three-phase transformerless photovoltaic systems," *IEEE Trans. Power Electron.*, vol. 28, no. 6, pp. 2635–2637, Jun. 2013.
- [21] O. Lopez, R. Teodorescu, and J. Doval-Gandoy, "Multilevel transformerless topologies for single-phase grid-connected converters," in *Proc. 32nd Annu. Conf. IEEE Ind. Electron.*, Nov. 2006, pp. 5191–5196.
- [22] *IEEE Guide for Safety in AC Substation Grounding*, IEEE Std. 80-2000, New York, NY, USA, 2000.
- [23] R. M. Mohan and S. M. Hiralal, "Multilevel inverter to reduce common mode voltage in AC motor drives using SPWM technique" *J. Power Electron.*, vol. 11, no. 1, pp. 21–27, Jan. 2011.
- [24] D. G. Holmes and T. Lipo, *Pulse Width Modulation for Power Converters: Principles and Practice*. Piscataway, NJ, USA: IEEE Press, 2003.