

# 2016 Index

## IEEE Transactions on Power Electronics

### Vol. 31

This index covers all technical items—papers, correspondence, reviews, etc.—that appeared in this periodical during 2016, and items from previous years that were commented upon or corrected in 2016. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

#### Author Index

#### A

- A, K.**, and Umanand, L., A Simple Hysteretic Energy Harvesting Method for Nonneutral AC Switches in Load Automation; *TPEL July 2016 4906-4915*
- Abdelhakim, A.**, Mattavelli, P., and Spiazzi, G., Three-Phase Split-Source Inverter (SSI): Analysis and Modulation; *TPEL Nov. 2016 7451-7461*
- Abedi, M.**, see Hassan Zamani, M., *TPEL Aug. 2016 5538-5546*
- Abeywardana, D.B.W.**, Hredzak, B., and Agelidis, V.G., A Rule-Based Controller to Mitigate DC-Side Second-Order Harmonic Current in a Single-Phase Boost Inverter; *TPEL Feb. 2016 1665-1679*
- Abeywardana, D.B.W.**, Hredzak, B., and Agelidis, V.G., An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter; *TPEL June 2016 4594-4603*
- Abramovitz, A.**, Yao, J., and Smedley, K., Unified Modeling of PWM Converters With Regular or Tapped Inductors Using TIS-SFG Approach; *TPEL Feb. 2016 1702-1716*
- Abramovitz, A.**, see Shmilovitz, D., *TPEL March 2016 1833-1836*
- Abramovitz, A.**, Zhao, B., and Smedley, K.M., High-Gain Single-Stage Boosting Inverter for Photovoltaic Applications; *TPEL May 2016 3550-3558*
- Abu-Rub, H.**, see Vinnikov, D., *TPEL Nov. 2016 7417-7418*
- Abu-Rub, H.**, see Liu, S., *TPEL Nov. 2016 7544-7555*
- Abu-Rub, H.**, see Ellabban, O., *TPEL Nov. 2016 7436-7450*
- Accero, J.**, see Lope, I., *TPEL July 2016 5089-5101*
- Acuna, P.**, see Ghias, A.M.Y.M., *TPEL Aug. 2016 5384-5388*
- Aditya, K.**, see Youssef, M.Z., *TPEL April 2016 3036-3042*
- Aeloiza, E.**, see Guo, B., *TPEL Feb. 2016 1074-1084*
- Afridi, K.K.**, see Chen, M., *TPEL Jan. 2016 560-580*
- Afridi, K.K.**, see Lu, J., *TPEL July 2016 5040-5056*
- Agelidis, V.G.**, see Yu, Y., *TPEL Jan. 2016 292-303*
- Agelidis, V.G.**, see Lopez, I., *TPEL Feb. 2016 928-941*
- Agelidis, V.G.**, see Yu, Y., *TPEL Feb. 2016 1108-1120*
- Agelidis, V.G.**, see Abeywardana, D.B.W., *TPEL Feb. 2016 1665-1679*
- Agelidis, V.G.**, see Momayyezani, M., *TPEL March 2016 1968-1979*
- Agelidis, V.G.**, see Ghias, A.M.Y.M., *TPEL March 2016 1921-1930*
- Agelidis, V.G.**, see Abeywardana, D.B.W., *TPEL June 2016 4594-4603*
- Agelidis, V.G.**, see Townsend, C.D., *TPEL Aug. 2016 5574-5586*
- Agelidis, V.G.**, see Ghias, A.M.Y.M., *TPEL Aug. 2016 5384-5388*
- Agelidis, V.G.**, see Morstyn, T., *TPEL Nov. 2016 7986-7995*
- Agelidis, V.G.**, see Konstantinou, G., *TPEL Nov. 2016 7761-7769*
- Agostini, F.**, see Vemulapati, U.R., *TPEL Aug. 2016 5900-5905*
- Ahmadi, R.**, see Aleenejad, M., *TPEL April 2016 3141-3150*
- Ahmadi, R.**, see Aleenejad, M., *TPEL Oct. 2016 7224-7233*
- Ahmadi, R.**, see Sajadian, S., *TPEL Nov. 2016 7611-7620*
- Ahmadi, R.**, see Aleenejad, M., *TPEL Nov. 2016 7480-7488*
- Ahmadyfard, A.**, see Peyghambari, A., *TPEL June 2016 4604-4610*
- Ahmed, H.F.**, Cha, H., Kim, S., and Kim, H., Switched-Coupled-Inductor Quasi-Z-Source Inverter; *TPEL Feb. 2016 1241-1254*
- Ahmed, H.F.**, Cha, H., Khan, A.A., and Kim, H., A Novel Buck-Boost AC-AC Converter With Both Inverting and Noninverting Operations and Without Commutation Problem; *TPEL June 2016 4241-4251*
- Ahmed, H.F.**, see Khan, A.A., *TPEL Aug. 2016 5655-5665*
- Ahmed, H.F.**, see Khan, A.A., *TPEL Sept. 2016 6317-6326*
- Ahmed, H.F.**, Cha, H., Khan, A.A., and Kim, H., A Family of High-Frequency Isolated Single-Phase Z-Source AC-AC Converters With Safe-Commutation Strategy; *TPEL Nov. 2016 7522-7533*
- Ahmed, I.**, Borghate, V.B., Matsa, A., Meshram, P.M., Suryawanshi, H.M., and Chaudhari, M.A., Simplified Space Vector Modulation Techniques for Multilevel Inverters; *TPEL Dec. 2016 8483-8499*
- Ahmed, K.Z.**, and Mukhopadhyay, S., A 190 nA Bias Current 10 mV Input Multistage Boost Regulator With Intermediate-Node Control to Supply RF Blocks in Self-Powered Wireless Sensors; *TPEL Feb. 2016 1322-1333*
- Ahmed, K.Z.**, see Kar, M., *TPEL March 2016 1857-1862*
- Ahmed, S.**, see Darwish, A., *TPEL Dec. 2016 8218-8236*
- Ahn, D.**, and Mercier, P.P., Wireless Power Transfer With Concurrent 200-kHz and 6.78-MHz Operation in a Single-Transmitter Device; *TPEL July 2016 5018-5029*
- Ahn, D.**, Kim, S., Moon, J., and Cho, I., Wireless Power Transfer With Automatic Feedback Control of Load Resistance Transformation; *TPEL Nov. 2016 7876-7886*
- Ahsanuzzaman, S.M.**, Prodic, A., and Johns, D.A., An Integrated High-Density Power Management Solution for Portable Applications Based on a Multitap Switched-Capacitor Circuit; *TPEL June 2016 4305-4323*
- Ai, J.**, see Liu, H., *TPEL July 2016 4974-4983*
- Ainsworth, N.G.**, see Johnson, B.B., *TPEL Aug. 2016 6002-6015*
- Akagi, H.**, see Sochor, P., *TPEL March 2016 1980-1992*
- Akagi, H.**, see Khamphakdi, P., *TPEL April 2016 2730-2741*
- Akagi, H.**, see Ota, J.I.Y., *TPEL April 2016 2791-2799*
- Akagi, H.**, see Sasongko, F., *TPEL May 2016 3456-3471*
- Akin, B.**, see Dusmez, S., *TPEL Feb. 2016 1230-1240*
- Akin, B.**, see Li, X., *TPEL March 2016 2627-2637*
- Akin, B.**, see Tang, Z., *TPEL June 2016 4400-4415*
- Akin, B.**, see Dusmez, S., *TPEL July 2016 5149-5160*
- Al-Haddad, K.**, see Hamouda, M., *TPEL Feb. 2016 1095-1107*
- Al-Haddad, K.**, see Vahedi, H., *TPEL Aug. 2016 5967-5973*
- Al-Turki, Y.A.**, see Sosa, J.L., *TPEL April 2016 3314-3323*
- Alatise, O.**, see Tang, Y., *TPEL Jan. 2016 165-176*
- Alatise, O.**, see Hu, J., *TPEL June 2016 4526-4535*
- Alatise, O.**, see Lai, W., *TPEL Sept. 2016 6575-6585*
- Alatise, O.**, see Tang, Y., *TPEL Nov. 2016 7823-7836*
- Aldaher, S.**, Yates, D.C., and Mitcheson, P.D., Modeling and Analysis of Class EF and Class E/F Inverters With Series-Tuned Resonant Networks; *TPEL May 2016 3415-3430*
- Aldaher, S.**, Yates, D.C., and Mitcheson, P.D., Design and Development of a Class EF<sub>2</sub> Inverter and Rectifier for Multimegahertz Wireless Power Transfer Systems; *TPEL Dec. 2016 8138-8150*
- Aleenejad, M.**, Mahmoudi, H., Moamaei, P., and Ahmadi, R., A New Fault-Tolerant Strategy Based on a Modified Selective Harmonic Technique for Three-Phase Multilevel Converters With a Single Faulty Cell; *TPEL April 2016 3141-3150*
- Aleenejad, M.**, Mahmoudi, H., and Ahmadi, R., Unbalanced Space Vector Modulation with Fundamental Phase Shift Compensation for Faulty Multilevel Converters; *TPEL Oct. 2016 7224-7233*
- Aleenejad, M.**, Mahmoudi, H., and Ahmadi, R., A Fault-Tolerant Strategy Based on Fundamental Phase-Shift Compensation for Three-Phase Multi-

level Converters With Quasi-Z-Source Networks With Discontinuous Input Current; *TPEL Nov. 2016 7480-7488*

- Alizadeh, R.**, see Banaei, M.R., *TPEL Feb. 2016 1255-1262*
- Allard, B.**, see Neveu, F., *TPEL June 2016 3985-3988*
- Allard, B.**, see Souvignet, T., *TPEL July 2016 4984-4994*
- Allen, S.**, see Hazra, S., *TPEL July 2016 4742-4754*
- Almer, S.**, see Besselmann, T.J., *TPEL Oct. 2016 7384-7393*
- Alonso, J.M.**, Martinez, G., Perdigao, M., Cosetin, M.R., and do Prado, R.N., A Systematic Approach to Modeling Complex Magnetic Devices Using SPICE: Application to Variable Inductors; *TPEL Nov. 2016 7735-7746*
- Alou, P.**, see Zhao, S., *TPEL April 2016 3217-3226*
- Alou, P.**, see Vasic, M., *TPEL June 2016 4611-4627*
- Alou, P.**, see Silva, M., *TPEL July 2016 4795-4808*
- Alsofyani, I.M.**, and Idris, N.R.N., Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor; *TPEL April 2016 3027-3035*
- Alvarez, J.**, see Lopez, O., *TPEL Dec. 2016 8151-8161*
- Amanci, A.Z.**, Ruda, H.E., and Dawson, F.P., Galvanic Isolation for High-Frequency Applications Using an Integrated Dielectric Structure; *TPEL Aug. 2016 5797-5804*
- Amanci, A.Z.**, Ruda, H.E., and Dawson, F.P., Load-Source Matching With Dielectric Isolation in High-Frequency Switch-Mode Power Supplies; *TPEL Oct. 2016 7123-7130*
- Amaro, M.**, see Shenoy, P.S., *TPEL Oct. 2016 7006-7015*
- Ammasai Gounden, N.**, see Nayanar, V., *TPEL Feb. 2016 1161-1172*
- An, Q.**, Liu, J., Peng, Z., Sun, L., and Sun, L., Dual-Space Vector Control of Open-End Winding Permanent Magnet Synchronous Motor Drive Fed by Dual Inverter; *TPEL Dec. 2016 8329-8342*
- Andersen, M.A.E.**, see Huang, L., *TPEL Jan. 2016 470-487*
- Andersen, M.A.E.**, see Nguyen-Duy, K., *TPEL March 2016 2562-2574*
- Andersen, M.A.E.**, see Thummala, P., *TPEL Aug. 2016 5786-5796*
- Andersen, M.A.E.**, see Thummala, P., *TPEL Dec. 2016 8500-8516*
- Andreu, J.**, see Lopez, I., *TPEL Feb. 2016 928-941*
- Angulo, F.**, see Morcillo, J.D., *TPEL July 2016 5330-5343*
- Antoniadis, D.**, see Choi, P., *TPEL Aug. 2016 5365-5368*
- Antoszczuk, P.**, Retegui, R.G., and Uicich, G., Interleaved Boundary Conduction Mode Versus Continuous Conduction Mode Magnetic Volume Comparison in Power Converters; *TPEL Dec. 2016 8037-8041*
- Antoszczuk, P.D.**, Retegui, R.G., Funes, M., Wassinger, N., and Maestri, S., Interleaved Current Control for Multiphase Converters With High Dynamics Mean Current Tracking; *TPEL Dec. 2016 8422-8434*
- Aqui, J.A.**, see Ponce-Silva, M., *TPEL Dec. 2016 8195-8204*
- Araghchini, M.**, see Chen, M., *TPEL Jan. 2016 560-580*
- Arevalo, F.**, see Zhao, S., *TPEL April 2016 3217-3226*
- Arnold, M.**, see Vemulapati, U.R., *TPEL Aug. 2016 5900-5905*
- Asher, G.**, see Gao, F., *TPEL Oct. 2016 7369-7383*
- Asher, G.**, see Shen, L., *TPEL Oct. 2016 6947-6954*
- Astigarraga, D.**, see Rigamonti, M., *TPEL Feb. 2016 1567-1575*
- Astigarraga, D.**, Ibanez, F.M., Galarza, A., Echeverria, J.M., Unanue, I., Baraldi, P., and Zio, E., Analysis of the Results of Accelerated Aging Tests in Insulated Gate Bipolar Transistors; *TPEL Nov. 2016 7953-7962*
- Astolfi, A.**, see Scariotti, G., *TPEL Dec. 2016 8448-8460*
- Ataji, A.B.**, Miura, Y., Ise, T., and Tanaka, H., Direct Voltage Control With Slip Angle Estimation to Extend the Range of Supported Asymmetric Loads for Stand-Alone DFIG; *TPEL Feb. 2016 1015-1025*
- Athab, H.S.**, see Wang, L., *TPEL April 2016 3289-3301*
- Atkinson, D.J.**, see Lambert, S.M., *TPEL Feb. 2016 1334-1343*
- Avestruz, A.**, see Chang, A.H., *TPEL Feb. 2016 1036-1049*
- Aware, M.V.**, see Sakthisudhursun, B., *TPEL March 2016 2429-2436*
- Ayachit, A.**, see Siwakoti, Y.P., *TPEL Dec. 2016 8081-8087*
- Ayel, F.**, see Grezard, R., *TPEL Dec. 2016 8409-8421*
- Azeez, N.A.**, see Youssef, M.Z., *TPEL April 2016 3036-3042*
- Azevedo, G.M.S.**, see Neves, F.A.S., *TPEL April 2016 3338-3347*

## B

- Baars, N.H.**, Everts, J., Wijnands, C.G.E., and Lomonova, E.A., Performance Evaluation of a Three-Phase Dual Active Bridge DC-DC Converter With Different Transformer Winding Configurations; *TPEL Oct. 2016 6814-6823*
- Babel, A.S.**, see Niu, F., *TPEL Feb. 2016 1408-1424*
- Bacon, V.D.**, see Modesto, R.A., *TPEL Aug. 2016 5503-5514*
- Baddipadiga, B.P.**, see Prabhala, V.A.K., *TPEL June 2016 4206-4215*
- Back, J.**, see Youn, H., *TPEL Jan. 2016 900-912*
- Back, J.**, see Youn, H., *TPEL Sept. 2016 6596-6606*
- Baeza, E.**, see Vazquez, N., *TPEL Nov. 2016 7651-7660*
- Bagheri, A.**, Mardaneh, M., Rajaei, A., and Rahideh, A., Detection of Grid Voltage Fundamental and Harmonic Components Using Kalman Filter and Generalized Averaging Method; *TPEL Feb. 2016 1064-1073*
- Bahrani, B.**, Debnath, S., and Saedifard, M., Circulating Current Suppression of the Modular Multilevel Converter in a Double-Frequency Rotating Reference Frame; *TPEL Jan. 2016 783-792*
- Bai, Y.**, see Tang, Y., *TPEL Nov. 2016 7963-7971*
- Baier, C.R.**, see Melin, P.E., *TPEL Sept. 2016 6122-6133*
- Bak, C.L.**, see Beres, R.N., *TPEL March 2016 2083-2098*
- Bak, C.L.**, see Kazem Bakhshizadeh, M., *TPEL Oct. 2016 6792-6796*
- Baker, N.**, Munk-Nielsen, S., Iannuzzo, F., and Liserre, M., IGBT Junction Temperature Measurement via Peak Gate Current; *TPEL May 2016 3784-3793*
- Bakhshai, A.**, see Pahlevani, M., *TPEL Feb. 2016 1275-1293*
- Bakhshai, A.**, see Safaei, A., *TPEL June 2016 4031-4047*
- Bakhshai, A.**, see Hui, J.C.Y., *TPEL July 2016 4861-4875*
- Bakhshai, A.**, see Safaei, A., *TPEL Nov. 2016 7714-7734*
- Balcells, J.**, see Picas, R., *TPEL Jan. 2016 177-187*
- Balog, R.S.**, see Liu, S., *TPEL Nov. 2016 7544-7555*
- Banaei, M.R.**, Alizadeh, R., Jahanyari, N., and Seifi Najmi, E., An AC Z-Source Converter Based on Gamma Structure With Safe-Commutation Strategy; *TPEL Feb. 2016 1255-1262*
- Baneira, F.**, Yepes, A.G., Lopez, O., and Doval-Gandoy, J., Estimation Method of Stator Winding Temperature for Dual Three-Phase Machines Based on DC-Signal Injection; *TPEL July 2016 5141-5148*
- Baneira, F.**, see Lopez, O., *TPEL Dec. 2016 8151-8161*
- Banerjee, A.**, Leeb, S.B., and Kirtley, J.L., Solid-State Transfer Switch Topologies for a Switched Doubly Fed Machine Drive; *TPEL Aug. 2016 5709-5720*
- Bang, J.**, see Sung, S., *TPEL Dec. 2016 8282-8292*
- Bao, B.**, see Zhang, X., *TPEL Sept. 2016 6686-6697*
- Bar, E.**, see Roskopf, A., *TPEL Sept. 2016 6442-6449*
- Baraldi, P.**, see Rigamonti, M., *TPEL Feb. 2016 1567-1575*
- Baraldi, P.**, see Astigarraga, D., *TPEL Nov. 2016 7953-7962*
- Barbaro, M.**, see Congiu, A., *TPEL Aug. 2016 6001*
- Barbi, I.**, see Cortez, D.F., *TPEL May 2016 3495-3505*
- Baric, A.**, see Kundrata, J., *TPEL June 2016 4474-4483*
- Barrero, F.**, see Gonzalez-Prieto, I., *TPEL April 2016 3068-3079*
- Barth, C.B.**, see Qin, S., *TPEL May 2016 3575-3585*
- Barzegarkhoo, R.**, Kojabadi, H.M., Zamiry, E., Vosoughi, N., and Chang, L., Generalized Structure for a Single Phase Switched-Capacitor Multilevel Inverter Using a New Multiple DC Link Producer With Reduced Number of Switches; *TPEL Aug. 2016 5604-5617*
- Basha, G.**, see Madichetty, S., *TPEL Sept. 2016 6112-6121*
- Basir, N.S.**, see Reza Tousi, S.M., *TPEL March 2016 2120-2128*
- Battiston, A.**, Miliani, E., Pierfederici, S., and Meibody-Tabar, F., A Novel Quasi-Z-Source Inverter Topology With Special Coupled Inductors for Input Current Ripples Cancellation; *TPEL March 2016 2409-2416*
- Bauwens, F.**, see Castro, I., *TPEL March 2016 2485-2495*
- Bayerer, R.**, Lassmann, M., and Kremp, S., Transient Hygrothermal-Response of Power Modules in Inverters—The Basis for Mission Profiling Under Climate and Power Loading; *TPEL Jan. 2016 613-620*
- Bayhan, S.**, see Ellabban, O., *TPEL Nov. 2016 7436-7450*
- Bayne, S.B.**, see Schrock, J.A., *TPEL March 2016 1816-1821*
- Bayne, S.B.**, see Schrock, J.A., *TPEL Dec. 2016 8058-8062*
- Bezczowski, S.**, see Li, H., *TPEL Jan. 2016 621-634*
- Bezczowski, S.**, see Li, H., *TPEL Dec. 2016 8042-8045*

- Bede, L.**, see Gohil, G., *TPEL May 2016 3400-3414*
- Bede, L.**, see Gohil, G., *TPEL Nov. 2016 7797-7808*
- Belk, J.A.**, see Hanson, A.J., *TPEL Nov. 2016 7909-7925*
- Ben, H.**, see Meng, T., *TPEL July 2016 4995-5003*
- Ben, H.**, see Meng, T., *TPEL Sept. 2016 6383-6393*
- Benabou, A.**, see Cuellar, C., *TPEL May 2016 3763-3772*
- Benavides, N.D.**, see Solomon, L.A., *TPEL April 2016 3052-3067*
- Beres, R.N.**, Wang, X., Blaabjerg, F., Liserre, M., and Bak, C.L., Optimal Design of High-Order Passive-Damped Filters for Grid-Connected Applications; *TPEL March 2016 2083-2098*
- Bermudez, M.**, see Gonzalez-Prieto, I., *TPEL April 2016 3068-3079*
- Bernard, L.**, see Ibrahim, M., *TPEL Dec. 2016 8096-8114*
- Bernet, S.**, see Lizana, R., *TPEL Feb. 2016 1774-1784*
- Bertoni, N.**, Frattini, G., Massolini, R.G., Pareschi, F., Rovatti, R., and Setti, G., An Analytical Approach for the Design of Class-E Resonant DC-DC Converters; *TPEL Nov. 2016 7701-7713*
- Besselmann, T.J.**, Almer, S., and Ferreau, H.J., Model Predictive Control of Load-Commutated Inverter-Fed Synchronous Machines; *TPEL Oct. 2016 7384-7393*
- Bevilacqua, P.**, see Neveu, F., *TPEL June 2016 3985-3988*
- Bhatnagar, P.**, see Gupta, K.K., *TPEL Jan. 2016 135-151*
- Bhattacharya, S.**, see Rocha, A.V., *TPEL April 2016 2800-2807*
- Bhattacharya, S.**, see Hazra, S., *TPEL July 2016 4742-4754*
- Bhattacharya, T.**, see Sahoo, S.K., *TPEL April 2016 3043-3051*
- Bhattacharya, T.**, see Sahoo, S.K., *TPEL June 2016 4429-4439*
- Bhuvaneswari, G.**, see Narula, S., *TPEL April 2016 2850-2859*
- Bi, C.**, Lu, H., Jia, K., Hu, J., and Li, H., A Novel Multiple-Frequency Resonant Inverter for Induction Heating Applications; *TPEL Dec. 2016 8162-8171*
- Bi, X.**, see Hou, S., *TPEL Jan. 2016 381-393*
- Bi, X.**, see Yao, K., *TPEL Aug. 2016 5944-5951*
- Bian, B.**, see Chang, C., *TPEL Sept. 2016 6372-6382*
- Bian, J.**, see Lei, J., *TPEL Jan. 2016 21-25*
- Bianchi, M.A.**, see Pena-Alzola, R., *TPEL Sept. 2016 6607-6620*
- Bianda, E.**, see Vemulapati, U.R., *TPEL Aug. 2016 5900-5905*
- Biela, J.**, see Carstensen, C., *TPEL Sept. 2016 6176-6191*
- Biela, J.**, see Jauch, F., *TPEL Dec. 2016 8387-8397*
- Bifaretti, S.**, Lidozzi, A., Solero, L., and Crescimbin, F., Modulation With Sinusoidal Third-Harmonic Injection for Active Split DC-Bus Four-Leg Inverters; *TPEL Sept. 2016 6226-6236*
- Bilbao, A.V.**, see Schrock, J.A., *TPEL March 2016 1816-1821*
- Bilbao, A.V.**, see Schrock, J.A., *TPEL Dec. 2016 8058-8062*
- Blaabjerg, F.**, see Wang, X., *TPEL Jan. 2016 213-223*
- Blaabjerg, F.**, see Ma, K., *TPEL Jan. 2016 5-10*
- Blaabjerg, F.**, see Xie, G., *TPEL Feb. 2016 1785-1794*
- Blaabjerg, F.**, see Chen, W., *TPEL Feb. 2016 1143-1160*
- Blaabjerg, F.**, see Sangwongwanich, A., *TPEL March 2016 1822-1825*
- Blaabjerg, F.**, see Hadjidemetriou, L., *TPEL March 2016 2139-2149*
- Blaabjerg, F.**, see Yang, Y., *TPEL March 2016 1837-1840*
- Blaabjerg, F.**, see Huang, M., *TPEL March 2016 2337-2346*
- Blaabjerg, F.**, see Beres, R.N., *TPEL March 2016 2083-2098*
- Blaabjerg, F.**, see Qin, Z., *TPEL April 2016 3302-3313*
- Blaabjerg, F.**, see Lu, Y., *TPEL April 2016 2840-2849*
- Blaabjerg, F.**, see Chub, A., *TPEL April 2016 2808-2828*
- Blaabjerg, F.**, see Gohil, G., *TPEL May 2016 3400-3414*
- Blaabjerg, F.**, see Huang, M., *TPEL May 2016 3958-3967*
- Blaabjerg, F.**, see Xin, Z., *TPEL May 2016 3612-3625*
- Blaabjerg, F.**, see Chen, W., *TPEL July 2016 4831-4846*
- Blaabjerg, F.**, see Choi, U., *TPEL Oct. 2016 7234-7247*
- Blaabjerg, F.**, see Ma, K., *TPEL Oct. 2016 7183-7193*
- Blaabjerg, F.**, see Kazem Bakhshizadeh, M., *TPEL Oct. 2016 6792-6796*
- Blaabjerg, F.**, see Yang, Y., *TPEL Oct. 2016 7273-7285*
- Blaabjerg, F.**, see Reigosa, P.D., *TPEL Oct. 2016 7171-7182*
- Blaabjerg, F.**, see Forouzesh, M., *TPEL Nov. 2016 7621-7641*
- Blaabjerg, F.**, see Siwakoti, Y.P., *TPEL Nov. 2016 7419-7435*
- Blaabjerg, F.**, see Husev, O., *TPEL Nov. 2016 7564-7579*
- Blaabjerg, F.**, see Gohil, G., *TPEL Nov. 2016 7797-7808*
- Blaabjerg, F.**, see Husev, O., *TPEL Nov. 2016 7580-7591*
- Blaabjerg, F.**, see Siwakoti, Y.P., *TPEL Dec. 2016 8081-8087*
- Blaabjerg, F.**, see Xin, Z., *TPEL Dec. 2016 8068-8073*
- Blaabjerg, F.**, see Choi, U., *TPEL Dec. 2016 8371-8386*
- Blaabjerg, F.**, see Chen, H., *TPEL Dec. 2016 8562-8571*
- Blalock, B.J.**, see Wang, Z., *TPEL Feb. 2016 1555-1566*
- Blanchette, H.F.**, see Hamouda, M., *TPEL Feb. 2016 1095-1107*
- Bodano, E.**, see Congiu, A., *TPEL Aug. 2016 6001*
- Bodetto, M.**, El Aroudi, A., Cid-Pastor, A., Calvente, J., and Martinez-Salameiro, L., Design of AC-DC PFC High-Order Converters With Regulated Output Current for Low-Power Applications; *TPEL March 2016 2012-2025*
- Bodo, N.**, see Subotic, I., *TPEL Feb. 2016 1461-1471*
- Bodo, N.**, see Subotic, I., *TPEL Sept. 2016 6511-6523*
- Boillat, D.O.**, Krismer, F., and Kolar, J.W., Optimization and Comparative Evaluation of Multiloop Control Schemes for Controllable AC Sources With Two-Stage LC Output Filters; *TPEL Oct. 2016 7353-7368*
- Boillat, D.O.**, see Krismer, F., *TPEL Dec. 2016 8052-8057*
- Bonaldo, J.P.**, Morales Paredes, H.K., and Pomilio, J.A., Control of Single-Phase Power Converters Connected to Low-Voltage Distorted Power Systems With Variable Compensation Objectives; *TPEL March 2016 2039-2052*
- Bonse, C.**, see Roskopf, A., *TPEL Sept. 2016 6442-6449*
- Bonyadi, R.**, see Hu, J., *TPEL June 2016 4526-4535*
- Boon, C.**, see Choi, P., *TPEL Aug. 2016 5365-5368*
- Borghate, V.B.**, see Ahmed, I., *TPEL Dec. 2016 8483-8499*
- Born, R.**, see Zhang, L., *TPEL May 2016 3913-3921*
- Born, R.**, see Zhang, L., *TPEL Dec. 2016 8572-8580*
- Borocci, G.**, see De Donato, G., *TPEL April 2016 2880-2889*
- Boroyevich, D.**, see Wen, B., *TPEL Jan. 2016 675-687*
- Boroyevich, D.**, see Wen, B., *TPEL Jan. 2016 26-38*
- Bosque-Moncusi, J.M.**, see Leon-Masich, A., *TPEL Feb. 2016 1633-1642*
- Botting, C.**, see Shafiei, N., *TPEL Feb. 2016 1173-1188*
- Bozhko, S.**, see Gao, F., *TPEL Oct. 2016 7369-7383*
- Bozhko, S.**, see Shen, L., *TPEL Oct. 2016 6947-6954*
- Briz, F.**, see Lumberras, C., *TPEL Oct. 2016 6980-6991*
- Bu, S.**, see Ho, M., *TPEL Sept. 2016 6362-6371*
- Buccella, P.**, Stefanucci, C., Sallese, J., and Kayal, M., Simulation, Analysis, and Verification of Substrate Currents for Layout Optimization of Smart Power ICs; *TPEL Sept. 2016 6586-6595*
- Burbano, D.**, see Morcillo, J.D., *TPEL July 2016 5330-5343*
- Burdio, J.M.**, see Sarmago, H., *TPEL Jan. 2016 488-496*
- Burdio, J.M.**, see Laloya, E., *TPEL Nov. 2016 7896-7908*
- Burgos, R.**, see Wen, B., *TPEL Jan. 2016 675-687*
- Burgos, R.**, see Wen, B., *TPEL Jan. 2016 26-38*
- Burguete, E.**, see Zabaleta, M., *TPEL March 2016 1993-2001*
- Burkart, R.M.**, see Kasper, M., *TPEL Dec. 2016 8063-8067*
- Byrd, R.**, see Fu, W., *TPEL Jan. 2016 418-429*
- Byro, A.**, see Van Tassell, B., *TPEL April 2016 2695-2708*

## C

- Cai, G.**, see Liu, C., *TPEL Feb. 2016 1131-1142*
- Cai, G.**, see Liu, C., *TPEL Oct. 2016 6968-6979*
- Cai, J.**, see Yang, D., *TPEL Nov. 2016 7996-8006*
- Cai, T.**, see Zhao, J., *TPEL Dec. 2016 8343-8358*
- Cai, W.**, and Yi, F., An Integrated Multiport Power Converter With Small Capacitance Requirement for Switched Reluctance Motor Drive; *TPEL April 2016 3016-3026*
- Cai, W.**, see Yi, F., *TPEL Oct. 2016 7099-7111*
- Cai, W.**, see Yi, F., *TPEL Nov. 2016 7661-7676*
- Cai, X.**, see Sun, L., *TPEL July 2016 5161-5175*
- Cai, Y.**, see Zhang, Z., *TPEL Jan. 2016 304-317*
- Calvente, J.**, see Bodetto, M., *TPEL March 2016 2012-2025*
- Canaday, S.**, see Levron, Y., *TPEL Jan. 2016 258-269*
- Candan, E.**, Shenoy, P.S., and Pilawa-Podgurski, R.C.N., A Series-Stacked Power Delivery Architecture With Isolated Differential Power Conversion for Data Centers; *TPEL May 2016 3690-3703*
- Cao, H.**, see Lin, S., *TPEL July 2016 5079-5088*

- Cao, H.**, *see* Lin, S., *TPEL Sept. 2016 6134-6143*
- Cao, J.**, Liu, H., Ding, P., Yang, B., and Xie, S., Wide Correction Range Three-Level Dynamic Voltage Corrector; *TPEL Sept. 2016 6217-6225*
- Cao, L.**, Loo, K.H., and Lai, Y.M., Output-Impedance Shaping of Bidirectional DAB DC-DC Converter Using Double-Proportional-Integral Feedback for Near-Ripple-Free DC Bus Voltage Regulation in Renewable Energy Systems; *TPEL March 2016 2187-2199*
- Cao, W.**, *see* Hu, Y., *TPEL Feb. 2016 1541-1554*
- Cao, W.**, *see* Hu, Y., *TPEL June 2016 4654-4668*
- Cao, W.**, *see* Hu, Y., *TPEL July 2016 4930-4941*
- Cao, W.**, *see* Gan, C., *TPEL Oct. 2016 7248-7263*
- Cao, Y.**, *see* Li, X., *TPEL Nov. 2016 7677-7690*
- Capella, G.J.**, *see* Ghias, A.M.Y.M., *TPEL Aug. 2016 5384-5388*
- Carlo, S.**, and Mukhopadhyay, S., A High Power Density Dynamic Voltage Scaling Enabling a Single-Inductor Four-Output Regulator Using a Power-Weighted CCM Controller and a Floating Capacitor-Based Output Filter; *TPEL June 2016 4252-4264*
- Carrasco, M.**, *see* Neves, F.A.S., *TPEL April 2016 3338-3347*
- Carretero, C.**, *see* Lope, I., *TPEL July 2016 5089-5101*
- Carstensen, C.**, and Biela, J., A Three-Level Buck Converter With a Wide Voltage Operation Range for Hardware-in-the-Loop Test Systems; *TPEL Sept. 2016 6176-6191*
- Castellazzi, A.**, *see* Evans, P.L., *TPEL March 2016 2443-2455*
- Castellazzi, A.**, *see* Kraus, R., *TPEL Aug. 2016 5863-5870*
- Castellazzi, A.**, *see* Gurpinar, E., *TPEL Oct. 2016 7148-7160*
- Castilla, M.**, *see* Guzman, R., *TPEL Jan. 2016 758-769*
- Castilla, M.**, *see* Sosa, J.L., *TPEL April 2016 3314-3323*
- Castro, I.**, Roig, J., Gelagaev, R., Vlachakis, B., Bauwens, F., Lamar, D.G., and Driesen, J., Analytical Switching Loss Model for Superjunction MOS-FET With Capacitive Nonlinearities and Displacement Currents for DC-DC Power Converters; *TPEL March 2016 2485-2495*
- Cayol, O.**, *see* Ibrahim, M., *TPEL Dec. 2016 8096-8114*
- Ceballos, S.**, *see* Picas, R., *TPEL Jan. 2016 177-187*
- Ceballos, S.**, *see* Lopez, I., *TPEL Feb. 2016 928-941*
- Ceballos, S.**, *see* Konstantinou, G., *TPEL Nov. 2016 7761-7769*
- Cha, H.**, *see* Ahmed, H.F., *TPEL Feb. 2016 1241-1254*
- Cha, H.**, *see* Khan, A.A., *TPEL March 2016 2129-2138*
- Cha, H.**, *see* Ahmed, H.F., *TPEL June 2016 4241-4251*
- Cha, H.**, *see* Khan, A.A., *TPEL Aug. 2016 5655-5665*
- Cha, H.**, *see* Khan, A.A., *TPEL Sept. 2016 6317-6326*
- Cha, H.**, *see* Ahmed, H.F., *TPEL Nov. 2016 7522-7533*
- Cha, H.**, Li, Y., and Zheng Peng, F., Practical Layouts and DC-Rail Voltage Clamping Techniques of Z-Source Inverters; *TPEL Nov. 2016 7471-7479*
- Cha, W.**, *see* Cho, Y., *TPEL June 2016 4138-4147*
- Challa, S.R.**, Kastha, D., and Patra, A., A Cascade Point of Load DC-DC Converter With a Novel Phase Shifted Switched Capacitor Converter Output Stage; *TPEL Jan. 2016 353-368*
- Chan, S.**, Yang, T., and Chang, Y., Design of Electronic Ballast for Short-Arc Xenon Lamp With Interleaved Half-Wave Rectifier; *TPEL July 2016 5102-5112*
- Chando, P.**, *see* Van Tassell, B., *TPEL April 2016 2695-2708*
- Chang, A.H.**, Sennett, B.R., Avestruz, A., Leeb, S.B., and Kirtley, J.L., Analysis and Design of DC System Protection Using Z-Source Circuit Breaker; *TPEL Feb. 2016 1036-1049*
- Chang, C.**, Cheng, C., Chang, E., Cheng, H., and Yang, B., An Integrated High-Power-Factor Converter With ZVS Transition; *TPEL March 2016 2362-2371*
- Chang, C.**, *see* Yang, S., *TPEL April 2016 3118-3127*
- Chang, C.**, Xu, Y., Bian, B., and Zhao, X., A High-Precision CV/CC AC-DC Converter Based on Cable and Inductance Compensation Schemes; *TPEL Sept. 2016 6372-6382*
- Chang, E.**, *see* Chang, C., *TPEL March 2016 2362-2371*
- Chang, H.**, *see* Chang, Y., *TPEL Feb. 2016 1391-1400*
- Chang, L.**, *see* Barzegarkhoo, R., *TPEL Aug. 2016 5604-5617*
- Chang, Y.**, Wang, S., Dai, W., and Chang, H., Division-Summation Current Control and One-Cycle Voltage Regulation of the Surface-Mounted Permanent-Magnet Synchronous Generator; *TPEL Feb. 2016 1391-1400*
- Chang, Y.**, *see* Chan, S., *TPEL July 2016 5102-5112*
- Chang, Y.**, Chen, C., Zhu, Z., and Huang, Y., Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi-Sugeno Fuzzy Models; *TPEL Sept. 2016 6504-6510*
- Chau, K.T.**, *see* Wang, Z., *TPEL March 2016 2417-2428*
- Chaudhari, M.A.**, *see* Ahmed, I., *TPEL Dec. 2016 8483-8499*
- Chaudhuri, N.R.**, Oliveira, R., and Yazdani, A., Stability Analysis of Vector-Controlled Modular Multilevel Converters in Linear Time-Periodic Framework; *TPEL July 2016 5255-5269*
- Che, H.S.**, *see* Gonzalez-Prieto, I., *TPEL April 2016 3068-3079*
- Cheema, M.A.M.**, Fletcher, J.E., Xiao, D., and Rahman, M.F., A Direct Thrust Control Scheme for Linear Permanent Magnet Synchronous Motor Based on Online Duty Ratio Control; *TPEL June 2016 4416-4428*
- Chen, B.**, *see* Tsai, C., *TPEL Jan. 2016 443-451*
- Chen, B.**, *see* Zhang, L., *TPEL May 2016 3913-3921*
- Chen, B.**, Zhang, C., Tian, C., Wang, J., and Yuan, J., A Hybrid Electrical Magnetic Power Quality Compensation System With Minimum Active Compensation Capacity for V/V Cophase Railway Power Supply System; *TPEL June 2016 4159-4170*
- Chen, C.**, *see* Hsiao, S., *TPEL Jan. 2016 733-742*
- Chen, C.**, *see* Fang, C., *TPEL Feb. 2016 1657-1664*
- Chen, C.**, *see* Yang, S., *TPEL April 2016 3118-3127*
- Chen, C.**, *see* Chang, Y., *TPEL Sept. 2016 6504-6510*
- Chen, C.**, *see* Yang, D., *TPEL Nov. 2016 7996-8006*
- Chen, C.**, *see* Zhao, J., *TPEL Dec. 2016 8343-8358*
- Chen, C.**, *see* Huang, C., *TPEL Dec. 2016 8303-8316*
- Chen, D.**, *see* Hsiao, S., *TPEL Jan. 2016 733-742*
- Chen, H.**, Sabi, K., Kim, H., Harada, T., Erickson, R., and Maksimovic, D., A 98.7% Efficient Composite Converter Architecture With Application-Tailored Efficiency Characteristic; *TPEL Jan. 2016 101-110*
- Chen, H.**, *see* Lee, A.T.L., *TPEL Jan. 2016 65-80*
- Chen, H.**, Yang, H., Chen, Y., and Iu, H.H., Reliability Assessment of the Switched Reluctance Motor Drive Under Single Switch Chopping Strategy; *TPEL March 2016 2395-2408*
- Chen, H.**, *see* Chen, W., *TPEL April 2016 3002-3015*
- Chen, H.**, *see* Chen, W., *TPEL May 2016 3650-3662*
- Chen, H.**, Prasai, A., Moghe, R., Chintakrinda, K., and Divan, D., A 50-kVA Three-Phase Solid-State Transformer Based on the Minimal Topology: Dyna-C; *TPEL Dec. 2016 8126-8137*
- Chen, H.**, Lee, C., Cheng, P., Teodorescu, R., and Blaabjerg, F., A Low-Voltage Ride-Through Technique for Grid-Connected Converters With Reduced Power Transistors Stress; *TPEL Dec. 2016 8562-8571*
- Chen, H.-T.**, Choy, W.C.H., and Hui, S.Y., Characterization, modeling, and analysis of organic light-emitting diodes with different structures; *TPEL Jan. 2016 581-592*
- Chen, J.**, *see* Hou, S., *TPEL Jan. 2016 381-393*
- Chen, J.**, Diao, L., Wang, L., Du, H., and Liu, Z., Distributed Auxiliary Inverter of Urban Rail Train—The Voltage and Current Control Strategy Under Complicated Load Condition; *TPEL Feb. 2016 1745-1756*
- Chen, J.**, *see* Wang, Z., *TPEL March 2016 2417-2428*
- Chen, J.**, Wang, L., Diao, L., Du, H., and Liu, Z., Distributed Auxiliary Inverter of Urban Rail Train—Load Sharing Control Strategy Under Complicated Operation Condition; *TPEL March 2016 2518-2529*
- Chen, J.**, *see* Zhao, L., *TPEL Sept. 2016 6494-6503*
- Chen, K.**, *see* Chen, W., *TPEL April 2016 3002-3015*
- Chen, K.**, *see* Chen, S., *TPEL April 2016 3106-3117*
- Chen, K.**, *see* Yang, S., *TPEL April 2016 3118-3127*
- Chen, K.**, *see* Zhang, Y., *TPEL May 2016 3472-3481*
- Chen, K.**, *see* Chen, W., *TPEL May 2016 3650-3662*
- Chen, K.**, Xiao, P., Johnsen, A., and Saenz, R.E., Turn-On Optimization for Class D Series-Parallel LCC-Type Constant Current High-Power LED Driver Design Based on Traditional Fluorescent Control IC; *TPEL July 2016 4732-4741*
- Chen, K.**, *see* Su, Y., *TPEL Aug. 2016 5871-5884*
- Chen, K.**, *see* Chen, S., *TPEL Aug. 2016 5885-5899*

- Chen, M.**, Araghchini, M., Afridi, K.K., Lang, J.H., Sullivan, C.R., and Perreault, D.J., A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics; *TPEL Jan. 2016 560-580*
- Chen, M.**, see Chen, W., *TPEL Feb. 2016 1143-1160*
- Chen, M.**, see Chen, Y., *TPEL May 2016 3626-3638*
- Chen, M.**, see Ding, G., *TPEL June 2016 4182-4194*
- Chen, M.**, see Chen, W., *TPEL July 2016 4831-4846*
- Chen, M.**, see Lai, W., *TPEL Sept. 2016 6575-6585*
- Chen, M.**, see Tang, Y., *TPEL Oct. 2016 6920-6936*
- Chen, Q.**, see Wu, H., *TPEL June 2016 4226-4240*
- Chen, Q.**, see Liu, G., *TPEL Sept. 2016 6621-6630*
- Chen, S.**, Lin, K., Ng, S.S., Huang, T., Chen, K., Lin, Y., Tsai, T., and Lee, C., Embedded Single-Inductor Bipolar-Output DC–DC Converter in Class-D Amplifier for Low Common Noise; *TPEL April 2016 3106-3117*
- Chen, S.**, and Huang, Y., Design and Layout Strategy in the 60-V Power pLDMOS With Drain-End Modulated Engineering of Reliability Considerations; *TPEL July 2016 5113-5121*
- Chen, S.**, Huang, T., Ng, S.S., Lin, K., Du, M., Kang, Y., Chen, K., Wey, C., Lin, Y., Lee, C., Lin, J., and Tsai, T., A Direct AC–DC and DC–DC Cross-Source Energy Harvesting Circuit with Analog Iterating-Based MPPT Technique with 72.5% Conversion Efficiency and 94.6% Tracking Efficiency; *TPEL Aug. 2016 5885-5899*
- Chen, W.**, see Wang, K., *TPEL Jan. 2016 635-647*
- Chen, W.**, see Song, Z., *TPEL Jan. 2016 698-710*
- Chen, W.**, Blaabjerg, F., Zhu, N., Chen, M., and Xu, D., Doubly Fed Induction Generator Wind Turbine Systems Subject to Recurring Symmetrical Grid Faults; *TPEL Feb. 2016 1143-1160*
- Chen, W.**, Chou, Y., Chien, M., Chen, H., Yang, S., Chen, K., Lin, Y., Lee, C., Lin, S., and Tsai, T., A Dynamic Bootstrap Voltage Technique for a High-Efficiency Buck Converter in a Universal Serial Bus Power Delivery Device; *TPEL April 2016 3002-3015*
- Chen, W.**, Chen, H., Chien, M., Chou, Y., Chen, K., Lin, Y., Tsai, T., Lin, S., and Lee, C., Pseudo-Constant Switching Frequency in On-Time Controlled Buck Converter with Predicting Correction Techniques; *TPEL May 2016 3650-3662*
- Chen, W.**, Xu, D., Zhu, N., Chen, M., and Blaabjerg, F., Control of Doubly-Fed Induction Generator to Ride-Through Recurring Grid Faults; *TPEL July 2016 4831-4846*
- Chen, W.**, see Su, Y., *TPEL Aug. 2016 5871-5884*
- Chen, W.**, Sun, H., Gu, X., and Xia, C., Synchronized Space-Vector PWM for Three-Level VSI With Lower Harmonic Distortion and Switching Frequency; *TPEL Sept. 2016 6428-6441*
- Chen, W.**, see Li, X., *TPEL Nov. 2016 7677-7690*
- Chen, W.**, Yang, X., Zhang, W., and Song, X., Leakage Current Calculation for PV Inverter System Based on a Parasitic Capacitor Model; *TPEL Dec. 2016 8205-8217*
- Chen, W.W.**, see Zhao, S.L., *TPEL Feb. 2016 1517-1527*
- Chen, X.**, and Li, Y., An Islanding Detection Method for Inverter-Based Distributed Generators Based on the Reactive Power Disturbance; *TPEL May 2016 3559-3574*
- Chen, X.**, see Du, W., *TPEL July 2016 5133-5140*
- Chen, Y.**, see Xu, Y., *TPEL Feb. 2016 1304-1321*
- Chen, Y.**, Line Current Distortion Compensation for DCM/CRM Boost PFC Converters; *TPEL March 2016 2026-2038*
- Chen, Y.**, see Chen, Y., *TPEL March 2016 2026-2038*
- Chen, Y.**, see Chen, H., *TPEL March 2016 2395-2408*
- Chen, Y.**, Xu, D., Xi, J., Hu, G., Du, C., Li, Y., and Chen, M., A ZVS Grid-Connected Full-Bridge Inverter With a Novel ZVS SPWM Scheme; *TPEL May 2016 3626-3638*
- Chen, Y.**, Liu, X., Cui, Y., Zou, J., and Yang, S., A MultiWinding Transformer Cell-to-Cell Active Equalization Method for Lithium-Ion Batteries With Reduced Number of Driving Circuits; *TPEL July 2016 4916-4929*
- Chen, Y.**, see Luo, H., *TPEL July 2016 5122-5132*
- Chen, Y.**, Guerrero, J.M., Shuai, Z., Chen, Z., Zhou, L., and Luo, A., Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance; *TPEL Aug. 2016 5524-5537*
- Chen, Y.**, see Lin, L., *TPEL Aug. 2016 5369-5377*
- Chen, Y.**, see Xiong, L., *TPEL Sept. 2016 6264-6280*
- Chen, Z.**, see Song, Z., *TPEL Jan. 2016 698-710*
- Chen, Z.**, see Zhu, R., *TPEL March 2016 2239-2253*
- Chen, Z.**, see Tian, Y., *TPEL April 2016 3177-3188*
- Chen, Z.**, see Chen, Y., *TPEL Aug. 2016 5524-5537*
- Chen, Z.**, see Sun, X., *TPEL Sept. 2016 6203-6216*
- Cheng, C.**, see Chang, C., *TPEL March 2016 2362-2371*
- Cheng, C.**, see Chow, J.P., *TPEL Sept. 2016 6079-6091*
- Cheng, H.**, see Chuang, C., *TPEL Jan. 2016 406-417*
- Cheng, H.**, see Chang, C., *TPEL March 2016 2362-2371*
- Cheng, L.**, see Hazra, S., *TPEL July 2016 4742-4754*
- Cheng, M.**, see Wang, Z., *TPEL March 2016 2417-2428*
- Cheng, M.**, see Hang, J., *TPEL July 2016 4710-4719*
- Cheng, M.**, see Hang, J., *TPEL July 2016 4697-4709*
- Cheng, P.**, see Nian, H., *TPEL April 2016 2905-2918*
- Cheng, P.**, see Vasic, M., *TPEL June 2016 4611-4627*
- Cheng, P.**, see Chen, H., *TPEL Dec. 2016 8562-8571*
- Cheng, S.**, see Dong, S., *TPEL Nov. 2016 7592-7597*
- Cheng, Z.**, see Tian, K., *TPEL Jan. 2016 839-848*
- Cheng, Z.**, see Tian, K., *TPEL March 2016 2575-2583*
- Cheng, Z.**, see Tian, K., *TPEL July 2016 5321-5329*
- Cheng, Z.**, see Lian, Y., *TPEL Aug. 2016 5721-5731*
- Cheung, V.S.**, Chung, H.S., and Lo, A.W., A Modular and Scalable Structure Using Multiparallel-Connected Series-Voltage Compensators for Supply Voltage Regulation; *TPEL June 2016 4096-4110*
- Chien, M.**, see Chen, W., *TPEL April 2016 3002-3015*
- Chien, M.**, see Chen, W., *TPEL May 2016 3650-3662*
- Chintakrinda, K.**, see Chen, H., *TPEL Dec. 2016 8126-8137*
- Chiu, C.**, see Yang, S., *TPEL April 2016 3118-3127*
- Cho, B.**, see Kim, K.A., *TPEL Feb. 2016 1121-1130*
- Cho, B.**, see Choi, W., *TPEL June 2016 4048-4064*
- Cho, G.**, see Sohn, Y.H., *TPEL Oct. 2016 6824-6843*
- Cho, G.**, see Sung, S., *TPEL Dec. 2016 8282-8292*
- Cho, H.**, see Ko, Y., *TPEL Aug. 2016 5851-5862*
- Cho, I.**, see Ahn, D., *TPEL Nov. 2016 7876-7886*
- Cho, T.B.**, see Sung, S., *TPEL Dec. 2016 8282-8292*
- Cho, Y.**, and Lee, K., Virtual-Flux-Based Predictive Direct Power Control of Three-Phase PWM Rectifiers With Fast Dynamic Response; *TPEL April 2016 3348-3359*
- Cho, Y.**, Cha, W., Kwon, J., and Kwon, B., High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage; *TPEL June 2016 4138-4147*
- Choi, B.G.**, see Lee, E.S., *TPEL Sept. 2016 6543-6552*
- Choi, B.H.**, see Lee, E.S., *TPEL Feb. 2016 1489-1502*
- Choi, B.H.**, Lee, E.S., Sohn, Y.H., Jang, G.C., and Rim, C.T., Six Degrees of Freedom Mobile Inductive Power Transfer by Crossed Dipole Tx and Rx Coils; *TPEL April 2016 3252-3272*
- Choi, B.H.**, see Lee, E.S., *TPEL Sept. 2016 6543-6552*
- Choi, B.H.**, see Sohn, Y.H., *TPEL Oct. 2016 6824-6843*
- Choi, H.H.**, see Choi, Y., *TPEL May 2016 3728-3737*
- Choi, P.**, Radhakrishna, U., Boon, C., Antoniadis, D., and Peh, L., A Fully Integrated Inductor-Based GaN Boost Converter With Self-Generated Switching Signal for Vehicular Applications; *TPEL Aug. 2016 5365-5368*
- Choi, S.**, see Kwon, M., *TPEL March 2016 1887-1895*
- Choi, U.**, Lee, J., Blaabjerg, F., and Lee, K., Open-Circuit Fault Diagnosis and Fault-Tolerant Control for a Grid-Connected NPC Inverter; *TPEL Oct. 2016 7234-7247*
- Choi, U.**, Jorgensen, S., and Blaabjerg, F., Advanced Accelerated Power Cycling Test for Reliability Investigation of Power Device Modules; *TPEL Dec. 2016 8371-8386*
- Choi, W.**, Rho, K., and Cho, B., Fundamental Duty Modulation of Dual-Active-Bridge Converter for Wide-Range Operation; *TPEL June 2016 4048-4064*
- Choi, W.**, see Yu, S., *TPEL July 2016 5067-5078*
- Choi, Y.**, Choi, H.H., and Jung, J., Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives; *TPEL May 2016 3728-3737*

- Chopyk, V.**, *see* Husev, O., *TPEL Nov. 2016 7580-7591*
- Chou, Y.**, *see* Chen, W., *TPEL April 2016 3002-3015*
- Chou, Y.**, *see* Chen, W., *TPEL May 2016 3650-3662*
- Chow, J.P.**, Chung, H.S., and Cheng, C., Use of Transmitter-Side Electrical Information to Estimate Mutual Inductance and Regulate Receiver-Side Power in Wireless Inductive Link; *TPEL Sept. 2016 6079-6091*
- Chow, M.**, *see* Salmani, M., *TPEL April 2016 3151-3164*
- Chow, M.H.L.**, *see* Wong, C.S., *TPEL March 2016 2465-2475*
- Choy, W.C.H.**, *see* Chen, H.-T., *TPEL Jan. 2016 581-592*
- Christidis, G.C.**, Nanakos, A.C., and Tatakis, E.C., Hybrid Discontinuous/Boundary Conduction Mode of Flyback Microinverter for AC-PV Modules; *TPEL June 2016 4195-4205*
- Chu, E.**, Zhang, X., and Huang, L., Research on A Novel Modulation Strategy for Double Auxiliary Resonant Commutated Pole Soft-switching Inverter With the Shunt Dead Time; *TPEL Oct. 2016 6855-6869*
- Chu, T.T.**, *see* Do, H.T., *TPEL Oct. 2016 6955-6967*
- Chu, Y.**, Wang, S., and Wang, Q., Modeling and Stability Analysis of Active/Hybrid Common-Mode EMI Filters for DC/DC Power Converters; *TPEL Sept. 2016 6254-6263*
- Chu, Z.**, *see* Li, Z., *TPEL June 2016 3977-3984*
- Chuang, C.**, Pan, C., and Cheng, H., A Novel Transformer-less Interleaved Four-Phase Step-Down DC Converter With Low Switch Voltage Stress and Automatic Uniform Current-Sharing Characteristics; *TPEL Jan. 2016 406-417*
- Chub, A.**, Vinnikov, D., Blaabjerg, F., and Peng, F.Z., A Review of Galvanically Isolated Impedance-Source DC-DC Converters; *TPEL April 2016 2808-2828*
- Chudamani, R.**, *see* Golwala, H., *TPEL Feb. 2016 1026-1035*
- Chung, H.S.**, *see* Wang, W., *TPEL Feb. 2016 1588-1599*
- Chung, H.S.**, *see* He, Y., *TPEL March 2016 2638-2653*
- Chung, H.S.**, *see* Fan, W., *TPEL March 2016 2053-2068*
- Chung, H.S.**, *see* Cheung, V.S., *TPEL June 2016 4096-4110*
- Chung, H.S.**, *see* Chow, J.P., *TPEL Sept. 2016 6079-6091*
- Chung, H.S.**, *see* Zhou, R., *TPEL Oct. 2016 7131-7147*
- Chung, H.S.H.**, *see* Lehman, B., *TPEL Jan. 2016 3-4*
- Ciccarelli, F.**, Iannuzzi, D., Kondo, K., and Fratelli, L., Line-Voltage Control Based on Wayside Energy Storage Systems for Tramway Networks; *TPEL Jan. 2016 884-899*
- Cid-Pastor, A.**, *see* Bodetto, M., *TPEL March 2016 2012-2025*
- Cid-Pastor, A.**, *see* Marcos-Pastor, A., *TPEL June 2016 4641-4653*
- Clare, J.C.**, *see* Shao, S., *TPEL May 2016 3794-3805*
- Cobos, J.A.**, *see* Zhao, S., *TPEL April 2016 3217-3226*
- Cobos, J.A.**, *see* Vasic, M., *TPEL June 2016 4611-4627*
- Cobos, J.A.**, *see* Silva, M., *TPEL July 2016 4795-4808*
- Codecasa, L.**, dAlessandro, V., Magnani, A., and Irace, A., Circuit-Based Electrothermal Simulation of Power Devices by an Ultrafast Nonlinear MOR Approach; *TPEL Aug. 2016 5906-5916*
- Coelho, E.A.A.**, *see* Zhang, C., *TPEL July 2016 5176-5188*
- Cong, W.**, *see* Liu, P., *TPEL March 2016 1896-1907*
- Congiu, A.**, Bodano, E., and Barbaro, M., A  $\Delta\Sigma$  Dithering-Amplification-Based Identification Technique for Online SMPS; *TPEL Aug. 2016 6001*
- Coppola, M.**, Di Napoli, F., Guerriero, P., Iannuzzi, D., Daliento, S., and Del Pizzo, A., An FPGA-Based Advanced Control Strategy of a Grid-Tied PV CHB Inverter; *TPEL Jan. 2016 806-816*
- Cordeiro, A.**, *see* Fernao Pires, V., *TPEL Nov. 2016 7462-7470*
- Cortez, D.F.**, and Barbi, I., A Three-Phase Multilevel Hybrid Switched-Capacitor PWM PFC Rectifier for High-Voltage-Gain Applications; *TPEL May 2016 3495-3505*
- Corzine, K.A.**, *see* Sadigh, A.K., *TPEL Aug. 2016 5473-5494*
- Corzine, K.A.**, *see* Maqsood, A., *TPEL Oct. 2016 7394-7403*
- Cosetin, M.R.**, *see* Alonso, J.M., *TPEL Nov. 2016 7735-7746*
- Costinett, D.**, *see* Wang, Z., *TPEL Feb. 2016 1555-1566*
- Costinett, D.**, *see* Evzelman, M., *TPEL Nov. 2016 7887-7895*
- Cove, S.R.**, Ordonez, M., Shafiei, N., and Zhu, J., Improving Wireless Power Transfer Efficiency Using Hollow Windings With Track-Width-Ratio; *TPEL Sept. 2016 6524-6533*
- Craciun, M.**, *see* Shafiei, N., *TPEL Feb. 2016 1173-1188*
- Crebier, J.**, *see* Kerachev, L., *TPEL Aug. 2016 5635-5643*
- Crebier, J.**, *see* Grezard, R., *TPEL Dec. 2016 8409-8421*
- Crescimbeni, F.**, *see* Bifaretti, S., *TPEL Sept. 2016 6226-6236*
- Cuellar, C.**, Idir, N., and Benabou, A., High-Frequency Behavioral Ring Core Inductor Model; *TPEL May 2016 3763-3772*
- Cui, C.**, *see* Liu, G., *TPEL July 2016 4669-4683*
- Cui, J.**, *see* Liu, C., *TPEL Feb. 2016 1131-1142*
- Cui, S.**, and Sul, S., A Comprehensive DC Short-Circuit Fault Ride Through Strategy of Hybrid Modular Multilevel Converters (MMCs) for Overhead Line Transmission; *TPEL Nov. 2016 7780-7796*
- Cui, X.**, *see* Liu, C., *TPEL May 2016 3444-3455*
- Cui, Y.**, *see* Chen, Y., *TPEL July 2016 4916-4929*

## D

- da Silva, E.R.C.**, *see* Santos, W.R.N., *TPEL June 2016 4111-4120*
- da Silva, S.A.O.**, *see* Modesto, R.A., *TPEL Aug. 2016 5503-5514*
- Dagan, K.J.**, Zuckerberger, A., and Rabinovici, R., Fourth-Arm Common-Mode Voltage Mitigation; *TPEL Feb. 2016 1401-1407*
- Dai, G.**, *see* Hu, X., *TPEL April 2016 2991-3001*
- Dai, N.Y.**, *see* Lao, K., *TPEL Feb. 2016 1643-1656*
- Dai, W.**, *see* Chang, Y., *TPEL Feb. 2016 1391-1400*
- Dai, X.**, *see* Ye, Z., *TPEL July 2016 4809-4817*
- Dai, Z.**, Lin, W., and Lin, H., Estimation of Single-Phase Grid Voltage Parameters With Zero Steady-State Error; *TPEL May 2016 3867-3879*
- dAlessandro, V.**, *see* Codecasa, L., *TPEL Aug. 2016 5906-5916*
- Daliento, S.**, *see* Coppola, M., *TPEL Jan. 2016 806-816*
- Dallago, E.**, Lazzarini Barnabei, A., Liberale, A., Torelli, G., and Venchi, G., A 300-mV Low-Power Management System for Energy Harvesting Applications; *TPEL March 2016 2273-2281*
- Damodaran Prabha, R.**, and Rincon-Mora, G.A., 0.18- $\mu\text{m}$  Light-Harvesting Battery-Assisted Charger-Supply CMOS System; *TPEL April 2016 2950-2958*
- Dan, H.**, *see* Sun, Y., *TPEL Aug. 2016 5423-5434*
- Dargahi, V.**, *see* Sadigh, A.K., *TPEL Aug. 2016 5473-5494*
- Darwish, A.**, Massoud, A.M., Holliday, D., Ahmed, S., and Williams, B.W., Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications; *TPEL Dec. 2016 8218-8236*
- Dasgupta, A.**, *see* Madichetty, S., *TPEL Sept. 2016 6112-6121*
- Dastfan, A.**, *see* Peyghambari, A., *TPEL June 2016 4604-4610*
- Datta, R.**, *see* Mohammadpour, A., *TPEL Jan. 2016 111-119*
- Davari, M.**, and Mohamed, Y.A.I., Dynamics and Robust Control of a Grid-Connected VSC in Multiterminal DC Grids Considering the Instantaneous Power of DC- and AC-Side Filters and DC Grid Uncertainty; *TPEL March 2016 1942-1958*
- Davari, P.**, *see* Yang, Y., *TPEL March 2016 1837-1840*
- Davidson, J.N.**, Stone, D.A., Foster, M.P., and Gladwin, D.T., Real-Time Temperature Estimation in a Multiple Device Power Electronics System Subject to Dynamic Cooling; *TPEL April 2016 2709-2719*
- Davidson, J.N.**, Stone, D.A., Foster, M.P., and Gladwin, D.T., Measurement and Characterization Technique for Real-Time Die Temperature Prediction of MOSFET-Based Power Electronics; *TPEL June 2016 4378-4388*
- Davidson, J.N.**, *see* Foster, M.P., *TPEL July 2016 5057-5066*
- Davoudi, A.**, *see* Nasirian, V., *TPEL Feb. 2016 1600-1617*
- Davoudi, A.**, *see* Moayedi, S., *TPEL Feb. 2016 1717-1733*
- Dawson, F.P.**, *see* Amanci, A.Z., *TPEL Aug. 2016 5797-5804*
- Dawson, F.P.**, *see* Amanci, A.Z., *TPEL Oct. 2016 7123-7130*
- De, A.**, *see* Hazra, S., *TPEL July 2016 4742-4754*
- de Almeida Carlos, G.A.**, dos Santos, E.C., Jacobina, C.B., and Mello, J.P.R.A., Dynamic Voltage Restorer Based on Three-Phase Inverters Cascaded Through an Open-End Winding Transformer; *TPEL Jan. 2016 188-199*
- De Donato, G.**, Scelba, G., Borocci, G., Giulii Capponi, F., and Scarcella, G., Fault-Decoupled Instantaneous Frequency and Phase Angle Estimation for Three-Phase Grid-Connected Inverters; *TPEL April 2016 2880-2889*
- de Jesus Cardoso Filho, B.**, *see* Rocha, A.V., *TPEL April 2016 2800-2807*
- de Leon, F.**, *see* Dogan, R., *TPEL May 2016 3506-3516*
- de Leon, F.**, *see* Jazebi, S., *TPEL Oct. 2016 6776-6780*

- de Menezes, E.C., see Rocha, N., *TPEL May 2016 3704-3716*
- de Moura Fernandes, E., see Santos, W.R.N., *TPEL June 2016 4111-4120*
- de Oliveira, A.A., see Modesto, R.A., *TPEL Aug. 2016 5503-5514*
- de Oliveira, I.A.C., see Rocha, N., *TPEL May 2016 3704-3716*
- de Oliveira Filho, H.M., de Souza Oliveira, D., and Praca, P.P., Steady-State Analysis of a ZVS Bidirectional Isolated Three-Phase DC–DC Converter Using Dual Phase-Shift Control With Variable Duty Cycle; *TPEL March 2016 1863-1872*
- de Paula, H., see Rocha, A.V., *TPEL April 2016 2800-2807*
- de Souza Oliveira, D., see de Oliveira Filho, H.M., *TPEL March 2016 1863-1872*
- de Vicuna, L.G., see Guzman, R., *TPEL Jan. 2016 758-769*
- Debnath, S., see Bahrani, B., *TPEL Jan. 2016 783-792*
- Deboy, G., see Kasper, M., *TPEL Dec. 2016 8063-8067*
- Dehghani kiadehi, A., El Khamlichi Drissi, K., and Pasquier, C., Angular Modulation of Dual-Inverter Fed Open-End Motor for Electrical Vehicle Applications; *TPEL April 2016 2980-2990*
- Dekka, A., Wu, B., Zargari, N.R., and Fuentes, R.L., Dynamic Voltage Balancing Algorithm for Modular Multilevel Converter: A Unique Solution; *TPEL Feb. 2016 952-963*
- Del Pizzo, A., see Coppola, M., *TPEL Jan. 2016 806-816*
- Demoulias, C.S., see Oureilidis, K.O., *TPEL June 2016 4628-4640*
- Deng, F., see Zhu, R., *TPEL March 2016 2239-2253*
- Deng, F., see Tian, Y., *TPEL April 2016 3177-3188*
- Deng, X., see Ye, Z., *TPEL April 2016 3227-3238*
- Deng, Y., Wang, Y., Teo, K.H., and Harley, R.G., A Simplified Space Vector Modulation Scheme for Multilevel Converters; *TPEL March 2016 1873-1886*
- Deng, Y., see Zong, S., *TPEL July 2016 4963-4973*
- Deng, Y., see Peng, H., *TPEL Nov. 2016 7809-7822*
- Deng, Y., see Hao, S., *TPEL Dec. 2016 8528-8540*
- Deng, Z., see Song, W., *TPEL July 2016 5279-5289*
- Dhople, S.V., see Johnson, B.B., *TPEL Aug. 2016 6002-6015*
- Di Capua, G., and Femia, N., A Novel Method to Predict the Real Operation of Ferrite Inductors With Moderate Saturation in Switching Power Supply Applications; *TPEL March 2016 2456-2464*
- Di Napoli, F., see Coppola, M., *TPEL Jan. 2016 806-816*
- Diao, L., see Chen, J., *TPEL Feb. 2016 1745-1756*
- Diao, L., see Chen, J., *TPEL March 2016 2518-2529*
- Dias, J.A.A., see Rocha, N., *TPEL May 2016 3704-3716*
- Dinavahi, V., see Shen, Z., *TPEL Sept. 2016 6155-6168*
- Ding, G., Gao, F., Tian, H., Ma, C., Chen, M., He, G., and Liu, Y., Adaptive DC-Link Voltage Control of Two-Stage Photovoltaic Inverter During Low Voltage Ride-Through Operation; *TPEL June 2016 4182-4194*
- Ding, P., see Cao, J., *TPEL Sept. 2016 6217-6225*
- Ding, S., see Hang, J., *TPEL July 2016 4710-4719*
- Ding, S., see Hang, J., *TPEL July 2016 4697-4709*
- Ding, X., see Qian, H., *TPEL March 2016 2496-2509*
- Dini, M., Romani, A., Filippi, M., and Tartagni, M., A Nanopower Synchronous Charge Extractor IC for Low-Voltage Piezoelectric Energy Harvesting With Residual Charge Inversion; *TPEL Feb. 2016 1263-1274*
- Dini, M., Romani, A., Filippi, M., and Tartagni, M., A Nanocurrent Power Management IC for Low-Voltage Energy Harvesting Sources; *TPEL June 2016 4292-4304*
- Divan, D., see Chen, H., *TPEL Dec. 2016 8126-8137*
- Do, H., see Kim, S., *TPEL Aug. 2016 5618-5624*
- Do, H.T., Zhang, X., Nguyen, N.V., Li, S.S., and Chu, T.T., Passive-Islanding Detection Method Using the Wavelet Packet Transform in Grid-Connected Photovoltaic Systems; *TPEL Oct. 2016 6955-6967*
- do Prado, R.N., see Alonso, J.M., *TPEL Nov. 2016 7735-7746*
- Dogan, R., Jazebi, S., and de Leon, F., Investigation of Transformer-Based Solutions for the Reduction of Inrush and Phase-Hop Currents; *TPEL May 2016 3506-3516*
- Dogan, R., see Jazebi, S., *TPEL Oct. 2016 6776-6780*
- Dong, D., see Wen, B., *TPEL Jan. 2016 26-38*
- Dong, S., Zhang, Q., and Cheng, S., Inductor Current Ripple Comparison Between ZSVM4 and ZSVM2 for Z-Source Inverters; *TPEL Nov. 2016 7592-7597*
- Dong, Z., see Wang, B., *TPEL Aug. 2016 5759-5773*
- Dorfler, F., see Johnson, B.B., *TPEL Aug. 2016 6002-6015*
- dos Santos, E.C., see de Almeida Carlos, G.A., *TPEL Jan. 2016 188-199*
- Dou, Q., see Liu, Z., *TPEL July 2016 5306-5320*
- Doval-Gandoy, J., see Golestan, S., *TPEL Feb. 2016 1085-1094*
- Doval-Gandoy, J., see Golestan, S., *TPEL May 2016 3517-3527*
- Doval-Gandoy, J., see Golestan, S., *TPEL June 2016 4013-4019*
- Doval-Gandoy, J., see Baneira, F., *TPEL July 2016 5141-5148*
- Doval-Gandoy, J., see Lopez, O., *TPEL Dec. 2016 8151-8161*
- Dragicevic, T., see Meng, L., *TPEL Jan. 2016 827-838*
- Dragicevic, T., Lu, X., Vasquez, J.C., and Guerrero, J.M., DC Microgrids—Part II: A Review of Power Architectures, Applications, and Standardization Issues; *TPEL May 2016 3528-3549*
- Dragicevic, T., Lu, X., Vasquez, J.C., and Guerrero, J.M., DC Microgrids—Part I: A Review of Control Strategies and Stabilization Techniques; *TPEL July 2016 4876-4891*
- Dragicevic, T., see Sun, B., *TPEL Sept. 2016 6674-6685*
- Driesen, J., see Castro, I., *TPEL March 2016 2485-2495*
- Du, C., see Chen, Y., *TPEL May 2016 3626-3638*
- Du, H., see Chen, J., *TPEL Feb. 2016 1745-1756*
- Du, H., see Chen, J., *TPEL March 2016 2518-2529*
- Du, M., see Chen, S., *TPEL Aug. 2016 5885-5899*
- Du, S., see Tian, K., *TPEL July 2016 5321-5329*
- Du, W., see Huang, X., *TPEL Jan. 2016 593-600*
- Du, W., see Zhang, W., *TPEL Feb. 2016 1344-1353*
- Du, W., see Huang, X., *TPEL June 2016 4343-4352*
- Du, W., and Chen, X., Design of a Double-Gate Power LDMOS With Improved SOA by Complementary Majority Carrier Conduction Paths; *TPEL July 2016 5133-5140*
- Duan, F., Xu, M., Yang, X., and Yao, Y., Canonical Model and Design Methodology for LLC DC/DC Converter With Constant Current Operation Capability Under Shorted Load; *TPEL Oct. 2016 6870-6883*
- Duan, S., see Shi, Y., *TPEL March 2016 2099-2110*
- Duan, S., see Li, Q., *TPEL Sept. 2016 6756-6764*
- Duan, S., see Shi, Y., *TPEL Nov. 2016 7972-7985*
- Duan, S., see Yang, D., *TPEL Nov. 2016 7996-8006*
- Duan, S., see Zhao, J., *TPEL Dec. 2016 8343-8358*
- Duarte, J.L., see Lemmen, E., *TPEL Oct. 2016 7286-7296*
- Duffy, M., see Feeney, C., *TPEL Feb. 2016 1472-1478*
- Duffy, M., see Feeney, C., *TPEL May 2016 3754-3762*
- Duffy, M., see Feeney, C., *TPEL Aug. 2016 5805-5813*
- Duran, M.J., see Gonzalez-Prieto, I., *TPEL April 2016 3068-3079*
- Dusmez, S., Li, X., and Akin, B., A New Multiinput Three-Level DC/DC Converter; *TPEL Feb. 2016 1230-1240*
- Dusmez, S., see Li, X., *TPEL March 2016 2627-2637*
- Dusmez, S., see Tang, Z., *TPEL June 2016 4400-4415*
- Dusmez, S., and Akin, B., An Active Life Extension Strategy for Thermally Aged Power Switches Based on the Pulse-Width Adjustment Method in Interleaved Converters; *TPEL July 2016 5149-5160*
- Dwivedi, S.K., see Xie, G., *TPEL Feb. 2016 1785-1794*

## E

- Ebrahimi, M., Khajehoddin, S.A., and Karimi-Ghartemani, M., Fast and Robust Single-Phase  $>DQ$  Current Controller for Smart Inverter Applications; *TPEL May 2016 3968-3976*
- Echeverria, J.M., see Astigarraga, D., *TPEL Nov. 2016 7953-7962*
- Edgington, M., see Shafiei, N., *TPEL Feb. 2016 1173-1188*
- Edrington, C.S., see Salmani, M., *TPEL April 2016 3151-3164*
- Eiser, S., see Kock, H., *TPEL April 2016 3128-3140*
- El Aroudi, A., see Bodetto, M., *TPEL March 2016 2012-2025*
- El Khamlichi Drissi, K., see Dehghani kiadehi, A., *TPEL April 2016 2980-2990*
- El Khamlichi Drissi, K., see Kiadehi, A.D., *TPEL Dec. 2016 8271-8281*

- Eleffendi, M.A.**, and Johnson, C.M., Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules; *TPEL Feb. 2016 1576-1587*
- Ellabban, O.**, Abu-Rub, H., and Bayhan, S., Z-Source Matrix Converter: An Overview; *TPEL Nov. 2016 7436-7450*
- Emadi, A.**, see Peng, F., *TPEL Oct. 2016 7087-7098*
- Eren, S.**, see Pahlevani, M., *TPEL Feb. 2016 1275-1293*
- Eren, S.**, see Pahlevani, M., *TPEL April 2016 2919-2936*
- Erhart, J.**, Transformation and Load Parameters of the Disk Piezoelectric Transformer; *TPEL March 2016 2437-2442*
- Erickson, R.**, see Chen, H., *TPEL Jan. 2016 101-110*
- Erickson, R.W.**, see Levron, Y., *TPEL Jan. 2016 248-257*
- Erickson, R.W.**, see Levron, Y., *TPEL Jan. 2016 258-269*
- Espinosa, E.E.**, see Melin, P.E., *TPEL Sept. 2016 6122-6133*
- Espinoza, J.R.**, see Lizana, R., *TPEL Feb. 2016 1774-1784*
- Espinoza, J.R.**, see Melin, P.E., *TPEL Sept. 2016 6122-6133*
- Evans, P.L.**, Castellazzi, A., and Johnson, C.M., Design Tools for Rapid Multi-domain Virtual Prototyping of Power Electronic Systems; *TPEL March 2016 2443-2455*
- Everts, J.**, see Baars, N.H., *TPEL Oct. 2016 6814-6823*
- Evezlman, M.**, Ur Rehman, M.M., Hathaway, K., Zane, R., Costinett, D., and Maksimovic, D., Active Balancing System for Electric Vehicles With Incorporated Low-Voltage Bus; *TPEL Nov. 2016 7887-7895*

## F

- Fajri, P.**, see Prabhala, V.A.K., *TPEL June 2016 4206-4215*
- Fan, C.**, see Lee, A., *TPEL June 2016 4389-4399*
- Fan, D.**, see Hu, S., *TPEL Nov. 2016 7598-7610*
- Fan, S.**, Xue, Z., Guo, Z., Wang, Y., and Geng, L., VRSPV Soft-Start Strategy and AICS Technique for Boost Converters to Improve the Start-Up Performance; *TPEL May 2016 3663-3672*
- Fan, W.**, Yuen, K.K., and Chung, H.S., Power Semiconductor Filter: Use of Series-Pass Device in Switching Converters for Filtering Input Current Harmonics; *TPEL March 2016 2053-2068*
- Fang, C.**, and Chen, C., Subharmonic Instability Limits for V<sup>2</sup>-Controlled Buck Converter With Outer Loop Closed/Open; *TPEL Feb. 2016 1657-1664*
- Fang, J.**, see Li, W., *TPEL Feb. 2016 1354-1366*
- Fang, J.**, see Song, X., *TPEL Feb. 2016 1438-1449*
- Fang, J.**, see Song, X., *TPEL July 2016 4720-4731*
- Fang, Y.**, see Hua, C., *TPEL April 2016 2970-2979*
- Fayed, A.A.**, see Fu, W., *TPEL Jan. 2016 418-429*
- Feeney, C.**, Zhang, J., and Duffy, M., AC Winding Loss of Phase-Shifted Coupled Windings; *TPEL Feb. 2016 1472-1478*
- Feeney, C.**, Wang, N., Kulkarni, S., Pavlovic, Z., O Matuna, C., and Duffy, M., Loss Modeling of Coupled Stripline Microinductors in Power Supply on Chip Applications; *TPEL May 2016 3754-3762*
- Feeney, C.**, Wang, N., Kulkarni, S., Pavlovic, Z., O Mathuna, C., and Duffy, M., Optimization of Coupled Stripline Microinductors in Power Supply on Chip Applications; *TPEL Aug. 2016 5805-5813*
- Fehr, H.**, and Gensior, A., On Trajectory Planning, Backstepping Controller Design and Sliding Modes in Active Front-Ends; *TPEL Aug. 2016 6044-6056*
- Femia, N.**, see Di Capua, G., *TPEL March 2016 2456-2464*
- Feng, H.**, see Zhao, J., *TPEL Dec. 2016 8343-8358*
- Feng, J.**, see Wang, H., *TPEL Jan. 2016 533-547*
- Feng, X.**, see Song, W., *TPEL Jan. 2016 721-732*
- Feng, X.**, see Gou, B., *TPEL May 2016 3816-3826*
- Feng, X.**, see Song, W., *TPEL July 2016 5279-5289*
- Feng, Z.**, see Ju, B., *TPEL Jan. 2016 524-532*
- Ferdowsi, M.**, see Prabhala, V.A.K., *TPEL June 2016 4206-4215*
- Fernandes, B.G.**, see Vekhande, V., *TPEL Sept. 2016 6719-6737*
- Fernandes, R.**, and Trescases, O., A Multimode 1-MHz PFC Front End With Digital Peak Current Modulation; *TPEL Aug. 2016 5694-5708*
- Fernao Pires, V.**, Cordeiro, A., Foito, D., and Martins, J.F., Quasi-Z-Source Inverter With a T-Type Converter in Normal and Failure Mode; *TPEL Nov. 2016 7462-7470*
- Ferreau, H.J.**, see Besselmann, T.J., *TPEL Oct. 2016 7384-7393*

- Filippi, M.**, see Dini, M., *TPEL Feb. 2016 1263-1274*
- Filippi, M.**, see Dini, M., *TPEL June 2016 4292-4304*
- Filsoof, K.**, and Lehn, P.W., A Bidirectional Multiple-Input Multiple-Output Modular Multilevel DC-DC Converter and its Control Design; *TPEL April 2016 2767-2779*
- Finney, S.J.**, see Hu, Y., *TPEL Feb. 2016 1541-1554*
- Finney, S.J.**, see Hu, Y., *TPEL June 2016 4654-4668*
- Finney, S.J.**, see Hu, Y., *TPEL July 2016 4930-4941*
- Fletcher, J.E.**, see Cheema, M.A.M., *TPEL June 2016 4416-4428*
- Fletcher, J.E.**, see Tria, L.A.R., *TPEL Sept. 2016 6534-6542*
- Foito, D.**, see Fernao Pires, V., *TPEL Nov. 2016 7462-7470*
- Foo, G.H.B.**, and Zhang, X., Constant Switching Frequency Based Direct Torque Control of Interior Permanent Magnet Synchronous Motors With Reduced Ripples and Fast Torque Dynamics; *TPEL Sept. 2016 6485-6493*
- Foroushani, Hossein Mohammadian**, see Ghasemi, Mohammad Amin, *TPEL Sept. 2016 6281-6292*
- Forouzes, M.**, Siwakoti, Y.P., Blaabjerg, F., and Hasanpour, S., Small-Signal Modeling and Comprehensive Analysis of Magnetically Coupled Impedance-Source Converters; *TPEL Nov. 2016 7621-7641*
- Foster, M.P.**, see Davidson, J.N., *TPEL April 2016 2709-2719*
- Foster, M.P.**, see Davidson, J.N., *TPEL June 2016 4378-4388*
- Foster, M.P.**, Davidson, J.N., Horsley, E.L., and Stone, D.A., Critical Design Criterion for Achieving Zero Voltage Switching in Inductorless Half-Bridge-Driven Piezoelectric-Transformer-Based Power Supplies; *TPEL July 2016 5057-5066*
- Franke, W.**, see Li, H., *TPEL Jan. 2016 621-634*
- Fratelli, L.**, see Ciccirelli, F., *TPEL Jan. 2016 884-899*
- Frattini, G.**, see Bertoni, N., *TPEL Nov. 2016 7701-7713*
- Freeman, D.**, see Shenoy, P.S., *TPEL Oct. 2016 7006-7015*
- Freijedo, F.D.**, see Golestan, S., *TPEL Feb. 2016 1085-1094*
- Freijedo, F.D.**, see Golestan, S., *TPEL May 2016 3517-3527*
- Freijedo, F.D.**, see Sun, B., *TPEL Sept. 2016 6674-6685*
- Freijedo, F.D.**, see Lopez, O., *TPEL Dec. 2016 8151-8161*
- Friedman, E.G.**, see Vaisband, I., *TPEL Aug. 2016 5625-5634*
- Fu, D.**, see Tang, Y., *TPEL Jan. 2016 461-469*
- Fu, L.**, see Guo, F., *TPEL Dec. 2016 8237-8246*
- Fu, M.**, see Liu, M., *TPEL June 2016 4280-4291*
- Fu, W.**, Tan, S.T., Radhakrishnan, M., Byrd, R., and Fayed, A.A., A DCM-Only Buck Regulator With Hysteretic-Assisted Adaptive Minimum-On-Time Control for Low-Power Microcontrollers; *TPEL Jan. 2016 418-429*
- Fu, X.**, and Li, S., Control of Single-Phase Grid-Connected Converters With LCL Filters Using Recurrent Neural Network and Conventional Control Methods; *TPEL July 2016 5354-5364*
- Fu, Z.**, see Zhu, X., *TPEL Sept. 2016 6169-6175*
- Fuchs, F.W.**, see Hoffmann, N., *TPEL July 2016 5290-5305*
- Fuchs, F.W.**, see Panten, N., *TPEL July 2016 5189-5200*
- Fuentes, R.L.**, see Dekka, A., *TPEL Feb. 2016 952-963*
- Fujimoto, H.**, see Sato, M., *TPEL July 2016 5270-5278*
- Fujita, H.**, see Mannen, T., *TPEL Sept. 2016 6710-6718*
- Funes, M.**, see Antoszczuk, P.D., *TPEL Dec. 2016 8422-8434*

## G

- Galarza, A.**, see Rigamonti, M., *TPEL Feb. 2016 1567-1575*
- Galarza, A.**, see Astigarraga, D., *TPEL Nov. 2016 7953-7962*
- Galigeke, V.P.**, see Siwakoti, Y.P., *TPEL Dec. 2016 8081-8087*
- Gan, C.**, see Hu, Y., *TPEL Feb. 2016 1541-1554*
- Gan, C.**, see Hu, Y., *TPEL June 2016 4654-4668*
- Gan, C.**, Wu, J., Hu, Y., Yang, S., Cao, W., and Kirtley, J.L., Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor; *TPEL Oct. 2016 7248-7263*
- Gangopadhyay, S.**, see Nasir, S.B., *TPEL Dec. 2016 8293-8302*
- Gao, F.**, see Meng, J., *TPEL March 2016 2226-2238*
- Gao, F.**, see Ding, G., *TPEL June 2016 4182-4194*
- Gao, F.**, see Li, Z., *TPEL June 2016 3977-3984*
- Gao, F.**, see Xu, T., *TPEL Sept. 2016 6237-6253*

- Gao, F.**, Bozhko, S., Asher, G., Wheeler, P., and Patel, C., An Improved Voltage Compensation Approach in a Droop-Controlled DC Power System for the More Electric Aircraft; *TPEL Oct. 2016* 7369-7383
- Gao, F.**, An Enhanced Single-Phase Step-Up Five-Level Inverter; *TPEL Dec. 2016* 8024-8030
- Gao, H.**, see Xu, Y., *TPEL Feb. 2016* 1304-1321
- Gao, Q.**, see Wang, F., *TPEL Feb. 2016* 1680-1691
- Gao, W.**, see Li, Z., *TPEL June 2016* 4499-4508
- Garces, L.**, see Mohammadpour, A., *TPEL Jan. 2016* 111-119
- Garcia, O.**, see Zhao, S., *TPEL April 2016* 3217-3226
- Garcia, O.**, see Vasic, M., *TPEL June 2016* 4611-4627
- Garcia, O.**, see Silva, M., *TPEL July 2016* 4795-4808
- Garcia, P.**, see Lumbreras, C., *TPEL Oct. 2016* 6980-6991
- Garcia-Cerrada, A.**, see Roldan-Perez, J., *TPEL Oct. 2016* 7328-7338
- Gascher, A.**, see Saber, C., *TPEL Sept. 2016* 6192-6202
- Gasulla, M.**, see Reverter, F., *TPEL Jan. 2016* 15-20
- Ge, B.**, see Liu, S., *TPEL Nov. 2016* 7544-7555
- Ge, H.**, see Wu, H., *TPEL Feb. 2016* 987-999
- Ge, X.**, see Gou, B., *TPEL May 2016* 3816-3826
- Gelagaev, R.**, see Castro, I., *TPEL March 2016* 2485-2495
- Geng, L.**, see Fan, S., *TPEL May 2016* 3663-3672
- Geng, Y.**, see Yan, Q., *TPEL May 2016* 3880-3897
- Gensior, A.**, see Fehr, H., *TPEL Aug. 2016* 6044-6056
- Georgijevic, N.L.**, Jankovic, M.V., Srdic, S., and Radakovic, Z., The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy; *TPEL Aug. 2016* 5917-5930
- Gerber, D.L.**, see Van Tassell, B., *TPEL April 2016* 2695-2708
- Gerling, D.**, see Xie, W., *TPEL Jan. 2016* 849-860
- German, R.**, Hammar, A., Lallemand, R., Sari, A., and Venet, P., Novel Experimental Identification Method for a Supercapacitor Multipore Model in Order to Monitor the State of Health; *TPEL Jan. 2016* 548-559
- Gharehpetian, G.B.**, see Golestan, S., *TPEL Jan. 2016* 648-661
- Ghasemi, Mohammad Amin**, Foroushani, Hossein Mohammadian, Parniani, Mostafa, Partial Shading Detection and Smooth Maximum Power Point Tracking of PV Arrays Under PSC; *TPEL Sept. 2016* 6281-6292
- Ghias, A.M.Y.M.**, Pou, J., and Agelidis, V.G., An Active Voltage-Balancing Method Based on Phase-Shifted PWM for Stacked Multicell Converters; *TPEL March 2016* 1921-1930
- Ghias, A.M.Y.M.**, Pou, J., Capella, G.J., Acuna, P., and Agelidis, V.G., On Improving Phase-Shifted PWM for Flying Capacitor Multilevel Converters; *TPEL Aug. 2016* 5384-5388
- Giesselmann, M.**, see Schrock, J.A., *TPEL Dec. 2016* 8058-8062
- Giral, R.**, see Montoya, D.G., *TPEL Jan. 2016* 235-247
- Giulii Capponi, F.**, see De Donato, G., *TPEL April 2016* 2880-2889
- Gladwin, D.T.**, see Davidson, J.N., *TPEL April 2016* 2709-2719
- Gladwin, D.T.**, see Davidson, J.N., *TPEL June 2016* 4378-4388
- Glose, D.**, and Kennel, R., Continuous Space Vector Modulation for Symmetrical Six-Phase Drives; *TPEL May 2016* 3837-3848
- Goh, W.L.**, see Ho, M., *TPEL Sept. 2016* 6362-6371
- Gohil, G.**, Bede, L., Teodorescu, R., Kerekes, T., and Blaabjerg, F., An Integrated Inductor for Parallel Interleaved Three-Phase Voltage Source Converters; *TPEL May 2016* 3400-3414
- Gohil, G.**, Bede, L., Teodorescu, R., Kerekes, T., and Blaabjerg, F., Magnetic Integration for Parallel Interleaved VSCs Connected in a Whiffletree Configuration; *TPEL Nov. 2016* 7797-7808
- Golestan, S.**, Guerrero, J.M., and Gharehpetian, G.B., Five Approaches to Deal With Problem of DC Offset in Phase-Locked Loop Algorithms: Design Considerations and Performance Evaluations; *TPEL Jan. 2016* 648-661
- Golestan, S.**, Freijedo, F.D., Vidal, A., Yepes, A.G., Guerrero, J.M., and Doval-Gandoy, J., An Efficient Implementation of Generalized Delayed Signal Cancellation PLL; *TPEL Feb. 2016* 1085-1094
- Golestan, S.**, Guerrero, J.M., Vidal, A., Yepes, A.G., Doval-Gandoy, J., and Freijedo, F.D., Small-Signal Modeling, Stability Analysis and Design Optimization of Single-Phase Delay-Based PLLs; *TPEL May 2016* 3517-3527
- Golestan, S.**, Guerrero, J.M., Vidal, A., Yepes, A.G., and Doval-Gandoy, J., PLL With MAF-Based Prefiltering Stage: Small-Signal Modeling and Performance Enhancement; *TPEL June 2016* 4013-4019
- Golwala, H.**, and Chudamani, R., New Three-Dimensional Space Vector-Based Switching Signal Generation Technique Without Null Vectors and With Reduced Switching Losses for a Grid-Connected Four-Leg Inverter; *TPEL Feb. 2016* 1026-1035
- Goncalves, J.**, see Yang, X., *TPEL March 2016* 2584-2595
- Gong, C.**, see Hu, X., *TPEL April 2016* 2991-3001
- Gonzalez, J.A.O.**, see Hu, J., *TPEL June 2016* 4526-4535
- Gonzalez-Prieto, I.**, Duran, M.J., Che, H.S., Levi, E., Bermudez, M., and Barro, F., Fault-Tolerant Operation of Six-Phase Energy Conversion Systems With Parallel Machine-Side Converters; *TPEL April 2016* 3068-3079
- Gonzalez-Santini, N.S.**, Zeng, H., Yu, Y., and Peng, F.Z., Z-Source Resonant Converter With Power Factor Correction for Wireless Power Transfer Applications; *TPEL Nov. 2016* 7691-7700
- Gou, B.**, Ge, X., Wang, S., Feng, X., Kuo, J.B., and Habetler, T.G., An Open-Switch Fault Diagnosis Method for Single-Phase PWM Rectifier Using a Model-Based Approach in High-Speed Railway Electrical Traction Drive System; *TPEL May 2016* 3816-3826
- Gou, R.**, see Zhu, Y., *TPEL April 2016* 2890-2904
- Gou, R.**, see Li, Z., *TPEL June 2016* 3977-3984
- Gould, R.D.**, see Rocha, A.V., *TPEL April 2016* 2800-2807
- Gouribhatla, V.S.P.**, see Prabhala, V.A.K., *TPEL June 2016* 4206-4215
- Green, T.C.**, see Zhao, Z., *TPEL Aug. 2016* 5974-5991
- Grezaud, R.**, Ayel, F., Rouger, N., and Crebier, J., A Gate Driver With Integrated Deadtime Controller; *TPEL Dec. 2016* 8409-8421
- Gu, B.**, see Zhang, L., *TPEL May 2016* 3913-3921
- Gu, B.**, Study of IPMSM Interturn Faults Part I: Development and Analysis of Models With Series and Parallel Winding Connections; *TPEL Aug. 2016* 5931-5943
- Gu, B.**, Study of IPMSM Interturn Faults Part II: Online Fault Parameter Estimation; *TPEL Oct. 2016* 7214-7223
- Gu, B.**, see Zhang, L., *TPEL Dec. 2016* 8572-8580
- Gu, C.**, Zheng, Z., Xu, L., Wang, K., and Li, Y., Modeling and Control of a Multiport Power Electronic Transformer (PET) for Electric Traction Applications; *TPEL Feb. 2016* 915-927
- Gu, C.**, see Liu, Z., *TPEL Sept. 2016* 6631-6645
- Gu, D.**, see Zhang, Z., *TPEL Jan. 2016* 304-317
- Gu, L.**, and Jin, K., A Three-Phase Bidirectional AC/DC Converter With Y- $\Delta$  Connected Transformers; *TPEL Dec. 2016* 8115-8125
- Gu, M.**, Ogasawara, S., and Takemoto, M., Novel PWM Schemes With Multi SVPWM of Sensorless IPMSM Drives for Reducing Current Ripple; *TPEL Sept. 2016* 6461-6475
- Gu, X.**, see Chen, W., *TPEL Sept. 2016* 6428-6441
- Gu, Y.**, see Shi, K., *TPEL Nov. 2016* 7747-7760
- Guan, Q.**, Wheeler, P.W., and Yang, P., Common-Mode Voltage Reduction for Matrix Converters Using All Valid Switch States; *TPEL Dec. 2016* 8247-8259
- Guan, Q.**, see Guan, Q., *TPEL Dec. 2016* 8247-8259
- Guan, Y.**, Guerrero, J.M., Zhao, X., Vasquez, J.C., and Guo, X., A New Way of Controlling Parallel-Connected Inverters by Using Synchronous-Reference-Frame Virtual Impedance Loop—Part I: Control Principle; *TPEL June 2016* 4576-4593
- Guerrero, J.M.**, see Meng, L., *TPEL Jan. 2016* 827-838
- Guerrero, J.M.**, see Golestan, S., *TPEL Jan. 2016* 648-661
- Guerrero, J.M.**, see Golestan, S., *TPEL Feb. 2016* 1085-1094
- Guerrero, J.M.**, see Nasirian, V., *TPEL Feb. 2016* 1600-1617
- Guerrero, J.M.**, see Guo, X., *TPEL March 2016* 1841-1846
- Guerrero, J.M.**, see Pahlevani, M., *TPEL April 2016* 2919-2936
- Guerrero, J.M.**, see Han, Y., *TPEL May 2016* 3932-3944
- Guerrero, J.M.**, see Dragicevic, T., *TPEL May 2016* 3528-3549
- Guerrero, J.M.**, see Golestan, S., *TPEL May 2016* 3517-3527
- Guerrero, J.M.**, see Guan, Y., *TPEL June 2016* 4576-4593
- Guerrero, J.M.**, see Golestan, S., *TPEL June 2016* 4013-4019
- Guerrero, J.M.**, see Zhang, C., *TPEL July 2016* 5176-5188
- Guerrero, J.M.**, see Dragicevic, T., *TPEL July 2016* 4876-4891
- Guerrero, J.M.**, see Chen, Y., *TPEL Aug. 2016* 5524-5537
- Guerrero, J.M.**, see Zhao, Z., *TPEL Aug. 2016* 5974-5991
- Guerrero, J.M.**, see Sun, B., *TPEL Sept. 2016* 6674-6685

- Guerrero, J.M.**, see Lumbrales, C., *TPEL Oct. 2016 6980-6991*
- Guerrero, P.**, see Coppola, M., *TPEL Jan. 2016 806-816*
- Gui, W.**, see Wang, H., *TPEL Jan. 2016 533-547*
- Gunasekaran, D.**, see Yang, S., *TPEL Feb. 2016 1050-1063*
- Gunasekaran, D.**, see Peng, F.Z., *TPEL Aug. 2016 5461-5472*
- Gunasekaran, D.**, see Liu, Y., *TPEL Sept. 2016 6092-6103*
- Gunji, D.**, see Sato, M., *TPEL July 2016 5270-5278*
- Guo, B.**, Wang, F., and Aeloiza, E., A novel three-phase current source rectifier with delta-type input connection to reduce the device conduction loss; *TPEL Feb. 2016 1074-1084*
- Guo, F.**, Fu, L., Zhang, X., Yao, C., Li, H., and Wang, J., A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage; *TPEL Dec. 2016 8237-8246*
- Guo, H.**, see Qian, H., *TPEL March 2016 2496-2509*
- Guo, J.**, see Zheng, Y., *TPEL March 2016 2296-2313*
- Guo, J.**, see Ho, M., *TPEL Sept. 2016 6362-6371*
- Guo, J.**, see Zheng, Y., *TPEL Nov. 2016 7857-7875*
- Guo, Q.**, see Wang, M., *TPEL Sept. 2016 6646-6657*
- Guo, X.**, Xu, D., and Wu, B., Common-Mode Voltage Mitigation for Back-to-Back Current-Source Converter With Optimal Space-Vector Modulation; *TPEL Jan. 2016 688-697*
- Guo, X.**, He, R., Jian, J., Lu, Z., Sun, X., and Guerrero, J.M., Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems; *TPEL March 2016 1841-1846*
- Guo, X.**, see Guan, Y., *TPEL June 2016 4576-4593*
- Guo, Y.**, Li, S., Lee, A.T.L., Tan, S., Lee, C.K., and Hui, S.Y.R., Single-Stage AC/DC Single-Inductor Multiple-Output LED Drivers; *TPEL Aug. 2016 5837-5850*
- Guo, Y.**, see Liu, C., *TPEL Oct. 2016 6968-6979*
- Guo, Z.**, see Fan, S., *TPEL May 2016 3663-3672*
- Guo, Z.**, Sun, K., and Sha, D., Improved ZVS Three-Level DC–DC Converter With Reduced Circulating Loss; *TPEL Sept. 2016 6394-6404*
- Gupta, K.K.**, Ranjan, A., Bhatnagar, P., Sahu, L.K., and Jain, S., Multilevel Inverter Topologies With Reduced Device Count: A Review; *TPEL Jan. 2016 135-151*
- Gurpinar, E.**, and Castellazzi, A., Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs; *TPEL Oct. 2016 7148-7160*
- Guzman, R.**, de Vicuna, L.G., Morales, J., Castilla, M., and Matas, J., Sliding-Mode Control for a Three-Phase Unity Power Factor Rectifier Operating at Fixed Switching Frequency; *TPEL Jan. 2016 758-769*
- ## H
- Ha, J.**, see Lee, Y., *TPEL Oct. 2016 7077-7086*
- Habetler, T.G.**, see Gou, B., *TPEL May 2016 3816-3826*
- Hadjidemetriou, L.**, Kyriakides, E., Yang, Y., and Blaabjerg, F., A Synchronization Method for Single-Phase Grid-Tied Inverters; *TPEL March 2016 2139-2149*
- Hagiwara, M.**, see Khamphakdi, P., *TPEL April 2016 2730-2741*
- Hagiwara, M.**, see Sasongko, F., *TPEL May 2016 3456-3471*
- Hammar, A.**, see German, R., *TPEL Jan. 2016 548-559*
- Hamouda, M.**, Blanchette, H.F., and Al-Haddad, K., Unity Power Factor Operation of Indirect Matrix Converter Tied to Unbalanced Grid; *TPEL Feb. 2016 1095-1107*
- Han, B.**, see Song, X., *TPEL Feb. 2016 1438-1449*
- Han, B.**, see Song, X., *TPEL July 2016 4720-4731*
- Han, B.**, see Liu, G., *TPEL July 2016 4669-4683*
- Han, D.**, and Sarioglu, B., Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection; *TPEL Jan. 2016 601-612*
- Han, R.**, see Sun, X., *TPEL Sept. 2016 6203-6216*
- Han, S.**, see Lim, B., *TPEL Sept. 2016 6416-6427*
- Han, Y.**, Luo, M., Zhao, X., Guerrero, J.M., and Xu, L., Comparative Performance Evaluation of Orthogonal-Signal-Generators-Based Single-Phase PLL Algorithms—A Survey; *TPEL May 2016 3932-3944*
- Han, Y.**, see Li, Y., *TPEL Dec. 2016 8260-8270*
- Hang, J.**, Zhang, J., Cheng, M., Zhang, B., and Ding, S., High-Resistance Connection Detection in Permanent Magnet Synchronous Machine Using Zero-Sequence Current Component; *TPEL July 2016 4710-4719*
- Hang, J.**, Zhang, J., Cheng, M., and Ding, S., Detection and Discrimination of Open-Phase Fault in Permanent Magnet Synchronous Motor Drive System; *TPEL July 2016 4697-4709*
- Hanson, A.J.**, Belk, J.A., Lim, S., Sullivan, C.R., and Perreault, D.J., Measurements and Performance Factor Comparisons of Magnetic Materials at High Frequency; *TPEL Nov. 2016 7909-7925*
- Hao, S.**, Liu, X., Li, W., Deng, Y., and He, X., Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter; *TPEL Dec. 2016 8528-8540*
- Hao, Y.**, see Zhao, S.L., *TPEL Feb. 2016 1517-1527*
- Haque, A.R.N.M.R.**, see Leng, S., *TPEL Oct. 2016 7053-7064*
- Haque, M.E.**, see Lyden, S., *TPEL June 2016 4171-4181*
- Harada, T.**, see Chen, H., *TPEL Jan. 2016 101-110*
- Harley, R.G.**, see Deng, Y., *TPEL March 2016 1873-1886*
- Hasan, A.**, see Nauman, M., *TPEL Sept. 2016 6075-6078*
- Hasanpour, S.**, see Forouzes, M., *TPEL Nov. 2016 7621-7641*
- Hassan Zamani, M.**, Hossein Riahy, G., and Abedi, M., Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control; *TPEL Aug. 2016 5538-5546*
- Hassanpoor, A.**, Roostaei, A., Norrga, S., and Lindgren, M., Optimization-Based Cell Selection Method for Grid-Connected Modular Multilevel Converters; *TPEL April 2016 2780-2790*
- Hassanpoor, A.**, Nami, A., and Norrga, S., Tolerance Band Adaptation Method for Dynamic Operation of Grid-Connected Modular Multilevel Converters; *TPEL Dec. 2016 8172-8181*
- Hathaway, K.**, see Evzelman, M., *TPEL Nov. 2016 7887-7895*
- Hayati, M.**, Roshani, S., Kazimierzczuk, M.K., and Sekiya, H., A Class-E Power Amplifier Design Considering MOSFET Nonlinear Drain-to-Source and Nonlinear Gate-to-Drain Capacitances at Any Grading Coefficient; *TPEL Nov. 2016 7770-7779*
- Hazra, S.**, De, A., Cheng, L., Palmour, J., Schupbach, M., Hull, B.A., Allen, S., and Bhattacharya, S., High Switching Performance of 1700-V, 50-A SiC Power MOSFET Over Si IGBT/BiMOSFET for Advanced Power Conversion Applications; *TPEL July 2016 4742-4754*
- He, D.**, see Liu, C., *TPEL Oct. 2016 6968-6979*
- He, F.**, see Zhang, Y., *TPEL May 2016 3472-3481*
- He, G.**, see Ding, G., *TPEL June 2016 4182-4194*
- He, J.**, Li, Y.W., Wang, R., and Wang, C., A Measurement Method to Solve a Problem of Using DG Interfacing Converters for Selective Load Harmonic Filtering; *TPEL March 2016 1852-1856*
- He, L.**, and Liao, Y., An Advanced Current-Autobalance High Step-Up Converter With a Multicoupled Inductor and Voltage Multiplier for a Renewable Power Generation System; *TPEL Oct. 2016 6992-7005*
- He, N.**, see Ma, K., *TPEL Oct. 2016 7183-7193*
- He, R.**, see Guo, X., *TPEL March 2016 1841-1846*
- He, S.**, Hung, J.Y., and Nelms, R.M., Small-Signal Modeling of  $I^2$  Average Current Mode Control; *TPEL May 2016 3849-3858*
- He, X.**, see Li, W., *TPEL March 2016 1908-1920*
- He, X.**, see Zong, S., *TPEL July 2016 4963-4973*
- He, X.**, see Luo, H., *TPEL July 2016 5122-5132*
- He, X.**, see Hu, S., *TPEL Nov. 2016 7598-7610*
- He, X.**, see Hu, S., *TPEL Nov. 2016 7489-7498*
- He, X.**, see Peng, H., *TPEL Nov. 2016 7809-7822*
- He, X.**, see Hao, S., *TPEL Dec. 2016 8528-8540*
- He, Y.**, Chung, H.S., Ho, C.N., and Wu, W., Use of Boundary Control With Second-Order Switching Surface to Reduce the System Order for Deadbeat Controller in Grid-Connected Inverter; *TPEL March 2016 2638-2653*
- He, Y.**, see Tang, Y., *TPEL Nov. 2016 7963-7971*
- He, Z.**, see Lin, L., *TPEL Aug. 2016 5369-5377*
- He, Z.**, see Xu, Q., *TPEL Dec. 2016 8182-8194*
- Hensgens, N.**, see Silva, M., *TPEL July 2016 4795-4808*
- Hernandez, C.**, see Vazquez, N., *TPEL Nov. 2016 7651-7660*

- Hernandez, Y.R.R.**, see Isobe, T., *TPEL Jan. 2016 224-234*
- Hesselbak, B.**, see Kazem Bakhshizadeh, M., *TPEL Oct. 2016 6792-6796*
- Hirotsaki, S.**, see Kurokawa, F., *TPEL Jan. 2016 871-883*
- Hirsch, E.A.**, see Schrock, J.A., *TPEL March 2016 1816-1821*
- Hirsch, E.A.**, see Schrock, J.A., *TPEL Dec. 2016 8058-8062*
- Hjerrild, J.**, see Kazem Bakhshizadeh, M., *TPEL Oct. 2016 6792-6796*
- Ho, C.N.**, see He, Y., *TPEL March 2016 2638-2653*
- Ho, G.K.Y.**, Zhang, C., Pong, B.M.H., and Hui, S.Y.R., Modeling and Analysis of the Bendable Transformer; *TPEL Sept. 2016 6450-6460*
- Ho, M.**, see Zheng, Y., *TPEL March 2016 2296-2313*
- Ho, M.**, Guo, J., Mak, K.H., Goh, W.L., Bu, S., Zheng, Y., Tang, X., and Leung, K.N., A CMOS Low-Dropout Regulator With Dominant-Pole Substitution; *TPEL Sept. 2016 6362-6371*
- Ho, M.**, see Zheng, Y., *TPEL Nov. 2016 7857-7875*
- Hoffmann, N.**, Fuchs, F.W., Kazmierkowski, M.P., and Schroder, D., Digital current control in a rotating reference frame - Part I: System modeling and the discrete time-domain current controller with improved decoupling capabilities; *TPEL July 2016 5290-5305*
- Hoffmann, N.**, see Panten, N., *TPEL July 2016 5189-5200*
- Hofmann, H.**, see Lu, F., *TPEL Dec. 2016 8471-8482*
- Hofmann, H.**, see Zhang, H., *TPEL Dec. 2016 8541-8551*
- Holliday, D.**, see Darwish, A., *TPEL Dec. 2016 8218-8236*
- Holt, S.L.**, see Schrock, J.A., *TPEL March 2016 1816-1821*
- Hong, F.**, Liu, J., Ji, B., Zhou, Y., Wang, J., and Wang, C., Interleaved Dual Buck Full-Bridge Three-Level Inverter; *TPEL Feb. 2016 964-974*
- Hong, F.**, see Zhou, Y., *TPEL Oct. 2016 7043-7052*
- Hong, S.**, see Sung, S., *TPEL Dec. 2016 8282-8292*
- Horsley, E.L.**, see Foster, M.P., *TPEL July 2016 5057-5066*
- Hossein Riahy, G.**, see Hassan Zamani, M., *TPEL Aug. 2016 5538-5546*
- Hou, B.**, see Zhao, S.L., *TPEL Feb. 2016 1517-1527*
- Hou, N.**, Song, W., and Wu, M., Minimum-Current-Stress Scheme of Dual Active Bridge DC-DC Converter With Unified Phase-Shift Control; *TPEL Dec. 2016 8552-8561*
- Hou, S.**, Chen, J., Sun, T., and Bi, X., Multi-input Step-Up Converters Based on the Switched-Diode-Capacitor Voltage Accumulator; *TPEL Jan. 2016 381-393*
- Hou, X.**, see Liu, Z., *TPEL July 2016 5306-5320*
- Hredzak, B.**, see Yu, Y., *TPEL Jan. 2016 292-303*
- Hredzak, B.**, see Yu, Y., *TPEL Feb. 2016 1108-1120*
- Hredzak, B.**, see Abeywardana, D.B.W., *TPEL Feb. 2016 1665-1679*
- Hredzak, B.**, see Momayyezani, M., *TPEL March 2016 1968-1979*
- Hredzak, B.**, see Abeywardana, D.B.W., *TPEL June 2016 4594-4603*
- Hredzak, B.**, see Morstyn, T., *TPEL Nov. 2016 7986-7995*
- Hsiao, S.**, Chen, D., Chen, C., and Nien, H., A New Multiple-Frequency Small-Signal Model for High-Bandwidth Computer V-Core Regulator Applications; *TPEL Jan. 2016 733-742*
- Hu, A.P.**, see Huang, L., *TPEL Nov. 2016 7556-7563*
- Hu, G.**, see Chen, Y., *TPEL May 2016 3626-3638*
- Hu, H.**, see Wu, H., *TPEL June 2016 3999-4004*
- Hu, H.**, see Liu, H., *TPEL Dec. 2016 8046-8051*
- Hu, J.**, Alatise, O., Gonzalez, J.A.O., Bonyadi, R., Ran, L., and Mawby, P.A., The Effect of Electrothermal Nonuniformities on Parallel Connected SiC Power Devices Under Unclamped and Clamped Inductive Switching; *TPEL June 2016 4526-4535*
- Hu, J.**, see Lin, L., *TPEL Aug. 2016 5369-5377*
- Hu, J.**, see Bi, C., *TPEL Dec. 2016 8162-8171*
- Hu, S.**, Liang, Z., Fan, D., and He, X., Hybrid Ultracapacitor-Battery Energy Storage System Based on Quasi-Z-source Topology and Enhanced Frequency Dividing Coordinated Control for EV; *TPEL Nov. 2016 7598-7610*
- Hu, S.**, Liang, Z., and He, X., Ultracapacitor-Battery Hybrid Energy Storage System Based on the Asymmetric Bidirectional Z-Source Topology for EV; *TPEL Nov. 2016 7489-7498*
- Hu, X.**, Dai, G., Wang, L., and Gong, C., A Three-State Switching Boost Converter Mixed With Magnetic Coupling and Voltage Multiplier Techniques for High Gain Conversion; *TPEL April 2016 2991-3001*
- Hu, X.**, see Yao, K., *TPEL June 2016 4331-4342*
- Hu, Y.**, Gan, C., Cao, W., Li, W., and Finney, S.J., Central-Tapped Node Linked Modular Fault-Tolerance Topology for SRM Applications; *TPEL Feb. 2016 1541-1554*
- Hu, Y.**, see Tian, Y., *TPEL April 2016 3177-3188*
- Hu, Y.**, Gan, C., Cao, W., Zhang, J., Li, W., and Finney, S.J., Flexible Fault-Tolerant Topology for Switched Reluctance Motor Drives; *TPEL June 2016 4654-4668*
- Hu, Y.**, Wu, J., Cao, W., Xiao, W., Li, P., Finney, S.J., and Li, Y., Ultrahigh Step-up DC-DC Converter for Distributed Generation by Three Degrees of Freedom (3DoF) Approach; *TPEL July 2016 4930-4941*
- Hu, Y.**, see Gan, C., *TPEL Oct. 2016 7248-7263*
- Hu, Z.**, Wang, L., Wang, H., Liu, Y., and Sen, P.C., An Accurate Design Algorithm for LLC Resonant Converters—Part I; *TPEL Aug. 2016 5435-5447*
- Hu, Z.**, Wang, L., Qiu, Y., Liu, Y., and Sen, P.C., An Accurate Design Algorithm for LLC Resonant Converters—Part II; *TPEL Aug. 2016 5448-5460*
- Hua, C.**, and Fang, Y., A Charge Equalizer With a Combination of APWM and PFM Control Based on a Modified Half-Bridge Converter; *TPEL April 2016 2970-2979*
- Huang, A.Q.**, see Rezaei, M.A., *TPEL Jan. 2016 318-327*
- Huang, C.**, see Zhao, Z., *TPEL April 2016 3189-3202*
- Huang, C.**, and Chen, C., A High-Efficiency Current-Mode Buck Converter With a Power-Loss-Aware Switch-On-Demand Modulation Technique for Multifunction SoCs; *TPEL Dec. 2016 8303-8316*
- Huang, J.**, see Jou, H., *TPEL April 2016 2690-2694*
- Huang, J.**, see Wang, Y., *TPEL Aug. 2016 5814-5824*
- Huang, J.**, see Zhao, L., *TPEL Sept. 2016 6494-6503*
- Huang, L.**, Zhang, Z., and Andersen, M.A.E., Analytical Switching Cycle Modeling of Bidirectional High-Voltage Flyback Converter for Capacitive Load Considering Core Loss Effect; *TPEL Jan. 2016 470-487*
- Huang, L.**, see Van Tassell, B., *TPEL April 2016 2695-2708*
- Huang, L.**, see Chu, E., *TPEL Oct. 2016 6855-6869*
- Huang, L.**, Hu, A.P., Swain, A.K., and Su, Y., Z-Impedance Compensation for Wireless Power Transfer Based on Electric Field; *TPEL Nov. 2016 7556-7563*
- Huang, M.**, Wang, X., Loh, P.C., and Blaabjerg, F., Active Damping of LLC-Filter Resonance Based on LC-Trap Voltage or Current Feedback; *TPEL March 2016 2337-2346*
- Huang, M.**, Wang, X., Loh, P.C., and Blaabjerg, F., LLC-Filtered Grid Converter With Improved Stability and Robustness; *TPEL May 2016 3958-3967*
- Huang, M.**, Zou, J., and Ma, X., An Improved Phase-Shifted Carrier Modulation for Modular Multilevel Converter to Suppress the Influence of Fluctuation of Capacitor Voltage; *TPEL Oct. 2016 7404-7416*
- Huang, Q.**, Zou, X., Zhu, D., and Kang, Y., Scaled Current Tracking Control for Doubly Fed Induction Generator to Ride-Through Serious Grid Faults; *TPEL March 2016 2150-2165*
- Huang, R.**, see Su, Y., *TPEL Aug. 2016 5871-5884*
- Huang, T.**, see Chen, S., *TPEL April 2016 3106-3117*
- Huang, T.**, see Chen, S., *TPEL Aug. 2016 5885-5899*
- Huang, W.**, and Lehman, B., Analysis and Verification of Inductor Coupling Effect in Interleaved Multiphase dc-dc Converters; *TPEL July 2016 5004-5017*
- Huang, W.**, and Lehman, B., A Compact Coupled Inductor for Interleaved Multiphase DC-DC Converters; *TPEL Oct. 2016 6770-6775*
- Huang, W.**, see Zhou, Y., *TPEL Oct. 2016 7043-7052*
- Huang, X.**, Du, W., Lee, F.C., Li, Q., and Liu, Z., Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices; *TPEL Jan. 2016 593-600*
- Huang, X.**, see Zhang, W., *TPEL Feb. 2016 1344-1353*
- Huang, X.**, Lee, F.C., Li, Q., and Du, W., High-Frequency High-Efficiency GaN-Based Interleaved CRM Bidirectional Buck/Boost Converter with Inverse Coupled Inductor; *TPEL June 2016 4343-4352*
- Huang, Y.**, see Chen, S., *TPEL July 2016 5113-5121*
- Huang, Y.**, see Xiong, S., *TPEL Aug. 2016 5680-5693*
- Huang, Y.**, see Chang, Y., *TPEL Sept. 2016 6504-6510*
- Huber, L.**, Kumar, M., and Jovanovic, M.M., Performance Comparison of Three-Step and Six-Step PWM in Average-Current-Controlled Three-Phase Six-Switch Boost PFC Rectifier; *TPEL Oct. 2016 7264-7272*

- Hui, J.C.Y.,** Bakshshai, A., and Jain, P.K., An Energy Management Scheme With Power Limit Capability and an Adaptive Maximum Power Point Tracking for Small Standalone PMSG Wind Energy Systems; *TPEL July 2016 4861-4875*
- Hui, S.Y.,** see Chen, H.-T., *TPEL Jan. 2016 581-592*
- Hui, S.Y.,** see Lee, A.T.L., *TPEL Jan. 2016 65-80*
- Hui, S.Y.,** see Li, S., *TPEL Feb. 2016 1503-1516*
- Hui, S.Y.,** see Yin, J., *TPEL March 2016 2510-2517*
- Hui, S.Y.,** see Li, S., *TPEL June 2016 4121-4137*
- Hui, S.Y.,** see Zhang, C., *TPEL July 2016 5215-5227*
- Hui, S.Y.,** see Xiong, S., *TPEL Aug. 2016 5680-5693*
- Hui, S.Y.,** see Yin, J., *TPEL Oct. 2016 7339-7352*
- Hui, S.Y.R.,** see Mok, K., *TPEL Feb. 2016 1216-1229*
- Hui, S.Y.R.,** see Guo, Y., *TPEL Aug. 2016 5837-5850*
- Hui, S.Y.R.,** see Ho, G.K.Y., *TPEL Sept. 2016 6450-6460*
- Hull, B.A.,** see Hazra, S., *TPEL July 2016 4742-4754*
- Hung, J.Y.,** see He, S., *TPEL May 2016 3849-3858*
- Husev, O.,** Blaabjerg, F., Roncero-Clemente, C., Romero-Cadaval, E., Vinnikov, D., Siwakoti, Y.P., and Strzelecki, R., Comparison of Impedance-Source Networks for Two and Multilevel Buck-Boost Inverter Applications; *TPEL Nov. 2016 7564-7579*
- Husev, O.,** Strzelecki, R., Blaabjerg, F., Chopyk, V., and Vinnikov, D., Novel Family of Single-Phase Modified Impedance-Source Buck-Boost Multilevel Inverters With Reduced Switch Count; *TPEL Nov. 2016 7580-7591*
- Hwang, K.C.,** see Park, H., *TPEL June 2016 4484-4498*
- Hwu, K.I.,** Jiang, W.Z., and Yau, Y.T., Nonisolated Coupled-Inductor-Based High Step-Down Converter With Zero DC Magnetizing Inductance Current and Nonpulsating Output Current; *TPEL June 2016 4362-4377*
- Hwu, K.I.,** and Jiang, W.Z., Nonisolated Two-Channel LED Driver With Automatic Current Balance and Zero-Voltage Switching; *TPEL Dec. 2016 8359-8370*
- I**
- Iannuzzi, D.,** see Coppola, M., *TPEL Jan. 2016 806-816*
- Iannuzzi, D.,** see Ciccarelli, F., *TPEL Jan. 2016 884-899*
- Iannuzzo, F.,** see Baker, N., *TPEL May 2016 3784-3793*
- Ibanez, F.M.,** see Astigarraga, D., *TPEL Nov. 2016 7953-7962*
- Ibrahim, M.,** Bernard, L., Pichon, L., Laboure, E., Razeq, A., Cayol, O., Ladas, D., and Irving, J., Inductive Charger for Electric Vehicle: Advanced Modeling and Interoperability Analysis; *TPEL Dec. 2016 8096-8114*
- Idir, N.,** see Li, K., *TPEL Feb. 2016 1528-1540*
- Idir, N.,** see Cuellar, C., *TPEL May 2016 3763-3772*
- Idir, N.,** see Tan, W., *TPEL June 2016 4462-4473*
- Idris, N.R.N.,** see Alsofyani, I.M., *TPEL April 2016 3027-3035*
- Imura, T.,** see Sato, M., *TPEL July 2016 5270-5278*
- Irace, A.,** see Codecasa, L., *TPEL Aug. 2016 5906-5916*
- Irving, B.T.,** see Jovanovic, M.M., *TPEL March 2016 2596-2608*
- Irving, J.,** see Ibrahim, M., *TPEL Dec. 2016 8096-8114*
- Ise, T.,** see Ataji, A.B., *TPEL Feb. 2016 1015-1025*
- Ise, T.,** see Liu, J., *TPEL May 2016 3600-3611*
- Ishii, H.,** see Matsumori, H., *TPEL April 2016 3080-3095*
- Islam, M.,** and Mekhilef, S., Efficient Transformerless MOSFET Inverter for a Grid-Tied Photovoltaic System; *TPEL Sept. 2016 6305-6316*
- Isobe, T.,** Shiojima, D., Kato, K., Hernandez, Y.R.R., and Shimada, R., Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator; *TPEL Jan. 2016 224-234*
- Itoh, J.,** see Koiwa, K., *TPEL Feb. 2016 1189-1202*
- Iu, H.H.,** see Chen, H., *TPEL March 2016 2395-2408*
- J**
- Jabbour, N.,** and Mademlis, C., Improved Control Strategy of a Supercapacitor-Based Energy Recovery System for Elevator Applications; *TPEL Dec. 2016 8398-8408*
- Jacobina, C.B.,** see de Almeida Carlos, G.A., *TPEL Jan. 2016 188-199*
- Jacobina, C.B.,** see Rocha, N., *TPEL May 2016 3704-3716*
- Jacobina, C.B.,** see Santos, W.R.N., *TPEL June 2016 4111-4120*
- Jacobina, C.B.,** see Ketzner, M.B., *TPEL July 2016 4818-4830*
- Jahanyari, N.,** see Banaei, M.R., *TPEL Feb. 2016 1255-1262*
- Jain, P.,** see Pahlevani, M., *TPEL Feb. 2016 1275-1293*
- Jain, P.,** see Pahlevani, M., *TPEL April 2016 2919-2936*
- Jain, P.,** see Safaee, A., *TPEL June 2016 4031-4047*
- Jain, P.K.,** see Hui, J.C.Y., *TPEL July 2016 4861-4875*
- Jain, P.K.,** see Safaee, A., *TPEL Nov. 2016 7714-7734*
- Jain, S.,** see Gupta, K.K., *TPEL Jan. 2016 135-151*
- Jang, G.C.,** see Lee, E.S., *TPEL Feb. 2016 1489-1502*
- Jang, G.C.,** see Choi, B.H., *TPEL April 2016 3252-3272*
- Jang, J.,** see Park, H., *TPEL June 2016 4484-4498*
- Jang, Y.,** see Lim, B., *TPEL Sept. 2016 6416-6427*
- Jankovic, M.V.,** see Georgijevic, N.L., *TPEL Aug. 2016 5917-5930*
- Jatskevich, J.,** see Shan, Z., *TPEL Aug. 2016 5666-5679*
- Jauch, F.,** and Biela, J., Combined Phase-Shift and Frequency Modulation of a Dual-Active-Bridge AC-DC Converter With PFC; *TPEL Dec. 2016 8387-8397*
- Jazebi, S.,** see Dogan, R., *TPEL May 2016 3506-3516*
- Jazebi, S.,** Dogan, R., Kovan, B., and de Leon, F., Reduction of Inrush Currents in Toroidal Transformers by Sector Winding Design; *TPEL Oct. 2016 6776-6780*
- Jeong, M.,** Kim, S., and Yoo, C., Switching Battery Charger Integrated Circuit for Mobile Devices in a 130-nm BCDMOS Process; *TPEL Nov. 2016 7943-7952*
- Ji, B.,** see Hong, F., *TPEL Feb. 2016 964-974*
- Jia, K.,** see Bi, C., *TPEL Dec. 2016 8162-8171*
- Jian, J.,** see Guo, X., *TPEL March 2016 1841-1846*
- Jiang, L.,** see Wang, J., *TPEL Jan. 2016 743-757*
- Jiang, L.,** see Wang, J., *TPEL May 2016 3898-3912*
- Jiang, T.,** Zhang, J., Wu, X., Sheng, K., and Wang, Y., A Bidirectional Three-Level LLC Resonant Converter With PWAM Control; *TPEL March 2016 2213-2225*
- Jiang, W.Z.,** see Hwu, K.I., *TPEL June 2016 4362-4377*
- Jiang, W.Z.,** see Hwu, K.I., *TPEL Dec. 2016 8359-8370*
- Jiang, X.,** see Wang, C., *TPEL Aug. 2016 6031-6043*
- Jiang, Z.,** see Li, H., *TPEL July 2016 4956-4962*
- Jiao, N.,** Liu, W., Meng, T., Peng, J., and Mao, S., Design and Control of a Two-Phase Brushless Exciter for Aircraft Wound-Rotor Synchronous Starter/Generator in the Starting Mode; *TPEL June 2016 4452-4461*
- Jiao, Y.,** see Lu, S., *TPEL Jan. 2016 120-134*
- Jin, K.,** and Liu, C., A Novel PWM High Voltage Conversion Ratio Bidirectional Three-Phase DC/DC Converter With Y- $\Delta$  Connected Transformer; *TPEL Jan. 2016 81-88*
- Jin, K.,** see Gu, L., *TPEL Dec. 2016 8115-8125*
- Jin, S.,** see Li, B., *TPEL Dec. 2016 8517-8527*
- Jin, T.,** see Zhao, H., *TPEL Feb. 2016 1000-1014*
- Jin, X.,** see Wu, H., *TPEL June 2016 3999-4004*
- Joffe, C.,** see Roskopf, A., *TPEL Sept. 2016 6442-6449*
- Johannesson, D.,** and Nawaz, M., Development of a Simple Analytical PSpice Model for SiC-Based BJT Power Modules; *TPEL June 2016 4517-4525*
- Johns, D.A.,** see Ahsanuzzaman, S.M., *TPEL June 2016 4305-4323*
- Johnsen, A.,** see Chen, K., *TPEL July 2016 4732-4741*
- Johnson, B.B.,** Sinha, M., Ainsworth, N.G., Dorfler, F., and Dhople, S.V., Synthesizing Virtual Oscillators to Control Islanded Inverters; *TPEL Aug. 2016 6002-6015*
- Johnson, C.M.,** see Eleffendi, M.A., *TPEL Feb. 2016 1576-1587*
- Johnson, C.M.,** see Evans, P.L., *TPEL March 2016 2443-2455*
- Jones, E.A.,** see Li, Y., *TPEL April 2016 2829-2839*
- Jorgensen, S.,** see Choi, U., *TPEL Dec. 2016 8371-8386*
- Jou, H.,** Huang, J., Wu, J., and Wu, K., Novel Isolated Multilevel DC-DC Power Converter; *TPEL April 2016 2690-2694*
- Jovanovic, M.M.,** and Irving, B.T., On-the-Fly Topology-Morphing Control—Efficiency Optimization Method for LLC Resonant Converters Operating in Wide Input- and/or Output-Voltage Range; *TPEL March 2016 2596-2608*
- Jovanovic, M.M.,** see Huber, L., *TPEL Oct. 2016 7264-7272*

- Ju, B.**, Shao, W., and Feng, Z., Piezoelectric Filter Module Used in Harmonics Elimination for High-Efficiency Piezoelectric Transformer Driving; *TPEL Jan. 2016* 524-532
- Julian, A.L.**, see Oriti, G., *TPEL Jan. 2016* 452-460
- Jung, J.**, see Choi, Y., *TPEL May 2016* 3728-3737
- Jung, J.**, see Mwasilu, F., *TPEL Aug. 2016* 5746-5758
- Juntunen, R.**, see Smirnova, L., *TPEL Feb. 2016* 1479-1488

## K

- Kaltenbacher, M.**, see Kock, H., *TPEL April 2016* 3128-3140
- Kan, J.**, see Tang, Y., *TPEL Jan. 2016* 461-469
- Kang, Y.**, see Huang, Q., *TPEL March 2016* 2150-2165
- Kang, Y.**, see Chen, S., *TPEL Aug. 2016* 5885-5899
- Kang, Y.C.**, see Kim, J., *TPEL May 2016* 3586-3599
- Kanjiya, P.**, Khadkikar, V., and Moursi, M.S.E., A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins; *TPEL March 2016* 2550-2561
- Kapat, S.**, Configurable Multimode Digital Control for Light Load DC–DC Converters With Improved Spectrum and Smooth Transition; *TPEL March 2016* 2680-2688
- Kapat, S.**, Mandi, B.C., and Patra, A., Voltage-Mode Digital Pulse Skipping Control of a DC–DC Converter With Stable Periodic Behavior and Improved Light-Load Efficiency; *TPEL April 2016* 3372-3379
- Kapat, S.**, Reconfigurable Periodic Bifrequency DPWM With Custom Harmonic Reduction in DC–DC Converters; *TPEL April 2016* 3380-3388
- Kapat, S.**, see Kumar, V.I., *TPEL Dec. 2016* 8461-8470
- Kar, M.**, Ahmed, K.Z., and Mukhopadhyay, S., A Scalable Hybrid Regulator For Down Conversion of High Input Voltage Using Low-Voltage Devices; *TPEL March 2016* 1857-1862
- Karimi-Ghartemani, M.**, see Ebrahimi, M., *TPEL May 2016* 3968-3976
- Karimi-Ghartemani, M.**, see Safaee, A., *TPEL Nov. 2016* 7714-7734
- Karki, U.**, see Yang, S., *TPEL Feb. 2016* 1050-1063
- Karki, U.**, see Peng, F.Z., *TPEL Aug. 2016* 5461-5472
- Karki, U.**, see Liu, Y., *TPEL Sept. 2016* 6092-6103
- Kasper, M.**, Burkart, R.M., Deboy, G., and Kolar, J.W., ZVS of Power MOS-FETs Revisited; *TPEL Dec. 2016* 8063-8067
- Kastha, D.**, see Challa, S.R., *TPEL Jan. 2016* 353-368
- Kato, K.**, see Isobe, T., *TPEL Jan. 2016* 224-234
- Kawa, A.**, Stala, R., Mondzik, A., Pirog, S., and Penczek, A., High-Power Thyristor-Based DC–DC Switched-Capacitor Voltage Multipliers: Basic Concept and Novel Derived Topology With Reduced Number of Switches; *TPEL Oct. 2016* 6797-6813
- Kawamoto, N.**, see Tanimoto, Y., *TPEL June 2016* 4509-4516
- Kawamura, A.**, see Shamseh, M.B., *TPEL Oct. 2016* 6787-6791
- Kayal, M.**, see Buccella, P., *TPEL Sept. 2016* 6586-6595
- Kayiranga, T.**, Li, H., Lin, X., Shi, Y., and Li, H., Abnormal Operation State Analysis and Control of Asymmetric Impedance Network-Based Quasi-Z-Source PV Inverter (AIN-qZSI); *TPEL Nov. 2016* 7642-7650
- Kazem Bakhshizadeh, M.**, Wang, X., Blaabjerg, F., Hjerrild, J., Kocewiak, L., Bak, C.L., and Hesselbak, B., Couplings in Phase Domain Impedance Modeling of Grid-Connected Converters; *TPEL Oct. 2016* 6792-6796
- Kazmierczuk, M.K.**, see Wei, X., *TPEL Jan. 2016* 394-405
- Kazmierczuk, M.K.**, see Hayati, M., *TPEL Nov. 2016* 7770-7779
- Kazmierczuk, M.K.**, see Sivakoti, Y.P., *TPEL Dec. 2016* 8081-8087
- Kazmierkowski, M.P.**, see Hoffmann, N., *TPEL July 2016* 5290-5305
- Kelley, M.D.**, see Schrock, J.A., *TPEL March 2016* 1816-1821
- Kelley, M.D.**, see Schrock, J.A., *TPEL Dec. 2016* 8058-8062
- Kennel, R.**, see Xie, W., *TPEL Jan. 2016* 849-860
- Kennel, R.**, see Zhang, Z., *TPEL Jan. 2016* 662-674
- Kennel, R.**, see Glose, D., *TPEL May 2016* 3837-3848
- Kerachev, L.**, Trinh, T.H., Lembeze, Y., and Crebier, J., Design and Implementation of a Highly Integrated Dual Active Bridge Microconverter; *TPEL Aug. 2016* 5635-5643
- Kerekes, T.**, see Gohil, G., *TPEL May 2016* 3400-3414
- Kerekes, T.**, see Gohil, G., *TPEL Nov. 2016* 7797-7808
- Ketzer, M.B.**, and Jacobina, C.B., Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators; *TPEL July 2016* 4818-4830
- Khadkikar, V.**, see Kanjiya, P., *TPEL March 2016* 2550-2561
- Khadkikar, V.**, see Rauf, A.M., *TPEL Oct. 2016* 6937-6946
- Khajehoddin, S.A.**, see Ebrahimi, M., *TPEL May 2016* 3968-3976
- Khaligh, A.**, see Tang, Y., *TPEL Jan. 2016* 340-352
- Khaligh, A.**, see Tang, Y., *TPEL March 2016* 2254-2263
- Khamphakdi, P.**, Nitta, M., Hagiwara, M., and Akagi, H., Zero-Voltage Ride-Through Capability of a Transformerless Back-To-Back System Using Modular Multilevel Cascade Converters for Power Distribution Systems; *TPEL April 2016* 2730-2741
- Khan, A.A.**, Cha, H., and Kim, H., Magnetic Integration of Discrete-Coupled Inductors in Single-Phase Direct PWM AC–AC Converters; *TPEL March 2016* 2129-2138
- Khan, A.A.**, see Ahmed, H.F., *TPEL June 2016* 4241-4251
- Khan, A.A.**, Cha, H., and Ahmed, H.F., High-Efficiency Single-Phase AC–AC Converters Without Commutation Problem; *TPEL Aug. 2016* 5655-5665
- Khan, A.A.**, Cha, H., Ahmed, H.F., and Kim, H., Elimination of Filter Inductor in Switching Cell AC–AC Converters Using Magnetic Integration; *TPEL Sept. 2016* 6317-6326
- Khan, A.A.**, see Ahmed, H.F., *TPEL Nov. 2016* 7522-7533
- Ki, W.**, see Lu, Y., *TPEL Feb. 2016* 1294-1303
- Kiadehi, A.D.**, El Khamlouchi Drissi, K., and Pasquier, C., Adapted NSPWM for Single DC-Link Dual-Inverter Fed Open-End Motor With Negligible Low-Order Harmonics and Efficiency Enhancement; *TPEL Dec. 2016* 8271-8281
- Kikuchiara, H.**, see Tanimoto, Y., *TPEL June 2016* 4509-4516
- Kim, C.**, see Kim, J., *TPEL July 2016* 4942-4955
- Kim, D.**, and Lee, B., An Enhanced Control Algorithm for Improving the Light-Load Efficiency of Noninverting Synchronous Buck–Boost Converters; *TPEL May 2016* 3395-3399
- Kim, D.**, Moon, S., Yeon, C., and Moon, G., High-Efficiency LLC Resonant Converter With High Voltage Gain Using an Auxiliary LC Resonant Circuit; *TPEL Oct. 2016* 6901-6909
- Kim, H.**, see Chen, H., *TPEL Jan. 2016* 101-110
- Kim, H.**, see Ahmed, H.F., *TPEL Feb. 2016* 1241-1254
- Kim, H.**, see Khan, A.A., *TPEL March 2016* 2129-2138
- Kim, H.**, see Ahmed, H.F., *TPEL June 2016* 4241-4251
- Kim, H.**, see Park, H., *TPEL June 2016* 4484-4498
- Kim, H.**, see Khan, A.A., *TPEL Sept. 2016* 6317-6326
- Kim, H.**, see Ahmed, H.F., *TPEL Nov. 2016* 7522-7533
- Kim, J.**, Lee, I., and Moon, G., Integrated Dual Full-Bridge Converter With Current-Doubler Rectifier for EV Charger; *TPEL Feb. 2016* 942-951
- Kim, J.**, Moon, J., and Moon, G., Analysis and Design of a Single-Switch Forward-Flyback Two-Channel LED Driver With Resonant-Blocking Capacitor; *TPEL March 2016* 2314-2323
- Kim, J.**, and Moon, G., Minimizing Effect of Input Filter Capacitor in a Digital Boundary Conduction Mode Power Factor Corrector Based on Time-Domain Analysis; *TPEL May 2016* 3827-3836
- Kim, J.**, Seok, J., Muljadi, E., and Kang, Y.C., Adaptive  $Q$ - $V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant; *TPEL May 2016* 3586-3599
- Kim, J.**, Kim, C., Lee, J., and Moon, G., Analysis on Load-Adaptive Phase-Shift Control for High Efficiency Full-Bridge LLC Resonant Converter Under Light-Load Conditions; *TPEL July 2016* 4942-4955
- Kim, J.**, see Kim, J., *TPEL July 2016* 4942-4955
- Kim, K.A.**, Seo, G., Cho, B., and Krein, P.T., Photovoltaic Hot-Spot Detection for Solar Panel Substrings Using AC Parameter Characterization; *TPEL Feb. 2016* 1121-1130
- Kim, M.**, see Ryu, S., *TPEL March 2016* 2282-2295
- Kim, S.**, see Ahmed, H.F., *TPEL Feb. 2016* 1241-1254
- Kim, S.**, Lee, K., and Lee, K., Singularity-Free Adaptive Speed Tracking Control for Uncertain Permanent Magnet Synchronous Motor; *TPEL Feb. 2016* 1692-1701
- Kim, S.**, and Do, H., Soft-Switching Step-Up Converter With Ripple-Free Output Current; *TPEL Aug. 2016* 5618-5624

- Kim, S.**, Lee, J., and Lee, K., Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor; *TPEL Oct. 2016 7065-7076*
- Kim, S.**, see Ahn, D., *TPEL Nov. 2016 7876-7886*
- Kim, S.**, see Jeong, M., *TPEL Nov. 2016 7943-7952*
- Kim, W.**, see Shin, J., *TPEL March 2016 2387-2394*
- Kimball, J.W.**, see Muller, L., *TPEL Sept. 2016 6405-6415*
- Kinget, P.R.**, see Van Tassell, B., *TPEL April 2016 2695-2708*
- Kirshenboim, O.**, and Peretz, M.M., Stability Analysis of Boundary and Hybrid Controllers for Indirect Energy Transfer Converters; *TPEL April 2016 3360-3371*
- Kirtley, J.L.**, see Chang, A.H., *TPEL Feb. 2016 1036-1049*
- Kirtley, J.L.**, see Banerjee, A., *TPEL Aug. 2016 5709-5720*
- Kirtley, J.L.**, see Gan, C., *TPEL Oct. 2016 7248-7263*
- Kiselychynk, O.**, see Liu, H., *TPEL Nov. 2016 8007-8016*
- Kiyoumars, A.**, see Vafaie, M.H., *TPEL May 2016 3738-3753*
- Knight, A.M.**, see Leng, S., *TPEL Oct. 2016 7053-7064*
- Knott, A.**, see Nguyen-Duy, K., *TPEL March 2016 2562-2574*
- Ko, Y.**, Cho, H., Lee, S., Shin, S., Song, Y., and Lee, S., A Compact Flicker-Free Transformer-Less LED Driver With an Enhanced Power Factor for Omnidirectional Multichannel Smart Bulb Applications; *TPEL Aug. 2016 5851-5862*
- Ko, Y.**, see Lim, B., *TPEL Sept. 2016 6416-6427*
- Kocewiak, L.**, see Kazem Bakhshizadeh, M., *TPEL Oct. 2016 6792-6796*
- Kock, H.**, Eiser, S., and Kaltenbacher, M., Electrothermal Multiscale Modeling and Simulation Concepts for Power Electronics; *TPEL April 2016 3128-3140*
- Koiwa, K.**, and Itoh, J., A Maximum Power Density Design Method for Nine Switches Matrix Converter Using SiC-MOSFET; *TPEL Feb. 2016 1189-1202*
- Kojabadi, H.M.**, see Barzegarkhoo, R., *TPEL Aug. 2016 5604-5617*
- Kolar, J.W.**, see Boillat, D.O., *TPEL Oct. 2016 7353-7368*
- Kolar, J.W.**, see Krismer, F., *TPEL Dec. 2016 8052-8057*
- Kolar, J.W.**, see Kasper, M., *TPEL Dec. 2016 8063-8067*
- Kondo, K.**, see Ciccarelli, F., *TPEL Jan. 2016 884-899*
- Konjedic, T.**, Korosec, L., Truntic, M., Restrepo, C., Rodic, M., and Milanovic, M., DCM-Based Zero-Voltage Switching Control of a Bidirectional DC-DC Converter With Variable Switching Frequency; *TPEL April 2016 3273-3288*
- Konstantinou, G.**, see Yu, Y., *TPEL Jan. 2016 292-303*
- Konstantinou, G.**, see Yu, Y., *TPEL Feb. 2016 1108-1120*
- Konstantinou, G.**, see Townsend, C.D., *TPEL Aug. 2016 5574-5586*
- Konstantinou, G.**, Pou, J., Ceballos, S., Picas, R., Zaragoza, J., and Agelidis, V.G., Control of Circulating Currents in Modular Multilevel Converters Through Redundant Voltage Levels; *TPEL Nov. 2016 7761-7769*
- Korosec, L.**, see Konjedic, T., *TPEL April 2016 3273-3288*
- Kortabarria, I.**, see Lopez, I., *TPEL Feb. 2016 928-941*
- Kovan, B.**, see Jazebi, S., *TPEL Oct. 2016 6776-6780*
- Kraus, R.**, and Castellazzi, A., A Physics-Based Compact Model of SiC Power MOSFETs; *TPEL Aug. 2016 5863-5870*
- Krein, P.T.**, see Kim, K.A., *TPEL Feb. 2016 1121-1130*
- Kremp, S.**, see Bayerer, R., *TPEL Jan. 2016 613-620*
- Krismer, F.**, see Boillat, D.O., *TPEL Oct. 2016 7353-7368*
- Krismer, F.**, Boillat, D.O., and Kolar, J.W., Modeling the Output Impedance of a T-Type Power Converter; *TPEL Dec. 2016 8052-8057*
- Kucka, J.**, see Mertens, A., *TPEL Oct. 2016 6765-6769*
- Kulesza, W.J.**, see Turzynski, M., *TPEL April 2016 3096-3105*
- Kulkarni, S.**, see Feeney, C., *TPEL May 2016 3754-3762*
- Kulkarni, S.**, see Feeney, C., *TPEL Aug. 2016 5805-5813*
- Kumar, M.**, see Huber, L., *TPEL Oct. 2016 7264-7272*
- Kumar, V.I.**, and Kapat, S., Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter; *TPEL Dec. 2016 8461-8470*
- Kumar, V.S.S.**, and Thukaram, D., Alternate Proof for Steady-State Equivalent Circuit of a Doubly Fed Induction Machine; *TPEL Aug. 2016 5378-5383*
- Kumaresan, N.**, see Nayanar, V., *TPEL Feb. 2016 1161-1172*
- Kundrata, J.**, and Baric, A., EMC-Aware Design of a Planar Inductor for Low-Profile OLED Drivers; *TPEL June 2016 4474-4483*
- Kuo, J.B.**, see Gou, B., *TPEL May 2016 3816-3826*
- Kurokawa, F.**, Yamanishi, A., and Hirota, S., A Reference Modification Model Digitally Controlled DC-DC Converter for Improvement of Transient Response; *TPEL Jan. 2016 871-883*
- Kurokawa, F.**, see Murata, K., *TPEL March 2016 2264-2272*
- Kwon, B.**, see Cho, Y., *TPEL June 2016 4138-4147*
- Kwon, J.**, see Cho, Y., *TPEL June 2016 4138-4147*
- Kwon, M.**, Park, J., and Choi, S., A Bidirectional Three-Phase Push-Pull Converter With Dual Asymmetrical PWM Method; *TPEL March 2016 1887-1895*
- Kwon, O.**, see Lim, B., *TPEL Sept. 2016 6416-6427*
- Kymissis, I.**, see Van Tassell, B., *TPEL April 2016 2695-2708*
- Kyriakides, E.**, see Hadjidemetriou, L., *TPEL March 2016 2139-2149*

## L

- Laboure, E.**, see Ibrahim, M., *TPEL Dec. 2016 8096-8114*
- Labrousse, D.**, see Saber, C., *TPEL Sept. 2016 6192-6202*
- Lacouture, S.**, see Schrock, J.A., *TPEL Dec. 2016 8058-8062*
- Ladas, D.**, see Ibrahim, M., *TPEL Dec. 2016 8096-8114*
- Lai, J.**, see Ma, H., *TPEL Aug. 2016 5825-5836*
- Lai, J.**, see Zhang, L., *TPEL Dec. 2016 8572-8580*
- Lai, J.-S.**, see Zhang, L., *TPEL May 2016 3913-3921*
- Lai, R.**, see Mohammadpour, A., *TPEL Jan. 2016 111-119*
- Lai, W.**, Chen, M., Ran, L., Alatis, O., Xu, S., and Mawby, P., Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling; *TPEL Sept. 2016 6575-6585*
- Lai, Y.**, see Li, Z., *TPEL June 2016 4499-4508*
- Lai, Y.M.**, see Cao, L., *TPEL March 2016 2187-2199*
- Lai, Y.M.**, see Wong, C.S., *TPEL March 2016 2465-2475*
- Lai, Y.M.**, see Leung, K.H., *TPEL April 2016 3324-3337*
- Lallemant, R.**, see German, R., *TPEL Jan. 2016 548-559*
- Laloya, E.**, Lucia, O., Sarnago, H., and Burdío, J.M., Heat Management in Power Converters: From State of the Art to Future Ultrahigh Efficiency Systems; *TPEL Nov. 2016 7896-7908*
- Lam, C.**, see Lao, K., *TPEL Feb. 2016 1643-1656*
- Lamar, D.G.**, see Castro, I., *TPEL March 2016 2485-2495*
- Lambert, S.M.**, Pickert, V., Atkinson, D.J., and Zhan, H., Transformer-Based Equalization Circuit Applied to  $n$ -Number of High Capacitance Cells; *TPEL Feb. 2016 1334-1343*
- Lang, J.H.**, see Chen, M., *TPEL Jan. 2016 560-580*
- Lao, K.**, Wong, M., Dai, N.Y., Wong, C., and Lam, C., Analysis of DC-Link Operation Voltage of a Hybrid Railway Power Quality Conditioner and Its PQ Compensation Capability in High-Speed Cophase Traction Power Supply; *TPEL Feb. 2016 1643-1656*
- Larrabal, I.**, see Zabaleta, M., *TPEL March 2016 1993-2001*
- Lassmann, M.**, see Bayerer, R., *TPEL Jan. 2016 613-620*
- Lau, R.W.**, see Wang, W., *TPEL Feb. 2016 1588-1599*
- Lazzarini Barnabei, A.**, see Dallago, E., *TPEL March 2016 2273-2281*
- Le, C.**, see Van Tassell, B., *TPEL April 2016 2695-2708*
- Lee, A.**, Wang, S., and Fan, C., A Current Index Approach to Compensate Commutation Phase Error for Sensorless Brushless DC Motors With Nonideal Back EMF; *TPEL June 2016 4389-4399*
- Lee, A.T.L.**, Chen, H., Tan, S.-C., and Hui, S.Y., Precise Dimming and Color Control of LED Systems Based on Color Mixing; *TPEL Jan. 2016 65-80*
- Lee, A.T.L.**, see Guo, Y., *TPEL Aug. 2016 5837-5850*
- Lee, B.**, see Ryu, S., *TPEL March 2016 2282-2295*
- Lee, B.**, see Kim, D., *TPEL May 2016 3395-3399*
- Lee, C.**, see Thenathayalan, D., *TPEL March 2016 2347-2361*
- Lee, C.**, see Chen, W., *TPEL April 2016 3002-3015*
- Lee, C.**, see Chen, S., *TPEL April 2016 3106-3117*
- Lee, C.**, see Chen, W., *TPEL May 2016 3650-3662*
- Lee, C.**, see Su, Y., *TPEL Aug. 2016 5871-5884*
- Lee, C.**, see Chen, S., *TPEL Aug. 2016 5885-5899*
- Lee, C.**, see Chen, H., *TPEL Dec. 2016 8562-8571*
- Lee, C.J.**, see Solomon, L.A., *TPEL April 2016 3052-3067*
- Lee, C.K.**, see Li, S., *TPEL Feb. 2016 1503-1516*

- Lee, C.K., *see* Yin, J., *TPEL March 2016 2510-2517*
- Lee, C.K., *see* Guo, Y., *TPEL Aug. 2016 5837-5850*
- Lee, E.S., Choi, B.H., Nguyen, D.T., Jang, G.C., and Rim, C.T., Versatile LED Drivers for Various Electronic Ballasts by Variable Switched Capacitor; *TPEL Feb. 2016 1489-1502*
- Lee, E.S., *see* Choi, B.H., *TPEL April 2016 3252-3272*
- Lee, E.S., Choi, B.H., Nguyen, D.T., Choi, B.G., and Rim, C.T., Static Regulated Multistage Semiactive LED Drivers for High-Efficiency Applications; *TPEL Sept. 2016 6543-6552*
- Lee, F.C., *see* Huang, X., *TPEL Jan. 2016 593-600*
- Lee, F.C., *see* Lu, S., *TPEL Jan. 2016 120-134*
- Lee, F.C., *see* Tian, S., *TPEL Feb. 2016 1734-1744*
- Lee, F.C., *see* Zhang, W., *TPEL Feb. 2016 1344-1353*
- Lee, F.C., *see* Tian, S., *TPEL May 2016 3922-3931*
- Lee, F.C., *see* Huang, X., *TPEL June 2016 4343-4352*
- Lee, F.C., *see* Yan, Y., *TPEL July 2016 5344-5353*
- Lee, F.C., *see* Tian, S., *TPEL Oct. 2016 7311-7319*
- Lee, H., *see* Nguyen, H., *TPEL June 2016 4020-4030*
- Lee, H., *see* Seo, D., *TPEL June 2016 3994-3998*
- Lee, H., *see* Nguyen, H., *TPEL Aug. 2016 5411-5422*
- Lee, I., *see* Kim, J., *TPEL Feb. 2016 942-951*
- Lee, I., Hybrid PWM-Resonant Converter for Electric Vehicle On-Board Battery Chargers; *TPEL May 2016 3639-3649*
- Lee, J., and Lee, K., Time-Offset Injection Method for Neutral-Point AC Ripple Voltage Reduction in a Three-Level Inverter; *TPEL March 2016 1931-1941*
- Lee, J., and Lee, K., Open-Circuit Fault-Tolerant Control for Outer Switches of Three-Level Rectifiers in Wind Turbine Systems; *TPEL May 2016 3806-3815*
- Lee, J., *see* Seo, D., *TPEL June 2016 3994-3998*
- Lee, J., and Lee, K., Performance Analysis of Carrier-Based Discontinuous PWM Method for Vienna Rectifiers With Neutral-Point Voltage Balance; *TPEL June 2016 4075-4084*
- Lee, J., *see* Kim, J., *TPEL July 2016 4942-4955*
- Lee, J., *see* Youn, H., *TPEL Sept. 2016 6596-6606*
- Lee, J., *see* Choi, U., *TPEL Oct. 2016 7234-7247*
- Lee, J., *see* Kim, S., *TPEL Oct. 2016 7065-7076*
- Lee, K., *see* Rezaei, M.A., *TPEL Jan. 2016 318-327*
- Lee, K., *see* Kim, S., *TPEL Feb. 2016 1692-1701*
- Lee, K., *see* Kim, S., *TPEL Feb. 2016 1692-1701*
- Lee, K., *see* Lee, J., *TPEL March 2016 1931-1941*
- Lee, K., *see* Cho, Y., *TPEL April 2016 3348-3359*
- Lee, K., *see* Lee, J., *TPEL May 2016 3806-3815*
- Lee, K., *see* Lee, J., *TPEL June 2016 4075-4084*
- Lee, K., *see* Park, H., *TPEL June 2016 4484-4498*
- Lee, K., *see* Choi, U., *TPEL Oct. 2016 7234-7247*
- Lee, K., *see* Kim, S., *TPEL Oct. 2016 7065-7076*
- Lee, S., *see* Ko, Y., *TPEL Aug. 2016 5851-5862*
- Lee, S., *see* Ko, Y., *TPEL Aug. 2016 5851-5862*
- Lee, S., *see* Lim, B., *TPEL Sept. 2016 6416-6427*
- Lee, S., *see* Sung, S., *TPEL Dec. 2016 8282-8292*
- Lee, Y., and Ha, J., Control Method of Mono-inverter Dual Parallel Drive System With Interior Permanent Magnet Synchronous Machines; *TPEL Oct. 2016 7077-7086*
- Leeb, S.B., *see* Moon, J., *TPEL Jan. 2016 270-279*
- Leeb, S.B., *see* Chang, A.H., *TPEL Feb. 2016 1036-1049*
- Leeb, S.B., *see* Banerjee, A., *TPEL Aug. 2016 5709-5720*
- Lefevre, G., and Molloy, S.V., A Soft-Switched Asymmetric Flying-Capacitor Boost Converter With Synchronous Rectification; *TPEL March 2016 2200-2212*
- Lehman, B., *see* Neacsu, D.O., *TPEL Jan. 2016 39-51*
- Lehman, B., and Chung, H.S.H., Editorial: Reflections on 2015 and entering the active content age; *TPEL Jan. 2016 3-4*
- Lehman, B., *see* Huang, W., *TPEL July 2016 5004-5017*
- Lehman, B., *see* Huang, W., *TPEL Oct. 2016 6770-6775*
- Lehn, P.W., *see* Filsoof, K., *TPEL April 2016 2767-2779*
- Lehn, P.W., *see* Soong, T., *TPEL June 2016 4085-4095*
- Lei, J., Zhou, B., Bian, J., Qin, X., and Wei, J., A Simple Method for Sinusoidal Input Currents of Matrix Converter Under Unbalanced Input Voltages; *TPEL Jan. 2016 21-25*
- Lei, W., *see* Liu, P., *TPEL March 2016 1896-1907*
- Lei, Y., May, R., and Pilawa-Podgurski, R., Split-Phase Control: Achieving Complete Soft-Charging Operation of a Dickson Switched-Capacitor Converter; *TPEL Jan. 2016 770-782*
- Leland, E.S., *see* Van Tassell, B., *TPEL April 2016 2695-2708*
- Lembeye, Y., *see* Kerachev, L., *TPEL Aug. 2016 5635-5643*
- Lemmen, E., van Duivenbode, J., and Duarte, J.L., Load-Current-Corrected Capacitor Voltage Control in Eight-Level DC-AC Converter Using Extended Commutation Cells; *TPEL Oct. 2016 7286-7296*
- Leng, S., Haque, A.R.N.M.R., Perera, N., Knight, A.M., and Salmon, J., Smart Grid Connection of an Induction Motor Using a Three-Phase Floating H-bridge System as a Series Compensator; *TPEL Oct. 2016 7053-7064*
- Leon-Masich, A., Valderrama-Blavi, H., Bosque-Moncusi, J.M., and Martinez-Salamero, L., A High-Voltage SiC-Based Boost PFC for LED Applications; *TPEL Feb. 2016 1633-1642*
- Leung, K.H., Loo, K.H., and Lai, Y.M., Unity-Power-Factor Control Based on Precise Ripple Cancellation for Fast-Response PFC Preregulator; *TPEL April 2016 3324-3337*
- Leung, K.N., *see* Zheng, Y., *TPEL March 2016 2296-2313*
- Leung, K.N., *see* Ho, M., *TPEL Sept. 2016 6362-6371*
- Leung, K.N., *see* Zheng, Y., *TPEL Nov. 2016 7857-7875*
- Levi, E., *see* Subotic, I., *TPEL Feb. 2016 1461-1471*
- Levi, E., *see* Gonzalez-Prieto, I., *TPEL April 2016 3068-3079*
- Levi, E., *see* Subotic, I., *TPEL Sept. 2016 6511-6523*
- Levron, Y., and Erickson, R.W., High Weighted Efficiency in Single-Phase Solar Inverters by a Variable-Frequency Peak Current Controller; *TPEL Jan. 2016 248-257*
- Levron, Y., Canaday, S., and Erickson, R.W., Bus Voltage Control With Zero Distortion and High Bandwidth for Single-Phase Solar Inverters; *TPEL Jan. 2016 258-269*
- Lewis, F.L., *see* Nasirian, V., *TPEL Feb. 2016 1600-1617*
- Leyva, R., *see* Ling, R., *TPEL March 2016 2539-2549*
- Li, B., *see* Sun, W., *TPEL March 2016 2609-2626*
- Li, B., Shi, S., Wang, B., Wang, G., Wang, W., and Xu, D., Fault Diagnosis and Tolerant Control of Single IGBT Open-Circuit Failure in Modular Multilevel Converters; *TPEL April 2016 3165-3176*
- Li, B., Li, L., Li, L., and Jin, S., Multidimensional Space-Vector PWM Algorithm Using Branch Space Voltage Vector; *TPEL Dec. 2016 8517-8527*
- Li, B.X., and Low, K.S., Low Sampling Rate Online Parameters Monitoring of DC-DC Converters for Predictive-Maintenance Using Biogeography-Based Optimization; *TPEL April 2016 2870-2879*
- Li, C., *see* Ni, R., *TPEL May 2016 3717-3727*
- Li, C., *see* Meng, T., *TPEL Sept. 2016 6383-6393*
- Li, D., Zhu, Z.Q., and Qin, Y., A Novel Variable Reactor and Its Application to Shunt Power Quality Controller; *TPEL June 2016 4148-4158*
- Li, F., *see* Liu, H., *TPEL July 2016 4974-4983*
- Li, F., *see* Liu, H., *TPEL July 2016 5030-5039*
- Li, H., *see* Shi, Y., *TPEL Jan. 2016 328-339*
- Li, H., *see* Tsai, C., *TPEL Jan. 2016 443-451*
- Li, H., *see* Wang, K., *TPEL Jan. 2016 635-647*
- Li, H., Munk-Nielsen, S., Wang, X., Maheshwari, R., Beczkowski, S., Uhrenfeldt, C., and Franke, W., Influences of Device and Circuit Mismatches on Paralleling Silicon Carbide MOSFETs; *TPEL Jan. 2016 621-634*
- Li, H., *see* Li, W., *TPEL Feb. 2016 1354-1366*
- Li, H., *see* Zhou, Y., *TPEL March 2016 2166-2173*
- Li, H., *see* Zhou, Y., *TPEL March 2016 2166-2173*
- Li, H., *see* Liu, Z., *TPEL May 2016 3859-3866*
- Li, H., and Jiang, Z., On Automatic Resonant Frequency Tracking in LLC Series Resonant Converter Based on Zero-Current Duration Time of Secondary Diode; *TPEL July 2016 4956-4962*
- Li, H., *see* Kayiranga, T., *TPEL Nov. 2016 7642-7650*
- Li, H., *see* Kayiranga, T., *TPEL Nov. 2016 7642-7650*
- Li, H., *see* Guo, F., *TPEL Dec. 2016 8237-8246*
- Li, H., *see* Bi, C., *TPEL Dec. 2016 8162-8171*

- Li, H., Munk-Nielsen, S., Beczkowski, S., and Wang, X., A Novel DBC Layout for Current Imbalance Mitigation in SiC MOSFET Multichip Power Modules; *TPEL Dec. 2016* 8042-8045
- Li, J., see Xie, X., *TPEL Jan. 2016* 430-442
- Li, J., see Zhao, B., *TPEL July 2016* 4766-4777
- Li, J., see Tian, S., *TPEL Oct. 2016* 7311-7319
- Li, K., see Niu, F., *TPEL Feb. 2016* 1408-1424
- Li, K., Videt, A., and Idir, N., Characterization Method of SiC-JFET Interelectrode Capacitances in Linear Region; *TPEL Feb. 2016* 1528-1540
- Li, L., see Wang, M., *TPEL Sept. 2016* 6646-6657
- Li, L., see Li, B., *TPEL Dec. 2016* 8517-8527
- Li, L., see Li, B., *TPEL Dec. 2016* 8517-8527
- Li, P., see Hu, Y., *TPEL July 2016* 4930-4941
- Li, P., see Zhang, J., *TPEL Aug. 2016* 5515-5523
- Li, Q., see Huang, X., *TPEL Jan. 2016* 593-600
- Li, Q., see Tian, S., *TPEL Feb. 2016* 1734-1744
- Li, Q., see Zhang, W., *TPEL Feb. 2016* 1344-1353
- Li, Q., see Tian, S., *TPEL May 2016* 3922-3931
- Li, Q., see Huang, X., *TPEL June 2016* 4343-4352
- Li, Q., see Yao, K., *TPEL June 2016* 4331-4342
- Li, Q., Liu, B., Zheng, R., and Duan, S., Constant Resonant Current Limiting Strategy for LLC Converter Without Current Sensing; *TPEL Sept. 2016* 6756-6764
- Li, Q., see Tian, S., *TPEL Oct. 2016* 7311-7319
- Li, R., see Shi, Y., *TPEL Jan. 2016* 328-339
- Li, S., Tan, S.-C., Lee, C.K., Waffenschmidt, E., Hui, S.Y., and Tse, C.K., A survey, classification, and critical review of light-emitting diode drivers; *TPEL Feb. 2016* 1503-1516
- Li, S., see Wu, B., *TPEL Feb. 2016* 1203-1215
- Li, S., see Xia, C., *TPEL March 2016* 1811-1815
- Li, S., see Wu, B., *TPEL May 2016* 3482-3494
- Li, S., Qi, W., Tan, S.-C., and Hui, S.Y., Integration of an Active Filter and a Single-Phase AC/DC Converter With Reduced Capacitance Requirement and Component Count; *TPEL June 2016* 4121-4137
- Li, S., see Fu, X., *TPEL July 2016* 5354-5364
- Li, S., see Guo, Y., *TPEL Aug. 2016* 5837-5850
- Li, S.S., see Do, H.T., *TPEL Oct. 2016* 6955-6967
- Li, W., Fang, J., Li, H., and Tang, J., Position Sensorless Control Without Phase Shifter for High-Speed BLDC Motors With Low Inductance and Nonideal Back EMF; *TPEL Feb. 2016* 1354-1366
- Li, W., see Hu, Y., *TPEL Feb. 2016* 1541-1554
- Li, W., Luo, Q., Mei, Y., Zong, S., He, X., and Xia, C., Flying-Capacitor-Based Hybrid LLC Converters With Input Voltage Autobalance Ability for High Voltage Applications; *TPEL March 2016* 1908-1920
- Li, W., see Hu, Y., *TPEL June 2016* 4654-4668
- Li, W., see Zong, S., *TPEL July 2016* 4963-4973
- Li, W., see Luo, H., *TPEL July 2016* 5122-5132
- Li, W., see Wang, Y., *TPEL Aug. 2016* 5547-5561
- Li, W., see Lin, L., *TPEL Aug. 2016* 5369-5377
- Li, W., see Shen, Y., *TPEL Oct. 2016* 6884-6900
- Li, W., see Hao, S., *TPEL Dec. 2016* 8528-8540
- Li, X., see Dusmez, S., *TPEL Feb. 2016* 1230-1240
- Li, X., Dusmez, S., Akin, B., and Rajashekara, K., A New SVPWM for the Phase Current Reconstruction of Three-Phase Three-level T-type Converters; *TPEL March 2016* 2627-2637
- Li, X., see Tang, Z., *TPEL June 2016* 4400-4415
- Li, X., see Sun, Y., *TPEL Aug. 2016* 5423-5434
- Li, X., see Sun, Y., *TPEL Aug. 2016* 5644-5654
- Li, X., Xia, C., Cao, Y., Chen, W., and Shi, T., Commutation Torque Ripple Reduction Strategy of Z-Source Inverter Fed Brushless DC Motor; *TPEL Nov. 2016* 7677-7690
- Li, Y., see Gu, C., *TPEL Feb. 2016* 915-927
- Li, Y., Jones, E.A., and Wang, F., The impact of voltage-balancing control on switching frequency of the modular multilevel converter; *TPEL April 2016* 2829-2839
- Li, Y., see Wu, H., *TPEL May 2016* 3389-3394
- Li, Y., see Chen, X., *TPEL May 2016* 3559-3574
- Li, Y., see Chen, Y., *TPEL May 2016* 3626-3638
- Li, Y., see Liu, Z., *TPEL June 2016* 4005-4012
- Li, Y., see Li, Z., *TPEL June 2016* 3977-3984
- Li, Y., see Hu, Y., *TPEL July 2016* 4930-4941
- Li, Y., see Wang, K., *TPEL Aug. 2016* 5389-5399
- Li, Y., Zhang, X., Zhang, Z., and Lian, Y., A 0.45-to-1.2-V Fully Digital Low-Dropout Voltage Regulator With Fast-Transient Controller for Near/Subthreshold Circuits; *TPEL Sept. 2016* 6341-6350
- Li, Y., see Liu, Z., *TPEL Sept. 2016* 6631-6645
- Li, Y., see Vinnikov, D., *TPEL Nov. 2016* 7417-7418
- Li, Y., see Cha, H., *TPEL Nov. 2016* 7471-7479
- Li, Y., and Han, Y., A Module-Integrated Distributed Battery Energy Storage and Management System; *TPEL Dec. 2016* 8260-8270
- Li, Y.W., see He, J., *TPEL March 2016* 1852-1856
- Li, Y.W., see Nejabatkhah, F., *TPEL July 2016* 5228-5241
- Li, Z., Gao, F., Xu, F., Ma, X., Chu, Z., Wang, P., Gou, R., and Li, Y., Power Module Capacitor Voltage Balancing Method for a  $\pm 350$ -kV/1000-MW Modular Multilevel Converter; *TPEL June 2016* 3977-3984
- Li, Z., Liu, Y., Wu, J., Lai, Y., Song, X., Sun, C., Ren, M., Zhang, J., Gao, W., and Zhang, B., Analytical Model and Characteristics for High-Voltage Controllable C-SenseFET; *TPEL June 2016* 4499-4508
- Li, Z., see Li, Z., *TPEL June 2016* 4499-4508
- Li, Z., see Zhang, X., *TPEL Aug. 2016* 5732-5745
- Lian, Y., Zhang, Y., Wei Li, Y., Zargari, N.R., and Cheng, Z., Common-Mode Resonance Suppression in Transformerless PWM Current-Source Drive; *TPEL Aug. 2016* 5721-5731
- Lian, Y., see Li, Y., *TPEL Sept. 2016* 6341-6350
- Liang, W., Raymond, L., and Rivas, J., 3-D-Printed Air-Core Inductors for High-Frequency Power Converters; *TPEL Jan. 2016* 52-64
- Liang, Z., see Wang, Z., *TPEL Feb. 2016* 1555-1566
- Liang, Z., see Hu, S., *TPEL Nov. 2016* 7598-7610
- Liang, Z., see Hu, S., *TPEL Nov. 2016* 7489-7498
- Liao, Y., see He, L., *TPEL Oct. 2016* 6992-7005
- Liaw, J., see Wai, R., *TPEL June 2016* 4265-4279
- Liberale, A., see Dallago, E., *TPEL March 2016* 2273-2281
- Lidozzi, A., see Bifaretti, S., *TPEL Sept. 2016* 6226-6236
- Lim, B., Ko, Y., Jang, Y., Kwon, O., Han, S., and Lee, S., A 200-V 98.16%-Efficiency Buck LED Driver Using Integrated Current Control to Improve Current Accuracy for Large-Scale Single-String LED Backlighting Applications; *TPEL Sept. 2016* 6416-6427
- Lim, S., Otten, D.M., and Perreault, D.J., New AC-DC Power Factor Correction Architecture Suitable for High-Frequency Operation; *TPEL April 2016* 2937-2949
- Lim, S., see Hanson, A.J., *TPEL Nov. 2016* 7909-7925
- Lin, C., see Su, Y., *TPEL Aug. 2016* 5871-5884
- Lin, D., see Yin, J., *TPEL March 2016* 2510-2517
- Lin, D., see Zhang, C., *TPEL July 2016* 5215-5227
- Lin, D., see Yin, J., *TPEL Oct. 2016* 7339-7352
- Lin, H., see Dai, Z., *TPEL May 2016* 3867-3879
- Lin, J., see Zhang, Z., *TPEL June 2016* 4536-4548
- Lin, J., Liu, P., and Yang, C., A Dual-Transformer Active-Clamp Forward Converter With Nonlinear Conversion Ratio; *TPEL June 2016* 4353-4361
- Lin, J., see Chen, S., *TPEL Aug. 2016* 5885-5899
- Lin, K., see Chen, S., *TPEL April 2016* 3106-3117
- Lin, K., see Chen, S., *TPEL Aug. 2016* 5885-5899
- Lin, L., Lin, Y., He, Z., Chen, Y., Hu, J., and Li, W., Improved Nearest-Level Modulation for a Modular Multilevel Converter With a Lower Submodule Number; *TPEL Aug. 2016* 5369-5377
- Lin, S., see Chen, W., *TPEL April 2016* 3002-3015
- Lin, S., see Chen, W., *TPEL May 2016* 3650-3662
- Lin, S., Xu, J., and Cao, H., Analysis on the Ring-Type Piezoelectric Ceramic Transformer in Radial Vibration; *TPEL July 2016* 5079-5088
- Lin, S., see Su, Y., *TPEL Aug. 2016* 5871-5884
- Lin, S., Cao, H., and Qiao, X., Wireless Power Transmission Based on Sandwiched Composite Piezoelectric Transducers in Length Extensional Vibration; *TPEL Sept. 2016* 6134-6143
- Lin, W., see Dai, Z., *TPEL May 2016* 3867-3879

- Lin, W.**, DC–DC Autotransformer With Bidirectional DC Fault Isolating Capability; *TPEL Aug. 2016 5400-5410*
- Lin, X.**, see Kayiranga, T., *TPEL Nov. 2016 7642-7650*
- Lin, Y.**, see Chen, W., *TPEL April 2016 3002-3015*
- Lin, Y.**, see Chen, S., *TPEL April 2016 3106-3117*
- Lin, Y.**, see Chen, W., *TPEL May 2016 3650-3662*
- Lin, Y.**, see Su, Y., *TPEL Aug. 2016 5871-5884*
- Lin, Y.**, see Chen, S., *TPEL Aug. 2016 5885-5899*
- Lin, Y.**, see Lin, L., *TPEL Aug. 2016 5369-5377*
- Lindgren, M.**, see Hassanpoor, A., *TPEL April 2016 2780-2790*
- Ling, R.**, Maksimovic, D., and Leyva, R., Second-Order Sliding-Mode Controlled Synchronous Buck DC–DC Converter; *TPEL March 2016 2539-2549*
- Liserre, M.**, see Beres, R.N., *TPEL March 2016 2083-2098*
- Liserre, M.**, see Baker, N., *TPEL May 2016 3784-3793*
- Liserre, M.**, see Ma, K., *TPEL Oct. 2016 7183-7193*
- Liu, A.C.**, see Wang, W., *TPEL Feb. 2016 1588-1599*
- Liu, B.**, see Shi, Y., *TPEL March 2016 2099-2110*
- Liu, B.**, see Zhu, Y., *TPEL April 2016 2890-2904*
- Liu, B.**, see Li, Q., *TPEL Sept. 2016 6756-6764*
- Liu, B.**, see Shi, Y., *TPEL Nov. 2016 7972-7985*
- Liu, C.**, see Jin, K., *TPEL Jan. 2016 81-88*
- Liu, C.**, Wang, Y., Cui, J., Zhi, Y., Liu, M., and Cai, G., Transformerless Photovoltaic Inverter Based on Interleaving High-Frequency Legs Having Bidirectional Capability; *TPEL Feb. 2016 1131-1142*
- Liu, C.**, see Xu, Y., *TPEL Feb. 2016 1304-1321*
- Liu, C.**, Qi, L., Cui, X., Shen, Z., and Wei, X., Wideband Mechanism Model and Parameter Extracting for High-Power High-Voltage High-Frequency Transformers; *TPEL May 2016 3444-3455*
- Liu, C.**, Xu, X., He, D., Liu, H., Tian, X., Guo, Y., Cai, G., Ma, C., and Mu, G., Magnetic-Coupling Current-Balancing Cells Based Input-Parallel Output-Parallel LLC Resonant Converter Modules for High-Frequency Isolation of DC Distribution Systems; *TPEL Oct. 2016 6968-6979*
- Liu, G.**, and Mao, K., A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor; *TPEL June 2016 4565-4575*
- Liu, G.**, Cui, C., Wang, K., Han, B., and Zheng, S., Sensorless Control for High-Speed Brushless DC Motor Based on the Line-to-Line Back EMF; *TPEL July 2016 4669-4683*
- Liu, G.**, see Zhao, B., *TPEL July 2016 4766-4777*
- Liu, G.**, Qu, L., Zhao, W., Chen, Q., and Xie, Y., Comparison of Two SVPWM Control Strategies of Five-Phase Fault-Tolerant Permanent-Magnet Motor; *TPEL Sept. 2016 6621-6630*
- Liu, H.**, Li, F., and Ai, J., A Novel High Step-Up Dual Switches Converter With Coupled Inductor and Voltage Multiplier Cell for a Renewable Energy System; *TPEL July 2016 4974-4983*
- Liu, H.**, and Li, F., A Novel High Step-up Converter With a Quasi-active Switched-Inductor Structure for Renewable Energy Systems; *TPEL July 2016 5030-5039*
- Liu, H.**, see Cao, J., *TPEL Sept. 2016 6217-6225*
- Liu, H.**, see Liu, C., *TPEL Oct. 2016 6968-6979*
- Liu, H.**, Wang, J., and Kiselychuk, O., Mathematical Modeling and Control of a Cost Effective AC Voltage Stabilizer; *TPEL Nov. 2016 8007-8016*
- Liu, H.**, Xing, Y., and Hu, H., Enhanced Frequency-Locked Loop With a Comb Filter Under Adverse Grid Conditions; *TPEL Dec. 2016 8046-8051*
- Liu, J.**, see Hong, F., *TPEL Feb. 2016 964-974*
- Liu, J.**, see Wang, X., *TPEL March 2016 2002-2011*
- Liu, J.**, Miura, Y., and Ise, T., Comparison of Dynamic Characteristics Between Virtual Synchronous Generator and Droop Control in Inverter-Based Distributed Generators; *TPEL May 2016 3600-3611*
- Liu, J.**, see Liu, Z., *TPEL July 2016 5306-5320*
- Liu, J.**, see Wu, T., *TPEL Aug. 2016 5587-5603*
- Liu, J.**, see An, Q., *TPEL Dec. 2016 8329-8342*
- Liu, M.**, see Liu, C., *TPEL Feb. 2016 1131-1142*
- Liu, M.**, Zhang, D., and Zhou, Z., Linear Regulator Design Considerations of the Serial Linear-Assisted Switching Converter Used as Envelope Amplifier; *TPEL May 2016 3673-3689*
- Liu, M.**, Fu, M., and Ma, C., Parameter Design for a 6.78-MHz Wireless Power Transfer System Based on Analytical Derivation of Class E Current-Driven Rectifier; *TPEL June 2016 4280-4291*
- Liu, P.**, Wang, Y., Cong, W., and Lei, W., Grouping-Sorting-Optimized Model Predictive Control for Modular Multilevel Converter With Reduced Computational Load; *TPEL March 2016 1896-1907*
- Liu, P.**, see Lin, J., *TPEL June 2016 4353-4361*
- Liu, P.**, see Tian, S., *TPEL Oct. 2016 7311-7319*
- Liu, Q.**, see Zhu, H., *TPEL March 2016 2174-2186*
- Liu, S.**, see Van Tassell, B., *TPEL April 2016 2695-2708*
- Liu, S.**, Ge, B., Liu, Y., Abu-Rub, H., Balog, R.S., and Sun, H., Modeling, Analysis, and Parameters Design of LC-Filter-Integrated Quasi-Z -Source Indirect Matrix Converter; *TPEL Nov. 2016 7544-7555*
- Liu, T.**, Wang, D., and Zhou, K., High-Performance Grid Simulator Using Parallel Structure Fractional Repetitive Control; *TPEL March 2016 2669-2679*
- Liu, T.**, see Liu, Z., *TPEL July 2016 5306-5320*
- Liu, W.**, see Zhao, B., *TPEL April 2016 3203-3216*
- Liu, W.**, see Jiao, N., *TPEL June 2016 4452-4461*
- Liu, W.**, see Zhao, B., *TPEL July 2016 4766-4777*
- Liu, W.**, see Zhang, H., *TPEL Dec. 2016 8541-8551*
- Liu, X.**, see Xiong, L., *TPEL March 2016 1847-1851*
- Liu, X.**, see Van Tassell, B., *TPEL April 2016 2695-2708*
- Liu, X.**, see Chen, Y., *TPEL July 2016 4916-4929*
- Liu, X.**, see Xiong, L., *TPEL Sept. 2016 6264-6280*
- Liu, X.**, see Hao, S., *TPEL Dec. 2016 8528-8540*
- Liu, Y.**, see Zhang, Z., *TPEL Jan. 2016 304-317*
- Liu, Y.**, see Wu, B., *TPEL Feb. 2016 1203-1215*
- Liu, Y.**, see Yang, S., *TPEL Feb. 2016 1050-1063*
- Liu, Y.**, see Wang, F., *TPEL Feb. 2016 1680-1691*
- Liu, Y.**, see Wu, X., *TPEL April 2016 2959-2969*
- Liu, Y.**, see Ding, G., *TPEL June 2016 4182-4194*
- Liu, Y.**, see Li, Z., *TPEL June 2016 4499-4508*
- Liu, Y.**, see Sun, Y., *TPEL July 2016 4778-4794*
- Liu, Y.**, see Sun, Y., *TPEL Aug. 2016 5644-5654*
- Liu, Y.**, see Hu, Z., *TPEL Aug. 2016 5435-5447*
- Liu, Y.**, see Peng, F.Z., *TPEL Aug. 2016 5461-5472*
- Liu, Y.**, see Hu, Z., *TPEL Aug. 2016 5448-5460*
- Liu, Y.**, Yang, S., Wang, X., Gunasekaran, D., Karki, U., and Peng, F.Z., Application of Transformer-Less UPFC for Interconnecting Two Synchronous AC Grids With Large Phase Difference; *TPEL Sept. 2016 6092-6103*
- Liu, Y.**, see Liu, S., *TPEL Nov. 2016 7544-7555*
- Liu, Z.**, see Huang, X., *TPEL Jan. 2016 593-600*
- Liu, Z.**, see Chen, J., *TPEL Feb. 2016 1745-1756*
- Liu, Z.**, see Zhang, W., *TPEL Feb. 2016 1344-1353*
- Liu, Z.**, see Chen, J., *TPEL March 2016 2518-2529*
- Liu, Z.**, Wang, Y., Tan, G., Li, H., and Zhang, Y., A Novel SVPWM Algorithm for Five-Level Active Neutral-Point-Clamped Converter; *TPEL May 2016 3859-3866*
- Liu, Z.**, Zheng, Z., Xu, L., Wang, K., and Li, Y., Current Balance Control for Symmetrical Multiphase Inverters; *TPEL June 2016 4005-4012*
- Liu, Z.**, Liu, J., Hou, X., Dou, Q., Xue, D., and Liu, T., Output Impedance Modeling and Stability Prediction of Three-Phase Paralleled Inverters With Master-Slave Sharing Scheme Based on Terminal Characteristics of Individual Inverters; *TPEL July 2016 5306-5320*
- Liu, Z.**, see Wu, T., *TPEL Aug. 2016 5587-5603*
- Liu, Z.**, Zheng, Z., Sudhoff, S.D., Gu, C., and Li, Y., Reduction of Common-Mode Voltage in Multiphase Two-Level Inverters Using SPWM With Phase-Shifted Carriers; *TPEL Sept. 2016 6631-6645*
- Lizana, R.**, Perez, M.A., Bernet, S., Espinoza, J.R., and Rodriguez, J., Control of Arm Capacitor Voltages in Modular Multilevel Converters; *TPEL Feb. 2016 1774-1784*
- Lo, A.W.**, see Wang, W., *TPEL Feb. 2016 1588-1599*
- Lo, A.W.**, see Cheung, V.S., *TPEL June 2016 4096-4110*
- Loh, P.C.**, see Wang, X., *TPEL Jan. 2016 213-223*
- Loh, P.C.**, see Huang, M., *TPEL March 2016 2337-2346*
- Loh, P.C.**, see Qin, Z., *TPEL April 2016 3302-3313*
- Loh, P.C.**, see Tian, Y., *TPEL April 2016 3177-3188*

- Loh, P.C.**, see Huang, M., *TPEL May 2016 3958-3967*
- Loh, P.C.**, see Xin, Z., *TPEL May 2016 3612-3625*
- Loh, P.C.**, see Siwakoti, Y.P., *TPEL Nov. 2016 7419-7435*
- Loh, P.C.**, see Xin, Z., *TPEL Dec. 2016 8068-8073*
- Lomonova, E.A.**, see Baars, N.H., *TPEL Oct. 2016 6814-6823*
- Long, Z.**, see Yang, X., *TPEL March 2016 2584-2595*
- Loo, K.H.**, see Cao, L., *TPEL March 2016 2187-2199*
- Loo, K.H.**, see Wong, C.S., *TPEL March 2016 2465-2475*
- Loo, K.H.**, see Leung, K.H., *TPEL April 2016 3324-3337*
- Lope, I.**, Acero, J., and Carretero, C., Analysis and Optimization of the Efficiency of Induction Heating Applications With Litz-Wire Planar and Solenoidal Coils; *TPEL July 2016 5089-5101*
- Lopez, H.**, see Vazquez, N., *TPEL Nov. 2016 7651-7660*
- Lopez, I.**, Ceballos, S., Pou, J., Zaragoza, J., Andreu, J., Kortabarria, I., and Agelidis, V.G., Modulation Strategy for Multiphase Neutral-Point-Clamped Converters; *TPEL Feb. 2016 928-941*
- Lopez, O.**, see Bancira, F., *TPEL July 2016 5141-5148*
- Lopez, O.**, Alvarez, J., Malvar, J., Yepes, A.G., Vidal, A., Bancira, F., Perez-Estevez, D., Freijedo, F.D., and Doval-Gandoy, J., Space-Vector PWM With Common-Mode Voltage Elimination for Multiphase Drives; *TPEL Dec. 2016 8151-8161*
- Low, K.S.**, see Li, B.X., *TPEL April 2016 2870-2879*
- Lu, D.**, see Lu, Y., *TPEL April 2016 2840-2849*
- Lu, D.D.**, Soon, J.L., and Verstraete, D., Derivation of Dual-Switch Step-Down DC/DC Converters With Fault-Tolerant Capability; *TPEL Sept. 2016 6064-6068*
- Lu, D.D.**, see Soon, J.L., *TPEL Sept. 2016 6069-6074*
- Lu, F.**, Zhang, H., Hofmann, H., and Mi, C.C., An Inductive and Capacitive Combined Wireless Power Transfer System With LC-Compensated Topology; *TPEL Dec. 2016 8471-8482*
- Lu, F.**, see Zhang, H., *TPEL Dec. 2016 8541-8551*
- Lu, H.**, see Bi, C., *TPEL Dec. 2016 8162-8171*
- Lu, J.**, Perreault, D.J., Otten, D.M., and Afridi, K.K., Impedance Control Network Resonant DC-DC Converter for Wide-Range High-Efficiency Operation; *TPEL July 2016 5040-5056*
- Lu, K.**, see Xie, G., *TPEL Feb. 2016 1785-1794*
- Lu, M.**, see Xin, Z., *TPEL Dec. 2016 8068-8073*
- Lu, Q.**, see Xie, X., *TPEL Jan. 2016 430-442*
- Lu, S.**, see Zhu, J., *TPEL Jan. 2016 518-523*
- Lu, S.**, Mu, M., Jiao, Y., Lee, F.C., and Zhao, Z., Coupled Inductors in Interleaved Multiphase Three-Level DC-DC Converter for High-Power Applications; *TPEL Jan. 2016 120-134*
- Lu, T.**, see Zhang, Y., *TPEL May 2016 3472-3481*
- Lu, X.**, see Dragicevic, T., *TPEL May 2016 3528-3549*
- Lu, X.**, see Dragicevic, T., *TPEL July 2016 4876-4891*
- Lu, X.**, see Wang, P., *TPEL Sept. 2016 6658-6673*
- Lu, Y.**, Ki, W., and Patrick Yue, C., An NMOS-LDO Regulated Switched-Capacitor DC-DC Converter With Fast-Response Adaptive-Phase Digital Control; *TPEL Feb. 2016 1294-1303*
- Lu, Y.**, see Wu, H., *TPEL March 2016 2372-2386*
- Lu, Y.**, Xiao, G., Wang, X., Blaabjerg, F., and Lu, D., Control Strategy for Single-Phase Transformerless Three-Leg Unified Power Quality Conditioner Based on Space Vector Modulation; *TPEL April 2016 2840-2849*
- Lu, Y.**, Wu, H., Sun, K., and Xing, Y., A Family of Isolated Buck-Boost Converters Based on Semiactive Rectifiers for High-Output Voltage Applications; *TPEL Sept. 2016 6327-6340*
- Lu, Z.**, see Guo, X., *TPEL March 2016 1841-1846*
- Lu, Z.**, see Sun, X., *TPEL Sept. 2016 6203-6216*
- Luan, Y.**, see Sun, Y., *TPEL Aug. 2016 5495-5502*
- Lucia, O.**, see Sarnago, H., *TPEL Jan. 2016 488-496*
- Lucia, O.**, see Laloya, E., *TPEL Nov. 2016 7896-7908*
- Lumbreras, C.**, Guerrero, J.M., Garcia, P., Briz, F., and Reigosa, D.D., Control of a Small Wind Turbine in the High Wind Speed Region; *TPEL Oct. 2016 6980-6991*
- Luo, A.**, see Chen, Y., *TPEL Aug. 2016 5524-5537*
- Luo, A.**, see Xu, Q., *TPEL Dec. 2016 8182-8194*
- Luo, G.**, see Meng, J., *TPEL March 2016 2226-2238*
- Luo, H.**, see Zong, S., *TPEL July 2016 4963-4973*
- Luo, H.**, Chen, Y., Sun, P., Li, W., and He, X., Junction Temperature Extraction Approach With Turn-Off Delay Time for High-Voltage High-Power IGBT Modules; *TPEL July 2016 5122-5132*
- Luo, M.**, see Han, Y., *TPEL May 2016 3932-3944*
- Luo, Q.**, see Li, W., *TPEL March 2016 1908-1920*
- Lv, L.**, see Wang, C., *TPEL Aug. 2016 6031-6043*
- Lyden, S.**, and Haque, M.E., A Simulated Annealing Global Maximum Power Point Tracking Approach for PV Modules Under Partial Shading Conditions; *TPEL June 2016 4171-4181*
- Lyu, J.**, see Yao, K., *TPEL Aug. 2016 5944-5951*

## M

- Ma, C.**, see Ding, G., *TPEL June 2016 4182-4194*
- Ma, C.**, see Zhao, C., *TPEL June 2016 3989-3993*
- Ma, C.**, see Liu, M., *TPEL June 2016 4280-4291*
- Ma, C.**, see Liu, C., *TPEL Oct. 2016 6968-6979*
- Ma, D.**, see Sankman, J., *TPEL Jan. 2016 817-826*
- Ma, F.**, see Xu, Q., *TPEL Dec. 2016 8182-8194*
- Ma, H.**, see Wang, K., *TPEL Jan. 2016 635-647*
- Ma, H.**, Lai, J., Zheng, C., and Sun, P., A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC-DC Driver for Supplying Multiple LED Strings in Parallel; *TPEL Aug. 2016 5825-5836*
- Ma, H.**, see Zhang, L., *TPEL Dec. 2016 8572-8580*
- Ma, J.**, see Song, W., *TPEL Jan. 2016 721-732*
- Ma, K.**, and Blaabjerg, F., Modulation Methods for Three-Level Neutral-Point-Clamped Inverter Achieving Stress Redistribution Under Moderate Modulation Index; *TPEL Jan. 2016 5-10*
- Ma, K.**, He, N., Liserre, M., and Blaabjerg, F., Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices; *TPEL Oct. 2016 7183-7193*
- Ma, X.**, see Li, Z., *TPEL June 2016 3977-3984*
- Ma, X.**, see Huang, M., *TPEL Oct. 2016 7404-7416*
- Ma, X.H.**, see Zhao, S.L., *TPEL Feb. 2016 1517-1527*
- Ma, Y.**, see Wang, J., *TPEL April 2016 3239-3251*
- Ma Smedley, K.**, see Wu, B., *TPEL Feb. 2016 1203-1215*
- Maali, E.**, and Vahidi, B., Double-Deck Buck-Boost Converter With Soft Switching Operation; *TPEL June 2016 4324-4330*
- Madariaga, D.**, see Zabaleta, M., *TPEL March 2016 1993-2001*
- Mademlis, C.**, see Jabbour, N., *TPEL Dec. 2016 8398-8408*
- Madichetty, S.**, Dasgupta, A., Mishra, S., Panigrahi, C.K., and Basha, G., Application of an Advanced Repetitive Controller to Mitigate Harmonics in MMC With APOD Scheme; *TPEL Sept. 2016 6112-6121*
- Maestri, S.**, see Antoszczuk, P.D., *TPEL Dec. 2016 8422-8434*
- Magnani, A.**, see Codecasa, L., *TPEL Aug. 2016 5906-5916*
- Maheshwari, R.**, see Li, H., *TPEL Jan. 2016 621-634*
- Mahmoudi, H.**, see Aleenejad, M., *TPEL April 2016 3141-3150*
- Mahmoudi, H.**, see Aleenejad, M., *TPEL Oct. 2016 7224-7233*
- Mahmoudi, H.**, see Aleenejad, M., *TPEL Nov. 2016 7480-7488*
- Maity, A.**, and Patra, A., Tradeoffs Aware Design Procedure for an Adaptively Biased Capacitorless Low Dropout Regulator Using Nested Miller Compensation; *TPEL Jan. 2016 369-380*
- Maity, A.**, and Patra, A., Design and Analysis of an Adaptively Biased Low-Dropout Regulator Using Enhanced Current Mirror Buffer; *TPEL March 2016 2324-2336*
- Maity, A.**, and Patra, A., Analysis, Design, and Performance Evaluation of a Dynamically Slew Enhanced Adaptively Biased Capacitor-Less Low Dropout Regulator; *TPEL Oct. 2016 7016-7028*
- Maity, S.**, and Sahu, P.K., Modeling and Analysis of a Fast and Robust Module-Integrated Analog Photovoltaic MPP Tracker; *TPEL Jan. 2016 280-291*
- Maity, S.**, see Su, Y., *TPEL Aug. 2016 5871-5884*
- Mak, K.**, see Zheng, Y., *TPEL March 2016 2296-2313*
- Mak, K.H.**, see Ho, M., *TPEL Sept. 2016 6362-6371*
- Maksimovic, D.**, see Chen, H., *TPEL Jan. 2016 101-110*
- Maksimovic, D.**, see Ling, R., *TPEL March 2016 2539-2549*
- Maksimovic, D.**, see Zhang, Y., *TPEL Nov. 2016 7926-7942*

- Maksimovic, D.**, see Evzelman, M., *TPEL Nov. 2016 7887-7895*
- Maksimovic, D.**, see Thummala, P., *TPEL Dec. 2016 8500-8516*
- Malan, W.L.**, Vilathgamuwa, D.M., and Walker, G.R., Modeling and Control of a Resonant Dual Active Bridge With a Tuned CLLC Network; *TPEL Oct. 2016 7297-7310*
- Malvar, J.**, see Lopez, O., *TPEL Dec. 2016 8151-8161*
- Mancilla-David, F.**, see Neves, F.A.S., *TPEL April 2016 3338-3347*
- Mandi, B.C.**, see Kapat, S., *TPEL April 2016 3372-3379*
- Mannen, T.**, and Fujita, H., Dynamic Control and Analysis of DC-Capacitor Voltage Fluctuations in Three-Phase Active Power Filters; *TPEL Sept. 2016 6710-6718*
- Mao, K.**, see Liu, G., *TPEL June 2016 4565-4575*
- Mao, S.**, see Jiao, N., *TPEL June 2016 4452-4461*
- Maqsood, A.**, Overstreet, A., and Corzine, K.A., Modified Z-Source DC Circuit Breaker Topologies; *TPEL Oct. 2016 7394-7403*
- Marcos-Pastor, A.**, Vidal-Idiarte, E., Cid-Pastor, A., and Martinez-Salamero, L., Interleaved Digital Power Factor Correction Based on the Sliding-Mode Approach; *TPEL June 2016 4641-4653*
- Mardaneh, M.**, see Bagheri, A., *TPEL Feb. 2016 1064-1073*
- Margueron, X.**, see Tan, W., *TPEL June 2016 4462-4473*
- Martin, C.**, see Neveu, F., *TPEL June 2016 3985-3988*
- Martinez, G.**, see Alonso, J.M., *TPEL Nov. 2016 7735-7746*
- Martinez-Salamero, L.**, see Leon-Masich, A., *TPEL Feb. 2016 1633-1642*
- Martinez-Salamero, L.**, see Bodetto, M., *TPEL March 2016 2012-2025*
- Martinez-Salamero, L.**, see Marcos-Pastor, A., *TPEL June 2016 4641-4653*
- Martins, J.F.**, see Ferao Pires, V., *TPEL Nov. 2016 7462-7470*
- Massolini, R.G.**, see Bertoni, N., *TPEL Nov. 2016 7701-7713*
- Massoud, A.M.**, see Darwish, A., *TPEL Dec. 2016 8218-8236*
- Matas, J.**, see Guzman, R., *TPEL Jan. 2016 758-769*
- Matas, J.**, see Sosa, J.L., *TPEL April 2016 3314-3323*
- Matsa, A.**, see Ahmed, I., *TPEL Dec. 2016 8483-8499*
- Matsumori, H.**, Shimizu, T., Takano, K., and Ishii, H., Evaluation of Iron Loss of AC Filter Inductor Used in Three-Phase PWM Inverters Based on an Iron Loss Analyzer; *TPEL April 2016 3080-3095*
- Matsunaga, S.**, see Sugahara, S., *TPEL March 2016 2111-2119*
- Matsuura, K.**, see Tanimoto, Y., *TPEL June 2016 4509-4516*
- Mattausch, H.J.**, see Tanimoto, Y., *TPEL June 2016 4509-4516*
- Mattavelli, P.**, see Wen, B., *TPEL Jan. 2016 675-687*
- Mattavelli, P.**, see Wen, B., *TPEL Jan. 2016 26-38*
- Mattavelli, P.**, see Yan, Y., *TPEL July 2016 5344-5353*
- Mattavelli, P.**, see Abdelhakim, A., *TPEL Nov. 2016 7451-7461*
- Mawby, P.**, see Tang, Y., *TPEL Jan. 2016 165-176*
- Mawby, P.**, see Lai, W., *TPEL Sept. 2016 6575-6585*
- Mawby, P.**, see Tang, Y., *TPEL Nov. 2016 7823-7836*
- Mawby, P.A.**, see Hu, J., *TPEL June 2016 4526-4535*
- May, R.**, see Lei, Y., *TPEL Jan. 2016 770-782*
- Mazumder, S.K.**, Hybrid Modulation Scheme for a High-Frequency AC-Link Inverter; *TPEL Jan. 2016 861-870*
- Mazumder, S.K.**, see Tajfar, A., *TPEL Feb. 2016 1757-1773*
- Mazumder, S.K.**, see Mehrnami, S., *TPEL March 2016 2654-2668*
- Mazumder, S.K.**, An Overview of Photonic Power Electronic Devices; *TPEL Sept. 2016 6562-6574*
- McGrath, B.**, Mouton, H.d.T., One-Dimensional Spectral Analysis Techniques for Multilevel PWM Strategies; *TPEL Oct. 2016 6910-6919*
- McMahon, R.A.**, see Roschatt, P.M., *TPEL Oct. 2016 7161-7170*
- Mehrnami, S.**, Mazumder, S.K., and Soni, H., Modulation Scheme for Three-Phase Differential-Mode Cuk Inverter; *TPEL March 2016 2654-2668*
- Mei, Y.**, see Li, W., *TPEL March 2016 1908-1920*
- Meibody-Tabar, F.**, see Battiston, A., *TPEL March 2016 2409-2416*
- Mekhilef, S.**, see Islam, M., *TPEL Sept. 2016 6305-6316*
- Melin, P.E.**, Rohten, J.A., Espinosa, J.R., Baier, C.R., Espinosa, E.E., Munoz, J.A., and Riedemann, J.A., Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells; *TPEL Sept. 2016 6122-6133*
- Mello, J.P.R.A.**, see de Almeida Carlos, G.A., *TPEL Jan. 2016 188-199*
- Meng, C.**, see Yang, S., *TPEL April 2016 3118-3127*
- Meng, F.**, see Wang, X., *TPEL March 2016 2002-2011*
- Meng, J.**, Luo, G., and Gao, F., Lithium Polymer Battery State-of-Charge Estimation Based on Adaptive Unscented Kalman Filter and Support Vector Machine; *TPEL March 2016 2226-2238*
- Meng, L.**, Zhao, X., Tang, F., Savaghebi, M., Dragicic, T., Vasquez, J.C., and Guerrero, J.M., Distributed Voltage Unbalance Compensation in Islanded Microgrids by Using a Dynamic Consensus Algorithm; *TPEL Jan. 2016 827-838*
- Meng, T.**, see Jiao, N., *TPEL June 2016 4452-4461*
- Meng, T.**, Ben, H., and Wang, X., A Passive Flyback Auxiliary Circuit With Integrated Transformer Suitable for Three-Phase Isolated Full-Bridge Boost PFC Converter; *TPEL July 2016 4995-5003*
- Meng, T.**, Li, C., Ben, H., and Zhao, J., An Input-Series Flyback Auxiliary Power Supply Scheme Based on Transformer-Integration for High-Input Voltage Applications; *TPEL Sept. 2016 6383-6393*
- Mercier, P.P.**, see Ahn, D., *TPEL July 2016 5018-5029*
- Mertens, A.**, and Kucka, J., Quasi Two-Level PWM Operation of an MMC Phase Leg With Reduced Module Capacitance; *TPEL Oct. 2016 6765-6769*
- Meshram, P.M.**, see Ahmed, I., *TPEL Dec. 2016 8483-8499*
- Mi, C.C.**, see Lu, F., *TPEL Dec. 2016 8471-8482*
- Mi, C.C.**, see Zhang, H., *TPEL Dec. 2016 8541-8551*
- Mi, M.H.**, see Zhao, S.L., *TPEL Feb. 2016 1517-1527*
- Michal, V.**, Three-Level PWM Floating H-Bridge Sinewave Power Inverter for High-Voltage and High-Efficiency Applications; *TPEL June 2016 4065-4074*
- Michal, V.**, Switched-Mode Active Decoupling Capacitor Allowing Volume Reduction of the High-Voltage DC Filters; *TPEL Sept. 2016 6104-6111*
- Milanovic, M.**, see Konjedic, T., *TPEL April 2016 3273-3288*
- Miliani, E.**, see Battiston, A., *TPEL March 2016 2409-2416*
- Ming, W.**, Zhong, Q., and Zhang, X., A Single-Phase Four-Switch Rectifier With Significantly Reduced Capacitance; *TPEL Feb. 2016 1618-1632*
- Ming, W.**, see Zhang, X., *TPEL March 2016 1826-1832*
- Ming, W.**, see Zhang, X., *TPEL Sept. 2016 6057-6063*
- Ming, W.**, see Zhong, Q., *TPEL Dec. 2016 8435-8447*
- Ming, W.**, see Zhang, X., *TPEL Dec. 2016 8017-8023*
- Miret, J.**, see Sosa, J.L., *TPEL April 2016 3314-3323*
- Mirzaeian Dehkordi, B.**, see Vafaie, M.H., *TPEL May 2016 3738-3753*
- Mishra, S.**, see Madichetty, S., *TPEL Sept. 2016 6112-6121*
- Mishra, S.**, see Nag, S.S., *TPEL Nov. 2016 7534-7543*
- Mitcheson, P.D.**, see Aldhaher, S., *TPEL May 2016 3415-3430*
- Mitcheson, P.D.**, see Aldhaher, S., *TPEL Dec. 2016 8138-8150*
- Miura, Y.**, see Ataji, A.B., *TPEL Feb. 2016 1015-1025*
- Miura, Y.**, see Liu, J., *TPEL May 2016 3600-3611*
- Miura-Mattausch, M.**, see Tanimoto, Y., *TPEL June 2016 4509-4516*
- Moallem, M.**, see Shagerdmootaab, A., *TPEL March 2016 2476-2484*
- Moallem, P.**, see Vafaie, M.H., *TPEL May 2016 3738-3753*
- Moamaei, P.**, see Aleenejad, M., *TPEL April 2016 3141-3150*
- Moayedi, S.**, and Davoudi, A., Distributed Tertiary Control of DC Microgrid Clusters; *TPEL Feb. 2016 1717-1733*
- Modepalli, K.**, and Parsa, L., A Scalable N-Color LED Driver Using Single Inductor Multiple Current Output Topology; *TPEL May 2016 3773-3783*
- Modesto, R.A.**, da Silva, S.A.O., de Oliveira, A.A., and Bacon, V.D., A Versatile Unified Power Quality Conditioner Applied to Three-Phase Four-Wire Distribution Systems Using a Dual Control Strategy; *TPEL Aug. 2016 5503-5514*
- Moghaddam, G.K.**, see Rocha, A.V., *TPEL April 2016 2800-2807*
- Moghe, R.**, see Chen, H., *TPEL Dec. 2016 8126-8137*
- Mohamed, Y.A.I.**, see Davari, M., *TPEL March 2016 1942-1958*
- Mohammadi, M.**, and Ordóñez, M., Fast Transient Response of Series Resonant Converters Using Average Geometric Control; *TPEL Sept. 2016 6738-6755*
- Mohammadpour, A.**, Parsa, L., Todorovic, M.H., Lai, R., Datta, R., and Garces, L., Series-Input Parallel-Output Modular-Phase DC-DC Converter With Soft-Switching and High-Frequency Isolation; *TPEL Jan. 2016 111-119*
- Mok, K.**, Tan, S., and Hui, S.Y.R., Decoupled Power Angle and Voltage Control of Electric Springs; *TPEL Feb. 2016 1216-1229*
- Molina, J.M.**, see Zhao, S., *TPEL April 2016 3217-3226*
- Mollov, S.V.**, see Lefevre, G., *TPEL March 2016 2200-2212*

- Momayyezani, M.**, Hredzak, B., and Agelidis, V.G., Integrated Reconfigurable Converter Topology for High-Voltage Battery Systems; *TPEL March 2016 1968-1979*
- Momayyezani, M.**, see Morstyn, T., *TPEL Nov. 2016 7986-7995*
- Mondzik, A.**, see Kawa, A., *TPEL Oct. 2016 6797-6813*
- Montoya, D.G.**, Ramos-Paja, C.A., and Giral, R., Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques; *TPEL Jan. 2016 235-247*
- Moon, G.**, see Youn, H., *TPEL Jan. 2016 900-912*
- Moon, G.**, see Kim, J., *TPEL Feb. 2016 942-951*
- Moon, G.**, see Kim, J., *TPEL March 2016 2314-2323*
- Moon, G.**, see Kim, J., *TPEL May 2016 3827-3836*
- Moon, G.**, see Kim, J., *TPEL July 2016 4942-4955*
- Moon, G.**, see Youn, H., *TPEL Sept. 2016 6596-6606*
- Moon, G.**, see Kim, D., *TPEL Oct. 2016 6901-6909*
- Moon, G.**, see Moon, S., *TPEL Oct. 2016 6844-6854*
- Moon, J.**, and Lee, S.B., Power Electronic Circuits for Magnetic Energy Harvesters; *TPEL Jan. 2016 270-279*
- Moon, J.**, see Kim, J., *TPEL March 2016 2314-2323*
- Moon, J.**, see Ahn, D., *TPEL Nov. 2016 7876-7886*
- Moon, S.**, see Kim, D., *TPEL Oct. 2016 6901-6909*
- Moon, S.**, and Moon, G., Wireless Power Transfer System With an Asymmetric Four-Coil Resonator for Electric Vehicle Battery Chargers; *TPEL Oct. 2016 6844-6854*
- Moradi, M.H.**, see Reza Tousi, S.M., *TPEL March 2016 2120-2128*
- Morales, J.**, see Guzman, R., *TPEL Jan. 2016 758-769*
- Morales Paredes, H.K.**, see Bonaldo, J.P., *TPEL March 2016 2039-2052*
- Morcillo, J.D.**, Burbano, D., and Angulo, F., Adaptive Ramp Technique for Controlling Chaos and Subharmonic Oscillations in DC-DC Power Converters; *TPEL July 2016 5330-5343*
- Morroni, J.**, see Shenoy, P.S., *TPEL Oct. 2016 7006-7015*
- Morstyn, T.**, Momayyezani, M., Hredzak, B., and Agelidis, V.G., Distributed Control for State-of-Charge Balancing Between the Modules of a Reconfigurable Battery Energy Storage System; *TPEL Nov. 2016 7986-7995*
- Moursi, M.S.E.**, see Kanjiya, P., *TPEL March 2016 2550-2561*
- Mouton, H.D.T.**, see McGrath, B., *TPEL Oct. 2016 6910-6919*
- Mu, G.**, see Liu, C., *TPEL Oct. 2016 6968-6979*
- Mu, M.**, see Lu, S., *TPEL Jan. 2016 120-134*
- Mu, T.**, see Wu, H., *TPEL Feb. 2016 987-999*
- Mu, T.**, see Wu, H., *TPEL July 2016 4847-4860*
- Mukhopadhyay, S.**, see Ahmed, K.Z., *TPEL Feb. 2016 1322-1333*
- Mukhopadhyay, S.**, see Kar, M., *TPEL March 2016 1857-1862*
- Mukhopadhyay, S.**, see Carlo, S., *TPEL June 2016 4252-4264*
- Muljadi, E.**, see Kim, J., *TPEL May 2016 3586-3599*
- Muller, L.**, and Kimball, J.W., High Gain DC-DC Converter Based on the Cockcroft-Walton Multiplier; *TPEL Sept. 2016 6405-6415*
- Munk-Nielsen, S.**, see Li, H., *TPEL Jan. 2016 621-634*
- Munk-Nielsen, S.**, see Baker, N., *TPEL May 2016 3784-3793*
- Munk-Nielsen, S.**, see Li, H., *TPEL Dec. 2016 8042-8045*
- Munoz, J.A.**, see Melin, P.E., *TPEL Sept. 2016 6122-6133*
- Murashko, K.**, see Smirnova, L., *TPEL Feb. 2016 1479-1488*
- Murata, K.**, and Kurokawa, F., An Interleaved PFM LLC Resonant Converter With Phase-Shift Compensation; *TPEL March 2016 2264-2272*
- Musikka, T.**, see Smirnova, L., *TPEL Feb. 2016 1479-1488*
- Mwasilu, F.**, and Jung, J., Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications; *TPEL Aug. 2016 5746-5758*
- N**
- Naderi, R.**, Sadigh, A.K., and Smedley, K.M., Dual Flying Capacitor Active-Neutral-Point-Clamped Multilevel Converter; *TPEL Sept. 2016 6476-6484*
- Nag, S.S.**, and Mishra, S., A Coupled Inductor Based High Boost Inverter with Sub-unity Turns-Ratio Range; *TPEL Nov. 2016 7534-7543*
- Nagashima, T.**, see Wei, X., *TPEL Jan. 2016 394-405*
- Namadmalan, A.**, Self-Oscillating Tuning Loops for Series Resonant Inductive Power Transfer Systems; *TPEL Oct. 2016 7320-7327*
- Nami, A.**, see Hassanpoor, A., *TPEL Dec. 2016 8172-8181*
- Nanakos, A.C.**, see Christidis, G.C., *TPEL June 2016 4195-4205*
- Narimani, M.**, Wu, B., and Zargari, N.R., A Novel Five-Level Voltage Source Inverter With Sinusoidal Pulse Width Modulator for Medium-Voltage Applications; *TPEL March 2016 1959-1967*
- Narimani, M.**, see Tian, K., *TPEL March 2016 2575-2583*
- Narula, S.**, Singh, B., and Bhuvaneshwari, G., Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability; *TPEL April 2016 2850-2859*
- Nasir, S.B.**, Gangopadhyay, S., and Raychowdhury, A., All-Digital Low-Dropout Regulator With Adaptive Control and Reduced Dynamic Stability for Digital Load Circuits; *TPEL Dec. 2016 8293-8302*
- Nasirian, V.**, Shafiee, Q., Guerrero, J.M., Lewis, F.L., and Davoudi, A., Droop-Free Distributed Control for AC Microgrids; *TPEL Feb. 2016 1600-1617*
- Nauman, M.**, and Hasan, A., Efficient Implicit Model-Predictive Control of a Three-Phase Inverter With an Output LC Filter; *TPEL Sept. 2016 6075-6078*
- Navarro, D.**, see Sarnago, H., *TPEL Jan. 2016 488-496*
- Nawaz, M.**, see Johannesson, D., *TPEL June 2016 4517-4525*
- Nayanar, V.**, Kumaresan, N., and Ammasai Gounden, N., A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid; *TPEL Feb. 2016 1161-1172*
- Neacsu, D.O.**, Zheng, Y., and Lehman, B., An SD Card Flash-Memory-Based Implementation of a Multi-optimal Three-Phase PWM Generator; *TPEL Jan. 2016 39-51*
- Nejabatkhah, F.**, Li, Y.W., and Wu, B., Control Strategies of Three-Phase Distributed Generation Inverters for Grid Unbalanced Voltage Compensation; *TPEL July 2016 5228-5241*
- Nelms, R.M.**, see He, S., *TPEL May 2016 3849-3858*
- Nemati, M.**, see Reza Tousi, S.M., *TPEL March 2016 2120-2128*
- Neves, F.A.S.**, Carrasco, M., Mancilla-David, F., Azevedo, G.M.S., and Santos, V.S., Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters; *TPEL April 2016 3338-3347*
- Neveu, F.**, Allard, B., Martin, C., Bevilacqua, P., and Voiron, F., A 100 MHz 91.5% Peak Efficiency Integrated Buck Converter With a Three-MOSFET Cascode Bridge; *TPEL June 2016 3985-3988*
- Ng, S.S.**, see Chen, S., *TPEL April 2016 3106-3117*
- Ng, S.S.**, see Chen, S., *TPEL Aug. 2016 5885-5899*
- Ngo, K.D.T.**, see Shin, J., *TPEL March 2016 2387-2394*
- Nguyen, D.T.**, see Lee, E.S., *TPEL Feb. 2016 1489-1502*
- Nguyen, D.T.**, see Lee, E.S., *TPEL Sept. 2016 6543-6552*
- Nguyen, H.**, and Lee, H., A DSVN Method for Matrix Converters to Suppress Common-mode Voltage With Reduced Switching Losses; *TPEL June 2016 4020-4030*
- Nguyen, H.**, and Lee, H., A Modulation Scheme for Matrix Converters With Perfect Zero Common-Mode Voltage; *TPEL Aug. 2016 5411-5422*
- Nguyen, M.Q.**, see Yu, S., *TPEL July 2016 5067-5078*
- Nguyen, N.**, see Nguyen, T.T., *TPEL Aug. 2016 5952-5966*
- Nguyen, N.V.**, see Do, H.T., *TPEL Oct. 2016 6955-6967*
- Nguyen, T.T.**, Nguyen, N., and Prasad, N.R., Eliminated common-mode voltage pulsewidth modulation to reduce output current ripple for multilevel inverters; *TPEL Aug. 2016 5952-5966*
- Nguyen-Duy, K.**, Knott, A., and Andersen, M.A.E., High Dynamic Performance Nonlinear Source Emulator; *TPEL March 2016 2562-2574*
- Ni, R.**, Xu, D., Wang, G., Zhang, G., and Li, C., Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives; *TPEL May 2016 3717-3727*
- Nian, H.**, Zhou, Y., and Zeng, H., Zero-Sequence Current Suppression Strategy for Open Winding PMSG Fed by Semicontrolled Converter; *TPEL Jan. 2016 711-720*
- Nian, H.**, Cheng, P., and Zhu, Z.Q., Coordinated Direct Power Control of DFIG System Without Phase-Locked Loop Under Unbalanced Grid Voltage Conditions; *TPEL April 2016 2905-2918*
- Nien, H.**, see Hsiao, S., *TPEL Jan. 2016 733-742*
- Nitta, M.**, see Khampakdi, P., *TPEL April 2016 2730-2741*
- Niu, F.**, Wang, B., Babel, A.S., Li, K., and Strangas, E.G., Comparative Evaluation of Direct Torque Control Strategies for Permanent Magnet Synchronous Machines; *TPEL Feb. 2016 1408-1424*

Norrgra, S., *see* Hassanpoor, A., *TPEL April 2016 2780-2790*  
 Norrgra, S., *see* Hassanpoor, A., *TPEL Dec. 2016 8172-8181*

## O

**O Mathuna, C.**, *see* Feeney, C., *TPEL Aug. 2016 5805-5813*  
**O Matuna, C.**, *see* Feeney, C., *TPEL May 2016 3754-3762*  
**O'Brien, H.**, *see* Schrock, J.A., *TPEL Dec. 2016 8058-8062*  
**OBrien, S.**, *see* Van Tassell, B., *TPEL April 2016 2695-2708*  
**Ochoa-Gimenez, M.**, *see* Roldan-Perez, J., *TPEL Oct. 2016 7328-7338*  
**Ogasawara, S.**, *see* Gu, M., *TPEL Sept. 2016 6461-6475*  
**Oggier, G.G.**, and **Ordonez, M.**, High-Efficiency DAB Converter Using Switching Sequences and Burst Mode; *TPEL March 2016 2069-2082*  
**Oguma, K.**, *see* Sasongko, F., *TPEL May 2016 3456-3471*  
**Ogunniyi, A.**, *see* Schrock, J.A., *TPEL Dec. 2016 8058-8062*  
**Oh, S.**, *see* Park, H., *TPEL June 2016 4484-4498*  
**Olivares-Peregrino, V.H.**, *see* Ponce-Silva, M., *TPEL Dec. 2016 8195-8204*  
**Oliveira, A.C.**, *see* Santos, W.R.N., *TPEL June 2016 4111-4120*  
**Oliveira, R.**, *see* Chaudhuri, N.R., *TPEL July 2016 5255-5269*  
**Oliver, J.A.**, *see* Zhao, S., *TPEL April 2016 3217-3226*  
**Oliver, J.A.**, *see* Vasic, M., *TPEL June 2016 4611-4627*  
**Oliver, J.A.**, *see* Silva, M., *TPEL July 2016 4795-4808*  
**Oliver-Salazar, M.A.**, *see* Ponce-Silva, M., *TPEL Dec. 2016 8195-8204*  
**Opila, D.F.**, *see* Solomon, L.A., *TPEL April 2016 3052-3067*  
**Ordonez, M.**, *see* Shafiei, N., *TPEL Feb. 2016 1173-1188*  
**Ordonez, M.**, *see* Oggier, G.G., *TPEL March 2016 2069-2082*  
**Ordonez, M.**, *see* Mohammadi, M., *TPEL Sept. 2016 6738-6755*  
**Ordonez, M.**, *see* Pena-Alzola, R., *TPEL Sept. 2016 6607-6620*  
**Ordonez, M.**, *see* Cove, S.R., *TPEL Sept. 2016 6524-6533*  
**Oriti, G.**, **Julian, A.L.**, and **Peck, N.J.**, Power-Electronics-Based Energy Management System With Storage; *TPEL Jan. 2016 452-460*  
**Ortega-Gonzalez, F.J.**, *see* Vasic, M., *TPEL June 2016 4611-4627*  
**Ota, J.I.Y.**, **Sato, T.**, and **Akagi, H.**, Enhancement of Performance, Availability, and Flexibility of a Battery Energy Storage System Based on a Modular Multilevel Cascaded Converter (MMCC-SSBC); *TPEL April 2016 2791-2799*  
**Otten, D.M.**, *see* Lim, S., *TPEL April 2016 2937-2949*  
**Otten, D.M.**, *see* Lu, J., *TPEL July 2016 5040-5056*  
**Oureilidis, K.O.**, and **Demoulias, C.S.**, A Fault Clearing Method in Converter-Dominated Microgrids With Conventional Protection Means; *TPEL June 2016 4628-4640*  
**Ouyang, S.**, *see* Wang, X., *TPEL March 2016 2002-2011*  
**Overstreet, A.**, *see* Maqsood, A., *TPEL Oct. 2016 7394-7403*

## P

**Paek, J.**, *see* Sung, S., *TPEL Dec. 2016 8282-8292*  
**Pahlevani, M.**, **Eren, S.**, **Bakhshai, A.**, and **Jain, P.**, A Series-Parallel Current-Driven Full-Bridge DC/DC Converter; *TPEL Feb. 2016 1275-1293*  
**Pahlevani, M.**, **Eren, S.**, **Guerrero, J.M.**, and **Jain, P.**, A Hybrid Estimator for Active/Reactive Power Control of Single-Phase Distributed Generation Systems With Energy Storage; *TPEL April 2016 2919-2936*  
**Palmer, P.R.**, *see* Yang, X., *TPEL March 2016 2584-2595*  
**Palmour, J.**, *see* Hazra, S., *TPEL July 2016 4742-4754*  
**Pan, C.**, *see* Chuang, C., *TPEL Jan. 2016 406-417*  
**Pan, D.**, *see* Wang, M., *TPEL Sept. 2016 6646-6657*  
**Panda, P.C.**, *see* Panigrahi, R., *TPEL April 2016 2860-2869*  
**Pandit, J.K.**, *see* Sakthisudhursun, B., *TPEL March 2016 2429-2436*  
**Panigrahi, C.K.**, *see* Madichetty, S., *TPEL Sept. 2016 6112-6121*  
**Panigrahi, R.**, **Subudhi, B.**, and **Panda, P.C.**, A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement; *TPEL April 2016 2860-2869*  
**Pantenn, N.**, **Hoffmann, N.**, and **Fuchs, F.W.**, Finite Control Set Model Predictive Current Control for Grid-Connected Voltage-Source Converters With LCL Filters: A Study Based on Different State Feedbacks; *TPEL July 2016 5189-5200*  
**Pareschi, F.**, *see* Bertoni, N., *TPEL Nov. 2016 7701-7713*

**Parisini, T.**, *see* Yin, J., *TPEL March 2016 2510-2517*  
**Parisini, T.**, *see* Yin, J., *TPEL Oct. 2016 7339-7352*  
**Park, H.**, **Jang, J.**, **Kim, H.**, **Park, Y.**, **Oh, S.**, **Pu, Y.**, **Hwang, K.C.**, **Yang, Y.**, and **Lee, K.**, A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications; *TPEL June 2016 4484-4498*  
**Park, J.**, *see* Youn, H., *TPEL Jan. 2016 900-912*  
**Park, J.**, *see* Thenathayalan, D., *TPEL March 2016 2347-2361*  
**Park, J.**, *see* Kwon, M., *TPEL March 2016 1887-1895*  
**Park, K.**, *see* Youn, H., *TPEL Jan. 2016 900-912*  
**Park, Y.**, *see* Park, H., *TPEL June 2016 4484-4498*  
**Parniani, Mostafa**, *see* Ghasemi, Mohammad Amin, *TPEL Sept. 2016 6281-6292*  
**Parsa, L.**, *see* Mohammadpour, A., *TPEL Jan. 2016 111-119*  
**Parsa, L.**, *see* Modepalli, K., *TPEL May 2016 3773-3783*  
**Pasquier, C.**, *see* Dehghani kiadehi, A., *TPEL April 2016 2980-2990*  
**Pasquier, C.**, *see* Kiadehi, A.D., *TPEL Dec. 2016 8271-8281*  
**Patel, C.**, *see* Gao, F., *TPEL Oct. 2016 7369-7383*  
**Patel, C.**, *see* Shen, L., *TPEL Oct. 2016 6947-6954*  
**Patra, A.**, *see* Maity, A., *TPEL Jan. 2016 369-380*  
**Patra, A.**, *see* Challa, S.R., *TPEL Jan. 2016 353-368*  
**Patra, A.**, *see* Maity, A., *TPEL March 2016 2324-2336*  
**Patra, A.**, *see* Kapat, S., *TPEL April 2016 3372-3379*  
**Patra, A.**, *see* Syed, A.E., *TPEL June 2016 4549-4564*  
**Patra, A.**, *see* Maity, A., *TPEL Oct. 2016 7016-7028*  
**Patrick Yue, C.**, *see* Lu, Y., *TPEL Feb. 2016 1294-1303*  
**Pavlovic, Z.**, *see* Feeney, C., *TPEL May 2016 3754-3762*  
**Pavlovic, Z.**, *see* Feeney, C., *TPEL Aug. 2016 5805-5813*  
**Peck, N.J.**, *see* Oriti, G., *TPEL Jan. 2016 452-460*  
**Pedersen, K.**, *see* Pedersen, K.B., *TPEL Feb. 2016 975-986*  
**Pedersen, K.B.**, and **Pedersen, K.**, Dynamic Modeling Method of Electro-Thermo-Mechanical Degradation in IGBT Modules; *TPEL Feb. 2016 975-986*  
**Peftitsis, D.**, and **Rabkowski, J.**, Gate and Base Drivers for Silicon Carbide Power Transistors: An Overview; *TPEL Oct. 2016 7194-7213*  
**Peftitsis, D.**, *see* Zdanowski, M., *TPEL Nov. 2016 7499-7508*  
**Peh, L.**, *see* Choi, P., *TPEL Aug. 2016 5365-5368*  
**Pena-Alzola, R.**, **Bianchi, M.A.**, and **Ordonez, M.**, Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings; *TPEL Sept. 2016 6607-6620*  
**Penczek, A.**, *see* Kawa, A., *TPEL Oct. 2016 6797-6813*  
**Peng, F.**, **Ye, J.**, and **Emadi, A.**, A Digital PWM Current Controller for Switched Reluctance Motor Drives; *TPEL Oct. 2016 7087-7098*  
**Peng, F.Z.**, *see* Yang, S., *TPEL Feb. 2016 1050-1063*  
**Peng, F.Z.**, *see* Chub, A., *TPEL April 2016 2808-2828*  
**Peng, F.Z.**, **Liu, Y.**, **Yang, S.**, **Zhang, S.**, **Gunasekaran, D.**, and **Karki, U.**, Transformer-Less Unified Power-Flow Controller Using the Cascade Multilevel Inverter; *TPEL Aug. 2016 5461-5472*  
**Peng, F.Z.**, *see* Liu, Y., *TPEL Sept. 2016 6092-6103*  
**Peng, F.Z.**, *see* Gonzalez-Santini, N.S., *TPEL Nov. 2016 7691-7700*  
**Peng, H.**, **Xie, R.**, **Wang, K.**, **Deng, Y.**, **He, X.**, and **Zhao, R.**, A Capacitor Voltage Balancing Method With Fundamental Sorting Frequency for Modular Multilevel Converters Under Staircase Modulation; *TPEL Nov. 2016 7809-7822*  
**Peng, J.**, *see* Jiao, N., *TPEL June 2016 4452-4461*  
**Peng, K.**, *see* Xie, X., *TPEL Jan. 2016 430-442*  
**Peng, L.**, *see* Wu, D., *TPEL July 2016 4755-4765*  
**Peng, Y.**, *see* Zhang, Y., *TPEL Aug. 2016 6016-6030*  
**Peng, Z.**, *see* An, Q., *TPEL Dec. 2016 8329-8342*  
**Perdigao, M.**, *see* Alonso, J.M., *TPEL Nov. 2016 7735-7746*  
**Perea, A.**, *see* Vazquez, N., *TPEL Nov. 2016 7651-7660*  
**Perera, N.**, *see* Leng, S., *TPEL Oct. 2016 7053-7064*  
**Peretz, M.M.**, *see* Kirshenboim, O., *TPEL April 2016 3360-3371*  
**Perez, M.A.**, *see* Lizana, R., *TPEL Feb. 2016 1774-1784*  
**Perez-Estevez, D.**, *see* Lopez, O., *TPEL Dec. 2016 8151-8161*  
**Peric, L.S.**, *see* Vukosavic, S.N., *TPEL Jan. 2016 152-164*  
**Permuy, A.**, *see* Solomon, L.A., *TPEL April 2016 3052-3067*  
**Perreault, D.J.**, *see* Chen, M., *TPEL Jan. 2016 560-580*

- Perreault, D.J.**, see Lim, S., *TPEL April 2016 2937-2949*
- Perreault, D.J.**, see Lu, J., *TPEL July 2016 5040-5056*
- Perreault, D.J.**, see Hanson, A.J., *TPEL Nov. 2016 7909-7925*
- Peyghambari, A.**, Dastfan, A., and Ahmadyfard, A., Selective Voltage Noise Cancellation in Three-Phase Inverter Using Random SVPWM; *TPEL June 2016 4604-4610*
- Piasecki, S.**, see Zdanowski, M., *TPEL Nov. 2016 7499-7508*
- Picas, R.**, Zaragoza, J., Pou, J., Ceballos, S., and Balcells, J., New Measuring Technique for Reducing the Number of Voltage Sensors in Modular Multilevel Converters; *TPEL Jan. 2016 177-187*
- Picas, R.**, see Konstantinou, G., *TPEL Nov. 2016 7761-7769*
- Pichon, L.**, see Ibrahim, M., *TPEL Dec. 2016 8096-8114*
- Pickering, S.**, see Roschatt, P.M., *TPEL Oct. 2016 7161-7170*
- Pickert, V.**, see Lambert, S.M., *TPEL Feb. 2016 1334-1343*
- Pierfederici, S.**, see Battiston, A., *TPEL March 2016 2409-2416*
- Pilawa-Podgurski, R.**, see Lei, Y., *TPEL Jan. 2016 770-782*
- Pilawa-Podgurski, R.C.N.**, see Qin, S., *TPEL May 2016 3575-3585*
- Pilawa-Podgurski, R.C.N.**, see Candan, E., *TPEL May 2016 3690-3703*
- Pillonnet, G.**, Modeling and Efficiency Analysis of Multiphase Resonant-Switched Capacitive Converters; *TPEL Jan. 2016 11-14*
- Pirog, S.**, see Kawa, A., *TPEL Oct. 2016 6797-6813*
- Pomilio, J.A.**, see Bonaldo, J.P., *TPEL March 2016 2039-2052*
- Ponce-Silva, M.**, Aqul, J.A., Olivares-Peregrino, V.H., and Oliver-Salazar, M.A., Assessment of the Current-Source, Full-Bridge Inverter as Power Supply for Ozone Generators With High Power Factor in a Single Stage; *TPEL Dec. 2016 8195-8204*
- Pong, B.M.H.**, see Ho, G.K.Y., *TPEL Sept. 2016 6450-6460*
- Pou, J.**, see Picas, R., *TPEL Jan. 2016 177-187*
- Pou, J.**, see Lopez, I., *TPEL Feb. 2016 928-941*
- Pou, J.**, see Ghias, A.M.Y.M., *TPEL March 2016 1921-1930*
- Pou, J.**, see Ghias, A.M.Y.M., *TPEL Aug. 2016 5384-5388*
- Pou, J.**, see Konstantinou, G., *TPEL Nov. 2016 7761-7769*
- Prabhala, V.A.K.**, Fajri, P., Gouribhatla, V.S.P., Baddipadiga, B.P., and Ferdowsi, M., A DC-DC Converter With High Voltage Gain and Two Input Boost Stages; *TPEL June 2016 4206-4215*
- Praca, P.P.**, see de Oliveira Filho, H.M., *TPEL March 2016 1863-1872*
- Prasad, N.R.**, see Nguyen, T.T., *TPEL Aug. 2016 5952-5966*
- Prasai, A.**, see Chen, H., *TPEL Dec. 2016 8126-8137*
- Prodic, A.**, see Ahsanuzzaman, S.M., *TPEL June 2016 4305-4323*
- Pu, Y.**, see Park, H., *TPEL June 2016 4484-4498*
- Pushpakaran, B.N.**, see Schrock, J.A., *TPEL March 2016 1816-1821*
- Pyrhonen, J.**, see Smirnova, L., *TPEL Feb. 2016 1479-1488*

## Q

- Qi, L.**, see Liu, C., *TPEL May 2016 3444-3455*
- Qi, W.**, see Li, S., *TPEL June 2016 4121-4137*
- Qian, H.**, Guo, H., and Ding, X., Modeling and Analysis of Interturn Short Fault in Permanent Magnet Synchronous Motors With Multistrands Windings; *TPEL March 2016 2496-2509*
- Qian, T.**, An Adaptive Current Injection Scheme for Resonant Capacitor of LLC Resonant Converters With Suppressed Frequency Variation; *TPEL Dec. 2016 8074-8080*
- Qiao, W.**, see Wang, Z., *TPEL Oct. 2016 6781-6786*
- Qiao, W.**, see Zhang, Z., *TPEL Oct. 2016 7112-7122*
- Qiao, W.**, see Wei, C., *TPEL Nov. 2016 7837-7848*
- Qiao, X.**, see Lin, S., *TPEL Sept. 2016 6134-6143*
- Qin, S.**, Barth, C.B., and Pilawa-Podgurski, R.C.N., Enhancing Microinverter Energy Capture With Submodule Differential Power Processing; *TPEL May 2016 3575-3585*
- Qin, X.**, see Lei, J., *TPEL Jan. 2016 21-25*
- Qin, X.**, see Wu, H., *TPEL July 2016 4847-4860*
- Qin, Y.**, see Li, D., *TPEL June 2016 4148-4158*
- Qin, Z.**, Loh, P.C., and Blaabjerg, F., Modulation Schemes With Enhanced Switch Thermal Distribution for Single-Phase AC-DC-AC Reduced-Switch Converters; *TPEL April 2016 3302-3313*
- Qin, Z.**, see Xin, Z., *TPEL Dec. 2016 8068-8073*

- Qiu, T.**, Wen, X., and Zhao, F., Adaptive-Linear-Neuron-Based Dead-Time Effects Compensation Scheme for PMSM Drives; *TPEL March 2016 2530-2538*
- Qiu, Y.**, see Hu, Z., *TPEL Aug. 2016 5448-5460*
- Qu, L.**, see Liu, G., *TPEL Sept. 2016 6621-6630*
- Qu, L.**, see Zhang, Z., *TPEL Oct. 2016 7112-7122*
- Qu, L.**, see Wei, C., *TPEL Nov. 2016 7837-7848*
- Quraan, M.**, Yeo, T., and Tricoli, P., Design and Control of Modular Multilevel Converters for Battery Electric Vehicles; *TPEL Jan. 2016 507-517*

## R

- Rabinovici, R.**, see Dagan, K.J., *TPEL Feb. 2016 1401-1407*
- Rabkowski, J.**, see Pefitsis, D., *TPEL Oct. 2016 7194-7213*
- Rabkowski, J.**, see Zdanowski, M., *TPEL Nov. 2016 7499-7508*
- Radakovic, Z.**, see Georgijevic, N.L., *TPEL Aug. 2016 5917-5930*
- Radhakrishna, U.**, see Choi, P., *TPEL Aug. 2016 5365-5368*
- Radhakrishnan, M.**, see Fu, W., *TPEL Jan. 2016 418-429*
- Raghuram, M.**, see Vakacharla, V.R., *TPEL Nov. 2016 7509-7521*
- Rahbari-Asr, N.**, see Salmani, M., *TPEL April 2016 3151-3164*
- Rahideh, A.**, see Bagheri, A., *TPEL Feb. 2016 1064-1073*
- Rahman, M.F.**, see Cheema, M.A.M., *TPEL June 2016 4416-4428*
- Rajaei, A.**, see Bagheri, A., *TPEL Feb. 2016 1064-1073*
- Rajashekara, K.**, see Li, X., *TPEL March 2016 2627-2637*
- Ramos-Paja, C.A.**, see Montoya, D.G., *TPEL Jan. 2016 235-247*
- Ran, L.**, see Tang, Y., *TPEL Jan. 2016 165-176*
- Ran, L.**, see Hu, J., *TPEL June 2016 4526-4535*
- Ran, L.**, see Lai, W., *TPEL Sept. 2016 6575-6585*
- Ran, L.**, see Tang, Y., *TPEL Oct. 2016 6920-6936*
- Ran, L.**, see Tang, Y., *TPEL Nov. 2016 7823-7836*
- Ranjan, A.**, see Gupta, K.K., *TPEL Jan. 2016 135-151*
- Rauf, A.M.**, Sant, A.V., Khadkikar, V., and Zeineldin, H.H., A Novel Ten-Switch Topology for Unified Power Quality Conditioner; *TPEL Oct. 2016 6937-6946*
- Ray, W.B.**, see Schrock, J.A., *TPEL March 2016 1816-1821*
- Ray, W.B.**, see Schrock, J.A., *TPEL Dec. 2016 8058-8062*
- Raychowdhury, A.**, see Nasir, S.B., *TPEL Dec. 2016 8293-8302*
- Raymond, L.**, see Liang, W., *TPEL Jan. 2016 52-64*
- Razek, A.**, see Ibrahim, M., *TPEL Dec. 2016 8096-8114*
- Reed, G.F.**, see Solomon, L.A., *TPEL April 2016 3052-3067*
- Reichman, I.**, see Shmilovitz, D., *TPEL March 2016 1833-1836*
- Reigosa, D.D.**, see Lumbreras, C., *TPEL Oct. 2016 6980-6991*
- Reigosa, P.D.**, Wang, H., Yang, Y., and Blaabjerg, F., Prediction of Bond Wire Fatigue of IGBTs in a PV Inverter Under a Long-Term Operation; *TPEL Oct. 2016 7171-7182*
- Ren, M.**, see Li, Z., *TPEL June 2016 4499-4508*
- Ren, X.**, see Zhang, Z., *TPEL June 2016 4536-4548*
- Ren, X.**, Zhou, Y., Wang, D., Zou, X., and Zhang, Z., A 10-MHz Isolated Synchronous Class- $\Phi_2$  Resonant Converter; *TPEL Dec. 2016 8317-8328*
- Restrepo, C.**, see Konjedic, T., *TPEL April 2016 3273-3288*
- Retegui, R.G.**, see Antoszczuk, P.D., *TPEL Dec. 2016 8422-8434*
- Retegui, R.G.**, see Antoszczuk, P., *TPEL Dec. 2016 8037-8041*
- Reverter, F.**, and Gasulla, M., Optimal Inductor Current in Boost DC/DC Converters Operating in Burst Mode Under Light-Load Conditions; *TPEL Jan. 2016 15-20*
- Revol, B.**, see Saber, C., *TPEL Sept. 2016 6192-6202*
- Reza Tousei, S.M.**, Moradi, M.H., Basir, N.S., and Nemati, M., A Function-Based Maximum Power Point Tracking Method for Photovoltaic Systems; *TPEL March 2016 2120-2128*
- Reza Zargari, N.**, see Tian, K., *TPEL March 2016 2575-2583*
- Rezaei, M.A.**, Lee, K., and Huang, A.Q., A High-Efficiency Flyback Micro-inverter With a New Adaptive Snubber for Photovoltaic Applications; *TPEL Jan. 2016 318-327*
- Rezazadeh, G.**, see Valipour, H., *TPEL Sept. 2016 6553-6561*
- Rho, K.**, see Choi, W., *TPEL June 2016 4048-4064*
- Riedemann, J.A.**, see Melin, P.E., *TPEL Sept. 2016 6122-6133*

- Rigamonti, M.**, Baraldi, P., Zio, E., Astigarraga, D., and Galarza, A., Particle Filter-Based Prognostics for an Electrolytic Capacitor Working in Variable Operating Conditions; *TPEL Feb. 2016 1567-1575*
- Rim, C.T.**, see Lee, E.S., *TPEL Feb. 2016 1489-1502*
- Rim, C.T.**, see Choi, B.H., *TPEL April 2016 3252-3272*
- Rim, C.T.**, see Lee, E.S., *TPEL Sept. 2016 6543-6552*
- Rim, C.T.**, see Sohn, Y.H., *TPEL Oct. 2016 6824-6843*
- Rincon-Mora, G.A.**, see Damodaran Prabha, R., *TPEL April 2016 2950-2958*
- Rivas, J.**, see Liang, W., *TPEL Jan. 2016 52-64*
- Rivera, S.**, see Tan, L., *TPEL Jan. 2016 89-100*
- Rocha, A.V.**, Bhattacharya, S., Moghaddam, G.K., Gould, R.D., de Paula, H., and de Jesus Cardoso Filho, B., Thermal Stress and High Temperature Effects on Power Devices in a Fault-Resilient NPC IGCT-Based Converter; *TPEL April 2016 2800-2807*
- Rocha, N.**, de Oliveira, I.A.C., de Menezes, E.C., Jacobina, C.B., and Dias, J.A.A., Single-Phase to Three-Phase Converters With Two Parallel Single-Phase Rectifiers and Reduced Switch Count; *TPEL May 2016 3704-3716*
- Rodic, M.**, see Konjedic, T., *TPEL April 2016 3273-3288*
- Rodriguez, J.**, see Zhang, Z., *TPEL Jan. 2016 662-674*
- Rodriguez, J.**, see Lizana, R., *TPEL Feb. 2016 1774-1784*
- Rodriguez, M.**, see Zhang, Y., *TPEL Nov. 2016 7926-7942*
- Rohten, J.A.**, see Melin, P.E., *TPEL Sept. 2016 6122-6133*
- Roig, J.**, see Castro, I., *TPEL March 2016 2485-2495*
- Roldan-Perez, J.**, Garcia-Cerrada, A., Ochoa-Gimenez, M., and Zamora-Machado, J.L., On the Power Flow Limits and Control in Series-Connected Custom Power Devices; *TPEL Oct. 2016 7328-7338*
- Romani, A.**, see Dini, M., *TPEL Feb. 2016 1263-1274*
- Romani, A.**, see Dini, M., *TPEL June 2016 4292-4304*
- Romero-Cadaval, E.**, see Husev, O., *TPEL Nov. 2016 7564-7579*
- Roncero-Clemente, C.**, see Husev, O., *TPEL Nov. 2016 7564-7579*
- Roostaei, A.**, see Hassanpoor, A., *TPEL April 2016 2780-2790*
- Roschatt, P.M.**, Pickering, S., and McMahon, R.A., Bootstrap Voltage and Dead Time Behavior in GaN DC-DC Buck Converter With a Negative Gate Voltage; *TPEL Oct. 2016 7161-7170*
- Roshani, S.**, see Hayati, M., *TPEL Nov. 2016 7770-7779*
- Rosholm, J.R.**, see Xie, G., *TPEL Feb. 2016 1785-1794*
- Roskopf, A.**, Bar, E., Joffe, C., and Bonse, C., Calculation of Power Losses in Litz Wire Systems by Coupling FEM and PEEC Method; *TPEL Sept. 2016 6442-6449*
- Rouger, N.**, see Grezaud, R., *TPEL Dec. 2016 8409-8421*
- Rovatti, R.**, see Bertoni, N., *TPEL Nov. 2016 7701-7713*
- Ruan, J.**, and Wang, S., Magnetizing Curve Estimation of Induction Motors in Single-Phase Magnetization Mode Considering Differential Inductance Effect; *TPEL Jan. 2016 497-506*
- Ruan, X.**, see Xing, Z., *TPEL April 2016 2753-2766*
- Ruan, X.**, see Wang, W., *TPEL Aug. 2016 5562-5573*
- Ruda, H.E.**, see Amanci, A.Z., *TPEL Aug. 2016 5797-5804*
- Ruda, H.E.**, see Amanci, A.Z., *TPEL Oct. 2016 7123-7130*
- Ryu, S.**, Woo, D., Kim, M., and Lee, B., Analysis and Design of Modified Half-Bridge Series-Resonant Inverter With DC-Link Neutral-Point-Clamped Cell; *TPEL March 2016 2282-2295*
- S**
- Saber, C.**, Labrousse, D., Revol, B., and Gascher, A., Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage; *TPEL Sept. 2016 6192-6202*
- Sabi, K.**, see Chen, H., *TPEL Jan. 2016 101-110*
- Sadigh, A.K.**, Dargahi, V., and Corzine, K.A., Analytical Determination of Conduction and Switching Power Losses in Flying-Capacitor-Based Active Neutral-Point-Clamped Multilevel Converter; *TPEL Aug. 2016 5473-5494*
- Sadigh, A.K.**, see Naderi, R., *TPEL Sept. 2016 6476-6484*
- Saeedifard, M.**, see Bahrani, B., *TPEL Jan. 2016 783-792*
- Saenz, R.E.**, see Chen, K., *TPEL July 2016 4732-4741*
- Safaei, A.**, Jain, P., and Bakhshai, A., A ZVS Pulsewidth Modulation Full-Bridge Converter With a Low-RMS-Current Resonant Auxiliary Circuit; *TPEL June 2016 4031-4047*
- Safaei, A.**, Karimi-Ghartemani, M., Jain, P.K., and Bakhshai, A., Time-Domain Analysis of a Phase-Shift-Modulated Series Resonant Converter with an Adaptive Passive Auxiliary Circuit; *TPEL Nov. 2016 7714-7734*
- Sahoo, S.K.**, and Bhattacharya, T., Field Weakening Strategy for a Vector-Controlled Induction Motor Drive Near the Six-Step Mode of Operation; *TPEL April 2016 3043-3051*
- Sahoo, S.K.**, and Bhattacharya, T., Rotor Flux-Oriented Control of Induction Motor With Synchronized Sinusoidal PWM for Traction Application; *TPEL June 2016 4429-4439*
- Sahu, L.K.**, see Gupta, K.K., *TPEL Jan. 2016 135-151*
- Sahu, P.K.**, see Maity, S., *TPEL Jan. 2016 280-291*
- Saito, A.**, see Tanimoto, Y., *TPEL June 2016 4509-4516*
- Sajadian, S.**, and Ahmadi, R., Model Predictive-Based Maximum Power Point Tracking for Grid-Tied Photovoltaic Applications Using a Z-Source Inverter; *TPEL Nov. 2016 7611-7620*
- Sakthisudhursun, B.**, Pandit, J.K., and Aware, M.V., Simplified Three-Level Five-Phase SVPWM; *TPEL March 2016 2429-2436*
- Sallese, J.**, see Buccella, P., *TPEL Sept. 2016 6586-6595*
- Salmani, M.**, Rahbari-Asr, N., Edrington, C.S., and Chow, M., Online and Offline Stability Analysis Methods for the Power Electronic-Based Components in Design and Operational Stages; *TPEL April 2016 3151-3164*
- Salmon, J.**, see Leng, S., *TPEL Oct. 2016 7053-7064*
- Sanders, S.R.**, see Van Tassell, B., *TPEL April 2016 2695-2708*
- Sangwongwanich, A.**, Yang, Y., and Blaabjerg, F., High-Performance Constant Power Generation in Grid-Connected PV Systems; *TPEL March 2016 1822-1825*
- Sankman, J.**, Song, M.K., and Ma, D., Switching-Converter-Only Multiphase Envelope Modulator With Slew Rate Enhancer for LTE Power Amplifier Applications; *TPEL Jan. 2016 817-826*
- Sant, A.V.**, see Rauf, A.M., *TPEL Oct. 2016 6937-6946*
- Santos, P.M.**, see Santos, W.R.N., *TPEL June 2016 4111-4120*
- Santos, V.S.**, see Neves, F.A.S., *TPEL April 2016 3338-3347*
- Santos, W.R.N.**, de Moura Fernandes, E., da Silva, E.R.C., Jacobina, C.B., Oliveira, A.C., and Santos, P.M., Transformerless Single-Phase Universal Active Filter With UPS Features and Reduced Number of Electronic Power Switches; *TPEL June 2016 4111-4120*
- Sari, A.**, see German, R., *TPEL Jan. 2016 548-559*
- Sarlioglu, B.**, see Han, D., *TPEL Jan. 2016 601-612*
- Sarnago, H.**, Lucia, O., Navarro, D., and Burdío, J.M., Operating Conditions Monitoring for High Power Density and Cost-Effective Resonant Power Converters; *TPEL Jan. 2016 488-496*
- Sarnago, H.**, see Laloya, E., *TPEL Nov. 2016 7896-7908*
- Sasongko, F.**, Sekiguchi, K., Oguma, K., Hagiwara, M., and Akagi, H., Theory and Experiment on an Optimal Carrier Frequency of a Modular Multilevel Cascade Converter With Phase-Shifted PWM; *TPEL May 2016 3456-3471*
- Sato, M.**, Yamamoto, G., Gunji, D., Imura, T., and Fujimoto, H., Development of Wireless In-Wheel Motor Using Magnetic Resonance Coupling; *TPEL July 2016 5270-5278*
- Sato, T.**, see Ota, J.I.Y., *TPEL April 2016 2791-2799*
- Savaghebi, M.**, see Meng, L., *TPEL Jan. 2016 827-838*
- Scarcella, G.**, see De Donato, G., *TPEL April 2016 2880-2889*
- Scarciotti, G.**, and Astolfi, A., Moment-Based Discontinuous Phasor Transform and its Application to the Steady-State Analysis of Inverters and Wireless Power Transfer Systems; *TPEL Dec. 2016 8448-8460*
- Scelba, G.**, see De Donato, G., *TPEL April 2016 2880-2889*
- Schaefer, C.**, and Stauth, J.T., Efficient Voltage Regulation for Microprocessor Cores Stacked in Vertical Voltage Domains; *TPEL Feb. 2016 1795-1808*
- Schneider, H.**, see Thummala, P., *TPEL Aug. 2016 5786-5796*
- Schrock, J.A.**, Pushpakaran, B.N., Bilbao, A.V., Ray, W.B., Hirsch, E.A., Kelley, M.D., Holt, S.L., and Bayne, S.B., Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions; *TPEL March 2016 1816-1821*
- Schrock, J.A.**, Hirsch, E.A., Lacouture, S., Kelley, M.D., Bilbao, A.V., Ray, W.B., Bayne, S.B., Giesselmann, M., O'Brien, H., and Ogunniyi, A., Failure Modes of 15-kV SiC SGTO Thyristors During Repetitive Extreme Pulsed Overcurrent Conditions; *TPEL Dec. 2016 8058-8062*
- Schroder, D.**, see Hoffmann, N., *TPEL July 2016 5290-5305*

- Schupbach, M.**, see Hazra, S., *TPEL July 2016 4742-4754*
- Seifi Najmi, E.**, see Banaei, M.R., *TPEL Feb. 2016 1255-1262*
- Sekiguchi, K.**, see Sasongko, F., *TPEL May 2016 3456-3471*
- Sekiya, H.**, see Wei, X., *TPEL Jan. 2016 394-405*
- Sekiya, H.**, see Hayati, M., *TPEL Nov. 2016 7770-7779*
- Sen, B.**, and Wang, J., Stationary Frame Fault-Tolerant Current Control of Polyphase Permanent-Magnet Machines Under Open-Circuit and Short-Circuit Faults; *TPEL July 2016 4684-4696*
- Sen, P.C.**, see Hu, Z., *TPEL Aug. 2016 5435-5447*
- Sen, P.C.**, see Hu, Z., *TPEL Aug. 2016 5448-5460*
- Sennett, B.R.**, see Chang, A.H., *TPEL Feb. 2016 1036-1049*
- Seo, D.**, Lee, J., and Lee, H., Optimal Coupling to Achieve Maximum Output Power in a WPT System; *TPEL June 2016 3994-3998*
- Seo, G.**, see Kim, K.A., *TPEL Feb. 2016 1121-1130*
- Seok, J.**, see Kim, J., *TPEL May 2016 3586-3599*
- Setti, G.**, see Bertoni, N., *TPEL Nov. 2016 7701-7713*
- Sha, D.**, see Guo, Z., *TPEL Sept. 2016 6394-6404*
- Shafiee, Q.**, see Nasirian, V., *TPEL Feb. 2016 1600-1617*
- Shafiei, N.**, Ordonez, M., Craciun, M., Botting, C., and Edington, M., Burst Mode Elimination in High-Power  $> L+L+C$  Resonant Battery Charger for Electric Vehicles; *TPEL Feb. 2016 1173-1188*
- Shafiei, N.**, see Cove, S.R., *TPEL Sept. 2016 6524-6533*
- Shagerdmootaab, A.**, and Moallem, M., A Double-Loop Primary-Side Control Structure for HB-LED Power Regulation; *TPEL March 2016 2476-2484*
- Shamseh, M.B.**, Yuzurihara, I., and Kawamura, A., A 3.2-kW 13.56-MHz SiC Passive Rectifier With 94.0% Efficiency Using Commutation Capacitor; *TPEL Oct. 2016 6787-6791*
- Shan, Z.**, Tan, S., Tse, C.K., and Jatskevich, J., Augmented Buck Converter Design using Resonant Circuits for Fast Transient Recovery; *TPEL Aug. 2016 5666-5679*
- Shao, S.**, Watson, A.J., Clare, J.C., and Wheeler, P.W., Robustness Analysis and Experimental Validation of a Fault Detection and Isolation Method for the Modular Multilevel Converter; *TPEL May 2016 3794-3805*
- Shao, W.**, see Ju, B., *TPEL Jan. 2016 524-532*
- She, S.**, see Zhang, W., *TPEL Feb. 2016 1344-1353*
- Shen, H.**, see Sun, X., *TPEL Sept. 2016 6203-6216*
- Shen, L.**, Bozhko, S., Asher, G., Patel, C., and Wheeler, P., Active DC-Link Capacitor Harmonic Current Reduction in Two-Level Back-to-Back Converter; *TPEL Oct. 2016 6947-6954*
- Shen, Y.**, Sun, X., Li, W., Wu, X., and Wang, B., A Modified Dual Active Bridge Converter With Hybrid Phase-Shift Control for Wide Input Voltage Range; *TPEL Oct. 2016 6884-6900*
- Shen, Z.**, see Wen, B., *TPEL Jan. 2016 675-687*
- Shen, Z.**, see Wen, B., *TPEL Jan. 2016 26-38*
- Shen, Z.**, see Liu, C., *TPEL May 2016 3444-3455*
- Shen, Z.**, and Dinavahi, V., Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA; *TPEL Sept. 2016 6155-6168*
- Sheng, K.**, see Jiang, T., *TPEL March 2016 2213-2225*
- Shenoy, P.S.**, see Candan, E., *TPEL May 2016 3690-3703*
- Shenoy, P.S.**, Amaro, M., Morroni, J., and Freeman, D., Comparison of a Buck Converter and a Series Capacitor Buck Converter for High-Frequency, High-Conversion-Ratio Voltage Regulators; *TPEL Oct. 2016 7006-7015*
- Shi, G.**, see Wang, Y., *TPEL Aug. 2016 5814-5824*
- Shi, K.**, Zhang, D., Zhou, Z., Zhang, M., Zhang, D., and Gu, Y., A Novel Phase-Shift Dual Full-Bridge Converter With Full Soft-Switching Range and Wide Conversion Range; *TPEL Nov. 2016 7747-7760*
- Shi, L.**, see Zhu, J., *TPEL Jan. 2016 518-523*
- Shi, S.**, see Li, B., *TPEL April 2016 3165-3176*
- Shi, T.**, see Xia, C., *TPEL March 2016 1811-1815*
- Shi, T.**, see Xia, C., *TPEL Aug. 2016 5774-5785*
- Shi, T.**, see Li, X., *TPEL Nov. 2016 7677-7690*
- Shi, X.**, see Wang, Z., *TPEL Feb. 2016 1555-1566*
- Shi, Y.**, Li, R., Xue, Y., and Li, H., High-Frequency-Link-Based Grid-Tied PV System With Small DC-Link Capacitor and Low-Frequency Ripple-Free Maximum Power Point Tracking; *TPEL Jan. 2016 328-339*
- Shi, Y.**, Liu, B., and Duan, S., Individual Phase Current Control Based on Optimal Zero-Sequence Current Separation for a Star-Connected Cascade STATCOM Under Unbalanced Conditions; *TPEL March 2016 2099-2110*
- Shi, Y.**, see Shi, Y., *TPEL March 2016 2099-2110*
- Shi, Y.**, and Yang, X., Wide Load Range ZVS Three-Level DC-DC Converter: Four Primary Switches, Capacitor Clamped, Two Secondary Switches, and Smaller Output Filter Volume; *TPEL May 2016 3431-3443*
- Shi, Y.**, Liu, B., and Duan, S., Low-Frequency Input Current Ripple Reduction Based on Load Current Feedforward in a Two-Stage Single-Phase Inverter; *TPEL Nov. 2016 7972-7985*
- Shi, Y.**, see Kayiranga, T., *TPEL Nov. 2016 7642-7650*
- Shimada, R.**, see Isobe, T., *TPEL Jan. 2016 224-234*
- Shimizu, T.**, see Matsumori, H., *TPEL April 2016 3080-3095*
- Shin, J.**, Kim, W., and Ngo, K.D.T., DBC Switch Module for Management of Temperature and Noise in 220-W/in<sup>3</sup> Power Assembly; *TPEL March 2016 2387-2394*
- Shin, S.**, see Ko, Y., *TPEL Aug. 2016 5851-5862*
- Shiojima, D.**, see Isobe, T., *TPEL Jan. 2016 224-234*
- Shmilovitz, D.**, Abramovitz, A., and Reichman, I., A Family of Bridgeless Quasi-Resonant LED Drivers; *TPEL March 2016 1833-1836*
- Shuai, Z.**, see Chen, Y., *TPEL Aug. 2016 5524-5537*
- Silva, M.**, see Zhao, S., *TPEL April 2016 3217-3226*
- Silva, M.**, Hensgens, N., Oliver, J.A., Alou, P., Garcia, O., and Cobos, J.A., Isolated Swiss-Forward Three-Phase Rectifier With Resonant Reset; *TPEL July 2016 4795-4808*
- Singer, S.**, see Wu, B., *TPEL May 2016 3482-3494*
- Singh, B.**, see Narula, S., *TPEL April 2016 2850-2859*
- Singh, S.K.**, see Vakacharla, V.R., *TPEL Nov. 2016 7509-7521*
- Sinha, M.**, see Johnson, B.B., *TPEL Aug. 2016 6002-6015*
- Siwakoti, Y.P.**, see Forouzesh, M., *TPEL Nov. 2016 7621-7641*
- Siwakoti, Y.P.**, Blaabjerg, F., and Loh, P.C., New Magnetically Coupled Impedance (Z-) Source Networks; *TPEL Nov. 2016 7419-7435*
- Siwakoti, Y.P.**, see Husev, O., *TPEL Nov. 2016 7564-7579*
- Siwakoti, Y.P.**, Blaabjerg, F., Galigekere, V.P., Ayachit, A., and Kazimierczuk, M.K., A-Source Impedance Network; *TPEL Dec. 2016 8081-8087*
- Smedley, K.**, see Abramovitz, A., *TPEL Feb. 2016 1702-1716*
- Smedley, K.M.**, see Abramovitz, A., *TPEL May 2016 3550-3558*
- Smedley, K.M.**, see Wu, B., *TPEL May 2016 3482-3494*
- Smedley, K.M.**, see Naderi, R., *TPEL Sept. 2016 6476-6484*
- Smirnova, L.**, Juntunen, R., Murashko, K., Musikka, T., and Pyrhonen, J., Thermal Analysis of the Laminated Busbar System of a Multilevel Converter; *TPEL Feb. 2016 1479-1488*
- Sochor, P.**, and Akagi, H., Theoretical Comparison in Energy-Balancing Capability Between Star- and Delta-Configured Modular Multilevel Cascade Inverters for Utility-Scale Photovoltaic Systems; *TPEL March 2016 1980-1992*
- Sohn, Y.H.**, see Choi, B.H., *TPEL April 2016 3252-3272*
- Sohn, Y.H.**, Choi, B.H., Cho, G., and Rim, C.T., Gyator-Based Analysis of Resonant Circuits in Inductive Power Transfer Systems; *TPEL Oct. 2016 6824-6843*
- Solero, L.**, see Bifaretti, S., *TPEL Sept. 2016 6226-6236*
- Solomon, L.A.**, Permuy, A., Benavides, N.D., Opila, D.F., Lee, C.J., and Reed, G.F., A Transformerless PCB-Based Medium-Voltage Multilevel Power Converter With a DC Capacitor Balancing Circuit; *TPEL April 2016 3052-3067*
- Song, M.K.**, see Sankman, J., *TPEL Jan. 2016 817-826*
- Song, Q.**, see Zhao, B., *TPEL April 2016 3203-3216*
- Song, Q.**, see Zhao, B., *TPEL July 2016 4766-4777*
- Song, S.**, see Wang, X., *TPEL March 2016 2002-2011*
- Song, W.**, Ma, J., Zhou, L., and Feng, X., Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction; *TPEL Jan. 2016 721-732*
- Song, W.**, Deng, Z., Wang, S., and Feng, X., A Simple Model Predictive Power Control Strategy for Single-Phase PWM Converters With Modulation Function Optimization; *TPEL July 2016 5279-5289*
- Song, W.**, see Hou, N., *TPEL Dec. 2016 8552-8561*

- Song, X.**, Fang, J., Han, B., and Zheng, S., Adaptive Compensation Method for High-Speed Surface PMSM Sensorless Drives of EMF-Based Position Estimation Error; *TPEL Feb. 2016 1438-1449*
- Song, X.**, see Li, Z., *TPEL June 2016 4499-4508*
- Song, X.**, Fang, J., and Han, B., High-Precision Rotor Position Detection for High-Speed Surface PMSM Drive Based on Linear Hall-Effect Sensors; *TPEL July 2016 4720-4731*
- Song, X.**, see Chen, W., *TPEL Dec. 2016 8205-8217*
- Song, Y.**, see Ko, Y., *TPEL Aug. 2016 5851-5862*
- Song, Z.**, Tian, Y., Chen, W., Zou, Z., and Chen, Z., Predictive Duty Cycle Control of Three-Phase Active-Front-End Rectifiers; *TPEL Jan. 2016 698-710*
- Soni, H.**, see Mehrnami, S., *TPEL March 2016 2654-2668*
- Soon, J.L.**, see Lu, D.D., *TPEL Sept. 2016 6064-6068*
- Soon, J.L.**, and Lu, D.D., Design of Fuse-MOSFET Pair for Fault-Tolerant DC/DC Converters; *TPEL Sept. 2016 6069-6074*
- Soong, T.**, and Lehn, P.W., Assessment of Fault Tolerance in Modular Multi-level Converters With Integrated Energy Storage; *TPEL June 2016 4085-4095*
- Sosa, J.L.**, Castilla, M., Miret, J., Matas, J., and Al-Turki, Y.A., Control Strategy to Maximize the Power Capability of PV Three-Phase Inverters During Voltage Sags; *TPEL April 2016 3314-3323*
- Souvignat, T.**, Allard, B., and Trochut, S., A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI; *TPEL July 2016 4984-4994*
- Spiazzi, G.**, see Abdelhakim, A., *TPEL Nov. 2016 7451-7461*
- Srdic, S.**, see Georgijevic, N.L., *TPEL Aug. 2016 5917-5930*
- Stala, R.**, see Kawa, A., *TPEL Oct. 2016 6797-6813*
- Stauth, J.T.**, see Schaefer, C., *TPEL Feb. 2016 1795-1808*
- Stefanucci, C.**, see Buccella, P., *TPEL Sept. 2016 6586-6595*
- Steingart, D.**, see Van Tassel, B., *TPEL April 2016 2695-2708*
- Stepins, D.**, An Improved Control Technique of Switching-Frequency-Modulated Power Factor Correctors for Low THD and High Power Factor; *TPEL July 2016 5201-5214*
- Stone, D.A.**, see Davidson, J.N., *TPEL April 2016 2709-2719*
- Stone, D.A.**, see Davidson, J.N., *TPEL June 2016 4378-4388*
- Stone, D.A.**, see Foster, M.P., *TPEL July 2016 5057-5066*
- Strangas, E.G.**, see Niu, F., *TPEL Feb. 2016 1408-1424*
- Strzelecki, R.**, see Husev, O., *TPEL Nov. 2016 7564-7579*
- Strzelecki, R.**, see Husev, O., *TPEL Nov. 2016 7580-7591*
- Su, J.**, see Zhou, C., *TPEL Feb. 2016 1367-1380*
- Su, M.**, see Wang, H., *TPEL Jan. 2016 533-547*
- Su, M.**, see Sun, Y., *TPEL July 2016 4778-4794*
- Su, M.**, see Sun, Y., *TPEL Aug. 2016 5423-5434*
- Su, M.**, see Sun, Y., *TPEL Aug. 2016 5644-5654*
- Su, W.**, see Zhu, J., *TPEL Jan. 2016 518-523*
- Su, X.**, see Zhu, X., *TPEL Sept. 2016 6169-6175*
- Su, Y.**, see Ye, Z., *TPEL July 2016 4809-4817*
- Su, Y.**, Lin, C., Yang, T., Huang, R., Chen, W., Chen, K., Wey, C., Lin, Y., Lee, C., Lin, S., Tsai, T., and Maity, S., CCM/GM Relative Skip Energy Control and Bidirectional Dynamic Slope Compensation in a Single-Inductor Multiple-Output DC-DC Converter for Wearable Device Power Solution; *TPEL Aug. 2016 5871-5884*
- Su, Y.**, see Huang, L., *TPEL Nov. 2016 7556-7563*
- Subbiah, A.**, and Wasynczuk, O., Computationally Efficient Simulation of High-Frequency Transients in Power Electronic Circuits; *TPEL Sept. 2016 6351-6361*
- Subotic, I.**, Bodo, N., and Levi, E., An EV Drive-Train With Integrated Fast Charging Capability; *TPEL Feb. 2016 1461-1471*
- Subotic, I.**, Bodo, N., and Levi, E., Single-Phase On-Board Integrated Battery Chargers for EVs Based on Multiphase Machines; *TPEL Sept. 2016 6511-6523*
- Sudbhi, B.**, see Panigrahi, R., *TPEL April 2016 2860-2869*
- Sudhoff, S.D.**, see Liu, Z., *TPEL Sept. 2016 6631-6645*
- Suetsugu, T.**, see Wei, X., *TPEL Jan. 2016 394-405*
- Sugahara, S.**, and Matsunaga, S., Fundamental Study of Influence of Ripple Noise From DC-DC Converter on Spurious Noise of Wireless Portable Equipment; *TPEL March 2016 2111-2119*
- Sul, S.**, see Cui, S., *TPEL Nov. 2016 7780-7796*
- Sullivan, C.R.**, see Chen, M., *TPEL Jan. 2016 560-580*
- Sullivan, C.R.**, see Hanson, A.J., *TPEL Nov. 2016 7909-7925*
- Sun, B.**, Dragicevic, T., Frejedo, F.D., Vasquez, J.C., and Guerrero, J.M., A Control Algorithm for Electric Vehicle Fast Charging Stations Equipped With Flywheel Energy Storage Systems; *TPEL Sept. 2016 6674-6685*
- Sun, C.**, see Li, Z., *TPEL June 2016 4499-4508*
- Sun, D.**, see Xiong, P., *TPEL June 2016 4216-4225*
- Sun, H.**, see Chen, W., *TPEL Sept. 2016 6428-6441*
- Sun, H.**, see Liu, S., *TPEL Nov. 2016 7544-7555*
- Sun, K.**, see Wu, H., *TPEL March 2016 2372-2386*
- Sun, K.**, see Guo, Z., *TPEL Sept. 2016 6394-6404*
- Sun, K.**, see Lu, Y., *TPEL Sept. 2016 6327-6340*
- Sun, K.**, see Zhang, L., *TPEL Oct. 2016 7029-7042*
- Sun, L.**, see Zhao, H., *TPEL Feb. 2016 1000-1014*
- Sun, L.**, Wu, Z., Xiao, F., Cai, X., and Wang, S., Suppression of Real Power Back Flow of Nonregenerative Cascaded H-Bridge Inverters Operating Under Faulty Conditions; *TPEL July 2016 5161-5175*
- Sun, L.**, see An, Q., *TPEL Dec. 2016 8329-8342*
- Sun, L.**, see An, Q., *TPEL Dec. 2016 8329-8342*
- Sun, P.**, see Luo, H., *TPEL July 2016 5122-5132*
- Sun, P.**, see Ma, H., *TPEL Aug. 2016 5825-5836*
- Sun, T.**, see Zhang, Z., *TPEL Jan. 2016 662-674*
- Sun, T.**, see Hou, S., *TPEL Jan. 2016 381-393*
- Sun, W.**, see Zhu, J., *TPEL Jan. 2016 518-523*
- Sun, W.**, Yu, Y., Wang, G., Li, B., and Xu, D., Design Method of Adaptive Full Order Observer With or Without Estimated Flux Error in Speed Estimation Algorithm; *TPEL March 2016 2609-2626*
- Sun, X.**, see Guo, X., *TPEL March 2016 1841-1846*
- Sun, X.**, Han, R., Shen, H., Wang, B., Lu, Z., and Chen, Z., A Double-Resistive Active Power Filter System to Attenuate Harmonic Voltages of a Radial Power Distribution Feeder; *TPEL Sept. 2016 6203-6216*
- Sun, X.**, see Shen, Y., *TPEL Oct. 2016 6884-6900*
- Sun, Y.**, see Wang, H., *TPEL Jan. 2016 533-547*
- Sun, Y.**, Liu, Y., Su, M., Xiong, W., and Yang, J., Review of Active Power Decoupling Topologies in Single-Phase Systems; *TPEL July 2016 4778-4794*
- Sun, Y.**, see Ye, Z., *TPEL July 2016 4809-4817*
- Sun, Y.**, Xiong, W., Su, M., Dan, H., Li, X., and Yang, J., Modulation Strategies Based on Mathematical Construction Method for Multimodular Matrix Converter; *TPEL Aug. 2016 5423-5434*
- Sun, Y.**, Liu, Y., Su, M., Li, X., and Yang, J., Active Power Decoupling Method for Single-Phase Current-Source Rectifier With No Additional Active Switches; *TPEL Aug. 2016 5644-5654*
- Sun, Y.**, Yan, P., Wang, Z., and Luan, Y., The Parallel Transmission of Power and Data With the Shared Channel for an Inductive Power Transfer System; *TPEL Aug. 2016 5495-5502*
- Sung, S.**, Hong, S., Bang, J., Paek, J., Lee, S., Cho, T.B., and Cho, G., Envelope Modulator for 1.5-W 10-MHz LTE PA Without AC Coupling Capacitor Achieving 86.5% Peak Efficiency; *TPEL Dec. 2016 8282-8292*
- Suryawanshi, H.M.**, see Ahmed, I., *TPEL Dec. 2016 8483-8499*
- Susic, S.D.**, see Vukosavic, S.N., *TPEL Jan. 2016 152-164*
- Swain, A.K.**, see Huang, L., *TPEL Nov. 2016 7556-7563*
- Syed, A.E.**, and Patra, A., Saturation Generated Oscillations in Voltage-Mode Digital Control of DC-DC Converters; *TPEL June 2016 4549-4564*

## T

- Tai, H.**, see Zhu, X., *TPEL Sept. 2016 6169-6175*
- Tajfar, A.**, and Mazumder, S.K., Sequence-Based Control of an Isolated DC/AC Matrix Converter; *TPEL Feb. 2016 1757-1773*
- Takano, K.**, see Matsumori, H., *TPEL April 2016 3080-3095*
- Takemoto, M.**, see Gu, M., *TPEL Sept. 2016 6461-6475*
- Tan, G.**, see Wu, X., *TPEL April 2016 2959-2969*
- Tan, G.**, see Ye, Z., *TPEL April 2016 3227-3238*
- Tan, G.**, see Liu, Z., *TPEL May 2016 3859-3866*

- Tan, G.**, Wu, X., Wang, Z., and Ye, Z., A Generalized Algorithm to Eliminate Spikes of Common-Mode Voltages for CMVRPWM; *TPEL Sept. 2016* 6698-6709
- Tan, K.**, Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications; *TPEL July 2016* 5242-5254
- Tan, L.**, Wu, B., Rivera, S., and Yaramasu, V., Comprehensive DC Power Balance Management in High-Power Three-Level DC-DC Converter for Electric Vehicle Fast Charging; *TPEL Jan. 2016* 89-100
- Tan, S.**, see Mok, K., *TPEL Feb. 2016* 1216-1229
- Tan, S.**, see Shan, Z., *TPEL Aug. 2016* 5666-5679
- Tan, S.**, see Xiong, S., *TPEL Aug. 2016* 5680-5693
- Tan, S.**, see Guo, Y., *TPEL Aug. 2016* 5837-5850
- Tan, S.-C.**, see Lee, A.T.L., *TPEL Jan. 2016* 65-80
- Tan, S.-C.**, see Li, S., *TPEL Feb. 2016* 1503-1516
- Tan, S.-C.**, see Li, S., *TPEL June 2016* 4121-4137
- Tan, S.T.**, see Fu, W., *TPEL Jan. 2016* 418-429
- Tan, W.**, Margueron, X., Taylor, L., and Idir, N., Leakage Inductance Analytical Calculation for Planar Components With Leakage Layers; *TPEL June 2016* 4462-4473
- Tanaka, H.**, see Ataji, A.B., *TPEL Feb. 2016* 1015-1025
- Tang, C.**, see Ye, Z., *TPEL July 2016* 4809-4817
- Tang, F.**, see Meng, L., *TPEL Jan. 2016* 827-838
- Tang, J.**, see Li, W., *TPEL Feb. 2016* 1354-1366
- Tang, W.**, see Yao, K., *TPEL Aug. 2016* 5944-5951
- Tang, X.**, see Ho, M., *TPEL Sept. 2016* 6362-6371
- Tang, Y.**, Ran, L., Alatise, O., and Mawby, P., A Model Assisted Testing Scheme for Modular Multilevel Converter; *TPEL Jan. 2016* 165-176
- Tang, Y.**, Fu, D., Kan, J., and Wang, T., Dual Switches DC/DC Converter With Three-Winding-Coupled Inductor and Charge Pump; *TPEL Jan. 2016* 461-469
- Tang, Y.**, and Khaligh, A., Bidirectional Resonant DC-DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots; *TPEL Jan. 2016* 340-352
- Tang, Y.**, and Khaligh, A., A Multiinput Bridgeless Resonant AC-DC Converter for Electromagnetic Energy Harvesting; *TPEL March 2016* 2254-2263
- Tang, Y.**, see Zhu, R., *TPEL March 2016* 2239-2253
- Tang, Y.**, see Xin, Z., *TPEL May 2016* 3612-3625
- Tang, Y.**, see Wang, M., *TPEL Sept. 2016* 6646-6657
- Tang, Y.**, Chen, M., and Ran, L., A Compact MMC Submodule Structure With Reduced Capacitor Size Using the Stacked Switched Capacitor Architecture; *TPEL Oct. 2016* 6920-6936
- Tang, Y.**, Ran, L., Alatise, O., and Mawby, P., Improved Testing Capability of the Model-Assisted Testing Scheme for a Modular Multilevel Converter; *TPEL Nov. 2016* 7823-7836
- Tang, Y.**, Xu, F., Bai, Y., and He, Y., Comparative Analysis of Two Modulation Strategies for an Active Buck-Boost Inverter; *TPEL Nov. 2016* 7963-7971
- Tang, Z.**, Li, X., Dusmez, S., and Akin, B., A New V/f-Based Sensorless MTPA Control for IPMSM Drives; *TPEL June 2016* 4400-4415
- Tanimoto, Y.**, Saito, A., Matsuura, K., Kikuchihara, H., Mattausch, H.J., Miura-Mattausch, M., and Kawamoto, N., Power-Loss Prediction of High-Voltage SiC-mosfet Circuits With Compact Model Including Carrier-Trap Influences; *TPEL June 2016* 4509-4516
- Tartagni, M.**, see Dini, M., *TPEL Feb. 2016* 1263-1274
- Tartagni, M.**, see Dini, M., *TPEL June 2016* 4292-4304
- Tatakis, E.C.**, see Christidis, G.C., *TPEL June 2016* 4195-4205
- Taylor, L.**, see Tan, W., *TPEL June 2016* 4462-4473
- Tena, D.**, see Vasic, M., *TPEL June 2016* 4611-4627
- Teo, K.H.**, see Deng, Y., *TPEL March 2016* 1873-1886
- Teodorescu, R.**, see Gohil, G., *TPEL May 2016* 3400-3414
- Teodorescu, R.**, see Gohil, G., *TPEL Nov. 2016* 7797-7808
- Teodorescu, R.**, see Chen, H., *TPEL Dec. 2016* 8562-8571
- Thenathayalan, D.**, Lee, C., and Park, J., High-Order Resonant Converter Topology With Extremely Low-Coupling Contactless Transformers; *TPEL March 2016* 2347-2361
- Thukaram, D.**, see Kumar, V.S.S., *TPEL Aug. 2016* 5378-5383
- Thummala, P.**, Schneider, H., Zhang, Z., and Andersen, M.A.E., Investigation of Transformer Winding Architectures for High-Voltage (2.5 kV) Capacitor Charging and Discharging Applications; *TPEL Aug. 2016* 5786-5796
- Thummala, P.**, Maksimovic, D., Zhang, Z., and Andersen, M.A.E., Digital Control of a High-Voltage (2.5 kV) Bidirectional DC-DC Flyback Converter for Driving a Capacitive Incremental Actuator; *TPEL Dec. 2016* 8500-8516
- Tian, C.**, see Chen, B., *TPEL June 2016* 4159-4170
- Tian, H.**, see Ding, G., *TPEL June 2016* 4182-4194
- Tian, K.**, Wang, J., Wu, B., Cheng, Z., and Zargari, N.R., A Virtual Space Vector Modulation Technique for the Reduction of Common-Mode Voltages in Both Magnitude and Third-Order Component; *TPEL Jan. 2016* 839-848
- Tian, K.**, Wu, B., Narimani, M., Xu, D., Cheng, Z., and Reza Zargari, N., A Capacitor Voltage-Balancing Method for Nested Neutral Point Clamped (NNPC) Inverter; *TPEL March 2016* 2575-2583
- Tian, K.**, Wu, B., Du, S., Xu, D., Cheng, Z., and Zargari, N.R., A Simple and Cost-effective Precharge Method for Modular Multilevel Converters by Using a Low-Voltage DC Source; *TPEL July 2016* 5321-5329
- Tian, S.**, Lee, F.C., Li, Q., and Yan, Y., Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters; *TPEL Feb. 2016* 1734-1744
- Tian, S.**, Lee, F.C., and Li, Q., A Simplified Equivalent Circuit Model of Series Resonant Converter; *TPEL May 2016* 3922-3931
- Tian, S.**, see Yan, Y., *TPEL July 2016* 5344-5353
- Tian, S.**, Lee, F.C., Li, J., Li, Q., and Liu, P., A Three-Terminal Switch Model of Constant On-Time Current Mode With External Ramp Compensation; *TPEL Oct. 2016* 7311-7319
- Tian, X.**, see Liu, C., *TPEL Oct. 2016* 6968-6979
- Tian, Y.**, see Song, Z., *TPEL Jan. 2016* 698-710
- Tian, Y.**, Loh, P.C., Deng, F., Chen, Z., and Hu, Y., DC-Link Voltage Coordinated-Proportional Control for Cascaded Converter With Zero Steady-State Error and Reduced System Type; *TPEL April 2016* 3177-3188
- Todorovic, M.H.**, see Mohammadpour, A., *TPEL Jan. 2016* 111-119
- Tolbert, L.M.**, see Wang, Z., *TPEL Feb. 2016* 1555-1566
- Tolbert, L.M.**, see Wang, J., *TPEL April 2016* 3239-3251
- Tomsovic, K.**, see Wang, J., *TPEL April 2016* 3239-3251
- Torelli, G.**, see Dallago, E., *TPEL March 2016* 2273-2281
- Torres, J.**, see Zhao, S., *TPEL April 2016* 3217-3226
- Torresin, D.**, see Vemulapati, U.R., *TPEL Aug. 2016* 5900-5905
- Townsend, C.D.**, Yu, Y., Konstantinou, G., and Agelidis, V.G., Cascaded H-Bridge Multilevel PV Topology for Alleviation of Per-Phase Power Imbalances and Reduction of Second Harmonic Voltage Ripple; *TPEL Aug. 2016* 5574-5586
- Trescases, O.**, see Fernandes, R., *TPEL Aug. 2016* 5694-5708
- Tria, L.A.R.**, Zhang, D., and Fletcher, J.E., Implementation of a Nonlinear Planar Magnetics Model; *TPEL Sept. 2016* 6534-6542
- Tricoli, P.**, see Quraan, M., *TPEL Jan. 2016* 507-517
- Trinh, T.H.**, see Kerachev, L., *TPEL Aug. 2016* 5635-5643
- Trochut, S.**, see Souvignet, T., *TPEL July 2016* 4984-4994
- Truntic, M.**, see Konjedic, T., *TPEL April 2016* 3273-3288
- Tsai, C.**, Chen, B., and Li, H., Switching Frequency Stabilization Techniques for Adaptive On-Time Controlled Buck Converter With Adaptive Voltage Positioning Mechanism; *TPEL Jan. 2016* 443-451
- Tsai, T.**, see Chen, W., *TPEL April 2016* 3002-3015
- Tsai, T.**, see Chen, S., *TPEL April 2016* 3106-3117
- Tsai, T.**, see Chen, W., *TPEL May 2016* 3650-3662
- Tsai, T.**, see Su, Y., *TPEL Aug. 2016* 5871-5884
- Tsai, T.**, see Chen, S., *TPEL Aug. 2016* 5885-5899
- Tse, C.K.**, see Li, S., *TPEL Feb. 2016* 1503-1516
- Tse, C.K.**, see Wong, C.S., *TPEL March 2016* 2465-2475
- Tse, C.K.**, see Wu, H., *TPEL June 2016* 4226-4240
- Tse, C.K.**, see Shan, Z., *TPEL Aug. 2016* 5666-5679
- Turzynski, M.**, and Kulesza, W.J., A Simplified Behavioral MOSFET Model Based on Parameters Extraction for Circuit Simulations; *TPEL April 2016* 3096-3105

## U

- Uhrenfeldt, C.**, *see* Li, H., *TPEL Jan. 2016 621-634*  
**Uicich, G.**, *see* Antoszczuk, P., *TPEL Dec. 2016 8037-8041*  
**Umanand, L.**, *see* A, K., *TPEL July 2016 4906-4915*  
**Unanue, I.**, *see* Astigarraga, D., *TPEL Nov. 2016 7953-7962*  
**Ur Rehman, M.M.**, *see* Evzelman, M., *TPEL Nov. 2016 7887-7895*

## V

- V. K., K.**, *see* Vekhande, V., *TPEL Sept. 2016 6719-6737*  
**Vafaie, M.H.**, Mirzaeian Dehkordi, B., Moallem, P., and Kiyoumarsi, A., A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM; *TPEL May 2016 3738-3753*  
**Vahedi, H.**, and Al-Haddad, K., Real-Time Implementation of a Seven-Level Packed U-Cell Inverter with a Low-Switching-Frequency Voltage Regulator; *TPEL Aug. 2016 5967-5973*  
**Vahidi, B.**, *see* Maali, E., *TPEL June 2016 4324-4330*  
**Vaisband, I.**, and Friedman, E.G., Stability of Distributed Power Delivery Systems With Multiple Parallel On-Chip LDO Regulators; *TPEL Aug. 2016 5625-5634*  
**Vakacharla, V.R.**, Raghuram, M., and Singh, S.K., Hybrid Switched Inductor Impedance Source Converter—A Decoupled Approach; *TPEL Nov. 2016 7509-7521*  
**Valderrama-Blavi, H.**, *see* Leon-Masich, A., *TPEL Feb. 2016 1633-1642*  
**Valipour, H.**, Rezazadeh, G., and Zolghadri, M.R., Flicker-Free Electrolytic Capacitor-Less Universal Input Offline LED Driver With PFC; *TPEL Sept. 2016 6553-6561*  
**van Duivenbode, J.**, *see* Lemmen, E., *TPEL Oct. 2016 7286-7296*  
**Van Tassell, B.**, Yang, S., Le, C., Huang, L., Liu, S., Chando, P., Liu, X., Byro, A., Gerber, D.L., Leland, E.S., Sanders, S.R., Kinget, P.R., Kymissis, I., Steingart, D., and OBrien, S., Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications; *TPEL April 2016 2695-2708*  
**Vasic, M.**, Cheng, P., Garcia, O., Oliver, J.A., Alou, P., Cobos, J.A., Tena, D., and Ortega-Gonzalez, F.J., The Design of a Multilevel Envelope Tracking Amplifier Based on a Multiphase Buck Converter; *TPEL June 2016 4611-4627*  
**Vasquez, J.C.**, *see* Meng, L., *TPEL Jan. 2016 827-838*  
**Vasquez, J.C.**, *see* Dragicevic, T., *TPEL May 2016 3528-3549*  
**Vasquez, J.C.**, *see* Guan, Y., *TPEL June 2016 4576-4593*  
**Vasquez, J.C.**, *see* Zhang, C., *TPEL July 2016 5176-5188*  
**Vasquez, J.C.**, *see* Dragicevic, T., *TPEL July 2016 4876-4891*  
**Vasquez, J.C.**, *see* Sun, B., *TPEL Sept. 2016 6674-6685*  
**Vazquez, E.**, *see* Vazquez, N., *TPEL Nov. 2016 7651-7660*  
**Vazquez, N.**, Baeza, E., Perea, A., Hernandez, C., Vazquez, E., and Lopez, H., “Z” and “qZ” Source Inverters as Electronic Ballast; *TPEL Nov. 2016 7651-7660*  
**Vekhande, V.**, V. K., K., and Fernandes, B.G., Control of Three-Phase Bidirectional Current-Source Converter to Inject Balanced Three-Phase Currents Under Unbalanced Grid Voltage Condition; *TPEL Sept. 2016 6719-6737*  
**Vemulapati, U.R.**, Bianda, E., Torresin, D., Arnold, M., and Agostini, F., A Method to Extract the Accurate Junction Temperature of an IGCT During Conduction Using Gate-Cathode Voltage; *TPEL Aug. 2016 5900-5905*  
**Venchi, G.**, *see* Dallago, E., *TPEL March 2016 2273-2281*  
**Venet, P.**, *see* German, R., *TPEL Jan. 2016 548-559*  
**Verstraete, D.**, *see* Lu, D.D., *TPEL Sept. 2016 6064-6068*  
**Vidal, A.**, *see* Golestan, S., *TPEL Feb. 2016 1085-1094*  
**Vidal, A.**, *see* Golestan, S., *TPEL May 2016 3517-3527*  
**Vidal, A.**, *see* Golestan, S., *TPEL June 2016 4013-4019*  
**Vidal, A.**, *see* Lopez, O., *TPEL Dec. 2016 8151-8161*  
**Vidal-Idiarte, E.**, *see* Marcos-Pastor, A., *TPEL June 2016 4641-4653*  
**Vidat, A.**, *see* Li, K., *TPEL Feb. 2016 1528-1540*  
**Vilathgamuwa, D.M.**, *see* Malan, W.L., *TPEL Oct. 2016 7297-7310*  
**Vinnikov, D.**, *see* Chub, A., *TPEL April 2016 2808-2828*  
**Vinnikov, D.**, Li, Y., and Abu-Rub, H., Editorial Special Issue on Impedance-Source Converter Topologies and Applications; *TPEL Nov. 2016 7417-7418*

- Vinnikov, D.**, *see* Husev, O., *TPEL Nov. 2016 7564-7579*  
**Vinnikov, D.**, *see* Husev, O., *TPEL Nov. 2016 7580-7591*  
**Vlachakis, B.**, *see* Castro, I., *TPEL March 2016 2485-2495*  
**Voiron, F.**, *see* Neveu, F., *TPEL June 2016 3985-3988*  
**Vosoughi, N.**, *see* Barzegarkhoo, R., *TPEL Aug. 2016 5604-5617*  
**Vukosavic, S.N.**, Peric, L.S., and Susic, S.D., A Novel Power Converter Topology for Electrostatic Precipitators; *TPEL Jan. 2016 152-164*

## W

- Waffenschmidt, E.**, *see* Li, S., *TPEL Feb. 2016 1503-1516*  
**Wai, R.**, and Liaw, J., High-Efficiency Coupled-Inductor-Based Step-Down Converter; *TPEL June 2016 4265-4279*  
**Walker, G.R.**, *see* Malan, W.L., *TPEL Oct. 2016 7297-7310*  
**Wang, B.**, *see* Niu, F., *TPEL Feb. 2016 1408-1424*  
**Wang, B.**, *see* Li, B., *TPEL April 2016 3165-3176*  
**Wang, B.**, Zhao, Y., Yu, Y., Wang, G., Xu, D., and Dong, Z., Speed-Sensorless Induction Machine Control in the Field-Weakening Region Using Discrete Speed-Adaptive Full-Order Observer; *TPEL Aug. 2016 5759-5773*  
**Wang, B.**, *see* Sun, X., *TPEL Sept. 2016 6203-6216*  
**Wang, B.**, *see* Shen, Y., *TPEL Oct. 2016 6884-6900*  
**Wang, C.**, *see* Hong, F., *TPEL Feb. 2016 964-974*  
**Wang, C.**, *see* Wang, F., *TPEL Feb. 2016 1680-1691*  
**Wang, C.**, *see* He, J., *TPEL March 2016 1852-1856*  
**Wang, C.**, *see* Wang, Y., *TPEL Aug. 2016 5547-5561*  
**Wang, C.**, Xiao, L., Zheng, X., Lv, L., Xu, Z., and Jiang, X., Analysis, Measurement, and Compensation of the System Time Delay in a Three-Phase Voltage Source Rectifier; *TPEL Aug. 2016 6031-6043*  
**Wang, D.**, *see* Liu, T., *TPEL March 2016 2669-2679*  
**Wang, D.**, *see* Ren, X., *TPEL Dec. 2016 8317-8328*  
**Wang, F.**, *see* Xie, W., *TPEL Jan. 2016 849-860*  
**Wang, F.**, *see* Zhang, Z., *TPEL Jan. 2016 662-674*  
**Wang, F.**, *see* Wang, Z., *TPEL Feb. 2016 1555-1566*  
**Wang, F.**, *see* Guo, B., *TPEL Feb. 2016 1074-1084*  
**Wang, F.**, Wang, Y., Gao, Q., Wang, C., and Liu, Y., A Control Strategy for Suppressing Circulating Currents in Parallel-Connected PMSM Drives With Individual DC Links; *TPEL Feb. 2016 1680-1691*  
**Wang, F.**, *see* Xiong, L., *TPEL March 2016 1847-1851*  
**Wang, F.**, *see* Zhu, Y., *TPEL April 2016 2890-2904*  
**Wang, F.**, *see* Li, Y., *TPEL April 2016 2829-2839*  
**Wang, F.**, *see* Wang, J., *TPEL April 2016 3239-3251*  
**Wang, F.**, *see* Yi, H., *TPEL May 2016 3945-3957*  
**Wang, F.**, *see* Xiong, L., *TPEL Sept. 2016 6264-6280*  
**Wang, G.**, *see* Zhang, G., *TPEL Feb. 2016 1450-1460*  
**Wang, G.**, *see* Sun, W., *TPEL March 2016 2609-2626*  
**Wang, G.**, *see* Li, B., *TPEL April 2016 3165-3176*  
**Wang, G.**, *see* Ni, R., *TPEL May 2016 3717-3727*  
**Wang, G.**, Wang, Y., Xu, J., Zhao, N., and Xu, D., Weight-Transducerless Roll-back Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators; *TPEL June 2016 4440-4451*  
**Wang, G.**, *see* Wang, B., *TPEL Aug. 2016 5759-5773*  
**Wang, H.**, Su, M., Sun, Y., Yang, J., Zhang, G., Gui, W., and Feng, J., Two-Stage Matrix Converter Based on Third-Harmonic Injection Technique; *TPEL Jan. 2016 533-547*  
**Wang, H.**, *see* Hu, Z., *TPEL Aug. 2016 5435-5447*  
**Wang, H.**, *see* Reigosa, P.D., *TPEL Oct. 2016 7171-7182*  
**Wang, J.**, Yan, J.D., Jiang, L., and Zou, J., Delay-Dependent Stability of Single-Loop Controlled Grid-Connected Inverters with LCL Filters; *TPEL Jan. 2016 743-757*  
**Wang, J.**, *see* Tian, K., *TPEL Jan. 2016 839-848*  
**Wang, J.**, *see* Hong, F., *TPEL Feb. 2016 964-974*  
**Wang, J.**, Yang, L., Ma, Y., Tolbert, L.M., Wang, F., and Tomsovic, K., Static and dynamic power system load emulation in a converter-based reconfigurable power grid emulator; *TPEL April 2016 3239-3251*  
**Wang, J.**, *see* Wang, J., *TPEL April 2016 3239-3251*  
**Wang, J.**, *see* Yang, K., *TPEL April 2016 2742-2752*

- Wang, J., Yan, J.D., and Jiang, L., Pseudo-Derivative-Feedback Current Control for Three-Phase Grid-Connected Inverters With LCL Filters; *TPEL May 2016 3898-3912*
- Wang, J., see Chen, B., *TPEL June 2016 4159-4170*
- Wang, J., see Sen, B., *TPEL July 2016 4684-4696*
- Wang, J., see Liu, H., *TPEL Nov. 2016 8007-8016*
- Wang, J., see Zhang, X., *TPEL Nov. 2016 7849-7856*
- Wang, J., see Guo, F., *TPEL Dec. 2016 8237-8246*
- Wang, K., Yang, X., Li, H., Ma, H., Zeng, X., and Chen, W., An Analytical Switching Process Model of Low-Voltage eGaN HEMTs for Loss Calculation; *TPEL Jan. 2016 635-647*
- Wang, K., see Gu, C., *TPEL Feb. 2016 915-927*
- Wang, K., see Liu, Z., *TPEL June 2016 4005-4012*
- Wang, K., see Liu, G., *TPEL July 2016 4669-4683*
- Wang, K., Xu, L., Zheng, Z., and Li, Y., Voltage Balancing Control of a Four-Level Hybrid-Clamped Converter Based on Zero-Sequence Voltage Injection Using Phase-Shifted PWM; *TPEL Aug. 2016 5389-5399*
- Wang, K., see Peng, H., *TPEL Nov. 2016 7809-7822*
- Wang, L., Zhao, M., and Wu, X., A Monolithic High-Performance Buck Converter With Enhanced Current-Mode Control and Advanced Protection Circuits; *TPEL Jan. 2016 793-805*
- Wang, L., see Chen, J., *TPEL Feb. 2016 1745-1756*
- Wang, L., see Chen, J., *TPEL March 2016 2518-2529*
- Wang, L., see Hu, X., *TPEL April 2016 2991-3001*
- Wang, L., Zhang, D., Wang, Y., Wu, B., and Athab, H.S., Power and Voltage Balance Control of a Novel Three-Phase Solid-State Transformer Using Multilevel Cascaded H-Bridge Inverters for Microgrid Applications; *TPEL April 2016 3289-3301*
- Wang, L., see Hu, Z., *TPEL Aug. 2016 5435-5447*
- Wang, L., see Hu, Z., *TPEL Aug. 2016 5448-5460*
- Wang, M., Li, L., Pan, D., Tang, Y., and Guo, Q., High-Bandwidth and Strong Robust Current Regulation for PMLSM Drives Considering Thrust Ripple; *TPEL Sept. 2016 6646-6657*
- Wang, N., see Feeney, C., *TPEL May 2016 3754-3762*
- Wang, N., see Feeney, C., *TPEL Aug. 2016 5805-5813*
- Wang, P., see Li, Z., *TPEL June 2016 3977-3984*
- Wang, P., see Wang, Y., *TPEL Aug. 2016 5547-5561*
- Wang, P., Lu, X., Yang, X., Wang, W., and Xu, D., An Improved Distributed Secondary Control Method for DC Microgrids With Enhanced Dynamic Current Sharing Performance; *TPEL Sept. 2016 6658-6673*
- Wang, Q., see Chu, Y., *TPEL Sept. 2016 6254-6263*
- Wang, Q., see Wu, Q., *TPEL Dec. 2016 8031-8036*
- Wang, R., see He, J., *TPEL March 2016 1852-1856*
- Wang, S., see Ruan, J., *TPEL Jan. 2016 497-506*
- Wang, S., see Zhao, H., *TPEL Feb. 2016 1000-1014*
- Wang, S., see Chang, Y., *TPEL Feb. 2016 1391-1400*
- Wang, S., see Gou, B., *TPEL May 2016 3816-3826*
- Wang, S., see Lee, A., *TPEL June 2016 4389-4399*
- Wang, S., see Sun, L., *TPEL July 2016 5161-5175*
- Wang, S., see Song, W., *TPEL July 2016 5279-5289*
- Wang, S., see Xia, C., *TPEL Aug. 2016 5774-5785*
- Wang, S., see Wu, T., *TPEL Aug. 2016 5587-5603*
- Wang, S., see Chu, Y., *TPEL Sept. 2016 6254-6263*
- Wang, T., see Tang, Y., *TPEL Jan. 2016 461-469*
- Wang, W., see Zhang, D., *TPEL Jan. 2016 200-212*
- Wang, W., Liu, A.C., Chung, H.S., Lau, R.W., Zhang, J., and Lo, A.W., Fault Diagnosis of Photovoltaic Panels Using Dynamic Current-Voltage Characteristics; *TPEL Feb. 2016 1588-1599*
- Wang, W., see Li, B., *TPEL April 2016 3165-3176*
- Wang, W., see Wang, Y., *TPEL Aug. 2016 5814-5824*
- Wang, W., and Ruan, X., A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Stand-alone Photovoltaic Power System; *TPEL Aug. 2016 5562-5573*
- Wang, W., see Wang, P., *TPEL Sept. 2016 6658-6673*
- Wang, X., see Xie, W., *TPEL Jan. 2016 849-860*
- Wang, X., see Li, H., *TPEL Jan. 2016 621-634*
- Wang, X., Blaabjerg, F., and Loh, P.C., Grid-Current-Feedback Active Damping for LCL Resonance in Grid-Connected Voltage-Source Converters; *TPEL Jan. 2016 213-223*
- Wang, X., see Yang, S., *TPEL Feb. 2016 1050-1063*
- Wang, X., Liu, J., Ouyang, S., Xu, T., Meng, F., and Song, S., Control and Experiment of an H-Bridge-Based Three-Phase Three-Stage Modular Power Electronic Transformer; *TPEL March 2016 2002-2011*
- Wang, X., see Huang, M., *TPEL March 2016 2337-2346*
- Wang, X., see Beres, R.N., *TPEL March 2016 2083-2098*
- Wang, X., see Lu, Y., *TPEL April 2016 2840-2849*
- Wang, X., see Huang, M., *TPEL May 2016 3958-3967*
- Wang, X., see Xin, Z., *TPEL May 2016 3612-3625*
- Wang, X., see Meng, T., *TPEL July 2016 4995-5003*
- Wang, X., see Liu, Y., *TPEL Sept. 2016 6092-6103*
- Wang, X., see Kazem Bakhshizadeh, M., *TPEL Oct. 2016 6792-6796*
- Wang, X., see Xin, Z., *TPEL Dec. 2016 8068-8073*
- Wang, X., see Li, H., *TPEL Dec. 2016 8042-8045*
- Wang, Y., see Liu, C., *TPEL Feb. 2016 1131-1142*
- Wang, Y., see Wang, F., *TPEL Feb. 2016 1680-1691*
- Wang, Y., see Jiang, T., *TPEL March 2016 2213-2225*
- Wang, Y., see Deng, Y., *TPEL March 2016 1873-1886*
- Wang, Y., see Liu, P., *TPEL March 2016 1896-1907*
- Wang, Y., see Wang, L., *TPEL April 2016 3289-3301*
- Wang, Y., see Liu, Z., *TPEL May 2016 3859-3866*
- Wang, Y., see Fan, S., *TPEL May 2016 3663-3672*
- Wang, Y., see Wang, G., *TPEL June 2016 4440-4451*
- Wang, Y., Xue, L., Wang, C., Wang, P., and Li, W., Interleaved High-Conversion-Ratio Bidirectional DC-DC Converter for Distributed Energy-Storage Systems—Circuit Generation, Analysis, and Design; *TPEL Aug. 2016 5547-5561*
- Wang, Y., Huang, J., Shi, G., Wang, W., and Xu, D., A Single-Stage Single-Switch LED Driver Based on the Integrated SEPIC Circuit and Class-E Converter; *TPEL Aug. 2016 5814-5824*
- Wang, Z., Shi, X., Tolbert, L.M., Wang, F., Liang, Z., Costinett, D., and Blalock, B.J., Temperature-Dependent Short-Circuit Capability of Silicon Carbide Power MOSFETs; *TPEL Feb. 2016 1555-1566*
- Wang, Z., Chen, J., Cheng, M., and Chau, K.T., Field-Oriented Control and Direct Torque Control for Paralleled VSIs Fed PMSG Drives With Variable Switching Frequencies; *TPEL March 2016 2417-2428*
- Wang, Z., see Ye, Z., *TPEL April 2016 3227-3238*
- Wang, Z., see Yi, H., *TPEL May 2016 3945-3957*
- Wang, Z., see Ye, Z., *TPEL July 2016 4809-4817*
- Wang, Z., see Xia, C., *TPEL Aug. 2016 5774-5785*
- Wang, Z., see Sun, Y., *TPEL Aug. 2016 5495-5502*
- Wang, Z., see Tan, G., *TPEL Sept. 2016 6698-6709*
- Wang, Z., and Qiao, W., A Physics-Based Improved Cauer-Type Thermal Equivalent Circuit for IGBT Modules; *TPEL Oct. 2016 6781-6786*
- Wassinger, N., see Antoszczuk, P.D., *TPEL Dec. 2016 8422-8434*
- Wasynczuk, O., see Subbiah, A., *TPEL Sept. 2016 6351-6361*
- Watson, A.J., see Shao, S., *TPEL May 2016 3794-3805*
- Wei, C., see Zhang, Z., *TPEL Oct. 2016 7112-7122*
- Wei, C., Zhang, Z., Qiao, W., and Qu, L., An Adaptive Network-Based Reinforcement Learning Method for MPPT Control of PMSG Wind Energy Conversion Systems; *TPEL Nov. 2016 7837-7848*
- Wei, J., see Lei, J., *TPEL Jan. 2016 21-25*
- Wei, Q., Wu, B., Xu, D., and Zargari, N.R., A Natural-Sampling-Based SVM Scheme for Current Source Converter With Superior Low-Order Harmonics Performance; *TPEL Sept. 2016 6144-6154*
- Wei, X., Sekiya, H., Nagashima, T., Kazimierczuk, M.K., and Suetsugu, T., Steady-State Analysis and Design of Class-D ZVS Inverter at Any Duty Ratio; *TPEL Jan. 2016 394-405*
- Wei, X., see Liu, C., *TPEL May 2016 3444-3455*
- Wei Li, Y., see Lian, Y., *TPEL Aug. 2016 5721-5731*
- Wen, B., Boroyevich, D., Burgos, R., Mattavelli, P., and Shen, Z., Analysis of D-Q Small-Signal Impedance of Grid-Tied Inverters; *TPEL Jan. 2016 675-687*

- Wen, B., Dong, D., Boroyevich, D., Burgos, R., Mattavelli, P., and Shen, Z., Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters; *TPEL Jan. 2016* 26-38
- Wen, X., see Qiu, T., *TPEL March 2016* 2530-2538
- Wen, Y., see Zhang, J., *TPEL Aug. 2016* 5515-5523
- Wey, C., see Su, Y., *TPEL Aug. 2016* 5871-5884
- Wey, C., see Chen, S., *TPEL Aug. 2016* 5885-5899
- Wheeler, P., see Gao, F., *TPEL Oct. 2016* 7369-7383
- Wheeler, P., see Shen, L., *TPEL Oct. 2016* 6947-6954
- Wheeler, P.W., see Shao, S., *TPEL May 2016* 3794-3805
- Wheeler, P.W., see Guan, Q., *TPEL Dec. 2016* 8247-8259
- Wijnands, C.G.E., see Baars, N.H., *TPEL Oct. 2016* 6814-6823
- Williams, B.W., see Darwish, A., *TPEL Dec. 2016* 8218-8236
- Williamson, S.S., see Youssef, M.Z., *TPEL April 2016* 3036-3042
- Wong, C., see Lao, K., *TPEL Feb. 2016* 1643-1656
- Wong, C.S., Loo, K.H., Lai, Y.M., Chow, M.H.L., and Tse, C.K., An Alternative Approach to LED Driver Design Based on High-Voltage Driving; *TPEL March 2016* 2465-2475
- Wong, M., see Lao, K., *TPEL Feb. 2016* 1643-1656
- Wong, S., see Wu, H., *TPEL June 2016* 4226-4240
- Woo, D., see Ryu, S., *TPEL March 2016* 2282-2295
- Woronowicz, K., see Youssef, M.Z., *TPEL April 2016* 3036-3042
- Wu, B., see Tian, K., *TPEL Jan. 2016* 839-848
- Wu, B., see Tan, L., *TPEL Jan. 2016* 89-100
- Wu, B., see Guo, X., *TPEL Jan. 2016* 688-697
- Wu, B., Li, S., Liu, Y., and Ma Smedley, K., A New Hybrid Boosting Converter for Renewable Energy Applications; *TPEL Feb. 2016* 1203-1215
- Wu, B., see Dekka, A., *TPEL Feb. 2016* 952-963
- Wu, B., see Narimani, M., *TPEL March 2016* 1959-1967
- Wu, B., see Tian, K., *TPEL March 2016* 2575-2583
- Wu, B., see Wang, L., *TPEL April 2016* 3289-3301
- Wu, B., Li, S., Smedley, K.M., and Singer, S., Analysis of High-Power Switched-Capacitor Converter Regulation Based on Charge-Balance Transient-Calculation Method; *TPEL May 2016* 3482-3494
- Wu, B., see Nejabatkhah, F., *TPEL July 2016* 5228-5241
- Wu, B., see Tian, K., *TPEL July 2016* 5321-5329
- Wu, B., see Wei, Q., *TPEL Sept. 2016* 6144-6154
- Wu, D., and Peng, L., Analysis and Suppressing Method for the Output Voltage Harmonics of Modular Multilevel Converter; *TPEL July 2016* 4755-4765
- Wu, F., and Zhao, J., A Real-Time Multiple Open-Circuit Fault Diagnosis Method in Voltage-Source-Inverter Fed Vector Controlled Drives; *TPEL Feb. 2016* 1425-1437
- Wu, H., Mu, T., Ge, H., and Xing, Y., Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control; *TPEL Feb. 2016* 987-999
- Wu, H., Lu, Y., Sun, K., and Xing, Y., Phase-Shift-Controlled Isolated Buck-Boost Converter With Active-Clamped Three-Level Rectifier (AC-TLR) Featuring Soft-Switching Within Wide Operation Range; *TPEL March 2016* 2372-2386
- Wu, H., Li, Y., and Xing, Y., LLC Resonant Converter With Semiactive Variable-Structure Rectifier (SA-VSR) for Wide Output Voltage Range Application; *TPEL May 2016* 3389-3394
- Wu, H., Wong, S., Tse, C.K., and Chen, Q., Control and Modulation of Bidirectional Single-Phase AC-DC Three-Phase-Leg SPWM Converters With Active Power Decoupling and Minimal Storage Capacitance; *TPEL June 2016* 4226-4240
- Wu, H., Jin, X., Hu, H., and Xing, Y., Multielement Resonant Converters With a Notch Filter on Secondary Side; *TPEL June 2016* 3999-4004
- Wu, H., Zhang, J., Qin, X., Mu, T., and Xing, Y., Secondary-Side-Regulated Soft-Switching Full-Bridge Three-Port Converter Based on Bridgeless Boost Rectifier and Bidirectional Converter for Multiple Energy Interface; *TPEL July 2016* 4847-4860
- Wu, H., see Lu, Y., *TPEL Sept. 2016* 6327-6340
- Wu, J., see Jou, H., *TPEL April 2016* 2690-2694
- Wu, J., see Li, Z., *TPEL June 2016* 4499-4508
- Wu, J., see Hu, Y., *TPEL July 2016* 4930-4941
- Wu, J., see Gan, C., *TPEL Oct. 2016* 7248-7263
- Wu, K., see Jou, H., *TPEL April 2016* 2690-2694
- Wu, M., see Hou, N., *TPEL Dec. 2016* 8552-8561
- Wu, Q., Wang, Q., Xu, J., and Xiao, L., A Real-Time Variable Turn-Off Current Strategy for a PFC Converter With Voltage Spike Limitation and Efficiency Improvement; *TPEL Dec. 2016* 8031-8036
- Wu, T., Liu, Z., Liu, J., Wang, S., and You, Z., A Unified Virtual Power Decoupling Method for Droop-Controlled Parallel Inverters in Microgrids; *TPEL Aug. 2016* 5587-5603
- Wu, T., Decoding and Synthesizing Transformerless PWM Converters; *TPEL Sept. 2016* 6293-6304
- Wu, W., see He, Y., *TPEL March 2016* 2638-2653
- Wu, X., see Wang, L., *TPEL Jan. 2016* 793-805
- Wu, X., see Jiang, T., *TPEL March 2016* 2213-2225
- Wu, X., see Zhu, R., *TPEL March 2016* 2239-2253
- Wu, X., Tan, G., Ye, Z., Liu, Y., and Xu, S., Optimized Common-Mode Voltage Reduction PWM for Three-Phase Voltage-Source Inverters; *TPEL April 2016* 2959-2969
- Wu, X., see Ye, Z., *TPEL April 2016* 3227-3238
- Wu, X., see Yan, Q., *TPEL May 2016* 3880-3897
- Wu, X., see Tan, G., *TPEL Sept. 2016* 6698-6709
- Wu, X., see Shen, Y., *TPEL Oct. 2016* 6884-6900
- Wu, Z., see Sun, L., *TPEL July 2016* 5161-5175

## X

- Xi, J., see Chen, Y., *TPEL May 2016* 3626-3638
- Xia, C., see Li, W., *TPEL March 2016* 1908-1920
- Xia, C., Li, S., Yan, Y., and Shi, T., Research on Linear Output Voltage Transfer Ratio for Ultrasparse Matrix Converter; *TPEL March 2016* 1811-1815
- Xia, C., Wang, S., Wang, Z., and Shi, T., Direct Torque Control for VSI-PMSMs Using Four-Dimensional Switching-Table; *TPEL Aug. 2016* 5774-5785
- Xia, C., see Chen, W., *TPEL Sept. 2016* 6428-6441
- Xia, C., see Li, X., *TPEL Nov. 2016* 7677-7690
- Xiao, D., see Cheema, M.A.M., *TPEL June 2016* 4416-4428
- Xiao, F., see Sun, L., *TPEL July 2016* 5161-5175
- Xiao, G., see Lu, Y., *TPEL April 2016* 2840-2849
- Xiao, H., see Xu, Q., *TPEL Dec. 2016* 8182-8194
- Xiao, L., see Wang, C., *TPEL Aug. 2016* 6031-6043
- Xiao, L., see Yang, D., *TPEL Nov. 2016* 7996-8006
- Xiao, L., see Wu, Q., *TPEL Dec. 2016* 8031-8036
- Xiao, P., see Chen, K., *TPEL July 2016* 4732-4741
- Xiao, W., see Hu, Y., *TPEL July 2016* 4930-4941
- Xie, G., Lu, K., Dwivedi, S.K., Rosholm, J.R., and Blaabjerg, F., Minimum-Voltage Vector Injection Method for Sensorless Control of PMSM for Low-Speed Operations; *TPEL Feb. 2016* 1785-1794
- Xie, R., see Peng, H., *TPEL Nov. 2016* 7809-7822
- Xie, S., see Cao, J., *TPEL Sept. 2016* 6217-6225
- Xie, W., Wang, X., Wang, F., Xu, W., Kennel, R., and Gerling, D., Dynamic Loss Minimization of Finite Control Set-Model Predictive Torque Control for Electric Drive System; *TPEL Jan. 2016* 849-860
- Xie, X., Li, J., Peng, K., Zhao, C., and Lu, Q., Study on the Single-Stage Forward-Flyback PFC Converter With QR Control; *TPEL Jan. 2016* 430-442
- Xie, Y., see Liu, G., *TPEL Sept. 2016* 6621-6630
- Xin, Z., Loh, P.C., Wang, X., Blaabjerg, F., and Tang, Y., Highly Accurate Derivatives for LCL-Filtered Grid Converter With Capacitor Voltage Active Damping; *TPEL May 2016* 3612-3625
- Xin, Z., Wang, X., Qin, Z., Lu, M., Loh, P.C., and Blaabjerg, F., An Improved Second-Order Generalized Integrator Based Quadrature Signal Generator; *TPEL Dec. 2016* 8068-8073
- Xing, Y., see Wu, H., *TPEL Feb. 2016* 987-999
- Xing, Y., see Wu, H., *TPEL March 2016* 2372-2386
- Xing, Y., see Wu, H., *TPEL May 2016* 3389-3394
- Xing, Y., see Wu, H., *TPEL June 2016* 3999-4004
- Xing, Y., see Wu, H., *TPEL July 2016* 4847-4860
- Xing, Y., see Lu, Y., *TPEL Sept. 2016* 6327-6340
- Xing, Y., see Zhang, L., *TPEL Oct. 2016* 7029-7042
- Xing, Y., see Liu, H., *TPEL Dec. 2016* 8046-8051

- Xing, Z.**, Ruan, X., You, H., Yang, X., Yao, D., and Yuan, C., Soft-Switching Operation of Isolated Modular DC/DC Converters for Application in HVDC Grids; *TPEL April 2016 2753-2766*
- Xiong, L.**, Zhuo, F., Wang, F., Liu, X., and Zhu, M., A Fast Orthogonal Signal-Generation Algorithm Characterized by Noise Immunity and High Accuracy for Single-Phase Grid; *TPEL March 2016 1847-1851*
- Xiong, L.**, Zhuo, F., Wang, F., Liu, X., Chen, Y., Zhu, M., and Yi, H., Static Synchronous Generator Model: A New Perspective to Investigate Dynamic Characteristics and Stability Issues of Grid-Tied PWM Inverter; *TPEL Sept. 2016 6264-6280*
- Xiong, P.**, and Sun, D., Backstepping-Based DPC Strategy of a Wind Turbine-Driven DFIG Under Normal and Harmonic Grid Voltage; *TPEL June 2016 4216-4225*
- Xiong, S.**, Huang, Y., Tan, S., and Hui, S.Y., Morphing switched-capacitor converters with variable conversion ratio; *TPEL Aug. 2016 5680-5693*
- Xiong, W.**, see Sun, Y., *TPEL July 2016 4778-4794*
- Xiong, W.**, see Sun, Y., *TPEL Aug. 2016 5423-5434*
- Xu, D.**, see Guo, X., *TPEL Jan. 2016 688-697*
- Xu, D.**, see Zhang, G., *TPEL Feb. 2016 1450-1460*
- Xu, D.**, see Chen, W., *TPEL Feb. 2016 1143-1160*
- Xu, D.**, see Sun, W., *TPEL March 2016 2609-2626*
- Xu, D.**, see Tian, K., *TPEL March 2016 2575-2583*
- Xu, D.**, see Li, B., *TPEL April 2016 3165-3176*
- Xu, D.**, see Ni, R., *TPEL May 2016 3717-3727*
- Xu, D.**, see Chen, Y., *TPEL May 2016 3626-3638*
- Xu, D.**, see Wang, G., *TPEL June 2016 4440-4451*
- Xu, D.**, see Tian, K., *TPEL July 2016 5321-5329*
- Xu, D.**, see Chen, W., *TPEL July 2016 4831-4846*
- Xu, D.**, see Wang, B., *TPEL Aug. 2016 5759-5773*
- Xu, D.**, see Wang, Y., *TPEL Aug. 2016 5814-5824*
- Xu, D.**, see Wei, Q., *TPEL Sept. 2016 6144-6154*
- Xu, D.**, see Wang, P., *TPEL Sept. 2016 6658-6673*
- Xu, F.**, see Li, Z., *TPEL June 2016 3977-3984*
- Xu, F.**, see Tang, Y., *TPEL Nov. 2016 7963-7971*
- Xu, J.**, Zhao, P., and Zhao, C., Reliability Analysis and Redundancy Configuration of MMC With Hybrid Submodule Topologies; *TPEL April 2016 2720-2729*
- Xu, J.**, see Wang, G., *TPEL June 2016 4440-4451*
- Xu, J.**, see Lin, S., *TPEL July 2016 5079-5088*
- Xu, J.**, see Zhang, X., *TPEL Sept. 2016 6686-6697*
- Xu, J.**, see Wu, Q., *TPEL Dec. 2016 8031-8036*
- Xu, L.**, see Gu, C., *TPEL Feb. 2016 915-927*
- Xu, L.**, see Han, Y., *TPEL May 2016 3932-3944*
- Xu, L.**, see Liu, Z., *TPEL June 2016 4005-4012*
- Xu, L.**, see Wang, K., *TPEL Aug. 2016 5389-5399*
- Xu, M.**, see Duan, F., *TPEL Oct. 2016 6870-6883*
- Xu, Q.**, Ma, F., Luo, A., He, Z., and Xiao, H., Analysis and Control of M3C-Based UPQC for Power Quality Improvement in Medium/High-Voltage Power Grid; *TPEL Dec. 2016 8182-8194*
- Xu, S.**, see Wu, X., *TPEL April 2016 2959-2969*
- Xu, S.**, see Lai, W., *TPEL Sept. 2016 6575-6585*
- Xu, T.**, see Wang, X., *TPEL March 2016 2002-2011*
- Xu, T.**, and Gao, F., Global Synchronous Pulse Width Modulation of Distributed Inverters; *TPEL Sept. 2016 6237-6253*
- Xu, W.**, see Xie, W., *TPEL Jan. 2016 849-860*
- Xu, X.**, see Liu, C., *TPEL Oct. 2016 6968-6979*
- Xu, Y.**, Chen, Y., Liu, C., and Gao, H., Piecewise Average-Value Model of PWM Converters With Applications to Large-Signal Transient Simulations; *TPEL Feb. 2016 1304-1321*
- Xu, Y.**, see Ye, Z., *TPEL April 2016 3227-3238*
- Xu, Y.**, see Chang, C., *TPEL Sept. 2016 6372-6382*
- Xu, Z.**, see Wang, C., *TPEL Aug. 2016 6031-6043*
- Xu, Z.**, see Zhao, Z., *TPEL Aug. 2016 5974-5991*
- Xue, D.**, see Liu, Z., *TPEL July 2016 5306-5320*
- Xue, L.**, see Wang, Y., *TPEL Aug. 2016 5547-5561*
- Xue, Y.**, see Shi, Y., *TPEL Jan. 2016 328-339*
- Xue, Z.**, see Fan, S., *TPEL May 2016 3663-3672*
- Y**
- Yamamoto, G.**, see Sato, M., *TPEL July 2016 5270-5278*
- Yamanishi, A.**, see Kurokawa, F., *TPEL Jan. 2016 871-883*
- Yan, J.D.**, see Wang, J., *TPEL Jan. 2016 743-757*
- Yan, J.D.**, see Wang, J., *TPEL May 2016 3898-3912*
- Yan, P.**, see Sun, Y., *TPEL Aug. 2016 5495-5502*
- Yan, Q.**, Wu, X., Yuan, X., and Geng, Y., An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor; *TPEL May 2016 3880-3897*
- Yan, Y.**, see Tian, S., *TPEL Feb. 2016 1734-1744*
- Yan, Y.**, see Xia, C., *TPEL March 2016 1811-1815*
- Yan, Y.**, Lee, F.C., Mattavelli, P., and Tian, S., Small Signal Analysis of  $V^2$  Control Using Equivalent Circuit Model of Current Mode Controls; *TPEL July 2016 5344-5353*
- Yang, B.**, see Chang, C., *TPEL March 2016 2362-2371*
- Yang, B.**, see Cao, J., *TPEL Sept. 2016 6217-6225*
- Yang, C.**, see Lin, J., *TPEL June 2016 4353-4361*
- Yang, C.**, see Zhang, J., *TPEL Aug. 2016 5515-5523*
- Yang, D.**, Chen, C., Duan, S., Cai, J., and Xiao, L., A Variable Duty Cycle Soft Startup Strategy for LLC Series Resonant Converter Based on Optimal Current-Limiting Curve; *TPEL Nov. 2016 7996-8006*
- Yang, G.**, see Zhou, C., *TPEL Feb. 2016 1367-1380*
- Yang, H.**, see Zhang, Y., *TPEL Feb. 2016 1381-1390*
- Yang, H.**, see Chen, H., *TPEL March 2016 2395-2408*
- Yang, H.**, see Zhang, Y., *TPEL Aug. 2016 6016-6030*
- Yang, J.**, see Wang, H., *TPEL Jan. 2016 533-547*
- Yang, J.**, see Sun, Y., *TPEL July 2016 4778-4794*
- Yang, J.**, see Sun, Y., *TPEL Aug. 2016 5423-5434*
- Yang, J.**, see Sun, Y., *TPEL Aug. 2016 5644-5654*
- Yang, K.**, Zhang, Q., Yuan, R., Yu, W., Yuan, J., and Wang, J., Selective Harmonic Elimination With Groebner Bases and Symmetric Polynomials; *TPEL April 2016 2742-2752*
- Yang, L.**, see Wang, J., *TPEL April 2016 3239-3251*
- Yang, P.**, see Zhao, Z., *TPEL Aug. 2016 5974-5991*
- Yang, P.**, see Guan, Q., *TPEL Dec. 2016 8247-8259*
- Yang, S.**, Liu, Y., Wang, X., Gunasekaran, D., Karki, U., and Peng, F.Z., Modulation and Control of Transformerless UPFC; *TPEL Feb. 2016 1050-1063*
- Yang, S.**, see Chen, W., *TPEL April 2016 3002-3015*
- Yang, S.**, see Van Tassel, B., *TPEL April 2016 2695-2708*
- Yang, S.**, Chiu, C., Chang, C., Chen, C., Meng, C., and Chen, K., 87% Overall High Efficiency and 11  $\mu$ A Ultra-Low Standby Current Derived by Overall Power Management in Laptops With Flexible Voltage Scaling and Dynamic Voltage Scaling Techniques; *TPEL April 2016 3118-3127*
- Yang, S.**, see Chen, Y., *TPEL July 2016 4916-4929*
- Yang, S.**, see Peng, F.Z., *TPEL Aug. 2016 5461-5472*
- Yang, S.**, see Liu, Y., *TPEL Sept. 2016 6092-6103*
- Yang, S.**, see Gan, C., *TPEL Oct. 2016 7248-7263*
- Yang, T.**, see Chan, S., *TPEL July 2016 5102-5112*
- Yang, T.**, see Su, Y., *TPEL Aug. 2016 5871-5884*
- Yang, X.**, see Wang, K., *TPEL Jan. 2016 635-647*
- Yang, X.**, Yuan, Y., Long, Z., Goncalves, J., and Palmer, P.R., Robust Stability Analysis of Active Voltage Control for High-power IGBT Switching by Kharitonov's Theorem; *TPEL March 2016 2584-2595*
- Yang, X.**, see Xing, Z., *TPEL April 2016 2753-2766*
- Yang, X.**, see Shi, Y., *TPEL May 2016 3431-3443*
- Yang, X.**, see Wang, P., *TPEL Sept. 2016 6658-6673*
- Yang, X.**, see Duan, F., *TPEL Oct. 2016 6870-6883*
- Yang, X.**, see Chen, W., *TPEL Dec. 2016 8205-8217*
- Yang, Y.**, see Zhang, D., *TPEL Jan. 2016 200-212*
- Yang, Y.**, see Sangwongwanich, A., *TPEL March 2016 1822-1825*
- Yang, Y.**, see Hadjdemetriou, L., *TPEL March 2016 2139-2149*
- Yang, Y.**, Davari, P., Zare, F., and Blaabjerg, F., A DC-Link Modulation Scheme With Phase-Shifted Current Control for Harmonic Cancellations in Multidrive Applications; *TPEL March 2016 1837-1840*
- Yang, Y.**, see Park, H., *TPEL June 2016 4484-4498*

- Yang, Y.**, Zhou, K., and Blaabjerg, F., Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters; *TPEL Oct. 2016 7273-7285*
- Yang, Y.**, see Reigosa, P.D., *TPEL Oct. 2016 7171-7182*
- Yao, C.**, see Zhang, X., *TPEL Nov. 2016 7849-7856*
- Yao, C.**, see Guo, F., *TPEL Dec. 2016 8237-8246*
- Yao, D.**, see Xing, Z., *TPEL April 2016 2753-2766*
- Yao, J.**, see Abramovitz, A., *TPEL Feb. 2016 1702-1716*
- Yao, K.**, Hu, X., Li, Q., and Yin, M., A Novel Control to Achieve Optimal Reduction of the E-Cap's Ripple Current for Discontinuous-Conduction Mode Boost PFC Converter; *TPEL June 2016 4331-4342*
- Yao, K.**, Tang, W., Bi, X., and Lyu, J., An Online Monitoring Scheme of DC-Link Capacitor's ESR and C for a Boost PFC Converter; *TPEL Aug. 2016 5944-5951*
- Yao, Y.**, see Duan, F., *TPEL Oct. 2016 6870-6883*
- Yaramasu, V.**, see Tan, L., *TPEL Jan. 2016 89-100*
- Yates, D.C.**, see Aldaher, S., *TPEL May 2016 3415-3430*
- Yates, D.C.**, see Aldaher, S., *TPEL Dec. 2016 8138-8150*
- Yau, Y.T.**, see Hwu, K.I., *TPEL June 2016 4362-4377*
- Yazdani, A.**, see Chaudhuri, N.R., *TPEL July 2016 5255-5269*
- Ye, J.**, see Peng, F., *TPEL Oct. 2016 7087-7098*
- Ye, M.**, see Zhao, L., *TPEL Sept. 2016 6494-6503*
- Ye, Z.**, see Wu, X., *TPEL April 2016 2959-2969*
- Ye, Z.**, Xu, Y., Wu, X., Tan, G., Deng, X., and Wang, Z., A Simplified PWM Strategy for a Neutral-Point-Clamped (NPC) Three-Level Converter With Unbalanced DC Links; *TPEL April 2016 3227-3238*
- Ye, Z.**, Sun, Y., Dai, X., Tang, C., Wang, Z., and Su, Y., Energy Efficiency Analysis of U-Coil Wireless Power Transfer System; *TPEL July 2016 4809-4817*
- Ye, Z.**, see Tan, G., *TPEL Sept. 2016 6698-6709*
- Yeo, T.**, see Quraan, M., *TPEL Jan. 2016 507-517*
- Yeon, C.**, see Kim, D., *TPEL Oct. 2016 6901-6909*
- Yepes, A.G.**, see Golestan, S., *TPEL Feb. 2016 1085-1094*
- Yepes, A.G.**, see Golestan, S., *TPEL May 2016 3517-3527*
- Yepes, A.G.**, see Golestan, S., *TPEL June 2016 4013-4019*
- Yepes, A.G.**, see Bancira, F., *TPEL July 2016 5141-5148*
- Yepes, A.G.**, see Lopez, O., *TPEL Dec. 2016 8151-8161*
- Yi, F.**, see Cai, W., *TPEL April 2016 3016-3026*
- Yi, F.**, and Cai, W., Modeling, Control, and Seamless Transition of the Bidirectional Battery-Driven Switched Reluctance Motor/Generator Drive Based on Integrated Multiport Power Converter for Electric Vehicle Applications; *TPEL Oct. 2016 7099-7111*
- Yi, F.**, and Cai, W., A Quasi-Z-Source Integrated Multiport Power Converter as Switched Reluctance Motor Drives for Capacitance Reduction and Wide-Speed-Range Operation; *TPEL Nov. 2016 7661-7676*
- Yi, H.**, Zhuo, F., Wang, F., and Wang, Z., A Digital Hysteresis Current Controller for Three-Level Neutral-Point-Clamped Inverter With Mixed-Levels and Prediction-Based Sampling; *TPEL May 2016 3945-3957*
- Yi, H.**, see Xiong, L., *TPEL Sept. 2016 6264-6280*
- Yin, H.**, see Zhao, C., *TPEL June 2016 3989-3993*
- Yin, J.**, Lin, D., Lee, C.K., Parisini, T., and Hui, S.Y., Front-end monitoring of multiple loads in wireless power transfer systems without wireless communication systems; *TPEL March 2016 2510-2517*
- Yin, J.**, Lin, D., Parisini, T., and Hui, S.Y., Front-End Monitoring of the Mutual Inductance and Load Resistance in a Series-Series Compensated Wireless Power Transfer System; *TPEL Oct. 2016 7339-7352*
- Yin, M.**, see Yao, K., *TPEL June 2016 4331-4342*
- Yoo, C.**, see Jeong, M., *TPEL Nov. 2016 7943-7952*
- You, H.**, see Xing, Z., *TPEL April 2016 2753-2766*
- You, Z.**, see Wu, T., *TPEL Aug. 2016 5587-5603*
- Youn, H.**, Park, J., Park, K., Baek, J., and Moon, G., A Digital Predictive Peak Current Control for Power Factor Correction With Low-Input Current Distortion; *TPEL Jan. 2016 900-912*
- Youn, H.**, Lee, J., Baek, J., and Moon, G., A Digital Phase Leading Filter Current Compensation (PLFCC) Technique for CCM Boost PFC Converter to Improve PF in High Line Voltage and Light Load Conditions; *TPEL Sept. 2016 6596-6606*
- Youssef, M.Z.**, Woronowicz, K., Aditya, K., Azeez, N.A., and Williamson, S.S., Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification; *TPEL April 2016 3036-3042*
- Yu, C.**, see Zhu, X., *TPEL Sept. 2016 6169-6175*
- Yu, S.**, Nguyen, M.Q., and Choi, W., A Novel Soft-Switching Battery Charge/Discharge Converter With the Zero Voltage Discharge Function; *TPEL July 2016 5067-5078*
- Yu, W.**, see Yang, K., *TPEL April 2016 2742-2752*
- Yu, Y.**, Konstantinou, G., Hredzak, B., and Agelidis, V.G., Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration; *TPEL Jan. 2016 292-303*
- Yu, Y.**, Konstantinou, G., Hredzak, B., and Agelidis, V.G., Power Balance Optimization of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration; *TPEL Feb. 2016 1108-1120*
- Yu, Y.**, see Sun, W., *TPEL March 2016 2609-2626*
- Yu, Y.**, see Townsend, C.D., *TPEL Aug. 2016 5574-5586*
- Yu, Y.**, see Wang, B., *TPEL Aug. 2016 5759-5773*
- Yu, Y.**, see Gonzalez-Santini, N.S., *TPEL Nov. 2016 7691-7700*
- Yuan, C.**, see Xing, Z., *TPEL April 2016 2753-2766*
- Yuan, J.**, see Yang, K., *TPEL April 2016 2742-2752*
- Yuan, J.**, see Chen, B., *TPEL June 2016 4159-4170*
- Yuan, L.**, see Zhang, Y., *TPEL May 2016 3472-3481*
- Yuan, Q.**, see Zeng, Z., *TPEL July 2016 4892-4905*
- Yuan, R.**, see Yang, K., *TPEL April 2016 2742-2752*
- Yuan, X.**, see Yan, Q., *TPEL May 2016 3880-3897*
- Yuan, Y.**, see Yang, X., *TPEL March 2016 2584-2595*
- Yuen, K.K.**, see Fan, W., *TPEL March 2016 2053-2068*
- Yuzurihara, I.**, see Shamsch, M.B., *TPEL Oct. 2016 6787-6791*

## Z

- Zabaleta, M.**, Burguete, E., Madariaga, D., Zubimendi, I., Zubiaga, M., and Larrazabal, I., LCL Grid Filter Design of a Multimegawatt Medium-Voltage Converter for Offshore Wind Turbine Using SHEPWM Modulation; *TPEL March 2016 1993-2001*
- Zamiry, E.**, see Barzegarkhoo, R., *TPEL Aug. 2016 5604-5617*
- Zamora-Macho, J.L.**, see Roldan-Perez, J., *TPEL Oct. 2016 7328-7338*
- Zane, R.**, see Evzelman, M., *TPEL Nov. 2016 7887-7895*
- Zaragoza, J.**, see Picas, R., *TPEL Jan. 2016 177-187*
- Zaragoza, J.**, see Lopez, I., *TPEL Feb. 2016 928-941*
- Zaragoza, J.**, see Konstantinou, G., *TPEL Nov. 2016 7761-7769*
- Zare, F.**, see Yang, Y., *TPEL March 2016 1837-1840*
- Zargari, N.R.**, see Tian, K., *TPEL Jan. 2016 839-848*
- Zargari, N.R.**, see Dekka, A., *TPEL Feb. 2016 952-963*
- Zargari, N.R.**, see Narimani, M., *TPEL March 2016 1959-1967*
- Zargari, N.R.**, see Tian, K., *TPEL July 2016 5321-5329*
- Zargari, N.R.**, see Lian, Y., *TPEL Aug. 2016 5721-5731*
- Zargari, N.R.**, see Wei, Q., *TPEL Sept. 2016 6144-6154*
- Zdanowski, M.**, Pefitsis, D., Piasecki, S., and Rabkowski, J., On the Design Process of a 6-kVA Quasi-Z-inverter Employing SiC Power Devices; *TPEL Nov. 2016 7499-7508*
- Zeineldin, H.H.**, see Rauf, A.M., *TPEL Oct. 2016 6937-6946*
- Zeng, H.**, see Nian, H., *TPEL Jan. 2016 711-720*
- Zeng, H.**, see Gonzalez-Santini, N.S., *TPEL Nov. 2016 7691-7700*
- Zeng, X.**, see Wang, K., *TPEL Jan. 2016 635-647*
- Zeng, Z.**, Zheng, W., Zhao, R., Zhu, C., and Yuan, Q., Modeling, Modulation, and Control of the Three-Phase Four-Switch PWM Rectifier Under Balanced Voltage; *TPEL July 2016 4892-4905*
- Zhan, H.**, see Lambert, S.M., *TPEL Feb. 2016 1334-1343*
- Zhang, B.**, see Li, Z., *TPEL June 2016 4499-4508*
- Zhang, B.**, see Hang, J., *TPEL July 2016 4710-4719*
- Zhang, C.**, see Chen, B., *TPEL June 2016 4159-4170*
- Zhang, C.**, Guerrero, J.M., Vasquez, J.C., and Coelho, E.A.A., Control Architecture for Parallel-Connected Inverters in Uninterruptible Power Systems; *TPEL July 2016 5176-5188*
- Zhang, C.**, Lin, D., and Hui, S.Y., Basic Control Principles of Omnidirectional Wireless Power Transfer; *TPEL July 2016 5215-5227*

- Zhang, C.**, *see* Ho, G.K.Y., *TPEL Sept. 2016 6450-6460*
- Zhang, D.**, Zhang, Z., Wang, W., and Yang, Y., Negative Sequence Current Optimizing Control Based on Railway Static Power Conditioner in V/v Traction Power Supply System; *TPEL Jan. 2016 200-212*
- Zhang, D.**, *see* Zhu, H., *TPEL March 2016 2174-2186*
- Zhang, D.**, *see* Wang, L., *TPEL April 2016 3289-3301*
- Zhang, D.**, *see* Liu, M., *TPEL May 2016 3673-3689*
- Zhang, D.**, *see* Tria, L.A.R., *TPEL Sept. 2016 6534-6542*
- Zhang, D.**, *see* Shi, K., *TPEL Nov. 2016 7747-7760*
- Zhang, D.**, *see* Shi, K., *TPEL Nov. 2016 7747-7760*
- Zhang, F.**, *see* Zhang, J., *TPEL Aug. 2016 5515-5523*
- Zhang, G.**, *see* Wang, H., *TPEL Jan. 2016 533-547*
- Zhang, G.**, Wang, G., Xu, D., and Zhao, N., ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives; *TPEL Feb. 2016 1450-1460*
- Zhang, G.**, *see* Ni, R., *TPEL May 2016 3717-3727*
- Zhang, H.**, *see* Lu, F., *TPEL Dec. 2016 8471-8482*
- Zhang, H.**, Lu, F., Hofmann, H., Liu, W., and Mi, C.C., A Four-Plate Compact Capacitive Coupler Design and LCL-Compensated Topology for Capacitive Power Transfer in Electric Vehicle Charging Application; *TPEL Dec. 2016 8541-8551*
- Zhang, J.**, *see* Feeney, C., *TPEL Feb. 2016 1472-1478*
- Zhang, J.**, *see* Wang, W., *TPEL Feb. 2016 1588-1599*
- Zhang, J.**, *see* Jiang, T., *TPEL March 2016 2213-2225*
- Zhang, J.**, *see* Hu, Y., *TPEL June 2016 4654-4668*
- Zhang, J.**, *see* Li, Z., *TPEL June 2016 4499-4508*
- Zhang, J.**, *see* Hang, J., *TPEL July 2016 4710-4719*
- Zhang, J.**, *see* Wu, H., *TPEL July 2016 4847-4860*
- Zhang, J.**, *see* Hang, J., *TPEL July 2016 4697-4709*
- Zhang, J.**, Li, P., Wen, Y., Zhang, F., and Yang, C., A Management Circuit with Upconversion Oscillation Technology for Electric-Field Energy Harvesting; *TPEL Aug. 2016 5515-5523*
- Zhang, J.C.**, *see* Zhao, S.L., *TPEL Feb. 2016 1517-1527*
- Zhang, L.**, Born, R., Gu, B., Chen, B., Zheng, C., Zhao, X., Lai, J.-S., A sensorless implementation of the parabolic current control for single-phase stand-alone inverters; *TPEL May 2016 3913-3921*
- Zhang, L.**, Sun, K., Xing, Y., and Zhao, J., A Family of Five-Level Dual-Buck Full-Bridge Inverters for Grid-Tied Applications; *TPEL Oct. 2016 7029-7042*
- Zhang, L.**, Born, R., Zhao, X., Gu, B., Lai, J., and Ma, H., A Parabolic Voltage Control Strategy for Burst-Mode Converters With Constant Burst Frequency and Eliminated Audible Noise; *TPEL Dec. 2016 8572-8580*
- Zhang, M.**, *see* Shi, K., *TPEL Nov. 2016 7747-7760*
- Zhang, Q.**, *see* Yang, K., *TPEL April 2016 2742-2752*
- Zhang, Q.**, *see* Dong, S., *TPEL Nov. 2016 7592-7597*
- Zhang, R.**, *see* Zhou, R., *TPEL Oct. 2016 7131-7147*
- Zhang, S.**, *see* Zhu, J., *TPEL Jan. 2016 518-523*
- Zhang, S.**, *see* Peng, F.Z., *TPEL Aug. 2016 5461-5472*
- Zhang, W.**, Huang, X., Liu, Z., Lee, F.C., She, S., Du, W., and Li, Q., A New Package of High-Voltage Cascade Gallium Nitride Device for Megahertz Operation; *TPEL Feb. 2016 1344-1353*
- Zhang, W.**, *see* Chen, W., *TPEL Dec. 2016 8205-8217*
- Zhang, X.**, *see* Ming, W., *TPEL Feb. 2016 1618-1632*
- Zhang, X.**, Zhong, Q., and Ming, W., Stabilization of a Cascaded DC Converter System via Adding a Virtual Adaptive Parallel Impedance to the Input of the Load Converter; *TPEL March 2016 1826-1832*
- Zhang, X.**, and Li, Z., Sliding-Mode Observer-Based Mechanical Parameter Estimation for Permanent Magnet Synchronous Motor; *TPEL Aug. 2016 5732-5745*
- Zhang, X.**, Xu, J., Bao, B., and Zhou, G., Asynchronous-Switching Map-Based Stability Effects of Circuit Parameters in Fixed Off-Time Controlled Buck Converter; *TPEL Sept. 2016 6686-6697*
- Zhang, X.**, *see* Li, Y., *TPEL Sept. 2016 6341-6350*
- Zhang, X.**, Zhong, Q., and Ming, W., Stabilization of Cascaded DC/DC Converters via Adaptive Series-Virtual-Impedance Control of the Load Converter; *TPEL Sept. 2016 6057-6063*
- Zhang, X.**, *see* Foo, G.H.B., *TPEL Sept. 2016 6485-6493*
- Zhang, X.**, *see* Do, H.T., *TPEL Oct. 2016 6955-6967*
- Zhang, X.**, *see* Chu, E., *TPEL Oct. 2016 6855-6869*
- Zhang, X.**, Yao, C., and Wang, J., A Quasi-Switched-Capacitor Resonant Converter; *TPEL Nov. 2016 7849-7856*
- Zhang, X.**, and Zhong, Q., Improved Adaptive-Series-Virtual-Impedance Control Incorporating Minimum Ripple Point Tracking for Load Converters in DC Systems; *TPEL Dec. 2016 8088-8095*
- Zhang, X.**, *see* Guo, F., *TPEL Dec. 2016 8237-8246*
- Zhang, X.**, *see* Zhao, J., *TPEL Dec. 2016 8343-8358*
- Zhang, X.**, Zhong, Q., and Ming, W., A Virtual RLC Damper to Stabilize DC/DC Converters Having an LC Input Filter while Improving the Filter Performance; *TPEL Dec. 2016 8017-8023*
- Zhang, Y.**, *see* Zhu, J., *TPEL Jan. 2016 518-523*
- Zhang, Y.**, *see* Zhang, Z., *TPEL Jan. 2016 304-317*
- Zhang, Y.**, and Yang, H., Two-Vector-Based Model Predictive Torque Control Without Weighting Factors for Induction Motor Drives; *TPEL Feb. 2016 1381-1390*
- Zhang, Y.**, Chen, K., He, F., Zhao, Z., Lu, T., and Yuan, L., Closed-Form Oriented Modeling and Analysis of Wireless Power Transfer System With Constant-Voltage Source and Load; *TPEL May 2016 3472-3481*
- Zhang, Y.**, *see* Liu, Z., *TPEL May 2016 3859-3866*
- Zhang, Y.**, *see* Lian, Y., *TPEL Aug. 2016 5721-5731*
- Zhang, Y.**, Peng, Y., and Yang, H., Performance Improvement of Two-Vectors-Based Model Predictive Control of PWM Rectifier; *TPEL Aug. 2016 6016-6030*
- Zhang, Y.**, Rodriguez, M., and Maksimovic, D., Very High Frequency PWM Buck Converters Using Monolithic GaN Half-Bridge Power Stages With Integrated Gate Drivers; *TPEL Nov. 2016 7926-7942*
- Zhang, Z.**, *see* Zhang, D., *TPEL Jan. 2016 200-212*
- Zhang, Z.**, Wang, F., Sun, T., Rodriguez, J., and Kennel, R., FPGA-Based Experimental Investigation of a Quasi-Centralized Model Predictive Control for Back-to-Back Converters; *TPEL Jan. 2016 662-674*
- Zhang, Z.**, Cai, Y., Zhang, Y., Gu, D., and Liu, Y., A Distributed Architecture Based on Microbank Modules With Self-Reconfiguration Control to Improve the Energy Efficiency in the Battery Energy Storage System; *TPEL Jan. 2016 304-317*
- Zhang, Z.**, *see* Huang, L., *TPEL Jan. 2016 470-487*
- Zhang, Z.**, Lin, J., Zhou, Y., and Ren, X., Analysis and Decoupling Design of a 30 MHz Resonant SEPIC Converter; *TPEL June 2016 4536-4548*
- Zhang, Z.**, *see* Thummala, P., *TPEL Aug. 2016 5786-5796*
- Zhang, Z.**, *see* Li, Y., *TPEL Sept. 2016 6341-6350*
- Zhang, Z.**, Wei, C., Qiao, W., and Qu, L., Adaptive Saturation Controller-Based Direct Torque Control for Permanent-Magnet Synchronous Machines; *TPEL Oct. 2016 7112-7122*
- Zhang, Z.**, *see* Wei, C., *TPEL Nov. 2016 7837-7848*
- Zhang, Z.**, *see* Ren, X., *TPEL Dec. 2016 8317-8328*
- Zhang, Z.**, *see* Thummala, P., *TPEL Dec. 2016 8500-8516*
- Zhao, B.**, Song, Q., Liu, W., and Zhao, Y., Transient DC Bias and Current Impact Effects of High-Frequency-Isolated Bidirectional DC-DC Converter in Practice; *TPEL April 2016 3203-3216*
- Zhao, B.**, *see* Abramovitz, A., *TPEL May 2016 3550-3558*
- Zhao, B.**, Song, Q., Li, J., Liu, W., Liu, G., and Zhao, Y., High-Frequency-Link DC Transformer Based on Switched Capacitor for Medium-Voltage DC Power Distribution Application; *TPEL July 2016 4766-4777*
- Zhao, C.**, *see* Xie, X., *TPEL Jan. 2016 430-442*
- Zhao, C.**, *see* Xu, J., *TPEL April 2016 2720-2729*
- Zhao, C.**, Yin, H., and Ma, C., Quantitative Evaluation of LiFePO<sub>4</sub> Battery Cycle Life Improvement Using Ultracapacitors; *TPEL June 2016 3989-3993*
- Zhao, F.**, *see* Qiu, T., *TPEL March 2016 2530-2538*
- Zhao, H.**, Jin, T., Wang, S., and Sun, L., A Real-Time Selective Harmonic Elimination Based on a Transient-Free Inner Closed-Loop Control for Cascaded Multilevel Inverters; *TPEL Feb. 2016 1000-1014*
- Zhao, J.**, *see* Wu, F., *TPEL Feb. 2016 1425-1437*
- Zhao, J.**, *see* Zhao, Z., *TPEL April 2016 3189-3202*
- Zhao, J.**, *see* Meng, T., *TPEL Sept. 2016 6383-6393*
- Zhao, J.**, *see* Zhang, L., *TPEL Oct. 2016 7029-7042*

- Zhao, J.**, Cai, T., Duan, S., Feng, H., Chen, C., and Zhang, X., A General Design Method of Primary Compensation Network for Dynamic WPT System Maintaining Stable Transmission Power; *TPEL Dec. 2016 8343-8358*
- Zhao, L.**, Huang, J., Chen, J., and Ye, M., A Parallel Speed and Rotor Time Constant Identification Scheme for Indirect Field Oriented Induction Motor Drives; *TPEL Sept. 2016 6494-6503*
- Zhao, M.**, see Wang, L., *TPEL Jan. 2016 793-805*
- Zhao, N.**, see Zhang, G., *TPEL Feb. 2016 1450-1460*
- Zhao, N.**, see Wang, G., *TPEL June 2016 4440-4451*
- Zhao, P.**, see Xu, J., *TPEL April 2016 2720-2729*
- Zhao, R.**, see Zeng, Z., *TPEL July 2016 4892-4905*
- Zhao, R.**, see Peng, H., *TPEL Nov. 2016 7809-7822*
- Zhao, S.**, Molina, J.M., Silva, M., Oliver, J.A., Alou, P., Torres, J., Arevalo, F., Garcia, O., and Cobos, J.A., Design of Energy Control Method for Three-Phase Buck-Type Rectifier With Very Demanding Load Steps to Achieve Smooth Input Currents; *TPEL April 2016 3217-3226*
- Zhao, S.L.**, Hou, B., Chen, W.W., Mi, M.H., Zheng, J.X., Zhang, J.C., Ma, X.H., and Hao, Y., Analysis of the Breakdown Characterization Method in GaN-Based HEMTs; *TPEL Feb. 2016 1517-1527*
- Zhao, W.**, see Liu, G., *TPEL Sept. 2016 6621-6630*
- Zhao, X.**, see Meng, L., *TPEL Jan. 2016 827-838*
- Zhao, X.**, see Zhang, L., *TPEL May 2016 3913-3921*
- Zhao, X.**, see Han, Y., *TPEL May 2016 3932-3944*
- Zhao, X.**, see Guan, Y., *TPEL June 2016 4576-4593*
- Zhao, X.**, see Chang, C., *TPEL Sept. 2016 6372-6382*
- Zhao, X.**, see Zhang, L., *TPEL Dec. 2016 8572-8580*
- Zhao, Y.**, see Zhu, Y., *TPEL April 2016 2890-2904*
- Zhao, Y.**, see Zhao, B., *TPEL April 2016 3203-3216*
- Zhao, Y.**, see Zhao, B., *TPEL July 2016 4766-4777*
- Zhao, Y.**, see Wang, B., *TPEL Aug. 2016 5759-5773*
- Zhao, Z.**, see Lu, S., *TPEL Jan. 2016 120-134*
- Zhao, Z.**, Zhao, J., and Huang, C., An Improved Capacitor Voltage-Balancing Method for Five-Level Diode-Clamped Converters With High Modulation Index and High Power Factor; *TPEL April 2016 3189-3202*
- Zhao, Z.**, see Zhang, Y., *TPEL May 2016 3472-3481*
- Zhao, Z.**, Yang, P., Guerrero, J.M., Xu, Z., and Green, T.C., Multiple-Time-Scales Hierarchical Frequency Stability Control Strategy of Medium-Voltage Isolated Microgrid; *TPEL Aug. 2016 5974-5991*
- Zheng, C.**, see Zhang, L., *TPEL May 2016 3913-3921*
- Zheng, C.**, see Ma, H., *TPEL Aug. 2016 5825-5836*
- Zheng, J.X.**, see Zhao, S.L., *TPEL Feb. 2016 1517-1527*
- Zheng, R.**, see Li, Q., *TPEL Sept. 2016 6756-6764*
- Zheng, S.**, see Song, X., *TPEL Feb. 2016 1438-1449*
- Zheng, S.**, see Liu, G., *TPEL July 2016 4669-4683*
- Zheng, W.**, see Zeng, Z., *TPEL July 2016 4892-4905*
- Zheng, X.**, see Wang, C., *TPEL Aug. 2016 6031-6043*
- Zheng, Y.**, see Neacsu, D.O., *TPEL Jan. 2016 39-51*
- Zheng, Y.**, Ho, M., Guo, J., Mak, K., and Leung, K.N., A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Autophase Allocation; *TPEL March 2016 2296-2313*
- Zheng, Y.**, see Ho, M., *TPEL Sept. 2016 6362-6371*
- Zheng, Y.**, Ho, M., Guo, J., and Leung, K.N., A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Tail-Current Control; *TPEL Nov. 2016 7857-7875*
- Zheng, Z.**, see Gu, C., *TPEL Feb. 2016 915-927*
- Zheng, Z.**, see Liu, Z., *TPEL June 2016 4005-4012*
- Zheng, Z.**, see Wang, K., *TPEL Aug. 2016 5389-5399*
- Zheng, Z.**, see Liu, Z., *TPEL Sept. 2016 6631-6645*
- Zheng Peng, F.**, see Cha, H., *TPEL Nov. 2016 7471-7479*
- Zhi, Y.**, see Liu, C., *TPEL Feb. 2016 1131-1142*
- Zhong, Q.**, see Ming, W., *TPEL Feb. 2016 1618-1632*
- Zhong, Q.**, see Zhang, X., *TPEL March 2016 1826-1832*
- Zhong, Q.**, see Zhang, X., *TPEL Sept. 2016 6057-6063*
- Zhong, Q.**, see Zhang, X., *TPEL Dec. 2016 8088-8095*
- Zhong, Q.**, and Ming, W., A  $\theta$ -Converter That Reduces Common Mode Currents, Output Voltage Ripples, and Total Capacitance Required; *TPEL Dec. 2016 8435-8447*
- Zhong, Q.**, see Zhang, X., *TPEL Dec. 2016 8017-8023*
- Zhou, B.**, see Lei, J., *TPEL Jan. 2016 21-25*
- Zhou, C.**, Yang, G., and Su, J., PWM Strategy With Minimum Harmonic Distortion for Dual Three-Phase Permanent-Magnet Synchronous Motor Drives Operating in the Overmodulation Region; *TPEL Feb. 2016 1367-1380*
- Zhou, G.**, see Zhang, X., *TPEL Sept. 2016 6686-6697*
- Zhou, K.**, see Liu, T., *TPEL March 2016 2669-2679*
- Zhou, K.**, see Yang, Y., *TPEL Oct. 2016 7273-7285*
- Zhou, L.**, see Song, W., *TPEL Jan. 2016 721-732*
- Zhou, L.**, see Chen, Y., *TPEL Aug. 2016 5524-5537*
- Zhou, R.**, Chung, H.S., and Zhang, R., An Inductive Power Transfer System for Driving Multiple OLED Light Panels; *TPEL Oct. 2016 7131-7147*
- Zhou, Y.**, see Nian, H., *TPEL Jan. 2016 711-720*
- Zhou, Y.**, see Hong, F., *TPEL Feb. 2016 964-974*
- Zhou, Y.**, Li, H., and Li, H., A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control; *TPEL March 2016 2166-2173*
- Zhou, Y.**, see Zhang, Z., *TPEL June 2016 4536-4548*
- Zhou, Y.**, Huang, W., and Hong, F., Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter; *TPEL Oct. 2016 7043-7052*
- Zhou, Y.**, see Ren, X., *TPEL Dec. 2016 8317-8328*
- Zhou, Z.**, see Zhu, H., *TPEL March 2016 2174-2186*
- Zhou, Z.**, see Liu, M., *TPEL May 2016 3673-3689*
- Zhou, Z.**, see Shi, K., *TPEL Nov. 2016 7747-7760*
- Zhu, C.**, see Zeng, Z., *TPEL July 2016 4892-4905*
- Zhu, D.**, see Huang, Q., *TPEL March 2016 2150-2165*
- Zhu, H.**, Zhang, D., Liu, Q., and Zhou, Z., Three-Port DC/DC Converter With All Ports Current Ripple Cancellation Using Integrated Magnetic Technique; *TPEL March 2016 2174-2186*
- Zhu, J.**, Sun, W., Zhang, Y., Lu, S., Shi, L., Zhang, S., and Su, W., An Integrated Bootstrap Diode Emulator for 600-V High Voltage Gate Drive IC With P-Sub/P-Epi Technology; *TPEL Jan. 2016 518-523*
- Zhu, J.**, see Cove, S.R., *TPEL Sept. 2016 6524-6533*
- Zhu, M.**, see Xiong, L., *TPEL March 2016 1847-1851*
- Zhu, M.**, see Xiong, L., *TPEL Sept. 2016 6264-6280*
- Zhu, N.**, see Chen, W., *TPEL Feb. 2016 1143-1160*
- Zhu, N.**, see Chen, W., *TPEL July 2016 4831-4846*
- Zhu, R.**, Chen, Z., Tang, Y., Deng, F., and Wu, X., Dual-Loop Control Strategy for DFIG-Based Wind Turbines Under Grid Voltage Disturbances; *TPEL March 2016 2239-2253*
- Zhu, X.**, Su, X., Tai, H., Fu, Z., and Yu, C., Bipolar Steep Pulse Current Source for Highly Inductive Load; *TPEL Sept. 2016 6169-6175*
- Zhu, Y.**, Zhuo, F., Wang, F., Liu, B., Gou, R., and Zhao, Y., A Virtual Impedance Optimization Method for Reactive Power Sharing in Networked Microgrid; *TPEL April 2016 2890-2904*
- Zhu, Z.**, see Chang, Y., *TPEL Sept. 2016 6504-6510*
- Zhu, Z.Q.**, see Nian, H., *TPEL April 2016 2905-2918*
- Zhu, Z.Q.**, see Li, D., *TPEL June 2016 4148-4158*
- Zhuo, F.**, see Xiong, L., *TPEL March 2016 1847-1851*
- Zhuo, F.**, see Zhu, Y., *TPEL April 2016 2890-2904*
- Zhuo, F.**, see Yi, H., *TPEL May 2016 3945-3957*
- Zhuo, F.**, see Xiong, L., *TPEL Sept. 2016 6264-6280*
- Zio, E.**, see Rigamonti, M., *TPEL Feb. 2016 1567-1575*
- Zio, E.**, see Astigarraga, D., *TPEL Nov. 2016 7953-7962*
- Zolghadri, M.R.**, see Valipour, H., *TPEL Sept. 2016 6553-6561*
- Zong, S.**, see Li, W., *TPEL March 2016 1908-1920*
- Zong, S.**, Luo, H., Li, W., Deng, Y., and He, X., Asymmetrical Duty Cycle-Controlled LLC Resonant Converter With Equivalent Switching Frequency Doubler; *TPEL July 2016 4963-4973*
- Zou, J.**, see Wang, J., *TPEL Jan. 2016 743-757*
- Zou, J.**, see Chen, Y., *TPEL July 2016 4916-4929*
- Zou, J.**, see Huang, M., *TPEL Oct. 2016 7404-7416*
- Zou, X.**, see Huang, Q., *TPEL March 2016 2150-2165*
- Zou, X.**, see Ren, X., *TPEL Dec. 2016 8317-8328*
- Zou, Z.**, see Song, Z., *TPEL Jan. 2016 698-710*
- Zubiaga, M.**, see Zabaleta, M., *TPEL March 2016 1993-2001*

**Zubimendi, I.**, see Zabaleta, M., *TPEL March 2016 1993-2001*  
**Zuckerberger, A.**, see Dagan, K.J., *TPEL Feb. 2016 1401-1407*

## Subject Index

### Numeric

#### II-VI semiconductors

A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage. *Guo, F.*, +, *TPEL Dec. 2016 8237-8246*

#### III-V semiconductors

A Fully Integrated Inductor-Based GaN Boost Converter With Self-Generated Switching Signal for Vehicular Applications. *Choi, P.*, +, *TPEL Aug. 2016 5365-5368*

A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*

A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*

An Analytical Switching Process Model of Low-Voltage eGaN HEMTs for Loss Calculation. *Wang, K.*, +, *TPEL Jan. 2016 635-647*

Analysis of the Breakdown Characterization Method in GaN-Based HEMTs. *Zhao, S.L.*, +, *TPEL Feb. 2016 1517-1527*

Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*

Bootstrap Voltage and Dead Time Behavior in GaN DC-DC Buck Converter With a Negative Gate Voltage. *Roschatt, P.M.*, +, *TPEL Oct. 2016 7161-7170*

Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*

High-Frequency High-Efficiency GaN-Based Interleaved CRM Bidirectional Buck/Boost Converter with Inverse Coupled Inductor. *Huang, X.*, +, *TPEL June 2016 4343-4352*

Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*

### A

#### AC machines

Estimation Method of Stator Winding Temperature for Dual Three-Phase Machines Based on DC-Signal Injection. *Baneira, F.*, +, *TPEL July 2016 5141-5148*

Single-Phase On-Board Integrated Battery Chargers for EVs Based on Multiphase Machines. *Subotic, I.*, +, *TPEL Sept. 2016 6511-6523*

#### AC motor drives

Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter. *Zhou, Y.*, +, *TPEL Oct. 2016 7043-7052*

#### AC motors

Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction. *Song, W.*, +, *TPEL Jan. 2016 721-732*

#### AC-AC power converters

A DSVM Method for Matrix Converters to Suppress Common-mode Voltage With Reduced Switching Losses. *Nguyen, H.*, +, *TPEL June 2016 4020-4030*

A Family of High-Frequency Isolated Single-Phase Z-Source AC-AC Converters With Safe-Commutation Strategy. *Ahmed, H.F.*, +, *TPEL Nov. 2016 7522-7533*

A Maximum Power Density Design Method for Nine Switches Matrix Converter Using SiC-MOSFET. *Koiwa, K.*, +, *TPEL Feb. 2016 1189-1202*

A Novel Buck-Boost AC-AC Converter With Both Inverting and Noninverting Operations and Without Commutation Problem. *Ahmed, H.F.*, +, *TPEL June 2016 4241-4251*

An AC Z-Source Converter Based on Gamma Structure With Safe-Commutation Strategy. *Banaei, M.R.*, +, *TPEL Feb. 2016 1255-1262*

DC-DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W.*, *TPEL Aug. 2016 5400-5410*

Elimination of Filter Inductor in Switching Cell AC-AC Converters Using Magnetic Integration. *Khan, A.A.*, +, *TPEL Sept. 2016 6317-6326*

High-Efficiency Single-Phase AC-AC Converters Without Commutation Problem. *Khan, A.A.*, +, *TPEL Aug. 2016 5655-5665*

Magnetic Integration of Discrete-Coupled Inductors in Single-Phase Direct PWM AC-AC Converters. *Khan, A.A.*, +, *TPEL March 2016 2129-2138*

New Magnetically Coupled Impedance (Z-) Source Networks. *Siwakoti, Y.P.*, +, *TPEL Nov. 2016 7419-7435*

#### AC-DC power converters

A Direct AC-DC and DC-DC Cross-Source Energy Harvesting Circuit with Analog Iterating-Based MPPT Technique with 72.5% Conversion Efficiency and 94.6% Tracking Efficiency. *Chen, S.*, +, *TPEL Aug. 2016 5885-5899*

A Double-Loop Primary-Side Control Structure for HB-LED Power Regulation. *Shagerdmootaab, A.*, +, *TPEL March 2016 2476-2484*

A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC-DC Driver for Supplying Multiple LED Strings in Parallel. *Ma, H.*, +, *TPEL Aug. 2016 5825-5836*

A High-Precision CV/CC AC-DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*

A High-Voltage SiC-Based Boost PFC for LED Applications. *Leon-Masich, A.*, +, *TPEL Feb. 2016 1633-1642*

A Multiinput Bridgeless Resonant AC-DC Converter for Electromagnetic Energy Harvesting. *Tang, Y.*, +, *TPEL March 2016 2254-2263*

A novel three-phase current source rectifier with delta-type input connection to reduce the device conduction loss. *Guo, B.*, +, *TPEL Feb. 2016 1074-1084*

A Novel Transformer-less Interleaved Four-Phase Step-Down DC Converter With Low Switch Voltage Stress and Automatic Uniform Current-Sharing Characteristics. *Chuang, C.*, +, *TPEL Jan. 2016 406-417*

A Three-Phase Bidirectional AC/DC Converter With Y- $\Delta$  Connected Transformers. *Gu, L.*, +, *TPEL Dec. 2016 8115-8125*

An Integrated High-Power-Factor Converter With ZVS Transition. *Chang, C.*, +, *TPEL March 2016 2362-2371*

Combined Phase-Shift and Frequency Modulation of a Dual-Active-Bridge AC-DC Converter With PFC. *Jauch, F.*, +, *TPEL Dec. 2016 8387-8397*

Control and Modulation of Bidirectional Single-Phase AC-DC Three-Phase-Leg SPWM Converters With Active Power Decoupling and Minimal Storage Capacitance. *Wu, H.*, +, *TPEL June 2016 4226-4240*

Control Architecture for Parallel-Connected Inverters in Uninterruptible Power Systems. *Zhang, C.*, +, *TPEL July 2016 5176-5188*

Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*

DC-DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W.*, *TPEL Aug. 2016 5400-5410*

Design of AC-DC PFC High-Order Converters With Regulated Output Current for Low-Power Applications. *Bodetto, M.*, +, *TPEL March 2016 2012-2025*

Hybrid Modulation Scheme for a High-Frequency AC-Link Inverter. *Mazumder, S.K.*, *TPEL Jan. 2016 861-870*

Integration of an Active Filter and a Single-Phase AC/DC Converter With Reduced Capacitance Requirement and Component Count. *Li, S.*, +, *TPEL June 2016 4121-4137*

Interleaved Digital Power Factor Correction Based on the Sliding-Mode Approach. *Marcos-Pastor, A.*, +, *TPEL June 2016 4641-4653*

Magnetic-Coupling Current-Balancing Cells Based Input-Parallel Output-Parallel LLC Resonant Converter Modules for High-Frequency Isolation of DC Distribution Systems. *Liu, C.*, +, *TPEL Oct. 2016 6968-6979*

Modulation Schemes With Enhanced Switch Thermal Distribution for Single-Phase AC-DC-AC Reduced-Switch Converters. *Qin, Z.*, +, *TPEL April 2016 3302-3313*

New AC-DC Power Factor Correction Architecture Suitable for High-Frequency Operation. *Lim, S.*, +, *TPEL April 2016 2937-2949*

Piecewise Average-Value Model of PWM Converters With Applications to Large-Signal Transient Simulations. *Xu, Y.*, +, *TPEL Feb. 2016 1304-1321*

Single-Phase to Three-Phase Converters With Two Parallel Single-Phase Rectifiers and Reduced Switch Count. *Rocha, N.*, +, *TPEL May 2016 3704-3716*

Single-Stage AC/DC Single-Inductor Multiple-Output LED Drivers. *Guo, Y.*, +, *TPEL Aug. 2016 5837-5850*

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

#### Active filters

Dynamic Control and Analysis of DC-Capacitor Voltage Fluctuations in Three-Phase Active Power Filters. *Mannen, T.*, +, *TPEL Sept. 2016 6710-6718*

Fourth-Arm Common-Mode Voltage Mitigation. *Dagan, K.J.*, +, *TPEL Feb. 2016 1401-1407*

Integration of an Active Filter and a Single-Phase AC/DC Converter With Reduced Capacitance Requirement and Component Count. *Li, S.*, +, *TPEL June 2016 4121-4137*

Modeling and Stability Analysis of Active/Hybrid Common-Mode EMI Filters for DC/DC Power Converters. *Chu, Y.*, +, *TPEL Sept. 2016 6254-6263*

Switched-Mode Active Decoupling Capacitor Allowing Volume Reduction of the High-Voltage DC Filters. *Michal, V.*, *TPEL Sept. 2016 6104-6111*

Transformerless Single-Phase Universal Active Filter With UPS Features and Reduced Number of Electronic Power Switches. *Santos, W.R.N.*, +, *TPEL June 2016 4111-4120*

Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators. *Ketzer, M.B.*, +, *TPEL July 2016 4818-4830*

#### Adaptive control

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*

Adaptive  $Q$ - $V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. *Kim, J.*, +, *TPEL May 2016 3586-3599*

Adaptive DC-Link Voltage Control of Two-Stage Photovoltaic Inverter During Low Voltage Ride-Through Operation. *Ding, G.*, +, *TPEL June 2016 4182-4194*

Adaptive Ramp Technique for Controlling Chaos and Subharmonic Oscillations in DC-DC Power Converters. *Morcillo, J.D.*, +, *TPEL July 2016 5330-5343*

Adaptive Saturation Controller-Based Direct Torque Control for Permanent-Magnet Synchronous Machines. *Zhang, Z.*, +, *TPEL Oct. 2016 7112-7122*

All-Digital Low-Dropout Regulator With Adaptive Control and Reduced Dynamic Stability for Digital Load Circuits. *Nasir, S.B.*, +, *TPEL Dec. 2016 8293-8302*

An NMOS-LDO Regulated Switched-Capacitor DC-DC Converter With Fast-Response Adaptive-Phase Digital Control. *Lu, Y.*, +, *TPEL Feb. 2016 1294-1303*

Analysis on Load-Adaptive Phase-Shift Control for High Efficiency Full-Bridge LLC Resonant Converter Under Light-Load Conditions. *Kim, J.*, +, *TPEL July 2016 4942-4955*

Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters. *Yang, Y.*, +, *TPEL Oct. 2016 7273-7285*

Improved Adaptive-Series-Virtual-Impedance Control Incorporating Minimum Ripple Point Tracking for Load Converters in DC Systems. *Zhang, X.*, +, *TPEL Dec. 2016 8088-8095*

Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016 7065-7076*

Pseudo-Constant Switching Frequency in On-Time Controlled Buck Converter with Predicting Correction Techniques. *Chen, W.*, +, *TPEL May 2016 3650-3662*

Singularity-Free Adaptive Speed Tracking Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2016 1692-1701*

Stabilization of a Cascaded DC Converter System via Adding a Virtual Adaptive Parallel Impedance to the Input of the Load Converter. *Zhang, X.*, +, *TPEL March 2016 1826-1832*

Stabilization of Cascaded DC/DC Converters via Adaptive Series-Virtual-Impedance Control of the Load Converter. *Zhang, X.*, +, *TPEL Sept. 2016 6057-6063*

Switching Frequency Stabilization Techniques for Adaptive On-Time Controlled Buck Converter With Adaptive Voltage Positioning Mechanism. *Tsai, C.*, +, *TPEL Jan. 2016 443-451*

Tradeoffs Aware Design Procedure for an Adaptively Biased Capacitorless Low Dropout Regulator Using Nested Miller Compensation. *Maity, A.*, +, *TPEL Jan. 2016 369-380*

#### Adaptive estimation

Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, +, *TPEL Feb. 2016 1576-1587*

#### Adaptive filters

Adaptive Compensation Method for High-Speed Surface PMSM Sensorless Drives of EMF-Based Position Estimation Error. *Song, X.*, +, *TPEL Feb. 2016 1438-1449*

Enhanced Frequency-Locked Loop With a Comb Filter Under Adverse Grid Conditions. *Liu, H.*, +, *TPEL Dec. 2016 8046-8051*

#### Aging

Analysis of the Results of Accelerated Aging Tests in Insulated Gate Bipolar Transistors. *Astigarraga, D.*, +, *TPEL Nov. 2016 7953-7962*

Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, +, *TPEL Feb. 2016 1576-1587*

Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W.*, +, *TPEL Sept. 2016 6575-6585*

Novel Experimental Identification Method for a Supercapacitor Multipore Model in Order to Monitor the State of Health. *German, R.*, +, *TPEL Jan. 2016 548-559*

#### Air gaps

A Novel Variable Reactor and Its Application to Shunt Power Quality Controller. *Li, D.*, +, *TPEL June 2016 4148-4158*

A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*

Investigation of Transformer-Based Solutions for the Reduction of Inrush and Phase-Hop Currents. *Dogan, R.*, +, *TPEL May 2016 3506-3516*

Z-Source Resonant Converter With Power Factor Correction for Wireless Power Transfer Applications. *Gonzalez-Santini, N.S.*, +, *TPEL Nov. 2016 7691-7700*

#### Aircraft

Design and Control of a Two-Phase Brushless Exciter for Aircraft Wound-Rotor Synchronous Starter/Generator in the Starting Mode. *Jiao, N.*, +, *TPEL June 2016 4452-4461*

#### Aircraft power systems

An Improved Voltage Compensation Approach in a Droop-Controlled DC Power System for the More Electric Aircraft. *Gao, F.*, +, *TPEL Oct. 2016 7369-7383*

#### Amplification

A Fast Orthogonal Signal-Generation Algorithm Characterized by Noise Immunity and High Accuracy for Single-Phase Grid. *Xiong, L.*, +, *TPEL March 2016 1847-1851*

#### Amplifiers

Embedded Single-Inductor Bipolar-Output DC-DC Converter in Class-D Amplifier for Low Common Noise. *Chen, S.*, +, *TPEL April 2016 3106-3117*

#### Amplitude modulation

A Bidirectional Three-Level LLC Resonant Converter With PWAM Control. *Jiang, T.*, +, *TPEL March 2016 2213-2225*

#### Analog circuits

A DCM-Only Buck Regulator With Hysteretic-Assisted Adaptive Minimum-On-Time Control for Low-Power Microcontrollers. *Fu, W.*, +, *TPEL Jan. 2016 418-429*

Modeling and Analysis of a Fast and Robust Module-Integrated Analog Photovoltaic MPP Tracker. *Maity, S.*, +, *TPEL Jan. 2016 280-291*

**Analog-digital conversion**

Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor. *Gan, C.*, +, *TPEL Oct. 2016 7248-7263*

**Angular velocity control**

A Parallel Speed and Rotor Time Constant Identification Scheme for Indirect Field Oriented Induction Motor Drives. *Zhao, L.*, +, *TPEL Sept. 2016 6494-6503*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, +, *TPEL April 2016 3027-3035*

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

**Anodes**

A Method to Extract the Accurate Junction Temperature of an IGCT During Conduction Using Gate-Cathode Voltage. *Vemulapati, U.R.*, +, *TPEL Aug. 2016 5900-5905*

**Application specific integrated circuits**

An Integrated High-Density Power Management Solution for Portable Applications Based on a Multioutput Switched-Capacitor Circuit. *Ahsanuzzaman, S.M.*, +, *TPEL June 2016 4305-4323*

**Approximation theory**

Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S.*, +, *TPEL Dec. 2016 8528-8540*

Time-Domain Analysis of a Phase-Shift-Modulated Series Resonant Converter with an Adaptive Passive Auxiliary Circuit. *Safaei, A.*, +, *TPEL Nov. 2016 7714-7734*

**Arc welding**

Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*

**Asynchronous generators**

A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*

Adaptive  $Q-V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. *Kim, J.*, +, *TPEL May 2016 3586-3599*

Backstepping-Based DPC Strategy of a Wind Turbine-Driven DFIG Under Normal and Harmonic Grid Voltage. *Xiong, P.*, +, *TPEL June 2016 4216-4225*

Control of Doubly-Fed Induction Generator to Ride-Through Recurring Grid Faults. *Chen, W.*, +, *TPEL July 2016 4831-4846*

Coordinated Direct Power Control of DFIG System Without Phase-Locked Loop Under Unbalanced Grid Voltage Conditions. *Nian, H.*, +, *TPEL April 2016 2905-2918*

Direct Voltage Control With Slip Angle Estimation to Extend the Range of Supported Asymmetric Loads for Stand-Alone DFIG. *Ataji, A.B.*, +, *TPEL Feb. 2016 1015-1025*

Doubly Fed Induction Generator Wind Turbine Systems Subject to Recurring Symmetrical Grid Faults. *Chen, W.*, +, *TPEL Feb. 2016 1143-1160*

Dual-Loop Control Strategy for DFIG-Based Wind Turbines Under Grid Voltage Disturbances. *Zhu, R.*, +, *TPEL March 2016 2239-2253*

Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016 5538-5546*

Scaled Current Tracking Control for Doubly Fed Induction Generator to Ride-Through Serious Grid Faults. *Huang, Q.*, +, *TPEL March 2016 2150-2165*

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

**Asynchronous machines**

Alternate Proof for Steady-State Equivalent Circuit of a Doubly Fed Induction Machine. *Kumar, V.S.S.*, +, *TPEL Aug. 2016 5378-5383*

Speed-Sensorless Induction Machine Control in the Field-Weakening Region Using Discrete Speed-Adaptive Full-Order Observer. *Wang, B.*, +, *TPEL Aug. 2016 5759-5773*

**Automobiles**

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

**Automotive components**

Particle Filter-Based Prognostics for an Electrolytic Capacitor Working in Variable Operating Conditions. *Rigamonti, M.*, +, *TPEL Feb. 2016 1567-1575*

**Automotive electronics**

A Fully Integrated Inductor-Based GaN Boost Converter With Self-Generated Switching Signal for Vehicular Applications. *Choi, P.*, +, *TPEL Aug. 2016 5365-5368*

**Autotransformers**

A-Source Impedance Network. *Siwakoti, Y.P.*, +, *TPEL Dec. 2016 8081-8087*

DC-DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W.*, *TPEL Aug. 2016 5400-5410*

Mathematical Modeling and Control of a Cost Effective AC Voltage Stabilizer. *Liu, H.*, +, *TPEL Nov. 2016 8007-8016*

**Avalanche breakdown**

Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*

**B****Backpropagation**

Passive-Islanding Detection Method Using the Wavelet Packet Transform in Grid-Connected Photovoltaic Systems. *Do, H.T.*, +, *TPEL Oct. 2016 6955-6967*

**Band-pass filters**

The Parallel Transmission of Power and Data With the Shared Channel for an Inductive Power Transfer System. *Sun, Y.*, +, *TPEL Aug. 2016 5495-5502*

**Band-stop filters**

The Parallel Transmission of Power and Data With the Shared Channel for an Inductive Power Transfer System. *Sun, Y.*, +, *TPEL Aug. 2016 5495-5502*

**Battery chargers**

0.18- $\mu\text{m}$  Light-Harvesting Battery-Assisted Charger-Supply CMOS System. *Damodaran Prabha, R.*, +, *TPEL April 2016 2950-2958*

Burst Mode Elimination in High-Power  $> L+L+C$  Resonant Battery Charger for Electric Vehicles. *Shafiei, N.*, +, *TPEL Feb. 2016 1173-1188*

Hybrid PWM-Resonant Converter for Electric Vehicle On-Board Battery Chargers. *Lee, I.*, *TPEL May 2016 3639-3649*

Integrated Dual Full-Bridge Converter With Current-Doubler Rectifier for EV Charger. *Kim, J.*, +, *TPEL Feb. 2016 942-951*

Single-Phase On-Board Integrated Battery Chargers for EVs Based on Multiphase Machines. *Subotic, I.*, +, *TPEL Sept. 2016 6511-6523*

Switching Battery Charger Integrated Circuit for Mobile Devices in a 130-nm BCDMOS Process. *Jeong, M.*, +, *TPEL Nov. 2016 7943-7952*

Wireless Power Transfer System With an Asymmetric Four-Coil Resonator for Electric Vehicle Battery Chargers. *Moon, S.*, +, *TPEL Oct. 2016 6844-6854*

Z-Source Resonant Converter With Power Factor Correction for Wireless Power Transfer Applications. *Gonzalez-Santini, N.S.*, +, *TPEL Nov. 2016 7691-7700*

**Battery management systems**

A Distributed Architecture Based on Microbank Modules With Self-Reconfiguration Control to Improve the Energy Efficiency in the Battery Energy Storage System. *Zhang, Z.*, +, *TPEL Jan. 2016 304-317*

A Module-Integrated Distributed Battery Energy Storage and Management System. *Li, Y.*, +, *TPEL Dec. 2016 8260-8270*

Burst Mode Elimination in High-Power  $> L+L+C$  Resonant Battery Charger for Electric Vehicles. *Shafiei, N.*, +, *TPEL Feb. 2016 1173-1188*

Distributed Control for State-of-Charge Balancing Between the Modules of a Reconfigurable Battery Energy Storage System. *Morstyn, T.*, +, *TPEL Nov. 2016 7986-7995*

Enhancement of Performance, Availability, and Flexibility of a Battery Energy Storage System Based on a Modular Multilevel Cascaded Converter (MMCC-SSBC). *Ota, J.I.Y.*, +, *TPEL April 2016 2791-2799*

#### Battery powered vehicles

A Control Algorithm for Electric Vehicle Fast Charging Stations Equipped With Flywheel Energy Storage Systems. *Sun, B.*, +, *TPEL Sept. 2016 6674-6685*

Burst Mode Elimination in High-Power  $L+L+C$  Resonant Battery Charger for Electric Vehicles. *Shafiei, N.*, +, *TPEL Feb. 2016 1173-1188*

Design and Control of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL Jan. 2016 507-517*

Hybrid PWM-Resonant Converter for Electric Vehicle On-Board Battery Chargers. *Lee, I.*, *TPEL May 2016 3639-3649*

Hybrid Ultracapacitor-Battery Energy Storage System Based on Quasi-Z-source Topology and Enhanced Frequency Dividing Coordinated Control for EV. *Hu, S.*, +, *TPEL Nov. 2016 7598-7610*

Ultracapacitor-Battery Hybrid Energy Storage System Based on the Asymmetric Bidirectional Z-Source Topology for EV. *Hu, S.*, +, *TPEL Nov. 2016 7489-7498*

Z-Source Resonant Converter With Power Factor Correction for Wireless Power Transfer Applications. *Gonzalez-Santini, N.S.*, +, *TPEL Nov. 2016 7691-7700*

#### Battery storage plants

Distributed Control for State-of-Charge Balancing Between the Modules of a Reconfigurable Battery Energy Storage System. *Morstyn, T.*, +, *TPEL Nov. 2016 7986-7995*

Three-Port DC/DC Converter With All Ports Current Ripple Cancellation Using Integrated Magnetic Technique. *Zhu, H.*, +, *TPEL March 2016 2174-2186*

#### BiCMOS integrated circuits

An Integrated Bootstrap Diode Emulator for 600-V High Voltage Gate Drive IC With P-Sub/P-Epi Technology. *Zhu, J.*, +, *TPEL Jan. 2016 518-523*

#### Bifurcation

Adaptive Ramp Technique for Controlling Chaos and Subharmonic Oscillations in DC-DC Power Converters. *Morcillo, J.D.*, +, *TPEL July 2016 5330-5343*

#### BIMOS integrated circuits

A High-Precision CV/CCAC-DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*

Design and Layout Strategy in the 60-V Power pLDMOS With Drain-End Modulated Engineering of Reliability Considerations. *Chen, S.*, +, *TPEL July 2016 5113-5121*

Switching Battery Charger Integrated Circuit for Mobile Devices in a 130-nm BCDMOS Process. *Jeong, M.*, +, *TPEL Nov. 2016 7943-7952*

#### Binary sequences

Measurement and Characterization Technique for Real-Time Die Temperature Prediction of MOSFET-Based Power Electronics. *Davidson, J.N.*, +, *TPEL June 2016 4378-4388*

Real-Time Temperature Estimation in a Multiple Device Power Electronics System Subject to Dynamic Cooling. *Davidson, J.N.*, +, *TPEL April 2016 2709-2719*

#### Bode diagrams

Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices. *Ma, K.*, +, *TPEL Oct. 2016 7183-7193*

#### Boolean functions

Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems. *Guo, X.*, +, *TPEL March 2016 1841-1846*

#### Bootstrap circuits

Bootstrap Voltage and Dead Time Behavior in GaN DC-DC Buck Converter With a Negative Gate Voltage. *Roschatt, P.M.*, +, *TPEL Oct. 2016 7161-7170*

#### Brakes

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

#### Braking

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

#### Bridge circuits

A 98.7% Efficient Composite Converter Architecture With Application-Tailored Efficiency Characteristic. *Chen, H.*, +, *TPEL Jan. 2016 101-110*

A Gate Driver With Integrated Deadtime Controller. *Grezaud, R.*, +, *TPEL Dec. 2016 8409-8421*

A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*

A Novel PWM High Voltage Conversion Ratio Bidirectional Three-Phase DC/DC Converter With Y- $\Delta$  Connected Transformer. *Jin, K.*, +, *TPEL Jan. 2016 81-88*

A sensorless implementation of the parabolic current control for single-phase stand-alone inverters. *Zhang, L.*, +, *TPEL May 2016 3913-3921*

A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*

Analysis and Design of Modified Half-Bridge Series-Resonant Inverter With DC-Link Neutral-Point-Clamped Cell. *Ryu, S.*, +, *TPEL March 2016 2282-2295*

Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, +, *TPEL Feb. 2016 1576-1587*

Asymmetrical Duty Cycle-Controlled LLC Resonant Converter With Equivalent Switching Frequency Doubler. *Zong, S.*, +, *TPEL July 2016 4963-4973*

Computationally Efficient Simulation of High-Frequency Transients in Power Electronic Circuits. *Subbiah, A.*, +, *TPEL Sept. 2016 6351-6361*

Critical Design Criterion for Achieving Zero Voltage Switching in Inductorless Half-Bridge-Driven Piezoelectric-Transformer-Based Power Supplies. *Foster, M.P.*, +, *TPEL July 2016 5057-5066*

Design and Control of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL Jan. 2016 507-517*

Enhancement of Performance, Availability, and Flexibility of a Battery Energy Storage System Based on a Modular Multilevel Cascaded Converter (MMCC-SSBC). *Ota, J.I.Y.*, +, *TPEL April 2016 2791-2799*

Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator. *Isobe, T.*, +, *TPEL Jan. 2016 224-234*

Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*

Fundamental Duty Modulation of Dual-Active-Bridge Converter for Wide-Range Operation. *Choi, W.*, +, *TPEL June 2016 4048-4064*

High-Frequency-Link-Based Grid-Tied PV System With Small DC-Link Capacitor and Low-Frequency Ripple-Free Maximum Power Point Tracking. *Shi, Y.*, +, *TPEL Jan. 2016 328-339*

Modeling the Output Impedance of a T-Type Power Converter. *Krismer, F.*, +, *TPEL Dec. 2016 8052-8057*

Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor. *Gan, C.*, +, *TPEL Oct. 2016 7248-7263*

Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. *Yu, Y.*, +, *TPEL Jan. 2016 292-303*

Series-Input Parallel-Output Modular-Phase DC-DC Converter With Soft-Switching and High-Frequency Isolation. *Mohammadpour, A.*, +, *TPEL Jan. 2016 111-119*

Simplified Space Vector Modulation Techniques for Multilevel Inverters. *Ahmed, I.*, +, *TPEL Dec. 2016 8483-8499*

Single-Phase to Three-Phase Converters With Two Parallel Single-Phase Rectifiers and Reduced Switch Count. *Rocha, N.*, +, *TPEL May 2016 3704-3716*

Theoretical Comparison in Energy-Balancing Capability Between Star- and Delta-Configured Modular Multilevel Cascade Inverters for Utility-Scale Photovoltaic Systems. *Sochor, P.*, +, *TPEL March 2016 1980-1992*

Time-Domain Analysis of a Phase-Shift-Modulated Series Resonant Converter with an Adaptive Passive Auxiliary Circuit. *Safaei, A.*, +, *TPEL Nov. 2016 7714-7734*

**Brightness**

Characterization, modeling, and analysis of organic light-emitting diodes with different structures. *Chen, H.-T.*, +, *TPEL Jan. 2016 581-592*

**Brushless DC motors**

A Current Index Approach to Compensate Commutation Phase Error for Sensorless Brushless DC Motors With Nonideal Back EMF. *Lee, A.*, +, *TPEL June 2016 4389-4399*

Commutation Torque Ripple Reduction Strategy of Z-Source Inverter Fed Brushless DC Motor. *Li, X.*, +, *TPEL Nov. 2016 7677-7690*

Position Sensorless Control Without Phase Shifter for High-Speed BLDC Motors With Low Inductance and Nonideal Back EMF. *Li, W.*, +, *TPEL Feb. 2016 1354-1366*

Sensorless Control for High-Speed Brushless DC Motor Based on the Line-to-Line Back EMF. *Liu, G.*, +, *TPEL July 2016 4669-4683*

**Brushless machines**

Design and Control of a Two-Phase Brushless Exciter for Aircraft Wound-Rotor Synchronous Starter/Generator in the Starting Mode. *Jiao, N.*, +, *TPEL June 2016 4452-4461*

**Buffer circuits**

Design and Analysis of an Adaptively Biased Low-Dropout Regulator Using Enhanced Current Mirror Buffer. *Maity, A.*, +, *TPEL March 2016 2324-2336*

**Buildings (structures)**

A Simple Hysteretic Energy Harvesting Method for Nonneutral AC Switches in Load Automation. *A, K.*, +, *TPEL July 2016 4906-4915*

Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*

**Busbars**

Thermal Analysis of the Laminated Busbar System of a Multilevel Converter. *Smirnova, L.*, +, *TPEL Feb. 2016 1479-1488*

**Butterworth filters**

An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*

**C****Cables (electric)**

A High-Precision CV/CC AC–DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*

**CAD**

An Islanding Detection Method for Inverter-Based Distributed Generators Based on the Reactive Power Disturbance. *Chen, X.*, +, *TPEL May 2016 3559-3574*

**Capacitance**

A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*

Analytical Switching Loss Model for Superjunction MOSFET With Capacitive Nonlinearities and Displacement Currents for DC–DC Power Converters. *Castro, I.*, +, *TPEL March 2016 2485-2495*

Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator. *Isobe, T.*, +, *TPEL Jan. 2016 224-234*

Investigation of Transformer Winding Architectures for High-Voltage (2.5 kV) Capacitor Charging and Discharging Applications. *Thummala, P.*, +, *TPEL Aug. 2016 5786-5796*

**Capacitance measurement**

Characterization Method of SiC-JFET Interelectrode Capacitances in Linear Region. *Li, K.*, +, *TPEL Feb. 2016 1528-1540*

Galvanic Isolation for High-Frequency Applications Using an Integrated Dielectric Structure. *Amanci, A.Z.*, +, *TPEL Aug. 2016 5797-5804*

**Capacitor storage**

Bus Voltage Control With Zero Distortion and High Bandwidth for Single-Phase Solar Inverters. *Levron, Y.*, +, *TPEL Jan. 2016 258-269*

**Capacitor switching**

A Compact MMC Submodule Structure With Reduced Capacitor Size Using the Stacked Switched Capacitor Architecture. *Tang, Y.*, +, *TPEL Oct. 2016 6920-6936*

A Three-Phase Multilevel Hybrid Switched-Capacitor PWM PFC Rectifier for High-Voltage-Gain Applications. *Cortez, D.F.*, +, *TPEL May 2016 3495-3505*

Analysis of High-Power Switched-Capacitor Converter Regulation Based on Charge-Balance Transient-Calculation Method. *Wu, B.*, +, *TPEL May 2016 3482-3494*

Morphing switched-capacitor converters with variable conversion ratio. *Xiong, S.*, +, *TPEL Aug. 2016 5680-5693*

**Capacitors**

A 3.2-kW 13.56-MHz SiC Passive Rectifier With 94.0% Efficiency Using Commutation Capacitor. *Shamseh, M.B.*, +, *TPEL Oct. 2016 6787-6791*

A Capacitor Voltage Balancing Method With Fundamental Sorting Frequency for Modular Multilevel Converters Under Staircase Modulation. *Peng, H.*, +, *TPEL Nov. 2016 7809-7822*

A Charge Equalizer With a Combination of APWM and PFM Control Based on a Modified Half-Bridge Converter. *Hua, C.*, +, *TPEL April 2016 2970-2979*

A High Power Density Dynamic Voltage Scaling Enabling a Single-Inductor Four-Output Regulator Using a Power-Weighted CCM Controller and a Floating Capacitor-Based Output Filter. *Carlo, S.*, +, *TPEL June 2016 4252-4264*

A Transformerless PCB-Based Medium-Voltage Multilevel Power Converter With a DC Capacitor Balancing Circuit. *Solomon, L.A.*, +, *TPEL April 2016 3052-3067*

An Alternative Approach to LED Driver Design Based on High-Voltage Driving. *Wong, C.S.*, +, *TPEL March 2016 2465-2475*

An Improved Capacitor Voltage-Balancing Method for Five-Level Diode-Clamped Converters With High Modulation Index and High Power Factor. *Zhao, Z.*, +, *TPEL April 2016 3189-3202*

An Input-Series Flyback Auxiliary Power Supply Scheme Based on Transformer-Integration for High-Input Voltage Applications. *Meng, T.*, +, *TPEL Sept. 2016 6383-6393*

Analytical Determination of Conduction and Switching Power Losses in Flying-Capacitor-Based Active Neutral-Point-Clamped Multilevel Converter. *Sadigh, A.K.*, +, *TPEL Aug. 2016 5473-5494*

Bipolar Steep Pulse Current Source for Highly Inductive Load. *Zhu, X.*, +, *TPEL Sept. 2016 6169-6175*

Comparison of a Buck Converter and a Series Capacitor Buck Converter for High-Frequency, High-Conversion-Ratio Voltage Regulators. *Shenoy, P.S.*, +, *TPEL Oct. 2016 7006-7015*

Dual Flying Capacitor Active-Neutral-Point-Clamped Multilevel Converter. *Naderi, R.*, +, *TPEL Sept. 2016 6476-6484*

Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator. *Isobe, T.*, +, *TPEL Jan. 2016 224-234*

High Gain DC–DC Converter Based on the Cockcroft–Walton Multiplier. *Muller, L.*, +, *TPEL Sept. 2016 6405-6415*

Highly Accurate Derivatives for LCL-Filtered Grid Converter With Capacitor Voltage Active Damping. *Xin, Z.*, +, *TPEL May 2016 3612-3625*

Interleaved High-Conversion-Ratio Bidirectional DC–DC Converter for Distributed Energy-Storage Systems—Circuit Generation, Analysis, and Design. *Wang, Y.*, +, *TPEL Aug. 2016 5547-5561*

Investigation of Transformer Winding Architectures for High-Voltage (2.5 kV) Capacitor Charging and Discharging Applications. *Thummala, P.*, +, *TPEL Aug. 2016 5786-5796*

Modified Z-Source DC Circuit Breaker Topologies. *Maqsood, A.*, +, *TPEL Oct. 2016 7394-7403*

Nonisolated Two-Channel LED Driver With Automatic Current Balance and Zero-Voltage Switching. *Hwu, K.I.*, +, *TPEL Dec. 2016 8359-8370*

Small-Signal Modeling and Comprehensive Analysis of Magnetically Coupled Impedance-Source Converters. *Forouzes, M.*, +, *TPEL Nov. 2016 7621-7641*

Soft-Switching Operation of Isolated Modular DC/DC Converters for Application in HVDC Grids. *Xing, Z.*, +, *TPEL April 2016 2753-2766*

Two-Stage Matrix Converter Based on Third-Harmonic Injection Technique. *Wang, H.*, +, *TPEL Jan. 2016 533-547*

- VRSPV Soft-Start Strategy and AICS Technique for Boost Converters to Improve the Start-Up Performance. *Fan, S.*, +, *TPEL May 2016 3663-3672*
- Carrier lifetime**  
Development of a Simple Analytical PSpice Model for SiC-Based BJT Power Modules. *Johannesson, D.*, +, *TPEL June 2016 4517-4525*
- Carrier transmission on power lines**  
The Parallel Transmission of Power and Data With the Shared Channel for an Inductive Power Transfer System. *Sun, Y.*, +, *TPEL Aug. 2016 5495-5502*
- Cascade networks**  
Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. *Yu, Y.*, +, *TPEL Jan. 2016 292-303*
- Cascade systems**  
Stabilization of Cascaded DC/DC Converters via Adaptive Series-Virtual-Impedance Control of the Load Converter. *Zhang, X.*, +, *TPEL Sept. 2016 6057-6063*
- Casting**  
3-D-Printed Air-Core Inductors for High-Frequency Power Converters. *Liang, W.*, +, *TPEL Jan. 2016 52-64*
- Cathodes**  
A Method to Extract the Accurate Junction Temperature of an IGCT During Conduction Using Gate-Cathode Voltage. *Vemulapati, U.R.*, +, *TPEL Aug. 2016 5900-5905*
- Cells (electric)**  
A Novel PWM High Voltage Conversion Ratio Bidirectional Three-Phase DC/DC Converter With Y- $\Delta$  Connected Transformer. *Jin, K.*, +, *TPEL Jan. 2016 81-88*  
Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells. *Melin, P.E.*, +, *TPEL Sept. 2016 6122-6133*  
Closed-Form Oriented Modeling and Analysis of Wireless Power Transfer System With Constant-Voltage Source and Load. *Zhang, Y.*, +, *TPEL May 2016 3472-3481*
- Centralized control**  
FPGA-Based Experimental Investigation of a Quasi-Centralized Model Predictive Control for Back-to-Back Converters. *Zhang, Z.*, +, *TPEL Jan. 2016 662-674*
- Ceramic capacitors**  
Switched-Mode Active Decoupling Capacitor Allowing Volume Reduction of the High-Voltage DC Filters. *Michal, V.*, *TPEL Sept. 2016 6104-6111*
- Ceramics**  
Galvanic Isolation for High-Frequency Applications Using an Integrated Dielectric Structure. *Amanci, A.Z.*, +, *TPEL Aug. 2016 5797-5804*
- Chaos**  
Adaptive Ramp Technique for Controlling Chaos and Subharmonic Oscillations in DC-DC Power Converters. *Morcillo, J.D.*, +, *TPEL July 2016 5330-5343*
- Charge exchange**  
A 300-mV Low-Power Management System for Energy Harvesting Applications. *Dallago, E.*, +, *TPEL March 2016 2273-2281*
- Charge pump circuits**  
A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Autophase Allocation. *Zheng, Y.*, +, *TPEL March 2016 2296-2313*  
Dual Switches DC/DC Converter With Three-Winding-Coupled Inductor and Charge Pump. *Tang, Y.*, +, *TPEL Jan. 2016 461-469*  
Generalized Structure for a Single Phase Switched-Capacitor Multilevel Inverter Using a New Multiple DC Link Producer With Reduced Number of Switches. *Barzegarkhoo, R.*, +, *TPEL Aug. 2016 5604-5617*
- Choppers (circuits)**  
Zero-Voltage Ride-Through Capability of a Transformerless Back-To-Back System Using Modular Multilevel Cascade Converters for Power Distribution Systems. *Khamphakdi, P.*, +, *TPEL April 2016 2730-2741*
- Circuit analysis computing**  
Thermal Stress and High Temperature Effects on Power Devices in a Fault-Resilient NPC IGCT-Based Converter. *Rocha, A.V.*, +, *TPEL April 2016 2800-2807*
- Circuit breakers**  
A Simple and Cost-effective Precharge Method for Modular Multilevel Converters by Using a Low-Voltage DC Source. *Tian, K.*, +, *TPEL July 2016 5321-5329*  
Analysis and Design of DC System Protection Using Z-Source Circuit Breaker. *Chang, A.H.*, +, *TPEL Feb. 2016 1036-1049*  
Modified Z-Source DC Circuit Breaker Topologies. *Maqsood, A.*, +, *TPEL Oct. 2016 7394-7403*
- Circuit optimization**  
Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*
- Circuit reliability**  
Design of Fuse-MOSFET Pair for Fault-Tolerant DC/DC Converters. *Soon, J.L.*, +, *TPEL Sept. 2016 6069-6074*  
Fault Diagnosis and Tolerant Control of Single IGBT Open-Circuit Failure in Modular Multilevel Converters. *Li, B.*, +, *TPEL April 2016 3165-3176*  
Z-Source Matrix Converter: An Overview. *Ellabban, O.*, +, *TPEL Nov. 2016 7436-7450*  
Z-Source Resonant Converter With Power Factor Correction for Wireless Power Transfer Applications. *Gonzalez-Santini, N.S.*, +, *TPEL Nov. 2016 7691-7700*
- Circuit simulation**  
A Simplified Behavioral MOSFET Model Based on Parameters Extraction for Circuit Simulations. *Turzynski, M.*, +, *TPEL April 2016 3096-3105*  
Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*  
Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*  
Simulation, Analysis, and Verification of Substrate Currents for Layout Optimization of Smart Power ICs. *Buccella, P.*, +, *TPEL Sept. 2016 6586-6595*
- Circuit stability**  
Couplings in Phase Domain Impedance Modeling of Grid-Connected Converters. *Kazem Bakhshizadeh, M.*, +, *TPEL Oct. 2016 6792-6796*
- Clamps**  
An Improved Capacitor Voltage-Balancing Method for Five-Level Diode-Clamped Converters With High Modulation Index and High Power Factor. *Zhao, Z.*, +, *TPEL April 2016 3189-3202*  
High-Efficiency Coupled-Inductor-Based Step-Down Converter. *Wai, R.*, +, *TPEL June 2016 4265-4279*
- Closed loop systems**  
A Bidirectional Multiple-Input Multiple-Output Modular Multilevel DC-DC Converter and its Control Design. *Filsoof, K.*, +, *TPEL April 2016 2767-2779*  
A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souffignat, T.*, +, *TPEL July 2016 4984-4994*  
A Hybrid Estimator for Active/Reactive Power Control of Single-Phase Distributed Generation Systems With Energy Storage. *Pahlevani, M.*, +, *TPEL April 2016 2919-2936*  
A New V/f-Based Sensorless MTPA Control for IPMSM Drives. *Tang, Z.*, +, *TPEL June 2016 4400-4415*  
A Real-Time Selective Harmonic Elimination Based on a Transient-Free Inner Closed-Loop Control for Cascaded Multilevel Inverters. *Zhao, H.*, +, *TPEL Feb. 2016 1000-1014*  
A-Source Impedance Network. *Siwakoti, Y.P.*, +, *TPEL Dec. 2016 8081-8087*  
Analysis of High-Power Switched-Capacitor Converter Regulation Based on Charge-Balance Transient-Calculation Method. *Wu, B.*, +, *TPEL May 2016 3482-3494*  
High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. *Cho, Y.*, +, *TPEL June 2016 4138-4147*  
Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G.*, +, *TPEL Jan. 2016 235-247*  
On Automatic Resonant Frequency Tracking in LLC Series Resonant Converter Based on Zero-Current Duration Time of Secondary Diode. *Li, H.*, +, *TPEL July 2016 4956-4962*

Precise Dimming and Color Control of LED Systems Based on Color Mixing. *Lee, A.T.L., +, TPEL Jan. 2016 65-80*

Real-Time Implementation of a Seven-Level Packed U-Cell Inverter with a Low-Switching-Frequency Voltage Regulator. *Vahedi, H., +, TPEL Aug. 2016 5967-5973*

Sequence-Based Control of an Isolated DC/AC Matrix Converter. *Tajfar, A., +, TPEL Feb. 2016 1757-1773*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M., +, TPEL April 2016 3027-3035*

Singularity-Free Adaptive Speed Tracking Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S., +, TPEL Feb. 2016 1692-1701*

Suppression of Real Power Back Flow of Nonregenerative Cascaded H-Bridge Inverters Operating Under Faulty Conditions. *Sun, L., +, TPEL July 2016 5161-5175*

#### CMOS analog integrated circuits

Stability of Distributed Power Delivery Systems With Multiple Parallel On-Chip LDO Regulators. *Vaisband, I., +, TPEL Aug. 2016 5625-5634*

#### CMOS digital integrated circuits

A 100 MHz 91.5% Peak Efficiency Integrated Buck Converter With a Three-MOSFET Cascode Bridge. *Neveu, F., +, TPEL June 2016 3985-3988*

#### CMOS integrated circuits

0.18- $\mu\text{m}$  Light-Harvesting Battery-Assisted Charger-Supply CMOS System. *Damodaran Prabha, R., +, TPEL April 2016 2950-2958*

A 0.45-to-1.2-V Fully Digital Low-Dropout Voltage Regulator With Fast-Transient Controller for Near/Subthreshold Circuits. *Li, Y., +, TPEL Sept. 2016 6341-6350*

A 190 nA Bias Current 10 mV Input Multistage Boost Regulator With Intermediate-Node Control to Supply RF Blocks in Self-Powered Wireless Sensors. *Ahmed, K.Z., +, TPEL Feb. 2016 1322-1333*

A CMOS Low-Dropout Regulator With Dominant-Pole Substitution. *Ho, M., +, TPEL Sept. 2016 6362-6371*

A Compact Flicker-Free Transformer-Less LED Driver With an Enhanced Power Factor for Omnidirectional Multichannel Smart Bulb Applications. *Ko, Y., +, TPEL Aug. 2016 5851-5862*

A DCM-Only Buck Regulator With Hysteretic-Assisted Adaptive Minimum-On-Time Control for Low-Power Microcontrollers. *Fu, W., +, TPEL Jan. 2016 418-429*

A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. *Park, H., +, TPEL June 2016 4484-4498*

A Dynamic Bootstrap Voltage Technique for a High-Efficiency Buck Converter in a Universal Serial Bus Power Delivery Device. *Chen, W., +, TPEL April 2016 3002-3015*

A Gate Driver With Integrated Deadtime Controller. *Grezaud, R., +, TPEL Dec. 2016 8409-8421*

A High-Efficiency Current-Mode Buck Converter With a Power-Loss-Aware Switch-On-Demand Modulation Technique for Multifunction SoCs. *Huang, C., +, TPEL Dec. 2016 8303-8316*

A Monolithic High-Performance Buck Converter With Enhanced Current-Mode Control and Advanced Protection Circuits. *Wang, L., +, TPEL Jan. 2016 793-805*

A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Tail-Current Control. *Zheng, Y., +, TPEL Nov. 2016 7857-7875*

A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Autophase Allocation. *Zheng, Y., +, TPEL March 2016 2296-2313*

An Integrated High-Density Power Management Solution for Portable Applications Based on a Multioutput Switched-Capacitor Circuit. *Ahsanuzzaman, S.M., +, TPEL June 2016 4305-4323*

An NMOS-LDO Regulated Switched-Capacitor DC-DC Converter With Fast-Response Adaptive-Phase Digital Control. *Lu, Y., +, TPEL Feb. 2016 1294-1303*

Analysis, Design, and Performance Evaluation of a Dynamically Slew Enhanced Adaptively Biased Capacitor-Less Low Dropout Regulator. *Maity, A., +, TPEL Oct. 2016 7016-7028*

CCM/GM Relative Skip Energy Control and Bidirectional Dynamic Slope Compensation in a Single-Inductor Multiple-Output DC-DC Converter for Wearable Device Power Solution. *Su, Y., +, TPEL Aug. 2016 5871-5884*

Design and Analysis of an Adaptively Biased Low-Dropout Regulator Using Enhanced Current Mirror Buffer. *Maity, A., +, TPEL March 2016 2324-2336*

Efficient Voltage Regulation for Microprocessor Cores Stacked in Vertical Voltage Domains. *Schaefer, C., +, TPEL Feb. 2016 1795-1808*

Simulation, Analysis, and Verification of Substrate Currents for Layout Optimization of Smart Power ICs. *Buccella, P., +, TPEL Sept. 2016 6586-6595*

Switching Frequency Stabilization Techniques for Adaptive On-Time Controlled Buck Converter With Adaptive Voltage Positioning Mechanism. *Tsai, C., +, TPEL Jan. 2016 443-451*

Switching-Converter-Only Multiphase Envelope Modulator With Slew Rate Enhancer for LTE Power Amplifier Applications. *Sankman, J., +, TPEL Jan. 2016 817-826*

Tradeoffs Aware Design Procedure for an Adaptively Biased Capacitorless Low Dropout Regulator Using Nested Miller Compensation. *Maity, A., +, TPEL Jan. 2016 369-380*

#### Coils

A General Design Method of Primary Compensation Network for Dynamic WPT System Maintaining Stable Transmission Power. *Zhao, J., +, TPEL Dec. 2016 8343-8358*

Basic Control Principles of Omnidirectional Wireless Power Transfer. *Zhang, C., +, TPEL July 2016 5215-5227*

Energy Efficiency Analysis of U-Coil Wireless Power Transfer System. *Ye, Z., +, TPEL July 2016 4809-4817*

Parameter Design for a 6.78-MHz Wireless Power Transfer System Based on Analytical Derivation of Class E Current-Driven Rectifier. *Liu, M., +, TPEL June 2016 4280-4291*

Six Degrees of Freedom Mobile Inductive Power Transfer by Crossed Dipole Tx and Rx Coils. *Choi, B.H., +, TPEL April 2016 3252-3272*

The Parallel Transmission of Power and Data With the Shared Channel for an Inductive Power Transfer System. *Sun, Y., +, TPEL Aug. 2016 5495-5502*

Wireless Power Transfer System With an Asymmetric Four-Coil Resonator for Electric Vehicle Battery Chargers. *Moon, S., +, TPEL Oct. 2016 6844-6854*

Wireless Power Transfer With Automatic Feedback Control of Load Resistance Transformation. *Ahn, D., +, TPEL Nov. 2016 7876-7886*

#### Color

Precise Dimming and Color Control of LED Systems Based on Color Mixing. *Lee, A.T.L., +, TPEL Jan. 2016 65-80*

#### Comb filters

Enhanced Frequency-Locked Loop With a Comb Filter Under Adverse Grid Conditions. *Liu, H., +, TPEL Dec. 2016 8046-8051*

#### Commutation

A 3.2-kW 13.56-MHz SiC Passive Rectifier With 94.0% Efficiency Using Commutation Capacitor. *Shamseh, M.B., +, TPEL Oct. 2016 6787-6791*

A Family of High-Frequency Isolated Single-Phase Z-Source AC-AC Converters With Safe-Commutation Strategy. *Ahmed, H.F., +, TPEL Nov. 2016 7522-7533*

A Modulation Scheme for Matrix Converters With Perfect Zero Common-Mode Voltage. *Nguyen, H., +, TPEL Aug. 2016 5411-5422*

Load-Current-Corrected Capacitor Voltage Control in Eight-Level DC-AC Converter Using Extended Commutation Cells. *Lemmen, E., +, TPEL Oct. 2016 7286-7296*

Sensorless Control for High-Speed Brushless DC Motor Based on the Line-to-Line Back EMF. *Liu, G., +, TPEL July 2016 4669-4683*

#### Commutator motors

A Current Index Approach to Compensate Commutation Phase Error for Sensorless Brushless DC Motors With Nonideal Back EMF. *Lee, A., +, TPEL June 2016 4389-4399*

Adapted NSPWM for Single DC-Link Dual-Inverter Fed Open-End Motor With Negligible Low-Order Harmonics and Efficiency Enhancement. *Kia-dehi, A.D., +, TPEL Dec. 2016 8271-8281*

**Comparators (circuits)**

- A 0.45-to-1.2-V Fully Digital Low-Dropout Voltage Regulator With Fast-Transient Controller for Near/Subthreshold Circuits. *Li, Y.*, +, *TPEL Sept. 2016 6341-6350*
- A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. *Park, H.*, +, *TPEL June 2016 4484-4498*
- A High-Voltage SiC-Based Boost PFC for LED Applications. *Leon-Masich, A.*, +, *TPEL Feb. 2016 1633-1642*
- Development of Wireless In-Wheel Motor Using Magnetic Resonance Coupling. *Sato, M.*, +, *TPEL July 2016 5270-5278*
- Position Sensorless Control Without Phase Shifter for High-Speed BLDC Motors With Low Inductance and Nonideal Back EMF. *Li, W.*, +, *TPEL Feb. 2016 1354-1366*

**Compensation**

- A Fault-Tolerant Strategy Based on Fundamental Phase-Shift Compensation for Three-Phase Multilevel Converters With Quasi-Z-Source Networks With Discontinuous Input Current. *Aleenejad, M.*, +, *TPEL Nov. 2016 7480-7488*
- A High-Precision CV/CC AC–DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*
- A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement. *Panigrahi, R.*, +, *TPEL April 2016 2860-2869*
- A Three-Terminal Switch Model of Constant On-Time Current Mode With External Ramp Compensation. *Tian, S.*, +, *TPEL Oct. 2016 7311-7319*
- ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*
- Coordinated Direct Power Control of DFIG System Without Phase-Locked Loop Under Unbalanced Grid Voltage Conditions. *Nian, H.*, +, *TPEL April 2016 2905-2918*
- Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi–Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*
- Stabilization of Cascaded DC/DC Converters via Adaptive Series-Virtual-Impedance Control of the Load Converter. *Zhang, X.*, +, *TPEL Sept. 2016 6057-6063*
- Time-Offset Injection Method for Neutral-Point AC Ripple Voltage Reduction in a Three-Level Inverter. *Lee, J.*, +, *TPEL March 2016 1931-1941*

**Computational complexity**

- An Efficient Implementation of Generalized Delayed Signal Cancellation PLL. *Golestan, S.*, +, *TPEL Feb. 2016 1085-1094*
- Efficient Implicit Model-Predictive Control of a Three-Phase Inverter With an Output LC Filter. *Nauman, M.*, +, *TPEL Sept. 2016 6075-6078*
- Enhanced Frequency-Locked Loop With a Comb Filter Under Adverse Grid Conditions. *Liu, H.*, +, *TPEL Dec. 2016 8046-8051*
- New Measuring Technique for Reducing the Number of Voltage Sensors in Modular Multilevel Converters. *Picas, R.*, +, *TPEL Jan. 2016 177-187*
- Optimization-Based Cell Selection Method for Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL April 2016 2780-2790*

**Computer power supplies**

- A Compact Coupled Inductor for Interleaved Multiphase DC–DC Converters. *Huang, W.*, +, *TPEL Oct. 2016 6770-6775*

**Computerized monitoring**

- An Online Monitoring Scheme of DC-Link Capacitor's ESR and C for a Boost PFC Converter. *Yao, K.*, +, *TPEL Aug. 2016 5944-5951*

**Computers**

- Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*

**Condition monitoring**

- An Active Life Extension Strategy for Thermally Aged Power Switches Based on the Pulse-Width Adjustment Method in Interleaved Converters. *Dusmez, S.*, +, *TPEL July 2016 5149-5160*
- Analysis of the Results of Accelerated Aging Tests in Insulated Gate Bipolar Transistors. *Astigarraga, D.*, +, *TPEL Nov. 2016 7953-7962*
- Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W.*, +, *TPEL Sept. 2016 6575-6585*

- Operating Conditions Monitoring for High Power Density and Cost-Effective Resonant Power Converters. *Sarnago, H.*, +, *TPEL Jan. 2016 488-496*

**Conductors (electric)**

- Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator. *Isobe, T.*, +, *TPEL Jan. 2016 224-234*

**Constant current sources**

- A High-Precision CV/CC AC–DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*
- A Natural-Sampling-Based SVM Scheme for Current Source Converter With Superior Low-Order Harmonics Performance. *Wei, Q.*, +, *TPEL Sept. 2016 6144-6154*
- Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells. *Melin, P.E.*, +, *TPEL Sept. 2016 6122-6133*
- Assessment of the Current-Source, Full-Bridge Inverter as Power Supply for Ozone Generators With High Power Factor in a Single Stage. *Ponce-Silva, M.*, +, *TPEL Dec. 2016 8195-8204*
- Common-Mode Resonance Suppression in Transformerless PWM Current-Source Drive. *Lian, Y.*, +, *TPEL Aug. 2016 5721-5731*
- Nonisolated Two-Channel LED Driver With Automatic Current Balance and Zero-Voltage Switching. *Hwu, K.I.*, +, *TPEL Dec. 2016 8359-8370*

**Consumer electronics**

- Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*

**Contact resistance**

- Study of IPMSM Interturn Faults Part II: Online Fault Parameter Estimation. *Gu, B.*, *TPEL Oct. 2016 7214-7223*

**Control nonlinearities**

- ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*
- On Trajectory Planning, Backstepping Controller Design and Sliding Modes in Active Front-Ends. *Fehr, H.*, +, *TPEL Aug. 2016 6044-6056*

**Control system synthesis**

- A Bidirectional Multiple-Input Multiple-Output Modular Multilevel DC–DC Converter and its Control Design. *Filsoof, K.*, +, *TPEL April 2016 2767-2779*
- An NMOS-LDO Regulated Switched-Capacitor DC–DC Converter With Fast-Response Adaptive-Phase Digital Control. *Lu, Y.*, +, *TPEL Feb. 2016 1294-1303*
- Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*
- Delay-Dependent Stability of Single-Loop Controlled Grid-Connected Inverters with LCL Filters. *Wang, J.*, +, *TPEL Jan. 2016 743-757*
- High-Performance Grid Simulator Using Parallel Structure Fractional Repetitive Control. *Liu, T.*, +, *TPEL March 2016 2669-2679*
- Mathematical Modeling and Control of a Cost Effective AC Voltage Stabilizer. *Liu, H.*, +, *TPEL Nov. 2016 8007-8016*
- Modeling, Modulation, and Control of the Three-Phase Four-Switch PWM Rectifier Under Balanced Voltage. *Zeng, Z.*, +, *TPEL July 2016 4892-4905*
- On Trajectory Planning, Backstepping Controller Design and Sliding Modes in Active Front-Ends. *Fehr, H.*, +, *TPEL Aug. 2016 6044-6056*
- Pseudo-Derivative-Feedback Current Control for Three-Phase Grid-Connected Inverters With LCL Filters. *Wang, J.*, +, *TPEL May 2016 3898-3912*
- Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi–Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*
- Split-Phase Control: Achieving Complete Soft-Charging Operation of a Dickson Switched-Capacitor Converter. *Lei, Y.*, +, *TPEL Jan. 2016 770-782*
- Stability Analysis of Boundary and Hybrid Controllers for Indirect Energy Transfer Converters. *Kirshenboim, O.*, +, *TPEL April 2016 3360-3371*
- Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. *Tian, S.*, +, *TPEL Feb. 2016 1734-1744*

**Control systems**

Editorial Special Issue on Impedance-Source Converter Topologies and Applications. *Vinnikov, D.*, +, *TPEL Nov. 2016 7417-7418*

**Controllers**

A Capacitor Voltage Balancing Method With Fundamental Sorting Frequency for Modular Multilevel Converters Under Staircase Modulation. *Peng, H.*, +, *TPEL Nov. 2016 7809-7822*

A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, +, *TPEL June 2016 4565-4575*

Control of Circulating Currents in Modular Multilevel Converters Through Redundant Voltage Levels. *Konstantinou, G.*, +, *TPEL Nov. 2016 7761-7769*

Modeling, Control, and Seamless Transition of the Bidirectional Battery-Driven Switched Reluctance Motor/Generator Drive Based on Integrated Multiport Power Converter for Electric Vehicle Applications. *Yi, F.*, +, *TPEL Oct. 2016 7099-7111*

Unity-Power-Factor Control Based on Precise Ripple Cancellation for Fast-Response PFC Preregulator. *Leung, K.H.*, +, *TPEL April 2016 3324-3337*

**Convergence**

High-Performance Grid Simulator Using Parallel Structure Fractional Repetitive Control. *Liu, T.*, +, *TPEL March 2016 2669-2679*

**Converters**

An Active Life Extension Strategy for Thermally Aged Power Switches Based on the Pulse-Width Adjustment Method in Interleaved Converters. *Dusmez, S.*, +, *TPEL July 2016 5149-5160*

**Cooling**

Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, +, *TPEL Feb. 2016 1576-1587*

Heat Management in Power Converters: From State of the Art to Future Ultrahigh Efficiency Systems. *Laloya, E.*, +, *TPEL Nov. 2016 7896-7908*

Real-Time Temperature Estimation in a Multiple Device Power Electronics System Subject to Dynamic Cooling. *Davidson, J.N.*, +, *TPEL April 2016 2709-2719*

**Copper**

Analysis and Optimization of the Efficiency of Induction Heating Applications With Litz-Wire Planar and Solenoidal Coils. *Lope, I.*, +, *TPEL July 2016 5089-5101*

**Cost reduction**

An AC Z-Source Converter Based on Gamma Structure With Safe-Commutation Strategy. *Banaei, M.R.*, +, *TPEL Feb. 2016 1255-1262*

DC-DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W.*, *TPEL Aug. 2016 5400-5410*

Transformerless Single-Phase Universal Active Filter With UPS Features and Reduced Number of Electronic Power Switches. *Santos, W.R.N.*, +, *TPEL June 2016 4111-4120*

**Coupled circuits**

A Novel High Step-up Converter With a Quasi-active Switched-Inductor Structure for Renewable Energy Systems. *Liu, H.*, +, *TPEL July 2016 5030-5039*

Computationally Efficient Simulation of High-Frequency Transients in Power Electronic Circuits. *Subbiah, A.*, +, *TPEL Sept. 2016 6351-6361*

High-Efficiency Coupled-Inductor-Based Step-Down Converter. *Wai, R.*, +, *TPEL June 2016 4265-4279*

Nonisolated Coupled-Inductor-Based High Step-Down Converter With Zero DC Magnetizing Inductance Current and Nonpulsating Output Current. *Hwu, K.I.*, +, *TPEL June 2016 4362-4377*

Nonisolated Two-Channel LED Driver With Automatic Current Balance and Zero-Voltage Switching. *Hwu, K.I.*, +, *TPEL Dec. 2016 8359-8370*

Switched-Mode Active Decoupling Capacitor Allowing Volume Reduction of the High-Voltage DC Filters. *Michal, V.*, *TPEL Sept. 2016 6104-6111*

**Couplings**

Couplings in Phase Domain Impedance Modeling of Grid-Connected Converters. *Kazem Bakhshizadeh, M.*, +, *TPEL Oct. 2016 6792-6796*

**Covariance matrices**

Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016 5746-5758*

**Crystal filters**

Piezoelectric Filter Module Used in Harmonics Elimination for High-Efficiency Piezoelectric Transformer Driving. *Ju, B.*, +, *TPEL Jan. 2016 524-532*

**Current density**

A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*

Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL March 2016 1816-1821*

**Current distribution**

A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*

**Current limiters**

Constant Resonant Current Limiting Strategy for LLC Converter Without Current Sensing. *Li, Q.*, +, *TPEL Sept. 2016 6756-6764*

**Current transformers**

A Measurement Method to Solve a Problem of Using DG Interfacing Converters for Selective Load Harmonic Filtering. *He, J.*, +, *TPEL March 2016 1852-1856*

**Current-mode circuits**

A High-Efficiency Current-Mode Buck Converter With a Power-Loss-Aware Switch-On-Demand Modulation Technique for Multifunction SoCs. *Huang, C.*, +, *TPEL Dec. 2016 8303-8316*

A Three-Terminal Switch Model of Constant On-Time Current Mode With External Ramp Compensation. *Tian, S.*, +, *TPEL Oct. 2016 7311-7319*

Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter. *Kumar, V.I.*, +, *TPEL Dec. 2016 8461-8470*

**D****Damping**

Grid-Current-Feedback Active Damping for LCL Resonance in Grid-Connected Voltage-Source Converters. *Wang, X.*, +, *TPEL Jan. 2016 213-223*

Piezoelectric Filter Module Used in Harmonics Elimination for High-Efficiency Piezoelectric Transformer Driving. *Ju, B.*, +, *TPEL Jan. 2016 524-532*

**Data acquisition**

New Measuring Technique for Reducing the Number of Voltage Sensors in Modular Multilevel Converters. *Picas, R.*, +, *TPEL Jan. 2016 177-187*

**DC motor drives**

Commutation Torque Ripple Reduction Strategy of Z-Source Inverter Fed Brushless DC Motor. *Li, X.*, +, *TPEL Nov. 2016 7677-7690*

Improved Control Strategy of a Supercapacitor-Based Energy Recovery System for Elevator Applications. *Jabbar, N.*, +, *TPEL Dec. 2016 8398-8408*

**DC motors**

Adapted NSPWM for Single DC-Link Dual-Inverter Fed Open-End Motor With Negligible Low-Order Harmonics and Efficiency Enhancement. *Kia-dehi, A.D.*, +, *TPEL Dec. 2016 8271-8281*

**DC power transmission**

Dynamics and Robust Control of a Grid-Connected VSC in Multiterminal DC Grids Considering the Instantaneous Power of DC- and AC-Side Filters and DC Grid Uncertainty. *Davari, M.*, +, *TPEL March 2016 1942-1958*

**DC-AC power converters**

A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Standalone Photovoltaic Power System. *Wang, W.*, +, *TPEL Aug. 2016 5562-5573*

A Rule-Based Controller to Mitigate DC-Side Second-Order Harmonic Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL Feb. 2016 1665-1679*

An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL June 2016 4594-4603*

Assessment of Fault Tolerance in Modular Multilevel Converters With Integrated Energy Storage. *Soong, T.*, +, *TPEL June 2016 4085-4095*

Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*

Hybrid Modulation Scheme for a High-Frequency AC-Link Inverter. *Mazumder, S.K.*, *TPEL Jan. 2016 861-870*

Load-Current-Corrected Capacitor Voltage Control in Eight-Level DC-AC Converter Using Extended Commutation Cells. *Lemmen, E.*, +, *TPEL Oct. 2016 7286-7296*

Modulation Schemes With Enhanced Switch Thermal Distribution for Single-Phase AC-DC-AC Reduced-Switch Converters. *Qin, Z.*, +, *TPEL April 2016 3302-3313*

Modulation With Sinusoidal Third-Harmonic Injection for Active Split DC-Bus Four-Leg Inverters. *Bifaretti, S.*, +, *TPEL Sept. 2016 6226-6236*

Sequence-Based Control of an Isolated DC/AC Matrix Converter. *Tajfar, A.*, +, *TPEL Feb. 2016 1757-1773*

Single-Phase to Three-Phase Converters With Two Parallel Single-Phase Rectifiers and Reduced Switch Count. *Rocha, N.*, +, *TPEL May 2016 3704-3716*

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

Three-Level PWM Floating H-Bridge Sinewave Power Inverter for High-Voltage and High-Efficiency Applications. *Michal, V.*, *TPEL June 2016 4065-4074*

#### DC-DC power converters

A 98.7% Efficient Composite Converter Architecture With Application-Tailored Efficiency Characteristic. *Chen, H.*, +, *TPEL Jan. 2016 101-110*

A Bidirectional Multiple-Input Multiple-Output Modular Multilevel DC-DC Converter and its Control Design. *Filsoof, K.*, +, *TPEL April 2016 2767-2779*

A Cascade Point of Load DC-DC Converter With a Novel Phase Shifted Switched Capacitor Converter Output Stage. *Challa, S.R.*, +, *TPEL Jan. 2016 353-368*

A Compact Coupled Inductor for Interleaved Multiphase DC-DC Converters. *Huang, W.*, +, *TPEL Oct. 2016 6770-6775*

A DC-DC Converter With High Voltage Gain and Two Input Boost Stages. *Prabhala, V.A.K.*, +, *TPEL June 2016 4206-4215*

A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. *Park, H.*, +, *TPEL June 2016 4484-4498*

A Direct AC-DC and DC-DC Cross-Source Energy Harvesting Circuit with Analog Iterating-Based MPPT Technique with 72.5% Conversion Efficiency and 94.6% Tracking Efficiency. *Chen, S.*, +, *TPEL Aug. 2016 5885-5899*

A Distributed Architecture Based on Microbank Modules With Self-Reconfiguration Control to Improve the Energy Efficiency in the Battery Energy Storage System. *Zhang, Z.*, +, *TPEL Jan. 2016 304-317*

A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage. *Guo, F.*, +, *TPEL Dec. 2016 8237-8246*

A High-Efficiency Current-Mode Buck Converter With a Power-Loss-Aware Switch-On-Demand Modulation Technique for Multifunction SoCs. *Huang, C.*, +, *TPEL Dec. 2016 8303-8316*

A Modified Dual Active Bridge Converter With Hybrid Phase-Shift Control for Wide Input Voltage Range. *Shen, Y.*, +, *TPEL Oct. 2016 6884-6900*

A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Standalone Photovoltaic Power System. *Wang, W.*, +, *TPEL Aug. 2016 5562-5573*

A Module-Integrated Distributed Battery Energy Storage and Management System. *Li, Y.*, +, *TPEL Dec. 2016 8260-8270*

A Monolithic High-Performance Buck Converter With Enhanced Current-Mode Control and Advanced Protection Circuits. *Wang, L.*, +, *TPEL Jan. 2016 793-805*

A New Multiinput Three-Level DC/DC Converter. *Dusmez, S.*, +, *TPEL Feb. 2016 1230-1240*

A New Multiple-Frequency Small-Signal Model for High-Bandwidth Computer V-Core Regulator Applications. *Hsiao, S.*, +, *TPEL Jan. 2016 733-742*

A Novel High Step-up Converter With a Quasi-active Switched-Inductor Structure for Renewable Energy Systems. *Liu, H.*, +, *TPEL July 2016 5030-5039*

A Novel PWM High Voltage Conversion Ratio Bidirectional Three-Phase DC/DC Converter With Y- $\Delta$  Connected Transformer. *Jin, K.*, +, *TPEL Jan. 2016 81-88*

A Novel Transformer-less Interleaved Four-Phase Step-Down DC Converter With Low Switch Voltage Stress and Automatic Uniform Current-Sharing Characteristics. *Chuang, C.*, +, *TPEL Jan. 2016 406-417*

A Quasi-Switched-Capacitor Resonant Converter. *Zhang, X.*, +, *TPEL Nov. 2016 7849-7856*

A Reference Modification Model Digitally Controlled DC-DC Converter for Improvement of Transient Response. *Kurokawa, F.*, +, *TPEL Jan. 2016 871-883*

A Review of Galvanically Isolated Impedance-Source DC-DC Converters. *Chub, A.*, +, *TPEL April 2016 2808-2828*

A Series-Parallel Current-Driven Full-Bridge DC/DC Converter. *Pahlevani, M.*, +, *TPEL Feb. 2016 1275-1293*

A Simplified Behavioral MOSFET Model Based on Parameters Extraction for Circuit Simulations. *Turzynski, M.*, +, *TPEL April 2016 3096-3105*

A Simplified Equivalent Circuit Model of Series Resonant Converter. *Tian, S.*, +, *TPEL May 2016 3922-3931*

A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Tail-Current Control. *Zheng, Y.*, +, *TPEL Nov. 2016 7857-7875*

A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Autophase Allocation. *Zheng, Y.*, +, *TPEL March 2016 2296-2313*

A Single-Stage Single-Switch LED Driver Based on the Integrated SEPIC Circuit and Class-E Converter. *Wang, Y.*, +, *TPEL Aug. 2016 5814-5824*

A Virtual RLC Damper to Stabilize DC/DC Converters Having an LC Input Filter while Improving the Filter Performance. *Zhang, X.*, +, *TPEL Dec. 2016 8017-8023*

A-Source Impedance Network. *Siwakoti, Y.P.*, +, *TPEL Dec. 2016 8081-8087*

Active Balancing System for Electric Vehicles With Incorporated Low-Voltage Bus. *Evezelman, M.*, +, *TPEL Nov. 2016 7887-7895*

Adaptive Ramp Technique for Controlling Chaos and Subharmonic Oscillations in DC-DC Power Converters. *Morillo, J.D.*, +, *TPEL July 2016 5330-5343*

An Advanced Current-Autobalance High Step-Up Converter With a Multi-coupled Inductor and Voltage Multiplier for a Renewable Power Generation System. *He, L.*, +, *TPEL Oct. 2016 6992-7005*

An Analytical Approach for the Design of Class-E Resonant DC-DC Converters. *Bertoni, N.*, +, *TPEL Nov. 2016 7701-7713*

An Enhanced Control Algorithm for Improving the Light-Load Efficiency of Noninverting Synchronous Buck-Boost Converters. *Kim, D.*, +, *TPEL May 2016 3395-3399*

An Integrated High-Density Power Management Solution for Portable Applications Based on a Multioutput Switched-Capacitor Circuit. *Ahsanuzzaman, S.M.*, +, *TPEL June 2016 4305-4323*

An NMOS-LDO Regulated Switched-Capacitor DC-DC Converter With Fast-Response Adaptive-Phase Digital Control. *Lu, Y.*, +, *TPEL Feb. 2016 1294-1303*

Analysis and Verification of Inductor Coupling Effect in Interleaved Multiphase dc-dc Converters. *Huang, W.*, +, *TPEL July 2016 5004-5017*

Analytical Switching Loss Model for Superjunction MOSFET With Capacitive Nonlinearities and Displacement Currents for DC-DC Power Converters. *Castro, I.*, +, *TPEL March 2016 2485-2495*

Bidirectional Resonant DC-DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y.*, +, *TPEL Jan. 2016 340-352*

Bootstrap Voltage and Dead Time Behavior in GaN DC-DC Buck Converter With a Negative Gate Voltage. *Roschatt, P.M.*, +, *TPEL Oct. 2016 7161-7170*

- Canonical Model and Design Methodology for LLC DC/DC Converter With Constant Current Operation Capability Under Shorted Load. *Duan, F.*, +, *TPEL Oct. 2016 6870-6883*
- CCM/GM Relative Skip Energy Control and Bidirectional Dynamic Slope Compensation in a Single-Inductor Multiple-Output DC–DC Converter for Wearable Device Power Solution. *Su, Y.*, +, *TPEL Aug. 2016 5871-5884*
- Comprehensive DC Power Balance Management in High-Power Three-Level DC–DC Converter for Electric Vehicle Fast Charging. *Tan, L.*, +, *TPEL Jan. 2016 89-100*
- Configurable Multimode Digital Control for Light Load DC–DC Converters With Improved Spectrum and Smooth Transition. *Kapat, S.*, *TPEL March 2016 2680-2688*
- Coupled Inductors in Interleaved Multiphase Three-Level DC–DC Converter for High-Power Applications. *Lu, S.*, +, *TPEL Jan. 2016 120-134*
- DBC Switch Module for Management of Temperature and Noise in 220-W/ $\text{in}^3$  Power Assembly. *Shin, J.*, +, *TPEL March 2016 2387-2394*
- DC–DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W.*, *TPEL Aug. 2016 5400-5410*
- DCM-Based Zero-Voltage Switching Control of a Bidirectional DC–DC Converter With Variable Switching Frequency. *Konjedic, T.*, +, *TPEL April 2016 3273-3288*
- Derivation of Dual-Switch Step-Down DC/DC Converters With Fault-Tolerant Capability. *Lu, D.D.*, +, *TPEL Sept. 2016 6064-6068*
- Design of Fuse–MOSFET Pair for Fault-Tolerant DC/DC Converters. *Soon, J.L.*, +, *TPEL Sept. 2016 6069-6074*
- Digital Control of a High-Voltage (2.5 kV) Bidirectional DC–DC Flyback Converter for Driving a Capacitive Incremental Actuator. *Thummala, P.*, +, *TPEL Dec. 2016 8500-8516*
- Double-Deck Buck-Boost Converter With Soft Switching Operation. *Maali, E.*, +, *TPEL June 2016 4324-4330*
- Dual Switches DC/DC Converter With Three-Winding-Coupled Inductor and Charge Pump. *Tang, Y.*, +, *TPEL Jan. 2016 461-469*
- Efficient Voltage Regulation for Microprocessor Cores Stacked in Vertical Voltage Domains. *Schaeff, C.*, +, *TPEL Feb. 2016 1795-1808*
- Embedded Single-Inductor Bipolar-Output DC–DC Converter in Class-D Amplifier for Low Common Noise. *Chen, S.*, +, *TPEL April 2016 3106-3117*
- Fundamental Duty Modulation of Dual-Active-Bridge Converter for Wide-Range Operation. *Choi, W.*, +, *TPEL June 2016 4048-4064*
- Fundamental Study of Influence of Ripple Noise From DC–DC Converter on Spurious Noise of Wireless Portable Equipment. *Sugahara, S.*, +, *TPEL March 2016 2111-2119*
- Generalized Structure for a Single Phase Switched-Capacitor Multilevel Inverter Using a New Multiple DC Link Producer With Reduced Number of Switches. *Barzegarkhoo, R.*, +, *TPEL Aug. 2016 5604-5617*
- High Switching Performance of 1700-V, 50-A SiC Power MOSFET Over Si IGBT/BiMOSFET for Advanced Power Conversion Applications. *Hazra, S.*, +, *TPEL July 2016 4742-4754*
- High-Frequency High-Efficiency GaN-Based Interleaved CRM Bidirectional Buck/Boost Converter with Inverse Coupled Inductor. *Huang, X.*, +, *TPEL June 2016 4343-4352*
- High-Frequency-Link DC Transformer Based on Switched Capacitor for Medium-Voltage DC Power Distribution Application. *Zhao, B.*, +, *TPEL July 2016 4766-4777*
- High-Power Thyristor-Based DC–DC Switched-Capacitor Voltage Multipliers: Basic Concept and Novel Derived Topology With Reduced Number of Switches. *Kawa, A.*, +, *TPEL Oct. 2016 6797-6813*
- Impedance Control Network Resonant DC–DC Converter for Wide-Range High-Efficiency Operation. *Lu, J.*, +, *TPEL July 2016 5040-5056*
- Improved Adaptive-Series-Virtual-Impedance Control Incorporating Minimum Ripple Point Tracking for Load Converters in DC Systems. *Zhang, X.*, +, *TPEL Dec. 2016 8088-8095*
- Improved Control Strategy of a Supercapacitor-Based Energy Recovery System for Elevator Applications. *Jabbour, N.*, +, *TPEL Dec. 2016 8398-8408*
- Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*
- Improved ZVS Three-Level DC–DC Converter With Reduced Circulating Loss. *Guo, Z.*, +, *TPEL Sept. 2016 6394-6404*
- Interleaved Boundary Conduction Mode Versus Continuous Conduction Mode Magnetic Volume Comparison in Power Converters. *Antoszczuk, P.*, +, *TPEL Dec. 2016 8037-8041*
- Interleaved High-Conversion-Ratio Bidirectional DC–DC Converter for Distributed Energy-Storage Systems—Circuit Generation, Analysis, and Design. *Wang, Y.*, +, *TPEL Aug. 2016 5547-5561*
- Low Sampling Rate Online Parameters Monitoring of DC–DC Converters for Predictive-Maintenance Using Biogeography-Based Optimization. *Li, B.X.*, +, *TPEL April 2016 2870-2879*
- Low-Frequency Input Current Ripple Reduction Based on Load Current Feedforward in a Two-Stage Single-Phase Inverter. *Shi, Y.*, +, *TPEL Nov. 2016 7972-7985*
- Magnetic-Coupling Current-Balancing Cells Based Input-Parallel Output-Parallel LLC Resonant Converter Modules for High-Frequency Isolation of DC Distribution Systems. *Liu, C.*, +, *TPEL Oct. 2016 6968-6979*
- Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, +, *TPEL April 2016 2695-2708*
- Minimum-Current-Stress Scheme of Dual Active Bridge DC–DC Converter With Unified Phase-Shift Control. *Hou, N.*, +, *TPEL Dec. 2016 8552-8561*
- Modeling and Analysis of the Bendable Transformer. *Ho, G.K.Y.*, +, *TPEL Sept. 2016 6450-6460*
- Modeling and Stability Analysis of Active/Hybrid Common-Mode EMI Filters for DC/DC Power Converters. *Chu, Y.*, +, *TPEL Sept. 2016 6254-6263*
- Modeling the Output Impedance of a T-Type Power Converter. *Krismer, F.*, +, *TPEL Dec. 2016 8052-8057*
- Morphing switched-capacitor converters with variable conversion ratio. *Xiong, S.*, +, *TPEL Aug. 2016 5680-5693*
- Multielement Resonant Converters With a Notch Filter on Secondary Side. *Wu, H.*, +, *TPEL June 2016 3999-4004*
- Novel Isolated Multilevel DC–DC Power Converter. *Jou, H.*, +, *TPEL April 2016 2690-2694*
- On-the-Fly Topology-Morphing Control—Efficiency Optimization Method for LLC Resonant Converters Operating in Wide Input- and/or Output-Voltage Range. *Jovanovic, M.M.*, +, *TPEL March 2016 2596-2608*
- Optimal Inductor Current in Boost DC/DC Converters Operating in Burst Mode Under Light-Load Conditions. *Reverter, F.*, +, *TPEL Jan. 2016 15-20*
- Output-Impedance Shaping of Bidirectional DAB DC–DC Converter Using Double-Proportional-Integral Feedback for Near-Ripple-Free DC Bus Voltage Regulation in Renewable Energy Systems. *Cao, L.*, +, *TPEL March 2016 2187-2199*
- Performance Evaluation of a Three-Phase Dual Active Bridge DC–DC Converter With Different Transformer Winding Configurations. *Baars, N.H.*, +, *TPEL Oct. 2016 6814-6823*
- Phase-Shift-Controlled Isolated Buck-Boost Converter With Active-Clamped Three-Level Rectifier (AC-TLR) Featuring Soft-Switching Within Wide Operation Range. *Wu, H.*, +, *TPEL March 2016 2372-2386*
- Photovoltaic Hot-Spot Detection for Solar Panel Substrings Using AC Parameter Characterization. *Kim, K.A.*, +, *TPEL Feb. 2016 1121-1130*
- Power Semiconductor Filter: Use of Series-Pass Device in Switching Converters for Filtering Input Current Harmonics. *Fan, W.*, +, *TPEL March 2016 2053-2068*
- Reconfigurable Periodic Bifrequency DPWM With Custom Harmonic Reduction in DC–DC Converters. *Kapat, S.*, *TPEL April 2016 3380-3388*
- Saturation Generated Oscillations in Voltage-Mode Digital Control of DC–DC Converters. *Syed, A.E.*, +, *TPEL June 2016 4549-4564*
- Second-Order Sliding-Mode Controlled Synchronous Buck DC–DC Converter. *Ling, R.*, +, *TPEL March 2016 2539-2549*
- Series-Input Parallel-Output Modular-Phase DC–DC Converter With Soft-Switching and High-Frequency Isolation. *Mohammadpour, A.*, +, *TPEL Jan. 2016 111-119*
- Small-Signal Modeling of  $I^2$  Average Current Mode Control. *He, S.*, +, *TPEL May 2016 3849-3858*
- Soft-Switching Operation of Isolated Modular DC/DC Converters for Application in HVDC Grids. *Xing, Z.*, +, *TPEL April 2016 2753-2766*

- Stabilization of Cascaded DC/DC Converters via Adaptive Series-Virtual-Impedance Control of the Load Converter. *Zhang, X.*, +, *TPEL Sept. 2016 6057-6063*
- Steady-State Analysis of a ZVS Bidirectional Isolated Three-Phase DC–DC Converter Using Dual Phase-Shift Control With Variable Duty Cycle. *de Oliveira Filho, H.M.*, +, *TPEL March 2016 1863-1872*
- Switching Battery Charger Integrated Circuit for Mobile Devices in a 130-nm BCDMOS Process. *Jeong, M.*, +, *TPEL Nov. 2016 7943-7952*
- Switching Frequency Stabilization Techniques for Adaptive On-Time Controlled Buck Converter With Adaptive Voltage Positioning Mechanism. *Tsai, C.*, +, *TPEL Jan. 2016 443-451*
- Transient DC Bias and Current Impact Effects of High-Frequency-Isolated Bidirectional DC–DC Converter in Practice. *Zhao, B.*, +, *TPEL April 2016 3203-3216*
- Ultrahigh Step-up DC–DC Converter for Distributed Generation by Three Degrees of Freedom (3DoF) Approach. *Hu, Y.*, +, *TPEL July 2016 4930-4941*
- Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter. *Kumar, V.L.*, +, *TPEL Dec. 2016 8461-8470*
- Very High Frequency PWM Buck Converters Using Monolithic GaN Half-Bridge Power Stages With Integrated Gate Drivers. *Zhang, Y.*, +, *TPEL Nov. 2016 7926-7942*
- Voltage-Mode Digital Pulse Skipping Control of a DC–DC Converter With Stable Periodic Behavior and Improved Light-Load Efficiency. *Kapat, S.*, +, *TPEL April 2016 3372-3379*
- Wide Load Range ZVS Three-Level DC–DC Converter: Four Primary Switches, Capacitor Clamped, Two Secondary Switches, and Smaller Output Filter Volume. *Shi, Y.*, +, *TPEL May 2016 3431-3443*
- Wideband Mechanism Model and Parameter Extracting for High-Power High-Voltage High-Frequency Transformers. *Liu, C.*, +, *TPEL May 2016 3444-3455*
- Wireless Power Transfer With Automatic Feedback Control of Load Resistance Transformation. *Ahn, D.*, +, *TPEL Nov. 2016 7876-7886*
- Decision making**
- Passive-Islanding Detection Method Using the Wavelet Packet Transform in Grid-Connected Photovoltaic Systems. *Do, H.T.*, +, *TPEL Oct. 2016 6955-6967*
- Decomposition**
- An Improved Capacitor Voltage-Balancing Method for Five-Level Diode-Clamped Converters With High Modulation Index and High Power Factor. *Zhao, Z.*, +, *TPEL April 2016 3189-3202*
- Delay lock loops**
- A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. *Park, H.*, +, *TPEL June 2016 4484-4498*
- Delays**
- An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*
- Analysis, Measurement, and Compensation of the System Time Delay in a Three-Phase Voltage Source Rectifier. *Wang, C.*, +, *TPEL Aug. 2016 6031-6043*
- Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters. *Yang, Y.*, +, *TPEL Oct. 2016 7273-7285*
- High-Bandwidth and Strong Robust Current Regulation for PMLSM Drives Considering Thrust Ripple. *Wang, M.*, +, *TPEL Sept. 2016 6646-6657*
- Delta-sigma modulation**
- A  $\Delta\Sigma$  Dithering-Amplification-Based Identification Technique for Online SMPS. *Congiu, A.*, +, *TPEL Aug. 2016 6001*
- Demagnetization**
- A High-Precision CV/CC AC–DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*
- Central-Tapped Node Linked Modular Fault-Tolerance Topology for SRM Applications. *Hu, Y.*, +, *TPEL Feb. 2016 1541-1554*
- Dielectric devices**
- Galvanic Isolation for High-Frequency Applications Using an Integrated Dielectric Structure. *Amanci, A.Z.*, +, *TPEL Aug. 2016 5797-5804*
- Dielectric losses**
- Analysis on the Ring-Type Piezoelectric Ceramic Transformer in Radial Vibration. *Lin, S.*, +, *TPEL July 2016 5079-5088*
- Dielectric materials**
- Galvanic Isolation for High-Frequency Applications Using an Integrated Dielectric Structure. *Amanci, A.Z.*, +, *TPEL Aug. 2016 5797-5804*
- Dielectric-barrier discharges**
- Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S.*, +, *TPEL Dec. 2016 8528-8540*
- Differential equations**
- An Analytical Approach for the Design of Class-E Resonant DC–DC Converters. *Bertoni, N.*, +, *TPEL Nov. 2016 7701-7713*
- Digital control**
- A Digital Hysteresis Current Controller for Three-Level Neural-Point-Clamped Inverter With Mixed-Levels and Prediction-Based Sampling. *Yi, H.*, +, *TPEL May 2016 3945-3957*
- A Digital Predictive Peak Current Control for Power Factor Correction With Low-Input Current Distortion. *Youn, H.*, +, *TPEL Jan. 2016 900-912*
- A Module-Integrated Distributed Battery Energy Storage and Management System. *Li, Y.*, +, *TPEL Dec. 2016 8260-8270*
- A Multimode 1-MHz PFC Front End With Digital Peak Current Modulation. *Fernandes, R.*, +, *TPEL Aug. 2016 5694-5708*
- A Reference Modification Model Digitally Controlled DC–DC Converter for Improvement of Transient Response. *Kurokawa, F.*, +, *TPEL Jan. 2016 871-883*
- An NMOS-LDO Regulated Switched-Capacitor DC–DC Converter With Fast-Response Adaptive-Phase Digital Control. *Lu, Y.*, +, *TPEL Feb. 2016 1294-1303*
- Configurable Multimode Digital Control for Light Load DC–DC Converters With Improved Spectrum and Smooth Transition. *Kapat, S.*, *TPEL March 2016 2680-2688*
- Delay-Dependent Stability of Single-Loop Controlled Grid-Connected Inverters with LCL Filters. *Wang, J.*, +, *TPEL Jan. 2016 743-757*
- Digital Control of a High-Voltage (2.5 kV) Bidirectional DC–DC Flyback Converter for Driving a Capacitive Incremental Actuator. *Thummala, P.*, +, *TPEL Dec. 2016 8500-8516*
- Grid-Current-Feedback Active Damping for LCL Resonance in Grid-Connected Voltage-Source Converters. *Wang, X.*, +, *TPEL Jan. 2016 213-223*
- Interleaved Digital Power Factor Correction Based on the Sliding-Mode Approach. *Marcos-Pastor, A.*, +, *TPEL June 2016 4641-4653*
- Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems. *Guo, X.*, +, *TPEL March 2016 1841-1846*
- Minimizing Effect of Input Filter Capacitor in a Digital Boundary Conduction Mode Power Factor Corrector Based on Time-Domain Analysis. *Kim, J.*, +, *TPEL May 2016 3827-3836*
- Minimum-Current-Stress Scheme of Dual Active Bridge DC–DC Converter With Unified Phase-Shift Control. *Hou, N.*, +, *TPEL Dec. 2016 8552-8561*
- On Automatic Resonant Frequency Tracking in LLC Series Resonant Converter Based on Zero-Current Duration Time of Secondary Diode. *Li, H.*, +, *TPEL July 2016 4956-4962*
- Power-Electronics-Based Energy Management System With Storage. *Oriti, G.*, +, *TPEL Jan. 2016 452-460*
- Saturation Generated Oscillations in Voltage-Mode Digital Control of DC–DC Converters. *Syed, A.E.*, +, *TPEL June 2016 4549-4564*
- Second-Order Sliding-Mode Controlled Synchronous Buck DC–DC Converter. *Ling, R.*, +, *TPEL March 2016 2539-2549*
- The Design of a Multilevel Envelope Tracking Amplifier Based on a Multiphase Buck Converter. *Vasic, M.*, +, *TPEL June 2016 4611-4627*
- Voltage-Mode Digital Pulse Skipping Control of a DC–DC Converter With Stable Periodic Behavior and Improved Light-Load Efficiency. *Kapat, S.*, +, *TPEL April 2016 3372-3379*
- Digital filters**
- A Digital Phase Leading Filter Current Compensation (PLFCC) Technique for CCM Boost PFC Converter to Improve PF in High Line Voltage and Light Load Conditions. *Youn, H.*, +, *TPEL Sept. 2016 6596-6606*

**Digital integrated circuits**

All-Digital Low-Dropout Regulator With Adaptive Control and Reduced Dynamic Stability for Digital Load Circuits. *Nasir, S.B.*, +, *TPEL Dec. 2016 8293-8302*

**Digital signal processing chips**

A Digital Predictive Peak Current Control for Power Factor Correction With Low-Input Current Distortion. *Youn, H.*, +, *TPEL Jan. 2016 900-912*

DCM-Based Zero-Voltage Switching Control of a Bidirectional DC–DC Converter With Variable Switching Frequency. *Konjedic, T.*, +, *TPEL April 2016 3273-3288*

Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y.*, +, *TPEL May 2016 3728-3737*

Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems. *Guo, X.*, +, *TPEL March 2016 1841-1846*

Modeling and Control of a Resonant Dual Active Bridge With a Tuned CLLC Network. *Malan, W.L.*, +, *TPEL Oct. 2016 7297-7310*

Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications. *Darwish, A.*, +, *TPEL Dec. 2016 8218-8236*

**Diodes**

A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*

An Advanced Current-Autobalance High Step-Up Converter With a Multi-coupled Inductor and Voltage Multiplier for a Renewable Power Generation System. *He, L.*, +, *TPEL Oct. 2016 6992-7005*

An Improved Capacitor Voltage-Balancing Method for Five-Level Diode-Clamped Converters With High Modulation Index and High Power Factor. *Zhao, Z.*, +, *TPEL April 2016 3189-3202*

Steady-State Analysis and Design of Class-D ZVS Inverter at Any Duty Ratio. *Wei, X.*, +, *TPEL Jan. 2016 394-405*

**Direct digital control**

Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y.*, +, *TPEL May 2016 3728-3737*

**Direct energy conversion**

A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*

**Discrete time systems**

Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. *Tian, S.*, +, *TPEL Feb. 2016 1734-1744*

**Distributed control**

A Module-Integrated Distributed Battery Energy Storage and Management System. *Li, Y.*, +, *TPEL Dec. 2016 8260-8270*

An Improved Distributed Secondary Control Method for DC Microgrids With Enhanced Dynamic Current Sharing Performance. *Wang, P.*, +, *TPEL Sept. 2016 6658-6673*

DC Microgrids—Part I: A Review of Control Strategies and Stabilization Techniques. *Dragicevic, T.*, +, *TPEL July 2016 4876-4891*

Distributed Control for State-of-Charge Balancing Between the Modules of a Reconfigurable Battery Energy Storage System. *Morstyn, T.*, +, *TPEL Nov. 2016 7986-7995*

Distributed Tertiary Control of DC Microgrid Clusters. *Moayedi, S.*, +, *TPEL Feb. 2016 1717-1733*

**Distributed power generation**

A Distributed Architecture Based on Microbank Modules With Self-Reconfiguration Control to Improve the Energy Efficiency in the Battery Energy Storage System. *Zhang, Z.*, +, *TPEL Jan. 2016 304-317*

A Fault Clearing Method in Converter-Dominated Microgrids With Conventional Protection Means. *Oureilidis, K.O.*, +, *TPEL June 2016 4628-4640*

A Hybrid Estimator for Active/Reactive Power Control of Single-Phase Distributed Generation Systems With Energy Storage. *Pahlevani, M.*, +, *TPEL April 2016 2919-2936*

A Review of Galvanically Isolated Impedance-Source DC–DC Converters. *Chub, A.*, +, *TPEL April 2016 2808-2828*

A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*

A Synchronization Method for Single-Phase Grid-Tied Inverters. *Hadjidemetriou, L.*, +, *TPEL March 2016 2139-2149*

A Unified Virtual Power Decoupling Method for Droop-Controlled Parallel Inverters in Microgrids. *Wu, T.*, +, *TPEL Aug. 2016 5587-5603*

A Virtual Impedance Optimization Method for Reactive Power Sharing in Networked Microgrid. *Zhu, Y.*, +, *TPEL April 2016 2890-2904*

An Improved Distributed Secondary Control Method for DC Microgrids With Enhanced Dynamic Current Sharing Performance. *Wang, P.*, +, *TPEL Sept. 2016 6658-6673*

An Improved Voltage Compensation Approach in a Droop-Controlled DC Power System for the More Electric Aircraft. *Gao, F.*, +, *TPEL Oct. 2016 7369-7383*

An Islanding Detection Method for Inverter-Based Distributed Generators Based on the Reactive Power Disturbance. *Chen, X.*, +, *TPEL May 2016 3559-3574*

Comparison of Dynamic Characteristics Between Virtual Synchronous Generator and Droop Control in Inverter-Based Distributed Generators. *Liu, J.*, +, *TPEL May 2016 3600-3611*

Control of Single-Phase Power Converters Connected to Low-Voltage Distorted Power Systems With Variable Compensation Objectives. *Bonaldo, J.P.*, +, *TPEL March 2016 2039-2052*

Control of Three-Phase Bidirectional Current-Source Converter to Inject Balanced Three-Phase Currents Under Unbalanced Grid Voltage Condition. *Vekhande, V.*, +, *TPEL Sept. 2016 6719-6737*

Control Strategies of Three-Phase Distributed Generation Inverters for Grid Unbalanced Voltage Compensation. *Nejabatkhah, F.*, +, *TPEL July 2016 5228-5241*

DC Microgrids—Part I: A Review of Control Strategies and Stabilization Techniques. *Dragicevic, T.*, +, *TPEL July 2016 4876-4891*

DC Microgrids—Part II: A Review of Power Architectures, Applications, and Standardization Issues. *Dragicevic, T.*, +, *TPEL May 2016 3528-3549*

Decoupled Power Angle and Voltage Control of Electric Springs. *Mok, K.*, +, *TPEL Feb. 2016 1216-1229*

Distributed Tertiary Control of DC Microgrid Clusters. *Moayedi, S.*, +, *TPEL Feb. 2016 1717-1733*

Distributed Voltage Unbalance Compensation in Islanded Microgrids by Using a Dynamic Consensus Algorithm. *Meng, L.*, +, *TPEL Jan. 2016 827-838*

Droop-Free Distributed Control for AC Microgrids. *Nasirian, V.*, +, *TPEL Feb. 2016 1600-1617*

Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance. *Chen, Y.*, +, *TPEL Aug. 2016 5524-5537*

Multiple-Time-Scales Hierarchical Frequency Stability Control Strategy of Medium-Voltage Isolated Microgrid. *Zhao, Z.*, +, *TPEL Aug. 2016 5974-5991*

Passive-Islanding Detection Method Using the Wavelet Packet Transform in Grid-Connected Photovoltaic Systems. *Do, H.T.*, +, *TPEL Oct. 2016 6955-6967*

Power and Voltage Balance Control of a Novel Three-Phase Solid-State Transformer Using Multilevel Cascaded H-Bridge Inverters for Microgrid Applications. *Wang, L.*, +, *TPEL April 2016 3289-3301*

Synthesizing Virtual Oscillators to Control Islanded Inverters. *Johnson, B.B.*, +, *TPEL Aug. 2016 6002-6015*

Zero-Voltage Ride-Through Capability of a Transformerless Back-To-Back System Using Modular Multilevel Cascade Converters for Power Distribution Systems. *Khamphakdi, P.*, +, *TPEL April 2016 2730-2741*

**Distribution networks**

Analysis and Control of M3C-Based UPQC for Power Quality Improvement in Medium/High-Voltage Power Grid. *Xu, Q.*, +, *TPEL Dec. 2016 8182-8194*

High-Frequency-Link DC Transformer Based on Switched Capacitor for Medium-Voltage DC Power Distribution Application. *Zhao, B.*, +, *TPEL July 2016 4766-4777*

Online and Offline Stability Analysis Methods for the Power Electronic-Based Components in Design and Operational Stages. *Salmani, M.*, +, *TPEL April 2016 3151-3164*

Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. *Yu, Y.*, +, *TPEL Jan. 2016 292-303*

- Stabilization of a Cascaded DC Converter System via Adding a Virtual Adaptive Parallel Impedance to the Input of the Load Converter. *Zhang, X.*, +, *TPEL March 2016 1826-1832*
- Zero-Voltage Ride-Through Capability of a Transformerless Back-To-Back System Using Modular Multilevel Cascade Converters for Power Distribution Systems. *Khamphakdi, P.*, +, *TPEL April 2016 2730-2741*
- Driver circuits**
- A 10-MHz Isolated Synchronous Class- $\Phi_2$  Resonant Converter. *Ren, X.*, +, *TPEL Dec. 2016 8317-8328*
- A 200-V 98.16%-Efficiency Buck LED Driver Using Integrated Current Control to Improve Current Accuracy for Large-Scale Single-String LED Backlighting Applications. *Lim, B.*, +, *TPEL Sept. 2016 6416-6427*
- A Compact Flicker-Free Transformer-Less LED Driver With an Enhanced Power Factor for Omnidirectional Multichannel Smart Bulb Applications. *Ko, Y.*, +, *TPEL Aug. 2016 5851-5862*
- A Family of Bridgeless Quasi-Resonant LED Drivers. *Shmilovitz, D.*, +, *TPEL March 2016 1833-1836*
- A Gate Driver With Integrated Deadtime Controller. *Grezaud, R.*, +, *TPEL Dec. 2016 8409-8421*
- A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC–DC Driver for Supplying Multiple LED Strings in Parallel. *Ma, H.*, +, *TPEL Aug. 2016 5825-5836*
- A Monolithic High-Performance Buck Converter With Enhanced Current-Mode Control and Advanced Protection Circuits. *Wang, L.*, +, *TPEL Jan. 2016 793-805*
- A MultiWinding Transformer Cell-to-Cell Active Equalization Method for Lithium-Ion Batteries With Reduced Number of Driving Circuits. *Chen, Y.*, +, *TPEL July 2016 4916-4929*
- A Real-Time Variable Turn-Off Current Strategy for a PFC Converter With Voltage Spike Limitation and Efficiency Improvement. *Wu, Q.*, +, *TPEL Dec. 2016 8031-8036*
- A Single-Stage Single-Switch LED Driver Based on the Integrated SEPIC Circuit and Class-E Converter. *Wang, Y.*, +, *TPEL Aug. 2016 5814-5824*
- A survey, classification, and critical review of light-emitting diode drivers. *Li, S.*, +, *TPEL Feb. 2016 1503-1516*
- A Transformerless PCB-Based Medium-Voltage Multilevel Power Converter With a DC Capacitor Balancing Circuit. *Solomon, L.A.*, +, *TPEL April 2016 3052-3067*
- An Alternative Approach to LED Driver Design Based on High-Voltage Driving. *Wong, C.S.*, +, *TPEL March 2016 2465-2475*
- An Integrated Bootstrap Diode Emulator for 600-V High Voltage Gate Drive IC With P-Sub/P-Epi Technology. *Zhu, J.*, +, *TPEL Jan. 2016 518-523*
- Analysis and Design of a Single-Switch Forward-Flyback Two-Channel LED Driver With Resonant-Blocking Capacitor. *Kim, J.*, +, *TPEL March 2016 2314-2323*
- EMC-Aware Design of a Planar Inductor for Low-Profile OLED Drivers. *Kundrata, J.*, +, *TPEL June 2016 4474-4483*
- Flicker-Free Electrolytic Capacitor-Less Universal Input Offline LED Driver With PFC. *Valipour, H.*, +, *TPEL Sept. 2016 6553-6561*
- Gate and Base Drivers for Silicon Carbide Power Transistors: An Overview. *Pefitsis, D.*, +, *TPEL Oct. 2016 7194-7213*
- New AC–DC Power Factor Correction Architecture Suitable for High-Frequency Operation. *Lim, S.*, +, *TPEL April 2016 2937-2949*
- Nonisolated Two-Channel LED Driver With Automatic Current Balance and Zero-Voltage Switching. *Hwu, K.I.*, +, *TPEL Dec. 2016 8359-8370*
- Piezoelectric Filter Module Used in Harmonics Elimination for High-Efficiency Piezoelectric Transformer Driving. *Ju, B.*, +, *TPEL Jan. 2016 524-532*
- Single-Stage AC/DC Single-Inductor Multiple-Output LED Drivers. *Guo, Y.*, +, *TPEL Aug. 2016 5837-5850*
- Static Regulated Multistage Semiactive LED Drivers for High-Efficiency Applications. *Lee, E.S.*, +, *TPEL Sept. 2016 6543-6552*
- Study on the Single-Stage Forward-Flyback PFC Converter With QR Control. *Xie, X.*, +, *TPEL Jan. 2016 430-442*
- Thermal Stress and High Temperature Effects on Power Devices in a Fault-Resilient NPC IGCT-Based Converter. *Rocha, A.V.*, +, *TPEL April 2016 2800-2807*
- Turn-On Optimization for Class D Series–Parallel LCC-Type Constant Current High-Power LED Driver Design Based on Traditional Fluorescent Control IC. *Chen, K.*, +, *TPEL July 2016 4732-4741*
- Use of Transmitter-Side Electrical Information to Estimate Mutual Inductance and Regulate Receiver-Side Power in Wireless Inductive Link. *Chow, J.P.*, +, *TPEL Sept. 2016 6079-6091*
- Very High Frequency PWM Buck Converters Using Monolithic GaN Half-Bridge Power Stages With Integrated Gate Drivers. *Zhang, Y.*, +, *TPEL Nov. 2016 7926-7942*
- Zero-Sequence Current Suppression Strategy for Open Winding PMSG Fed by Semicontrolled Converter. *Nian, H.*, +, *TPEL Jan. 2016 711-720*
- Drivers**
- Fourth-Arm Common-Mode Voltage Mitigation. *Dagan, K.J.*, +, *TPEL Feb. 2016 1401-1407*
- Speed-Sensorless Induction Machine Control in the Field-Weakening Region Using Discrete Speed-Adaptive Full-Order Observer. *Wang, B.*, +, *TPEL Aug. 2016 5759-5773*
- Duality (mathematics)**
- Analysis and Decoupling Design of a 30 MHz Resonant SEPIC Converter. *Zhang, Z.*, +, *TPEL June 2016 4536-4548*
- Dynamic programming**
- Control of Single-Phase Grid-Connected Converters With LCL Filters Using Recurrent Neural Network and Conventional Control Methods. *Fu, X.*, +, *TPEL July 2016 5354-5364*
- Dynamic response**
- A Bidirectional Multiple-Input Multiple-Output Modular Multilevel DC–DC Converter and its Control Design. *Filsoof, K.*, +, *TPEL April 2016 2767-2779*
- A Digital PWM Current Controller for Switched Reluctance Motor Drives. *Peng, F.*, +, *TPEL Oct. 2016 7087-7098*
- A Natural-Sampling-Based SVM Scheme for Current Source Converter With Superior Low-Order Harmonics Performance. *Wei, Q.*, +, *TPEL Sept. 2016 6144-6154*
- A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM. *Vafaei, M.H.*, +, *TPEL May 2016 3738-3753*
- A Synchronization Method for Single-Phase Grid-Tied Inverters. *Hadjidemetriou, L.*, +, *TPEL March 2016 2139-2149*
- Constant Switching Frequency Based Direct Torque Control of Interior Permanent Magnet Synchronous Motors With Reduced Ripples and Fast Torque Dynamics. *Foo, G.H.B.*, +, *TPEL Sept. 2016 6485-6493*
- Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction. *Song, W.*, +, *TPEL Jan. 2016 721-732*
- Stability Analysis of Boundary and Hybrid Controllers for Indirect Energy Transfer Converters. *Kirshenboim, O.*, +, *TPEL April 2016 3360-3371*
- Synthesizing Virtual Oscillators to Control Islanded Inverters. *Johnson, B.B.*, +, *TPEL Aug. 2016 6002-6015*
- Tradeoffs Aware Design Procedure for an Adaptively Biased Capacitorless Low Dropout Regulator Using Nested Miller Compensation. *Maiti, A.*, +, *TPEL Jan. 2016 369-380*
- E**
- Eddy currents**
- Wireless Power Transfer With Concurrent 200-kHz and 6.78-MHz Operation in a Single-Transmitter Device. *Ahn, D.*, +, *TPEL July 2016 5018-5029*
- Eigenvalues and eigenfunctions**
- Multiple-Time-Scales Hierarchical Frequency Stability Control Strategy of Medium-Voltage Isolated Microgrid. *Zhao, Z.*, +, *TPEL Aug. 2016 5974-5991*
- Online and Offline Stability Analysis Methods for the Power Electronic-Based Components in Design and Operational Stages. *Salmani, M.*, +, *TPEL April 2016 3151-3164*
- Stability Analysis of Vector-Controlled Modular Multilevel Converters in Linear Time-Periodic Framework. *Chaudhuri, N.R.*, +, *TPEL July 2016 5255-5269*

**Electric breakdown**

Analysis of the Breakdown Characterization Method in GaN-Based HEMTs. Zhao, S.L., +, *TPEL Feb. 2016 1517-1527*

**Electric connectors**

A Four-Plate Compact Capacitive Coupler Design and LCL-Compensated Topology for Capacitive Power Transfer in Electric Vehicle Charging Application. Zhang, H., +, *TPEL Dec. 2016 8541-8551*

**Electric current control**

A 200-V 98.16%-Efficiency Buck LED Driver Using Integrated Current Control to Improve Current Accuracy for Large-Scale Single-String LED Backlighting Applications. Lim, B., +, *TPEL Sept. 2016 6416-6427*

A Compact Flicker-Free Transformer-Less LED Driver With an Enhanced Power Factor for Omnidirectional Multichannel Smart Bulb Applications. Ko, Y., +, *TPEL Aug. 2016 5851-5862*

A Control Strategy for Suppressing Circulating Currents in Parallel-Connected PMSM Drives With Individual DC Links. Wang, F., +, *TPEL Feb. 2016 1680-1691*

A DC-Link Modulation Scheme With Phase-Shifted Current Control for Harmonic Cancellations in Multidrive Applications. Yang, Y., +, *TPEL March 2016 1837-1840*

A Digital Hysteresis Current Controller for Three-Level Neural-Point-Clamped Inverter With Mixed-Levels and Prediction-Based Sampling. Yi, H., +, *TPEL May 2016 3945-3957*

A Digital Predictive Peak Current Control for Power Factor Correction With Low-Input Current Distortion. Youn, H., +, *TPEL Jan. 2016 900-912*

A Digital PWM Current Controller for Switched Reluctance Motor Drives. Peng, F., +, *TPEL Oct. 2016 7087-7098*

A Monolithic High-Performance Buck Converter With Enhanced Current-Mode Control and Advanced Protection Circuits. Wang, L., +, *TPEL Jan. 2016 793-805*

A Multimode 1-MHz PFC Front End With Digital Peak Current Modulation. Fernandes, R., +, *TPEL Aug. 2016 5694-5708*

A New Way of Controlling Parallel-Connected Inverters by Using Synchronous-Reference-Frame Virtual Impedance Loop—Part I: Control Principle. Guan, Y., +, *TPEL June 2016 4576-4593*

A Parabolic Voltage Control Strategy for Burst-Mode Converters With Constant Burst Frequency and Eliminated Audible Noise. Zhang, L., +, *TPEL Dec. 2016 8572-8580*

A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement. Panigrahi, R., +, *TPEL April 2016 2860-2869*

A Scalable N-Color LED Driver Using Single Inductor Multiple Current Output Topology. Modepalli, K., +, *TPEL May 2016 3773-3783*

A sensorless implementation of the parabolic current control for single-phase stand-alone inverters. Zhang, L., +, *TPEL May 2016 3913-3921*

A Simple Model Predictive Power Control Strategy for Single-Phase PWM Converters With Modulation Function Optimization. Song, W., +, *TPEL July 2016 5279-5289*

A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Tail-Current Control. Zheng, Y., +, *TPEL Nov. 2016 7857-7875*

A Three-Terminal Switch Model of Constant On-Time Current Mode With External Ramp Compensation. Tian, S., +, *TPEL Oct. 2016 7311-7319*

A Versatile Unified Power Quality Conditioner Applied to Three-Phase Four-Wire Distribution Systems Using a Dual Control Strategy. Modesto, R.A., +, *TPEL Aug. 2016 5503-5514*

Active Power Decoupling Method for Single-Phase Current-Source Rectifier With No Additional Active Switches. Sun, Y., +, *TPEL Aug. 2016 5644-5654*

An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. Abeywardana, D.B.W., +, *TPEL June 2016 4594-4603*

Analysis and Suppressing Method for the Output Voltage Harmonics of Modular Multilevel Converter. Wu, D., +, *TPEL July 2016 4755-4765*

Analysis of D-Q Small-Signal Impedance of Grid-Tied Inverters. Wen, B., +, *TPEL Jan. 2016 675-687*

Asymmetrical Duty Cycle-Controlled LLC Resonant Converter With Equivalent Switching Frequency Doubler. Zong, S., +, *TPEL July 2016 4963-4973*

Basic Control Principles of Omnidirectional Wireless Power Transfer. Zhang, C., +, *TPEL July 2016 5215-5227*

Canonical Model and Design Methodology for LLC DC/DC Converter With Constant Current Operation Capability Under Shorted Load. Duan, F., +, *TPEL Oct. 2016 6870-6883*

Circulating Current Suppression of the Modular Multilevel Converter in a Double-Frequency Rotating Reference Frame. Bahrani, B., +, *TPEL Jan. 2016 783-792*

Combined Phase-Shift and Frequency Modulation of a Dual-Active-Bridge AC-DC Converter With PFC. Jauch, F., +, *TPEL Dec. 2016 8387-8397*

Comparison of Dynamic Characteristics Between Virtual Synchronous Generator and Droop Control in Inverter-Based Distributed Generators. Liu, J., +, *TPEL May 2016 3600-3611*

Configurable Multimode Digital Control for Light Load DC-DC Converters With Improved Spectrum and Smooth Transition. Kapat, S., *TPEL March 2016 2680-2688*

Constant Resonant Current Limiting Strategy for LLC Converter Without Current Sensing. Li, Q., +, *TPEL Sept. 2016 6756-6764*

Control of Circulating Currents in Modular Multilevel Converters Through Redundant Voltage Levels. Konstantinou, G., +, *TPEL Nov. 2016 7761-7769*

Control Strategies of Three-Phase Distributed Generation Inverters for Grid Unbalanced Voltage Compensation. Nejabatkhah, F., +, *TPEL July 2016 5228-5241*

Current Balance Control for Symmetrical Multiphase Inverters. Liu, Z., +, *TPEL June 2016 4005-4012*

Design of AC-DC PFC High-Order Converters With Regulated Output Current for Low-Power Applications. Bodetto, M., +, *TPEL March 2016 2012-2025*

Digital current control in a rotating reference frame - Part I: System modeling and the discrete time-domain current controller with improved decoupling capabilities. Hoffmann, N., +, *TPEL July 2016 5290-5305*

Distributed Auxiliary Inverter of Urban Rail Train—The Voltage and Current Control Strategy Under Complicated Load Condition. Chen, J., +, *TPEL Feb. 2016 1745-1756*

Distributed Control for State-of-Charge Balancing Between the Modules of a Reconfigurable Battery Energy Storage System. Morstyn, T., +, *TPEL Nov. 2016 7986-7995*

Division-Summation Current Control and One-Cycle Voltage Regulation of the Surface-Mounted Permanent-Magnet Synchronous Generator. Chang, Y., +, *TPEL Feb. 2016 1391-1400*

Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters. Yang, Y., +, *TPEL Oct. 2016 7273-7285*

Fast and Robust Single-Phase  $>DQ$  Current Controller for Smart Inverter Applications. Ebrahimi, M., +, *TPEL May 2016 3968-3976*

Field Weakening Strategy for a Vector-Controlled Induction Motor Drive Near the Six-Step Mode of Operation. Sahoo, S.K., +, *TPEL April 2016 3043-3051*

Finite Control Set Model Predictive Current Control for Grid-Connected Voltage-Source Converters With LCL Filters: A Study Based on Different State Feedbacks. Panten, N., +, *TPEL July 2016 5189-5200*

Flexible Fault-Tolerant Topology for Switched Reluctance Motor Drives. Hu, Y., +, *TPEL June 2016 4654-4668*

Grid-Current-Feedback Active Damping for LCL Resonance in Grid-Connected Voltage-Source Converters. Wang, X., +, *TPEL Jan. 2016 213-223*

Grouping-Sorting-Optimized Model Predictive Control for Modular Multilevel Converter With Reduced Computational Load. Liu, P., +, *TPEL March 2016 1896-1907*

High Weighted Efficiency in Single-Phase Solar Inverters by a Variable-Frequency Peak Current Controller. Levron, Y., +, *TPEL Jan. 2016 248-257*

High-Bandwidth and Strong Robust Current Regulation for PMLSM Drives Considering Thrust Ripple. Wang, M., +, *TPEL Sept. 2016 6646-6657*

Individual Phase Current Control Based on Optimal Zero-Sequence Current Separation for a Star-Connected Cascade STATCOM Under Unbalanced Conditions. *Shi, Y.*, +, *TPEL March 2016 2099-2110*

Interleaved Current Control for Multiphase Converters With High Dynamics Mean Current Tracking. *Antoszczuk, P.D.*, +, *TPEL Dec. 2016 8422-8434*

Interleaved Digital Power Factor Correction Based on the Sliding-Mode Approach. *Marcos-Pastor, A.*, +, *TPEL June 2016 4641-4653*

Line Current Distortion Compensation for DCM/CRM Boost PFC Converters. *Chen, Y.*, +, *TPEL March 2016 2026-2038*

Load-Current-Corrected Capacitor Voltage Control in Eight-Level DC-AC Converter Using Extended Commutation Cells. *Lemmen, E.*, +, *TPEL Oct. 2016 7286-7296*

Low-Frequency Input Current Ripple Reduction Based on Load Current Feedforward in a Two-Stage Single-Phase Inverter. *Shi, Y.*, +, *TPEL Nov. 2016 7972-7985*

Minimizing Effect of Input Filter Capacitor in a Digital Boundary Conduction Mode Power Factor Corrector Based on Time-Domain Analysis. *Kim, J.*, +, *TPEL May 2016 3827-3836*

Minimum-Voltage Vector Injection Method for Sensorless Control of PMSM for Low-Speed Operations. *Xie, G.*, +, *TPEL Feb. 2016 1785-1794*

Modeling and Control of a Resonant Dual Active Bridge With a Tuned CLLC Network. *Malan, W.L.*, +, *TPEL Oct. 2016 7297-7310*

Modeling, Modulation, and Control of the Three-Phase Four-Switch PWM Rectifier Under Balanced Voltage. *Zeng, Z.*, +, *TPEL July 2016 4892-4905*

Negative Sequence Current Optimizing Control Based on Railway Static Power Conditioner in V/v Traction Power Supply System. *Zhang, D.*, +, *TPEL Jan. 2016 200-212*

Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor. *Gan, C.*, +, *TPEL Oct. 2016 7248-7263*

Performance Comparison of Three-Step and Six-Step PWM in Average-Current-Controlled Three-Phase Six-Switch Boost PFC Rectifier. *Huber, L.*, +, *TPEL Oct. 2016 7264-7272*

Power and Voltage Balance Control of a Novel Three-Phase Solid-State Transformer Using Multilevel Cascaded H-Bridge Inverters for Microgrid Applications. *Wang, L.*, +, *TPEL April 2016 3289-3301*

Predictive Duty Cycle Control of Three-Phase Active-Front-End Rectifiers. *Song, Z.*, +, *TPEL Jan. 2016 698-710*

Pseudo-Derivative-Feedback Current Control for Three-Phase Grid-Connected Inverters With LCL Filters. *Wang, J.*, +, *TPEL May 2016 3898-3912*

Real-Time Implementation of a Seven-Level Packed U-Cell Inverter with a Low-Switching-Frequency Voltage Regulator. *Vahedi, H.*, +, *TPEL Aug. 2016 5967-5973*

Single-Stage AC/DC Single-Inductor Multiple-Output LED Drivers. *Guo, Y.*, +, *TPEL Aug. 2016 5837-5850*

Small Signal Analysis of  $V^2$  Control Using Equivalent Circuit Model of Current Mode Controls. *Yan, Y.*, +, *TPEL July 2016 5344-5353*

Small-Signal Modeling of  $I^2$  Average Current Mode Control. *He, S.*, +, *TPEL May 2016 3849-3858*

Stability Analysis of Vector-Controlled Modular Multilevel Converters in Linear Time-Periodic Framework. *Chaudhuri, N.R.*, +, *TPEL July 2016 5255-5269*

Stationary Frame Fault-Tolerant Current Control of Polyphase Permanent-Magnet Machines Under Open-Circuit and Short-Circuit Faults. *Sen, B.*, +, *TPEL July 2016 4684-4696*

Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*

Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. *Tian, S.*, +, *TPEL Feb. 2016 1734-1744*

Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators. *Ketzer, M.B.*, +, *TPEL July 2016 4818-4830*

#### Electric current measurement

A Measurement Method to Solve a Problem of Using DG Interfacing Converters for Selective Load Harmonic Filtering. *He, J.*, +, *TPEL March 2016 1852-1856*

Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor. *Gan, C.*, +, *TPEL Oct. 2016 7248-7263*

#### Electric drives

A Natural-Sampling-Based SVM Scheme for Current Source Converter With Superior Low-Order Harmonics Performance. *Wei, Q.*, +, *TPEL Sept. 2016 6144-6154*

A Novel Quasi-Z-Source Inverter Topology With Special Coupled Inductors for Input Current Ripples Cancellation. *Battiston, A.*, +, *TPEL March 2016 2409-2416*

An EV Drive-Train With Integrated Fast Charging Capability. *Subotic, I.*, +, *TPEL Feb. 2016 1461-1471*

Dynamic Loss Minimization of Finite Control Set-Model Predictive Torque Control for Electric Drive System. *Xie, W.*, +, *TPEL Jan. 2016 849-860*

Fault-Tolerant Operation of Six-Phase Energy Conversion Systems With Parallel Machine-Side Converters. *Gonzalez-Prieto, I.*, +, *TPEL April 2016 3068-3079*

Particle Filter-Based Prognostics for an Electrolytic Capacitor Working in Variable Operating Conditions. *Rigamonti, M.*, +, *TPEL Feb. 2016 1567-1575*

#### Electric fields

A Management Circuit with Upconversion Oscillation Technology for Electric-Field Energy Harvesting. *Zhang, J.*, +, *TPEL Aug. 2016 5515-5523*

Z-Impedance Compensation for Wireless Power Transfer Based on Electric Field. *Huang, L.*, +, *TPEL Nov. 2016 7556-7563*

#### Electric impedance

Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance. *Chen, Y.*, +, *TPEL Aug. 2016 5524-5537*

Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. *Wen, B.*, +, *TPEL Jan. 2016 26-38*

Stabilization of Cascaded DC/DC Converters via Adaptive Series-Virtual-Impedance Control of the Load Converter. *Zhang, X.*, +, *TPEL Sept. 2016 6057-6063*

#### Electric impedance measurement

High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C.*, +, *TPEL May 2016 3763-3772*

Online and Offline Stability Analysis Methods for the Power Electronic-Based Components in Design and Operational Stages. *Salmani, M.*, +, *TPEL April 2016 3151-3164*

#### Electric machines

Modulation Methods for Three-Level Neutral-Point-Clamped Inverter Achieving Stress Redistribution Under Moderate Modulation Index. *Ma, K.*, +, *TPEL Jan. 2016 5-10*

#### Electric motors

A Novel SVPWM Algorithm for Five-Level Active Neutral-Point-Clamped Converter. *Liu, Z.*, +, *TPEL May 2016 3859-3866*

#### Electric potential

A Current Index Approach to Compensate Commutation Phase Error for Sensorless Brushless DC Motors With Nonideal Back EMF. *Lee, A.*, +, *TPEL June 2016 4389-4399*

Adaptive Compensation Method for High-Speed Surface PMSM Sensorless Drives of EMF-Based Position Estimation Error. *Song, X.*, +, *TPEL Feb. 2016 1438-1449*

Distributed Auxiliary Inverter of Urban Rail Train—Load Sharing Control Strategy Under Complicated Operation Condition. *Chen, J.*, +, *TPEL March 2016 2518-2529*

Interleaved Current Control for Multiphase Converters With High Dynamics Mean Current Tracking. *Antoszczuk, P.D.*, +, *TPEL Dec. 2016 8422-8434*

Position Sensorless Control Without Phase Shifter for High-Speed BLDC Motors With Low Inductance and Nonideal Back EMF. *Li, W.*, +, *TPEL Feb. 2016 1354-1366*

Sensorless Control for High-Speed Brushless DC Motor Based on the Line-to-Line Back EMF. *Liu, G.*, +, *TPEL July 2016 4669-4683*

#### Electric propulsion

Active Balancing System for Electric Vehicles With Incorporated Low-Voltage Bus. *Evezelman, M.*, +, *TPEL Nov. 2016 7887-7895*

An EV Drive-Train With Integrated Fast Charging Capability. *Subotic, I.*, +, *TPEL Feb. 2016 1461-1471*

Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*

Single-Phase On-Board Integrated Battery Chargers for EVs Based on Multiphase Machines. *Subotic, I.*, +, *TPEL Sept. 2016 6511-6523*

#### Electric resistance

A High-Precision CV/CC AC–DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*

AC Winding Loss of Phase-Shifted Coupled Windings. *Feeney, C.*, +, *TPEL Feb. 2016 1472-1478*

#### Electric resistance $\theta$ measurement

Front-End Monitoring of the Mutual Inductance and Load Resistance in a Series–Series Compensated Wireless Power Transfer System. *Yin, J.*, +, *TPEL Oct. 2016 7339-7352*

#### Electric sensing devices

A Generalized Algorithm to Eliminate Spikes of Common-Mode Voltages for CMVRPWM. *Tan, G.*, +, *TPEL Sept. 2016 6698-6709*

A New SVPWM for the Phase Current Reconstruction of Three-Phase Three-level T-type Converters. *Li, X.*, +, *TPEL March 2016 2627-2637*

#### Electric variables control

Impedance Control Network Resonant DC–DC Converter for Wide-Range High-Efficiency Operation. *Lu, J.*, +, *TPEL July 2016 5040-5056*

Stabilization of Cascaded DC/DC Converters via Adaptive Series-Virtual-Impedance Control of the Load Converter. *Zhang, X.*, +, *TPEL Sept. 2016 6057-6063*

#### Electric vehicles

A Charge Equalizer With a Combination of APWM and PFM Control Based on a Modified Half-Bridge Converter. *Hua, C.*, +, *TPEL April 2016 2970-2979*

A Four-Plate Compact Capacitive Coupler Design and LCL-Compensated Topology for Capacitive Power Transfer in Electric Vehicle Charging Application. *Zhang, H.*, +, *TPEL Dec. 2016 8541-8551*

A General Design Method of Primary Compensation Network for Dynamic WPT System Maintaining Stable Transmission Power. *Zhao, J.*, +, *TPEL Dec. 2016 8343-8358*

An EV Drive-Train With Integrated Fast Charging Capability. *Subotic, I.*, +, *TPEL Feb. 2016 1461-1471*

An Improved Voltage Compensation Approach in a Droop-Controlled DC Power System for the More Electric Aircraft. *Gao, F.*, +, *TPEL Oct. 2016 7369-7383*

An Inductive and Capacitive Combined Wireless Power Transfer System With LC-Compensated Topology. *Lu, F.*, +, *TPEL Dec. 2016 8471-8482*

Analysis of the Results of Accelerated Aging Tests in Insulated Gate Bipolar Transistors. *Astigarra, D.*, +, *TPEL Nov. 2016 7953-7962*

Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage. *Saber, C.*, +, *TPEL Sept. 2016 6192-6202*

Comprehensive DC Power Balance Management in High-Power Three-Level DC–DC Converter for Electric Vehicle Fast Charging. *Tan, L.*, +, *TPEL Jan. 2016 89-100*

Development of Wireless In-Wheel Motor Using Magnetic Resonance Coupling. *Sato, M.*, +, *TPEL July 2016 5270-5278*

Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016 5746-5758*

Inductive Charger for Electric Vehicle: Advanced Modeling and Interoperability Analysis. *Ibrahim, M.*, +, *TPEL Dec. 2016 8096-8114*

Modeling, Control, and Seamless Transition of the Bidirectional Battery-Driven Switched Reluctance Motor/Generator Drive Based on Integrated Multiport Power Converter for Electric Vehicle Applications. *Yi, F.*, +, *TPEL Oct. 2016 7099-7111*

Single-Phase On-Board Integrated Battery Chargers for EVs Based on Multiphase Machines. *Subotic, I.*, +, *TPEL Sept. 2016 6511-6523*

Wireless Power Transfer System With an Asymmetric Four-Coil Resonator for Electric Vehicle Battery Chargers. *Moon, S.*, +, *TPEL Oct. 2016 6844-6854*

#### Electrical conductivity transitions

A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*

#### Electroactive polymer actuators

Bidirectional Resonant DC–DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y.*, +, *TPEL Jan. 2016 340-352*

Digital Control of a High-Voltage (2.5 kV) Bidirectional DC–DC Flyback Converter for Driving a Capacitive Incremental Actuator. *Thummala, P.*, +, *TPEL Dec. 2016 8500-8516*

#### Electrochemical electrodes

Novel Experimental Identification Method for a Supercapacitor Multipore Model in Order to Monitor the State of Health. *German, R.*, +, *TPEL Jan. 2016 548-559*

#### Electrodes

Transformation and Load Parameters of the Disk Piezoelectric Transformer. *Erhart, J.*, *TPEL March 2016 2437-2442*

#### Electrolytes

Novel Experimental Identification Method for a Supercapacitor Multipore Model in Order to Monitor the State of Health. *German, R.*, +, *TPEL Jan. 2016 548-559*

#### Electrolytic capacitors

A  $\theta$ -Converter That Reduces Common Mode Currents, Output Voltage Ripples, and Total Capacitance Required. *Zhong, Q.*, +, *TPEL Dec. 2016 8435-8447*

A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC–DC Driver for Supplying Multiple LED Strings in Parallel. *Ma, H.*, +, *TPEL Aug. 2016 5825-5836*

A Novel Control to Achieve Optimal Reduction of the E-Cap's Ripple Current for Discontinuous-Conduction Mode Boost PFC Converter. *Yao, K.*, +, *TPEL June 2016 4331-4342*

A Single-Phase Four-Switch Rectifier With Significantly Reduced Capacitance. *Ming, W.*, +, *TPEL Feb. 2016 1618-1632*

A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*

An Online Monitoring Scheme of DC-Link Capacitor's ESR and C for a Boost PFC Converter. *Yao, K.*, +, *TPEL Aug. 2016 5944-5951*

Flicker-Free Electrolytic Capacitor-Less Universal Input Offline LED Driver With PFC. *Valipour, H.*, +, *TPEL Sept. 2016 6553-6561*

Particle Filter-Based Prognostics for an Electrolytic Capacitor Working in Variable Operating Conditions. *Rigamonti, M.*, +, *TPEL Feb. 2016 1567-1575*

#### Electromagnetic actuators

Power Electronic Circuits for Magnetic Energy Harvesters. *Moon, J.*, +, *TPEL Jan. 2016 270-279*

#### Electromagnetic compatibility

EMC-Aware Design of a Planar Inductor for Low-Profile OLED Drivers. *Kundrata, J.*, +, *TPEL June 2016 4474-4483*

Gate and Base Drivers for Silicon Carbide Power Transistors: An Overview. *Peftitsis, D.*, +, *TPEL Oct. 2016 7194-7213*

High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C.*, +, *TPEL May 2016 3763-3772*

#### Electromagnetic interference

A Coupled Inductor Based High Boost Inverter with Sub-unity Turns-Ratio Range. *Nag, S.S.*, +, *TPEL Nov. 2016 7534-7543*

An Improved Control Technique of Switching-Frequency-Modulated Power Factor Correctors for Low THD and High Power Factor. *Stepins, D.*, *TPEL July 2016 5201-5214*

Augmented Buck Converter Design using Resonant Circuits for Fast Transient Recovery. *Shan, Z.*, +, *TPEL Aug. 2016 5666-5679*

High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C.*, +, *TPEL May 2016 3763-3772*

Investigation of Transformer Winding Architectures for High-Voltage (2.5 kV) Capacitor Charging and Discharging Applications. *Thummala, P.*, +, *TPEL Aug. 2016 5786-5796*

Modeling and Stability Analysis of Active/Hybrid Common-Mode EMI Filters for DC/DC Power Converters. *Chu, Y.*, +, *TPEL Sept. 2016 6254-6263*

- New AC–DC Power Factor Correction Architecture Suitable for High-Frequency Operation. *Lim, S.*, +, *TPEL April 2016 2937-2949*
- Pseudo-Constant Switching Frequency in On-Time Controlled Buck Converter with Predicting Correction Techniques. *Chen, W.*, +, *TPEL May 2016 3650-3662*
- Robust Stability Analysis of Active Voltage Control for High-power IGBT Switching by Kharitonov's Theorem. *Yang, X.*, +, *TPEL March 2016 2584-2595*
- Space-Vector PWM With Common-Mode Voltage Elimination for Multi-phase Drives. *Lopez, O.*, +, *TPEL Dec. 2016 8151-8161*
- Electron mobility**
- A Physics-Based Compact Model of SiC Power MOSFETs. *Kraus, R.*, +, *TPEL Aug. 2016 5863-5870*
- Electrostatic discharge**
- Design and Layout Strategy in the 60-V Power pLDMOS With Drain-End Modulated Engineering of Reliability Considerations. *Chen, S.*, +, *TPEL July 2016 5113-5121*
- Electrostatic motors**
- Bidirectional Resonant DC–DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y.*, +, *TPEL Jan. 2016 340-352*
- Electrostatic precipitators**
- A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*
- Elemental semiconductors**
- A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souvignet, T.*, +, *TPEL July 2016 4984-4994*
- Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*
- Design and Layout Strategy in the 60-V Power pLDMOS With Drain-End Modulated Engineering of Reliability Considerations. *Chen, S.*, +, *TPEL July 2016 5113-5121*
- Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*
- ZVS of Power MOSFETs Revisited. *Kasper, M.*, +, *TPEL Dec. 2016 8063-8067*
- Embedded systems**
- Model Predictive Control of Load-Commutated Inverter-Fed Synchronous Machines. *Besselmann, T.J.*, +, *TPEL Oct. 2016 7384-7393*
- EMTP**
- An Islanding Detection Method for Inverter-Based Distributed Generators Based on the Reactive Power Disturbance. *Chen, X.*, +, *TPEL May 2016 3559-3574*
- Energy conservation**
- An Accurate Design Algorithm for LLC Resonant Converters—Part I. *Hu, Z.*, +, *TPEL Aug. 2016 5435-5447*
- Analytical Switching Cycle Modeling of Bidirectional High-Voltage Flyback Converter for Capacitive Load Considering Core Loss Effect. *Huang, L.*, +, *TPEL Jan. 2016 470-487*
- Energy Efficiency Analysis of U-Coil Wireless Power Transfer System. *Ye, Z.*, +, *TPEL July 2016 4809-4817*
- Line-Voltage Control Based on Wayside Energy Storage Systems for Tramway Networks. *Ciccarelli, F.*, +, *TPEL Jan. 2016 884-899*
- Negative Sequence Current Optimizing Control Based on Railway Static Power Conditioner in V/v Traction Power Supply System. *Zhang, D.*, +, *TPEL Jan. 2016 200-212*
- Optimal Coupling to Achieve Maximum Output Power in a WPT System. *Seo, D.*, +, *TPEL June 2016 3994-3998*
- Power-Electronics-Based Energy Management System With Storage. *Oriti, G.*, +, *TPEL Jan. 2016 452-460*
- Energy harvesting**
- 0.18- $\mu\text{m}$  Light-Harvesting Battery-Assisted Charger–Supply CMOS System. *Damodaran Prabha, R.*, +, *TPEL April 2016 2950-2958*
- A 300-mV Low-Power Management System for Energy Harvesting Applications. *Dallago, E.*, +, *TPEL March 2016 2273-2281*
- A Direct AC–DC and DC–DC Cross-Source Energy Harvesting Circuit with Analog Iterating-Based MPPT Technique with 72.5% Conversion Efficiency and 94.6% Tracking Efficiency. *Chen, S.*, +, *TPEL Aug. 2016 5885-5899*
- A Management Circuit with Upconversion Oscillation Technology for Electric-Field Energy Harvesting. *Zhang, J.*, +, *TPEL Aug. 2016 5515-5523*
- A Multiinput Bridgeless Resonant AC–DC Converter for Electromagnetic Energy Harvesting. *Tang, Y.*, +, *TPEL March 2016 2254-2263*
- A Nanocurrent Power Management IC for Low-Voltage Energy Harvesting Sources. *Dini, M.*, +, *TPEL June 2016 4292-4304*
- A Nanopower Synchronous Charge Extractor IC for Low-Voltage Piezoelectric Energy Harvesting With Residual Charge Inversion. *Dini, M.*, +, *TPEL Feb. 2016 1263-1274*
- A Simple Hysteretic Energy Harvesting Method for Nonneutral AC Switches in Load Automation. *A, K.*, +, *TPEL July 2016 4906-4915*
- A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*
- Model Predictive-Based Maximum Power Point Tracking for Grid-Tied Photovoltaic Applications Using a Z-Source Inverter. *Sajadian, S.*, +, *TPEL Nov. 2016 7611-7620*
- Power Electronic Circuits for Magnetic Energy Harvesters. *Moon, J.*, +, *TPEL Jan. 2016 270-279*
- Energy management systems**
- 87% Overall High Efficiency and 11  $\mu\text{A}$  Ultra-Low Standby Current Derived by Overall Power Management in Laptops With Flexible Voltage Scaling and Dynamic Voltage Scaling Techniques. *Yang, S.*, +, *TPEL April 2016 3118-3127*
- Comprehensive DC Power Balance Management in High-Power Three-Level DC–DC Converter for Electric Vehicle Fast Charging. *Tan, L.*, +, *TPEL Jan. 2016 89-100*
- Multiple-Time-Scales Hierarchical Frequency Stability Control Strategy of Medium-Voltage Isolated Microgrid. *Zhao, Z.*, +, *TPEL Aug. 2016 5974-5991*
- Power-Electronics-Based Energy Management System With Storage. *Oriti, G.*, +, *TPEL Jan. 2016 452-460*
- Energy storage**
- A Bidirectional Three-Level LLC Resonant Converter With PWAM Control. *Jiang, T.*, +, *TPEL March 2016 2213-2225*
- A Hybrid Estimator for Active/Reactive Power Control of Single-Phase Distributed Generation Systems With Energy Storage. *Pahlevani, M.*, +, *TPEL April 2016 2919-2936*
- A Nanopower Synchronous Charge Extractor IC for Low-Voltage Piezoelectric Energy Harvesting With Residual Charge Inversion. *Dini, M.*, +, *TPEL Feb. 2016 1263-1274*
- A Novel Transformer-less Interleaved Four-Phase Step-Down DC Converter With Low Switch Voltage Stress and Automatic Uniform Current-Sharing Characteristics. *Chuang, C.*, +, *TPEL Jan. 2016 406-417*
- A Rule-Based Controller to Mitigate DC-Side Second-Order Harmonic Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL Feb. 2016 1665-1679*
- A survey, classification, and critical review of light-emitting diode drivers. *Li, S.*, +, *TPEL Feb. 2016 1503-1516*
- A ZVS Grid-Connected Full-Bridge Inverter With a Novel ZVS SPWM Scheme. *Chen, Y.*, +, *TPEL May 2016 3626-3638*
- Assessment of Fault Tolerance in Modular Multilevel Converters With Integrated Energy Storage. *Soong, T.*, +, *TPEL June 2016 4085-4095*
- DC Microgrids—Part II: A Review of Power Architectures, Applications, and Standardization Issues. *Dragicevic, T.*, +, *TPEL May 2016 3528-3549*
- Dynamics and Robust Control of a Grid-Connected VSC in Multiterminal DC Grids Considering the Instantaneous Power of DC- and AC-Side Filters and DC Grid Uncertainty. *Davari, M.*, +, *TPEL March 2016 1942-1958*
- Interleaved High-Conversion-Ratio Bidirectional DC–DC Converter for Distributed Energy-Storage Systems—Circuit Generation, Analysis, and Design. *Wang, Y.*, +, *TPEL Aug. 2016 5547-5561*
- Entropy**
- The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L.*, +, *TPEL Aug. 2016 5917-5930*
- Equivalent circuits**
- A Physics-Based Improved Cauer-Type Thermal Equivalent Circuit for IGBT Modules. *Wang, Z.*, +, *TPEL Oct. 2016 6781-6786*

- A Simplified Equivalent Circuit Model of Series Resonant Converter. *Tian, S., +, TPEL May 2016 3922-3931*
- A Three-Terminal Switch Model of Constant On-Time Current Mode With External Ramp Compensation. *Tian, S., +, TPEL Oct. 2016 7311-7319*
- Alternate Proof for Steady-State Equivalent Circuit of a Doubly Fed Induction Machine. *Kumar, V.S.S., +, TPEL Aug. 2016 5378-5383*
- An Inductive and Capacitive Combined Wireless Power Transfer System With LC-Compensated Topology. *Lu, F., +, TPEL Dec. 2016 8471-8482*
- Analysis and Control of M3C-Based UPQC for Power Quality Improvement in Medium/High-Voltage Power Grid. *Xu, Q., +, TPEL Dec. 2016 8182-8194*
- Analysis on the Ring-Type Piezoelectric Ceramic Transformer in Radial Vibration. *Lin, S., +, TPEL July 2016 5079-5088*
- Calculation of Power Losses in Litz Wire Systems by Coupling FEM and PEEC Method. *Roskopf, A., +, TPEL Sept. 2016 6442-6449*
- Critical Design Criterion for Achieving Zero Voltage Switching in Inductorless Half-Bridge-Driven Piezoelectric-Transformer-Based Power Supplies. *Foster, M.P., +, TPEL July 2016 5057-5066*
- Design of a Double-Gate Power LDMOS With Improved SOA by Complementary Majority Carrier Conduction Paths. *Du, W., +, TPEL July 2016 5133-5140*
- Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S., +, TPEL Dec. 2016 8528-8540*
- High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C., +, TPEL May 2016 3763-3772*
- Implementation of a Nonlinear Planar Magnetics Model. *Tria, L.A.R., +, TPEL Sept. 2016 6534-6542*
- Modeling and Analysis of the Bendable Transformer. *Ho, G.K.Y., +, TPEL Sept. 2016 6450-6460*
- Novel Experimental Identification Method for a Supercapacitor Multipore Model in Order to Monitor the State of Health. *German, R., +, TPEL Jan. 2016 548-559*
- Small Signal Analysis of  $V^2$  Control Using Equivalent Circuit Model of Current Mode Controls. *Yan, Y., +, TPEL July 2016 5344-5353*
- Transient Hygrothermal-Response of Power Modules in Inverters—The Basis for Mission Profiling Under Climate and Power Loading. *Bayerer, R., +, TPEL Jan. 2016 613-620*
- Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. *Tian, S., +, TPEL Feb. 2016 1734-1744*
- Error compensation**
- An Efficient Implementation of Generalized Delayed Signal Cancellation PLL. *Golestan, S., +, TPEL Feb. 2016 1085-1094*
- Estimation theory**
- Design Method of Adaptive Full Order Observer With or Without Estimated Flux Error in Speed Estimation Algorithm. *Sun, W., +, TPEL March 2016 2609-2626*
- Direct Voltage Control With Slip Angle Estimation to Extend the Range of Supported Asymmetric Loads for Stand-Alone DFIG. *Ataji, A.B., +, TPEL Feb. 2016 1015-1025*
- Real-Time Temperature Estimation in a Multiple Device Power Electronics System Subject to Dynamic Cooling. *Davidson, J.N., +, TPEL April 2016 2709-2719*
- Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators. *Ketzer, M.B., +, TPEL July 2016 4818-4830*
- Exciters**
- Design and Control of a Two-Phase Brushless Exciter for Aircraft Wound-Rotor Synchronous Starter/Generator in the Starting Mode. *Jiao, N., +, TPEL June 2016 4452-4461*
- F**
- Failure analysis**
- Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A., +, TPEL March 2016 1816-1821*
- Modulation Schemes With Enhanced Switch Thermal Distribution for Single-Phase AC–DC–AC Reduced-Switch Converters. *Qin, Z., +, TPEL April 2016 3302-3313*
- Prediction of Bond Wire Fatigue of IGBTs in a PV Inverter Under a Long-Term Operation. *Reigosa, P.D., +, TPEL Oct. 2016 7171-7182*
- Quasi-Z-Source Inverter With a T-Type Converter in Normal and Failure Mode. *Fernao Pires, V., +, TPEL Nov. 2016 7462-7470*
- Fatigue**
- Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W., +, TPEL Sept. 2016 6575-6585*
- Prediction of Bond Wire Fatigue of IGBTs in a PV Inverter Under a Long-Term Operation. *Reigosa, P.D., +, TPEL Oct. 2016 7171-7182*
- Fault currents**
- Analysis and Design of DC System Protection Using Z-Source Circuit Breaker. *Chang, A.H., +, TPEL Feb. 2016 1036-1049*
- Study of IPMSM Interturn Faults Part I: Development and Analysis of Models With Series and Parallel Winding Connections. *Gu, B., TPEL Aug. 2016 5931-5943*
- Fault diagnosis**
- A Real-Time Multiple Open-Circuit Fault Diagnosis Method in Voltage-Source-Inverter Fed Vector Controlled Drives. *Wu, F., +, TPEL Feb. 2016 1425-1437*
- An Open-Switch Fault Diagnosis Method for Single-Phase PWM Rectifier Using a Model-Based Approach in High-Speed Railway Electrical Traction Drive System. *Gou, B., +, TPEL May 2016 3816-3826*
- Central-Tapped Node Linked Modular Fault-Tolerance Topology for SRM Applications. *Hu, Y., +, TPEL Feb. 2016 1541-1554*
- DC–DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W., TPEL Aug. 2016 5400-5410*
- Detection and Discrimination of Open-Phase Fault in Permanent Magnet Synchronous Motor Drive System. *Hang, J., +, TPEL July 2016 4697-4709*
- Fault Diagnosis of Photovoltaic Panels Using Dynamic Current–Voltage Characteristics. *Wang, W., +, TPEL Feb. 2016 1588-1599*
- Fault-Decoupled Instantaneous Frequency and Phase Angle Estimation for Three-Phase Grid-Connected Inverters. *De Donato, G., +, TPEL April 2016 2880-2889*
- Flexible Fault-Tolerant Topology for Switched Reluctance Motor Drives. *Hu, Y., +, TPEL June 2016 4654-4668*
- High-Resistance Connection Detection in Permanent Magnet Synchronous Machine Using Zero-Sequence Current Component. *Hang, J., +, TPEL July 2016 4710-4719*
- Modified Z-Source DC Circuit Breaker Topologies. *Maqsood, A., +, TPEL Oct. 2016 7394-7403*
- Robustness Analysis and Experimental Validation of a Fault Detection and Isolation Method for the Modular Multilevel Converter. *Shao, S., +, TPEL May 2016 3794-3805*
- Study of IPMSM Interturn Faults Part II: Online Fault Parameter Estimation. *Gu, B., TPEL Oct. 2016 7214-7223*
- The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L., +, TPEL Aug. 2016 5917-5930*
- Fault location**
- Fault Diagnosis and Tolerant Control of Single IGBT Open-Circuit Failure in Modular Multilevel Converters. *Li, B., +, TPEL April 2016 3165-3176*
- Open-Circuit Fault Diagnosis and Fault-Tolerant Control for a Grid-Connected NPC Inverter. *Choi, U., +, TPEL Oct. 2016 7234-7247*
- Fault simulation**
- Reliability Assessment of the Switched Reluctance Motor Drive Under Single Switch Chopping Strategy. *Chen, H., +, TPEL March 2016 2395-2408*
- Fault tolerance**
- A Fault-Tolerant Strategy Based on Fundamental Phase-Shift Compensation for Three-Phase Multilevel Converters With Quasi-Z-Source Networks With Discontinuous Input Current. *Aleenejad, M., +, TPEL Nov. 2016 7480-7488*
- A New Fault-Tolerant Strategy Based on a Modified Selective Harmonic Technique for Three-Phase Multilevel Converters With a Single Faulty Cell. *Aleenejad, M., +, TPEL April 2016 3141-3150*
- Assessment of Fault Tolerance in Modular Multilevel Converters With Integrated Energy Storage. *Soong, T., +, TPEL June 2016 4085-4095*
- Central-Tapped Node Linked Modular Fault-Tolerance Topology for SRM Applications. *Hu, Y., +, TPEL Feb. 2016 1541-1554*

Derivation of Dual-Switch Step-Down DC/DC Converters With Fault-Tolerant Capability. *Lu, D.D.*, +, *TPEL Sept. 2016 6064-6068*

Design of Fuse-MOSFET Pair for Fault-Tolerant DC/DC Converters. *Soon, J.L.*, +, *TPEL Sept. 2016 6069-6074*

Quasi-Z-Source Inverter With a T-Type Converter in Normal and Failure Mode. *Fernao Pires, V.*, +, *TPEL Nov. 2016 7462-7470*

Unbalanced Space Vector Modulation with Fundamental Phase Shift Compensation for Faulty Multilevel Converters. *Aleenejad, M.*, +, *TPEL Oct. 2016 7224-7233*

#### Fault tolerant control

Comparison of Two SVPWM Control Strategies of Five-Phase Fault-Tolerant Permanent-Magnet Motor. *Liu, G.*, +, *TPEL Sept. 2016 6621-6630*

Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016 5746-5758*

Fault Diagnosis and Tolerant Control of Single IGBT Open-Circuit Failure in Modular Multilevel Converters. *Li, B.*, +, *TPEL April 2016 3165-3176*

Fault-Tolerant Operation of Six-Phase Energy Conversion Systems With Parallel Machine-Side Converters. *Gonzalez-Prieto, I.*, +, *TPEL April 2016 3068-3079*

Flexible Fault-Tolerant Topology for Switched Reluctance Motor Drives. *Hu, Y.*, +, *TPEL June 2016 4654-4668*

Open-Circuit Fault Diagnosis and Fault-Tolerant Control for a Grid-Connected NPC Inverter. *Choi, U.*, +, *TPEL Oct. 2016 7234-7247*

Open-Circuit Fault-Tolerant Control for Outer Switches of Three-Level Rectifiers in Wind Turbine Systems. *Lee, J.*, +, *TPEL May 2016 3806-3815*

Stationary Frame Fault-Tolerant Current Control of Polyphase Permanent-Magnet Machines Under Open-Circuit and Short-Circuit Faults. *Sen, B.*, +, *TPEL July 2016 4684-4696*

#### Feedback

Active Damping of *LLCL*-Filter Resonance Based on *LC*-Trap Voltage or Current Feedback. *Huang, M.*, +, *TPEL March 2016 2337-2346*

An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL June 2016 4594-4603*

Analysis of D-Q Small-Signal Impedance of Grid-Tied Inverters. *Wen, B.*, +, *TPEL Jan. 2016 675-687*

Delay-Dependent Stability of Single-Loop Controlled Grid-Connected Inverters with *LCL* Filters. *Wang, J.*, +, *TPEL Jan. 2016 743-757*

Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y.*, +, *TPEL May 2016 3728-3737*

Five Approaches to Deal With Problem of DC Offset in Phase-Locked Loop Algorithms: Design Considerations and Performance Evaluations. *Golestani, S.*, +, *TPEL Jan. 2016 648-661*

Grid-Current-Feedback Active Damping for *LCL* Resonance in Grid-Connected Voltage-Source Converters. *Wang, X.*, +, *TPEL Jan. 2016 213-223*

Optimization and Comparative Evaluation of Multiloop Control Schemes for Controllable AC Sources With Two-Stage *LC* Output Filters. *Boillat, D.O.*, +, *TPEL Oct. 2016 7353-7368*

Pseudo-Derivative-Feedback Current Control for Three-Phase Grid-Connected Inverters With *LCL* Filters. *Wang, J.*, +, *TPEL May 2016 3898-3912*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, +, *TPEL April 2016 3027-3035*

Small Signal Analysis of  $V^2$  Control Using Equivalent Circuit Model of Current Mode Controls. *Yan, Y.*, +, *TPEL July 2016 5344-5353*

Small-Signal Modeling, Stability Analysis and Design Optimization of Single-Phase Delay-Based PLLs. *Golestan, S.*, +, *TPEL May 2016 3517-3527*

Subharmonic Instability Limits for  $V^2$ -Controlled Buck Converter With Outer Loop Closed/Open. *Fang, C.*, +, *TPEL Feb. 2016 1657-1664*

Wireless Power Transfer With Automatic Feedback Control of Load Resistance Transformation. *Ahn, D.*, +, *TPEL Nov. 2016 7876-7886*

#### Feedforward

A Digital Phase Leading Filter Current Compensation (PLFCC) Technique for CCM Boost PFC Converter to Improve PF in High Line Voltage and Light Load Conditions. *Youn, H.*, +, *TPEL Sept. 2016 6596-6606*

An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*

Analysis and Suppressing Method for the Output Voltage Harmonics of Modular Multilevel Converter. *Wu, D.*, +, *TPEL July 2016 4755-4765*

Development of Wireless In-Wheel Motor Using Magnetic Resonance Coupling. *Sato, M.*, +, *TPEL July 2016 5270-5278*

Low-Frequency Input Current Ripple Reduction Based on Load Current Feedforward in a Two-Stage Single-Phase Inverter. *Shi, Y.*, +, *TPEL Nov. 2016 7972-7985*

#### Ferrimagnetic materials

A Compact Coupled Inductor for Interleaved Multiphase DC-DC Converters. *Huang, W.*, +, *TPEL Oct. 2016 6770-6775*

#### Ferrites

A Novel Method to Predict the Real Operation of Ferrite Inductors With Moderate Saturation in Switching Power Supply Applications. *Di Capua, G.*, +, *TPEL March 2016 2456-2464*

High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C.*, +, *TPEL May 2016 3763-3772*

High-Order Resonant Converter Topology With Extremely Low-Coupling Contactless Transformers. *Thenathayalan, D.*, +, *TPEL March 2016 2347-2361*

#### Field effect transistor switches

A Novel Transformer-less Interleaved Four-Phase Step-Down DC Converter With Low Switch Voltage Stress and Automatic Uniform Current-Sharing Characteristics. *Chuang, C.*, +, *TPEL Jan. 2016 406-417*

An Analytical Switching Process Model of Low-Voltage eGaN HEMTs for Loss Calculation. *Wang, K.*, +, *TPEL Jan. 2016 635-647*

Analytical Switching Loss Model for Superjunction MOSFET With Capacitive Nonlinearities and Displacement Currents for DC-DC Power Converters. *Castro, I.*, +, *TPEL March 2016 2485-2495*

Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*

Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*

#### Field effect transistors

Bootstrap Voltage and Dead Time Behavior in GaN DC-DC Buck Converter With a Negative Gate Voltage. *Roschatt, P.M.*, +, *TPEL Oct. 2016 7161-7170*

Gate and Base Drivers for Silicon Carbide Power Transistors: An Overview. *Peftitsis, D.*, +, *TPEL Oct. 2016 7194-7213*

#### Field programmable gate arrays

An FPGA-Based Advanced Control Strategy of a Grid-Tied PV CHB Inverter. *Coppola, M.*, +, *TPEL Jan. 2016 806-816*

FPGA-Based Experimental Investigation of a Quasi-Centralized Model Predictive Control for Back-to-Back Converters. *Zhang, Z.*, +, *TPEL Jan. 2016 662-674*

Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems. *Guo, X.*, +, *TPEL March 2016 1841-1846*

Operating Conditions Monitoring for High Power Density and Cost-Effective Resonant Power Converters. *Sarnago, H.*, +, *TPEL Jan. 2016 488-496*

Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*

Reconfigurable Periodic Bifrequency DPWM With Custom Harmonic Reduction in DC-DC Converters. *Kapat, S.*, *TPEL April 2016 3380-3388*

Space-Vector PWM With Common-Mode Voltage Elimination for Multiphase Drives. *Lopez, O.*, +, *TPEL Dec. 2016 8151-8161*

Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter. *Kumar, V.I.*, +, *TPEL Dec. 2016 8461-8470*

Voltage-Mode Digital Pulse Skipping Control of a DC-DC Converter With Stable Periodic Behavior and Improved Light-Load Efficiency. *Kapat, S.*, +, *TPEL April 2016 3372-3379*

#### Filters

A Virtual *RLC* Damper to Stabilize DC/DC Converters Having an *LC* Input Filter while Improving the Filter Performance. *Zhang, X.*, +, *TPEL Dec. 2016 8017-8023*

- ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*
- Improved Adaptive-Series-Virtual-Impedance Control Incorporating Minimum Ripple Point Tracking for Load Converters in DC Systems. *Zhang, X.*, +, *TPEL Dec. 2016 8088-8095*
- Novel Isolated Multilevel DC–DC Power Converter. *Jou, H.*, +, *TPEL April 2016 2690-2694*
- Optimization and Comparative Evaluation of Multiloop Control Schemes for Controllable AC Sources With Two-Stage LC Output Filters. *Boillat, D.O.*, +, *TPEL Oct. 2016 7353-7368*
- Soft-Switching Step-Up Converter With Ripple-Free Output Current. *Kim, S.*, +, *TPEL Aug. 2016 5618-5624*
- Finite element analysis**
- A Four-Plate Compact Capacitive Coupler Design and LCL-Compensated Topology for Capacitive Power Transfer in Electric Vehicle Charging Application. *Zhang, H.*, +, *TPEL Dec. 2016 8541-8551*
- A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*
- AC Winding Loss of Phase-Shifted Coupled Windings. *Feeney, C.*, +, *TPEL Feb. 2016 1472-1478*
- An Inductive and Capacitive Combined Wireless Power Transfer System With LC-Compensated Topology. *Lu, F.*, +, *TPEL Dec. 2016 8471-8482*
- An Integrated Inductor for Parallel Interleaved Three-Phase Voltage Source Converters. *Gohil, G.*, +, *TPEL May 2016 3400-3414*
- Calculation of Power Losses in Litz Wire Systems by Coupling FEM and PEEC Method. *Roskopf, A.*, +, *TPEL Sept. 2016 6442-6449*
- Circuit-Based Electrothermal Simulation of Power Devices by an Ultrafast Nonlinear MOR Approach. *Codecasa, L.*, +, *TPEL Aug. 2016 5906-5916*
- Comparative Evaluation of Direct Torque Control Strategies for Permanent Magnet Synchronous Machines. *Niu, F.*, +, *TPEL Feb. 2016 1408-1424*
- Design and Control of a Two-Phase Brushless Exciter for Aircraft Wound-Rotor Synchronous Starter/Generator in the Starting Mode. *Jiao, N.*, +, *TPEL June 2016 4452-4461*
- Dynamic Modeling Method of Electro-Thermo-Mechanical Degradation in IGBT Modules. *Pedersen, K.B.*, +, *TPEL Feb. 2016 975-986*
- Electrothermal Multiscale Modeling and Simulation Concepts for Power Electronics. *Kock, H.*, +, *TPEL April 2016 3128-3140*
- Investigation of Transformer-Based Solutions for the Reduction of Inrush and Phase-Hop Currents. *Dogan, R.*, +, *TPEL May 2016 3506-3516*
- Loss Modeling of Coupled Stripline Microinductors in Power Supply on Chip Applications. *Feeney, C.*, +, *TPEL May 2016 3754-3762*
- Modeling and Analysis of Interturn Short Fault in Permanent Magnet Synchronous Motors With Multistrands Windings. *Qian, H.*, +, *TPEL March 2016 2496-2509*
- Reduction of Inrush Currents in Toroidal Transformers by Sector Winding Design. *Jazebi, S.*, +, *TPEL Oct. 2016 6776-6780*
- Study of IPMSM Interturn Faults Part I: Development and Analysis of Models With Series and Parallel Winding Connections. *Gu, B.*, *TPEL Aug. 2016 5931-5943*
- Thermal Analysis of the Laminated Busbar System of a Multilevel Converter. *Smirnova, L.*, +, *TPEL Feb. 2016 1479-1488*
- Thermal Stress and High Temperature Effects on Power Devices in a Fault-Resilient NPC IGCT-Based Converter. *Rocha, A.V.*, +, *TPEL April 2016 2800-2807*
- Wideband Mechanism Model and Parameter Extracting for High-Power High-Voltage High-Frequency Transformers. *Liu, C.*, +, *TPEL May 2016 3444-3455*
- FIR filters**
- Bus Voltage Control With Zero Distortion and High Bandwidth for Single-Phase Solar Inverters. *Levron, Y.*, +, *TPEL Jan. 2016 258-269*
- Flash memories**
- An SD Card Flash-Memory-Based Implementation of a Multi-optimal Three-Phase PWM Generator. *Neacsu, D.O.*, +, *TPEL Jan. 2016 39-51*
- Flexible AC transmission systems**
- Application of Transformer-Less UPFC for Interconnecting Two Synchronous AC Grids With Large Phase Difference. *Liu, Y.*, +, *TPEL Sept. 2016 6092-6103*
- Flexible electronics**
- Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, +, *TPEL April 2016 2695-2708*
- Flip-chip devices**
- A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*
- Floating point arithmetic**
- Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*
- Flow graphs**
- Unified Modeling of PWM Converters With Regular or Tapped Inductors Using TIS-SFG Approach. *Abramovitz, A.*, +, *TPEL Feb. 2016 1702-1716*
- Fluorescent lamps**
- “Z” and “qZ” Source Inverters as Electronic Ballast. *Vazquez, N.*, +, *TPEL Nov. 2016 7651-7660*
- Turn-On Optimization for Class D Series-Parallel LCC-Type Constant Current High-Power LED Driver Design Based on Traditional Fluorescent Control IC. *Chen, K.*, +, *TPEL July 2016 4732-4741*
- Versatile LED Drivers for Various Electronic Ballasts by Variable Switched Capacitor. *Lee, E.S.*, +, *TPEL Feb. 2016 1489-1502*
- Flywheels**
- A Control Algorithm for Electric Vehicle Fast Charging Stations Equipped With Flywheel Energy Storage Systems. *Sun, B.*, +, *TPEL Sept. 2016 6674-6685*
- Focused ion beam technology**
- Failure Modes of 15-kV SiC SGTO Thyristors During Repetitive Extreme Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL Dec. 2016 8058-8062*
- Force control**
- A Direct Thrust Control Scheme for Linear Permanent Magnet Synchronous Motor Based on Online Duty Ratio Control. *Cheema, M.A.M.*, +, *TPEL June 2016 4416-4428*
- Fourier series**
- One-Dimensional Spectral Analysis Techniques for Multilevel PWM Strategies. *McGrath, B.*, +, *TPEL Oct. 2016 6910-6919*
- Fourier transforms**
- PLL With MAF-Based Prefiltering Stage: Small-Signal Modeling and Performance Enhancement. *Golestan, S.*, +, *TPEL June 2016 4013-4019*
- Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*
- Frequency control**
- A Novel Variable Reactor and Its Application to Shunt Power Quality Controller. *Li, D.*, +, *TPEL June 2016 4148-4158*
- A Single-Inductor Multiple-Output Auto-Buck-Boost DC–DC Converter With Tail-Current Control. *Zheng, Y.*, +, *TPEL Nov. 2016 7857-7875*
- A Single-Inductor Multiple-Output Auto-Buck-Boost DC–DC Converter With Autophase Allocation. *Zheng, Y.*, +, *TPEL March 2016 2296-2313*
- A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*
- Analysis and Design of Modified Half-Bridge Series-Resonant Inverter With DC-Link Neutral-Point-Clamped Cell. *Ryu, S.*, +, *TPEL March 2016 2282-2295*
- Analysis on Load-Adaptive Phase-Shift Control for High Efficiency Full-Bridge LLC Resonant Converter Under Light-Load Conditions. *Kim, J.*, +, *TPEL July 2016 4942-4955*
- Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters. *Yang, Y.*, +, *TPEL Oct. 2016 7273-7285*
- Grouping-Sorting-Optimized Model Predictive Control for Modular Multilevel Converter With Reduced Computational Load. *Liu, P.*, +, *TPEL March 2016 1896-1907*
- High Weighted Efficiency in Single-Phase Solar Inverters by a Variable-Frequency Peak Current Controller. *Levron, Y.*, +, *TPEL Jan. 2016 248-257*
- High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. *Cho, Y.*, +, *TPEL June 2016 4138-4147*

Hybrid Ultracapacitor–Battery Energy Storage System Based on Quasi-Z-source Topology and Enhanced Frequency Dividing Coordinated Control for EV. *Hu, S.*, +, *TPEL Nov. 2016 7598-7610*

On Automatic Resonant Frequency Tracking in LLC Series Resonant Converter Based on Zero-Current Duration Time of Secondary Diode. *Li, H.*, +, *TPEL July 2016 4956-4962*

Performance Improvement of Two-Vectors-Based Model Predictive Control of PWM Rectifier. *Zhang, Y.*, +, *TPEL Aug. 2016 6016-6030*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, +, *TPEL April 2016 3027-3035*

Synthesizing Virtual Oscillators to Control Islanded Inverters. *Johnson, B.B.*, +, *TPEL Aug. 2016 6002-6015*

Ultracapacitor–Battery Hybrid Energy Storage System Based on the Asymmetric Bidirectional Z-Source Topology for EV. *Hu, S.*, +, *TPEL Nov. 2016 7489-7498*

#### Frequency converters

Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices. *Ma, K.*, +, *TPEL Oct. 2016 7183-7193*

#### Frequency estimation

An Improved Second-Order Generalized Integrator Based Quadrature Signal Generator. *Xin, Z.*, +, *TPEL Dec. 2016 8068-8073*

Fault-Decoupled Instantaneous Frequency and Phase Angle Estimation for Three-Phase Grid-Connected Inverters. *De Donato, G.*, +, *TPEL April 2016 2880-2889*

Five Approaches to Deal With Problem of DC Offset in Phase-Locked Loop Algorithms: Design Considerations and Performance Evaluations. *Golestani, S.*, +, *TPEL Jan. 2016 648-661*

#### Frequency locked loops

A Multimode 1-MHz PFC Front End With Digital Peak Current Modulation. *Fernandes, R.*, +, *TPEL Aug. 2016 5694-5708*

A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins. *Kanjiya, P.*, +, *TPEL March 2016 2550-2561*

Enhanced Frequency-Locked Loop With a Comb Filter Under Adverse Grid Conditions. *Liu, H.*, +, *TPEL Dec. 2016 8046-8051*

#### Frequency measurement

Photovoltaic Hot-Spot Detection for Solar Panel Substrings Using AC Parameter Characterization. *Kim, K.A.*, +, *TPEL Feb. 2016 1121-1130*

#### Frequency modulation

A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souvignet, T.*, +, *TPEL July 2016 4984-4994*

Combined Phase-Shift and Frequency Modulation of a Dual-Active-Bridge AC–DC Converter With PFC. *Jauch, F.*, +, *TPEL Dec. 2016 8387-8397*

Field-Oriented Control and Direct Torque Control for Paralleled VSIs Fed PMSM Drives With Variable Switching Frequencies. *Wang, Z.*, +, *TPEL March 2016 2417-2428*

Small Signal Analysis of  $V^2$  Control Using Equivalent Circuit Model of Current Mode Controls. *Yan, Y.*, +, *TPEL July 2016 5344-5353*

Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. *Tian, S.*, +, *TPEL Feb. 2016 1734-1744*

#### Frequency multipliers

Asymmetrical Duty Cycle-Controlled LLC Resonant Converter With Equivalent Switching Frequency Doubler. *Zong, S.*, +, *TPEL July 2016 4963-4973*

#### Frequency stability

Multiple-Time-Scales Hierarchical Frequency Stability Control Strategy of Medium-Voltage Isolated Microgrid. *Zhao, Z.*, +, *TPEL Aug. 2016 5974-5991*

Switching Frequency Stabilization Techniques for Adaptive On-Time Controlled Buck Converter With Adaptive Voltage Positioning Mechanism. *Tsai, C.*, +, *TPEL Jan. 2016 443-451*

#### Frequency-domain analysis

Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance. *Chen, Y.*, +, *TPEL Aug. 2016 5524-5537*

Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices. *Ma, K.*, +, *TPEL Oct. 2016 7183-7193*

Piecewise Average-Value Model of PWM Converters With Applications to Large-Signal Transient Simulations. *Xu, Y.*, +, *TPEL Feb. 2016 1304-1321*

#### Fuel cells

An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL June 2016 4594-4603*

Output-Impedance Shaping of Bidirectional DAB DC–DC Converter Using Double-Proportional-Integral Feedback for Near-Ripple-Free DC Bus Voltage Regulation in Renewable Energy Systems. *Cao, L.*, +, *TPEL March 2016 2187-2199*

#### Fuzzy control

Improved Control Strategy of a Supercapacitor-Based Energy Recovery System for Elevator Applications. *Jabbour, N.*, +, *TPEL Dec. 2016 8398-8408*

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi–Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

#### Fuzzy neural networks

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

## G

#### Gallium arsenide

Very High Frequency PWM Buck Converters Using Monolithic GaN Half-Bridge Power Stages With Integrated Gate Drivers. *Zhang, Y.*, +, *TPEL Nov. 2016 7926-7942*

#### Gallium compounds

A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage. *Guo, F.*, +, *TPEL Dec. 2016 8237-8246*

A Fully Integrated Inductor-Based GaN Boost Converter With Self-Generated Switching Signal for Vehicular Applications. *Choi, P.*, +, *TPEL Aug. 2016 5365-5368*

A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*

A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*

An Analytical Switching Process Model of Low-Voltage eGaN HEMTs for Loss Calculation. *Wang, K.*, +, *TPEL Jan. 2016 635-647*

Analysis of the Breakdown Characterization Method in GaN-Based HEMTs. *Zhao, S.L.*, +, *TPEL Feb. 2016 1517-1527*

Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*

Bootstrap Voltage and Dead Time Behavior in GaN DC–DC Buck Converter With a Negative Gate Voltage. *Roschatt, P.M.*, +, *TPEL Oct. 2016 7161-7170*

Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*

High-Frequency High-Efficiency GaN-Based Interleaved CRM Bidirectional Buck/Boost Converter with Inverse Coupled Inductor. *Huang, X.*, +, *TPEL June 2016 4343-4352*

Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*

Split-Phase Control: Achieving Complete Soft-Charging Operation of a Dickson Switched-Capacitor Converter. *Lei, Y.*, +, *TPEL Jan. 2016 770-782*

#### Gaussian distribution

A Function-Based Maximum Power Point Tracking Method for Photovoltaic Systems. *Reza Tousei, S.M.*, +, *TPEL March 2016 2120-2128*

#### Genetic algorithms

A Virtual Impedance Optimization Method for Reactive Power Sharing in Networked Microgrid. *Zhu, Y.*, +, *TPEL April 2016 2890-2904*

**Graph theory**

Derivation of Dual-Switch Step-Down DC/DC Converters With Fault-Tolerant Capability. *Lu, D.D.*, +, *TPEL Sept. 2016 6064-6068*

**Green's function methods**

Leakage Inductance Analytical Calculation for Planar Components With Leakage Layers. *Tan, W.*, +, *TPEL June 2016 4462-4473*

**Gyrators**

Gyrotor-Based Analysis of Resonant Circuits in Inductive Power Transfer Systems. *Sohn, Y.H.*, +, *TPEL Oct. 2016 6824-6843*

**H****Hadamard transforms**

Low Sampling Rate Online Parameters Monitoring of DC–DC Converters for Predictive-Maintenance Using Biogeography-Based Optimization. *Li, B.X.*, +, *TPEL April 2016 2870-2879*

**Harmonic analysis**

Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage. *Saber, C.*, +, *TPEL Sept. 2016 6192-6202*

Time-Domain Analysis of a Phase-Shift-Modulated Series Resonant Converter with an Adaptive Passive Auxiliary Circuit. *Safaei, A.*, +, *TPEL Nov. 2016 7714-7734*

**Harmonic distortion**

A Digital Predictive Peak Current Control for Power Factor Correction With Low-Input Current Distortion. *Youn, H.*, +, *TPEL Jan. 2016 900-912*

A New Fault-Tolerant Strategy Based on a Modified Selective Harmonic Technique for Three-Phase Multilevel Converters With a Single Faulty Cell. *Aleenejad, M.*, +, *TPEL April 2016 3141-3150*

A Simple Hysteretic Energy Harvesting Method for Nonneutral AC Switches in Load Automation. *A, K.*, +, *TPEL July 2016 4906-4915*

A Simple Model Predictive Power Control Strategy for Single-Phase PWM Converters With Modulation Function Optimization. *Song, W.*, +, *TPEL July 2016 5279-5289*

A Synchronization Method for Single-Phase Grid-Tied Inverters. *Hadjemetriou, L.*, +, *TPEL March 2016 2139-2149*

Adapted NSPWM for Single DC-Link Dual-Inverter Fed Open-End Motor With Negligible Low-Order Harmonics and Efficiency Enhancement. *Kia-dehi, A.D.*, +, *TPEL Dec. 2016 8271-8281*

An Improved Control Technique of Switching-Frequency-Modulated Power Factor Correctors for Low THD and High Power Factor. *Stepins, D.*, *TPEL July 2016 5201-5214*

An Improved Phase-Shifted Carrier Modulation for Modular Multilevel Converter to Suppress the Influence of Fluctuation of Capacitor Voltage. *Huang, M.*, +, *TPEL Oct. 2016 7404-7416*

Angular Modulation of Dual-Inverter Fed Open-End Motor for Electrical Vehicle Applications. *Dehghani kiadehi, A.*, +, *TPEL April 2016 2980-2990*

Bus Voltage Control With Zero Distortion and High Bandwidth for Single-Phase Solar Inverters. *Levron, Y.*, +, *TPEL Jan. 2016 258-269*

Comparison of Two SVPWM Control Strategies of Five-Phase Fault-Tolerant Permanent-Magnet Motor. *Liu, G.*, +, *TPEL Sept. 2016 6621-6630*

Control and Modulation of Bidirectional Single-Phase AC–DC Three-Phase-Leg SPWM Converters With Active Power Decoupling and Minimal Storage Capacitance. *Wu, H.*, +, *TPEL June 2016 4226-4240*

Control of Three-Phase Bidirectional Current-Source Converter to Inject Balanced Three-Phase Currents Under Unbalanced Grid Voltage Condition. *Vekhande, V.*, +, *TPEL Sept. 2016 6719-6737*

Control Strategy for Single-Phase Transformerless Three-Leg Unified Power Quality Conditioner Based on Space Vector Modulation. *Lu, Y.*, +, *TPEL April 2016 2840-2849*

Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction. *Song, W.*, +, *TPEL Jan. 2016 721-732*

Design of AC–DC PFC High-Order Converters With Regulated Output Current for Low-Power Applications. *Bodetto, M.*, +, *TPEL March 2016 2012-2025*

Dynamic Voltage Restorer Based on Three-Phase Inverters Cascaded Through an Open-End Winding Transformer. *de Almeida Carlos, G.A.*, +, *TPEL Jan. 2016 188-199*

Efficient Implicit Model-Predictive Control of a Three-Phase Inverter With an Output LC Filter. *Nauman, M.*, +, *TPEL Sept. 2016 6075-6078*

Eliminated common-mode voltage pulsewidth modulation to reduce output current ripple for multilevel inverters. *Nguyen, T.T.*, +, *TPEL Aug. 2016 5952-5966*

Embedded Single-Inductor Bipolar-Output DC–DC Converter in Class-D Amplifier for Low Common Noise. *Chen, S.*, +, *TPEL April 2016 3106-3117*

Enhancement of Performance, Availability, and Flexibility of a Battery Energy Storage System Based on a Modular Multilevel Cascaded Converter (MMCC-SSBC). *Ota, J.I.Y.*, +, *TPEL April 2016 2791-2799*

Estimation of Single-Phase Grid Voltage Parameters With Zero Steady-State Error. *Dai, Z.*, +, *TPEL May 2016 3867-3879*

Finite Control Set Model Predictive Current Control for Grid-Connected Voltage-Source Converters With LCL Filters: A Study Based on Different State Feedbacks. *Panten, N.*, +, *TPEL July 2016 5189-5200*

Grouping-Sorting-Optimized Model Predictive Control for Modular Multilevel Converter With Reduced Computational Load. *Liu, P.*, +, *TPEL March 2016 1896-1907*

High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. *Cho, Y.*, +, *TPEL June 2016 4138-4147*

Hybrid Modulation Scheme for a High-Frequency AC-Link Inverter. *Mazumder, S.K.*, *TPEL Jan. 2016 861-870*

Improved Nearest-Level Modulation for a Modular Multilevel Converter With a Lower Submodule Number. *Lin, L.*, +, *TPEL Aug. 2016 5369-5377*

Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*

Interleaved Dual Buck Full-Bridge Three-Level Inverter. *Hong, F.*, +, *TPEL Feb. 2016 964-974*

Modulation and Control of Transformerless UPFC. *Yang, S.*, +, *TPEL Feb. 2016 1050-1063*

Modulation Scheme for Three-Phase Differential-Mode Ćuk Inverter. *Mehr-nami, S.*, +, *TPEL March 2016 2654-2668*

Modulation Strategy for Multiphase Neutral-Point-Clamped Converters. *Lopez, I.*, +, *TPEL Feb. 2016 928-941*

Modulation With Sinusoidal Third-Harmonic Injection for Active Split DC-Bus Four-Leg Inverters. *Bifaretti, S.*, +, *TPEL Sept. 2016 6226-6236*

Open-Circuit Fault-Tolerant Control for Outer Switches of Three-Level Rectifiers in Wind Turbine Systems. *Lee, J.*, +, *TPEL May 2016 3806-3815*

Output-Impedance Shaping of Bidirectional DAB DC–DC Converter Using Double-Proportional-Integral Feedback for Near-Ripple-Free DC Bus Voltage Regulation in Renewable Energy Systems. *Cao, L.*, +, *TPEL March 2016 2187-2199*

Performance Analysis of Carrier-Based Discontinuous PWM Method for Vienna Rectifiers With Neutral-Point Voltage Balance. *Lee, J.*, +, *TPEL June 2016 4075-4084*

PWM Strategy With Minimum Harmonic Distortion for Dual Three-Phase Permanent-Magnet Synchronous Motor Drives Operating in the Overmodulation Region. *Zhou, C.*, +, *TPEL Feb. 2016 1367-1380*

Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*

Single-Phase to Three-Phase Converters With Two Parallel Single-Phase Rectifiers and Reduced Switch Count. *Rocha, N.*, +, *TPEL May 2016 3704-3716*

Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications. *Darwish, A.*, +, *TPEL Dec. 2016 8218-8236*

Static Regulated Multistage Semiactive LED Drivers for High-Efficiency Applications. *Lee, E.S.*, +, *TPEL Sept. 2016 6543-6552*

Synchronized Space-Vector PWM for Three-Level VSI With Lower Harmonic Distortion and Switching Frequency. *Chen, W.*, +, *TPEL Sept. 2016 6428-6441*

Zero-Sequence Current Suppression Strategy for Open Winding PMSG Fed by Semicontrolled Converter. *Nian, H.*, +, *TPEL Jan. 2016 711-720*

#### Harmonic generation

An Improved Capacitor Voltage-Balancing Method for Five-Level Diode-Clamped Converters With High Modulation Index and High Power Factor. *Zhao, Z.*, +, *TPEL April 2016 3189-3202*

Cascaded H-Bridge Multilevel PV Topology for Alleviation of Per-Phase Power Imbalances and Reduction of Second Harmonic Voltage Ripple. *Townsend, C.D.*, +, *TPEL Aug. 2016 5574-5586*

#### Harmonic oscillators

Subharmonic Instability Limits for  $V^2$ -Controlled Buck Converter With Outer Loop Closed/Open. *Fang, C.*, +, *TPEL Feb. 2016 1657-1664*

#### Harmonics

Self-Oscillating Tuning Loops for Series Resonant Inductive Power Transfer Systems. *Namadmalan, A.*, *TPEL Oct. 2016 7320-7327*

#### Harmonics suppression

A DC-Link Modulation Scheme With Phase-Shifted Current Control for Harmonic Cancellations in Multidrive Applications. *Yang, Y.*, +, *TPEL March 2016 1837-1840*

A Natural-Sampling-Based SVM Scheme for Current Source Converter With Superior Low-Order Harmonics Performance. *Wei, Q.*, +, *TPEL Sept. 2016 6144-6154*

A New Fault-Tolerant Strategy Based on a Modified Selective Harmonic Technique for Three-Phase Multilevel Converters With a Single Faulty Cell. *Aleenejad, M.*, +, *TPEL April 2016 3141-3150*

A Parallel Speed and Rotor Time Constant Identification Scheme for Indirect Field Oriented Induction Motor Drives. *Zhao, L.*, +, *TPEL Sept. 2016 6494-6503*

A Real-Time Selective Harmonic Elimination Based on a Transient-Free Inner Closed-Loop Control for Cascaded Multilevel Inverters. *Zhao, H.*, +, *TPEL Feb. 2016 1000-1014*

Active DC-Link Capacitor Harmonic Current Reduction in Two-Level Back-to-Back Converter. *Shen, L.*, +, *TPEL Oct. 2016 6947-6954*

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*

Adaptive-Linear-Neuron-Based Dead-Time Effects Compensation Scheme for PMSM Drives. *Qiu, T.*, +, *TPEL March 2016 2530-2538*

Analysis and Suppressing Method for the Output Voltage Harmonics of Modular Multilevel Converter. *Wu, D.*, +, *TPEL July 2016 4755-4765*

Application of an Advanced Repetitive Controller to Mitigate Harmonics in MMC With APOD Scheme. *Madichetty, S.*, +, *TPEL Sept. 2016 6112-6121*

Bus Voltage Control With Zero Distortion and High Bandwidth for Single-Phase Solar Inverters. *Levron, Y.*, +, *TPEL Jan. 2016 258-269*

Circulating Current Suppression of the Modular Multilevel Converter in a Double-Frequency Rotating Reference Frame. *Bahrani, B.*, +, *TPEL Jan. 2016 783-792*

Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*

Control Strategy for Single-Phase Transformerless Three-Leg Unified Power Quality Conditioner Based on Space Vector Modulation. *Lu, Y.*, +, *TPEL April 2016 2840-2849*

New Three-Dimensional Space Vector-Based Switching Signal Generation Technique Without Null Vectors and With Reduced Switching Losses for a Grid-Connected Four-Leg Inverter. *Golwala, H.*, +, *TPEL Feb. 2016 1026-1035*

Novel PWM Schemes With Multi SVPWM of Sensorless IPMSM Drives for Reducing Current Ripple. *Gu, M.*, +, *TPEL Sept. 2016 6461-6475*

Selective Harmonic Elimination With Groebner Bases and Symmetric Polynomials. *Yang, K.*, +, *TPEL April 2016 2742-2752*

Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications. *Darwish, A.*, +, *TPEL Dec. 2016 8218-8236*

Zero-Sequence Current Suppression Strategy for Open Winding PMSG Fed by Semicontrolled Converter. *Nian, H.*, +, *TPEL Jan. 2016 711-720*

#### Heat sinks

DBC Switch Module for Management of Temperature and Noise in 220-W/in<sup>3</sup> Power Assembly. *Shin, J.*, +, *TPEL March 2016 2387-2394*

Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices. *Ma, K.*, +, *TPEL Oct. 2016 7183-7193*

Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*

#### Heat transfer

Real-Time Temperature Estimation in a Multiple Device Power Electronics System Subject to Dynamic Cooling. *Davidson, J.N.*, +, *TPEL April 2016 2709-2719*

#### HEMT circuits

Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*

#### High electron mobility transistors

An Analytical Switching Process Model of Low-Voltage eGaN HEMTs for Loss Calculation. *Wang, K.*, +, *TPEL Jan. 2016 635-647*

Analysis of the Breakdown Characterization Method in GaN-Based HEMTs. *Zhao, S.L.*, +, *TPEL Feb. 2016 1517-1527*

#### High-frequency transformers

A Family of High-Frequency Isolated Single-Phase Z-Source AC-AC Converters With Safe-Commutation Strategy. *Ahmed, H.F.*, +, *TPEL Nov. 2016 7522-7533*

Load-Source Matching With Dielectric Isolation in High-Frequency Switch-Mode Power Supplies. *Amanci, A.Z.*, +, *TPEL Oct. 2016 7123-7130*

Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications. *Darwish, A.*, +, *TPEL Dec. 2016 8218-8236*

Wideband Mechanism Model and Parameter Extracting for High-Power High-Voltage High-Frequency Transformers. *Liu, C.*, +, *TPEL May 2016 3444-3455*

#### High-pass filters

Grid-Current-Feedback Active Damping for LCL Resonance in Grid-Connected Voltage-Source Converters. *Wang, X.*, +, *TPEL Jan. 2016 213-223*

#### High-voltage engineering

Flying-Capacitor-Based Hybrid LLC Converters With Input Voltage Auto-balance Ability for High Voltage Applications. *Li, W.*, +, *TPEL March 2016 1908-1920*

#### Higher order statistics

Selective Harmonic Elimination With Groebner Bases and Symmetric Polynomials. *Yang, K.*, +, *TPEL April 2016 2742-2752*

#### HVDC power converters

A Comprehensive DC Short-Circuit Fault Ride Through Strategy of Hybrid Modular Multilevel Converters (MMCs) for Overhead Line Transmission. *Cui, S.*, +, *TPEL Nov. 2016 7780-7796*

A Simplified Space Vector Modulation Scheme for Multilevel Converters. *Deng, Y.*, +, *TPEL March 2016 1873-1886*

A Three-Level Buck Converter With a Wide Voltage Operation Range for Hardware-in-the-Loop Test Systems. *Carstensen, C.*, +, *TPEL Sept. 2016 6176-6191*

Optimization-Based Cell Selection Method for Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL April 2016 2780-2790*

Series-Input Parallel-Output Modular-Phase DC-DC Converter With Soft-Switching and High-Frequency Isolation. *Mohammadpour, A.*, +, *TPEL Jan. 2016 111-119*

Soft-Switching Operation of Isolated Modular DC/DC Converters for Application in HVDC Grids. *Xing, Z.*, +, *TPEL April 2016 2753-2766*

#### HVDC power transmission

A Comprehensive DC Short-Circuit Fault Ride Through Strategy of Hybrid Modular Multilevel Converters (MMCs) for Overhead Line Transmission. *Cui, S.*, +, *TPEL Nov. 2016 7780-7796*

A Three-Level Buck Converter With a Wide Voltage Operation Range for Hardware-in-the-Loop Test Systems. *Carstensen, C.*, +, *TPEL Sept. 2016 6176-6191*

Series-Input Parallel-Output Modular-Phase DC-DC Converter With Soft-Switching and High-Frequency Isolation. *Mohammadpour, A.*, +, *TPEL Jan. 2016 111-119*

Tolerance Band Adaptation Method for Dynamic Operation of Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL Dec. 2016 8172-8181*

**Hybrid electric vehicles**

Active Balancing System for Electric Vehicles With Incorporated Low-Voltage Bus. *Evzelman, M.*, +, *TPEL Nov. 2016 7887-7895*

Angular Modulation of Dual-Inverter Fed Open-End Motor for Electrical Vehicle Applications. *Dehghani kiadehi, A.*, +, *TPEL April 2016 2980-2990*

Central-Tapped Node Linked Modular Fault-Tolerance Topology for SRM Applications. *Hu, Y.*, +, *TPEL Feb. 2016 1541-1554*

**Hybrid power systems**

A Hybrid Estimator for Active/Reactive Power Control of Single-Phase Distributed Generation Systems With Energy Storage. *Pahlevani, M.*, +, *TPEL April 2016 2919-2936*

**Hysteresis**

A Control Algorithm for Electric Vehicle Fast Charging Stations Equipped With Flywheel Energy Storage Systems. *Sun, B.*, +, *TPEL Sept. 2016 6674-6685*

**Hysteresis motors**

Development of Wireless In-Wheel Motor Using Magnetic Resonance Coupling. *Sato, M.*, +, *TPEL July 2016 5270-5278*

**I****IIR filters**

Measurement and Characterization Technique for Real-Time Die Temperature Prediction of MOSFET-Based Power Electronics. *Davidson, J.N.*, +, *TPEL June 2016 4378-4388*

Real-Time Temperature Estimation in a Multiple Device Power Electronics System Subject to Dynamic Cooling. *Davidson, J.N.*, +, *TPEL April 2016 2709-2719*

**Impedance converters**

A Review of Galvanically Isolated Impedance-Source DC–DC Converters. *Chub, A.*, +, *TPEL April 2016 2808-2828*

Output Impedance Modeling and Stability Prediction of Three-Phase Paralleled Inverters With Master–Slave Sharing Scheme Based on Terminal Characteristics of Individual Inverters. *Liu, Z.*, +, *TPEL July 2016 5306-5320*

**Impedance matching**

A Management Circuit with Upconversion Oscillation Technology for Electric-Field Energy Harvesting. *Zhang, J.*, +, *TPEL Aug. 2016 5515-5523*

A Multiinput Bridgeless Resonant AC–DC Converter for Electromagnetic Energy Harvesting. *Tang, Y.*, +, *TPEL March 2016 2254-2263*

**Inductance**

A Dual-Transformer Active-Clamp Forward Converter With Nonlinear Conversion Ratio. *Lin, J.*, +, *TPEL June 2016 4353-4361*

A High-Precision CV/CC AC–DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*

A Quasi-Switched-Capacitor Resonant Converter. *Zhang, X.*, +, *TPEL Nov. 2016 7849-7856*

Leakage Inductance Analytical Calculation for Planar Components With Leakage Layers. *Tan, W.*, +, *TPEL June 2016 4462-4473*

Magnetizing Curve Estimation of Induction Motors in Single-Phase Magnetization Mode Considering Differential Inductance Effect. *Ruan, J.*, +, *TPEL Jan. 2016 497-506*

Modeling and Analysis of the Bendable Transformer. *Ho, G.K.Y.*, +, *TPEL Sept. 2016 6450-6460*

Position Sensorless Control Without Phase Shifter for High-Speed BLDC Motors With Low Inductance and Nonideal Back EMF. *Li, W.*, +, *TPEL Feb. 2016 1354-1366*

Reduction of Inrush Currents in Toroidal Transformers by Sector Winding Design. *Jazebi, S.*, +, *TPEL Oct. 2016 6776-6780*

Ultrahigh Step-up DC–DC Converter for Distributed Generation by Three Degrees of Freedom (3DoF) Approach. *Hu, Y.*, +, *TPEL July 2016 4930-4941*

**Inductance measurement**

Front-End Monitoring of the Mutual Inductance and Load Resistance in a Series–Series Compensated Wireless Power Transfer System. *Yin, J.*, +, *TPEL Oct. 2016 7339-7352*

**Induction heating**

A Novel Multiple-Frequency Resonant Inverter for Induction Heating Applications. *Bi, C.*, +, *TPEL Dec. 2016 8162-8171*

Analysis and Optimization of the Efficiency of Induction Heating Applications With Litz-Wire Planar and Solenoidal Coils. *Lope, I.*, +, *TPEL July 2016 5089-5101*

Operating Conditions Monitoring for High Power Density and Cost-Effective Resonant Power Converters. *Sarnago, H.*, +, *TPEL Jan. 2016 488-496*

**Induction motor drives**

A Parallel Speed and Rotor Time Constant Identification Scheme for Indirect Field Oriented Induction Motor Drives. *Zhao, L.*, +, *TPEL Sept. 2016 6494-6503*

A Real-Time Multiple Open-Circuit Fault Diagnosis Method in Voltage-Source-Inverter Fed Vector Controlled Drives. *Wu, F.*, +, *TPEL Feb. 2016 1425-1437*

Design Method of Adaptive Full Order Observer With or Without Estimated Flux Error in Speed Estimation Algorithm. *Sun, W.*, +, *TPEL March 2016 2609-2626*

Field Weakening Strategy for a Vector-Controlled Induction Motor Drive Near the Six-Step Mode of Operation. *Sahoo, S.K.*, +, *TPEL April 2016 3043-3051*

Rotor Flux-Oriented Control of Induction Motor With Synchronized Sinusoidal PWM for Traction Application. *Sahoo, S.K.*, +, *TPEL June 2016 4429-4439*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, +, *TPEL April 2016 3027-3035*

Two-Vector-Based Model Predictive Torque Control Without Weighting Factors for Induction Motor Drives. *Zhang, Y.*, +, *TPEL Feb. 2016 1381-1390*

**Induction motors**

Adapted NSPWM for Single DC-Link Dual-Inverter Fed Open-End Motor With Negligible Low-Order Harmonics and Efficiency Enhancement. *Kia-dehi, A.D.*, +, *TPEL Dec. 2016 8271-8281*

Angular Modulation of Dual-Inverter Fed Open-End Motor for Electrical Vehicle Applications. *Dehghani kiadehi, A.*, +, *TPEL April 2016 2980-2990*

Magnetizing Curve Estimation of Induction Motors in Single-Phase Magnetization Mode Considering Differential Inductance Effect. *Ruan, J.*, +, *TPEL Jan. 2016 497-506*

Smart Grid Connection of an Induction Motor Using a Three-Phase Floating H-bridge System as a Series Compensator. *Leng, S.*, +, *TPEL Oct. 2016 7053-7064*

Static and dynamic power system load emulation in a converter-based reconfigurable power grid emulator. *Wang, J.*, +, *TPEL April 2016 3239-3251*

**Inductive power transmission**

A 3.2-kW 13.56-MHz SiC Passive Rectifier With 94.0% Efficiency Using Commutation Capacitor. *Shamseh, M.B.*, +, *TPEL Oct. 2016 6787-6791*

A Four-Plate Compact Capacitive Coupler Design and LCL-Compensated Topology for Capacitive Power Transfer in Electric Vehicle Charging Application. *Zhang, H.*, +, *TPEL Dec. 2016 8541-8551*

A General Design Method of Primary Compensation Network for Dynamic WPT System Maintaining Stable Transmission Power. *Zhao, J.*, +, *TPEL Dec. 2016 8343-8358*

A Management Circuit with Upconversion Oscillation Technology for Electric-Field Energy Harvesting. *Zhang, J.*, +, *TPEL Aug. 2016 5515-5523*

An Inductive and Capacitive Combined Wireless Power Transfer System With LC-Compensated Topology. *Lu, F.*, +, *TPEL Dec. 2016 8471-8482*

An Inductive Power Transfer System for Driving Multiple OLED Light Panels. *Zhou, R.*, +, *TPEL Oct. 2016 7131-7147*

Basic Control Principles of Omnidirectional Wireless Power Transfer. *Zhang, C.*, +, *TPEL July 2016 5215-5227*

Closed-Form Oriented Modeling and Analysis of Wireless Power Transfer System With Constant-Voltage Source and Load. *Zhang, Y.*, +, *TPEL May 2016 3472-3481*

Development of Wireless In-Wheel Motor Using Magnetic Resonance Coupling. *Sato, M.*, +, *TPEL July 2016 5270-5278*

- Energy Efficiency Analysis of U-Coil Wireless Power Transfer System. *Ye, Z.*, +, *TPEL July 2016 4809-4817*
- Front-end monitoring of multiple loads in wireless power transfer systems without wireless communication systems. *Yin, J.*, +, *TPEL March 2016 2510-2517*
- Front-End Monitoring of the Mutual Inductance and Load Resistance in a Series-Series Compensated Wireless Power Transfer System. *Yin, J.*, +, *TPEL Oct. 2016 7339-7352*
- Gyrator-Based Analysis of Resonant Circuits in Inductive Power Transfer Systems. *Sohn, Y.H.*, +, *TPEL Oct. 2016 6824-6843*
- Inductive Charger for Electric Vehicle: Advanced Modeling and Interoperability Analysis. *Ibrahim, M.*, +, *TPEL Dec. 2016 8096-8114*
- Moment-Based Discontinuous Phasor Transform and its Application to the Steady-State Analysis of Inverters and Wireless Power Transfer Systems. *Scarciotti, G.*, +, *TPEL Dec. 2016 8448-8460*
- Parameter Design for a 6.78-MHz Wireless Power Transfer System Based on Analytical Derivation of Class E Current-Driven Rectifier. *Liu, M.*, +, *TPEL June 2016 4280-4291*
- Self-Oscillating Tuning Loops for Series Resonant Inductive Power Transfer Systems. *Namadmalan, A.*, *TPEL Oct. 2016 7320-7327*
- Six Degrees of Freedom Mobile Inductive Power Transfer by Crossed Dipole Tx and Rx Coils. *Choi, B.H.*, +, *TPEL April 2016 3252-3272*
- The Parallel Transmission of Power and Data With the Shared Channel for an Inductive Power Transfer System. *Sun, Y.*, +, *TPEL Aug. 2016 5495-5502*
- Use of Transmitter-Side Electrical Information to Estimate Mutual Inductance and Regulate Receiver-Side Power in Wireless Inductive Link. *Chow, J.P.*, +, *TPEL Sept. 2016 6079-6091*
- Wireless Power Transfer System With an Asymmetric Four-Coil Resonator for Electric Vehicle Battery Chargers. *Moon, S.*, +, *TPEL Oct. 2016 6844-6854*
- Wireless Power Transfer With Automatic Feedback Control of Load Resistance Transformation. *Ahn, D.*, +, *TPEL Nov. 2016 7876-7886*
- Wireless Power Transfer With Concurrent 200-kHz and 6.78-MHz Operation in a Single-Transmitter Device. *Ahn, D.*, +, *TPEL July 2016 5018-5029*
- Z-Impedance Compensation for Wireless Power Transfer Based on Electric Field. *Huang, L.*, +, *TPEL Nov. 2016 7556-7563*
- Z-Source Resonant Converter With Power Factor Correction for Wireless Power Transfer Applications. *Gonzalez-Santini, N.S.*, +, *TPEL Nov. 2016 7691-7700*
- Inductors**
- 3-D-Printed Air-Core Inductors for High-Frequency Power Converters. *Liang, W.*, +, *TPEL Jan. 2016 52-64*
- A Compact Coupled Inductor for Interleaved Multiphase DC-DC Converters. *Huang, W.*, +, *TPEL Oct. 2016 6770-6775*
- A Coupled Inductor Based High Boost Inverter with Sub-unity Turns-Ratio Range. *Nag, S.S.*, +, *TPEL Nov. 2016 7534-7543*
- A High Power Density Dynamic Voltage Scaling Enabling a Single-Inductor Four-Output Regulator Using a Power-Weighted CCM Controller and a Floating Capacitor-Based Output Filter. *Carlo, S.*, +, *TPEL June 2016 4252-4264*
- A New Hybrid Boosting Converter for Renewable Energy Applications. *Wu, B.*, +, *TPEL Feb. 2016 1203-1215*
- A New Multiinput Three-Level DC/DC Converter. *Dusmez, S.*, +, *TPEL Feb. 2016 1230-1240*
- A Novel High Step-up Converter With a Quasi-active Switched-Inductor Structure for Renewable Energy Systems. *Liu, H.*, +, *TPEL July 2016 5030-5039*
- A Novel Quasi-Z-Source Inverter Topology With Special Coupled Inductors for Input Current Ripples Cancellation. *Battiston, A.*, +, *TPEL March 2016 2409-2416*
- A Scalable N-Color LED Driver Using Single Inductor Multiple Current Output Topology. *Modempalli, K.*, +, *TPEL May 2016 3773-3783*
- A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Tail-Current Control. *Zheng, Y.*, +, *TPEL Nov. 2016 7857-7875*
- A Soft-Switched Asymmetric Flying-Capacitor Boost Converter With Synchronous Rectification. *Lefevre, G.*, +, *TPEL March 2016 2200-2212*
- A Systematic Approach to Modeling Complex Magnetic Devices Using SPICE: Application to Variable Inductors. *Alonso, J.M.*, +, *TPEL Nov. 2016 7735-7746*
- A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*
- An Advanced Current-Autobalance High Step-Up Converter With a Multi-coupled Inductor and Voltage Multiplier for a Renewable Power Generation System. *He, L.*, +, *TPEL Oct. 2016 6992-7005*
- Analysis and Decoupling Design of a 30 MHz Resonant SEPIC Converter. *Zhang, Z.*, +, *TPEL June 2016 4536-4548*
- Analysis and Design of a Single-Switch Forward-Flyback Two-Channel LED Driver With Resonant-Blocking Capacitor. *Kim, J.*, +, *TPEL March 2016 2314-2323*
- Analysis and Verification of Inductor Coupling Effect in Interleaved Multiphase dc-dc Converters. *Huang, W.*, +, *TPEL July 2016 5004-5017*
- Bipolar Steep Pulse Current Source for Highly Inductive Load. *Zhu, X.*, +, *TPEL Sept. 2016 6169-6175*
- Bootstrap Voltage and Dead Time Behavior in GaN DC-DC Buck Converter With a Negative Gate Voltage. *Roschatt, P.M.*, +, *TPEL Oct. 2016 7161-7170*
- Comparison of a Buck Converter and a Series Capacitor Buck Converter for High-Frequency, High-Conversion-Ratio Voltage Regulators. *Shenoy, P.S.*, +, *TPEL Oct. 2016 7006-7015*
- Decoding and Synthesizing Transformerless PWM Converters. *Wu, T.*, *TPEL Sept. 2016 6293-6304*
- Embedded Single-Inductor Bipolar-Output DC-DC Converter in Class-D Amplifier for Low Common Noise. *Chen, S.*, +, *TPEL April 2016 3106-3117*
- EMC-Aware Design of a Planar Inductor for Low-Profile OLED Drivers. *Kundrata, J.*, +, *TPEL June 2016 4474-4483*
- Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S.*, +, *TPEL Dec. 2016 8528-8540*
- Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*
- Gyrator-Based Analysis of Resonant Circuits in Inductive Power Transfer Systems. *Sohn, Y.H.*, +, *TPEL Oct. 2016 6824-6843*
- Hybrid Switched Inductor Impedance Source Converter—A Decoupled Approach. *Vakacharla, V.R.*, +, *TPEL Nov. 2016 7509-7521*
- Inductor Current Ripple Comparison Between ZSVM4 and ZSVM2 for Z-Source Inverters. *Dong, S.*, +, *TPEL Nov. 2016 7592-7597*
- Interleaved Boundary Conduction Mode Versus Continuous Conduction Mode Magnetic Volume Comparison in Power Converters. *Antoszczuk, P.*, +, *TPEL Dec. 2016 8037-8041*
- Interleaved Current Control for Multiphase Converters With High Dynamics Mean Current Tracking. *Antoszczuk, P.D.*, +, *TPEL Dec. 2016 8422-8434*
- Load-Source Matching With Dielectric Isolation in High-Frequency Switch-Mode Power Supplies. *Amanci, A.Z.*, +, *TPEL Oct. 2016 7123-7130*
- Loss Modeling of Coupled Stripline Microinductors in Power Supply on Chip Applications. *Feeney, C.*, +, *TPEL May 2016 3754-3762*
- Nonisolated Coupled-Inductor-Based High Step-Down Converter With Zero DC Magnetizing Inductance Current and Nonpulsating Output Current. *Hwu, K.I.*, +, *TPEL June 2016 4362-4377*
- Nonisolated Two-Channel LED Driver With Automatic Current Balance and Zero-Voltage Switching. *Hwu, K.I.*, +, *TPEL Dec. 2016 8359-8370*
- Optimal Inductor Current in Boost DC/DC Converters Operating in Burst Mode Under Light-Load Conditions. *Reverter, F.*, +, *TPEL Jan. 2016 15-20*
- Optimization of Coupled Stripline Microinductors in Power Supply on Chip Applications. *Feeney, C.*, +, *TPEL Aug. 2016 5805-5813*
- Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter. *Zhou, Y.*, +, *TPEL Oct. 2016 7043-7052*

Small-Signal Modeling and Comprehensive Analysis of Magnetically Coupled Impedance-Source Converters. *Forouzes, M.*, +, *TPEL Nov. 2016 7621-7641*

Soft-Switching Step-Up Converter With Ripple-Free Output Current. *Kim, S.*, +, *TPEL Aug. 2016 5618-5624*

Unified Modeling of PWM Converters With Regular or Tapped Inductors Using TIS-SFG Approach. *Abramovitz, A.*, +, *TPEL Feb. 2016 1702-1716*

Z-Impedance Compensation for Wireless Power Transfer Based on Electric Field. *Huang, L.*, +, *TPEL Nov. 2016 7556-7563*

#### Insulated gate bipolar transistors

A New SVPWM for the Phase Current Reconstruction of Three-Phase Three-level T-type Converters. *Li, X.*, +, *TPEL March 2016 2627-2637*

A Novel Multiple-Frequency Resonant Inverter for Induction Heating Applications. *Bi, C.*, +, *TPEL Dec. 2016 8162-8171*

A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*

A Physics-Based Improved Cauer-Type Thermal Equivalent Circuit for IGBT Modules. *Wang, Z.*, +, *TPEL Oct. 2016 6781-6786*

Advanced Accelerated Power Cycling Test for Reliability Investigation of Power Device Modules. *Choi, U.*, +, *TPEL Dec. 2016 8371-8386*

Analysis of the Results of Accelerated Aging Tests in Insulated Gate Bipolar Transistors. *Astígarra, D.*, +, *TPEL Nov. 2016 7953-7962*

Analytical Determination of Conduction and Switching Power Losses in Flying-Capacitor-Based Active Neutral-Point-Clamped Multilevel Converter. *Sadigh, A.K.*, +, *TPEL Aug. 2016 5473-5494*

Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, +, *TPEL Feb. 2016 1576-1587*

Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage. *Saber, C.*, +, *TPEL Sept. 2016 6192-6202*

Dynamic Modeling Method of Electro-Thermo-Mechanical Degradation in IGBT Modules. *Pedersen, K.B.*, +, *TPEL Feb. 2016 975-986*

Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL March 2016 1816-1821*

Fault Diagnosis and Tolerant Control of Single IGBT Open-Circuit Failure in Modular Multilevel Converters. *Li, B.*, +, *TPEL April 2016 3165-3176*

IGBT Junction Temperature Measurement via Peak Gate Current. *Baker, N.*, +, *TPEL May 2016 3784-3793*

Junction Temperature Extraction Approach With Turn-Off Delay Time for High-Voltage High-Power IGBT Modules. *Luo, H.*, +, *TPEL July 2016 5122-5132*

Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W.*, +, *TPEL Sept. 2016 6575-6585*

Prediction of Bond Wire Fatigue of IGBTs in a PV Inverter Under a Long-Term Operation. *Reigosa, P.D.*, +, *TPEL Oct. 2016 7171-7182*

Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*

Research on A Novel Modulation Strategy for Double Auxiliary Resonant Commutated Pole Soft-switching Inverter With the Shunt Dead Time. *Chu, E.*, +, *TPEL Oct. 2016 6855-6869*

Robust Stability Analysis of Active Voltage Control for High-power IGBT Switching by Kharitonov's Theorem. *Yang, X.*, +, *TPEL March 2016 2584-2595*

Rotor Flux-Oriented Control of Induction Motor With Synchronized Sinusoidal PWM for Traction Application. *Sahoo, S.K.*, +, *TPEL June 2016 4429-4439*

#### Integrated circuit design

A 100 MHz 91.5% Peak Efficiency Integrated Buck Converter With a Three-MOSFET Cascode Bridge. *Neveu, F.*, +, *TPEL June 2016 3985-3988*

A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souvignet, T.*, +, *TPEL July 2016 4984-4994*

Efficient Voltage Regulation for Microprocessor Cores Stacked in Vertical Voltage Domains. *Schaefer, C.*, +, *TPEL Feb. 2016 1795-1808*

Stability of Distributed Power Delivery Systems With Multiple Parallel On-Chip LDO Regulators. *Vaisband, I.*, +, *TPEL Aug. 2016 5625-5634*

Tradeoffs Aware Design Procedure for an Adaptively Biased Capacitorless Low Dropout Regulator Using Nested Miller Compensation. *Maity, A.*, +, *TPEL Jan. 2016 369-380*

#### Integrated circuit interconnections

Stability of Distributed Power Delivery Systems With Multiple Parallel On-Chip LDO Regulators. *Vaisband, I.*, +, *TPEL Aug. 2016 5625-5634*

#### Integrated circuit layout

Simulation, Analysis, and Verification of Substrate Currents for Layout Optimization of Smart Power ICs. *Buccella, P.*, +, *TPEL Sept. 2016 6586-6595*

#### Integrated circuit manufacture

A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souvignet, T.*, +, *TPEL July 2016 4984-4994*

#### Integrated circuit testing

A 100 MHz 91.5% Peak Efficiency Integrated Buck Converter With a Three-MOSFET Cascode Bridge. *Neveu, F.*, +, *TPEL June 2016 3985-3988*

#### Integrating circuits

An Improved Second-Order Generalized Integrator Based Quadrature Signal Generator. *Xin, Z.*, +, *TPEL Dec. 2016 8068-8073*

#### Intelligent materials

Analytical Switching Cycle Modeling of Bidirectional High-Voltage Flyback Converter for Capacitive Load Considering Core Loss Effect. *Huang, L.*, +, *TPEL Jan. 2016 470-487*

#### Interface states

A Physics-Based Compact Model of SiC Power MOSFETs. *Kraus, R.*, +, *TPEL Aug. 2016 5863-5870*

Power-Loss Prediction of High-Voltage SiC-mosfet Circuits With Compact Model Including Carrier-Trap Influences. *Tanimoto, Y.*, +, *TPEL June 2016 4509-4516*

#### Interference suppression

An Improved Control Technique of Switching-Frequency-Modulated Power Factor Correctors for Low THD and High Power Factor. *Stepins, D.*, *TPEL July 2016 5201-5214*

#### Interpolation

Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters. *Yang, Y.*, +, *TPEL Oct. 2016 7273-7285*

#### Inverters

“Z” and “qZ” Source Inverters as Electronic Ballast. *Vazquez, N.*, +, *TPEL Nov. 2016 7651-7660*

A Coupled Inductor Based High Boost Inverter with Sub-unity Turns-Ratio Range. *Nag, S.S.*, +, *TPEL Nov. 2016 7534-7543*

A Digital Hysteresis Current Controller for Three-Level Neural-Point-Clamped Inverter With Mixed-Levels and Prediction-Based Sampling. *Yi, H.*, +, *TPEL May 2016 3945-3957*

A Direct Thrust Control Scheme for Linear Permanent Magnet Synchronous Motor Based on Online Duty Ratio Control. *Cheema, M.A.M.*, +, *TPEL June 2016 4416-4428*

A Family of Five-Level Dual-Buck Full-Bridge Inverters for Grid-Tied Applications. *Zhang, L.*, +, *TPEL Oct. 2016 7029-7042*

A High-Efficiency Flyback Micro-inverter With a New Adaptive Snubber for Photovoltaic Applications. *Rezaei, M.A.*, +, *TPEL Jan. 2016 318-327*

A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Standalone Photovoltaic Power System. *Wang, W.*, +, *TPEL Aug. 2016 5562-5573*

A Modular and Scalable Structure Using Multiparallel-Connected Series-Voltage Compensators for Supply Voltage Regulation. *Cheung, V.S.*, +, *TPEL June 2016 4096-4110*

A New Way of Controlling Parallel-Connected Inverters by Using Synchronous-Reference-Frame Virtual Impedance Loop—Part I: Control Principle. *Guan, Y.*, +, *TPEL June 2016 4576-4593*

A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, +, *TPEL June 2016 4565-4575*

A Novel Quasi-Z-Source Inverter Topology With Special Coupled Inductors for Input Current Ripples Cancellation. *Battiston, A.*, +, *TPEL March 2016 2409-2416*

- A Novel Ten-Switch Topology for Unified Power Quality Conditioner. *Rauf, A.M.*, +, *TPEL Oct. 2016 6937-6946*
- A Novel Variable Reactor and Its Application to Shunt Power Quality Controller. *Li, D.*, +, *TPEL June 2016 4148-4158*
- A Real-Time Selective Harmonic Elimination Based on a Transient-Free Inner Closed-Loop Control for Cascaded Multilevel Inverters. *Zhao, H.*, +, *TPEL Feb. 2016 1000-1014*
- A Rule-Based Controller to Mitigate DC-Side Second-Order Harmonic Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL Feb. 2016 1665-1679*
- A sensorless implementation of the parabolic current control for single-phase stand-alone inverters. *Zhang, L.*, +, *TPEL May 2016 3913-3921*
- A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*
- A Synchronization Method for Single-Phase Grid-Tied Inverters. *Hadjidemetriou, L.*, +, *TPEL March 2016 2139-2149*
- A Virtual Space Vector Modulation Technique for the Reduction of Common-Mode Voltages in Both Magnitude and Third-Order Component. *Tian, K.*, +, *TPEL Jan. 2016 839-848*
- Abnormal Operation State Analysis and Control of Asymmetric Impedance Network-Based Quasi-Z-Source PV Inverter (AIN-qZSI). *Kayiranga, T.*, +, *TPEL Nov. 2016 7642-7650*
- ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*
- Adaptive DC-Link Voltage Control of Two-Stage Photovoltaic Inverter During Low Voltage Ride-Through Operation. *Ding, G.*, +, *TPEL June 2016 4182-4194*
- An Enhanced Single-Phase Step-Up Five-Level Inverter. *Gao, F.*, *TPEL Dec. 2016 8024-8030*
- An EV Drive-Train With Integrated Fast Charging Capability. *Subotic, I.*, +, *TPEL Feb. 2016 1461-1471*
- An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL June 2016 4594-4603*
- An Islanding Detection Method for Inverter-Based Distributed Generators Based on the Reactive Power Disturbance. *Chen, X.*, +, *TPEL May 2016 3559-3574*
- Analysis of D-Q Small-Signal Impedance of Grid-Tied Inverters. *Wen, B.*, +, *TPEL Jan. 2016 675-687*
- Angular Modulation of Dual-Inverter Fed Open-End Motor for Electrical Vehicle Applications. *Dehghani kiadehi, A.*, +, *TPEL April 2016 2980-2990*
- Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, +, *TPEL Feb. 2016 1576-1587*
- Assessment of the Current-Source, Full-Bridge Inverter as Power Supply for Ozone Generators With High Power Factor in a Single Stage. *Ponce-Silva, M.*, +, *TPEL Dec. 2016 8195-8204*
- Bus Voltage Control With Zero Distortion and High Bandwidth for Single-Phase Solar Inverters. *Levron, Y.*, +, *TPEL Jan. 2016 258-269*
- Closed-Form Oriented Modeling and Analysis of Wireless Power Transfer System With Constant-Voltage Source and Load. *Zhang, Y.*, +, *TPEL May 2016 3472-3481*
- Common-Mode Voltage Mitigation for Back-to-Back Current-Source Converter With Optimal Space-Vector Modulation. *Guo, X.*, +, *TPEL Jan. 2016 688-697*
- Commutation Torque Ripple Reduction Strategy of Z-Source Inverter Fed Brushless DC Motor. *Li, X.*, +, *TPEL Nov. 2016 7677-7690*
- Comparative Analysis of Two Modulation Strategies for an Active Buck-Boost Inverter. *Tang, Y.*, +, *TPEL Nov. 2016 7963-7971*
- Comparative Evaluation of Direct Torque Control Strategies for Permanent Magnet Synchronous Machines. *Niu, F.*, +, *TPEL Feb. 2016 1408-1424*
- Comparison of Dynamic Characteristics Between Virtual Synchronous Generator and Droop Control in Inverter-Based Distributed Generators. *Liu, J.*, +, *TPEL May 2016 3600-3611*
- Comparison of Impedance-Source Networks for Two and Multilevel Buck-Boost Inverter Applications. *Husev, O.*, +, *TPEL Nov. 2016 7564-7579*
- Continuous Space Vector Modulation for Symmetrical Six-Phase Drives. *Glose, D.*, +, *TPEL May 2016 3837-3848*
- Control Architecture for Parallel-Connected Inverters in Uninterruptible Power Systems. *Zhang, C.*, +, *TPEL July 2016 5176-5188*
- Control Method of Monoinverter Dual Parallel Drive System With Interior Permanent Magnet Synchronous Machines. *Lee, Y.*, +, *TPEL Oct. 2016 7077-7086*
- Control of Single-Phase Grid-Connected Converters With LCL Filters Using Recurrent Neural Network and Conventional Control Methods. *Fu, X.*, +, *TPEL July 2016 5354-5364*
- Control Strategies of Three-Phase Distributed Generation Inverters for Grid Unbalanced Voltage Compensation. *Nejabatkhah, F.*, +, *TPEL July 2016 5228-5241*
- Control Strategy to Maximize the Power Capability of PV Three-Phase Inverters During Voltage Sags. *Sosa, J.L.*, +, *TPEL April 2016 3314-3323*
- Critical Design Criterion for Achieving Zero Voltage Switching in Inductorless Half-Bridge-Driven Piezoelectric-Transformer-Based Power Supplies. *Foster, M.P.*, +, *TPEL July 2016 5057-5066*
- Current Balance Control for Symmetrical Multiphase Inverters. *Liu, Z.*, +, *TPEL June 2016 4005-4012*
- Delay-Dependent Stability of Single-Loop Controlled Grid-Connected Inverters with LCL Filters. *Wang, J.*, +, *TPEL Jan. 2016 743-757*
- Design and Control of a Two-Phase Brushless Exciter for Aircraft Wound-Rotor Synchronous Starter/Generator in the Starting Mode. *Jiao, N.*, +, *TPEL June 2016 4452-4461*
- Design and Development of a Class EF<sub>2</sub> Inverter and Rectifier for Multi-megahertz Wireless Power Transfer Systems. *Aldaher, S.*, +, *TPEL Dec. 2016 8138-8150*
- Design and Implementation of a Highly Integrated Dual Active Bridge Microconverter. *Kerachev, L.*, +, *TPEL Aug. 2016 5635-5643*
- Direct Torque Control for VSI-PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*
- Distributed Auxiliary Inverter of Urban Rail Train—Load Sharing Control Strategy Under Complicated Operation Condition. *Chen, J.*, +, *TPEL March 2016 2518-2529*
- Distributed Auxiliary Inverter of Urban Rail Train—The Voltage and Current Control Strategy Under Complicated Load Condition. *Chen, J.*, +, *TPEL Feb. 2016 1745-1756*
- Editorial Special Issue on Impedance-Source Converter Topologies and Applications. *Vinnikov, D.*, +, *TPEL Nov. 2016 7417-7418*
- Efficient Implicit Model-Predictive Control of a Three-Phase Inverter With an Output LC Filter. *Nauman, M.*, +, *TPEL Sept. 2016 6075-6078*
- Efficient Transformerless MOSFET Inverter for a Grid-Tied Photovoltaic System. *Islam, M.*, +, *TPEL Sept. 2016 6305-6316*
- Enhancing Microinverter Energy Capture With Submodule Differential Power Processing. *Qin, S.*, +, *TPEL May 2016 3575-3585*
- Fast and Robust Single-Phase >DQ Current Controller for Smart Inverter Applications. *Ebrahimi, M.*, +, *TPEL May 2016 3968-3976*
- Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance. *Chen, Y.*, +, *TPEL Aug. 2016 5524-5537*
- Fault-Decoupled Instantaneous Frequency and Phase Angle Estimation for Three-Phase Grid-Connected Inverters. *De Donato, G.*, +, *TPEL April 2016 2880-2889*
- Generalized Structure for a Single Phase Switched-Capacitor Multilevel Inverter Using a New Multiple DC Link Producer With Reduced Number of Switches. *Barzegarkhoo, R.*, +, *TPEL Aug. 2016 5604-5617*
- High Weighted Efficiency in Single-Phase Solar Inverters by a Variable-Frequency Peak Current Controller. *Levron, Y.*, +, *TPEL Jan. 2016 248-257*
- High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. *Cho, Y.*, +, *TPEL June 2016 4138-4147*
- High-Gain Single-Stage Boosting Inverter for Photovoltaic Applications. *Abramovitz, A.*, +, *TPEL May 2016 3550-3558*

- Hybrid Discontinuous/Boundary Conduction Mode of Flyback Microinverter for AC–PV Modules. *Christidis, G.C.*, +, *TPEL June 2016 4195-4205*
- Hybrid Modulation Scheme for a High-Frequency AC-Link Inverter. *Mazumder, S.K.*, *TPEL Jan. 2016 861-870*
- Hybrid Switched Inductor Impedance Source Converter—A Decoupled Approach. *Vakacharla, V.R.*, +, *TPEL Nov. 2016 7509-7521*
- Hybrid Ultracapacitor–Battery Energy Storage System Based on Quasi-Z-source Topology and Enhanced Frequency Dividing Coordinated Control for EV. *Hu, S.*, +, *TPEL Nov. 2016 7598-7610*
- Impedance Control Network Resonant DC–DC Converter for Wide-Range High-Efficiency Operation. *Lu, J.*, +, *TPEL July 2016 5040-5056*
- Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. *Wen, B.*, +, *TPEL Jan. 2016 26-38*
- Inductor Current Ripple Comparison Between ZSVM4 and ZSVM2 for Z-Source Inverters. *Dong, S.*, +, *TPEL Nov. 2016 7592-7597*
- Interleaved Dual Buck Full-Bridge Three-Level Inverter. *Hong, F.*, +, *TPEL Feb. 2016 964-974*
- Leakage Current Calculation for PV Inverter System Based on a Parasitic Capacitor Model. *Chen, W.*, +, *TPEL Dec. 2016 8205-8217*
- Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems. *Guo, X.*, +, *TPEL March 2016 1841-1846*
- Low-Frequency Input Current Ripple Reduction Based on Load Current Feedforward in a Two-Stage Single-Phase Inverter. *Shi, Y.*, +, *TPEL Nov. 2016 7972-7985*
- Minimum-Voltage Vector Injection Method for Sensorless Control of PMSM for Low-Speed Operations. *Xie, G.*, +, *TPEL Feb. 2016 1785-1794*
- Model Predictive Control of Load-Commutated Inverter-Fed Synchronous Machines. *Besselmann, T.J.*, +, *TPEL Oct. 2016 7384-7393*
- Model Predictive-Based Maximum Power Point Tracking for Grid-Tied Photovoltaic Applications Using a Z-Source Inverter. *Sajadian, S.*, +, *TPEL Nov. 2016 7611-7620*
- Modulation and Control of Transformerless UPFC. *Yang, S.*, +, *TPEL Feb. 2016 1050-1063*
- Modulation Methods for Three-Level Neutral-Point-Clamped Inverter Achieving Stress Redistribution Under Moderate Modulation Index. *Ma, K.*, +, *TPEL Jan. 2016 5-10*
- Modulation Scheme for Three-Phase Differential-Mode Ćuk Inverter. *Mehrnam, S.*, +, *TPEL March 2016 2654-2668*
- Modulation With Sinusoidal Third-Harmonic Injection for Active Split DC-Bus Four-Leg Inverters. *Bifaretti, S.*, +, *TPEL Sept. 2016 6226-6236*
- Moment-Based Discontinuous Phasor Transform and its Application to the Steady-State Analysis of Inverters and Wireless Power Transfer Systems. *Scarciotti, G.*, +, *TPEL Dec. 2016 8448-8460*
- Multilevel Inverter Topologies With Reduced Device Count: A Review. *Gupta, K.K.*, +, *TPEL Jan. 2016 135-151*
- New Three-Dimensional Space Vector-Based Switching Signal Generation Technique Without Null Vectors and With Reduced Switching Losses for a Grid-Connected Four-Leg Inverter. *Golwala, H.*, +, *TPEL Feb. 2016 1026-1035*
- Novel Family of Single-Phase Modified Impedance-Source Buck-Boost Multilevel Inverters With Reduced Switch Count. *Husev, O.*, +, *TPEL Nov. 2016 7580-7591*
- Novel Isolated Multilevel DC–DC Power Converter. *Jou, H.*, +, *TPEL April 2016 2690-2694*
- Open-Circuit Fault Diagnosis and Fault-Tolerant Control for a Grid-Connected NPC Inverter. *Choi, U.*, +, *TPEL Oct. 2016 7234-7247*
- Output Impedance Modeling and Stability Prediction of Three-Phase Paralleled Inverters With Master–Slave Sharing Scheme Based on Terminal Characteristics of Individual Inverters. *Liu, Z.*, +, *TPEL July 2016 5306-5320*
- Output-Impedance Shaping of Bidirectional DAB DC–DC Converter Using Double-Proportional-Integral Feedback for Near-Ripple-Free DC Bus Voltage Regulation in Renewable Energy Systems. *Cao, L.*, +, *TPEL March 2016 2187-2199*
- Passive-Islanding Detection Method Using the Wavelet Packet Transform in Grid-Connected Photovoltaic Systems. *Do, H.T.*, +, *TPEL Oct. 2016 6955-6967*
- Phase-Shift-Controlled Isolated Buck-Boost Converter With Active-Clamped Three-Level Rectifier (AC-TLR) Featuring Soft-Switching Within Wide Operation Range. *Wu, H.*, +, *TPEL March 2016 2372-2386*
- Power and Voltage Balance Control of a Novel Three-Phase Solid-State Transformer Using Multilevel Cascaded H-Bridge Inverters for Microgrid Applications. *Wang, L.*, +, *TPEL April 2016 3289-3301*
- Practical Layouts and DC-Rail Voltage Clamping Techniques of Z-Source Inverters. *Cha, H.*, +, *TPEL Nov. 2016 7471-7479*
- Prediction of Bond Wire Fatigue of IGBTs in a PV Inverter Under a Long-Term Operation. *Reigosa, P.D.*, +, *TPEL Oct. 2016 7171-7182*
- Pseudo-Derivative-Feedback Current Control for Three-Phase Grid-Connected Inverters With LCL Filters. *Wang, J.*, +, *TPEL May 2016 3898-3912*
- Quasi-Z-Source Inverter With a T-Type Converter in Normal and Failure Mode. *Fernao Pires, V.*, +, *TPEL Nov. 2016 7462-7470*
- Real-Time Implementation of a Seven-Level Packed U-Cell Inverter with a Low-Switching-Frequency Voltage Regulator. *Vahedi, H.*, +, *TPEL Aug. 2016 5967-5973*
- Research on A Novel Modulation Strategy for Double Auxiliary Resonant Commutated Pole Soft-switching Inverter With the Shunt Dead Time. *Chu, E.*, +, *TPEL Oct. 2016 6855-6869*
- Rotor Flux-Oriented Control of Induction Motor With Synchronized Sinusoidal PWM for Traction Application. *Sahoo, S.K.*, +, *TPEL June 2016 4429-4439*
- Selective Harmonic Elimination With Groebner Bases and Symmetric Polynomials. *Yang, K.*, +, *TPEL April 2016 2742-2752*
- Sequence-Based Control of an Isolated DC/AC Matrix Converter. *Tajfar, A.*, +, *TPEL Feb. 2016 1757-1773*
- Simplified Space Vector Modulation Techniques for Multilevel Inverters. *Ahmed, I.*, +, *TPEL Dec. 2016 8483-8499*
- Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter. *Zhou, Y.*, +, *TPEL Oct. 2016 7043-7052*
- Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications. *Darwish, A.*, +, *TPEL Dec. 2016 8218-8236*
- Steady-State Analysis and Design of Class-D ZVS Inverter at Any Duty Ratio. *Wei, X.*, +, *TPEL Jan. 2016 394-405*
- Suppression of Real Power Back Flow of Nonregenerative Cascaded H-Bridge Inverters Operating Under Faulty Conditions. *Sun, L.*, +, *TPEL July 2016 5161-5175*
- Switched-Coupled-Inductor Quasi-Z-Source Inverter. *Ahmed, H.F.*, +, *TPEL Feb. 2016 1241-1254*
- Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*
- Synthesizing Virtual Oscillators to Control Islanded Inverters. *Johnson, B.B.*, +, *TPEL Aug. 2016 6002-6015*
- The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L.*, +, *TPEL Aug. 2016 5917-5930*
- Theoretical Comparison in Energy-Balancing Capability Between Star- and Delta-Configured Modular Multilevel Cascade Inverters for Utility-Scale Photovoltaic Systems. *Sochor, P.*, +, *TPEL March 2016 1980-1992*
- Three-Phase Split-Source Inverter (SSI): Analysis and Modulation. *Abdelhakim, A.*, +, *TPEL Nov. 2016 7451-7461*
- Transformer-Less Unified Power-Flow Controller Using the Cascade Multilevel Inverter. *Peng, F.Z.*, +, *TPEL Aug. 2016 5461-5472*
- Transient Hygrothermal-Response of Power Modules in Inverters—The Basis for Mission Profiling Under Climate and Power Loading. *Bayerer, R.*, +, *TPEL Jan. 2016 613-620*
- Ultracapacitor-Battery Hybrid Energy Storage System Based on the Asymmetric Bidirectional Z -Source Topology for EV. *Hu, S.*, +, *TPEL Nov. 2016 7489-7498*

Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S., +, TPEL April 2016 3338-3347*

Use of Boundary Control With Second-Order Switching Surface to Reduce the System Order for Deadbeat Controller in Grid-Connected Inverter. *He, Y., +, TPEL March 2016 2638-2653*

#### Investments

DC–DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W., TPEL Aug. 2016 5400-5410*

#### Iterative methods

Design Tools for Rapid Multidomain Virtual Prototyping of Power Electronic Systems. *Evans, P.L., +, TPEL March 2016 2443-2455*

Piecewise Average-Value Model of PWM Converters With Applications to Large-Signal Transient Simulations. *Xu, Y., +, TPEL Feb. 2016 1304-1321*

### J

#### Junction gate field effect transistors

A Gate Driver With Integrated Deadtime Controller. *Grezaud, R., +, TPEL Dec. 2016 8409-8421*

Characterization Method of SiC-JFET Interelectrode Capacitances in Linear Region. *Li, K., +, TPEL Feb. 2016 1528-1540*

Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A., +, TPEL March 2016 1816-1821*

### K

#### Kalman filters

A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement. *Panigrahi, R., +, TPEL April 2016 2860-2869*

Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A., +, TPEL Feb. 2016 1576-1587*

Detection of Grid Voltage Fundamental and Harmonic Components Using Kalman Filter and Generalized Averaging Method. *Bagheri, A., +, TPEL Feb. 2016 1064-1073*

Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F., +, TPEL Aug. 2016 5746-5758*

Lithium Polymer Battery State-of-Charge Estimation Based on Adaptive Unscented Kalman Filter and Support Vector Machine. *Meng, J., +, TPEL March 2016 2226-2238*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M., +, TPEL April 2016 3027-3035*

Sliding-Mode Control for a Three-Phase Unity Power Factor Rectifier Operating at Fixed Switching Frequency. *Guzman, R., +, TPEL Jan. 2016 758-769*

### L

#### Lamp accessories

“Z” and “qZ” Source Inverters as Electronic Ballast. *Vazquez, N., +, TPEL Nov. 2016 7651-7660*

Design of Electronic Ballast for Short-Arc Xenon Lamp With Interleaved Half-Wave Rectifier. *Chan, S., +, TPEL July 2016 5102-5112*

Turn-On Optimization for Class D Series–Parallel LCC-Type Constant Current High-Power LED Driver Design Based on Traditional Fluorescent Control IC. *Chen, K., +, TPEL July 2016 4732-4741*

Versatile LED Drivers for Various Electronic Ballasts by Variable Switched Capacitor. *Lee, E.S., +, TPEL Feb. 2016 1489-1502*

#### Laptop computers

87% Overall High Efficiency and 11  $\mu$ A Ultra-Low Standby Current Derived by Overall Power Management in Laptops With Flexible Voltage Scaling and Dynamic Voltage Scaling Techniques. *Yang, S., +, TPEL April 2016 3118-3127*

#### LC circuits

A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N., +, TPEL Jan. 2016 152-164*

A Virtual RLC Damper to Stabilize DC/DC Converters Having an LC Input Filter while Improving the Filter Performance. *Zhang, X., +, TPEL Dec. 2016 8017-8023*

Active Damping of LLCL-Filter Resonance Based on LC-Trap Voltage or Current Feedback. *Huang, M., +, TPEL March 2016 2337-2346*

An Accurate Design Algorithm for LLC Resonant Converters—Part I. *Hu, Z., +, TPEL Aug. 2016 5435-5447*

An Accurate Design Algorithm for LLC Resonant Converters—Part II. *Hu, Z., +, TPEL Aug. 2016 5448-5460*

Bidirectional Resonant DC–DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y., +, TPEL Jan. 2016 340-352*

Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage. *Saber, C., +, TPEL Sept. 2016 6192-6202*

Efficient Implicit Model-Predictive Control of a Three-Phase Inverter With an Output LC Filter. *Nauman, M., +, TPEL Sept. 2016 6075-6078*

Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S., +, TPEL Dec. 2016 8528-8540*

Improved Adaptive-Series-Virtual-Impedance Control Incorporating Minimum Ripple Point Tracking for Load Converters in DC Systems. *Zhang, X., +, TPEL Dec. 2016 8088-8095*

LLC Resonant Converter With Semiactive Variable-Structure Rectifier (SA-VSR) for Wide Output Voltage Range Application. *Wu, H., +, TPEL May 2016 3389-3394*

Modeling and Control of a Resonant Dual Active Bridge With a Tuned CLLC Network. *Malan, W.L., +, TPEL Oct. 2016 7297-7310*

Modeling, Analysis, and Parameters Design of LC-Filter-Integrated Quasi-Z-Source Indirect Matrix Converter. *Liu, S., +, TPEL Nov. 2016 7544-7555*

Novel Isolated Multilevel DC–DC Power Converter. *Jou, H., +, TPEL April 2016 2690-2694*

#### Leakage currents

A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. *Park, H., +, TPEL June 2016 4484-4498*

Analysis of the Breakdown Characterization Method in GaN-Based HEMTs. *Zhao, S.L., +, TPEL Feb. 2016 1517-1527*

Cascaded H-Bridge Multilevel PV Topology for Alleviation of Per-Phase Power Imbalances and Reduction of Second Harmonic Voltage Ripple. *Townsend, C.D., +, TPEL Aug. 2016 5574-5586*

Leakage Current Calculation for PV Inverter System Based on a Parasitic Capacitor Model. *Chen, W., +, TPEL Dec. 2016 8205-8217*

Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems. *Guo, X., +, TPEL March 2016 1841-1846*

#### Learning (artificial intelligence)

An Adaptive Network-Based Reinforcement Learning Method for MPPT Control of PMSG Wind Energy Conversion Systems. *Wei, C., +, TPEL Nov. 2016 7837-7848*

#### Least mean squares methods

Adaptive-Linear-Neuron-Based Dead-Time Effects Compensation Scheme for PMSM Drives. *Qiu, T., +, TPEL March 2016 2530-2538*

Common-Mode Voltage Reduction for Matrix Converters Using All Valid Switch States. *Guan, Q., +, TPEL Dec. 2016 8247-8259*

#### Least squares approximations

Lithium Polymer Battery State-of-Charge Estimation Based on Adaptive Unscented Kalman Filter and Support Vector Machine. *Meng, J., +, TPEL March 2016 2226-2238*

Low Sampling Rate Online Parameters Monitoring of DC–DC Converters for Predictive-Maintenance Using Biogeography-Based Optimization. *Li, B.X., +, TPEL April 2016 2870-2879*

#### LED lamps

A survey, classification, and critical review of light-emitting diode drivers. *Li, S., +, TPEL Feb. 2016 1503-1516*

An Alternative Approach to LED Driver Design Based on High-Voltage Driving. *Wong, C.S., +, TPEL March 2016 2465-2475*

An Inductive Power Transfer System for Driving Multiple OLED Light Panels. *Zhou, R., +, TPEL Oct. 2016 7131-7147*

Precise Dimming and Color Control of LED Systems Based on Color Mixing. *Lee, A.T.L., +, TPEL Jan. 2016 65-80*

Single-Stage AC/DC Single-Inductor Multiple-Output LED Drivers. *Guo, Y., +, TPEL Aug. 2016 5837-5850*

Versatile LED Drivers for Various Electronic Ballasts by Variable Switched Capacitor. *Lee, E.S., +, TPEL Feb. 2016 1489-1502*

#### Life testing

Advanced Accelerated Power Cycling Test for Reliability Investigation of Power Device Modules. *Choi, U., +, TPEL Dec. 2016 8371-8386*

#### Lifts

Improved Control Strategy of a Supercapacitor-Based Energy Recovery System for Elevator Applications. *Jabbour, N., +, TPEL Dec. 2016 8398-8408*

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G., +, TPEL June 2016 4440-4451*

#### Light emitting diodes

A Double-Loop Primary-Side Control Structure for HB-LED Power Regulation. *Shagerdmootaab, A., +, TPEL March 2016 2476-2484*

A Family of Bridgeless Quasi-Resonant LED Drivers. *Shmilovitz, D., +, TPEL March 2016 1833-1836*

A High-Voltage SiC-Based Boost PFC for LED Applications. *Leon-Masich, A., +, TPEL Feb. 2016 1633-1642*

A Scalable  $N$ -Color LED Driver Using Single Inductor Multiple Current Output Topology. *Modepalli, K., +, TPEL May 2016 3773-3783*

A Single-Stage Single-Switch LED Driver Based on the Integrated SEPIC Circuit and Class-E Converter. *Wang, Y., +, TPEL Aug. 2016 5814-5824*

Analysis and Design of a Single-Switch Forward-Flyback Two-Channel LED Driver With Resonant-Blocking Capacitor. *Kim, J., +, TPEL March 2016 2314-2323*

Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R., +, TPEL Sept. 2016 6607-6620*

Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B., +, TPEL April 2016 2695-2708*

New AC–DC Power Factor Correction Architecture Suitable for High-Frequency Operation. *Lim, S., +, TPEL April 2016 2937-2949*

Nonisolated Two-Channel LED Driver With Automatic Current Balance and Zero-Voltage Switching. *Hwu, K.I., +, TPEL Dec. 2016 8359-8370*

Study on the Single-Stage Forward-Flyback PFC Converter With QR Control. *Xie, X., +, TPEL Jan. 2016 430-442*

#### Light sources

A Compact Flicker-Free Transformer-Less LED Driver With an Enhanced Power Factor for Omnidirectional Multichannel Smart Bulb Applications. *Ko, Y., +, TPEL Aug. 2016 5851-5862*

A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC–DC Driver for Supplying Multiple LED Strings in Parallel. *Ma, H., +, TPEL Aug. 2016 5825-5836*

A Scalable  $N$ -Color LED Driver Using Single Inductor Multiple Current Output Topology. *Modepalli, K., +, TPEL May 2016 3773-3783*

#### Lighting

A Family of Bridgeless Quasi-Resonant LED Drivers. *Shmilovitz, D., +, TPEL March 2016 1833-1836*

An Inductive Power Transfer System for Driving Multiple OLED Light Panels. *Zhou, R., +, TPEL Oct. 2016 7131-7147*

#### Lighting control

A Scalable  $N$ -Color LED Driver Using Single Inductor Multiple Current Output Topology. *Modepalli, K., +, TPEL May 2016 3773-3783*

An Alternative Approach to LED Driver Design Based on High-Voltage Driving. *Wong, C.S., +, TPEL March 2016 2465-2475*

Precise Dimming and Color Control of LED Systems Based on Color Mixing. *Lee, A.T.L., +, TPEL Jan. 2016 65-80*

Single-Stage AC/DC Single-Inductor Multiple-Output LED Drivers. *Guo, Y., +, TPEL Aug. 2016 5837-5850*

Turn-On Optimization for Class D Series–Parallel LCC-Type Constant Current High-Power LED Driver Design Based on Traditional Fluorescent Control IC. *Chen, K., +, TPEL July 2016 4732-4741*

#### Limiters

A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. *Park, H., +, TPEL June 2016 4484-4498*

#### Linear matrix inequalities

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi–Sugeno Fuzzy Models. *Chang, Y., +, TPEL Sept. 2016 6504-6510*

#### Linear motors

Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y., +, TPEL May 2016 3728-3737*

#### Linear phase filters

PLL With MAF-Based Prefiltering Stage: Small-Signal Modeling and Performance Enhancement. *Golestan, S., +, TPEL June 2016 4013-4019*

#### Linear quadratic Gaussian control

A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement. *Panigrahi, R., +, TPEL April 2016 2860-2869*

#### Linear synchronous motors

A Direct Thrust Control Scheme for Linear Permanent Magnet Synchronous Motor Based on Online Duty Ratio Control. *Cheema, M.A.M., +, TPEL June 2016 4416-4428*

High-Bandwidth and Strong Robust Current Regulation for PMLSM Drives Considering Thrust Ripple. *Wang, M., +, TPEL Sept. 2016 6646-6657*

#### Linear systems

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G., +, TPEL Feb. 2016 1450-1460*

Fast Transient Response of Series Resonant Converters Using Average Geometric Control. *Mohammadi, M., +, TPEL Sept. 2016 6738-6755*

Mathematical Modeling and Control of a Cost Effective AC Voltage Stabilizer. *Liu, H., +, TPEL Nov. 2016 8007-8016*

Measurement and Characterization Technique for Real-Time Die Temperature Prediction of MOSFET-Based Power Electronics. *Davidson, J.N., +, TPEL June 2016 4378-4388*

Subharmonic Instability Limits for  $V^2$ -Controlled Buck Converter With Outer Loop Closed/Open. *Fang, C., +, TPEL Feb. 2016 1657-1664*

#### Linearization techniques

Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y., +, TPEL May 2016 3728-3737*

High-Bandwidth and Strong Robust Current Regulation for PMLSM Drives Considering Thrust Ripple. *Wang, M., +, TPEL Sept. 2016 6646-6657*

Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G., +, TPEL Jan. 2016 235-247*

Mathematical Modeling and Control of a Cost Effective AC Voltage Stabilizer. *Liu, H., +, TPEL Nov. 2016 8007-8016*

Stability Analysis of Vector-Controlled Modular Multilevel Converters in Linear Time-Periodic Framework. *Chaudhuri, N.R., +, TPEL July 2016 5255-5269*

#### Lithium compounds

A MultiWinding Transformer Cell-to-Cell Active Equalization Method for Lithium-Ion Batteries With Reduced Number of Driving Circuits. *Chen, Y., +, TPEL July 2016 4916-4929*

A Novel Soft-Switching Battery Charge/Discharge Converter With the Zero Voltage Discharge Function. *Yu, S., +, TPEL July 2016 5067-5078*

Quantitative Evaluation of LiFePO<sub>4</sub> Battery Cycle Life Improvement Using Ultracapacitors. *Zhao, C., +, TPEL June 2016 3989-3993*

Switching Battery Charger Integrated Circuit for Mobile Devices in a 130-nm BCDMOS Process. *Jeong, M., +, TPEL Nov. 2016 7943-7952*

#### Load (electric)

Constant Resonant Current Limiting Strategy for LLC Converter Without Current Sensing. *Li, Q., +, TPEL Sept. 2016 6756-6764*

#### Load flow

A Series-Stacked Power Delivery Architecture With Isolated Differential Power Conversion for Data Centers. *Candan, E., +, TPEL May 2016 3690-3703*

Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells. *Melin, P.E.*, +, *TPEL Sept. 2016 6122-6133*

Distributed Tertiary Control of DC Microgrid Clusters. *Moayedi, S.*, +, *TPEL Feb. 2016 1717-1733*

Modulation Scheme for Three-Phase Differential-Mode Ćuk Inverter. *Mehrnami, S.*, +, *TPEL March 2016 2654-2668*

Static and dynamic power system load emulation in a converter-based reconfigurable power grid emulator. *Wang, J.*, +, *TPEL April 2016 3239-3251*

Suppression of Real Power Back Flow of Nonregenerative Cascaded H-Bridge Inverters Operating Under Faulty Conditions. *Sun, L.*, +, *TPEL July 2016 5161-5175*

Switching Battery Charger Integrated Circuit for Mobile Devices in a 130-nm BCDMOS Process. *Jeong, M.*, +, *TPEL Nov. 2016 7943-7952*

Transient DC Bias and Current Impact Effects of High-Frequency-Isolated Bidirectional DC–DC Converter in Practice. *Zhao, B.*, +, *TPEL April 2016 3203-3216*

#### Load flow control

A Bidirectional Three-Phase Push–Pull Converter With Dual Asymmetrical PWM Method. *Kwon, M.*, +, *TPEL March 2016 1887-1895*

Application of Transformer-Less UPFC for Interconnecting Two Synchronous AC Grids With Large Phase Difference. *Liu, Y.*, +, *TPEL Sept. 2016 6092-6103*

Basic Control Principles of Omnidirectional Wireless Power Transfer. *Zhang, C.*, +, *TPEL July 2016 5215-5227*

DC–DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W.*, *TPEL Aug. 2016 5400-5410*

Line-Voltage Control Based on Wayside Energy Storage Systems for Tramway Networks. *Ciccarelli, F.*, +, *TPEL Jan. 2016 884-899*

Modeling, Control, and Seamless Transition of the Bidirectional Battery-Driven Switched Reluctance Motor/Generator Drive Based on Integrated Multiport Power Converter for Electric Vehicle Applications. *Yi, F.*, +, *TPEL Oct. 2016 7099-7111*

Modulation and Control of Transformerless UPFC. *Yang, S.*, +, *TPEL Feb. 2016 1050-1063*

On the Power Flow Limits and Control in Series-Connected Custom Power Devices. *Roldan-Perez, J.*, +, *TPEL Oct. 2016 7328-7338*

Solid-State Transfer Switch Topologies for a Switched Doubly Fed Machine Drive. *Banerjee, A.*, +, *TPEL Aug. 2016 5709-5720*

Steady-State Analysis of a ZVS Bidirectional Isolated Three-Phase DC–DC Converter Using Dual Phase-Shift Control With Variable Duty Cycle. *de Oliveira Filho, H.M.*, +, *TPEL March 2016 1863-1872*

Transformer-Less Unified Power-Flow Controller Using the Cascade Multi-level Inverter. *Peng, F.Z.*, +, *TPEL Aug. 2016 5461-5472*

#### Load management

Front-end monitoring of multiple loads in wireless power transfer systems without wireless communication systems. *Yin, J.*, +, *TPEL March 2016 2510-2517*

Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, +, *TPEL April 2016 2695-2708*

#### Load regulation

A Modular and Scalable Structure Using Multiparallel-Connected Series-Voltage Compensators for Supply Voltage Regulation. *Cheung, V.S.*, +, *TPEL June 2016 4096-4110*

A Review of Galvanically Isolated Impedance-Source DC–DC Converters. *Chub, A.*, +, *TPEL April 2016 2808-2828*

An Improved Distributed Secondary Control Method for DC Microgrids With Enhanced Dynamic Current Sharing Performance. *Wang, P.*, +, *TPEL Sept. 2016 6658-6673*

Analysis on Load-Adaptive Phase-Shift Control for High Efficiency Full-Bridge LLC Resonant Converter Under Light-Load Conditions. *Kim, J.*, +, *TPEL July 2016 4942-4955*

Distributed Auxiliary Inverter of Urban Rail Train—Load Sharing Control Strategy Under Complicated Operation Condition. *Chen, J.*, +, *TPEL March 2016 2518-2529*

Improved Adaptive-Series-Virtual-Impedance Control Incorporating Minimum Ripple Point Tracking for Load Converters in DC Systems. *Zhang, X.*, +, *TPEL Dec. 2016 8088-8095*

Load-Current-Corrected Capacitor Voltage Control in Eight-Level DC–AC Converter Using Extended Commutation Cells. *Lemmen, E.*, +, *TPEL Oct. 2016 7286-7296*

Low-Frequency Input Current Ripple Reduction Based on Load Current Feedforward in a Two-Stage Single-Phase Inverter. *Shi, Y.*, +, *TPEL Nov. 2016 7972-7985*

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi–Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

Stabilization of a Cascaded DC Converter System via Adding a Virtual Adaptive Parallel Impedance to the Input of the Load Converter. *Zhang, X.*, +, *TPEL March 2016 1826-1832*

Switching Frequency Stabilization Techniques for Adaptive On-Time Controlled Buck Converter With Adaptive Voltage Positioning Mechanism. *Tsai, C.*, +, *TPEL Jan. 2016 443-451*

Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter. *Kumar, V.I.*, +, *TPEL Dec. 2016 8461-8470*

#### Logic design

Efficient Voltage Regulation for Microprocessor Cores Stacked in Vertical Voltage Domains. *Schaefer, C.*, +, *TPEL Feb. 2016 1795-1808*

Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*

#### Long Term Evolution

Envelope Modulator for 1.5-W 10-MHz LTE PA Without AC Coupling Capacitor Achieving 86.5% Peak Efficiency. *Sung, S.*, +, *TPEL Dec. 2016 8282-8292*

#### Losses

A 98.7% Efficient Composite Converter Architecture With Application-Tailored Efficiency Characteristic. *Chen, H.*, +, *TPEL Jan. 2016 101-110*

A DSVM Method for Matrix Converters to Suppress Common-mode Voltage With Reduced Switching Losses. *Nguyen, H.*, +, *TPEL June 2016 4020-4030*

An Analytical Switching Process Model of Low-Voltage eGaN HEMTs for Loss Calculation. *Wang, K.*, +, *TPEL Jan. 2016 635-647*

Analytical Switching Loss Model for Superjunction MOSFET With Capacitive Nonlinearities and Displacement Currents for DC–DC Power Converters. *Castro, I.*, +, *TPEL March 2016 2485-2495*

Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*

High Switching Performance of 1700-V, 50-A SiC Power MOSFET Over Si IGBT/BiMOSFET for Advanced Power Conversion Applications. *Hazra, S.*, +, *TPEL July 2016 4742-4754*

Soft-Switching Operation of Isolated Modular DC/DC Converters for Application in HVDC Grids. *Xing, Z.*, +, *TPEL April 2016 2753-2766*

#### Low-pass filters

A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins. *Kanjija, P.*, +, *TPEL March 2016 2550-2561*

An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*

Minimum-Voltage Vector Injection Method for Sensorless Control of PMSM for Low-Speed Operations. *Xie, G.*, +, *TPEL Feb. 2016 1785-1794*

Position Sensorless Control Without Phase Shifter for High-Speed BLDC Motors With Low Inductance and Nonideal Back EMF. *Li, W.*, +, *TPEL Feb. 2016 1354-1366*

Sensorless Control for High-Speed Brushless DC Motor Based on the Line-to-Line Back EMF. *Liu, G.*, +, *TPEL July 2016 4669-4683*

Sliding-Mode Observer-Based Mechanical Parameter Estimation for Permanent Magnet Synchronous Motor. *Zhang, X.*, +, *TPEL Aug. 2016 5732-5745*

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

**Low-power electronics**

- A 190 nA Bias Current 10 mV Input Multistage Boost Regulator With Intermediate-Node Control to Supply RF Blocks in Self-Powered Wireless Sensors. *Ahmed, K.Z.*, +, *TPEL Feb. 2016 1322-1333*
- An Input-Series Flyback Auxiliary Power Supply Scheme Based on Transformer-Integration for High-Input Voltage Applications. *Meng, T.*, +, *TPEL Sept. 2016 6383-6393*
- An Integrated High-Density Power Management Solution for Portable Applications Based on a Multioutput Switched-Capacitor Circuit. *Ahsanuzzaman, S.M.*, +, *TPEL June 2016 4305-4323*

**Lumped parameter networks**

- A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*
- Thermal Analysis of the Laminated Busbar System of a Multilevel Converter. *Smirnova, L.*, +, *TPEL Feb. 2016 1479-1488*

**Lyapunov matrix equations**

- Design Method of Adaptive Full Order Observer With or Without Estimated Flux Error in Speed Estimation Algorithm. *Sun, W.*, +, *TPEL March 2016 2609-2626*

**Lyapunov methods**

- Estimation of Single-Phase Grid Voltage Parameters With Zero Steady-State Error. *Dai, Z.*, +, *TPEL May 2016 3867-3879*
- Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y.*, +, *TPEL May 2016 3728-3737*
- High-Bandwidth and Strong Robust Current Regulation for PMLSM Drives Considering Thrust Ripple. *Wang, M.*, +, *TPEL Sept. 2016 6646-6657*
- Sequence-Based Control of an Isolated DC/AC Matrix Converter. *Tajfar, A.*, +, *TPEL Feb. 2016 1757-1773*
- Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi-Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

**M****Machine control**

- A Digital PWM Current Controller for Switched Reluctance Motor Drives. *Peng, F.*, +, *TPEL Oct. 2016 7087-7098*
- A Direct Thrust Control Scheme for Linear Permanent Magnet Synchronous Motor Based on Online Duty Ratio Control. *Cheema, M.A.M.*, +, *TPEL June 2016 4416-4428*
- A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM. *Vafaei, M.H.*, +, *TPEL May 2016 3738-3753*
- A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, +, *TPEL June 2016 4565-4575*
- Adaptive Saturation Controller-Based Direct Torque Control for Permanent-Magnet Synchronous Machines. *Zhang, Z.*, +, *TPEL Oct. 2016 7112-7122*
- Comparison of Two SVPWM Control Strategies of Five-Phase Fault-Tolerant Permanent-Magnet Motor. *Liu, G.*, +, *TPEL Sept. 2016 6621-6630*
- Control Method of Monoconverter Dual Parallel Drive System With Interior Permanent Magnet Synchronous Machines. *Lee, Y.*, +, *TPEL Oct. 2016 7077-7086*
- Design and Control of a Two-Phase Brushless Exciter for Aircraft Wound-Rotor Synchronous Starter/Generator in the Starting Mode. *Jiao, N.*, +, *TPEL June 2016 4452-4461*
- Dynamic Loss Minimization of Finite Control Set-Model Predictive Torque Control for Electric Drive System. *Xie, W.*, +, *TPEL Jan. 2016 849-860*
- Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016 5746-5758*
- Fault-Tolerant Operation of Six-Phase Energy Conversion Systems With Parallel Machine-Side Converters. *Gonzalez-Prieto, I.*, +, *TPEL April 2016 3068-3079*
- High-Bandwidth and Strong Robust Current Regulation for PMLSM Drives Considering Thrust Ripple. *Wang, M.*, +, *TPEL Sept. 2016 6646-6657*

- Model Predictive Control of Load-Commutated Inverter-Fed Synchronous Machines. *Besselmann, T.J.*, +, *TPEL Oct. 2016 7384-7393*
- Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016 7065-7076*
- Reliability Assessment of the Switched Reluctance Motor Drive Under Single Switch Chopping Strategy. *Chen, H.*, +, *TPEL March 2016 2395-2408*
- Scaled Current Tracking Control for Doubly Fed Induction Generator to Ride-Through Serious Grid Faults. *Huang, Q.*, +, *TPEL March 2016 2150-2165*
- Second-Order Sliding-Mode Controlled Synchronous Buck DC-DC Converter. *Ling, R.*, +, *TPEL March 2016 2539-2549*
- Sliding-Mode Observer-Based Mechanical Parameter Estimation for Permanent Magnet Synchronous Motor. *Zhang, X.*, +, *TPEL Aug. 2016 5732-5745*
- Solid-State Transfer Switch Topologies for a Switched Doubly Fed Machine Drive. *Banerjee, A.*, +, *TPEL Aug. 2016 5709-5720*
- Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*
- Stationary Frame Fault-Tolerant Current Control of Polyphase Permanent-Magnet Machines Under Open-Circuit and Short-Circuit Faults. *Sen, B.*, +, *TPEL July 2016 4684-4696*
- Two-Vector-Based Model Predictive Torque Control Without Weighting Factors for Induction Motor Drives. *Zhang, Y.*, +, *TPEL Feb. 2016 1381-1390*

**Machine insulation**

- A Four-Plate Compact Capacitive Coupler Design and LCL-Compensated Topology for Capacitive Power Transfer in Electric Vehicle Charging Application. *Zhang, H.*, +, *TPEL Dec. 2016 8541-8551*
- Estimation Method of Stator Winding Temperature for Dual Three-Phase Machines Based on DC-Signal Injection. *Baneira, F.*, +, *TPEL July 2016 5141-5148*

**Machine testing**

- Control of Doubly-Fed Induction Generator to Ride-Through Recurring Grid Faults. *Chen, W.*, +, *TPEL July 2016 4831-4846*

**Machine theory**

- Magnetizing Curve Estimation of Induction Motors in Single-Phase Magnetization Mode Considering Differential Inductance Effect. *Ruan, J.*, +, *TPEL Jan. 2016 497-506*

**Machine vector control**

- A Parallel Speed and Rotor Time Constant Identification Scheme for Indirect Field Oriented Induction Motor Drives. *Zhao, L.*, +, *TPEL Sept. 2016 6494-6503*
- A Real-Time Multiple Open-Circuit Fault Diagnosis Method in Voltage-Source-Inverter Fed Vector Controlled Drives. *Wu, F.*, +, *TPEL Feb. 2016 1425-1437*
- Adaptive-Linear-Neuron-Based Dead-Time Effects Compensation Scheme for PMSM Drives. *Qiu, T.*, +, *TPEL March 2016 2530-2538*
- Comparative Evaluation of Direct Torque Control Strategies for Permanent Magnet Synchronous Machines. *Niu, F.*, +, *TPEL Feb. 2016 1408-1424*
- Constant Switching Frequency Based Direct Torque Control of Interior Permanent Magnet Synchronous Motors With Reduced Ripples and Fast Torque Dynamics. *Foo, G.H.B.*, +, *TPEL Sept. 2016 6485-6493*
- Direct Torque Control for VSI-PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*
- Dual-Loop Control Strategy for DFIG-Based Wind Turbines Under Grid Voltage Disturbances. *Zhu, R.*, +, *TPEL March 2016 2239-2253*
- Dual-Space Vector Control of Open-End Winding Permanent Magnet Synchronous Motor Drive Fed by Dual Inverter. *An, Q.*, +, *TPEL Dec. 2016 8329-8342*
- Estimation Method of Stator Winding Temperature for Dual Three-Phase Machines Based on DC-Signal Injection. *Baneira, F.*, +, *TPEL July 2016 5141-5148*
- Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y.*, +, *TPEL May 2016 3728-3737*

Field Weakening Strategy for a Vector-Controlled Induction Motor Drive Near the Six-Step Mode of Operation. *Sahoo, S.K.*, +, *TPEL April 2016 3043-3051*

Field-Oriented Control and Direct Torque Control for Paralleled VSIs Fed PMSM Drives With Variable Switching Frequencies. *Wang, Z.*, +, *TPEL March 2016 2417-2428*

High-Precision Rotor Position Detection for High-Speed Surface PMSM Drive Based on Linear Hall-Effect Sensors. *Song, X.*, +, *TPEL July 2016 4720-4731*

Novel PWM Schemes With Multi SVPWM of Sensorless IPMSM Drives for Reducing Current Ripple. *Gu, M.*, +, *TPEL Sept. 2016 6461-6475*

Rotor Flux-Oriented Control of Induction Motor With Synchronized Sinusoidal PWM for Traction Application. *Sahoo, S.K.*, +, *TPEL June 2016 4429-4439*

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi–Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

#### Machine windings

A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, +, *TPEL June 2016 4565-4575*

Central-Tapped Node Linked Modular Fault-Tolerance Topology for SRM Applications. *Hu, Y.*, +, *TPEL Feb. 2016 1541-1554*

Fault-Tolerant Operation of Six-Phase Energy Conversion Systems With Parallel Machine-Side Converters. *Gonzalez-Prieto, I.*, +, *TPEL April 2016 3068-3079*

Modeling and Analysis of Interturn Short Fault in Permanent Magnet Synchronous Motors With Multistrands Windings. *Qian, H.*, +, *TPEL March 2016 2496-2509*

Space-Vector PWM With Common-Mode Voltage Elimination for Multiphase Drives. *Lopez, O.*, +, *TPEL Dec. 2016 8151-8161*

Study of IPMSM Interturn Faults Part I: Development and Analysis of Models With Series and Parallel Winding Connections. *Gu, B.*, *TPEL Aug. 2016 5931-5943*

Ultrahigh Step-up DC–DC Converter for Distributed Generation by Three Degrees of Freedom (3DoF) Approach. *Hu, Y.*, +, *TPEL July 2016 4930-4941*

Zero-Sequence Current Suppression Strategy for Open Winding PMSG Fed by Semiconverter. *Nian, H.*, +, *TPEL Jan. 2016 711-720*

#### Magnetic bearings

A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, +, *TPEL June 2016 4565-4575*

#### Magnetic cores

An Advanced Current-Autobalance High Step-Up Converter With a Multi-coupled Inductor and Voltage Multiplier for a Renewable Power Generation System. *He, L.*, +, *TPEL Oct. 2016 6992-7005*

High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C.*, +, *TPEL May 2016 3763-3772*

Implementation of a Nonlinear Planar Magnetics Model. *Tria, L.A.R.*, +, *TPEL Sept. 2016 6534-6542*

Power Electronic Circuits for Magnetic Energy Harvesters. *Moon, J.*, +, *TPEL Jan. 2016 270-279*

#### Magnetic devices

A Systematic Approach to Modeling Complex Magnetic Devices Using SPICE: Application to Variable Inductors. *Alonso, J.M.*, +, *TPEL Nov. 2016 7735-7746*

A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*

A Three-Phase Multilevel Hybrid Switched-Capacitor PWM PFC Rectifier for High-Voltage-Gain Applications. *Cortez, D.F.*, +, *TPEL May 2016 3495-3505*

#### Magnetic fields

AC Winding Loss of Phase-Shifted Coupled Windings. *Feeny, C.*, +, *TPEL Feb. 2016 1472-1478*

Alternate Proof for Steady-State Equivalent Circuit of a Doubly Fed Induction Machine. *Kumar, V.S.S.*, +, *TPEL Aug. 2016 5378-5383*

Bipolar Steep Pulse Current Source for Highly Inductive Load. *Zhu, X.*, +, *TPEL Sept. 2016 6169-6175*

Calculation of Power Losses in Litz Wire Systems by Coupling FEM and PEEC Method. *Roskopf, A.*, +, *TPEL Sept. 2016 6442-6449*

Power Electronic Circuits for Magnetic Energy Harvesters. *Moon, J.*, +, *TPEL Jan. 2016 270-279*

#### Magnetic flux

A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM. *Vafaie, M.H.*, +, *TPEL May 2016 3738-3753*

Design Method of Adaptive Full Order Observer With or Without Estimated Flux Error in Speed Estimation Algorithm. *Sun, W.*, +, *TPEL March 2016 2609-2626*

Direct Torque Control for VSI–PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, +, *TPEL April 2016 3027-3035*

Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators. *Ketzer, M.B.*, +, *TPEL July 2016 4818-4830*

#### Magnetic forces

A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, +, *TPEL June 2016 4565-4575*

#### Magnetic hysteresis

Magnetizing Curve Estimation of Induction Motors in Single-Phase Magnetization Mode Considering Differential Inductance Effect. *Ruan, J.*, +, *TPEL Jan. 2016 497-506*

#### Magnetic leakage

A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*

Leakage Inductance Analytical Calculation for Planar Components With Leakage Layers. *Tan, W.*, +, *TPEL June 2016 4462-4473*

#### Magnetic materials

Measurements and Performance Factor Comparisons of Magnetic Materials at High Frequency. *Hanson, A.J.*, +, *TPEL Nov. 2016 7909-7925*

#### Magnetic resonance

Development of Wireless In-Wheel Motor Using Magnetic Resonance Coupling. *Sato, M.*, +, *TPEL July 2016 5270-5278*

#### Magnetization

Nonisolated Coupled-Inductor-Based High Step-Down Converter With Zero DC Magnetizing Inductance Current and Nonpulsating Output Current. *Hwu, K.I.*, +, *TPEL June 2016 4362-4377*

#### Maintenance engineering

Analysis of the Results of Accelerated Aging Tests in Insulated Gate Bipolar Transistors. *Astigarraga, D.*, +, *TPEL Nov. 2016 7953-7962*

#### Marine power systems

Modified Z-Source DC Circuit Breaker Topologies. *Maqsood, A.*, +, *TPEL Oct. 2016 7394-7403*

#### Markov processes

Reliability Assessment of the Switched Reluctance Motor Drive Under Single Switch Chopping Strategy. *Chen, H.*, +, *TPEL March 2016 2395-2408*

#### Mathematical analysis

A Novel DBC Layout for Current Imbalance Mitigation in SiC MOSFET Multichip Power Modules. *Li, H.*, +, *TPEL Dec. 2016 8042-8045*

Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells. *Melin, P.E.*, +, *TPEL Sept. 2016 6122-6133*

Backstepping-Based DPC Strategy of a Wind Turbine-Driven DFIG Under Normal and Harmonic Grid Voltage. *Xiong, P.*, +, *TPEL June 2016 4216-4225*

Control Method of Monoinverter Dual Parallel Drive System With Interior Permanent Magnet Synchronous Machines. *Lee, Y.*, +, *TPEL Oct. 2016 7077-7086*

Hybrid Discontinuous/Boundary Conduction Mode of Flyback Microinverter for AC–PV Modules. *Christidis, G.C.*, +, *TPEL June 2016 4195-4205*

Six Degrees of Freedom Mobile Inductive Power Transfer by Crossed Dipole Tx and Rx Coils. *Choi, B.H.*, +, *TPEL April 2016 3252-3272*

#### Matrix algebra

AC Winding Loss of Phase-Shifted Coupled Windings. *Feeney, C.*, +, *TPEL Feb. 2016 1472-1478*

#### Matrix converters

A DSVM Method for Matrix Converters to Suppress Common-mode Voltage With Reduced Switching Losses. *Nguyen, H.*, +, *TPEL June 2016 4020-4030*

A Maximum Power Density Design Method for Nine Switches Matrix Converter Using SiC-MOSFET. *Koiwa, K.*, +, *TPEL Feb. 2016 1189-1202*

A Modulation Scheme for Matrix Converters With Perfect Zero Common-Mode Voltage. *Nguyen, H.*, +, *TPEL Aug. 2016 5411-5422*

A Simple Method for Sinusoidal Input Currents of Matrix Converter Under Unbalanced Input Voltages. *Lei, J.*, +, *TPEL Jan. 2016 21-25*

Analysis and Control of M3C-Based UPQC for Power Quality Improvement in Medium/High-Voltage Power Grid. *Xu, Q.*, +, *TPEL Dec. 2016 8182-8194*

Common-Mode Voltage Reduction for Matrix Converters Using All Valid Switch States. *Guan, Q.*, +, *TPEL Dec. 2016 8247-8259*

Modeling, Analysis, and Parameters Design of LC-Filter-Integrated Quasi-Z-Source Indirect Matrix Converter. *Liu, S.*, +, *TPEL Nov. 2016 7544-7555*

Modulation Strategies Based on Mathematical Construction Method for Multimodular Matrix Converter. *Sun, Y.*, +, *TPEL Aug. 2016 5423-5434*

Multidimensional Space-Vector PWM Algorithm Using Branch Space Voltage Vector. *Li, B.*, +, *TPEL Dec. 2016 8517-8527*

Research on Linear Output Voltage Transfer Ratio for Ultrasparse Matrix Converter. *Xia, C.*, +, *TPEL March 2016 1811-1815*

Sequence-Based Control of an Isolated DC/AC Matrix Converter. *Tajfar, A.*, +, *TPEL Feb. 2016 1757-1773*

Two-Stage Matrix Converter Based on Third-Harmonic Injection Technique. *Wang, H.*, +, *TPEL Jan. 2016 533-547*

Unity Power Factor Operation of Indirect Matrix Converter Tied to Unbalanced Grid. *Hamouda, M.*, +, *TPEL Feb. 2016 1095-1107*

Z-Source Matrix Converter: An Overview. *Ellabban, O.*, +, *TPEL Nov. 2016 7436-7450*

#### Maximum power point trackers

A Function-Based Maximum Power Point Tracking Method for Photovoltaic Systems. *Reza Tousi, S.M.*, +, *TPEL March 2016 2120-2128*

A Nanocurrent Power Management IC for Low-Voltage Energy Harvesting Sources. *Dini, M.*, +, *TPEL June 2016 4292-4304*

A Simulated Annealing Global Maximum Power Point Tracking Approach for PV Modules Under Partial Shading Conditions. *Lyden, S.*, +, *TPEL June 2016 4171-4181*

A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*

An Adaptive Network-Based Reinforcement Learning Method for MPPT Control of PMSG Wind Energy Conversion Systems. *Wei, C.*, +, *TPEL Nov. 2016 7837-7848*

An Energy Management Scheme With Power Limit Capability and an Adaptive Maximum Power Point Tracking for Small Standalone PMSG Wind Energy Systems. *Hui, J.C.Y.*, +, *TPEL July 2016 4861-4875*

An FPGA-Based Advanced Control Strategy of a Grid-Tied PV CHB Inverter. *Coppola, M.*, +, *TPEL Jan. 2016 806-816*

Cascaded H-Bridge Multilevel PV Topology for Alleviation of Per-Phase Power Imbalances and Reduction of Second Harmonic Voltage Ripple. *Townsend, C.D.*, +, *TPEL Aug. 2016 5574-5586*

Enhancing Microinverter Energy Capture With Submodule Differential Power Processing. *Qin, S.*, +, *TPEL May 2016 3575-3585*

Fault Diagnosis of Photovoltaic Panels Using Dynamic Current-Voltage Characteristics. *Wang, W.*, +, *TPEL Feb. 2016 1588-1599*

High Dynamic Performance Nonlinear Source Emulator. *Nguyen-Duy, K.*, +, *TPEL March 2016 2562-2574*

High Gain DC-DC Converter Based on the Cockcroft-Walton Multiplier. *Muller, L.*, +, *TPEL Sept. 2016 6405-6415*

High-Frequency-Link-Based Grid-Tied PV System With Small DC-Link Capacitor and Low-Frequency Ripple-Free Maximum Power Point Tracking. *Shi, Y.*, +, *TPEL Jan. 2016 328-339*

High-Performance Constant Power Generation in Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL March 2016 1822-1825*

Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G.*, +, *TPEL Jan. 2016 235-247*

Model Predictive-Based Maximum Power Point Tracking for Grid-Tied Photovoltaic Applications Using a Z-Source Inverter. *Sajadian, S.*, +, *TPEL Nov. 2016 7611-7620*

Modeling and Analysis of a Fast and Robust Module-Integrated Analog Photovoltaic MPP Tracker. *Maity, S.*, +, *TPEL Jan. 2016 280-291*

Partial Shading Detection and Smooth Maximum Power Point Tracking of PV Arrays Under PSC. *Ghasemi, Mohammad Amin*, +, *TPEL Sept. 2016 6281-6292*

The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L.*, +, *TPEL Aug. 2016 5917-5930*

Three-Port DC/DC Converter With All Ports Current Ripple Cancellation Using Integrated Magnetic Technique. *Zhu, H.*, +, *TPEL March 2016 2174-2186*

#### Maxwell equations

A Compact Coupled Inductor for Interleaved Multiphase DC-DC Converters. *Huang, W.*, +, *TPEL Oct. 2016 6770-6775*

Implementation of a Nonlinear Planar Magnetics Model. *Tria, L.A.R.*, +, *TPEL Sept. 2016 6534-6542*

#### Mean square error methods

A Novel Control to Achieve Optimal Reduction of the E-Cap's Ripple Current for Discontinuous-Conduction Mode Boost PFC Converter. *Yao, K.*, +, *TPEL June 2016 4331-4342*

Distributed Control for State-of-Charge Balancing Between the Modules of a Reconfigurable Battery Energy Storage System. *Morstyn, T.*, +, *TPEL Nov. 2016 7986-7995*

High Weighted Efficiency in Single-Phase Solar Inverters by a Variable-Frequency Peak Current Controller. *Levron, Y.*, +, *TPEL Jan. 2016 248-257*

#### Melting

Design of Fuse-MOSFET Pair for Fault-Tolerant DC/DC Converters. *Soon, J.L.*, +, *TPEL Sept. 2016 6069-6074*

#### Memory cards

An SD Card Flash-Memory-Based Implementation of a Multi-Optimal Three-Phase PWM Generator. *Neacsu, D.O.*, +, *TPEL Jan. 2016 39-51*

#### Microassembling

Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W.*, +, *TPEL Sept. 2016 6575-6585*

#### Microbial fuel cells

A 300-mV Low-Power Management System for Energy Harvesting Applications. *Dallago, E.*, +, *TPEL March 2016 2273-2281*

#### Microcontrollers

A DCM-Only Buck Regulator With Hysteretic-Assisted Adaptive Minimum-On-Time Control for Low-Power Microcontrollers. *Fu, W.*, +, *TPEL Jan. 2016 418-429*

A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*

Minimum-Current-Stress Scheme of Dual Active Bridge DC-DC Converter With Unified Phase-Shift Control. *Hou, N.*, +, *TPEL Dec. 2016 8552-8561*

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi-Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

Turn-On Optimization for Class D Series-Parallel LCC-Type Constant Current High-Power LED Driver Design Based on Traditional Fluorescent Control IC. *Chen, K.*, +, *TPEL July 2016 4732-4741*

#### Microfabrication

3-D-Printed Air-Core Inductors for High-Frequency Power Converters. *Liang, W.*, +, *TPEL Jan. 2016 52-64*

AC Winding Loss of Phase-Shifted Coupled Windings. *Feeney, C.*, +, *TPEL Feb. 2016 1472-1478*

Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, +, *TPEL April 2016 2695-2708*

**Microprocessor chips**

87% Overall High Efficiency and 11  $\mu$ A Ultra-Low Standby Current Derived by Overall Power Management in Laptops With Flexible Voltage Scaling and Dynamic Voltage Scaling Techniques. *Yang, S.*, +, *TPEL April 2016 3118-3127*

A Three-Terminal Switch Model of Constant On-Time Current Mode With External Ramp Compensation. *Tian, S.*, +, *TPEL Oct. 2016 7311-7319*

Efficient Voltage Regulation for Microprocessor Cores Stacked in Vertical Voltage Domains. *Schaefer, C.*, +, *TPEL Feb. 2016 1795-1808*

Optimization of Coupled Stripline Microinductors in Power Supply on Chip Applications. *Feeney, C.*, +, *TPEL Aug. 2016 5805-5813*

**Microrobots**

Bidirectional Resonant DC–DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y.*, +, *TPEL Jan. 2016 340-352*

**MIM devices**

A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souvignet, T.*, +, *TPEL July 2016 4984-4994*

**MIMO systems**

A Bidirectional Multiple-Input Multiple-Output Modular Multilevel DC–DC Converter and its Control Design. *Filsoof, K.*, +, *TPEL April 2016 2767-2779*

**Minimization**

A 98.7% Efficient Composite Converter Architecture With Application-Tailored Efficiency Characteristic. *Chen, H.*, +, *TPEL Jan. 2016 101-110*

Minimum-Current-Stress Scheme of Dual Active Bridge DC–DC Converter With Unified Phase-Shift Control. *Hou, N.*, +, *TPEL Dec. 2016 8552-8561*

**Mobile robots**

Bidirectional Resonant DC–DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y.*, +, *TPEL Jan. 2016 340-352*

**Model reference adaptive control systems**

A Reference Modification Model Digitally Controlled DC–DC Converter for Improvement of Transient Response. *Kurokawa, F.*, +, *TPEL Jan. 2016 871-883*

**Modulation**

A Modulation Scheme for Matrix Converters With Perfect Zero Common-Mode Voltage. *Nguyen, H.*, +, *TPEL Aug. 2016 5411-5422*

A Virtual Space Vector Modulation Technique for the Reduction of Common-Mode Voltages in Both Magnitude and Third-Order Component. *Tian, K.*, +, *TPEL Jan. 2016 839-848*

Comparative Analysis of Two Modulation Strategies for an Active Buck–Boost Inverter. *Tang, Y.*, +, *TPEL Nov. 2016 7963-7971*

Control and Modulation of Bidirectional Single-Phase AC–DC Three-Phase-Leg SPWM Converters With Active Power Decoupling and Minimal Storage Capacitance. *Wu, H.*, +, *TPEL June 2016 4226-4240*

Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator. *Isobe, T.*, +, *TPEL Jan. 2016 224-234*

High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. *Cho, Y.*, +, *TPEL June 2016 4138-4147*

Multidimensional Space-Vector PWM Algorithm Using Branch Space Voltage Vector. *Li, B.*, +, *TPEL Dec. 2016 8517-8527*

Power and Voltage Balance Control of a Novel Three-Phase Solid-State Transformer Using Multilevel Cascaded H-Bridge Inverters for Microgrid Applications. *Wang, L.*, +, *TPEL April 2016 3289-3301*

Simplified Three-Level Five-Phase SVPWM. *Sakthisudhursun, B.*, +, *TPEL March 2016 2429-2436*

Switched-Coupled-Inductor Quasi-Z-Source Inverter. *Ahmed, H.F.*, +, *TPEL Feb. 2016 1241-1254*

**Modulators**

Switching-Converter-Only Multiphase Envelope Modulator With Slew Rate Enhancer for LTE Power Amplifier Applications. *Sankman, J.*, +, *TPEL Jan. 2016 817-826*

**Moisture**

Transient Hygrothermal-Response of Power Modules in Inverters—The Basis for Mission Profiling Under Climate and Power Loading. *Bayerer, R.*, +, *TPEL Jan. 2016 613-620*

**Monte Carlo methods**

Prediction of Bond Wire Fatigue of IGBTs in a PV Inverter Under a Long-Term Operation. *Reigosa, P.D.*, +, *TPEL Oct. 2016 7171-7182*

**MOS logic circuits**

Analytical Model and Characteristics for High-Voltage Controllable C-SenseFET. *Li, Z.*, +, *TPEL June 2016 4499-4508*

**MOSFET**

A Class-E Power Amplifier Design Considering MOSFET Nonlinear Drain-to-Source and Nonlinear Gate-to-Drain Capacitances at Any Grading Coefficient. *Hayati, M.*, +, *TPEL Nov. 2016 7770-7779*

A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. *Park, H.*, +, *TPEL June 2016 4484-4498*

A Family of Isolated Buck-Boost Converters Based on Semiactive Rectifiers for High-Output Voltage Applications. *Lu, Y.*, +, *TPEL Sept. 2016 6327-6340*

A Maximum Power Density Design Method for Nine Switches Matrix Converter Using SiC-MOSFET. *Koiwa, K.*, +, *TPEL Feb. 2016 1189-1202*

A Novel DBC Layout for Current Imbalance Mitigation in SiC MOSFET Multichip Power Modules. *Li, H.*, +, *TPEL Dec. 2016 8042-8045*

A Simple Hysteretic Energy Harvesting Method for Nonneutral AC Switches in Load Automation. *A, K.*, +, *TPEL July 2016 4906-4915*

A Soft-Switched Asymmetric Flying-Capacitor Boost Converter With Synchronous Rectification. *Lefevre, G.*, +, *TPEL March 2016 2200-2212*

Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*

Design and Layout Strategy in the 60-V Power pLDMOS With Drain-End Modulated Engineering of Reliability Considerations. *Chen, S.*, +, *TPEL July 2016 5113-5121*

Design of Fuse–MOSFET Pair for Fault-Tolerant DC/DC Converters. *Soon, J.L.*, +, *TPEL Sept. 2016 6069-6074*

Digital Control of a High-Voltage (2.5 kV) Bidirectional DC–DC Flyback Converter for Driving a Capacitive Incremental Actuator. *Thummala, P.*, +, *TPEL Dec. 2016 8500-8516*

Efficient Transformerless MOSFET Inverter for a Grid-Tied Photovoltaic System. *Islam, M.*, +, *TPEL Sept. 2016 6305-6316*

Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL March 2016 1816-1821*

Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*

Fundamental Study of Influence of Ripple Noise From DC–DC Converter on Spurious Noise of Wireless Portable Equipment. *Sugahara, S.*, +, *TPEL March 2016 2111-2119*

Gate and Base Drivers for Silicon Carbide Power Transistors: An Overview. *Pefitsis, D.*, +, *TPEL Oct. 2016 7194-7213*

IGBT Junction Temperature Measurement via Peak Gate Current. *Baker, N.*, +, *TPEL May 2016 3784-3793*

Influences of Device and Circuit Mismatches on Paralleling Silicon Carbide MOSFETs. *Li, H.*, +, *TPEL Jan. 2016 621-634*

Interleaved High-Conversion-Ratio Bidirectional DC–DC Converter for Distributed Energy-Storage Systems—Circuit Generation, Analysis, and Design. *Wang, Y.*, +, *TPEL Aug. 2016 5547-5561*

Three-Port DC/DC Converter With All Ports Current Ripple Cancellation Using Integrated Magnetic Technique. *Zhu, H.*, +, *TPEL March 2016 2174-2186*

**MOSFET circuits**

A 100 MHz 91.5% Peak Efficiency Integrated Buck Converter With a Three-MOSFET Cascode Bridge. *Neveu, F.*, +, *TPEL June 2016 3985-3988*

**Motor drives**

A Current Index Approach to Compensate Commutation Phase Error for Sensorless Brushless DC Motors With Nonideal Back EMF. *Lee, A.*, +, *TPEL June 2016 4389-4399*

A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, +, *TPEL June 2016 4565-4575*

A Quasi-Z-Source Integrated Multiport Power Converter as Switched Reluctance Motor Drives for Capacitance Reduction and Wide-Speed-Range Operation. *Yi, F.*, +, *TPEL Nov. 2016 7661-7676*

Common-Mode Resonance Suppression in Transformerless PWM Current-Source Drive. *Lian, Y.*, +, *TPEL Aug. 2016 5721-5731*

Comparison of Two SVPWM Control Strategies of Five-Phase Fault-Tolerant Permanent-Magnet Motor. *Liu, G.*, +, *TPEL Sept. 2016 6621-6630*

Continuous Space Vector Modulation for Symmetrical Six-Phase Drives. *Glose, D.*, +, *TPEL May 2016 3837-3848*

Current Balance Control for Symmetrical Multiphase Inverters. *Liu, Z.*, +, *TPEL June 2016 4005-4012*

Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016 5538-5546*

Space-Vector PWM With Common-Mode Voltage Elimination for Multiphase Drives. *Lopez, O.*, +, *TPEL Dec. 2016 8151-8161*

#### Moving average processes

PLL With MAF-Based Prefiltering Stage: Small-Signal Modeling and Performance Enhancement. *Golestan, S.*, +, *TPEL June 2016 4013-4019*

#### Multichip modules

Influences of Device and Circuit Mismatches on Paralleling Silicon Carbide MOSFETs. *Li, H.*, +, *TPEL Jan. 2016 621-634*

#### Multilayers

Galvanic Isolation for High-Frequency Applications Using an Integrated Dielectric Structure. *Amanzi, A.Z.*, +, *TPEL Aug. 2016 5797-5804*

#### Multiplexing

A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Autophase Allocation. *Zheng, Y.*, +, *TPEL March 2016 2296-2313*

#### Multivariable control systems

Finite Control Set Model Predictive Current Control for Grid-Connected Voltage-Source Converters With LCL Filters: A Study Based on Different State Feedbacks. *Panten, N.*, +, *TPEL July 2016 5189-5200*

Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016 7065-7076*

## N

#### Nanocomposites

Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, +, *TPEL April 2016 2695-2708*

#### Nanoelectronics

Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, +, *TPEL April 2016 2695-2708*

#### Nanostructured materials

High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C.*, +, *TPEL May 2016 3763-3772*

#### Network analysis

A New Multiple-Frequency Small-Signal Model for High-Bandwidth Computer V-Core Regulator Applications. *Hsiao, S.*, +, *TPEL Jan. 2016 733-742*

Modeling and Efficiency Analysis of Multiphase Resonant-Switched Capacitive Converters. *Pillonnet, G.*, *TPEL Jan. 2016 11-14*

Wireless Power Transfer With Concurrent 200-kHz and 6.78-MHz Operation in a Single-Transmitter Device. *Ahn, D.*, +, *TPEL July 2016 5018-5029*

#### Network synthesis

An Accurate Design Algorithm for LLC Resonant Converters—Part II. *Hu, Z.*, +, *TPEL Aug. 2016 5448-5460*

Critical Design Criterion for Achieving Zero Voltage Switching in Inductorless Half-Bridge-Driven Piezoelectric-Transformer-Based Power Supplies. *Foster, M.P.*, +, *TPEL July 2016 5057-5066*

#### Network topology

A Charge Equalizer With a Combination of APWM and PFM Control Based on a Modified Half-Bridge Converter. *Hua, C.*, +, *TPEL April 2016 2970-2979*

A Novel SVPWM Algorithm for Five-Level Active Neutral-Point-Clamped Converter. *Liu, Z.*, +, *TPEL May 2016 3859-3866*

A Novel Ten-Switch Topology for Unified Power Quality Conditioner. *Rauf, A.M.*, +, *TPEL Oct. 2016 6937-6946*

A survey, classification, and critical review of light-emitting diode drivers. *Li, S.*, +, *TPEL Feb. 2016 1503-1516*

Analysis, Design, and Performance Evaluation of a Dynamically Slew Enhanced Adaptively Biased Capacitor-Less Low Dropout Regulator. *Maity, A.*, +, *TPEL Oct. 2016 7016-7028*

Comparison of a Buck Converter and a Series Capacitor Buck Converter for High-Frequency, High-Conversion-Ratio Voltage Regulators. *Shenoy, P.S.*, +, *TPEL Oct. 2016 7006-7015*

Editorial Special Issue on Impedance-Source Converter Topologies and Applications. *Vinnikov, D.*, +, *TPEL Nov. 2016 7417-7418*

Single-Phase On-Board Integrated Battery Chargers for EVs Based on Multiphase Machines. *Subotic, I.*, +, *TPEL Sept. 2016 6511-6523*

Single-Phase to Three-Phase Converters With Two Parallel Single-Phase Rectifiers and Reduced Switch Count. *Rocha, N.*, +, *TPEL May 2016 3704-3716*

Transformer-Based Equalization Circuit Applied to  $n$ -Number of High Capacitance Cells. *Lambert, S.M.*, +, *TPEL Feb. 2016 1334-1343*

Transformerless Photovoltaic Inverter Based on Interleaving High-Frequency Legs Having Bidirectional Capability. *Liu, C.*, +, *TPEL Feb. 2016 1131-1142*

Z-Source Matrix Converter: An Overview. *Ellabban, O.*, +, *TPEL Nov. 2016 7436-7450*

#### Neural networks

An Adaptive Network-Based Reinforcement Learning Method for MPPT Control of PMSG Wind Energy Conversion Systems. *Wei, C.*, +, *TPEL Nov. 2016 7837-7848*

Passive-Islanding Detection Method Using the Wavelet Packet Transform in Grid-Connected Photovoltaic Systems. *Do, H.T.*, +, *TPEL Oct. 2016 6955-6967*

#### Neurocontrollers

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*

#### Newton-Raphson method

A Natural-Sampling-Based SVM Scheme for Current Source Converter With Superior Low-Order Harmonics Performance. *Wei, Q.*, +, *TPEL Sept. 2016 6144-6154*

Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*

#### Noise abatement

Selective Voltage Noise Cancellation in Three-Phase Inverter Using Random SVPWM. *Peyghambari, A.*, +, *TPEL June 2016 4604-4610*

#### Nonlinear control systems

Adaptive Saturation Controller-Based Direct Torque Control for Permanent-Magnet Synchronous Machines. *Zhang, Z.*, +, *TPEL Oct. 2016 7112-7122*

Fast Transient Response of Series Resonant Converters Using Average Geometric Control. *Mohammadi, M.*, +, *TPEL Sept. 2016 6738-6755*

Model Predictive Control of Load-Commutated Inverter-Fed Synchronous Machines. *Besselmann, T.J.*, +, *TPEL Oct. 2016 7384-7393*

Precise Dimming and Color Control of LED Systems Based on Color Mixing. *Lee, A.T.L.*, +, *TPEL Jan. 2016 65-80*

Saturation Generated Oscillations in Voltage-Mode Digital Control of DC-DC Converters. *Syed, A.E.*, +, *TPEL June 2016 4549-4564*

The Design of a Multilevel Envelope Tracking Amplifier Based on a Multiphase Buck Converter. *Vasic, M.*, +, *TPEL June 2016 4611-4627*

Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. *Tian, S.*, +, *TPEL Feb. 2016 1734-1744*

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

#### Nonlinear dynamical systems

Synthesizing Virtual Oscillators to Control Islanded Inverters. *Johnson, B.B.*, +, *TPEL Aug. 2016 6002-6015*

**Nonlinear equations**

A Real-Time Selective Harmonic Elimination Based on a Transient-Free Inner Closed-Loop Control for Cascaded Multilevel Inverters. *Zhao, H.*, +, *TPEL Feb. 2016 1000-1014*

Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G.*, +, *TPEL Jan. 2016 235-247*

Selective Harmonic Elimination With Groebner Bases and Symmetric Polynomials. *Yang, K.*, +, *TPEL April 2016 2742-2752*

**Nonlinear filters**

Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016 5746-5758*

Lithium Polymer Battery State-of-Charge Estimation Based on Adaptive Unscented Kalman Filter and Support Vector Machine. *Meng, J.*, +, *TPEL March 2016 2226-2238*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsafyani, I.M.*, +, *TPEL April 2016 3027-3035*

**Nonlinear programming**

Optimized Common-Mode Voltage Reduction PWM for Three-Phase Voltage-Source Inverters. *Wu, X.*, +, *TPEL April 2016 2959-2969*

**Notch filters**

A Simple Method for Sinusoidal Input Currents of Matrix Converter Under Unbalanced Input Voltages. *Lei, J.*, +, *TPEL Jan. 2016 21-25*

Adaptive Compensation Method for High-Speed Surface PMSM Sensorless Drives of EMF-Based Position Estimation Error. *Song, X.*, +, *TPEL Feb. 2016 1438-1449*

Bus Voltage Control With Zero Distortion and High Bandwidth for Single-Phase Solar Inverters. *Levron, Y.*, +, *TPEL Jan. 2016 258-269*

Enhanced Frequency-Locked Loop With a Comb Filter Under Adverse Grid Conditions. *Liu, H.*, +, *TPEL Dec. 2016 8046-8051*

Five Approaches to Deal With Problem of DC Offset in Phase-Locked Loop Algorithms: Design Considerations and Performance Evaluations. *Golestani, S.*, +, *TPEL Jan. 2016 648-661*

Multielement Resonant Converters With a Notch Filter on Secondary Side. *Wu, H.*, +, *TPEL June 2016 3999-4004*

**Numerical analysis**

A Variable Duty Cycle Soft Startup Strategy for LLC Series Resonant Converter Based on Optimal Current-Limiting Curve. *Yang, D.*, +, *TPEL Nov. 2016 7996-8006*

An Analytical Approach for the Design of Class-E Resonant DC-DC Converters. *Bertoni, N.*, +, *TPEL Nov. 2016 7701-7713*

Design and Control of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL Jan. 2016 507-517*

Direct Torque Control for VSI-PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*

Interleaved Digital Power Factor Correction Based on the Sliding-Mode Approach. *Marcos-Pastor, A.*, +, *TPEL June 2016 4641-4653*

Temperature-Dependent Short-Circuit Capability of Silicon Carbide Power MOSFETs. *Wang, Z.*, +, *TPEL Feb. 2016 1555-1566*

**Nyquist criterion**

Output Impedance Modeling and Stability Prediction of Three-Phase Paralleled Inverters With Master-Slave Sharing Scheme Based on Terminal Characteristics of Individual Inverters. *Liu, Z.*, +, *TPEL July 2016 5306-5320*

**O****Observers**

A Real-Time Selective Harmonic Elimination Based on a Transient-Free Inner Closed-Loop Control for Cascaded Multilevel Inverters. *Zhao, H.*, +, *TPEL Feb. 2016 1000-1014*

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*

An FPGA-Based Advanced Control Strategy of a Grid-Tied PV CHB Inverter. *Coppola, M.*, +, *TPEL Jan. 2016 806-816*

Design Method of Adaptive Full Order Observer With or Without Estimated Flux Error in Speed Estimation Algorithm. *Sun, W.*, +, *TPEL March 2016 2609-2626*

Estimation of Single-Phase Grid Voltage Parameters With Zero Steady-State Error. *Dai, Z.*, +, *TPEL May 2016 3867-3879*

High-Bandwidth and Strong Robust Current Regulation for PMLSM Drives Considering Thrust Ripple. *Wang, M.*, +, *TPEL Sept. 2016 6646-6657*

Robustness Analysis and Experimental Validation of a Fault Detection and Isolation Method for the Modular Multilevel Converter. *Shao, S.*, +, *TPEL May 2016 3794-3805*

Sliding-Mode Observer-Based Mechanical Parameter Estimation for Permanent Magnet Synchronous Motor. *Zhang, X.*, +, *TPEL Aug. 2016 5732-5745*

Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

**OFDM modulation**

Linear Regulator Design Considerations of the Serial Linear-Assisted Switching Converter Used as Envelope Amplifier. *Liu, M.*, +, *TPEL May 2016 3673-3689*

**Optimal control**

A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM. *Vafaie, M.H.*, +, *TPEL May 2016 3738-3753*

Combined Phase-Shift and Frequency Modulation of a Dual-Active-Bridge AC-DC Converter With PFC. *Jauch, F.*, +, *TPEL Dec. 2016 8387-8397*

Constant Resonant Current Limiting Strategy for LLC Converter Without Current Sensing. *Li, Q.*, +, *TPEL Sept. 2016 6756-6764*

Control of Single-Phase Grid-Connected Converters With LCL Filters Using Recurrent Neural Network and Conventional Control Methods. *Fu, X.*, +, *TPEL July 2016 5354-5364*

Direct Torque Control for VSI-PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*

Mathematical Modeling and Control of a Cost Effective AC Voltage Stabilizer. *Liu, H.*, +, *TPEL Nov. 2016 8007-8016*

Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016 7065-7076*

Predictive Duty Cycle Control of Three-Phase Active-Front-End Rectifiers. *Song, Z.*, +, *TPEL Jan. 2016 698-710*

Stability Analysis of Boundary and Hybrid Controllers for Indirect Energy Transfer Converters. *Kirshenboim, O.*, +, *TPEL April 2016 3360-3371*

Stationary Frame Fault-Tolerant Current Control of Polyphase Permanent-Magnet Machines Under Open-Circuit and Short-Circuit Faults. *Sen, B.*, +, *TPEL July 2016 4684-4696*

**Optimization**

LCL Grid Filter Design of a Multimegawatt Medium-Voltage Converter for Offshore Wind Turbine Using SHEPWM Modulation. *Zabaleta, M.*, +, *TPEL March 2016 1993-2001*

A Multimode 1-MHz PFC Front End With Digital Peak Current Modulation. *Fernandes, R.*, +, *TPEL Aug. 2016 5694-5708*

An SD Card Flash-Memory-Based Implementation of a Multi-Optimal Three-Phase PWM Generator. *Neacsu, D.O.*, +, *TPEL Jan. 2016 39-51*

Dynamic Loss Minimization of Finite Control Set-Model Predictive Torque Control for Electric Drive System. *Xie, W.*, +, *TPEL Jan. 2016 849-860*

Efficient Implicit Model-Predictive Control of a Three-Phase Inverter With an Output LC Filter. *Nauman, M.*, +, *TPEL Sept. 2016 6075-6078*

EMC-Aware Design of a Planar Inductor for Low-Profile OLED Drivers. *Kundrata, J.*, +, *TPEL June 2016 4474-4483*

Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S.*, +, *TPEL Dec. 2016 8528-8540*

Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016 7065-7076*

Optimization and Comparative Evaluation of Multiloop Control Schemes for Controllable AC Sources With Two-Stage LC Output Filters. *Boillat, D.O.*, +, *TPEL Oct. 2016 7353-7368*

Optimization-Based Cell Selection Method for Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL April 2016 2780-2790*

Power Balance Optimization of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. *Yu, Y.*, +, *TPEL Feb. 2016 1108-1120*

Small-Signal Modeling, Stability Analysis and Design Optimization of Single-Phase Delay-Based PLLs. *Golestan, S.*, +, *TPEL May 2016 3517-3527*

Turn-On Optimization for Class D Series-Parallel LCC-Type Constant Current High-Power LED Driver Design Based on Traditional Fluorescent Control IC. *Chen, K.*, +, *TPEL July 2016 4732-4741*

#### Organic light emitting diodes

Characterization, modeling, and analysis of organic light-emitting diodes with different structures. *Chen, H.-T.*, +, *TPEL Jan. 2016 581-592*

EMC-Aware Design of a Planar Inductor for Low-Profile OLED Drivers. *Kundrata, J.*, +, *TPEL June 2016 4474-4483*

#### Oscillations

Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. *Wen, B.*, +, *TPEL Jan. 2016 26-38*

Saturation Generated Oscillations in Voltage-Mode Digital Control of DC-DC Converters. *Syed, A.E.*, +, *TPEL June 2016 4549-4564*

#### Oscillators

Synthesizing Virtual Oscillators to Control Islanded Inverters. *Johnson, B.B.*, +, *TPEL Aug. 2016 6002-6015*

#### Overcurrent protection

A Fault Clearing Method in Converter-Dominated Microgrids With Conventional Protection Means. *Oureilidis, K.O.*, +, *TPEL June 2016 4628-4640*

A Monolithic High-Performance Buck Converter With Enhanced Current-Mode Control and Advanced Protection Circuits. *Wang, L.*, +, *TPEL Jan. 2016 793-805*

Analysis and Design of DC System Protection Using Z-Source Circuit Breaker. *Chang, A.H.*, +, *TPEL Feb. 2016 1036-1049*

Failure Modes of 15-kV SiC SGTO Thyristors During Repetitive Extreme Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL Dec. 2016 8058-8062*

Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*

#### Overvoltage

Suppression of Real Power Back Flow of Nonregenerative Cascaded H-Bridge Inverters Operating Under Faulty Conditions. *Sun, L.*, +, *TPEL July 2016 5161-5175*

#### Ozone generators

Assessment of the Current-Source, Full-Bridge Inverter as Power Supply for Ozone Generators With High Power Factor in a Single Stage. *Ponce-Silva, M.*, +, *TPEL Dec. 2016 8195-8204*

## P

#### P-i-n diodes

Computationally Efficient Simulation of High-Frequency Transients in Power Electronic Circuits. *Subbiah, A.*, +, *TPEL Sept. 2016 6351-6361*

#### Parameter estimation

Estimation of Single-Phase Grid Voltage Parameters With Zero Steady-State Error. *Dai, Z.*, +, *TPEL May 2016 3867-3879*

Fault Diagnosis of Photovoltaic Panels Using Dynamic Current-Voltage Characteristics. *Wang, W.*, +, *TPEL Feb. 2016 1588-1599*

Low Sampling Rate Online Parameters Monitoring of DC-DC Converters for Predictive-Maintenance Using Biogeography-Based Optimization. *Li, B.X.*, +, *TPEL April 2016 2870-2879*

Singularity-Free Adaptive Speed Tracking Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2016 1692-1701*

Sliding-Mode Observer-Based Mechanical Parameter Estimation for Permanent Magnet Synchronous Motor. *Zhang, X.*, +, *TPEL Aug. 2016 5732-5745*

Study of IPMSM Interturn Faults Part II: Online Fault Parameter Estimation. *Gu, B.*, *TPEL Oct. 2016 7214-7223*

#### Particle filtering (numerical methods)

Particle Filter-Based Prognostics for an Electrolytic Capacitor Working in Variable Operating Conditions. *Rigamonti, M.*, +, *TPEL Feb. 2016 1567-1575*

#### Particle swarm optimization

A Parallel Speed and Rotor Time Constant Identification Scheme for Indirect Field Oriented Induction Motor Drives. *Zhao, L.*, +, *TPEL Sept. 2016 6494-6503*

A Simulated Annealing Global Maximum Power Point Tracking Approach for PV Modules Under Partial Shading Conditions. *Lyden, S.*, +, *TPEL June 2016 4171-4181*

Global Synchronous Pulse Width Modulation of Distributed Inverters. *Xu, T.*, +, *TPEL Sept. 2016 6237-6253*

#### Passive filters

Optimal Design of High-Order Passive-Damped Filters for Grid-Connected Applications. *Beres, R.N.*, +, *TPEL March 2016 2083-2098*

The Parallel Transmission of Power and Data With the Shared Channel for an Inductive Power Transfer System. *Sun, Y.*, +, *TPEL Aug. 2016 5495-5502*

#### Passive networks

A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*

A ZVS Pulsewidth Modulation Full-Bridge Converter With a Low-RMS-Current Resonant Auxiliary Circuit. *Safaei, A.*, +, *TPEL June 2016 4031-4047*

Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications. *Darwish, A.*, +, *TPEL Dec. 2016 8218-8236*

Time-Domain Analysis of a Phase-Shift-Modulated Series Resonant Converter with an Adaptive Passive Auxiliary Circuit. *Safaei, A.*, +, *TPEL Nov. 2016 7714-7734*

#### PD control

Stability Analysis of Boundary and Hybrid Controllers for Indirect Energy Transfer Converters. *Kirshenboim, O.*, +, *TPEL April 2016 3360-3371*

#### Periodic control

Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters. *Yang, Y.*, +, *TPEL Oct. 2016 7273-7285*

#### Permanent magnet generators

An Adaptive Network-Based Reinforcement Learning Method for MPPT Control of PMSG Wind Energy Conversion Systems. *Wei, C.*, +, *TPEL Nov. 2016 7837-7848*

An Energy Management Scheme With Power Limit Capability and an Adaptive Maximum Power Point Tracking for Small Standalone PMSG Wind Energy Systems. *Hui, J.C.Y.*, +, *TPEL July 2016 4861-4875*

Control of a Small Wind Turbine in the High Wind Speed Region. *Lumberras, C.*, +, *TPEL Oct. 2016 6980-6991*

Division-Summation Current Control and One-Cycle Voltage Regulation of the Surface-Mounted Permanent-Magnet Synchronous Generator. *Chang, Y.*, +, *TPEL Feb. 2016 1391-1400*

Open-Circuit Fault-Tolerant Control for Outer Switches of Three-Level Rectifiers in Wind Turbine Systems. *Lee, J.*, +, *TPEL May 2016 3806-3815*

Zero-Sequence Current Suppression Strategy for Open Winding PMSG Fed by Semiconverter Converter. *Nian, H.*, +, *TPEL Jan. 2016 711-720*

#### Permanent magnet machines

A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM. *Vafaie, M.H.*, +, *TPEL May 2016 3738-3753*

Comparative Evaluation of Direct Torque Control Strategies for Permanent Magnet Synchronous Machines. *Niu, F.*, +, *TPEL Feb. 2016 1408-1424*

Dynamic Loss Minimization of Finite Control Set-Model Predictive Torque Control for Electric Drive System. *Xie, W.*, +, *TPEL Jan. 2016 849-860*

High-Resistance Connection Detection in Permanent Magnet Synchronous Machine Using Zero-Sequence Current Component. *Hang, J.*, +, *TPEL July 2016 4710-4719*

Minimum-Voltage Vector Injection Method for Sensorless Control of PMSM for Low-Speed Operations. *Xie, G.*, +, *TPEL Feb. 2016 1785-1794*

Stationary Frame Fault-Tolerant Current Control of Polyphase Permanent-Magnet Machines Under Open-Circuit and Short-Circuit Faults. *Sen, B.*, +, *TPEL July 2016 4684-4696*

#### Permanent magnet motors

A Control Strategy for Suppressing Circulating Currents in Parallel-Connected PMSM Drives With Individual DC Links. *Wang, F.*, +, *TPEL Feb. 2016 1680-1691*

A Direct Thrust Control Scheme for Linear Permanent Magnet Synchronous Motor Based on Online Duty Ratio Control. *Cheema, M.A.M.*, +, *TPEL June 2016 4416-4428*

A New V/f-Based Sensorless MTPA Control for IPMSM Drives. *Tang, Z.*, +, *TPEL June 2016 4400-4415*

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*

Adaptive Compensation Method for High-Speed Surface PMSM Sensorless Drives of EMF-Based Position Estimation Error. *Song, X.*, +, *TPEL Feb. 2016 1438-1449*

Adaptive Saturation Controller-Based Direct Torque Control for Permanent-Magnet Synchronous Machines. *Zhang, Z.*, +, *TPEL Oct. 2016 7112-7122*

Adaptive-Linear-Neuron-Based Dead-Time Effects Compensation Scheme for PMSM Drives. *Qiu, T.*, +, *TPEL March 2016 2530-2538*

Comparison of Two SVPWM Control Strategies of Five-Phase Fault-Tolerant Permanent-Magnet Motor. *Liu, G.*, +, *TPEL Sept. 2016 6621-6630*

Constant Switching Frequency Based Direct Torque Control of Interior Permanent Magnet Synchronous Motors With Reduced Ripples and Fast Torque Dynamics. *Foo, G.H.B.*, +, *TPEL Sept. 2016 6485-6493*

Control Method of Monoinverter Dual Parallel Drive System With Interior Permanent Magnet Synchronous Machines. *Lee, Y.*, +, *TPEL Oct. 2016 7077-7086*

Detection and Discrimination of Open-Phase Fault in Permanent Magnet Synchronous Motor Drive System. *Hang, J.*, +, *TPEL July 2016 4697-4709*

Direct Torque Control for VSI-PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*

Dual-Space Vector Control of Open-End Winding Permanent Magnet Synchronous Motor Drive Fed by Dual Inverter. *An, Q.*, +, *TPEL Dec. 2016 8329-8342*

Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016 5746-5758*

Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y.*, +, *TPEL May 2016 3728-3737*

Field-Oriented Control and Direct Torque Control for Paralleled VSIs Fed PMSM Drives With Variable Switching Frequencies. *Wang, Z.*, +, *TPEL March 2016 2417-2428*

High-Bandwidth and Strong Robust Current Regulation for PMSM Drives Considering Thrust Ripple. *Wang, M.*, +, *TPEL Sept. 2016 6646-6657*

High-Precision Rotor Position Detection for High-Speed Surface PMSM Drive Based on Linear Hall-Effect Sensors. *Song, X.*, +, *TPEL July 2016 4720-4731*

Modeling and Analysis of Interturn Short Fault in Permanent Magnet Synchronous Motors With Multistrands Windings. *Qian, H.*, +, *TPEL March 2016 2496-2509*

Novel PWM Schemes With Multi SVPWM of Sensorless IPMSM Drives for Reducing Current Ripple. *Gu, M.*, +, *TPEL Sept. 2016 6461-6475*

Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016 7065-7076*

PWM Strategy With Minimum Harmonic Distortion for Dual Three-Phase Permanent-Magnet Synchronous Motor Drives Operating in the Overmodulation Region. *Zhou, C.*, +, *TPEL Feb. 2016 1367-1380*

Singularity-Free Adaptive Speed Tracking Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2016 1692-1701*

Sliding-Mode Observer-Based Mechanical Parameter Estimation for Permanent Magnet Synchronous Motor. *Zhang, X.*, +, *TPEL Aug. 2016 5732-5745*

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi-Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

Study of IPMSM Interturn Faults Part I: Development and Analysis of Models With Series and Parallel Winding Connections. *Gu, B.*, *TPEL Aug. 2016 5931-5943*

Study of IPMSM Interturn Faults Part II: Online Fault Parameter Estimation. *Gu, B.*, *TPEL Oct. 2016 7214-7223*

Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*

#### Permeability

Measurements and Performance Factor Comparisons of Magnetic Materials at High Frequency. *Hanson, A.J.*, +, *TPEL Nov. 2016 7909-7925*

#### Perturbation techniques

An FPGA-Based Advanced Control Strategy of a Grid-Tied PV CHB Inverter. *Coppola, M.*, +, *TPEL Jan. 2016 806-816*

#### Petri nets

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

#### Phase control

A Modified Dual Active Bridge Converter With Hybrid Phase-Shift Control for Wide Input Voltage Range. *Shen, Y.*, +, *TPEL Oct. 2016 6884-6900*

An NMOS-LDO Regulated Switched-Capacitor DC-DC Converter With Fast-Response Adaptive-Phase Digital Control. *Lu, Y.*, +, *TPEL Feb. 2016 1294-1303*

Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage. *Saber, C.*, +, *TPEL Sept. 2016 6192-6202*

Individual Phase Current Control Based on Optimal Zero-Sequence Current Separation for a Star-Connected Cascade STATCOM Under Unbalanced Conditions. *Shi, Y.*, +, *TPEL March 2016 2099-2110*

Minimum-Current-Stress Scheme of Dual Active Bridge DC-DC Converter With Unified Phase-Shift Control. *Hou, N.*, +, *TPEL Dec. 2016 8552-8561*

#### Phase converters

A Control Strategy for Suppressing Circulating Currents in Parallel-Connected PMSM Drives With Individual DC Links. *Wang, F.*, +, *TPEL Feb. 2016 1680-1691*

#### Phase detectors

A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins. *Kanjiya, P.*, +, *TPEL March 2016 2550-2561*

#### Phase estimation

Five Approaches to Deal With Problem of DC Offset in Phase-Locked Loop Algorithms: Design Considerations and Performance Evaluations. *Golestani, S.*, +, *TPEL Jan. 2016 648-661*

#### Phase locked loops

A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. *Park, H.*, +, *TPEL June 2016 4484-4498*

A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins. *Kanjiya, P.*, +, *TPEL March 2016 2550-2561*

A Single-Inductor Multiple-Output Auto-Buck-Boost DC-DC Converter With Autophase Allocation. *Zheng, Y.*, +, *TPEL March 2016 2296-2313*

A Synchronization Method for Single-Phase Grid-Tied Inverters. *Hadjidemetriou, L.*, +, *TPEL March 2016 2139-2149*

- ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*
- Adaptive Compensation Method for High-Speed Surface PMSM Sensorless Drives of EMF-Based Position Estimation Error. *Song, X.*, +, *TPEL Feb. 2016 1438-1449*
- An Efficient Implementation of Generalized Delayed Signal Cancellation PLL. *Golestan, S.*, +, *TPEL Feb. 2016 1085-1094*
- Analysis of D-Q Small-Signal Impedance of Grid-Tied Inverters. *Wen, B.*, +, *TPEL Jan. 2016 675-687*
- Comparative Performance Evaluation of Orthogonal-Signal-Generators-Based Single-Phase PLL Algorithms—A Survey. *Han, Y.*, +, *TPEL May 2016 3932-3944*
- Control Architecture for Parallel-Connected Inverters in Uninterruptible Power Systems. *Zhang, C.*, +, *TPEL July 2016 5176-5188*
- Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*
- Couplings in Phase Domain Impedance Modeling of Grid-Connected Converters. *Kazem Bakhshizadeh, M.*, +, *TPEL Oct. 2016 6792-6796*
- Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters. *Yang, Y.*, +, *TPEL Oct. 2016 7273-7285*
- Fault-Decoupled Instantaneous Frequency and Phase Angle Estimation for Three-Phase Grid-Connected Inverters. *De Donato, G.*, +, *TPEL April 2016 2880-2889*
- Five Approaches to Deal With Problem of DC Offset in Phase-Locked Loop Algorithms: Design Considerations and Performance Evaluations. *Golestan, S.*, +, *TPEL Jan. 2016 648-661*
- Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. *Wen, B.*, +, *TPEL Jan. 2016 26-38*
- PLL With MAF-Based Prefiltering Stage: Small-Signal Modeling and Performance Enhancement. *Golestan, S.*, +, *TPEL June 2016 4013-4019*
- Self-Oscillating Tuning Loops for Series Resonant Inductive Power Transfer Systems. *Namadmalan, A.*, *TPEL Oct. 2016 7320-7327*
- Small-Signal Modeling, Stability Analysis and Design Optimization of Single-Phase Delay-Based PLLs. *Golestan, S.*, +, *TPEL May 2016 3517-3527*
- Switching Frequency Stabilization Techniques for Adaptive On-Time Controlled Buck Converter With Adaptive Voltage Positioning Mechanism. *Tsai, C.*, +, *TPEL Jan. 2016 443-451*
- Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*
- Phase shifters**
- A Cascade Point of Load DC–DC Converter With a Novel Phase Shifted Switched Capacitor Converter Output Stage. *Challa, S.R.*, +, *TPEL Jan. 2016 353-368*
- AC Winding Loss of Phase-Shifted Coupled Windings. *Feeney, C.*, +, *TPEL Feb. 2016 1472-1478*
- High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. *Cho, Y.*, +, *TPEL June 2016 4138-4147*
- Interleaved Current Control for Multiphase Converters With High Dynamics Mean Current Tracking. *Antoszczuk, P.D.*, +, *TPEL Dec. 2016 8422-8434*
- Loss Modeling of Coupled Stripline Microinductors in Power Supply on Chip Applications. *Feeney, C.*, +, *TPEL May 2016 3754-3762*
- Phasor measurement**
- Stability Analysis of Vector-Controlled Modular Multilevel Converters in Linear Time-Periodic Framework. *Chaudhuri, N.R.*, +, *TPEL July 2016 5255-5269*
- Photovoltaic cells**
- 0.18- $\mu\text{m}$  Light-Harvesting Battery-Assisted Charger–Supply CMOS System. *Damodaran Prabha, R.*, +, *TPEL April 2016 2950-2958*
- A 300-mV Low-Power Management System for Energy Harvesting Applications. *Dallago, E.*, +, *TPEL March 2016 2273-2281*
- Photovoltaic power systems**
- A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage. *Guo, F.*, +, *TPEL Dec. 2016 8237-8246*
- A Function-Based Maximum Power Point Tracking Method for Photovoltaic Systems. *Reza Tousei, S.M.*, +, *TPEL March 2016 2120-2128*
- A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Standalone Photovoltaic Power System. *Wang, W.*, +, *TPEL Aug. 2016 5562-5573*
- A New Hybrid Boosting Converter for Renewable Energy Applications. *Wu, B.*, +, *TPEL Feb. 2016 1203-1215*
- A Simulated Annealing Global Maximum Power Point Tracking Approach for PV Modules Under Partial Shading Conditions. *Lyden, S.*, +, *TPEL June 2016 4171-4181*
- A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*
- Abnormal Operation State Analysis and Control of Asymmetric Impedance Network-Based Quasi-Z-Source PV Inverter (AIN-qZSI). *Kayiranga, T.*, +, *TPEL Nov. 2016 7642-7650*
- Adaptive DC-Link Voltage Control of Two-Stage Photovoltaic Inverter During Low Voltage Ride-Through Operation. *Ding, G.*, +, *TPEL June 2016 4182-4194*
- An Enhanced Single-Phase Step-Up Five-Level Inverter. *Gao, F.*, *TPEL Dec. 2016 8024-8030*
- An FPGA-Based Advanced Control Strategy of a Grid-Tied PV CHB Inverter. *Coppola, M.*, +, *TPEL Jan. 2016 806-816*
- Cascaded H-Bridge Multilevel PV Topology for Alleviation of Per-Phase Power Imbalances and Reduction of Second Harmonic Voltage Ripple. *Townsend, C.D.*, +, *TPEL Aug. 2016 5574-5586*
- Control Strategy to Maximize the Power Capability of PV Three-Phase Inverters During Voltage Sags. *Sosa, J.L.*, +, *TPEL April 2016 3314-3323*
- Efficient Transformerless MOSFET Inverter for a Grid-Tied Photovoltaic System. *Islam, M.*, +, *TPEL Sept. 2016 6305-6316*
- Fault Diagnosis of Photovoltaic Panels Using Dynamic Current–Voltage Characteristics. *Wang, W.*, +, *TPEL Feb. 2016 1588-1599*
- High Weighted Efficiency in Single-Phase Solar Inverters by a Variable-Frequency Peak Current Controller. *Levron, Y.*, +, *TPEL Jan. 2016 248-257*
- High-Gain Single-Stage Boosting Inverter for Photovoltaic Applications. *Abramovitz, A.*, +, *TPEL May 2016 3550-3558*
- High-Performance Constant Power Generation in Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL March 2016 1822-1825*
- Hybrid Discontinuous/Boundary Conduction Mode of Flyback Microinverter for AC–PV Modules. *Christidis, G.C.*, +, *TPEL June 2016 4195-4205*
- Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G.*, +, *TPEL Jan. 2016 235-247*
- Leakage Current Calculation for PV Inverter System Based on a Parasitic Capacitor Model. *Chen, W.*, +, *TPEL Dec. 2016 8205-8217*
- Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems. *Guo, X.*, +, *TPEL March 2016 1841-1846*
- Model Predictive-Based Maximum Power Point Tracking for Grid-Tied Photovoltaic Applications Using a Z-Source Inverter. *Sajadian, S.*, +, *TPEL Nov. 2016 7611-7620*
- Modeling and Analysis of a Fast and Robust Module-Integrated Analog Photovoltaic MPP Tracker. *Maity, S.*, +, *TPEL Jan. 2016 280-291*
- Partial Shading Detection and Smooth Maximum Power Point Tracking of PV Arrays Under PSC. *Ghasemi, Mohammad Amin*, +, *TPEL Sept. 2016 6281-6292*
- Passive-Islanding Detection Method Using the Wavelet Packet Transform in Grid-Connected Photovoltaic Systems. *Do, H.T.*, +, *TPEL Oct. 2016 6955-6967*
- Photovoltaic Hot-Spot Detection for Solar Panel Substrings Using AC Parameter Characterization. *Kim, K.A.*, +, *TPEL Feb. 2016 1121-1130*
- Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. *Yu, Y.*, +, *TPEL Jan. 2016 292-303*
- Power Balance Optimization of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. *Yu, Y.*, +, *TPEL Feb. 2016 1108-1120*
- Prediction of Bond Wire Fatigue of IGBTs in a PV Inverter Under a Long-Term Operation. *Reigosa, P.D.*, +, *TPEL Oct. 2016 7171-7182*

Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications. *Darwish, A.*, +, *TPEL Dec. 2016 8218-8236*

The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L.*, +, *TPEL Aug. 2016 5917-5930*

Theoretical Comparison in Energy-Balancing Capability Between Star- and Delta-Configured Modular Multilevel Cascade Inverters for Utility-Scale Photovoltaic Systems. *Sochor, P.*, +, *TPEL March 2016 1980-1992*

Three-Port DC/DC Converter With All Ports Current Ripple Cancellation Using Integrated Magnetic Technique. *Zhu, H.*, +, *TPEL March 2016 2174-2186*

Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*

#### PI control

A Digital PWM Current Controller for Switched Reluctance Motor Drives. *Peng, F.*, +, *TPEL Oct. 2016 7087-7098*

A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souvignet, T.*, +, *TPEL July 2016 4984-4994*

A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Standalone Photovoltaic Power System. *Wang, W.*, +, *TPEL Aug. 2016 5562-5573*

A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins. *Kanjiya, P.*, +, *TPEL March 2016 2550-2561*

A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement. *Panigrahi, R.*, +, *TPEL April 2016 2860-2869*

A Simple Model Predictive Power Control Strategy for Single-Phase PWM Converters With Modulation Function Optimization. *Song, W.*, +, *TPEL July 2016 5279-5289*

A Versatile Unified Power Quality Conditioner Applied to Three-Phase Four-Wire Distribution Systems Using a Dual Control Strategy. *Modesto, R.A.*, +, *TPEL Aug. 2016 5503-5514*

Application of an Advanced Repetitive Controller to Mitigate Harmonics in MMC With APOD Scheme. *Madichetty, S.*, +, *TPEL Sept. 2016 6112-6121*

Constant Switching Frequency Based Direct Torque Control of Interior Permanent Magnet Synchronous Motors With Reduced Ripples and Fast Torque Dynamics. *Foo, G.H.B.*, +, *TPEL Sept. 2016 6485-6493*

DC-Link Voltage Coordinated-Proportional Control for Cascaded Converter With Zero Steady-State Error and Reduced System Type. *Tian, Y.*, +, *TPEL April 2016 3177-3188*

FPGA-Based Experimental Investigation of a Quasi-Centralized Model Predictive Control for Back-to-Back Converters. *Zhang, Z.*, +, *TPEL Jan. 2016 662-674*

Improved Adaptive-Series-Virtual-Impedance Control Incorporating Minimum Ripple Point Tracking for Load Converters in DC Systems. *Zhang, X.*, +, *TPEL Dec. 2016 8088-8095*

Interleaved Digital Power Factor Correction Based on the Sliding-Mode Approach. *Marcos-Pastor, A.*, +, *TPEL June 2016 4641-4653*

Modeling and Control of a Resonant Dual Active Bridge With a Tuned CLLC Network. *Malan, W.L.*, +, *TPEL Oct. 2016 7297-7310*

Optimization and Comparative Evaluation of Multiloop Control Schemes for Controllable AC Sources With Two-Stage LC Output Filters. *Boillat, D.O.*, +, *TPEL Oct. 2016 7353-7368*

Pseudo-Derivative-Feedback Current Control for Three-Phase Grid-Connected Inverters With LCL Filters. *Wang, J.*, +, *TPEL May 2016 3898-3912*

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi-Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter. *Kumar, V.I.*, +, *TPEL Dec. 2016 8461-8470*

Unity Power Factor Operation of Indirect Matrix Converter Tied to Unbalanced Grid. *Hamouda, M.*, +, *TPEL Feb. 2016 1095-1107*

#### Piezoceramics

Analysis on the Ring-Type Piezoelectric Ceramic Transformer in Radial Vibration. *Lin, S.*, +, *TPEL July 2016 5079-5088*

#### Piezoelectric devices

Analysis on the Ring-Type Piezoelectric Ceramic Transformer in Radial Vibration. *Lin, S.*, +, *TPEL July 2016 5079-5088*

Critical Design Criterion for Achieving Zero Voltage Switching in Inductorless Half-Bridge-Driven Piezoelectric-Transformer-Based Power Supplies. *Foster, M.P.*, +, *TPEL July 2016 5057-5066*

Transformation and Load Parameters of the Disk Piezoelectric Transformer. *Erhart, J.*, *TPEL March 2016 2437-2442*

#### Piezoelectric transducers

A Nanopower Synchronous Charge Extractor IC for Low-Voltage Piezoelectric Energy Harvesting With Residual Charge Inversion. *Dini, M.*, +, *TPEL Feb. 2016 1263-1274*

Power Electronic Circuits for Magnetic Energy Harvesters. *Moon, J.*, +, *TPEL Jan. 2016 270-279*

Wireless Power Transmission Based on Sandwiched Composite Piezoelectric Transducers in Length Extensional Vibration. *Lin, S.*, +, *TPEL Sept. 2016 6134-6143*

#### Pipeline processing

Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*

#### Plasma production

Transformation and Load Parameters of the Disk Piezoelectric Transformer. *Erhart, J.*, *TPEL March 2016 2437-2442*

#### Poisson equation

Leakage Inductance Analytical Calculation for Planar Components With Leakage Layers. *Tan, W.*, +, *TPEL June 2016 4462-4473*

#### Polymer films

Digital Control of a High-Voltage (2.5 kV) Bidirectional DC-DC Flyback Converter for Driving a Capacitive Incremental Actuator. *Thummala, P.*, +, *TPEL Dec. 2016 8500-8516*

#### Polymers

Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S.*, +, *TPEL Dec. 2016 8528-8540*

#### Polynomials

Selective Harmonic Elimination With Groebner Bases and Symmetric Polynomials. *Yang, K.*, +, *TPEL April 2016 2742-2752*

#### Position control

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*

Position Sensorless Control Without Phase Shifter for High-Speed BLDC Motors With Low Inductance and Nonideal Back EMF. *Li, W.*, +, *TPEL Feb. 2016 1354-1366*

#### Power amplifiers

A Class-E Power Amplifier Design Considering MOSFET Nonlinear Drain-to-Source and Nonlinear Gate-to-Drain Capacitances at Any Grading Coefficient. *Hayati, M.*, +, *TPEL Nov. 2016 7770-7779*

Envelope Modulator for 1.5-W 10-MHz LTE PA Without AC Coupling Capacitor Achieving 86.5% Peak Efficiency. *Sung, S.*, +, *TPEL Dec. 2016 8282-8292*

Fundamental Study of Influence of Ripple Noise From DC-DC Converter on Spurious Noise of Wireless Portable Equipment. *Sugahara, S.*, +, *TPEL March 2016 2111-2119*

Piezoelectric Filter Module Used in Harmonics Elimination for High-Efficiency Piezoelectric Transformer Driving. *Ju, B.*, +, *TPEL Jan. 2016 524-532*

Switching-Converter-Only Multiphase Envelope Modulator With Slew Rate Enhancer for LTE Power Amplifier Applications. *Sankman, J.*, +, *TPEL Jan. 2016 817-826*

#### Power aware computing

87% Overall High Efficiency and 11  $\mu$ A Ultra-Low Standby Current Derived by Overall Power Management in Laptops With Flexible Voltage Scaling and Dynamic Voltage Scaling Techniques. *Yang, S.*, +, *TPEL April 2016 3118-3127*

A High Power Density Dynamic Voltage Scaling Enabling a Single-Inductor Four-Output Regulator Using a Power-Weighted CCM Controller and a Floating Capacitor-Based Output Filter. *Carlo, S.*, +, *TPEL June 2016 4252-4264*

#### Power bipolar transistors

A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*

Advanced Accelerated Power Cycling Test for Reliability Investigation of Power Device Modules. *Choi, U.*, +, *TPEL Dec. 2016 8371-8386*

Development of a Simple Analytical PSpice Model for SiC-Based BJT Power Modules. *Johannesson, D.*, +, *TPEL June 2016 4517-4525*

Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W.*, +, *TPEL Sept. 2016 6575-6585*

Simulation, Analysis, and Verification of Substrate Currents for Layout Optimization of Smart Power ICs. *Buccella, P.*, +, *TPEL Sept. 2016 6586-6595*

#### Power cables

Development of Wireless In-Wheel Motor Using Magnetic Resonance Coupling. *Sato, M.*, +, *TPEL July 2016 5270-5278*

#### Power capacitors

A Capacitor Voltage-Balancing Method for Nested Neutral Point Clamped (NNPC) Inverter. *Tian, K.*, +, *TPEL March 2016 2575-2583*

A Four-Plate Compact Capacitive Coupler Design and LCL-Compensated Topology for Capacitive Power Transfer in Electric Vehicle Charging Application. *Zhang, H.*, +, *TPEL Dec. 2016 8541-8551*

A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Standalone Photovoltaic Power System. *Wang, W.*, +, *TPEL Aug. 2016 5562-5573*

A Novel High Step-Up Dual Switches Converter With Coupled Inductor and Voltage Multiplier Cell for a Renewable Energy System. *Liu, H.*, +, *TPEL July 2016 4974-4983*

A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*

A Passive Flyback Auxiliary Circuit With Integrated Transformer Suitable for Three-Phase Isolated Full-Bridge Boost PFC Converter. *Meng, T.*, +, *TPEL July 2016 4995-5003*

A Rule-Based Controller to Mitigate DC-Side Second-Order Harmonic Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL Feb. 2016 1665-1679*

A Simple and Cost-effective Precharge Method for Modular Multilevel Converters by Using a Low-Voltage DC Source. *Tian, K.*, +, *TPEL July 2016 5321-5329*

A Single-Phase Four-Switch Rectifier With Significantly Reduced Capacitance. *Ming, W.*, +, *TPEL Feb. 2016 1618-1632*

A Soft-Switched Asymmetric Flying-Capacitor Boost Converter With Synchronous Rectification. *Lefevre, G.*, +, *TPEL March 2016 2200-2212*

Active DC-Link Capacitor Harmonic Current Reduction in Two-Level Back-to-Back Converter. *Shen, L.*, +, *TPEL Oct. 2016 6947-6954*

An Active Voltage-Balancing Method Based on Phase-Shifted PWM for Stacked Multicell Converters. *Ghias, A.M.Y.M.*, +, *TPEL March 2016 1921-1930*

An Advanced Current-Autobalance High Step-Up Converter With a Multi-coupled Inductor and Voltage Multiplier for a Renewable Power Generation System. *He, L.*, +, *TPEL Oct. 2016 6992-7005*

An Improved Phase-Shifted Carrier Modulation for Modular Multilevel Converter to Suppress the Influence of Fluctuation of Capacitor Voltage. *Huang, M.*, +, *TPEL Oct. 2016 7404-7416*

Analysis and Control of M3C-Based UPQC for Power Quality Improvement in Medium/High-Voltage Power Grid. *Xu, Q.*, +, *TPEL Dec. 2016 8182-8194*

Control of Arm Capacitor Voltages in Modular Multilevel Converters. *Lizana, R.*, +, *TPEL Feb. 2016 1774-1784*

Digital Control of a High-Voltage (2.5 kV) Bidirectional DC-DC Flyback Converter for Driving a Capacitive Incremental Actuator. *Thummala, P.*, +, *TPEL Dec. 2016 8500-8516*

Distributed Auxiliary Inverter of Urban Rail Train—The Voltage and Current Control Strategy Under Complicated Load Condition. *Chen, J.*, +, *TPEL Feb. 2016 1745-1756*

Flying-Capacitor-Based Hybrid LLC Converters With Input Voltage Auto-balance Ability for High Voltage Applications. *Li, W.*, +, *TPEL March 2016 1908-1920*

High-Frequency-Link-Based Grid-Tied PV System With Small DC-Link Capacitor and Low-Frequency Ripple-Free Maximum Power Point Tracking. *Shi, Y.*, +, *TPEL Jan. 2016 328-339*

Leakage Current Calculation for PV Inverter System Based on a Parasitic Capacitor Model. *Chen, W.*, +, *TPEL Dec. 2016 8205-8217*

Low-Frequency Input Current Ripple Reduction Based on Load Current Feedforward in a Two-Stage Single-Phase Inverter. *Shi, Y.*, +, *TPEL Nov. 2016 7972-7985*

Moment-Based Discontinuous Phasor Transform and its Application to the Steady-State Analysis of Inverters and Wireless Power Transfer Systems. *Scarciotti, G.*, +, *TPEL Dec. 2016 8448-8460*

On Improving Phase-Shifted PWM for Flying Capacitor Multilevel Converters. *Ghias, A.M.Y.M.*, +, *TPEL Aug. 2016 5384-5388*

Optimal Design of High-Order Passive-Damped Filters for Grid-Connected Applications. *Beres, R.N.*, +, *TPEL March 2016 2083-2098*

Phase-Shift-Controlled Isolated Buck-Boost Converter With Active-Clamped Three-Level Rectifier (AC-TLR) Featuring Soft-Switching Within Wide Operation Range. *Wu, H.*, +, *TPEL March 2016 2372-2386*

Simplified Three-Level Five-Phase SVPWM. *Sakthisudhursun, B.*, +, *TPEL March 2016 2429-2436*

Small Signal Analysis of  $V^2$  Control Using Equivalent Circuit Model of Current Mode Controls. *Yan, Y.*, +, *TPEL July 2016 5344-5353*

Stability Analysis of Vector-Controlled Modular Multilevel Converters in Linear Time-Periodic Framework. *Chaudhuri, N.R.*, +, *TPEL July 2016 5255-5269*

Time-Offset Injection Method for Neutral-Point AC Ripple Voltage Reduction in a Three-Level Inverter. *Lee, J.*, +, *TPEL March 2016 1931-1941*

Tolerance Band Adaptation Method for Dynamic Operation of Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL Dec. 2016 8172-8181*

Z-Impedance Compensation for Wireless Power Transfer Based on Electric Field. *Huang, L.*, +, *TPEL Nov. 2016 7556-7563*

#### Power consumption

Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*

Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016 5538-5546*

#### Power control

87% Overall High Efficiency and 11  $\mu$ A Ultra-Low Standby Current Derived by Overall Power Management in Laptops With Flexible Voltage Scaling and Dynamic Voltage Scaling Techniques. *Yang, S.*, +, *TPEL April 2016 3118-3127*

A Double-Loop Primary-Side Control Structure for HB-LED Power Regulation. *Shagerdmootaab, A.*, +, *TPEL March 2016 2476-2484*

A Novel Variable Reactor and Its Application to Shunt Power Quality Controller. *Li, D.*, +, *TPEL June 2016 4148-4158*

A Simple Model Predictive Power Control Strategy for Single-Phase PWM Converters With Modulation Function Optimization. *Song, W.*, +, *TPEL July 2016 5279-5289*

An Energy Management Scheme With Power Limit Capability and an Adaptive Maximum Power Point Tracking for Small Standalone PMSG Wind Energy Systems. *Hui, J.C.Y.*, +, *TPEL July 2016 4861-4875*

Backstepping-Based DPC Strategy of a Wind Turbine-Driven DFIG Under Normal and Harmonic Grid Voltage. *Xiong, P.*, +, *TPEL June 2016 4216-4225*

CCM/GM Relative Skip Energy Control and Bidirectional Dynamic Slope Compensation in a Single-Inductor Multiple-Output DC-DC Converter for Wearable Device Power Solution. *Su, Y.*, +, *TPEL Aug. 2016 5871-5884*

Comprehensive DC Power Balance Management in High-Power Three-Level DC-DC Converter for Electric Vehicle Fast Charging. *Tan, L.*, +, *TPEL Jan. 2016 89-100*

Control Strategies of Three-Phase Distributed Generation Inverters for Grid Unbalanced Voltage Compensation. *Nejabatkhah, F.*, +, *TPEL July 2016 5228-5241*

Design of Energy Control Method for Three-Phase Buck-Type Rectifier With Very Demanding Load Steps to Achieve Smooth Input Currents. *Zhao, S.*, +, *TPEL April 2016 3217-3226*

Fast and Robust Single-Phase  $>DQ$  Current Controller for Smart Inverter Applications. *Ebrahimi, M.*, +, *TPEL May 2016 3968-3976*

High-Performance Constant Power Generation in Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL March 2016 1822-1825*

Hybrid Ultracapacitor-Battery Energy Storage System Based on Quasi-Z-source Topology and Enhanced Frequency Dividing Coordinated Control for EV. *Hu, S.*, +, *TPEL Nov. 2016 7598-7610*

Measurement and Characterization Technique for Real-Time Die Temperature Prediction of MOSFET-Based Power Electronics. *Davidson, J.N.*, +, *TPEL June 2016 4378-4388*

Modeling and Control of a Multiport Power Electronic Transformer (PET) for Electric Traction Applications. *Gu, C.*, +, *TPEL Feb. 2016 915-927*

On the Power Flow Limits and Control in Series-Connected Custom Power Devices. *Roldan-Perez, J.*, +, *TPEL Oct. 2016 7328-7338*

Performance Improvement of Two-Vectors-Based Model Predictive Control of PWM Rectifier. *Zhang, Y.*, +, *TPEL Aug. 2016 6016-6030*

Power and Voltage Balance Control of a Novel Three-Phase Solid-State Transformer Using Multilevel Cascaded H-Bridge Inverters for Microgrid Applications. *Wang, L.*, +, *TPEL April 2016 3289-3301*

Power-Electronics-Based Energy Management System With Storage. *Oriti, G.*, +, *TPEL Jan. 2016 452-460*

Saturation Generated Oscillations in Voltage-Mode Digital Control of DC-DC Converters. *Syed, A.E.*, +, *TPEL June 2016 4549-4564*

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

Virtual-Flux-Based Predictive Direct Power Control of Three-Phase PWM Rectifiers With Fast Dynamic Response. *Cho, Y.*, +, *TPEL April 2016 3348-3359*

#### Power conversion

Circulating Current Suppression of the Modular Multilevel Converter in a Double-Frequency Rotating Reference Frame. *Bahrani, B.*, +, *TPEL Jan. 2016 783-792*

Editorial Special Issue on Impedance-Source Converter Topologies and Applications. *Vinnikov, D.*, +, *TPEL Nov. 2016 7417-7418*

Multi-input Step-Up Converters Based on the Switched-Diode-Capacitor Voltage Accumulator. *Hou, S.*, +, *TPEL Jan. 2016 381-393*

#### Power conversion harmonics

A Measurement Method to Solve a Problem of Using DG Interfacing Converters for Selective Load Harmonic Filtering. *He, J.*, +, *TPEL March 2016 1852-1856*

A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Standalone Photovoltaic Power System. *Wang, W.*, +, *TPEL Aug. 2016 5562-5573*

Active DC-Link Capacitor Harmonic Current Reduction in Two-Level Back-to-Back Converter. *Shen, L.*, +, *TPEL Oct. 2016 6947-6954*

An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*

An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL June 2016 4594-4603*

An Integrated Inductor for Parallel Interleaved Three-Phase Voltage Source Converters. *Gohil, G.*, +, *TPEL May 2016 3400-3414*

Application of an Advanced Repetitive Controller to Mitigate Harmonics in MMC With APOD Scheme. *Madichetty, S.*, +, *TPEL Sept. 2016 6112-6121*

Design of AC-DC PFC High-Order Converters With Regulated Output Current for Low-Power Applications. *Bodetto, M.*, +, *TPEL March 2016 2012-2025*

Finite Control Set Model Predictive Current Control for Grid-Connected Voltage-Source Converters With LCL Filters: A Study Based on Different State Feedbacks. *Panten, N.*, +, *TPEL July 2016 5189-5200*

Global Synchronous Pulse Width Modulation of Distributed Inverters. *Xu, T.*, +, *TPEL Sept. 2016 6237-6253*

Hybrid Modulation Scheme for a High-Frequency AC-Link Inverter. *Mazumder, S.K.*, *TPEL Jan. 2016 861-870*

Improved Nearest-Level Modulation for a Modular Multilevel Converter With a Lower Submodule Number. *Lin, L.*, +, *TPEL Aug. 2016 5369-5377*

Loss Modeling of Coupled Stripline Microinductors in Power Supply on Chip Applications. *Feeney, C.*, +, *TPEL May 2016 3754-3762*

Magnetic Integration for Parallel Interleaved VSCs Connected in a Whiffle-tree Configuration. *Gohil, G.*, +, *TPEL Nov. 2016 7797-7808*

Modeling, Analysis, and Parameters Design of LC-Filter-Integrated Quasi-Z-Source Indirect Matrix Converter. *Liu, S.*, +, *TPEL Nov. 2016 7544-7555*

New Three-Dimensional Space Vector-Based Switching Signal Generation Technique Without Null Vectors and With Reduced Switching Losses for a Grid-Connected Four-Leg Inverter. *Gowala, H.*, +, *TPEL Feb. 2016 1026-1035*

On Improving Phase-Shifted PWM for Flying Capacitor Multilevel Converters. *Ghias, A.M.Y.M.*, +, *TPEL Aug. 2016 5384-5388*

Open-Circuit Fault-Tolerant Control for Outer Switches of Three-Level Rectifiers in Wind Turbine Systems. *Lee, J.*, +, *TPEL May 2016 3806-3815*

Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter. *Zhou, Y.*, +, *TPEL Oct. 2016 7043-7052*

Subharmonic Instability Limits for  $V^2$ -Controlled Buck Converter With Outer Loop Closed/Open. *Fang, C.*, +, *TPEL Feb. 2016 1657-1664*

Two-Stage Matrix Converter Based on Third-Harmonic Injection Technique. *Wang, H.*, +, *TPEL Jan. 2016 533-547*

#### Power converters

LLCL-Filtered Grid Converter With Improved Stability and Robustness. *Huang, M.*, +, *TPEL May 2016 3958-3967*

A 100 MHz 91.5% Peak Efficiency Integrated Buck Converter With a Three-MOSFET Cascode Bridge. *Neveu, F.*, +, *TPEL June 2016 3985-3988*

A 50-kVA Three-Phase Solid-State Transformer Based on the Minimal Topology: Dyna-C. *Chen, H.*, +, *TPEL Dec. 2016 8126-8137*

A  $\Delta\Sigma$  Dithering-Amplification-Based Identification Technique for Online SMPS. *Congiu, A.*, +, *TPEL Aug. 2016 6001*

A  $\theta$ -Converter That Reduces Common Mode Currents, Output Voltage Ripples, and Total Capacitance Required. *Zhong, Q.*, +, *TPEL Dec. 2016 8435-8447*

A Capacitor Voltage Balancing Method With Fundamental Sorting Frequency for Modular Multilevel Converters Under Staircase Modulation. *Peng, H.*, +, *TPEL Nov. 2016 7809-7822*

A Charge Equalizer With a Combination of APWM and PFM Control Based on a Modified Half-Bridge Converter. *Hua, C.*, +, *TPEL April 2016 2970-2979*

A Compact MMC Submodule Structure With Reduced Capacitor Size Using the Stacked Switched Capacitor Architecture. *Tang, Y.*, +, *TPEL Oct. 2016 6920-6936*

A Control Algorithm for Electric Vehicle Fast Charging Stations Equipped With Flywheel Energy Storage Systems. *Sun, B.*, +, *TPEL Sept. 2016 6674-6685*

A DC-Link Modulation Scheme With Phase-Shifted Current Control for Harmonic Cancellations in Multidrive Applications. *Yang, Y.*, +, *TPEL March 2016 1837-1840*

A Digital Phase Leading Filter Current Compensation (PLFCC) Technique for CCM Boost PFC Converter to Improve PF in High Line Voltage and Light Load Conditions. *Youn, H.*, +, *TPEL Sept. 2016 6596-6606*

A Dynamic Bootstrap Voltage Technique for a High-Efficiency Buck Converter in a Universal Serial Bus Power Delivery Device. *Chen, W.*, +, *TPEL April 2016 3002-3015*

A Fully Integrated Inductor-Based GaN Boost Converter With Self-Generated Switching Signal for Vehicular Applications. *Choi, P.*, +, *TPEL Aug. 2016 5365-5368*

- A Low-Voltage Ride-Through Technique for Grid-Connected Converters With Reduced Power Transistors Stress. *Chen, H.*, +, *TPEL Dec. 2016 8562-8571*
- A Method to Extract the Accurate Junction Temperature of an IGCT During Conduction Using Gate-Cathode Voltage. *Vemulapati, U.R.*, +, *TPEL Aug. 2016 5900-5905*
- A Model Assisted Testing Scheme for Modular Multilevel Converter. *Tang, Y.*, +, *TPEL Jan. 2016 165-176*
- A Nanopower Synchronous Charge Extractor IC for Low-Voltage Piezoelectric Energy Harvesting With Residual Charge Inversion. *Dini, M.*, +, *TPEL Feb. 2016 1263-1274*
- A New Fault-Tolerant Strategy Based on a Modified Selective Harmonic Technique for Three-Phase Multilevel Converters With a Single Faulty Cell. *Aleenejad, M.*, +, *TPEL April 2016 3141-3150*
- A New Hybrid Boosting Converter for Renewable Energy Applications. *Wu, B.*, +, *TPEL Feb. 2016 1203-1215*
- A Novel Control to Achieve Optimal Reduction of the E-Cap's Ripple Current for Discontinuous-Conduction Mode Boost PFC Converter. *Yao, K.*, +, *TPEL June 2016 4331-4342*
- A Novel Phase-Shift Dual Full-Bridge Converter With Full Soft-Switching Range and Wide Conversion Range. *Shi, K.*, +, *TPEL Nov. 2016 7747-7760*
- A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, +, *TPEL June 2016 4565-4575*
- A Passive Flyback Auxiliary Circuit With Integrated Transformer Suitable for Three-Phase Isolated Full-Bridge Boost PFC Converter. *Meng, T.*, +, *TPEL July 2016 4995-5003*
- A Quasi-Z-Source Integrated Multiport Power Converter as Switched Reluctance Motor Drives for Capacitance Reduction and Wide-Speed-Range Operation. *Yi, F.*, +, *TPEL Nov. 2016 7661-7676*
- A Simple and Cost-effective Precharge Method for Modular Multilevel Converters by Using a Low-Voltage DC Source. *Tian, K.*, +, *TPEL July 2016 5321-5329*
- A Transformerless PCB-Based Medium-Voltage Multilevel Power Converter With a DC Capacitor Balancing Circuit. *Solomon, L.A.*, +, *TPEL April 2016 3052-3067*
- A Variable Duty Cycle Soft Startup Strategy for LLC Series Resonant Converter Based on Optimal Current-Limiting Curve. *Yang, D.*, +, *TPEL Nov. 2016 7996-8006*
- A Versatile Unified Power Quality Conditioner Applied to Three-Phase Four-Wire Distribution Systems Using a Dual Control Strategy. *Modesto, R.A.*, +, *TPEL Aug. 2016 5503-5514*
- Active Damping of LLCL-Filter Resonance Based on LC-Trap Voltage or Current Feedback. *Huang, M.*, +, *TPEL March 2016 2337-2346*
- An Advanced Current-Autobalance High Step-Up Converter With a Multi-coupled Inductor and Voltage Multiplier for a Renewable Power Generation System. *He, L.*, +, *TPEL Oct. 2016 6992-7005*
- An Improved Capacitor Voltage-Balancing Method for Five-Level Diode-Clamped Converters With High Modulation Index and High Power Factor. *Zhao, Z.*, +, *TPEL April 2016 3189-3202*
- An Integrated Multiport Power Converter With Small Capacitance Requirement for Switched Reluctance Motor Drive. *Cai, W.*, +, *TPEL April 2016 3016-3026*
- Analysis and Suppressing Method for the Output Voltage Harmonics of Modular Multilevel Converter. *Wu, D.*, +, *TPEL July 2016 4755-4765*
- Analytical Determination of Conduction and Switching Power Losses in Flying-Capacitor-Based Active Neutral-Point-Clamped Multilevel Converter. *Sadigh, A.K.*, +, *TPEL Aug. 2016 5473-5494*
- Asymmetrical Duty Cycle-Controlled LLC Resonant Converter With Equivalent Switching Frequency Doubler. *Zong, S.*, +, *TPEL July 2016 4963-4973*
- Cascaded H-Bridge Multilevel PV Topology for Alleviation of Per-Phase Power Imbalances and Reduction of Second Harmonic Voltage Ripple. *Townsend, C.D.*, +, *TPEL Aug. 2016 5574-5586*
- Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage. *Saber, C.*, +, *TPEL Sept. 2016 6192-6202*
- Characterization Method of SiC-JFET Interelectrode Capacitances in Linear Region. *Li, K.*, +, *TPEL Feb. 2016 1528-1540*
- Circulating Current Suppression of the Modular Multilevel Converter in a Double-Frequency Rotating Reference Frame. *Bahrani, B.*, +, *TPEL Jan. 2016 783-792*
- Comparative Analysis of Two Modulation Strategies for an Active Buck-Boost Inverter. *Tang, Y.*, +, *TPEL Nov. 2016 7963-7971*
- Control and Experiment of an H-Bridge-Based Three-Phase Three-Stage Modular Power Electronic Transformer. *Wang, X.*, +, *TPEL March 2016 2002-2011*
- Control of a Small Wind Turbine in the High Wind Speed Region. *Lumbreas, C.*, +, *TPEL Oct. 2016 6980-6991*
- Control of Arm Capacitor Voltages in Modular Multilevel Converters. *Lizana, R.*, +, *TPEL Feb. 2016 1774-1784*
- Control of Circulating Currents in Modular Multilevel Converters Through Redundant Voltage Levels. *Konstantinou, G.*, +, *TPEL Nov. 2016 7761-7769*
- Control of Single-Phase Power Converters Connected to Low-Voltage Distorted Power Systems With Variable Compensation Objectives. *Bonaldo, J.P.*, +, *TPEL March 2016 2039-2052*
- Control of Three-Phase Bidirectional Current-Source Converter to Inject Balanced Three-Phase Currents Under Unbalanced Grid Voltage Condition. *Vekhande, V.*, +, *TPEL Sept. 2016 6719-6737*
- Control Strategies of Three-Phase Distributed Generation Inverters for Grid Unbalanced Voltage Compensation. *Nejabatkhah, F.*, +, *TPEL July 2016 5228-5241*
- Couplings in Phase Domain Impedance Modeling of Grid-Connected Converters. *Kazem Bakhshizadeh, M.*, +, *TPEL Oct. 2016 6792-6796*
- DC-Link Voltage Coordinated-Proportional Control for Cascaded Converter With Zero Steady-State Error and Reduced System Type. *Tian, Y.*, +, *TPEL April 2016 3177-3188*
- Design and Control of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL Jan. 2016 507-517*
- Design and Implementation of a Highly Integrated Dual Active Bridge Microconverter. *Kerachev, L.*, +, *TPEL Aug. 2016 5635-5643*
- Detection of Grid Voltage Fundamental and Harmonic Components Using Kalman Filter and Generalized Averaging Method. *Bagheri, A.*, +, *TPEL Feb. 2016 1064-1073*
- Digital current control in a rotating reference frame - Part I: System modeling and the discrete time-domain current controller with improved decoupling capabilities. *Hoffmann, N.*, +, *TPEL July 2016 5290-5305*
- Dual Flying Capacitor Active-Neutral-Point-Clamped Multilevel Converter. *Naderi, R.*, +, *TPEL Sept. 2016 6476-6484*
- Dynamics and Robust Control of a Grid-Connected VSC in Multiterminal DC Grids Considering the Instantaneous Power of DC- and AC-Side Filters and DC Grid Uncertainty. *Davari, M.*, +, *TPEL March 2016 1942-1958*
- Enhancement of Performance, Availability, and Flexibility of a Battery Energy Storage System Based on a Modular Multilevel Cascaded Converter (MMCC-SSBC). *Ota, J.I.Y.*, +, *TPEL April 2016 2791-2799*
- Enhancing the Frequency Adaptability of Periodic Current Controllers With a Fixed Sampling Rate for Grid-Connected Power Converters. *Yang, Y.*, +, *TPEL Oct. 2016 7273-7285*
- Envelope Modulator for 1.5-W 10-MHz LTE PA Without AC Coupling Capacitor Achieving 86.5% Peak Efficiency. *Sung, S.*, +, *TPEL Dec. 2016 8282-8292*
- Fault Diagnosis and Tolerant Control of Single IGBT Open-Circuit Failure in Modular Multilevel Converters. *Li, B.*, +, *TPEL April 2016 3165-3176*
- Fault-Tolerant Operation of Six-Phase Energy Conversion Systems With Parallel Machine-Side Converters. *Gonzalez-Prieto, I.*, +, *TPEL April 2016 3068-3079*
- FPGA-Based Experimental Investigation of a Quasi-Centralized Model Predictive Control for Back-to-Back Converters. *Zhang, Z.*, +, *TPEL Jan. 2016 662-674*

- Grid-Current-Feedback Active Damping for LCL Resonance in Grid-Connected Voltage-Source Converters. Wang, X., +, *TPEL Jan. 2016 213-223*
- Grouping-Sorting-Optimized Model Predictive Control for Modular Multilevel Converter With Reduced Computational Load. Liu, P., +, *TPEL March 2016 1896-1907*
- Heat Management in Power Converters: From State of the Art to Future Ultrahigh Efficiency Systems. Laloya, E., +, *TPEL Nov. 2016 7896-7908*
- High Dynamic Performance Nonlinear Source Emulator. Nguyen-Duy, K., +, *TPEL March 2016 2562-2574*
- Highly Accurate Derivatives for LCL-Filtered Grid Converter With Capacitor Voltage Active Damping. Xin, Z., +, *TPEL May 2016 3612-3625*
- Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. Wen, B., +, *TPEL Jan. 2016 26-38*
- Improved Testing Capability of the Model-Assisted Testing Scheme for a Modular Multilevel Converter. Tang, Y., +, *TPEL Nov. 2016 7823-7836*
- Integrated Reconfigurable Converter Topology for High-Voltage Battery Systems. Momayyezani, M., +, *TPEL March 2016 1968-1979*
- Interleaved Current Control for Multiphase Converters With High Dynamics Mean Current Tracking. Antoszczuk, P.D., +, *TPEL Dec. 2016 8422-8434*
- Interleaved Dual Buck Full-Bridge Three-Level Inverter. Hong, F., +, *TPEL Feb. 2016 964-974*
- Line Current Distortion Compensation for DCM/CRM Boost PFC Converters. Chen, Y., +, *TPEL March 2016 2026-2038*
- Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. Lai, W., +, *TPEL Sept. 2016 6575-6585*
- Mathematical Modeling and Control of a Cost Effective AC Voltage Stabilizer. Liu, H., +, *TPEL Nov. 2016 8007-8016*
- Modeling, Control, and Seamless Transition of the Bidirectional Battery-Driven Switched Reluctance Motor/Generator Drive Based on Integrated Multiport Power Converter for Electric Vehicle Applications. Yi, F., +, *TPEL Oct. 2016 7099-7111*
- Modulation Strategy for Multiphase Neutral-Point-Clamped Converters. Lopez, I., +, *TPEL Feb. 2016 928-941*
- Multi-input Step-Up Converters Based on the Switched-Diode-Capacitor Voltage Accumulator. Hou, S., +, *TPEL Jan. 2016 381-393*
- New Measuring Technique for Reducing the Number of Voltage Sensors in Modular Multilevel Converters. Picas, R., +, *TPEL Jan. 2016 177-187*
- Nonisolated Coupled-Inductor-Based High Step-Down Converter With Zero DC Magnetizing Inductance Current and Nonpulsating Output Current. Hwu, K.L., +, *TPEL June 2016 4362-4377*
- Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. Yu, Y., +, *TPEL Jan. 2016 292-303*
- Power Balance Optimization of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. Yu, Y., +, *TPEL Feb. 2016 1108-1120*
- Power Module Capacitor Voltage Balancing Method for a  $\pm 350$ -kV/1000-MW Modular Multilevel Converter. Li, Z., +, *TPEL June 2016 3977-3984*
- Practical Layouts and DC-Rail Voltage Clamping Techniques of Z-Source Inverters. Cha, H., +, *TPEL Nov. 2016 7471-7479*
- Reliability Analysis and Redundancy Configuration of MMC With Hybrid Submodule Topologies. Xu, J., +, *TPEL April 2016 2720-2729*
- Robustness Analysis and Experimental Validation of a Fault Detection and Isolation Method for the Modular Multilevel Converter. Shao, S., +, *TPEL May 2016 3794-3805*
- Single-Phase On-Board Integrated Battery Chargers for EVs Based on Multiphase Machines. Subotic, I., +, *TPEL Sept. 2016 6511-6523*
- Small Signal Analysis of  $V^2$  Control Using Equivalent Circuit Model of Current Mode Controls. Yan, Y., +, *TPEL July 2016 5344-5353*
- Smart Grid Connection of an Induction Motor Using a Three-Phase Floating H-bridge System as a Series Compensator. Leng, S., +, *TPEL Oct. 2016 7053-7064*
- Stability Analysis of Boundary and Hybrid Controllers for Indirect Energy Transfer Converters. Kirshenboim, O., +, *TPEL April 2016 3360-3371*
- Stability Analysis of Vector-Controlled Modular Multilevel Converters in Linear Time-Periodic Framework. Chaudhuri, N.R., +, *TPEL July 2016 5255-5269*
- Study on the Single-Stage Forward-Flyback PFC Converter With QR Control. Xie, X., +, *TPEL Jan. 2016 430-442*
- The Design of a Multilevel Envelope Tracking Amplifier Based on a Multiphase Buck Converter. Vasic, M., +, *TPEL June 2016 4611-4627*
- Thermal Stress and High Temperature Effects on Power Devices in a Fault-Resilient NPC IGCT-Based Converter. Rocha, A.V., +, *TPEL April 2016 2800-2807*
- Unbalanced Space Vector Modulation with Fundamental Phase Shift Compensation for Faulty Multilevel Converters. Aleenejad, M., +, *TPEL Oct. 2016 7224-7233*
- Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. Tian, S., +, *TPEL Feb. 2016 1734-1744*
- VRSPV Soft-Start Strategy and AICS Technique for Boost Converters to Improve the Start-Up Performance. Fan, S., +, *TPEL May 2016 3663-3672*
- Zero-Voltage Ride-Through Capability of a Transformerless Back-To-Back System Using Modular Multilevel Cascade Converters for Power Distribution Systems. Khamphakdi, P., +, *TPEL April 2016 2730-2741*
- Power distribution**
- A Series-Stacked Power Delivery Architecture With Isolated Differential Power Conversion for Data Centers. Candan, E., +, *TPEL May 2016 3690-3703*
- Hybrid Ultracapacitor-Battery Energy Storage System Based on Quasi-Z-source Topology and Enhanced Frequency Dividing Coordinated Control for EV. Hu, S., +, *TPEL Nov. 2016 7598-7610*
- Magnetic-Coupling Current-Balancing Cells Based Input-Parallel Output-Parallel LLC Resonant Converter Modules for High-Frequency Isolation of DC Distribution Systems. Liu, C., +, *TPEL Oct. 2016 6968-6979*
- Power distribution control**
- A Distributed Architecture Based on Microbank Modules With Self-Reconfiguration Control to Improve the Energy Efficiency in the Battery Energy Storage System. Zhang, Z., +, *TPEL Jan. 2016 304-317*
- A Versatile Unified Power Quality Conditioner Applied to Three-Phase Four-Wire Distribution Systems Using a Dual Control Strategy. Modesto, R.A., +, *TPEL Aug. 2016 5503-5514*
- Control Strategies of Three-Phase Distributed Generation Inverters for Grid Unbalanced Voltage Compensation. Nejabaikhah, F., +, *TPEL July 2016 5228-5241*
- DC Microgrids—Part I: A Review of Control Strategies and Stabilization Techniques. Dragicevic, T., +, *TPEL July 2016 4876-4891*
- Distributed Tertiary Control of DC Microgrid Clusters. Moayedi, S., +, *TPEL Feb. 2016 1717-1733*
- Power distribution faults**
- A Fault Clearing Method in Converter-Dominated Microgrids With Conventional Protection Means. Oureilidis, K.O., +, *TPEL June 2016 4628-4640*
- An Islanding Detection Method for Inverter-Based Distributed Generators Based on the Reactive Power Disturbance. Chen, X., +, *TPEL May 2016 3559-3574*
- Power electronics**
- 3-D-Printed Air-Core Inductors for High-Frequency Power Converters. Liang, W., +, *TPEL Jan. 2016 52-64*
- A DC-DC Converter With High Voltage Gain and Two Input Boost Stages. Prabhala, V.A.K., +, *TPEL June 2016 4206-4215*
- A Management Circuit with Upconversion Oscillation Technology for Electric-Field Energy Harvesting. Zhang, J., +, *TPEL Aug. 2016 5515-5523*
- A Method to Extract the Accurate Junction Temperature of an IGCT During Conduction Using Gate-Cathode Voltage. Vemulapati, U.R., +, *TPEL Aug. 2016 5900-5905*
- A Modulation Scheme for Matrix Converters With Perfect Zero Common-Mode Voltage. Nguyen, H., +, *TPEL Aug. 2016 5411-5422*
- A New Multiinput Three-Level DC/DC Converter. Dusmez, S., +, *TPEL Feb. 2016 1230-1240*
- A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. Zhang, W., +, *TPEL Feb. 2016 1344-1353*
- A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins. Kanjiya, P., +, *TPEL March 2016 2550-2561*
- An Efficient Implementation of Generalized Delayed Signal Cancellation PLL. Golestan, S., +, *TPEL Feb. 2016 1085-1094*

- An Overview of Photonic Power Electronic Devices. *Mazumder, S.K., TPEL Sept. 2016 6562-6574*
- Bidirectional Resonant DC–DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y., +, TPEL Jan. 2016 340-352*
- Calculation of Power Losses in Litz Wire Systems by Coupling FEM and PEEC Method. *Roskopf, A., +, TPEL Sept. 2016 6442-6449*
- Comparative Performance Evaluation of Orthogonal-Signal-Generators-Based Single-Phase PLL Algorithms—A Survey. *Han, Y., +, TPEL May 2016 3932-3944*
- Computationally Efficient Simulation of High-Frequency Transients in Power Electronic Circuits. *Subbiah, A., +, TPEL Sept. 2016 6351-6361*
- DC-Link Voltage Coordinated-Proportional Control for Cascaded Converter With Zero Steady-State Error and Reduced System Type. *Tian, Y., +, TPEL April 2016 3177-3188*
- Design Tools for Rapid Multidomain Virtual Prototyping of Power Electronic Systems. *Evans, P.L., +, TPEL March 2016 2443-2455*
- Digital current control in a rotating reference frame - Part I: System modeling and the discrete time-domain current controller with improved decoupling capabilities. *Hoffmann, N., +, TPEL July 2016 5290-5305*
- Electrothermal Multiscale Modeling and Simulation Concepts for Power Electronics. *Kock, H., +, TPEL April 2016 3128-3140*
- Enhancing Microinverter Energy Capture With Submodule Differential Power Processing. *Qin, S., +, TPEL May 2016 3575-3585*
- Failure Modes of 15-kV SiC SGTO Thyristors During Repetitive Extreme Pulsed Overcurrent Conditions. *Schrock, J.A., +, TPEL Dec. 2016 8058-8062*
- Heat Management in Power Converters: From State of the Art to Future Ultrahigh Efficiency Systems. *Laloya, E., +, TPEL Nov. 2016 7896-7908*
- Improving Wireless Power Transfer Efficiency Using Hollow Windings With Track-Width-Ratio. *Cove, S.R., +, TPEL Sept. 2016 6524-6533*
- Investigation of Transformer-Based Solutions for the Reduction of Inrush and Phase-Hop Currents. *Dogan, R., +, TPEL May 2016 3506-3516*
- Moment-Based Discontinuous Phasor Transform and its Application to the Steady-State Analysis of Inverters and Wireless Power Transfer Systems. *Scarciotti, G., +, TPEL Dec. 2016 8448-8460*
- On the Power Flow Limits and Control in Series-Connected Custom Power Devices. *Roldan-Perez, J., +, TPEL Oct. 2016 7328-7338*
- Online and Offline Stability Analysis Methods for the Power Electronic-Based Components in Design and Operational Stages. *Salmani, M., +, TPEL April 2016 3151-3164*
- Power Electronic Circuits for Magnetic Energy Harvesters. *Moon, J., +, TPEL Jan. 2016 270-279*
- Power-Electronics-Based Energy Management System With Storage. *Oriti, G., +, TPEL Jan. 2016 452-460*
- Real-Time Temperature Estimation in a Multiple Device Power Electronics System Subject to Dynamic Cooling. *Davidson, J.N., +, TPEL April 2016 2709-2719*
- Review of Active Power Decoupling Topologies in Single-Phase Systems. *Sun, Y., +, TPEL July 2016 4778-4794*
- Solid-State Transfer Switch Topologies for a Switched Doubly Fed Machine Drive. *Banerjee, A., +, TPEL Aug. 2016 5709-5720*
- Thermal Analysis of the Laminated Busbar System of a Multilevel Converter. *Smirnova, L., +, TPEL Feb. 2016 1479-1488*
- Transient Hygrothermal-Response of Power Modules in Inverters—The Basis for Mission Profiling Under Climate and Power Loading. *Bayerer, R., +, TPEL Jan. 2016 613-620*
- Power engineering computing**
- An Online Monitoring Scheme of DC-Link Capacitor's ESR and C for a Boost PFC Converter. *Yao, K., +, TPEL Aug. 2016 5944-5951*
- Control of Single-Phase Grid-Connected Converters With LCL Filters Using Recurrent Neural Network and Conventional Control Methods. *Fu, X., +, TPEL July 2016 5354-5364*
- Passive-Islanding Detection Method Using the Wavelet Packet Transform in Grid-Connected Photovoltaic Systems. *Do, H.T., +, TPEL Oct. 2016 6955-6967*

**Power factor**

- “Z” and “qZ” Source Inverters as Electronic Ballast. *Vazquez, N., +, TPEL Nov. 2016 7651-7660*
- A 50-kVA Three-Phase Solid-State Transformer Based on the Minimal Topology: Dyna-C. *Chen, H., +, TPEL Dec. 2016 8126-8137*
- A Compact Flicker-Free Transformer-Less LED Driver With an Enhanced Power Factor for Omnidirectional Multichannel Smart Bulb Applications. *Ko, Y., +, TPEL Aug. 2016 5851-5862*
- A Simple Method for Sinusoidal Input Currents of Matrix Converter Under Unbalanced Input Voltages. *Lei, J., +, TPEL Jan. 2016 21-25*
- A Single-Phase Four-Switch Rectifier With Significantly Reduced Capacitance. *Ming, W., +, TPEL Feb. 2016 1618-1632*
- An Improved Capacitor Voltage-Balancing Method for Five-Level Diode-Clamped Converters With High Modulation Index and High Power Factor. *Zhao, Z., +, TPEL April 2016 3189-3202*
- An Islanding Detection Method for Inverter-Based Distributed Generators Based on the Reactive Power Disturbance. *Chen, X., +, TPEL May 2016 3559-3574*
- Analytical Determination of Conduction and Switching Power Losses in Flying-Capacitor-Based Active Neutral-Point-Clamped Multilevel Converter. *Sadigh, A.K., +, TPEL Aug. 2016 5473-5494*
- Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage. *Saber, C., +, TPEL Sept. 2016 6192-6202*
- Closed-Form Oriented Modeling and Analysis of Wireless Power Transfer System With Constant-Voltage Source and Load. *Zhang, Y., +, TPEL May 2016 3472-3481*
- Common-Mode Resonance Suppression in Transformerless PWM Current-Source Drive. *Lian, Y., +, TPEL Aug. 2016 5721-5731*
- Decoupled Power Angle and Voltage Control of Electric Springs. *Mok, K., +, TPEL Feb. 2016 1216-1229*
- Gyrator-Based Analysis of Resonant Circuits in Inductive Power Transfer Systems. *Sohn, Y.H., +, TPEL Oct. 2016 6824-6843*
- Isolated Swiss-Forward Three-Phase Rectifier With Resonant Reset. *Silva, M., +, TPEL July 2016 4795-4808*
- Negative Sequence Current Optimizing Control Based on Railway Static Power Conditioner in V/v Traction Power Supply System. *Zhang, D., +, TPEL Jan. 2016 200-212*
- Performance Analysis of Carrier-Based Discontinuous PWM Method for Vienna Rectifiers With Neutral-Point Voltage Balance. *Lee, J., +, TPEL June 2016 4075-4084*
- Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter. *Zhou, Y., +, TPEL Oct. 2016 7043-7052*
- Single-Phase On-Board Integrated Battery Chargers for EVs Based on Multiphase Machines. *Subotic, I., +, TPEL Sept. 2016 6511-6523*
- Single-Stage AC/DC Single-Inductor Multiple-Output LED Drivers. *Guo, Y., +, TPEL Aug. 2016 5837-5850*
- Sliding-Mode Control for a Three-Phase Unity Power Factor Rectifier Operating at Fixed Switching Frequency. *Guzman, R., +, TPEL Jan. 2016 758-769*
- Smart Grid Connection of an Induction Motor Using a Three-Phase Floating H-bridge System as a Series Compensator. *Leng, S., +, TPEL Oct. 2016 7053-7064*
- Solid-State Transfer Switch Topologies for a Switched Doubly Fed Machine Drive. *Banerjee, A., +, TPEL Aug. 2016 5709-5720*
- Static Regulated Multistage Semiactive LED Drivers for High-Efficiency Applications. *Lee, E.S., +, TPEL Sept. 2016 6543-6552*
- Suppression of Real Power Back Flow of Nonregenerative Cascaded H-Bridge Inverters Operating Under Faulty Conditions. *Sun, L., +, TPEL July 2016 5161-5175*
- Power factor correction**
- A Digital Phase Leading Filter Current Compensation (PLFCC) Technique for CCM Boost PFC Converter to Improve PF in High Line Voltage and Light Load Conditions. *Youn, H., +, TPEL Sept. 2016 6596-6606*
- A Digital Predictive Peak Current Control for Power Factor Correction With Low-Input Current Distortion. *Youn, H., +, TPEL Jan. 2016 900-912*

- A Double-Loop Primary-Side Control Structure for HB-LED Power Regulation. *Shagerdmootaab, A.*, +, *TPEL March 2016 2476-2484*
- A Double-Resistive Active Power Filter System to Attenuate Harmonic Voltages of a Radial Power Distribution Feeder. *Sun, X.*, +, *TPEL Sept. 2016 6203-6216*
- A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC–DC Driver for Supplying Multiple LED Strings in Parallel. *Ma, H.*, +, *TPEL Aug. 2016 5825-5836*
- A High-Voltage SiC-Based Boost PFC for LED Applications. *Leon-Masich, A.*, +, *TPEL Feb. 2016 1633-1642*
- A Multimode 1-MHz PFC Front End With Digital Peak Current Modulation. *Fernandes, R.*, +, *TPEL Aug. 2016 5694-5708*
- A Novel Control to Achieve Optimal Reduction of the E-Cap's Ripple Current for Discontinuous-Conduction Mode Boost PFC Converter. *Yao, K.*, +, *TPEL June 2016 4331-4342*
- A Passive Flyback Auxiliary Circuit With Integrated Transformer Suitable for Three-Phase Isolated Full-Bridge Boost PFC Converter. *Meng, T.*, +, *TPEL July 2016 4995-5003*
- A Real-Time Variable Turn-Off Current Strategy for a PFC Converter With Voltage Spike Limitation and Efficiency Improvement. *Wu, Q.*, +, *TPEL Dec. 2016 8031-8036*
- A Single-Stage Single-Switch LED Driver Based on the Integrated SEPIC Circuit and Class-E Converter. *Wang, Y.*, +, *TPEL Aug. 2016 5814-5824*
- A Three-Phase Multilevel Hybrid Switched-Capacitor PWM PFC Rectifier for High-Voltage-Gain Applications. *Cortez, D.F.*, +, *TPEL May 2016 3495-3505*
- Active Power Decoupling Method for Single-Phase Current-Source Rectifier With No Additional Active Switches. *Sun, Y.*, +, *TPEL Aug. 2016 5644-5654*
- An Alternative Approach to LED Driver Design Based on High-Voltage Driving. *Wong, C.S.*, +, *TPEL March 2016 2465-2475*
- An Improved Control Technique of Switching-Frequency-Modulated Power Factor Correctors for Low THD and High Power Factor. *Stepins, D.*, *TPEL July 2016 5201-5214*
- An Integrated High-Power-Factor Converter With ZVS Transition. *Chang, C.*, +, *TPEL March 2016 2362-2371*
- An Online Monitoring Scheme of DC-Link Capacitor's ESR and C for a Boost PFC Converter. *Yao, K.*, +, *TPEL Aug. 2016 5944-5951*
- Assessment of the Current-Source, Full-Bridge Inverter as Power Supply for Ozone Generators With High Power Factor in a Single Stage. *Ponce-Silva, M.*, +, *TPEL Dec. 2016 8195-8204*
- Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage. *Saber, C.*, +, *TPEL Sept. 2016 6192-6202*
- Combined Phase-Shift and Frequency Modulation of a Dual-Active-Bridge AC–DC Converter With PFC. *Jauch, F.*, +, *TPEL Dec. 2016 8387-8397*
- Control and Modulation of Bidirectional Single-Phase AC–DC Three-Phase-Leg SPWM Converters With Active Power Decoupling and Minimal Storage Capacitance. *Wu, H.*, +, *TPEL June 2016 4226-4240*
- Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*
- Design of AC–DC PFC High-Order Converters With Regulated Output Current for Low-Power Applications. *Bodetto, M.*, +, *TPEL March 2016 2012-2025*
- Flicker-Free Electrolytic Capacitor-Less Universal Input Offline LED Driver With PFC. *Valipour, H.*, +, *TPEL Sept. 2016 6553-6561*
- Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*
- Interleaved Digital Power Factor Correction Based on the Sliding-Mode Approach. *Marcos-Pastor, A.*, +, *TPEL June 2016 4641-4653*
- Line Current Distortion Compensation for DCM/CRM Boost PFC Converters. *Chen, Y.*, +, *TPEL March 2016 2026-2038*
- Minimizing Effect of Input Filter Capacitor in a Digital Boundary Conduction Mode Power Factor Corrector Based on Time-Domain Analysis. *Kim, J.*, +, *TPEL May 2016 3827-3836*
- New AC–DC Power Factor Correction Architecture Suitable for High-Frequency Operation. *Lim, S.*, +, *TPEL April 2016 2937-2949*
- Online and Offline Stability Analysis Methods for the Power Electronic-Based Components in Design and Operational Stages. *Salmani, M.*, +, *TPEL April 2016 3151-3164*
- Performance Comparison of Three-Step and Six-Step PWM in Average-Current-Controlled Three-Phase Six-Switch Boost PFC Rectifier. *Huber, L.*, +, *TPEL Oct. 2016 7264-7272*
- Study on the Single-Stage Forward-Flyback PFC Converter With QR Control. *Xie, X.*, +, *TPEL Jan. 2016 430-442*
- Unity Power Factor Operation of Indirect Matrix Converter Tied to Unbalanced Grid. *Hamouda, M.*, +, *TPEL Feb. 2016 1095-1107*
- Unity-Power-Factor Control Based on Precise Ripple Cancellation for Fast-Response PFC Preregulator. *Leung, K.H.*, +, *TPEL April 2016 3324-3337*
- Z-Source Resonant Converter With Power Factor Correction for Wireless Power Transfer Applications. *Gonzalez-Santini, N.S.*, +, *TPEL Nov. 2016 7691-7700*
- Power field effect transistors**
- Characterization Method of SiC-JFET Interelectrode Capacitances in Linear Region. *Li, K.*, +, *TPEL Feb. 2016 1528-1540*
- Split-Phase Control: Achieving Complete Soft-Charging Operation of a Dickson Switched-Capacitor Converter. *Lei, Y.*, +, *TPEL Jan. 2016 770-782*
- Three-Port DC/DC Converter With All Ports Current Ripple Cancellation Using Integrated Magnetic Technique. *Zhu, H.*, +, *TPEL March 2016 2174-2186*
- Power filters**
- A Novel PWM High Voltage Conversion Ratio Bidirectional Three-Phase DC/DC Converter With Y– $\Delta$  Connected Transformer. *Jin, K.*, +, *TPEL Jan. 2016 81-88*
- A novel three-phase current source rectifier with delta-type input connection to reduce the device conduction loss. *Guo, B.*, +, *TPEL Feb. 2016 1074-1084*
- A Unified Virtual Power Decoupling Method for Droop-Controlled Parallel Inverters in Microgrids. *Wu, T.*, +, *TPEL Aug. 2016 5587-5603*
- Active Damping of LLCL-Filter Resonance Based on LC-Trap Voltage or Current Feedback. *Huang, M.*, +, *TPEL March 2016 2337-2346*
- Control of Single-Phase Grid-Connected Converters With LCL Filters Using Recurrent Neural Network and Conventional Control Methods. *Fu, X.*, +, *TPEL July 2016 5354-5364*
- Control of Single-Phase Power Converters Connected to Low-Voltage Distorted Power Systems With Variable Compensation Objectives. *Bonaldo, J.P.*, +, *TPEL March 2016 2039-2052*
- DC Microgrids—Part I: A Review of Control Strategies and Stabilization Techniques. *Dragicevic, T.*, +, *TPEL July 2016 4876-4891*
- Dynamics and Robust Control of a Grid-Connected VSC in Multiterminal DC Grids Considering the Instantaneous Power of DC- and AC-Side Filters and DC Grid Uncertainty. *Davari, M.*, +, *TPEL March 2016 1942-1958*
- Efficient Implicit Model-Predictive Control of a Three-Phase Inverter With an Output LC Filter. *Nauman, M.*, +, *TPEL Sept. 2016 6075-6078*
- Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016 5746-5758*
- Fundamental Study of Influence of Ripple Noise From DC–DC Converter on Spurious Noise of Wireless Portable Equipment. *Sugahara, S.*, +, *TPEL March 2016 2111-2119*
- Linear Regulator Design Considerations of the Serial Linear-Assisted Switching Converter Used as Envelope Amplifier. *Liu, M.*, +, *TPEL May 2016 3673-3689*
- Modulation Strategy for Multiphase Neutral-Point-Clamped Converters. *Lopez, I.*, +, *TPEL Feb. 2016 928-941*
- Pseudo-Derivative-Feedback Current Control for Three-Phase Grid-Connected Inverters With LCL Filters. *Wang, J.*, +, *TPEL May 2016 3898-3912*
- Use of Boundary Control With Second-Order Switching Surface to Reduce the System Order for Deadbeat Controller in Grid-Connected Inverter. *He, Y.*, +, *TPEL March 2016 2638-2653*

**Power generation control**

- A Distributed Architecture Based on Microbank Modules With Self-Reconfiguration Control to Improve the Energy Efficiency in the Battery Energy Storage System. *Zhang, Z.*, +, *TPEL Jan. 2016 304-317*
- A Hybrid Estimator for Active/Reactive Power Control of Single-Phase Distributed Generation Systems With Energy Storage. *Pahlevani, M.*, +, *TPEL April 2016 2919-2936*
- A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*
- A Virtual Impedance Optimization Method for Reactive Power Sharing in Networked Microgrid. *Zhu, Y.*, +, *TPEL April 2016 2890-2904*
- Abnormal Operation State Analysis and Control of Asymmetric Impedance Network-Based Quasi-Z-Source PV Inverter (AIN-qZSI). *Kayiranga, T.*, +, *TPEL Nov. 2016 7642-7650*
- Adaptive  $Q-V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. *Kim, J.*, +, *TPEL May 2016 3586-3599*
- An Energy Management Scheme With Power Limit Capability and an Adaptive Maximum Power Point Tracking for Small Standalone PMSG Wind Energy Systems. *Hui, J.C.Y.*, +, *TPEL July 2016 4861-4875*
- An Improved Distributed Secondary Control Method for DC Microgrids With Enhanced Dynamic Current Sharing Performance. *Wang, P.*, +, *TPEL Sept. 2016 6658-6673*
- Backstepping-Based DPC Strategy of a Wind Turbine-Driven DFIG Under Normal and Harmonic Grid Voltage. *Xiong, P.*, +, *TPEL June 2016 4216-4225*
- Comparison of Dynamic Characteristics Between Virtual Synchronous Generator and Droop Control in Inverter-Based Distributed Generators. *Liu, J.*, +, *TPEL May 2016 3600-3611*
- Control of Doubly-Fed Induction Generator to Ride-Through Recurring Grid Faults. *Chen, W.*, +, *TPEL July 2016 4831-4846*
- Control of Single-Phase Power Converters Connected to Low-Voltage Distorted Power Systems With Variable Compensation Objectives. *Bonaldo, J.P.*, +, *TPEL March 2016 2039-2052*
- DC Microgrids—Part I: A Review of Control Strategies and Stabilization Techniques. *Dragicevic, T.*, +, *TPEL July 2016 4876-4891*
- Distributed Tertiary Control of DC Microgrid Clusters. *Moayedi, S.*, +, *TPEL Feb. 2016 1717-1733*
- High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. *Cho, Y.*, +, *TPEL June 2016 4138-4147*
- High-Performance Constant Power Generation in Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL March 2016 1822-1825*
- Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems. *Guo, X.*, +, *TPEL March 2016 1841-1846*
- Model Predictive-Based Maximum Power Point Tracking for Grid-Tied Photovoltaic Applications Using a Z-Source Inverter. *Sajadian, S.*, +, *TPEL Nov. 2016 7611-7620*
- Three-Port DC/DC Converter With All Ports Current Ripple Cancellation Using Integrated Magnetic Technique. *Zhu, H.*, +, *TPEL March 2016 2174-2186*
- Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*

**Power generation faults**

- Adaptive  $Q-V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. *Kim, J.*, +, *TPEL May 2016 3586-3599*
- Doubly Fed Induction Generator Wind Turbine Systems Subject to Recurring Symmetrical Grid Faults. *Chen, W.*, +, *TPEL Feb. 2016 1143-1160*
- Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016 5538-5546*
- The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L.*, +, *TPEL Aug. 2016 5917-5930*
- Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*

**Power generation protection**

- DC Microgrids—Part II: A Review of Power Architectures, Applications, and Standardization Issues. *Dragicevic, T.*, +, *TPEL May 2016 3528-3549*

**Power generation reliability**

- Adaptive  $Q-V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. *Kim, J.*, +, *TPEL May 2016 3586-3599*
- Control of Doubly-Fed Induction Generator to Ride-Through Recurring Grid Faults. *Chen, W.*, +, *TPEL July 2016 4831-4846*
- Doubly Fed Induction Generator Wind Turbine Systems Subject to Recurring Symmetrical Grid Faults. *Chen, W.*, +, *TPEL Feb. 2016 1143-1160*
- The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L.*, +, *TPEL Aug. 2016 5917-5930*

**Power generation scheduling**

- Tolerance Band Adaptation Method for Dynamic Operation of Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL Dec. 2016 8172-8181*

**Power grids**

- LLCL-Filtered Grid Converter With Improved Stability and Robustness. *Huang, M.*, +, *TPEL May 2016 3958-3967*
- A Compact MMC Submodule Structure With Reduced Capacitor Size Using the Stacked Switched Capacitor Architecture. *Tang, Y.*, +, *TPEL Oct. 2016 6920-6936*
- A Control Algorithm for Electric Vehicle Fast Charging Stations Equipped With Flywheel Energy Storage Systems. *Sun, B.*, +, *TPEL Sept. 2016 6674-6685*
- A Digital Hysteresis Current Controller for Three-Level Neural-Point-Clamped Inverter With Mixed-Levels and Prediction-Based Sampling. *Yi, H.*, +, *TPEL May 2016 3945-3957*
- A Family of Five-Level Dual-Buck Full-Bridge Inverters for Grid-Tied Applications. *Zhang, L.*, +, *TPEL Oct. 2016 7029-7042*
- A Hybrid Estimator for Active/Reactive Power Control of Single-Phase Distributed Generation Systems With Energy Storage. *Pahlevani, M.*, +, *TPEL April 2016 2919-2936*
- A Low-Voltage Ride-Through Technique for Grid-Connected Converters With Reduced Power Transistors Stress. *Chen, H.*, +, *TPEL Dec. 2016 8562-8571*
- A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins. *Kanjiya, P.*, +, *TPEL March 2016 2550-2561*
- A Real-Time Selective Harmonic Elimination Based on a Transient-Free Inner Closed-Loop Control for Cascaded Multilevel Inverters. *Zhao, H.*, +, *TPEL Feb. 2016 1000-1014*
- A Simple and Cost-effective Precharge Method for Modular Multilevel Converters by Using a Low-Voltage DC Source. *Tian, K.*, +, *TPEL July 2016 5321-5329*
- A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*
- A ZVS Grid-Connected Full-Bridge Inverter With a Novel ZVS SPWM Scheme. *Chen, Y.*, +, *TPEL May 2016 3626-3638*
- Adaptive  $Q-V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. *Kim, J.*, +, *TPEL May 2016 3586-3599*
- Adaptive DC-Link Voltage Control of Two-Stage Photovoltaic Inverter During Low Voltage Ride-Through Operation. *Ding, G.*, +, *TPEL June 2016 4182-4194*
- An Efficient Implementation of Generalized Delayed Signal Cancellation PLL. *Golestan, S.*, +, *TPEL Feb. 2016 1085-1094*
- An Improved Distributed Secondary Control Method for DC Microgrids With Enhanced Dynamic Current Sharing Performance. *Wang, P.*, +, *TPEL Sept. 2016 6658-6673*
- An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*
- An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL June 2016 4594-4603*
- Analysis and Control of M3C-Based UPQC for Power Quality Improvement in Medium/High-Voltage Power Grid. *Xu, Q.*, +, *TPEL Dec. 2016 8182-8194*
- Analysis and Suppressing Method for the Output Voltage Harmonics of Modular Multilevel Converter. *Wu, D.*, +, *TPEL July 2016 4755-4765*

- Analysis of D-Q Small-Signal Impedance of Grid-Tied Inverters. *Wen, B.*, +, *TPEL Jan. 2016 675-687*
- Assessment of Fault Tolerance in Modular Multilevel Converters With Integrated Energy Storage. *Soong, T.*, +, *TPEL June 2016 4085-4095*
- Backstepping-Based DPC Strategy of a Wind Turbine-Driven DFIG Under Normal and Harmonic Grid Voltage. *Xiong, P.*, +, *TPEL June 2016 4216-4225*
- Comparative Performance Evaluation of Orthogonal-Signal-Generators-Based Single-Phase PLL Algorithms—A Survey. *Han, Y.*, +, *TPEL May 2016 3932-3944*
- Comparison of Dynamic Characteristics Between Virtual Synchronous Generator and Droop Control in Inverter-Based Distributed Generators. *Liu, J.*, +, *TPEL May 2016 3600-3611*
- Control and Modulation of Bidirectional Single-Phase AC–DC Three-Phase-Leg SPWM Converters With Active Power Decoupling and Minimal Storage Capacitance. *Wu, H.*, +, *TPEL June 2016 4226-4240*
- Control of Doubly-Fed Induction Generator to Ride-Through Recurring Grid Faults. *Chen, W.*, +, *TPEL July 2016 4831-4846*
- Control of Single-Phase Grid-Connected Converters With LCL Filters Using Recurrent Neural Network and Conventional Control Methods. *Fu, X.*, +, *TPEL July 2016 5354-5364*
- Control Strategies of Three-Phase Distributed Generation Inverters for Grid Unbalanced Voltage Compensation. *Nejabatkhah, F.*, +, *TPEL July 2016 5228-5241*
- Control Strategy to Maximize the Power Capability of PV Three-Phase Inverters During Voltage Sags. *Sosa, J.L.*, +, *TPEL April 2016 3314-3323*
- Coordinated Direct Power Control of DFIG System Without Phase-Locked Loop Under Unbalanced Grid Voltage Conditions. *Nian, H.*, +, *TPEL April 2016 2905-2918*
- Couplings in Phase Domain Impedance Modeling of Grid-Connected Converters. *Kazem Bakhshizadeh, M.*, +, *TPEL Oct. 2016 6792-6796*
- Delay-Dependent Stability of Single-Loop Controlled Grid-Connected Inverters with LCL Filters. *Wang, J.*, +, *TPEL Jan. 2016 743-757*
- Detection of Grid Voltage Fundamental and Harmonic Components Using Kalman Filter and Generalized Averaging Method. *Bagheri, A.*, +, *TPEL Feb. 2016 1064-1073*
- Doubly Fed Induction Generator Wind Turbine Systems Subject to Recurring Symmetrical Grid Faults. *Chen, W.*, +, *TPEL Feb. 2016 1143-1160*
- Dynamics and Robust Control of a Grid-Connected VSC in Multiterminal DC Grids Considering the Instantaneous Power of DC- and AC-Side Filters and DC Grid Uncertainty. *Davari, M.*, +, *TPEL March 2016 1942-1958*
- Enhanced Frequency-Locked Loop With a Comb Filter Under Adverse Grid Conditions. *Liu, H.*, +, *TPEL Dec. 2016 8046-8051*
- Estimation of Single-Phase Grid Voltage Parameters With Zero Steady-State Error. *Dai, Z.*, +, *TPEL May 2016 3867-3879*
- Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance. *Chen, Y.*, +, *TPEL Aug. 2016 5524-5537*
- Finite Control Set Model Predictive Current Control for Grid-Connected Voltage-Source Converters With LCL Filters: A Study Based on Different State Feedbacks. *Panten, N.*, +, *TPEL July 2016 5189-5200*
- FPGA-Based Experimental Investigation of a Quasi-Centralized Model Predictive Control for Back-to-Back Converters. *Zhang, Z.*, +, *TPEL Jan. 2016 662-674*
- Grid-Current-Feedback Active Damping for LCL Resonance in Grid-Connected Voltage-Source Converters. *Wang, X.*, +, *TPEL Jan. 2016 213-223*
- High-Frequency-Link-Based Grid-Tied PV System With Small DC-Link Capacitor and Low-Frequency Ripple-Free Maximum Power Point Tracking. *Shi, Y.*, +, *TPEL Jan. 2016 328-339*
- High-Performance Constant Power Generation in Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL March 2016 1822-1825*
- High-Performance Grid Simulator Using Parallel Structure Fractional Repetitive Control. *Liu, T.*, +, *TPEL March 2016 2669-2679*
- Highly Accurate Derivatives for LCL-Filtered Grid Converter With Capacitor Voltage Active Damping. *Xin, Z.*, +, *TPEL May 2016 3612-3625*
- Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. *Wen, B.*, +, *TPEL Jan. 2016 26-38*
- Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G.*, +, *TPEL Jan. 2016 235-247*
- Individual Phase Current Control Based on Optimal Zero-Sequence Current Separation for a Star-Connected Cascade STATCOM Under Unbalanced Conditions. *Shi, Y.*, +, *TPEL March 2016 2099-2110*
- Modulation Methods for Three-Level Neutral-Point-Clamped Inverter Achieving Stress Redistribution Under Moderate Modulation Index. *Ma, K.*, +, *TPEL Jan. 2016 5-10*
- New Three-Dimensional Space Vector-Based Switching Signal Generation Technique Without Null Vectors and With Reduced Switching Losses for a Grid-Connected Four-Leg Inverter. *Gohwala, H.*, +, *TPEL Feb. 2016 1026-1035*
- Open-Circuit Fault Diagnosis and Fault-Tolerant Control for a Grid-Connected NPC Inverter. *Choi, U.*, +, *TPEL Oct. 2016 7234-7247*
- Optimal Design of High-Order Passive-Damped Filters for Grid-Connected Applications. *Beres, R.N.*, +, *TPEL March 2016 2083-2098*
- Power-Electronics-Based Energy Management System With Storage. *Oriti, G.*, +, *TPEL Jan. 2016 452-460*
- Pseudo-Derivative-Feedback Current Control for Three-Phase Grid-Connected Inverters With LCL Filters. *Wang, J.*, +, *TPEL May 2016 3898-3912*
- Scaled Current Tracking Control for Doubly Fed Induction Generator to Ride-Through Serious Grid Faults. *Huang, Q.*, +, *TPEL March 2016 2150-2165*
- Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter. *Zhou, Y.*, +, *TPEL Oct. 2016 7043-7052*
- Single-Phase On-Board Integrated Battery Chargers for EVs Based on Multiphase Machines. *Subotic, I.*, +, *TPEL Sept. 2016 6511-6523*
- Single-Phase to Three-Phase Converters With Two Parallel Single-Phase Rectifiers and Reduced Switch Count. *Rocha, N.*, +, *TPEL May 2016 3704-3716*
- Soft-Switching Operation of Isolated Modular DC/DC Converters for Application in HVDC Grids. *Xing, Z.*, +, *TPEL April 2016 2753-2766*
- Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*
- Static and dynamic power system load emulation in a converter-based reconfigurable power grid emulator. *Wang, J.*, +, *TPEL April 2016 3239-3251*
- Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*
- The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L.*, +, *TPEL Aug. 2016 5917-5930*
- Theoretical Comparison in Energy-Balancing Capability Between Star- and Delta-Configured Modular Multilevel Cascade Inverters for Utility-Scale Photovoltaic Systems. *Sochor, P.*, +, *TPEL March 2016 1980-1992*
- Theory and Experiment on an Optimal Carrier Frequency of a Modular Multilevel Cascade Converter With Phase-Shifted PWM. *Sasongko, F.*, +, *TPEL May 2016 3456-3471*
- Tolerance Band Adaptation Method for Dynamic Operation of Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL Dec. 2016 8172-8181*
- Transformerless Photovoltaic Inverter Based on Interleaving High-Frequency Legs Having Bidirectional Capability. *Liu, C.*, +, *TPEL Feb. 2016 1131-1142*
- Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*
- Use of Boundary Control With Second-Order Switching Surface to Reduce the System Order for Deadbeat Controller in Grid-Connected Inverter. *He, Y.*, +, *TPEL March 2016 2638-2653*
- Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators. *Ketzer, M.B.*, +, *TPEL July 2016 4818-4830*

**Power harmonic filters**

- LCL Grid Filter Design of a Multimegawatt Medium-Voltage Converter for Offshore Wind Turbine Using SHEPWM Modulation. *Zabaleta, M.*, +, *TPEL March 2016 1993-2001*
- A Double-Resistive Active Power Filter System to Attenuate Harmonic Voltages of a Radial Power Distribution Feeder. *Sun, X.*, +, *TPEL Sept. 2016 6203-6216*
- A Measurement Method to Solve a Problem of Using DG Interfacing Converters for Selective Load Harmonic Filtering. *He, J.*, +, *TPEL March 2016 1852-1856*
- A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins. *Kanjiya, P.*, +, *TPEL March 2016 2550-2561*
- A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement. *Panigrahi, R.*, +, *TPEL April 2016 2860-2869*
- An Integrated Inductor for Parallel Interleaved Three-Phase Voltage Source Converters. *Gohil, G.*, +, *TPEL May 2016 3400-3414*
- Dynamic Control and Analysis of DC-Capacitor Voltage Fluctuations in Three-Phase Active Power Filters. *Mannen, T.*, +, *TPEL Sept. 2016 6710-6718*
- Enhanced Frequency-Locked Loop With a Comb Filter Under Adverse Grid Conditions. *Liu, H.*, +, *TPEL Dec. 2016 8046-8051*
- Finite Control Set Model Predictive Current Control for Grid-Connected Voltage-Source Converters With LCL Filters: A Study Based on Different State Feedbacks. *Panten, N.*, +, *TPEL July 2016 5189-5200*
- Magnetic Integration for Parallel Interleaved VSCs Connected in a Whiffle-tree Configuration. *Gohil, G.*, +, *TPEL Nov. 2016 7797-7808*
- Modeling, Analysis, and Parameters Design of LC-Filter-Integrated Quasi-Z-Source Indirect Matrix Converter. *Liu, S.*, +, *TPEL Nov. 2016 7544-7555*
- Optimal Design of High-Order Passive-Damped Filters for Grid-Connected Applications. *Beres, R.N.*, +, *TPEL March 2016 2083-2098*
- Piezoelectric Filter Module Used in Harmonics Elimination for High-Efficiency Piezoelectric Transformer Driving. *Ju, B.*, +, *TPEL Jan. 2016 524-532*
- Power Semiconductor Filter: Use of Series-Pass Device in Switching Converters for Filtering Input Current Harmonics. *Fan, W.*, +, *TPEL March 2016 2053-2068*
- Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*
- Transformerless Single-Phase Universal Active Filter With UPS Features and Reduced Number of Electronic Power Switches. *Santos, W.R.N.*, +, *TPEL June 2016 4111-4120*
- Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators. *Ketzer, M.B.*, +, *TPEL July 2016 4818-4830*

**Power HEMT**

- A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*
- Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*

**Power inductors**

- A Bidirectional Three-Phase Push–Pull Converter With Dual Asymmetrical PWM Method. *Kwon, M.*, +, *TPEL March 2016 1887-1895*
- A Fully Integrated Inductor-Based GaN Boost Converter With Self-Generated Switching Signal for Vehicular Applications. *Choi, P.*, +, *TPEL Aug. 2016 5365-5368*
- A Multimode 1-MHz PFC Front End With Digital Peak Current Modulation. *Fernandes, R.*, +, *TPEL Aug. 2016 5694-5708*
- A Novel High Step-Up Dual Switches Converter With Coupled Inductor and Voltage Multiplier Cell for a Renewable Energy System. *Liu, H.*, +, *TPEL July 2016 4974-4983*
- A Novel Method to Predict the Real Operation of Ferrite Inductors With Moderate Saturation in Switching Power Supply Applications. *Di Capua, G.*, +, *TPEL March 2016 2456-2464*

- A Rule-Based Controller to Mitigate DC-Side Second-Order Harmonic Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL Feb. 2016 1665-1679*
- A Three-State Switching Boost Converter Mixed With Magnetic Coupling and Voltage Multiplier Techniques for High Gain Conversion. *Hu, X.*, +, *TPEL April 2016 2991-3001*
- An Enhanced Control Algorithm for Improving the Light-Load Efficiency of Noninverting Synchronous Buck–Boost Converters. *Kim, D.*, +, *TPEL May 2016 3395-3399*
- An Integrated Inductor for Parallel Interleaved Three-Phase Voltage Source Converters. *Gohil, G.*, +, *TPEL May 2016 3400-3414*
- Analysis and Control of M3C-Based UPQC for Power Quality Improvement in Medium/High-Voltage Power Grid. *Xu, Q.*, +, *TPEL Dec. 2016 8182-8194*
- CCM/GM Relative Skip Energy Control and Bidirectional Dynamic Slope Compensation in a Single-Inductor Multiple-Output DC–DC Converter for Wearable Device Power Solution. *Su, Y.*, +, *TPEL Aug. 2016 5871-5884*
- Coupled Inductors in Interleaved Multiphase Three-Level DC–DC Converter for High-Power Applications. *Lu, S.*, +, *TPEL Jan. 2016 120-134*
- Double-Deck Buck-Boost Converter With Soft Switching Operation. *Maali, E.*, +, *TPEL June 2016 4324-4330*
- Elimination of Filter Inductor in Switching Cell AC–AC Converters Using Magnetic Integration. *Khan, A.A.*, +, *TPEL Sept. 2016 6317-6326*
- Evaluation of Iron Loss of AC Filter Inductor Used in Three-Phase PWM Inverters Based on an Iron Loss Analyzer. *Matsumori, H.*, +, *TPEL April 2016 3080-3095*
- High-Efficiency Coupled-Inductor-Based Step-Down Converter. *Wai, R.*, +, *TPEL June 2016 4265-4279*
- High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C.*, +, *TPEL May 2016 3763-3772*
- High-Frequency High-Efficiency GaN-Based Interleaved CRM Bidirectional Buck/Boost Converter with Inverse Coupled Inductor. *Huang, X.*, +, *TPEL June 2016 4343-4352*
- Interleaved High-Conversion-Ratio Bidirectional DC–DC Converter for Distributed Energy-Storage Systems—Circuit Generation, Analysis, and Design. *Wang, Y.*, +, *TPEL Aug. 2016 5547-5561*
- Magnetic Integration of Discrete-Coupled Inductors in Single-Phase Direct PWM AC–AC Converters. *Khan, A.A.*, +, *TPEL March 2016 2129-2138*
- Moment-Based Discontinuous Phasor Transform and its Application to the Steady-State Analysis of Inverters and Wireless Power Transfer Systems. *Scarciotti, G.*, +, *TPEL Dec. 2016 8448-8460*
- Small Signal Analysis of  $V^2$  Control Using Equivalent Circuit Model of Current Mode Controls. *Yan, Y.*, +, *TPEL July 2016 5344-5353*
- Switched-Coupled-Inductor Quasi-Z-Source Inverter. *Ahmed, H.F.*, +, *TPEL Feb. 2016 1241-1254*
- Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter. *Kumar, V.I.*, +, *TPEL Dec. 2016 8461-8470*
- Zero-Voltage Ride-Through Capability of a Transformerless Back-To-Back System Using Modular Multilevel Cascade Converters for Power Distribution Systems. *Khamphakdi, P.*, +, *TPEL April 2016 2730-2741*

**Power integrated circuits**

- An Integrated Bootstrap Diode Emulator for 600-V High Voltage Gate Drive IC With P-Sub/P-Epi Technology. *Zhu, J.*, +, *TPEL Jan. 2016 518-523*
- Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, +, *TPEL April 2016 2695-2708*
- Simulation, Analysis, and Verification of Substrate Currents for Layout Optimization of Smart Power ICs. *Buccella, P.*, +, *TPEL Sept. 2016 6586-6595*
- Tradeoffs Aware Design Procedure for an Adaptively Biased Capacitorless Low Dropout Regulator Using Nested Miller Compensation. *Maity, A.*, +, *TPEL Jan. 2016 369-380*

**Power MOSFET**

- A Physics-Based Compact Model of SiC Power MOSFETs. *Kraus, R.*, +, *TPEL Aug. 2016 5863-5870*
- A Simplified Behavioral MOSFET Model Based on Parameters Extraction for Circuit Simulations. *Turzynski, M.*, +, *TPEL April 2016 3096-3105*

A Three-State Switching Boost Converter Mixed With Magnetic Coupling and Voltage Multiplier Techniques for High Gain Conversion. *Hu, X.*, +, *TPEL April 2016 2991-3001*

A ZVS Grid-Connected Full-Bridge Inverter With a Novel ZVS SPWM Scheme. *Chen, Y.*, +, *TPEL May 2016 3626-3638*

An Active Life Extension Strategy for Thermally Aged Power Switches Based on the Pulse-Width Adjustment Method in Interleaved Converters. *Dusmez, S.*, +, *TPEL July 2016 5149-5160*

An Improved Control Technique of Switching-Frequency-Modulated Power Factor Correctors for Low THD and High Power Factor. *Stepins, D.*, *TPEL July 2016 5201-5214*

Analytical Switching Loss Model for Superjunction MOSFET With Capacitive Nonlinearities and Displacement Currents for DC-DC Power Converters. *Castro, I.*, +, *TPEL March 2016 2485-2495*

Circuit-Based Electrothermal Simulation of Power Devices by an Ultrafast Nonlinear MOR Approach. *Codecasa, L.*, +, *TPEL Aug. 2016 5906-5916*

Design of a Double-Gate Power LDMOS With Improved SOA by Complementary Majority Carrier Conduction Paths. *Du, W.*, +, *TPEL July 2016 5133-5140*

High Switching Performance of 1700-V, 50-A SiC Power MOSFET Over Si IGBT/BiMOSFET for Advanced Power Conversion Applications. *Hazra, S.*, +, *TPEL July 2016 4742-4754*

High-Efficiency Single-Phase AC-AC Converters Without Commutation Problem. *Khan, A.A.*, +, *TPEL Aug. 2016 5655-5665*

Measurement and Characterization Technique for Real-Time Die Temperature Prediction of MOSFET-Based Power Electronics. *Davidson, J.N.*, +, *TPEL June 2016 4378-4388*

On the Design Process of a 6-kVA Quasi-Z-inverter Employing SiC Power Devices. *Zdanowski, M.*, +, *TPEL Nov. 2016 7499-7508*

Power-Loss Prediction of High-Voltage SiC-mosfet Circuits With Compact Model Including Carrier-Trap Influences. *Tanimoto, Y.*, +, *TPEL June 2016 4509-4516*

Temperature-Dependent Short-Circuit Capability of Silicon Carbide Power MOSFETs. *Wang, Z.*, +, *TPEL Feb. 2016 1555-1566*

The Effect of Electrothermal Nonuniformities on Parallel Connected SiC Power Devices Under Unclamped and Clamped Inductive Switching. *Hu, J.*, +, *TPEL June 2016 4526-4535*

ZVS of Power MOSFETs Revisited. *Kasper, M.*, +, *TPEL Dec. 2016 8063-8067*

#### Power overhead lines

A Comprehensive DC Short-Circuit Fault Ride Through Strategy of Hybrid Modular Multilevel Converters (MMCs) for Overhead Line Transmission. *Cui, S.*, +, *TPEL Nov. 2016 7780-7796*

#### Power semiconductor devices

A Transformerless PCB-Based Medium-Voltage Multilevel Power Converter With a DC Capacitor Balancing Circuit. *Solomon, L.A.*, +, *TPEL April 2016 3052-3067*

Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, +, *TPEL Feb. 2016 1576-1587*

Dynamic Modeling Method of Electro-Thermo-Mechanical Degradation in IGBT Modules. *Pedersen, K.B.*, +, *TPEL Feb. 2016 975-986*

Electrothermal Multiscale Modeling and Simulation Concepts for Power Electronics. *Kock, H.*, +, *TPEL April 2016 3128-3140*

Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices. *Ma, K.*, +, *TPEL Oct. 2016 7183-7193*

Power Semiconductor Filter: Use of Series-Pass Device in Switching Converters for Filtering Input Current Harmonics. *Fan, W.*, +, *TPEL March 2016 2053-2068*

#### Power semiconductor diodes

A Novel High Step-Up Dual Switches Converter With Coupled Inductor and Voltage Multiplier Cell for a Renewable Energy System. *Liu, H.*, +, *TPEL July 2016 4974-4983*

An Integrated Bootstrap Diode Emulator for 600-V High Voltage Gate Drive IC With P-Sub/P-Epi Technology. *Zhu, J.*, +, *TPEL Jan. 2016 518-523*

Computationally Efficient Simulation of High-Frequency Transients in Power Electronic Circuits. *Subbiah, A.*, +, *TPEL Sept. 2016 6351-6361*

Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*

On the Design Process of a 6-kVA Quasi-Z-inverter Employing SiC Power Devices. *Zdanowski, M.*, +, *TPEL Nov. 2016 7499-7508*

#### Power semiconductor switches

A Modified Dual Active Bridge Converter With Hybrid Phase-Shift Control for Wide Input Voltage Range. *Shen, Y.*, +, *TPEL Oct. 2016 6884-6900*

A Novel Buck-Boost AC-AC Converter With Both Inverting and Noninverting Operations and Without Commutation Problem. *Ahmed, H.F.*, +, *TPEL June 2016 4241-4251*

A Three-State Switching Boost Converter Mixed With Magnetic Coupling and Voltage Multiplier Techniques for High Gain Conversion. *Hu, X.*, +, *TPEL April 2016 2991-3001*

Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*

High Switching Performance of 1700-V, 50-A SiC Power MOSFET Over Si IGBT/BiMOSFET for Advanced Power Conversion Applications. *Hazra, S.*, +, *TPEL July 2016 4742-4754*

High-Efficiency Coupled-Inductor-Based Step-Down Converter. *Wai, R.*, +, *TPEL June 2016 4265-4279*

High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C.*, +, *TPEL May 2016 3763-3772*

Junction Temperature Extraction Approach With Turn-Off Delay Time for High-Voltage High-Power IGBT Modules. *Luo, H.*, +, *TPEL July 2016 5122-5132*

Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*

Soft-Switching Operation of Isolated Modular DC/DC Converters for Application in HVDC Grids. *Xing, Z.*, +, *TPEL April 2016 2753-2766*

Transformerless Single-Phase Universal Active Filter With UPS Features and Reduced Number of Electronic Power Switches. *Santos, W.R.N.*, +, *TPEL June 2016 4111-4120*

#### Power supplies to apparatus

Stabilization of a Cascaded DC Converter System via Adding a Virtual Adaptive Parallel Impedance to the Input of the Load Converter. *Zhang, X.*, +, *TPEL March 2016 1826-1832*

#### Power supply circuits

A New Multiple-Frequency Small-Signal Model for High-Bandwidth Computer V-Core Regulator Applications. *Hsiao, S.*, +, *TPEL Jan. 2016 733-742*

An Input-Series Flyback Auxiliary Power Supply Scheme Based on Transformer-Integration for High-Input Voltage Applications. *Meng, T.*, +, *TPEL Sept. 2016 6383-6393*

Critical Design Criterion for Achieving Zero Voltage Switching in Inductorless Half-Bridge-Driven Piezoelectric-Transformer-Based Power Supplies. *Foster, M.P.*, +, *TPEL July 2016 5057-5066*

Loss Modeling of Coupled Stripline Microinductors in Power Supply on Chip Applications. *Feeney, C.*, +, *TPEL May 2016 3754-3762*

Optimization of Coupled Stripline Microinductors in Power Supply on Chip Applications. *Feeney, C.*, +, *TPEL Aug. 2016 5805-5813*

Self-Oscillating Tuning Loops for Series Resonant Inductive Power Transfer Systems. *Namadmalan, A.*, *TPEL Oct. 2016 7320-7327*

Stability of Distributed Power Delivery Systems With Multiple Parallel On-Chip LDO Regulators. *Vaisband, I.*, +, *TPEL Aug. 2016 5625-5634*

#### Power supply quality

A Digital Hysteresis Current Controller for Three-Level Neural-Point-Clamped Inverter With Mixed-Levels and Prediction-Based Sampling. *Yi, H.*, +, *TPEL May 2016 3945-3957*

A Generalized Algorithm to Eliminate Spikes of Common-Mode Voltages for CMVRPWM. *Tan, G.*, +, *TPEL Sept. 2016 6698-6709*

A Hybrid Electrical Magnetic Power Quality Compensation System With Minimum Active Compensation Capacity for V/V Cophase Railway Power Supply System. *Chen, B.*, +, *TPEL June 2016 4159-4170*

A Measurement Method to Solve a Problem of Using DG Interfacing Converters for Selective Load Harmonic Filtering. *He, J.*, +, *TPEL March 2016 1852-1856*

- A Novel Ten-Switch Topology for Unified Power Quality Conditioner. *Rauf, A.M.*, +, *TPEL Oct. 2016 6937-6946*
- A Real-Time Variable Turn-Off Current Strategy for a PFC Converter With Voltage Spike Limitation and Efficiency Improvement. *Wu, Q.*, +, *TPEL Dec. 2016 8031-8036*
- A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement. *Panigrahi, R.*, +, *TPEL April 2016 2860-2869*
- A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*
- A Synchronization Method for Single-Phase Grid-Tied Inverters. *Hadjemetriou, L.*, +, *TPEL March 2016 2139-2149*
- A Three-State Switching Boost Converter Mixed With Magnetic Coupling and Voltage Multiplier Techniques for High Gain Conversion. *Hu, X.*, +, *TPEL April 2016 2991-3001*
- A Versatile Unified Power Quality Conditioner Applied to Three-Phase Four-Wire Distribution Systems Using a Dual Control Strategy. *Modesto, R.A.*, +, *TPEL Aug. 2016 5503-5514*
- An AC Z-Source Converter Based on Gamma Structure With Safe-Commutation Strategy. *Banaei, M.R.*, +, *TPEL Feb. 2016 1255-1262*
- An Alternative Approach to LED Driver Design Based on High-Voltage Driving. *Wong, C.S.*, +, *TPEL March 2016 2465-2475*
- An Integrated Inductor for Parallel Interleaved Three-Phase Voltage Source Converters. *Gohil, G.*, +, *TPEL May 2016 3400-3414*
- Analysis and Control of M3C-Based UPQC for Power Quality Improvement in Medium/High-Voltage Power Grid. *Xu, Q.*, +, *TPEL Dec. 2016 8182-8194*
- Analysis of DC-Link Operation Voltage of a Hybrid Railway Power Quality Conditioner and Its PQ Compensation Capability in High-Speed Cophase Traction Power Supply. *Lao, K.*, +, *TPEL Feb. 2016 1643-1656*
- Assessment of the Current-Source, Full-Bridge Inverter as Power Supply for Ozone Generators With High Power Factor in a Single Stage. *Ponce-Silva, M.*, +, *TPEL Dec. 2016 8195-8204*
- Control Strategy for Single-Phase Transformerless Three-Leg Unified Power Quality Conditioner Based on Space Vector Modulation. *Lu, Y.*, +, *TPEL April 2016 2840-2849*
- Control Strategy to Maximize the Power Capability of PV Three-Phase Inverters During Voltage Sags. *Sosa, J.L.*, +, *TPEL April 2016 3314-3323*
- DC Microgrids—Part I: A Review of Control Strategies and Stabilization Techniques. *Dragicevic, T.*, +, *TPEL July 2016 4876-4891*
- Detection of Grid Voltage Fundamental and Harmonic Components Using Kalman Filter and Generalized Averaging Method. *Bagheri, A.*, +, *TPEL Feb. 2016 1064-1073*
- Distributed Voltage Unbalance Compensation in Islanded Microgrids by Using a Dynamic Consensus Algorithm. *Meng, L.*, +, *TPEL Jan. 2016 827-838*
- Dynamic Voltage Restorer Based on Three-Phase Inverters Cascaded Through an Open-End Winding Transformer. *de Almeida Carlos, G.A.*, +, *TPEL Jan. 2016 188-199*
- Enhancement of Performance, Availability, and Flexibility of a Battery Energy Storage System Based on a Modular Multilevel Cascaded Converter (MMCC-SSBC). *Ota, J.I.Y.*, +, *TPEL April 2016 2791-2799*
- Global Synchronous Pulse Width Modulation of Distributed Inverters. *Xu, T.*, +, *TPEL Sept. 2016 6237-6253*
- High-Performance Grid Simulator Using Parallel Structure Fractional Repetitive Control. *Liu, T.*, +, *TPEL March 2016 2669-2679*
- Improved Nearest-Level Modulation for a Modular Multilevel Converter With a Lower Submodule Number. *Lin, L.*, +, *TPEL Aug. 2016 5369-5377*
- Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*
- Linear Regulator Design Considerations of the Serial Linear-Assisted Switching Converter Used as Envelope Amplifier. *Liu, M.*, +, *TPEL May 2016 3673-3689*
- Minimizing Effect of Input Filter Capacitor in a Digital Boundary Conduction Mode Power Factor Corrector Based on Time-Domain Analysis. *Kim, J.*, +, *TPEL May 2016 3827-3836*
- Modulation Methods for Three-Level Neutral-Point-Clamped Inverter Achieving Stress Redistribution Under Moderate Modulation Index. *Ma, K.*, +, *TPEL Jan. 2016 5-10*
- Modulation Strategies Based on Mathematical Construction Method for Multimodular Matrix Converter. *Sun, Y.*, +, *TPEL Aug. 2016 5423-5434*
- On the Power Flow Limits and Control in Series-Connected Custom Power Devices. *Roldan-Perez, J.*, +, *TPEL Oct. 2016 7328-7338*
- Review of Active Power Decoupling Topologies in Single-Phase Systems. *Sun, Y.*, +, *TPEL July 2016 4778-4794*
- Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter. *Zhou, Y.*, +, *TPEL Oct. 2016 7043-7052*
- Sliding-Mode Control for a Three-Phase Unity Power Factor Rectifier Operating at Fixed Switching Frequency. *Guzman, R.*, +, *TPEL Jan. 2016 758-769*
- Smart Grid Connection of an Induction Motor Using a Three-Phase Floating H-bridge System as a Series Compensator. *Leng, S.*, +, *TPEL Oct. 2016 7053-7064*
- Stability of Distributed Power Delivery Systems With Multiple Parallel On-Chip LDO Regulators. *Vaisband, I.*, +, *TPEL Aug. 2016 5625-5634*
- Static and dynamic power system load emulation in a converter-based reconfigurable power grid emulator. *Wang, J.*, +, *TPEL April 2016 3239-3251*
- Three-Level PWM Floating H-Bridge Sinewave Power Inverter for High-Voltage and High-Efficiency Applications. *Michal, V.*, *TPEL June 2016 4065-4074*
- Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*
- Wide Correction Range Three-Level Dynamic Voltage Corrector. *Cao, J.*, +, *TPEL Sept. 2016 6217-6225*
- Zero-Voltage Ride-Through Capability of a Transformerless Back-To-Back System Using Modular Multilevel Cascade Converters for Power Distribution Systems. *Khamphakdi, P.*, +, *TPEL April 2016 2730-2741*
- Power system control**
- A Modified Reference of an Intermediate Bus Capacitor Voltage-Based Second-Harmonic Current Reduction Method for a Standalone Photovoltaic Power System. *Wang, W.*, +, *TPEL Aug. 2016 5562-5573*
- A Novel Control to Achieve Optimal Reduction of the E-Cap's Ripple Current for Discontinuous-Conduction Mode Boost PFC Converter. *Yao, K.*, +, *TPEL June 2016 4331-4342*
- An Improved Control Technique of Switching-Frequency-Modulated Power Factor Correctors for Low THD and High Power Factor. *Stepins, D.*, *TPEL July 2016 5201-5214*
- An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*
- Analysis and Control of M3C-Based UPQC for Power Quality Improvement in Medium/High-Voltage Power Grid. *Xu, Q.*, +, *TPEL Dec. 2016 8182-8194*
- Analysis of D-Q Small-Signal Impedance of Grid-Tied Inverters. *Wen, B.*, +, *TPEL Jan. 2016 675-687*
- Control of a Small Wind Turbine in the High Wind Speed Region. *Lumberras, C.*, +, *TPEL Oct. 2016 6980-6991*
- Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G.*, +, *TPEL Jan. 2016 235-247*
- Power-Electronics-Based Energy Management System With Storage. *Oriti, G.*, +, *TPEL Jan. 2016 452-460*
- Power system dynamic stability**
- All-Digital Low-Dropout Regulator With Adaptive Control and Reduced Dynamic Stability for Digital Load Circuits. *Nasir, S.B.*, +, *TPEL Dec. 2016 8293-8302*
- Multiple-Time-Scales Hierarchical Frequency Stability Control Strategy of Medium-Voltage Isolated Microgrid. *Zhao, Z.*, +, *TPEL Aug. 2016 5974-5991*
- Power system faults**
- Analysis and Design of DC System Protection Using Z-Source Circuit Breaker. *Chang, A.H.*, +, *TPEL Feb. 2016 1036-1049*

Comparative Performance Evaluation of Orthogonal-Signal-Generators-Based Single-Phase PLL Algorithms—A Survey. *Han, Y.*, +, *TPEL May 2016 3932-3944*

Control of Doubly-Fed Induction Generator to Ride-Through Recurring Grid Faults. *Chen, W.*, +, *TPEL July 2016 4831-4846*

Detection of Grid Voltage Fundamental and Harmonic Components Using Kalman Filter and Generalized Averaging Method. *Bagheri, A.*, +, *TPEL Feb. 2016 1064-1073*

#### Power system harmonics

Detection of Grid Voltage Fundamental and Harmonic Components Using Kalman Filter and Generalized Averaging Method. *Bagheri, A.*, +, *TPEL Feb. 2016 1064-1073*

Enhanced Frequency-Locked Loop With a Comb Filter Under Adverse Grid Conditions. *Liu, H.*, +, *TPEL Dec. 2016 8046-8051*

Estimation of Single-Phase Grid Voltage Parameters With Zero Steady-State Error. *Dai, Z.*, +, *TPEL May 2016 3867-3879*

Modulation and Control of Transformerless UPFC. *Yang, S.*, +, *TPEL Feb. 2016 1050-1063*

Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications. *Darwish, A.*, +, *TPEL Dec. 2016 8218-8236*

Theoretical Comparison in Energy-Balancing Capability Between Star- and Delta-Configured Modular Multilevel Cascade Inverters for Utility-Scale Photovoltaic Systems. *Sochor, P.*, +, *TPEL March 2016 1980-1992*

Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*

#### Power system interconnection

A Hybrid Estimator for Active/Reactive Power Control of Single-Phase Distributed Generation Systems With Energy Storage. *Pahlevani, M.*, +, *TPEL April 2016 2919-2936*

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

#### Power system management

A 300-mV Low-Power Management System for Energy Harvesting Applications. *Dallago, E.*, +, *TPEL March 2016 2273-2281*

#### Power system reliability

Analysis and Design of DC System Protection Using Z-Source Circuit Breaker. *Chang, A.H.*, +, *TPEL Feb. 2016 1036-1049*

Assessment of Fault Tolerance in Modular Multilevel Converters With Integrated Energy Storage. *Soong, T.*, +, *TPEL June 2016 4085-4095*

Comparative Performance Evaluation of Orthogonal-Signal-Generators-Based Single-Phase PLL Algorithms—A Survey. *Han, Y.*, +, *TPEL May 2016 3932-3944*

Control Strategy to Maximize the Power Capability of PV Three-Phase Inverters During Voltage Sags. *Sosa, J.L.*, +, *TPEL April 2016 3314-3323*

Power-Electronics-Based Energy Management System With Storage. *Oriti, G.*, +, *TPEL Jan. 2016 452-460*

#### Power system restoration

Control Architecture for Parallel-Connected Inverters in Uninterruptible Power Systems. *Zhang, C.*, +, *TPEL July 2016 5176-5188*

#### Power system simulation

Closed-Form Oriented Modeling and Analysis of Wireless Power Transfer System With Constant-Voltage Source and Load. *Zhang, Y.*, +, *TPEL May 2016 3472-3481*

#### Power system stability

A Bidirectional Multiple-Input Multiple-Output Modular Multilevel DC-DC Converter and its Control Design. *Filsoof, K.*, +, *TPEL April 2016 2767-2779*

A Unified Virtual Power Decoupling Method for Droop-Controlled Parallel Inverters in Microgrids. *Wu, T.*, +, *TPEL Aug. 2016 5587-5603*

Adaptive Ramp Technique for Controlling Chaos and Subharmonic Oscillations in DC-DC Power Converters. *Morcillo, J.D.*, +, *TPEL July 2016 5330-5343*

Delay-Dependent Stability of Single-Loop Controlled Grid-Connected Inverters with LCL Filters. *Wang, J.*, +, *TPEL Jan. 2016 743-757*

Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. *Wen, B.*, +, *TPEL Jan. 2016 26-38*

Mathematical Modeling and Control of a Cost Effective AC Voltage Stabilizer. *Liu, H.*, +, *TPEL Nov. 2016 8007-8016*

Online and Offline Stability Analysis Methods for the Power Electronic-Based Components in Design and Operational Stages. *Salmani, M.*, +, *TPEL April 2016 3151-3164*

Stability Analysis of Boundary and Hybrid Controllers for Indirect Energy Transfer Converters. *Kirshenboim, O.*, +, *TPEL April 2016 3360-3371*

Stabilization of a Cascaded DC Converter System via Adding a Virtual Adaptive Parallel Impedance to the Input of the Load Converter. *Zhang, X.*, +, *TPEL March 2016 1826-1832*

Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*

Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter. *Kumar, V.I.*, +, *TPEL Dec. 2016 8461-8470*

Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. *Tian, S.*, +, *TPEL Feb. 2016 1734-1744*

VRSPV Soft-Start Strategy and AICS Technique for Boost Converters to Improve the Start-Up Performance. *Fan, S.*, +, *TPEL May 2016 3663-3672*

#### Power system state estimation

Fault Diagnosis and Tolerant Control of Single IGBT Open-Circuit Failure in Modular Multilevel Converters. *Li, B.*, +, *TPEL April 2016 3165-3176*

#### Power system transient stability

All-Digital Low-Dropout Regulator With Adaptive Control and Reduced Dynamic Stability for Digital Load Circuits. *Nasir, S.B.*, +, *TPEL Dec. 2016 8293-8302*

Control Architecture for Parallel-Connected Inverters in Uninterruptible Power Systems. *Zhang, C.*, +, *TPEL July 2016 5176-5188*

#### Power system transients

Control of Doubly-Fed Induction Generator to Ride-Through Recurring Grid Faults. *Chen, W.*, +, *TPEL July 2016 4831-4846*

Doubly Fed Induction Generator Wind Turbine Systems Subject to Recurring Symmetrical Grid Faults. *Chen, W.*, +, *TPEL Feb. 2016 1143-1160*

Scaled Current Tracking Control for Doubly Fed Induction Generator to Ride-Through Serious Grid Faults. *Huang, Q.*, +, *TPEL March 2016 2150-2165*

Theory and Experiment on an Optimal Carrier Frequency of a Modular Multilevel Cascade Converter With Phase-Shifted PWM. *Sasongko, F.*, +, *TPEL May 2016 3456-3471*

Tolerance Band Adaptation Method for Dynamic Operation of Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL Dec. 2016 8172-8181*

#### Power systems planning

Editorial Special Issue on Impedance-Source Converter Topologies and Applications. *Vinnikov, D.*, +, *TPEL Nov. 2016 7417-7418*

#### Power transformer protection

An Inductive Power Transfer System for Driving Multiple OLED Light Panels. *Zhou, R.*, +, *TPEL Oct. 2016 7131-7147*

#### Power transformers

A 50-kVA Three-Phase Solid-State Transformer Based on the Minimal Topology: Dyna-C. *Chen, H.*, +, *TPEL Dec. 2016 8126-8137*

A General Design Method of Primary Compensation Network for Dynamic WPT System Maintaining Stable Transmission Power. *Zhao, J.*, +, *TPEL Dec. 2016 8343-8358*

A Modular and Scalable Structure Using Multiparallel-Connected Series-Voltage Compensators for Supply Voltage Regulation. *Cheung, V.S.*, +, *TPEL June 2016 4096-4110*

A Novel Multiple-Frequency Resonant Inverter for Induction Heating Applications. *Bi, C.*, +, *TPEL Dec. 2016 8162-8171*

A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*

A Novel Variable Reactor and Its Application to Shunt Power Quality Controller. *Li, D.*, +, *TPEL June 2016 4148-4158*

A Passive Flyback Auxiliary Circuit With Integrated Transformer Suitable for Three-Phase Isolated Full-Bridge Boost PFC Converter. *Meng, T.*, +, *TPEL July 2016 4995-5003*

A Three-Phase Bidirectional AC/DC Converter With Y- $\Delta$  Connected Transformers. *Gu, L.*, +, *TPEL Dec. 2016 8115-8125*

AC Winding Loss of Phase-Shifted Coupled Windings. *Feeney, C.*, +, *TPEL Feb. 2016 1472-1478*

An Adaptive Current Injection Scheme for Resonant Capacitor of LLC Resonant Converters With Suppressed Frequency Variation. *Qian, T.*, *TPEL Dec. 2016 8074-8080*

Assessment of the Current-Source, Full-Bridge Inverter as Power Supply for Ozone Generators With High Power Factor in a Single Stage. *Ponce-Silva, M.*, +, *TPEL Dec. 2016 8195-8204*

Control and Experiment of an H-Bridge-Based Three-Phase Three-Stage Modular Power Electronic Transformer. *Wang, X.*, +, *TPEL March 2016 2002-2011*

Galvanic Isolation for High-Frequency Applications Using an Integrated Dielectric Structure. *Amanci, A.Z.*, +, *TPEL Aug. 2016 5797-5804*

High-Efficiency DAB Converter Using Switching Sequences and Burst Mode. *Oggier, G.G.*, +, *TPEL March 2016 2069-2082*

High-Frequency-Link DC Transformer Based on Switched Capacitor for Medium-Voltage DC Power Distribution Application. *Zhao, B.*, +, *TPEL July 2016 4766-4777*

High-Order Resonant Converter Topology With Extremely Low-Coupling Contactless Transformers. *Thenathayalan, D.*, +, *TPEL March 2016 2347-2361*

Hybrid Modulation Scheme for a High-Frequency AC-Link Inverter. *Mazumder, S.K.*, *TPEL Jan. 2016 861-870*

Hybrid PWM-Resonant Converter for Electric Vehicle On-Board Battery Chargers. *Lee, I.*, *TPEL May 2016 3639-3649*

Investigation of Transformer Winding Architectures for High-Voltage (2.5 kV) Capacitor Charging and Discharging Applications. *Thummala, P.*, +, *TPEL Aug. 2016 5786-5796*

Investigation of Transformer-Based Solutions for the Reduction of Inrush and Phase-Hop Currents. *Dogan, R.*, +, *TPEL May 2016 3506-3516*

Magnetic-Coupling Current-Balancing Cells Based Input-Parallel Output-Parallel LLC Resonant Converter Modules for High-Frequency Isolation of DC Distribution Systems. *Liu, C.*, +, *TPEL Oct. 2016 6968-6979*

Modeling and Control of a Multiport Power Electronic Transformer (PET) for Electric Traction Applications. *Gu, C.*, +, *TPEL Feb. 2016 915-927*

Online and Offline Stability Analysis Methods for the Power Electronic-Based Components in Design and Operational Stages. *Salmani, M.*, +, *TPEL April 2016 3151-3164*

Optimal Design of High-Order Passive-Damped Filters for Grid-Connected Applications. *Beres, R.N.*, +, *TPEL March 2016 2083-2098*

Piezoelectric Filter Module Used in Harmonics Elimination for High-Efficiency Piezoelectric Transformer Driving. *Ju, B.*, +, *TPEL Jan. 2016 524-532*

Power and Voltage Balance Control of a Novel Three-Phase Solid-State Transformer Using Multilevel Cascaded H-Bridge Inverters for Microgrid Applications. *Wang, L.*, +, *TPEL April 2016 3289-3301*

Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. *Yu, Y.*, +, *TPEL Jan. 2016 292-303*

Single-Stage Three-Phase Differential-Mode Buck-Boost Inverters With Continuous Input Current for PV Applications. *Darwish, A.*, +, *TPEL Dec. 2016 8218-8236*

Transformation and Load Parameters of the Disk Piezoelectric Transformer. *Erhart, J.*, *TPEL March 2016 2437-2442*

Transformer-Based Equalization Circuit Applied to  $n$ -Number of High Capacitance Cells. *Lambert, S.M.*, +, *TPEL Feb. 2016 1334-1343*

#### Power transistors

A High-Efficiency Current-Mode Buck Converter With a Power-Loss-Aware Switch-On-Demand Modulation Technique for Multifunction SoCs. *Huang, C.*, +, *TPEL Dec. 2016 8303-8316*

A Low-Voltage Ride-Through Technique for Grid-Connected Converters With Reduced Power Transistors Stress. *Chen, H.*, +, *TPEL Dec. 2016 8562-8571*

Design and Analysis of an Adaptively Biased Low-Dropout Regulator Using Enhanced Current Mirror Buffer. *Maity, A.*, +, *TPEL March 2016 2324-2336*

Gate and Base Drivers for Silicon Carbide Power Transistors: An Overview. *Peftitsis, D.*, +, *TPEL Oct. 2016 7194-7213*

IGBT Junction Temperature Measurement via Peak Gate Current. *Baker, N.*, +, *TPEL May 2016 3784-3793*

#### Power transmission

Ultrahigh Step-up DC-DC Converter for Distributed Generation by Three Degrees of Freedom (3DoF) Approach. *Hu, Y.*, +, *TPEL July 2016 4930-4941*

#### Power transmission control

Stability Analysis of Boundary and Hybrid Controllers for Indirect Energy Transfer Converters. *Kirshenboim, O.*, +, *TPEL April 2016 3360-3371*

Tolerance Band Adaptation Method for Dynamic Operation of Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL Dec. 2016 8172-8181*

Wireless Power Transfer With Automatic Feedback Control of Load Resistance Transformation. *Ahn, D.*, +, *TPEL Nov. 2016 7876-7886*

#### Power transmission faults

A Comprehensive DC Short-Circuit Fault Ride Through Strategy of Hybrid Modular Multilevel Converters (MMCs) for Overhead Line Transmission. *Cui, S.*, +, *TPEL Nov. 2016 7780-7796*

Tolerance Band Adaptation Method for Dynamic Operation of Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL Dec. 2016 8172-8181*

#### Prediction theory

A Digital Hysteresis Current Controller for Three-Level Neural-Point-Clamped Inverter With Mixed-Levels and Prediction-Based Sampling. *Yi, H.*, +, *TPEL May 2016 3945-3957*

#### Predictive control

A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM. *Vafaie, M.H.*, +, *TPEL May 2016 3738-3753*

A Simple Model Predictive Power Control Strategy for Single-Phase PWM Converters With Modulation Function Optimization. *Song, W.*, +, *TPEL July 2016 5279-5289*

Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction. *Song, W.*, +, *TPEL Jan. 2016 721-732*

Delay-Dependent Stability of Single-Loop Controlled Grid-Connected Inverters with LCL Filters. *Wang, J.*, +, *TPEL Jan. 2016 743-757*

Dynamic Loss Minimization of Finite Control Set-Model Predictive Torque Control for Electric Drive System. *Xie, W.*, +, *TPEL Jan. 2016 849-860*

Efficient Implicit Model-Predictive Control of a Three-Phase Inverter With an Output LC Filter. *Nauman, M.*, +, *TPEL Sept. 2016 6075-6078*

Finite Control Set Model Predictive Current Control for Grid-Connected Voltage-Source Converters With LCL Filters: A Study Based on Different State Feedbacks. *Panten, N.*, +, *TPEL July 2016 5189-5200*

FPGA-Based Experimental Investigation of a Quasi-Centralized Model Predictive Control for Back-to-Back Converters. *Zhang, Z.*, +, *TPEL Jan. 2016 662-674*

Grouping-Sorting-Optimized Model Predictive Control for Modular Multilevel Converter With Reduced Computational Load. *Liu, P.*, +, *TPEL March 2016 1896-1907*

High Weighted Efficiency in Single-Phase Solar Inverters by a Variable-Frequency Peak Current Controller. *Levron, Y.*, +, *TPEL Jan. 2016 248-257*

Model Predictive Control of Load-Commutated Inverter-Fed Synchronous Machines. *Besselmann, T.J.*, +, *TPEL Oct. 2016 7384-7393*

Model Predictive-Based Maximum Power Point Tracking for Grid-Tied Photovoltaic Applications Using a Z-Source Inverter. *Sajadian, S.*, +, *TPEL Nov. 2016 7611-7620*

Performance Improvement of Two-Vectors-Based Model Predictive Control of PWM Rectifier. *Zhang, Y.*, +, *TPEL Aug. 2016 6016-6030*

Predictive Duty Cycle Control of Three-Phase Active-Front-End Rectifiers. *Song, Z.*, +, *TPEL Jan. 2016 698-710*

Pseudo-Constant Switching Frequency in On-Time Controlled Buck Converter with Predicting Correction Techniques. *Chen, W.*, +, *TPEL May 2016 3650-3662*

Sequence-Based Control of an Isolated DC/AC Matrix Converter. *Tajfar, A.*, +, *TPEL Feb. 2016 1757-1773*

- Two-Vector-Based Model Predictive Torque Control Without Weighting Factors for Induction Motor Drives. *Zhang, Y.*, +, *TPEL Feb. 2016 1381-1390*
- Virtual-Flux-Based Predictive Direct Power Control of Three-Phase PWM Rectifiers With Fast Dynamic Response. *Cho, Y.*, +, *TPEL April 2016 3348-3359*
- Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*
- Predictor-corrector methods**
- Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, +, *TPEL Feb. 2016 1576-1587*
- Printed circuit design**
- 3-D-Printed Air-Core Inductors for High-Frequency Power Converters. *Liang, W.*, +, *TPEL Jan. 2016 52-64*
- Printed circuits**
- 3-D-Printed Air-Core Inductors for High-Frequency Power Converters. *Liang, W.*, +, *TPEL Jan. 2016 52-64*
- A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*
- A Transformerless PCB-Based Medium-Voltage Multilevel Power Converter With a DC Capacitor Balancing Circuit. *Solomon, L.A.*, +, *TPEL April 2016 3052-3067*
- Implementation of a Nonlinear Planar Magnetics Model. *Tria, L.A.R.*, +, *TPEL Sept. 2016 6534-6542*
- VRSPV Soft-Start Strategy and AICS Technique for Boost Converters to Improve the Start-Up Performance. *Fan, S.*, +, *TPEL May 2016 3663-3672*
- Printing**
- 3-D-Printed Air-Core Inductors for High-Frequency Power Converters. *Liang, W.*, +, *TPEL Jan. 2016 52-64*
- Probability**
- Suppression of Real Power Back Flow of Nonregenerative Cascaded H-Bridge Inverters Operating Under Faulty Conditions. *Sun, L.*, +, *TPEL July 2016 5161-5175*
- The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L.*, +, *TPEL Aug. 2016 5917-5930*
- Probes**
- Characterization Method of SiC-JFET Interelectrode Capacitances in Linear Region. *Li, K.*, +, *TPEL Feb. 2016 1528-1540*
- Proportional control**
- Modeling, Modulation, and Control of the Three-Phase Four-Switch PWM Rectifier Under Balanced Voltage. *Zeng, Z.*, +, *TPEL July 2016 4892-4905*
- Protocols**
- A Capacitor Voltage Balancing Method With Fundamental Sorting Frequency for Modular Multilevel Converters Under Staircase Modulation. *Peng, H.*, +, *TPEL Nov. 2016 7809-7822*
- Pulse frequency modulation**
- A DCM-Only Buck Regulator With Hysteretic-Assisted Adaptive Minimum-On-Time Control for Low-Power Microcontrollers. *Fu, W.*, +, *TPEL Jan. 2016 418-429*
- An Interleaved PFM LLC Resonant Converter With Phase-Shift Compensation. *Murata, K.*, +, *TPEL March 2016 2264-2272*
- Pulse width modulation**
- Novel PWM Schemes With Multi SVPWM of Sensorless IPMSM Drives for Reducing Current Ripple. *Gu, M.*, +, *TPEL Sept. 2016 6461-6475*
- PWM inverters**
- A Capacitor Voltage-Balancing Method for Nested Neutral Point Clamped (NNPC) Inverter. *Tian, K.*, +, *TPEL March 2016 2575-2583*
- A Generalized Algorithm to Eliminate Spikes of Common-Mode Voltages for CMVRPWM. *Tan, G.*, +, *TPEL Sept. 2016 6698-6709*
- A New SVPWM for the Phase Current Reconstruction of Three-Phase Three-level T-type Converters. *Li, X.*, +, *TPEL March 2016 2627-2637*
- A Novel Five-Level Voltage Source Inverter With Sinusoidal Pulse Width Modulator for Medium-Voltage Applications. *Narimani, M.*, +, *TPEL March 2016 1959-1967*
- A Real-Time Multiple Open-Circuit Fault Diagnosis Method in Voltage-Source-Inverter Fed Vector Controlled Drives. *Wu, F.*, +, *TPEL Feb. 2016 1425-1437*
- A ZVS Grid-Connected Full-Bridge Inverter With a Novel ZVS SPWM Scheme. *Chen, Y.*, +, *TPEL May 2016 3626-3638*
- Adapted NSPWM for Single DC-Link Dual-Inverter Fed Open-End Motor With Negligible Low-Order Harmonics and Efficiency Enhancement. *Kia-dehi, A.D.*, +, *TPEL Dec. 2016 8271-8281*
- An FPGA-Based Advanced Control Strategy of a Grid-Tied PV CHB Inverter. *Coppola, M.*, +, *TPEL Jan. 2016 806-816*
- An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*
- An Open-Switch Fault Diagnosis Method for Single-Phase PWM Rectifier Using a Model-Based Approach in High-Speed Railway Electrical Traction Drive System. *Gou, B.*, +, *TPEL May 2016 3816-3826*
- Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells. *Melin, P.E.*, +, *TPEL Sept. 2016 6122-6133*
- Analysis and Design of Modified Half-Bridge Series-Resonant Inverter With DC-Link Neutral-Point-Clamped Cell. *Ryu, S.*, +, *TPEL March 2016 2282-2295*
- Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*
- Division-Summation Current Control and One-Cycle Voltage Regulation of the Surface-Mounted Permanent-Magnet Synchronous Generator. *Chang, Y.*, +, *TPEL Feb. 2016 1391-1400*
- Dual-Space Vector Control of Open-End Winding Permanent Magnet Synchronous Motor Drive Fed by Dual Inverter. *An, Q.*, +, *TPEL Dec. 2016 8329-8342*
- Dynamic Voltage Restorer Based on Three-Phase Inverters Cascaded Through an Open-End Winding Transformer. *de Almeida Carlos, G.A.*, +, *TPEL Jan. 2016 188-199*
- Eliminated common-mode voltage pulsewidth modulation to reduce output current ripple for multilevel inverters. *Nguyen, T.T.*, +, *TPEL Aug. 2016 5952-5966*
- Evaluation of Iron Loss of AC Filter Inductor Used in Three-Phase PWM Inverters Based on an Iron Loss Analyzer. *Matsumori, H.*, +, *TPEL April 2016 3080-3095*
- Field Weakening Strategy for a Vector-Controlled Induction Motor Drive Near the Six-Step Mode of Operation. *Sahoo, S.K.*, +, *TPEL April 2016 3043-3051*
- Fourth-Arm Common-Mode Voltage Mitigation. *Dagan, K.J.*, +, *TPEL Feb. 2016 1401-1407*
- Global Synchronous Pulse Width Modulation of Distributed Inverters. *Xu, T.*, +, *TPEL Sept. 2016 6237-6253*
- Modulation Strategy for Multiphase Neutral-Point-Clamped Converters. *Lopez, I.*, +, *TPEL Feb. 2016 928-941*
- Multidimensional Space-Vector PWM Algorithm Using Branch Space Voltage Vector. *Li, B.*, +, *TPEL Dec. 2016 8517-8527*
- On the Design Process of a 6-kVA Quasi-Z-inverter Employing SiC Power Devices. *Zdanowski, M.*, +, *TPEL Nov. 2016 7499-7508*
- One-Dimensional Spectral Analysis Techniques for Multilevel PWM Strategies. *McGrath, B.*, +, *TPEL Oct. 2016 6910-6919*
- Optimized Common-Mode Voltage Reduction PWM for Three-Phase Voltage-Source Inverters. *Wu, X.*, +, *TPEL April 2016 2959-2969*
- PWM Strategy With Minimum Harmonic Distortion for Dual Three-Phase Permanent-Magnet Synchronous Motor Drives Operating in the Overmodulation Region. *Zhou, C.*, +, *TPEL Feb. 2016 1367-1380*
- Reduction of Common-Mode Voltage in Multiphase Two-Level Inverters Using SPWM With Phase-Shifted Carriers. *Liu, Z.*, +, *TPEL Sept. 2016 6631-6645*
- Selective Voltage Noise Cancellation in Three-Phase Inverter Using Random SVPWM. *Peyghambari, A.*, +, *TPEL June 2016 4604-4610*
- Simplified Three-Level Five-Phase SVPWM. *Sakthisudhursun, B.*, +, *TPEL March 2016 2429-2436*
- Space-Vector PWM With Common-Mode Voltage Elimination for Multiphase Drives. *Lopez, O.*, +, *TPEL Dec. 2016 8151-8161*

- Static Synchronous Generator Model: A New Perspective to Investigate Dynamic Characteristics and Stability Issues of Grid-Tied PWM Inverter. *Xiong, L.*, +, *TPEL Sept. 2016 6264-6280*
- Synchronized Space-Vector PWM for Three-Level VSI With Lower Harmonic Distortion and Switching Frequency. *Chen, W.*, +, *TPEL Sept. 2016 6428-6441*
- Three-Level PWM Floating H-Bridge Sinewave Power Inverter for High-Voltage and High-Efficiency Applications. *Michal, V.*, *TPEL June 2016 4065-4074*
- Time-Offset Injection Method for Neutral-Point AC Ripple Voltage Reduction in a Three-Level Inverter. *Lee, J.*, +, *TPEL March 2016 1931-1941*
- Transformerless Photovoltaic Inverter Based on Interleaving High-Frequency Legs Having Bidirectional Capability. *Liu, C.*, +, *TPEL Feb. 2016 1131-1142*
- Voltage Balancing Control of a Four-Level Hybrid-Clamped Converter Based on Zero-Sequence Voltage Injection Using Phase-Shifted PWM. *Wang, K.*, +, *TPEL Aug. 2016 5389-5399*
- PWM power converters**
- LCL Grid Filter Design of a Multimewatt Medium-Voltage Converter for Offshore Wind Turbine Using SHEPWM Modulation. *Zabaleta, M.*, +, *TPEL March 2016 1993-2001*
- A Bidirectional Three-Level LLC Resonant Converter With PWAM Control. *Jiang, T.*, +, *TPEL March 2016 2213-2225*
- A Bidirectional Three-Phase Push–Pull Converter With Dual Asymmetrical PWM Method. *Kwon, M.*, +, *TPEL March 2016 1887-1895*
- A Natural-Sampling-Based SVM Scheme for Current Source Converter With Superior Low-Order Harmonics Performance. *Wei, Q.*, +, *TPEL Sept. 2016 6144-6154*
- A Novel Five-Level Voltage Source Inverter With Sinusoidal Pulse Width Modulator for Medium-Voltage Applications. *Narimani, M.*, +, *TPEL March 2016 1959-1967*
- A Novel PWM High Voltage Conversion Ratio Bidirectional Three-Phase DC/DC Converter With Y– $\Delta$  Connected Transformer. *Jin, K.*, +, *TPEL Jan. 2016 81-88*
- A Novel SVPWM Algorithm for Five-Level Active Neutral-Point-Clamped Converter. *Liu, Z.*, +, *TPEL May 2016 3859-3866*
- A Reference Modification Model Digitally Controlled DC–DC Converter for Improvement of Transient Response. *Kurokawa, F.*, +, *TPEL Jan. 2016 871-883*
- A Simple Model Predictive Power Control Strategy for Single-Phase PWM Converters With Modulation Function Optimization. *Song, W.*, +, *TPEL July 2016 5279-5289*
- A Simplified Equivalent Circuit Model of Series Resonant Converter. *Tian, S.*, +, *TPEL May 2016 3922-3931*
- A Simplified PWM Strategy for a Neutral-Point-Clamped (NPC) Three-Level Converter With Unbalanced DC Links. *Ye, Z.*, +, *TPEL April 2016 3227-3238*
- A ZVS Pulsewidth Modulation Full-Bridge Converter With a Low-RMS-Current Resonant Auxiliary Circuit. *Safaei, A.*, +, *TPEL June 2016 4031-4047*
- Active DC-Link Capacitor Harmonic Current Reduction in Two-Level Back-to-Back Converter. *Shen, L.*, +, *TPEL Oct. 2016 6947-6954*
- An Active Voltage-Balancing Method Based on Phase-Shifted PWM for Stacked Multicell Converters. *Ghias, A.M.Y.M.*, +, *TPEL March 2016 1921-1930*
- An Improved Phase-Shifted Carrier Modulation for Modular Multilevel Converter to Suppress the Influence of Fluctuation of Capacitor Voltage. *Huang, M.*, +, *TPEL Oct. 2016 7404-7416*
- An SD Card Flash-Memory-Based Implementation of a Multiobjective Three-Phase PWM Generator. *Neacsu, D.O.*, +, *TPEL Jan. 2016 39-51*
- Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells. *Melin, P.E.*, +, *TPEL Sept. 2016 6122-6133*
- Application of an Advanced Repetitive Controller to Mitigate Harmonics in MMC With APOD Scheme. *Madichetty, S.*, +, *TPEL Sept. 2016 6112-6121*
- Canonical Model and Design Methodology for LLC DC/DC Converter With Constant Current Operation Capability Under Shorted Load. *Duan, F.*, +, *TPEL Oct. 2016 6870-6883*
- Control and Modulation of Bidirectional Single-Phase AC–DC Three-Phase-Leg SPWM Converters With Active Power Decoupling and Minimal Storage Capacitance. *Wu, H.*, +, *TPEL June 2016 4226-4240*
- Control Strategy for Single-Phase Transformerless Three-Leg Unified Power Quality Conditioner Based on Space Vector Modulation. *Lu, Y.*, +, *TPEL April 2016 2840-2849*
- Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction. *Song, W.*, +, *TPEL Jan. 2016 721-732*
- Decoding and Synthesizing Transformerless PWM Converters. *Wu, T.*, *TPEL Sept. 2016 6293-6304*
- Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*
- Dynamic Voltage Balancing Algorithm for Modular Multilevel Converter: A Unique Solution. *Dekka, A.*, +, *TPEL Feb. 2016 952-963*
- Fundamental Duty Modulation of Dual-Active-Bridge Converter for Wide-Range Operation. *Choi, W.*, +, *TPEL June 2016 4048-4064*
- Hybrid PWM-Resonant Converter for Electric Vehicle On-Board Battery Chargers. *Lee, I.*, *TPEL May 2016 3639-3649*
- Improved Nearest-Level Modulation for a Modular Multilevel Converter With a Lower Submodule Number. *Lin, L.*, +, *TPEL Aug. 2016 5369-5377*
- Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*
- Interleaved Digital Power Factor Correction Based on the Sliding-Mode Approach. *Marcos-Pastor, A.*, +, *TPEL June 2016 4641-4653*
- Low Sampling Rate Online Parameters Monitoring of DC–DC Converters for Predictive-Maintenance Using Biogeography-Based Optimization. *Li, B.X.*, +, *TPEL April 2016 2870-2879*
- Magnetic Integration of Discrete-Coupled Inductors in Single-Phase Direct PWM AC–AC Converters. *Khan, A.A.*, +, *TPEL March 2016 2129-2138*
- Modulation Strategies Based on Mathematical Construction Method for Multimodular Matrix Converter. *Sun, Y.*, +, *TPEL Aug. 2016 5423-5434*
- On Improving Phase-Shifted PWM for Flying Capacitor Multilevel Converters. *Ghias, A.M.Y.M.*, +, *TPEL Aug. 2016 5384-5388*
- Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor. *Gan, C.*, +, *TPEL Oct. 2016 7248-7263*
- Piecewise Average-Value Model of PWM Converters With Applications to Large-Signal Transient Simulations. *Xu, Y.*, +, *TPEL Feb. 2016 1304-1321*
- Piezoelectric Filter Module Used in Harmonics Elimination for High-Efficiency Piezoelectric Transformer Driving. *Ju, B.*, +, *TPEL Jan. 2016 524-532*
- Quasi Two-Level PWM Operation of an MMC Phase Leg With Reduced Module Capacitance. *Mertens, A.*, +, *TPEL Oct. 2016 6765-6769*
- Reconfigurable Periodic Bifrequency DPWM With Custom Harmonic Reduction in DC–DC Converters. *Kapat, S.*, *TPEL April 2016 3380-3388*
- Second-Order Sliding-Mode Controlled Synchronous Buck DC–DC Converter. *Ling, R.*, +, *TPEL March 2016 2539-2549*
- Secondary-Side-Regulated Soft-Switching Full-Bridge Three-Port Converter Based on Bridgeless Boost Rectifier and Bidirectional Converter for Multiple Energy Interface. *Wu, H.*, +, *TPEL July 2016 4847-4860*
- Series-Input Parallel-Output Modular-Phase DC–DC Converter With Soft-Switching and High-Frequency Isolation. *Mohammadpour, A.*, +, *TPEL Jan. 2016 111-119*
- Small-Signal Modeling and Comprehensive Analysis of Magnetically Coupled Impedance-Source Converters. *Forouzes, M.*, +, *TPEL Nov. 2016 7621-7641*
- Theory and Experiment on an Optimal Carrier Frequency of a Modular Multilevel Cascade Converter With Phase-Shifted PWM. *Sasongko, F.*, +, *TPEL May 2016 3456-3471*
- Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter. *Kumar, V.I.*, +, *TPEL Dec. 2016 8461-8470*
- Unified Modeling of PWM Converters With Regular or Tapped Inductors Using TIS-SFG Approach. *Abramovitz, A.*, +, *TPEL Feb. 2016 1702-1716*

Very High Frequency PWM Buck Converters Using Monolithic GaN Half-Bridge Power Stages With Integrated Gate Drivers. *Zhang, Y.*, +, *TPEL Nov. 2016 7926-7942*

Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators. *Ketzer, M.B.*, +, *TPEL July 2016 4818-4830*

Voltage Balancing Control of a Four-Level Hybrid-Clamped Converter Based on Zero-Sequence Voltage Injection Using Phase-Shifted PWM. *Wang, K.*, +, *TPEL Aug. 2016 5389-5399*

Voltage-Mode Digital Pulse Skipping Control of a DC–DC Converter With Stable Periodic Behavior and Improved Light-Load Efficiency. *Kapat, S.*, +, *TPEL April 2016 3372-3379*

Wide Load Range ZVS Three-Level DC–DC Converter: Four Primary Switches, Capacitor Clamped, Two Secondary Switches, and Smaller Output Filter Volume. *Shi, Y.*, +, *TPEL May 2016 3431-3443*

Zero-Sequence Current Suppression Strategy for Open Winding PMSG Fed by Semiconverter Converter. *Nian, H.*, +, *TPEL Jan. 2016 711-720*

#### PWM rectifiers

A Simple Model Predictive Power Control Strategy for Single-Phase PWM Converters With Modulation Function Optimization. *Song, W.*, +, *TPEL July 2016 5279-5289*

A Three-Phase Multilevel Hybrid Switched-Capacitor PWM PFC Rectifier for High-Voltage-Gain Applications. *Cortez, D.F.*, +, *TPEL May 2016 3495-3505*

An Open-Switch Fault Diagnosis Method for Single-Phase PWM Rectifier Using a Model-Based Approach in High-Speed Railway Electrical Traction Drive System. *Gou, B.*, +, *TPEL May 2016 3816-3826*

Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells. *Melin, P.E.*, +, *TPEL Sept. 2016 6122-6133*

Isolated Swiss-Forward Three-Phase Rectifier With Resonant Reset. *Silva, M.*, +, *TPEL July 2016 4795-4808*

Modeling, Modulation, and Control of the Three-Phase Four-Switch PWM Rectifier Under Balanced Voltage. *Zeng, Z.*, +, *TPEL July 2016 4892-4905*

Performance Analysis of Carrier-Based Discontinuous PWM Method for Vienna Rectifiers With Neutral-Point Voltage Balance. *Lee, J.*, +, *TPEL June 2016 4075-4084*

Performance Comparison of Three-Step and Six-Step PWM in Average-Current-Controlled Three-Phase Six-Switch Boost PFC Rectifier. *Huber, L.*, +, *TPEL Oct. 2016 7264-7272*

Performance Improvement of Two-Vectors-Based Model Predictive Control of PWM Rectifier. *Zhang, Y.*, +, *TPEL Aug. 2016 6016-6030*

Single-Phase to Three-Phase Converters With Two Parallel Single-Phase Rectifiers and Reduced Switch Count. *Rocha, N.*, +, *TPEL May 2016 3704-3716*

Transformerless Photovoltaic Inverter Based on Interleaving High-Frequency Legs Having Bidirectional Capability. *Liu, C.*, +, *TPEL Feb. 2016 1131-1142*

Virtual-Flux-Based Predictive Direct Power Control of Three-Phase PWM Rectifiers With Fast Dynamic Response. *Cho, Y.*, +, *TPEL April 2016 3348-3359*

#### Q

##### Q factor

Optimal Design of High-Order Passive-Damped Filters for Grid-Connected Applications. *Beres, R.N.*, +, *TPEL March 2016 2083-2098*

Wireless Power Transfer With Concurrent 200-kHz and 6.78-MHz Operation in a Single-Transmitter Device. *Ahn, D.*, +, *TPEL July 2016 5018-5029*

##### Quadratic programming

Negative Sequence Current Optimizing Control Based on Railway Static Power Conditioner in V/v Traction Power Supply System. *Zhang, D.*, +, *TPEL Jan. 2016 200-212*

#### R

##### Radiofrequency power amplifiers

Linear Regulator Design Considerations of the Serial Linear-Assisted Switching Converter Used as Envelope Amplifier. *Liu, M.*, +, *TPEL May 2016 3673-3689*

The Design of a Multilevel Envelope Tracking Amplifier Based on a Multiphase Buck Converter. *Vasic, M.*, +, *TPEL June 2016 4611-4627*

##### Radiofrequency power transmission

An Inductive and Capacitive Combined Wireless Power Transfer System With LC-Compensated Topology. *Lu, F.*, +, *TPEL Dec. 2016 8471-8482*

Design and Development of a Class EF<sub>2</sub> Inverter and Rectifier for Multi-megahertz Wireless Power Transfer Systems. *Aldhafer, S.*, +, *TPEL Dec. 2016 8138-8150*

Front-End Monitoring of the Mutual Inductance and Load Resistance in a Series–Series Compensated Wireless Power Transfer System. *Yin, J.*, +, *TPEL Oct. 2016 7339-7352*

Improving Wireless Power Transfer Efficiency Using Hollow Windings With Track-Width-Ratio. *Cove, S.R.*, +, *TPEL Sept. 2016 6524-6533*

Wireless Power Transmission Based on Sandwiched Composite Piezoelectric Transducers in Length Extensional Vibration. *Lin, S.*, +, *TPEL Sept. 2016 6134-6143*

##### Railway electrification

Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*

Distributed Auxiliary Inverter of Urban Rail Train—Load Sharing Control Strategy Under Complicated Operation Condition. *Chen, J.*, +, *TPEL March 2016 2518-2529*

Negative Sequence Current Optimizing Control Based on Railway Static Power Conditioner in V/v Traction Power Supply System. *Zhang, D.*, +, *TPEL Jan. 2016 200-212*

##### Railway rolling stock

Line-Voltage Control Based on Wayside Energy Storage Systems for Tramway Networks. *Ciccarelli, F.*, +, *TPEL Jan. 2016 884-899*

##### Railways

A Hybrid Electrical Magnetic Power Quality Compensation System With Minimum Active Compensation Capacity for V/V Cophase Railway Power Supply System. *Chen, B.*, +, *TPEL June 2016 4159-4170*

An Open-Switch Fault Diagnosis Method for Single-Phase PWM Rectifier Using a Model-Based Approach in High-Speed Railway Electrical Traction Drive System. *Gou, B.*, +, *TPEL May 2016 3816-3826*

Analysis of DC-Link Operation Voltage of a Hybrid Railway Power Quality Conditioner and Its PQ Compensation Capability in High-Speed Cophase Traction Power Supply. *Lao, K.*, +, *TPEL Feb. 2016 1643-1656*

Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction. *Song, W.*, +, *TPEL Jan. 2016 721-732*

##### Random processes

Selective Harmonic Elimination With Groebner Bases and Symmetric Polynomials. *Yang, K.*, +, *TPEL April 2016 2742-2752*

##### Random sequences

Measurement and Characterization Technique for Real-Time Die Temperature Prediction of MOSFET-Based Power Electronics. *Davidson, J.N.*, +, *TPEL June 2016 4378-4388*

Real-Time Temperature Estimation in a Multiple Device Power Electronics System Subject to Dynamic Cooling. *Davidson, J.N.*, +, *TPEL April 2016 2709-2719*

##### Rapid transit systems

Distributed Auxiliary Inverter of Urban Rail Train—The Voltage and Current Control Strategy Under Complicated Load Condition. *Chen, J.*, +, *TPEL Feb. 2016 1745-1756*

##### RC circuits

Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices. *Ma, K.*, +, *TPEL Oct. 2016 7183-7193*

**Reactive power**

- A Simple Model Predictive Power Control Strategy for Single-Phase PWM Converters With Modulation Function Optimization. *Song, W.*, +, *TPEL July 2016 5279-5289*
- A Virtual Impedance Optimization Method for Reactive Power Sharing in Networked Microgrid. *Zhu, Y.*, +, *TPEL April 2016 2890-2904*
- An Islanding Detection Method for Inverter-Based Distributed Generators Based on the Reactive Power Disturbance. *Chen, X.*, +, *TPEL May 2016 3559-3574*
- Analysis of DC-Link Operation Voltage of a Hybrid Railway Power Quality Conditioner and Its PQ Compensation Capability in High-Speed Cophase Traction Power Supply. *Lao, K.*, +, *TPEL Feb. 2016 1643-1656*
- Control Strategy to Maximize the Power Capability of PV Three-Phase Inverters During Voltage Sags. *Sosa, J.L.*, +, *TPEL April 2016 3314-3323*
- Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance. *Chen, Y.*, +, *TPEL Aug. 2016 5524-5537*
- Isolated Swiss-Forward Three-Phase Rectifier With Resonant Reset. *Silva, M.*, +, *TPEL July 2016 4795-4808*
- New Three-Dimensional Space Vector-Based Switching Signal Generation Technique Without Null Vectors and With Reduced Switching Losses for a Grid-Connected Four-Leg Inverter. *Gowala, H.*, +, *TPEL Feb. 2016 1026-1035*
- Smart Grid Connection of an Induction Motor Using a Three-Phase Floating H-bridge System as a Series Compensator. *Leng, S.*, +, *TPEL Oct. 2016 7053-7064*
- Transformerless Single-Phase Universal Active Filter With UPS Features and Reduced Number of Electronic Power Switches. *Santos, W.R.N.*, +, *TPEL June 2016 4111-4120*

**Reactive power control**

- A Hybrid Estimator for Active/Reactive Power Control of Single-Phase Distributed Generation Systems With Energy Storage. *Pahlevani, M.*, +, *TPEL April 2016 2919-2936*
- A Unified Virtual Power Decoupling Method for Droop-Controlled Parallel Inverters in Microgrids. *Wu, T.*, +, *TPEL Aug. 2016 5587-5603*
- Adaptive  $Q-V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. *Kim, J.*, +, *TPEL May 2016 3586-3599*
- Backstepping-Based DPC Strategy of a Wind Turbine-Driven DFIG Under Normal and Harmonic Grid Voltage. *Xiong, P.*, +, *TPEL June 2016 4216-4225*
- Comparison of Dynamic Characteristics Between Virtual Synchronous Generator and Droop Control in Inverter-Based Distributed Generators. *Liu, J.*, +, *TPEL May 2016 3600-3611*
- Coordinated Direct Power Control of DFIG System Without Phase-Locked Loop Under Unbalanced Grid Voltage Conditions. *Nian, H.*, +, *TPEL April 2016 2905-2918*
- Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction. *Song, W.*, +, *TPEL Jan. 2016 721-732*
- Distributed Voltage Unbalance Compensation in Islanded Microgrids by Using a Dynamic Consensus Algorithm. *Meng, L.*, +, *TPEL Jan. 2016 827-838*
- Droop-Free Distributed Control for AC Microgrids. *Nasirian, V.*, +, *TPEL Feb. 2016 1600-1617*
- Dual-Loop Control Strategy for DFIG-Based Wind Turbines Under Grid Voltage Disturbances. *Zhu, R.*, +, *TPEL March 2016 2239-2253*
- Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator. *Isobe, T.*, +, *TPEL Jan. 2016 224-234*
- Individual Phase Current Control Based on Optimal Zero-Sequence Current Separation for a Star-Connected Cascade STATCOM Under Unbalanced Conditions. *Shi, Y.*, +, *TPEL March 2016 2099-2110*
- Modulation and Control of Transformerless UPFC. *Yang, S.*, +, *TPEL Feb. 2016 1050-1063*
- Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016 5538-5546*

- Steady-State Analysis of a ZVS Bidirectional Isolated Three-Phase DC-DC Converter Using Dual Phase-Shift Control With Variable Duty Cycle. *de Oliveira Filho, H.M.*, +, *TPEL March 2016 1863-1872*
- Transformer-Less Unified Power-Flow Controller Using the Cascade Multi-level Inverter. *Peng, F.Z.*, +, *TPEL Aug. 2016 5461-5472*
- Two-Stage Matrix Converter Based on Third-Harmonic Injection Technique. *Wang, H.*, +, *TPEL Jan. 2016 533-547*
- Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*

**Real-time systems**

- Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*

**Receivers**

- Wireless Power Transfer With Automatic Feedback Control of Load Resistance Transformation. *Ahn, D.*, +, *TPEL Nov. 2016 7876-7886*
- Wireless Power Transfer With Concurrent 200-kHz and 6.78-MHz Operation in a Single-Transmitter Device. *Ahn, D.*, +, *TPEL July 2016 5018-5029*

**Rectification**

- A 10-MHz Isolated Synchronous Class- $\Phi_2$  Resonant Converter. *Ren, X.*, +, *TPEL Dec. 2016 8317-8328*
- A Single-Phase Four-Switch Rectifier With Significantly Reduced Capacitance. *Ming, W.*, +, *TPEL Feb. 2016 1618-1632*
- Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*

**Rectifiers**

- A 3.2-kW 13.56-MHz SiC Passive Rectifier With 94.0% Efficiency Using Commutation Capacitor. *Shamseh, M.B.*, +, *TPEL Oct. 2016 6787-6791*
- A DC-Link Modulation Scheme With Phase-Shifted Current Control for Harmonic Cancellations in Multidrive Applications. *Yang, Y.*, +, *TPEL March 2016 1837-1840*
- A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. *Park, H.*, +, *TPEL June 2016 4484-4498*
- A Family of Isolated Buck-Boost Converters Based on Semiactive Rectifiers for High-Output Voltage Applications. *Lu, Y.*, +, *TPEL Sept. 2016 6327-6340*
- A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC-DC Driver for Supplying Multiple LED Strings in Parallel. *Ma, H.*, +, *TPEL Aug. 2016 5825-5836*
- A Multimode 1-MHz PFC Front End With Digital Peak Current Modulation. *Fernandes, R.*, +, *TPEL Aug. 2016 5694-5708*
- A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*
- A novel three-phase current source rectifier with delta-type input connection to reduce the device conduction loss. *Guo, B.*, +, *TPEL Feb. 2016 1074-1084*
- A Single-Phase Four-Switch Rectifier With Significantly Reduced Capacitance. *Ming, W.*, +, *TPEL Feb. 2016 1618-1632*
- A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*
- Active Power Decoupling Method for Single-Phase Current-Source Rectifier With No Additional Active Switches. *Sun, Y.*, +, *TPEL Aug. 2016 5644-5654*
- Analysis on Load-Adaptive Phase-Shift Control for High Efficiency Full-Bridge LLC Resonant Converter Under Light-Load Conditions. *Kim, J.*, +, *TPEL July 2016 4942-4955*
- Analysis, Measurement, and Compensation of the System Time Delay in a Three-Phase Voltage Source Rectifier. *Wang, C.*, +, *TPEL Aug. 2016 6031-6043*
- Assessment of the Current-Source, Full-Bridge Inverter as Power Supply for Ozone Generators With High Power Factor in a Single Stage. *Ponce-Silva, M.*, +, *TPEL Dec. 2016 8195-8204*
- Challenges Facing PFC of a Single-Phase On-Board Charger for Electric Vehicles Based on a Current Source Active Rectifier Input Stage. *Saber, C.*, +, *TPEL Sept. 2016 6192-6202*

- Common-Mode Voltage Mitigation for Back-to-Back Current-Source Converter With Optimal Space-Vector Modulation. *Guo, X.*, +, *TPEL Jan. 2016 688-697*
- Computationally Efficient Simulation of High-Frequency Transients in Power Electronic Circuits. *Subbiah, A.*, +, *TPEL Sept. 2016 6351-6361*
- Control Design of a PFC With Harmonic Mitigation Function for Small Hybrid AC/DC Buildings. *Pena-Alzola, R.*, +, *TPEL Sept. 2016 6607-6620*
- Design and Development of a Class EF<sub>2</sub> Inverter and Rectifier for Multi-megahertz Wireless Power Transfer Systems. *Aldhafer, S.*, +, *TPEL Dec. 2016 8138-8150*
- Design of Electronic Ballast for Short-Arc Xenon Lamp With Interleaved Half-Wave Rectifier. *Chan, S.*, +, *TPEL July 2016 5102-5112*
- Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S.*, +, *TPEL Dec. 2016 8528-8540*
- Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*
- High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. *Cho, Y.*, +, *TPEL June 2016 4138-4147*
- High-Efficiency Coupled-Inductor-Based Step-Down Converter. *Wai, R.*, +, *TPEL June 2016 4265-4279*
- Integrated Dual Full-Bridge Converter With Current-Doubler Rectifier for EV Charger. *Kim, J.*, +, *TPEL Feb. 2016 942-951*
- LLC Resonant Converter With Semiactive Variable-Structure Rectifier (SA-VSR) for Wide Output Voltage Range Application. *Wu, H.*, +, *TPEL May 2016 3389-3394*
- Magnetic-Coupling Current-Balancing Cells Based Input-Parallel Output-Parallel LLC Resonant Converter Modules for High-Frequency Isolation of DC Distribution Systems. *Liu, C.*, +, *TPEL Oct. 2016 6968-6979*
- Model Predictive Control of Load-Commutated Inverter-Fed Synchronous Machines. *Besselmann, T.J.*, +, *TPEL Oct. 2016 7384-7393*
- Novel Isolated Multilevel DC–DC Power Converter. *Jou, H.*, +, *TPEL April 2016 2690-2694*
- Open-Circuit Fault-Tolerant Control for Outer Switches of Three-Level Rectifiers in Wind Turbine Systems. *Lee, J.*, +, *TPEL May 2016 3806-3815*
- Parameter Design for a 6.78-MHz Wireless Power Transfer System Based on Analytical Derivation of Class E Current-Driven Rectifier. *Liu, M.*, +, *TPEL June 2016 4280-4291*
- Phase-Shift-Controlled Isolated Buck-Boost Converter With Active-Clamped Three-Level Rectifier (AC-TLR) Featuring Soft-Switching Within Wide Operation Range. *Wu, H.*, +, *TPEL March 2016 2372-2386*
- Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter. *Zhou, Y.*, +, *TPEL Oct. 2016 7043-7052*
- Sliding-Mode Control for a Three-Phase Unity Power Factor Rectifier Operating at Fixed Switching Frequency. *Guzman, R.*, +, *TPEL Jan. 2016 758-769*
- Two-Stage Matrix Converter Based on Third-Harmonic Injection Technique. *Wang, H.*, +, *TPEL Jan. 2016 533-547*
- Use of Transmitter-Side Electrical Information to Estimate Mutual Inductance and Regulate Receiver-Side Power in Wireless Inductive Link. *Chow, J.P.*, +, *TPEL Sept. 2016 6079-6091*
- Rectifying circuits**
- A Three-Phase Bidirectional AC/DC Converter With Y– $\Delta$  Connected Transformers. *Gu, L.*, +, *TPEL Dec. 2016 8115-8125*
- DCM-Based Zero-Voltage Switching Control of a Bidirectional DC–DC Converter With Variable Switching Frequency. *Konjedic, T.*, +, *TPEL April 2016 3273-3288*
- Design of Energy Control Method for Three-Phase Buck-Type Rectifier With Very Demanding Load Steps to Achieve Smooth Input Currents. *Zhao, S.*, +, *TPEL April 2016 3217-3226*
- Predictive Duty Cycle Control of Three-Phase Active-Front-End Rectifiers. *Song, Z.*, +, *TPEL Jan. 2016 698-710*
- Single-Stage AC/DC Single-Inductor Multiple-Output LED Drivers. *Guo, Y.*, +, *TPEL Aug. 2016 5837-5850*
- Recurrent neural networks**
- Control of Single-Phase Grid-Connected Converters With LCL Filters Using Recurrent Neural Network and Conventional Control Methods. *Fu, X.*, +, *TPEL July 2016 5354-5364*
- Recursive estimation**
- Low Sampling Rate Online Parameters Monitoring of DC–DC Converters for Predictive-Maintenance Using Biogeography-Based Optimization. *Li, B.X.*, +, *TPEL April 2016 2870-2879*
- Reference circuits**
- Interleaved Current Control for Multiphase Converters With High Dynamics Mean Current Tracking. *Antoszczuk, P.D.*, +, *TPEL Dec. 2016 8422-8434*
- Multidimensional Space-Vector PWM Algorithm Using Branch Space Voltage Vector. *Li, B.*, +, *TPEL Dec. 2016 8517-8527*
- Zero-Sequence Current Suppression Strategy for Open Winding PMSG Fed by Semicontrolled Converter. *Nian, H.*, +, *TPEL Jan. 2016 711-720*
- Reliability**
- A Family of Five-Level Dual-Buck Full-Bridge Inverters for Grid-Tied Applications. *Zhang, L.*, +, *TPEL Oct. 2016 7029-7042*
- A Family of High-Frequency Isolated Single-Phase Z-Source AC–AC Converters With Safe-Commutation Strategy. *Ahmed, H.F.*, +, *TPEL Nov. 2016 7522-7533*
- A Novel SVPWM Algorithm for Five-Level Active Neutral-Point-Clamped Converter. *Liu, Z.*, +, *TPEL May 2016 3859-3866*
- Advanced Accelerated Power Cycling Test for Reliability Investigation of Power Device Modules. *Choi, U.*, +, *TPEL Dec. 2016 8371-8386*
- An Open-Switch Fault Diagnosis Method for Single-Phase PWM Rectifier Using a Model-Based Approach in High-Speed Railway Electrical Traction Drive System. *Gou, B.*, +, *TPEL May 2016 3816-3826*
- DC–DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W.*, *TPEL Aug. 2016 5400-5410*
- Heat Management in Power Converters: From State of the Art to Future Ultrahigh Efficiency Systems. *Laloya, E.*, +, *TPEL Nov. 2016 7896-7908*
- Position Sensorless Control Without Phase Shifter for High-Speed BLDC Motors With Low Inductance and Nonideal Back EMF. *Li, W.*, +, *TPEL Feb. 2016 1354-1366*
- Reliability Assessment of the Switched Reluctance Motor Drive Under Single Switch Chopping Strategy. *Chen, H.*, +, *TPEL March 2016 2395-2408*
- Reluctance generators**
- Modeling, Control, and Seamless Transition of the Bidirectional Battery-Driven Switched Reluctance Motor/Generator Drive Based on Integrated Multiport Power Converter for Electric Vehicle Applications. *Yi, F.*, +, *TPEL Oct. 2016 7099-7111*
- Reluctance machines**
- An Integrated Multiport Power Converter With Small Capacitance Requirement for Switched Reluctance Motor Drive. *Cai, W.*, +, *TPEL April 2016 3016-3026*
- Reluctance motor drives**
- A Digital PWM Current Controller for Switched Reluctance Motor Drives. *Peng, F.*, +, *TPEL Oct. 2016 7087-7098*
- An Integrated Multiport Power Converter With Small Capacitance Requirement for Switched Reluctance Motor Drive. *Cai, W.*, +, *TPEL April 2016 3016-3026*
- Flexible Fault-Tolerant Topology for Switched Reluctance Motor Drives. *Hu, Y.*, +, *TPEL June 2016 4654-4668*
- Modeling, Control, and Seamless Transition of the Bidirectional Battery-Driven Switched Reluctance Motor/Generator Drive Based on Integrated Multiport Power Converter for Electric Vehicle Applications. *Yi, F.*, +, *TPEL Oct. 2016 7099-7111*
- Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor. *Gan, C.*, +, *TPEL Oct. 2016 7248-7263*
- Reliability Assessment of the Switched Reluctance Motor Drive Under Single Switch Chopping Strategy. *Chen, H.*, +, *TPEL March 2016 2395-2408*
- Reluctance motors**
- A Quasi-Z-Source Integrated Multiport Power Converter as Switched Reluctance Motor Drives for Capacitance Reduction and Wide-Speed-Range Operation. *Yi, F.*, +, *TPEL Nov. 2016 7661-7676*
- Central-Tapped Node Linked Modular Fault-Tolerance Topology for SRM Applications. *Hu, Y.*, +, *TPEL Feb. 2016 1541-1554*

**Remaining life assessment**

Analysis of the Results of Accelerated Aging Tests in Insulated Gate Bipolar Transistors. *Astúgarraga, D.*, +, *TPEL Nov. 2016 7953-7962*

Particle Filter-Based Prognostics for an Electrolytic Capacitor Working in Variable Operating Conditions. *Rigamonti, M.*, +, *TPEL Feb. 2016 1567-1575*

**Renewable energy sources**

A New Hybrid Boosting Converter for Renewable Energy Applications. *Wu, B.*, +, *TPEL Feb. 2016 1203-1215*

A New Multiinput Three-Level DC/DC Converter. *Dusmez, S.*, +, *TPEL Feb. 2016 1230-1240*

A Review of Galvanically Isolated Impedance-Source DC–DC Converters. *Chub, A.*, +, *TPEL April 2016 2808-2828*

An Advanced Current-Autobalance High Step-Up Converter With a Multi-coupled Inductor and Voltage Multiplier for a Renewable Power Generation System. *He, L.*, +, *TPEL Oct. 2016 6992-7005*

DC Microgrids—Part II: A Review of Power Architectures, Applications, and Standardization Issues. *Dragicevic, T.*, +, *TPEL May 2016 3528-3549*

High Dynamic Performance Nonlinear Source Emulator. *Nguyen-Duy, K.*, +, *TPEL March 2016 2562-2574*

Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. *Wen, B.*, +, *TPEL Jan. 2016 26-38*

**Research and development**

Editorial Special Issue on Impedance-Source Converter Topologies and Applications. *Vinnikov, D.*, +, *TPEL Nov. 2016 7417-7418*

**Resistors**

A Simple and Cost-effective Precharge Method for Modular Multilevel Converters by Using a Low-Voltage DC Source. *Tian, K.*, +, *TPEL July 2016 5321-5329*

Optimal Design of High-Order Passive-Damped Filters for Grid-Connected Applications. *Beres, R.N.*, +, *TPEL March 2016 2083-2098*

**Resonance**

Analysis on the Ring-Type Piezoelectric Ceramic Transformer in Radial Vibration. *Lin, S.*, +, *TPEL July 2016 5079-5088*

Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance. *Chen, Y.*, +, *TPEL Aug. 2016 5524-5537*

**Resonant inverters**

3-D-Printed Air-Core Inductors for High-Frequency Power Converters. *Liang, W.*, +, *TPEL Jan. 2016 52-64*

A Novel Multiple-Frequency Resonant Inverter for Induction Heating Applications. *Bi, C.*, +, *TPEL Dec. 2016 8162-8171*

Modeling and Analysis of Class EF and Class E/F Inverters With Series-Tuned Resonant Networks. *Aldhafer, S.*, +, *TPEL May 2016 3415-3430*

Self-Oscillating Tuning Loops for Series Resonant Inductive Power Transfer Systems. *Namadmalan, A.*, *TPEL Oct. 2016 7320-7327*

**Resonant power converters**

3-D-Printed Air-Core Inductors for High-Frequency Power Converters. *Liang, W.*, +, *TPEL Jan. 2016 52-64*

A 10-MHz Isolated Synchronous Class- $\Phi_2$  Resonant Converter. *Ren, X.*, +, *TPEL Dec. 2016 8317-8328*

A Bidirectional Three-Level LLC Resonant Converter With PWAM Control. *Jiang, T.*, +, *TPEL March 2016 2213-2225*

A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC–DC Driver for Supplying Multiple LED Strings in Parallel. *Ma, H.*, +, *TPEL Aug. 2016 5825-5836*

A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*

A Parabolic Voltage Control Strategy for Burst-Mode Converters With Constant Burst Frequency and Eliminated Audible Noise. *Zhang, L.*, +, *TPEL Dec. 2016 8572-8580*

A Simplified Equivalent Circuit Model of Series Resonant Converter. *Tian, S.*, +, *TPEL May 2016 3922-3931*

A Single-Stage Single-Switch LED Driver Based on the Integrated SEPIC Circuit and Class-E Converter. *Wang, Y.*, +, *TPEL Aug. 2016 5814-5824*

A ZVS Pulsewidth Modulation Full-Bridge Converter With a Low-RMS-Current Resonant Auxiliary Circuit. *Safaei, A.*, +, *TPEL June 2016 4031-4047*

An Accurate Design Algorithm for LLC Resonant Converters—Part I. *Hu, Z.*, +, *TPEL Aug. 2016 5435-5447*

An Accurate Design Algorithm for LLC Resonant Converters—Part II. *Hu, Z.*, +, *TPEL Aug. 2016 5448-5460*

An Adaptive Current Injection Scheme for Resonant Capacitor of LLC Resonant Converters With Suppressed Frequency Variation. *Qian, T.*, *TPEL Dec. 2016 8074-8080*

An Interleaved PFM LLC Resonant Converter With Phase-Shift Compensation. *Murata, K.*, +, *TPEL March 2016 2264-2272*

Analysis and Decoupling Design of a 30 MHz Resonant SEPIC Converter. *Zhang, Z.*, +, *TPEL June 2016 4536-4548*

Analysis on Load-Adaptive Phase-Shift Control for High Efficiency Full-Bridge LLC Resonant Converter Under Light-Load Conditions. *Kim, J.*, +, *TPEL July 2016 4942-4955*

Augmented Buck Converter Design using Resonant Circuits for Fast Transient Recovery. *Shan, Z.*, +, *TPEL Aug. 2016 5666-5679*

Bidirectional Resonant DC–DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y.*, +, *TPEL Jan. 2016 340-352*

Burst Mode Elimination in High-Power  $> L+L+C$  Resonant Battery Charger for Electric Vehicles. *Shafiei, N.*, +, *TPEL Feb. 2016 1173-1188*

Coordinated Direct Power Control of DFIG System Without Phase-Locked Loop Under Unbalanced Grid Voltage Conditions. *Nian, H.*, +, *TPEL April 2016 2905-2918*

DCM-Based Zero-Voltage Switching Control of a Bidirectional DC–DC Converter With Variable Switching Frequency. *Konjedic, T.*, +, *TPEL April 2016 3273-3288*

Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S.*, +, *TPEL Dec. 2016 8528-8540*

Fast Transient Response of Series Resonant Converters Using Average Geometric Control. *Mohammadi, M.*, +, *TPEL Sept. 2016 6738-6755*

Flying-Capacitor-Based Hybrid LLC Converters With Input Voltage Auto-balance Ability for High Voltage Applications. *Li, W.*, +, *TPEL March 2016 1908-1920*

High-Efficiency LLC Resonant Converter With High Voltage Gain Using an Auxiliary LC Resonant Circuit. *Kim, D.*, +, *TPEL Oct. 2016 6901-6909*

High-Order Resonant Converter Topology With Extremely Low-Coupling Contactless Transformers. *Thenathayalan, D.*, +, *TPEL March 2016 2347-2361*

High-Power Thyristor-Based DC–DC Switched-Capacitor Voltage Multipliers: Basic Concept and Novel Derived Topology With Reduced Number of Switches. *Kawa, A.*, +, *TPEL Oct. 2016 6797-6813*

Hybrid PWM-Resonant Converter for Electric Vehicle On-Board Battery Chargers. *Lee, I.*, *TPEL May 2016 3639-3649*

Impedance Control Network Resonant DC–DC Converter for Wide-Range High-Efficiency Operation. *Lu, J.*, +, *TPEL July 2016 5040-5056*

LLC Resonant Converter With Semiactive Variable-Structure Rectifier (SA-VSR) for Wide Output Voltage Range Application. *Wu, H.*, +, *TPEL May 2016 3389-3394*

Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, +, *TPEL April 2016 2695-2708*

Modeling and Analysis of Class EF and Class E/F Inverters With Series-Tuned Resonant Networks. *Aldhafer, S.*, +, *TPEL May 2016 3415-3430*

Modeling and Control of a Resonant Dual Active Bridge With a Tuned CLLC Network. *Malan, W.L.*, +, *TPEL Oct. 2016 7297-7310*

Modeling and Efficiency Analysis of Multiphase Resonant-Switched Capacitive Converters. *Pillonnet, G.*, *TPEL Jan. 2016 11-14*

Multielement Resonant Converters With a Notch Filter on Secondary Side. *Wu, H.*, +, *TPEL June 2016 3999-4004*

On Automatic Resonant Frequency Tracking in LLC Series Resonant Converter Based on Zero-Current Duration Time of Secondary Diode. *Li, H.*, +, *TPEL July 2016 4956-4962*

On-the-Fly Topology-Morphing Control—Efficiency Optimization Method for LLC Resonant Converters Operating in Wide Input- and/or Output-Voltage Range. *Jovanovic, M.M.*, +, *TPEL March 2016 2596-2608*

Operating Conditions Monitoring for High Power Density and Cost-Effective Resonant Power Converters. *Sarnago, H.*, +, *TPEL Jan. 2016 488-496*

Split-Phase Control: Achieving Complete Soft-Charging Operation of a Dickson Switched-Capacitor Converter. *Lei, Y.*, +, *TPEL Jan. 2016* 770-782

Time-Domain Analysis of a Phase-Shift-Modulated Series Resonant Converter with an Adaptive Passive Auxiliary Circuit. *Safaei, A.*, +, *TPEL Nov. 2016* 7714-7734

Z-Source Resonant Converter With Power Factor Correction for Wireless Power Transfer Applications. *Gonzalez-Santini, N.S.*, +, *TPEL Nov. 2016* 7691-7700

#### Resonators

Optimal Coupling to Achieve Maximum Output Power in a WPT System. *Seo, D.*, +, *TPEL June 2016* 3994-3998

Wireless Power Transfer System With an Asymmetric Four-Coil Resonator for Electric Vehicle Battery Chargers. *Moon, S.*, +, *TPEL Oct. 2016* 6844-6854

#### RLC circuits

A Virtual RLC Damper to Stabilize DC/DC Converters Having an LC Input Filter while Improving the Filter Performance. *Zhang, X.*, +, *TPEL Dec. 2016* 8017-8023

Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL March 2016* 1816-1821

#### Robust control

A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement. *Panigrahi, R.*, +, *TPEL April 2016* 2860-2869

Control of Single-Phase Grid-Connected Converters With LCL Filters Using Recurrent Neural Network and Conventional Control Methods. *Fu, X.*, +, *TPEL July 2016* 5354-5364

Dynamics and Robust Control of a Grid-Connected VSC in Multiterminal DC Grids Considering the Instantaneous Power of DC- and AC-Side Filters and DC Grid Uncertainty. *Davari, M.*, +, *TPEL March 2016* 1942-1958

Fast and Robust Single-Phase  $>DQ$  Current Controller for Smart Inverter Applications. *Ebrahimi, M.*, +, *TPEL May 2016* 3968-3976

Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016* 7065-7076

#### Rotors

A Parallel Speed and Rotor Time Constant Identification Scheme for Indirect Field Oriented Induction Motor Drives. *Zhao, L.*, +, *TPEL Sept. 2016* 6494-6503

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016* 1450-1460

Adaptive Compensation Method for High-Speed Surface PMSM Sensorless Drives of EMF-Based Position Estimation Error. *Song, X.*, +, *TPEL Feb. 2016* 1438-1449

Alternate Proof for Steady-State Equivalent Circuit of a Doubly Fed Induction Machine. *Kumar, V.S.S.*, +, *TPEL Aug. 2016* 5378-5383

An EV Drive-Train With Integrated Fast Charging Capability. *Subotic, I.*, +, *TPEL Feb. 2016* 1461-1471

Control of a Small Wind Turbine in the High Wind Speed Region. *Lumberras, C.*, +, *TPEL Oct. 2016* 6980-6991

Control of Doubly-Fed Induction Generator to Ride-Through Recurring Grid Faults. *Chen, W.*, +, *TPEL July 2016* 4831-4846

Coordinated Direct Power Control of DFIG System Without Phase-Locked Loop Under Unbalanced Grid Voltage Conditions. *Nian, H.*, +, *TPEL April 2016* 2905-2918

Design and Control of a Two-Phase Brushless Exciter for Aircraft Wound-Rotor Synchronous Starter/Generator in the Starting Mode. *Jiao, N.*, +, *TPEL June 2016* 4452-4461

Design Method of Adaptive Full Order Observer With or Without Estimated Flux Error in Speed Estimation Algorithm. *Sun, W.*, +, *TPEL March 2016* 2609-2626

Direct Voltage Control With Slip Angle Estimation to Extend the Range of Supported Asymmetric Loads for Stand-Alone DFIG. *Ataji, A.B.*, +, *TPEL Feb. 2016* 1015-1025

Doubly Fed Induction Generator Wind Turbine Systems Subject to Recurring Symmetrical Grid Faults. *Chen, W.*, +, *TPEL Feb. 2016* 1143-1160

Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016* 5746-5758

Field Weakening Strategy for a Vector-Controlled Induction Motor Drive Near the Six-Step Mode of Operation. *Sahoo, S.K.*, +, *TPEL April 2016* 3043-3051

Novel PWM Schemes With Multi SVPWM of Sensorless IPMSM Drives for Reducing Current Ripple. *Gu, M.*, +, *TPEL Sept. 2016* 6461-6475

Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor. *Gan, C.*, +, *TPEL Oct. 2016* 7248-7263

Rotor Flux-Oriented Control of Induction Motor With Synchronized Sinusoidal PWM for Traction Application. *Sahoo, S.K.*, +, *TPEL June 2016* 4429-4439

Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016* 5538-5546

Scaled Current Tracking Control for Doubly Fed Induction Generator to Ride-Through Serious Grid Faults. *Huang, Q.*, +, *TPEL March 2016* 2150-2165

Speed-Sensorless Induction Machine Control in the Field-Weakening Region Using Discrete Speed-Adaptive Full-Order Observer. *Wang, B.*, +, *TPEL Aug. 2016* 5759-5773

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016* 5242-5254

## S

#### Safety

A Family of High-Frequency Isolated Single-Phase Z-Source AC-AC Converters With Safe-Commutation Strategy. *Ahmed, H.F.*, +, *TPEL Nov. 2016* 7522-7533

#### Sampling methods

A Natural-Sampling-Based SVM Scheme for Current Source Converter With Superior Low-Order Harmonics Performance. *Wei, Q.*, +, *TPEL Sept. 2016* 6144-6154

#### Scanning electron microscopy

Failure Modes of 15-kV SiC SGTO Thyristors During Repetitive Extreme Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL Dec. 2016* 8058-8062

#### Schottky diodes

On the Design Process of a 6-kVA Quasi-Z-inverter Employing SiC Power Devices. *Zdanowski, M.*, +, *TPEL Nov. 2016* 7499-7508

#### Search problems

Selective Harmonic Elimination With Groebner Bases and Symmetric Polynomials. *Yang, K.*, +, *TPEL April 2016* 2742-2752

Study of IPMSM Interturn Faults Part II: Online Fault Parameter Estimation. *Gu, B.*, *TPEL Oct. 2016* 7214-7223

#### Secondary cells

A Charge Equalizer With a Combination of APWM and PFM Control Based on a Modified Half-Bridge Converter. *Hua, C.*, +, *TPEL April 2016* 2970-2979

A Control Algorithm for Electric Vehicle Fast Charging Stations Equipped With Flywheel Energy Storage Systems. *Sun, B.*, +, *TPEL Sept. 2016* 6674-6685

A Distributed Architecture Based on Microbank Modules With Self-Reconfiguration Control to Improve the Energy Efficiency in the Battery Energy Storage System. *Zhang, Z.*, +, *TPEL Jan. 2016* 304-317

A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage. *Guo, F.*, +, *TPEL Dec. 2016* 8237-8246

A Multi-Winding Transformer Cell-to-Cell Active Equalization Method for Lithium-Ion Batteries With Reduced Number of Driving Circuits. *Chen, Y.*, +, *TPEL July 2016* 4916-4929

A Novel Soft-Switching Battery Charge/Discharge Converter With the Zero Voltage Discharge Function. *Yu, S.*, +, *TPEL July 2016* 5067-5078

- An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL June 2016 4594-4603*
- Comprehensive DC Power Balance Management in High-Power Three-Level DC–DC Converter for Electric Vehicle Fast Charging. *Tan, L.*, +, *TPEL Jan. 2016 89-100*
- Design and Control of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL Jan. 2016 507-517*
- Hybrid PWM-Resonant Converter for Electric Vehicle On-Board Battery Chargers. *Lee, I.*, *TPEL May 2016 3639-3649*
- Inductive Charger for Electric Vehicle: Advanced Modeling and Interoperability Analysis. *Ibrahim, M.*, +, *TPEL Dec. 2016 8096-8114*
- Integrated Reconfigurable Converter Topology for High-Voltage Battery Systems. *Momayyezani, M.*, +, *TPEL March 2016 1968-1979*
- Line-Voltage Control Based on Wayside Energy Storage Systems for Tramway Networks. *Ciccarelli, F.*, +, *TPEL Jan. 2016 884-899*
- Lithium Polymer Battery State-of-Charge Estimation Based on Adaptive Unscented Kalman Filter and Support Vector Machine. *Meng, J.*, +, *TPEL March 2016 2226-2238*
- Power-Electronics-Based Energy Management System With Storage. *Oriti, G.*, +, *TPEL Jan. 2016 452-460*
- Quantitative Evaluation of LiFePO<sub>4</sub> Battery Cycle Life Improvement Using Ultracapacitors. *Zhao, C.*, +, *TPEL June 2016 3989-3993*
- Transformer-Based Equalization Circuit Applied to *n*-Number of High Capacitance Cells. *Lambert, S.M.*, +, *TPEL Feb. 2016 1334-1343*
- Semiconductor device breakdown**
- Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*
- Design of a Double-Gate Power LDMOS With Improved SOA by Complementary Majority Carrier Conduction Paths. *Du, W.*, +, *TPEL July 2016 5133-5140*
- Semiconductor device measurement**
- Characterization Method of SiC-JFET Interelectrode Capacitances in Linear Region. *Li, K.*, +, *TPEL Feb. 2016 1528-1540*
- Measurement and Characterization Technique for Real-Time Die Temperature Prediction of MOSFET-Based Power Electronics. *Davidson, J.N.*, +, *TPEL June 2016 4378-4388*
- Semiconductor device models**
- A Method to Extract the Accurate Junction Temperature of an IGCT During Conduction Using Gate–Cathode Voltage. *Vemulapati, U.R.*, +, *TPEL Aug. 2016 5900-5905*
- A Physics-Based Compact Model of SiC Power MOSFETs. *Kraus, R.*, +, *TPEL Aug. 2016 5863-5870*
- A Physics-Based Improved Cauer-Type Thermal Equivalent Circuit for IGBT Modules. *Wang, Z.*, +, *TPEL Oct. 2016 6781-6786*
- A Simplified Behavioral MOSFET Model Based on Parameters Extraction for Circuit Simulations. *Turzynski, M.*, +, *TPEL April 2016 3096-3105*
- An Analytical Switching Process Model of Low-Voltage eGaN HEMTs for Loss Calculation. *Wang, K.*, +, *TPEL Jan. 2016 635-647*
- Analytical Switching Loss Model for Superjunction MOSFET With Capacitive Nonlinearities and Displacement Currents for DC–DC Power Converters. *Castro, I.*, +, *TPEL March 2016 2485-2495*
- Circuit-Based Electrothermal Simulation of Power Devices by an Ultrafast Nonlinear MOR Approach. *Codecasa, L.*, +, *TPEL Aug. 2016 5906-5916*
- Design of a Double-Gate Power LDMOS With Improved SOA by Complementary Majority Carrier Conduction Paths. *Du, W.*, +, *TPEL July 2016 5133-5140*
- Development of a Simple Analytical PSpice Model for SiC-Based BJT Power Modules. *Johannesson, D.*, +, *TPEL June 2016 4517-4525*
- Dynamic Modeling Method of Electro-Thermo-Mechanical Degradation in IGBT Modules. *Pedersen, K.B.*, +, *TPEL Feb. 2016 975-986*
- Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL March 2016 1816-1821*
- Influences of Device and Circuit Mismatches on Paralleling Silicon Carbide MOSFETs. *Li, H.*, +, *TPEL Jan. 2016 621-634*
- Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W.*, +, *TPEL Sept. 2016 6575-6585*
- Power-Loss Prediction of High-Voltage SiC-mosfet Circuits With Compact Model Including Carrier-Trap Influences. *Tanimoto, Y.*, +, *TPEL June 2016 4509-4516*
- Semiconductor device noise**
- DBC Switch Module for Management of Temperature and Noise in 220-W/ $\text{in}^3$  Power Assembly. *Shin, J.*, +, *TPEL March 2016 2387-2394*
- Semiconductor device packaging**
- A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*
- Semiconductor device reliability**
- A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*
- Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*
- Design and Layout Strategy in the 60-V Power pLDMOS With Drain-End Modulated Engineering of Reliability Considerations. *Chen, S.*, +, *TPEL July 2016 5113-5121*
- Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL March 2016 1816-1821*
- Failure Modes of 15-kV SiC SGTO Thyristors During Repetitive Extreme Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL Dec. 2016 8058-8062*
- Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices. *Ma, K.*, +, *TPEL Oct. 2016 7183-7193*
- Junction Temperature Extraction Approach With Turn-Off Delay Time for High-Voltage High-Power IGBT Modules. *Luo, H.*, +, *TPEL July 2016 5122-5132*
- Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W.*, +, *TPEL Sept. 2016 6575-6585*
- Reliability Analysis and Redundancy Configuration of MMC With Hybrid Submodule Topologies. *Xu, J.*, +, *TPEL April 2016 2720-2729*
- The Effect of Electrothermal Nonuniformities on Parallel Connected SiC Power Devices Under Unclamped and Clamped Inductive Switching. *Hu, J.*, +, *TPEL June 2016 4526-4535*
- Semiconductor device testing**
- Circuit-Based Electrothermal Simulation of Power Devices by an Ultrafast Nonlinear MOR Approach. *Codecasa, L.*, +, *TPEL Aug. 2016 5906-5916*
- Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL March 2016 1816-1821*
- Semiconductor devices**
- Interleaved Current Control for Multiphase Converters With High Dynamics Mean Current Tracking. *Antoszczuk, P.D.*, +, *TPEL Dec. 2016 8422-8434*
- Isolated Swiss-Forward Three-Phase Rectifier With Resonant Reset. *Silva, M.*, +, *TPEL July 2016 4795-4808*
- Semiconductor diodes**
- A 10-MHz Isolated Synchronous Class- $\Phi_2$  Resonant Converter. *Ren, X.*, +, *TPEL Dec. 2016 8317-8328*
- A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*
- Semiconductor switches**
- An Active Life Extension Strategy for Thermally Aged Power Switches Based on the Pulse-Width Adjustment Method in Interleaved Converters. *Dusmez, S.*, +, *TPEL July 2016 5149-5160*
- DBC Switch Module for Management of Temperature and Noise in 220-W/ $\text{in}^3$  Power Assembly. *Shin, J.*, +, *TPEL March 2016 2387-2394*
- Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator. *Isobe, T.*, +, *TPEL Jan. 2016 224-234*
- Sensitivity analysis**
- Multiple-Time-Scales Hierarchical Frequency Stability Control Strategy of Medium-Voltage Isolated Microgrid. *Zhao, Z.*, +, *TPEL Aug. 2016 5974-5991*
- Sensorless machine control**
- A Current Index Approach to Compensate Commutation Phase Error for Sensorless Brushless DC Motors With Nonideal Back EMF. *Lee, A.*, +, *TPEL June 2016 4389-4399*
- A New  $V/f$ -Based Sensorless MTPA Control for IPMSM Drives. *Tang, Z.*, +, *TPEL June 2016 4400-4415*

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*

Adaptive Compensation Method for High-Speed Surface PMSM Sensorless Drives of EMF-Based Position Estimation Error. *Song, X.*, +, *TPEL Feb. 2016 1438-1449*

Direct Voltage Control With Slip Angle Estimation to Extend the Range of Supported Asymmetric Loads for Stand-Alone DFIG. *Ataji, A.B.*, +, *TPEL Feb. 2016 1015-1025*

Minimum-Voltage Vector Injection Method for Sensorless Control of PMSM for Low-Speed Operations. *Xie, G.*, +, *TPEL Feb. 2016 1785-1794*

Novel PWM Schemes With Multi SVPWM of Sensorless IPMSM Drives for Reducing Current Ripple. *Gu, M.*, +, *TPEL Sept. 2016 6461-6475*

Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor. *Gan, C.*, +, *TPEL Oct. 2016 7248-7263*

Position Sensorless Control Without Phase Shifter for High-Speed BLDC Motors With Low Inductance and Nonideal Back EMF. *Li, W.*, +, *TPEL Feb. 2016 1354-1366*

Sensorless Control for High-Speed Brushless DC Motor Based on the Line-to-Line Back EMF. *Liu, G.*, +, *TPEL July 2016 4669-4683*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, +, *TPEL April 2016 3027-3035*

Speed-Sensorless Induction Machine Control in the Field-Weakening Region Using Discrete Speed-Adaptive Full-Order Observer. *Wang, B.*, +, *TPEL Aug. 2016 5759-5773*

Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*

#### Sensors

Power Electronic Circuits for Magnetic Energy Harvesters. *Moon, J.*, +, *TPEL Jan. 2016 270-279*

#### Shafts

Solid-State Transfer Switch Topologies for a Switched Doubly Fed Machine Drive. *Banerjee, A.*, +, *TPEL Aug. 2016 5709-5720*

#### Short-circuit currents

Canonical Model and Design Methodology for LLC DC/DC Converter With Constant Current Operation Capability Under Shorted Load. *Duan, F.*, +, *TPEL Oct. 2016 6870-6883*

Central-Tapped Node Linked Modular Fault-Tolerance Topology for SRM Applications. *Hu, Y.*, +, *TPEL Feb. 2016 1541-1554*

Design of Fuse-MOSFET Pair for Fault-Tolerant DC/DC Converters. *Soon, J.L.*, +, *TPEL Sept. 2016 6069-6074*

Modeling and Analysis of Interturn Short Fault in Permanent Magnet Synchronous Motors With Multistrands Windings. *Qian, H.*, +, *TPEL March 2016 2496-2509*

Wideband Mechanism Model and Parameter Extracting for High-Power High-Voltage High-Frequency Transformers. *Liu, C.*, +, *TPEL May 2016 3444-3455*

Z-Impedance Compensation for Wireless Power Transfer Based on Electric Field. *Huang, L.*, +, *TPEL Nov. 2016 7556-7563*

#### Signal conditioning circuits

New Measuring Technique for Reducing the Number of Voltage Sensors in Modular Multilevel Converters. *Picas, R.*, +, *TPEL Jan. 2016 177-187*

#### Signal generators

A Fast Orthogonal Signal-Generation Algorithm Characterized by Noise Immunity and High Accuracy for Single-Phase Grid. *Xiong, L.*, +, *TPEL March 2016 1847-1851*

An Improved Second-Order Generalized Integrator Based Quadrature Signal Generator. *Xin, Z.*, +, *TPEL Dec. 2016 8068-8073*

Comparative Performance Evaluation of Orthogonal-Signal-Generators-Based Single-Phase PLL Algorithms—A Survey. *Han, Y.*, +, *TPEL May 2016 3932-3944*

Small-Signal Modeling, Stability Analysis and Design Optimization of Single-Phase Delay-Based PLLs. *Golestan, S.*, +, *TPEL May 2016 3517-3527*

#### Signal sampling

A Digital Hysteresis Current Controller for Three-Level Neural-Point-Clamped Inverter With Mixed-Levels and Prediction-Based Sampling. *Yi, H.*, +, *TPEL May 2016 3945-3957*

#### Silicon

A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souffignat, T.*, +, *TPEL July 2016 4984-4994*

A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*

Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*

Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*

Design and Layout Strategy in the 60-V Power pLDMOS With Drain-End Modulated Engineering of Reliability Considerations. *Chen, S.*, +, *TPEL July 2016 5113-5121*

Interleaved High-Conversion-Ratio Bidirectional DC-DC Converter for Distributed Energy-Storage Systems—Circuit Generation, Analysis, and Design. *Wang, Y.*, +, *TPEL Aug. 2016 5547-5561*

ZVS of Power MOSFETs Revisited. *Kasper, M.*, +, *TPEL Dec. 2016 8063-8067*

#### Silicon compounds

A 3.2-kW 13.56-MHz SiC Passive Rectifier With 94.0% Efficiency Using Commutation Capacitor. *Shamseh, M.B.*, +, *TPEL Oct. 2016 6787-6791*

A Fully Integrated Inductor-Based GaN Boost Converter With Self-Generated Switching Signal for Vehicular Applications. *Choi, P.*, +, *TPEL Aug. 2016 5365-5368*

A High-Voltage SiC-Based Boost PFC for LED Applications. *Leon-Masich, A.*, +, *TPEL Feb. 2016 1633-1642*

A Maximum Power Density Design Method for Nine Switches Matrix Converter Using SiC-MOSFET. *Koiwa, K.*, +, *TPEL Feb. 2016 1189-1202*

A Novel DBC Layout for Current Imbalance Mitigation in SiC MOSFET Multichip Power Modules. *Li, H.*, +, *TPEL Dec. 2016 8042-8045*

A Physics-Based Compact Model of SiC Power MOSFETs. *Kraus, R.*, +, *TPEL Aug. 2016 5863-5870*

Characterization Method of SiC-JFET Interelectrode Capacitances in Linear Region. *Li, K.*, +, *TPEL Feb. 2016 1528-1540*

Circuit-Based Electrothermal Simulation of Power Devices by an Ultrafast Nonlinear MOR Approach. *Codecasa, L.*, +, *TPEL Aug. 2016 5906-5916*

Development of a Simple Analytical PSpice Model for SiC-Based BJT Power Modules. *Johannesson, D.*, +, *TPEL June 2016 4517-4525*

Efficient Transformerless MOSFET Inverter for a Grid-Tied Photovoltaic System. *Islam, M.*, +, *TPEL Sept. 2016 6305-6316*

Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL March 2016 1816-1821*

Failure Modes of 15-kV SiC SGTO Thyristors During Repetitive Extreme Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL Dec. 2016 8058-8062*

Gate and Base Drivers for Silicon Carbide Power Transistors: An Overview. *Peftitsis, D.*, +, *TPEL Oct. 2016 7194-7213*

High Switching Performance of 1700-V, 50-A SiC Power MOSFET Over Si IGBT/BiMOSFET for Advanced Power Conversion Applications. *Hazra, S.*, +, *TPEL July 2016 4742-4754*

Influences of Device and Circuit Mismatches on Paralleling Silicon Carbide MOSFETs. *Li, H.*, +, *TPEL Jan. 2016 621-634*

Interleaved High-Conversion-Ratio Bidirectional DC-DC Converter for Distributed Energy-Storage Systems—Circuit Generation, Analysis, and Design. *Wang, Y.*, +, *TPEL Aug. 2016 5547-5561*

On the Design Process of a 6-kVA Quasi-Z-inverter Employing SiC Power Devices. *Zdanowski, M.*, +, *TPEL Nov. 2016 7499-7508*

Power-Loss Prediction of High-Voltage SiC-mosfet Circuits With Compact Model Including Carrier-Trap Influences. *Tanimoto, Y.*, +, *TPEL June 2016 4509-4516*

Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*

- Temperature-Dependent Short-Circuit Capability of Silicon Carbide Power MOSFETs. *Wang, Z.*, +, *TPEL Feb. 2016 1555-1566*
- The Effect of Electrothermal Nonuniformities on Parallel Connected SiC Power Devices Under Unclamped and Clamped Inductive Switching. *Hu, J.*, +, *TPEL June 2016 4526-4535*
- Silicon-on-insulator**
- A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souviguet, T.*, +, *TPEL July 2016 4984-4994*
- Simulated annealing**
- A Simulated Annealing Global Maximum Power Point Tracking Approach for PV Modules Under Partial Shading Conditions. *Lyden, S.*, +, *TPEL June 2016 4171-4181*
- Skin effect**
- A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*
- Implementation of a Nonlinear Planar Magnetics Model. *Tria, L.A.R.*, +, *TPEL Sept. 2016 6534-6542*
- Thermal Analysis of the Laminated Busbar System of a Multilevel Converter. *Smirnova, L.*, +, *TPEL Feb. 2016 1479-1488*
- Slip (asynchronous machines)**
- Direct Voltage Control With Slip Angle Estimation to Extend the Range of Supported Asymmetric Loads for Stand-Alone DFIG. *Ataji, A.B.*, +, *TPEL Feb. 2016 1015-1025*
- Smart power grids**
- DC Microgrids—Part II: A Review of Power Architectures, Applications, and Standardization Issues. *Dragicevic, T.*, +, *TPEL May 2016 3528-3549*
- Decoupled Power Angle and Voltage Control of Electric Springs. *Mok, K.*, +, *TPEL Feb. 2016 1216-1229*
- Fast and Robust Single-Phase  $>DQ$  Current Controller for Smart Inverter Applications. *Ebrahimi, M.*, +, *TPEL May 2016 3968-3976*
- Online and Offline Stability Analysis Methods for the Power Electronic-Based Components in Design and Operational Stages. *Salmani, M.*, +, *TPEL April 2016 3151-3164*
- Smart Grid Connection of an Induction Motor Using a Three-Phase Floating H-bridge System as a Series Compensator. *Leng, S.*, +, *TPEL Oct. 2016 7053-7064*
- Snubbers**
- A High-Efficiency Flyback Micro-inverter With a New Adaptive Snubber for Photovoltaic Applications. *Rezaei, M.A.*, +, *TPEL Jan. 2016 318-327*
- A Soft-Switched Asymmetric Flying-Capacitor Boost Converter With Synchronous Rectification. *Lefevre, G.*, +, *TPEL March 2016 2200-2212*
- An AC Z-Source Converter Based on Gamma Structure With Safe-Commutation Strategy. *Banaei, M.R.*, +, *TPEL Feb. 2016 1255-1262*
- Solar cell arrays**
- Enhancing Microinverter Energy Capture With Submodule Differential Power Processing. *Qin, S.*, +, *TPEL May 2016 3575-3585*
- High-Frequency-Link-Based Grid-Tied PV System With Small DC-Link Capacitor and Low-Frequency Ripple-Free Maximum Power Point Tracking. *Shi, Y.*, +, *TPEL Jan. 2016 328-339*
- Leakage Current Calculation for PV Inverter System Based on a Parasitic Capacitor Model. *Chen, W.*, +, *TPEL Dec. 2016 8205-8217*
- Photovoltaic Hot-Spot Detection for Solar Panel Substrings Using AC Parameter Characterization. *Kim, K.A.*, +, *TPEL Feb. 2016 1121-1130*
- The Detection of Series Arc Fault in Photovoltaic Systems Based on the Arc Current Entropy. *Georgijevic, N.L.*, +, *TPEL Aug. 2016 5917-5930*
- Solar cells**
- A High-Efficiency Flyback Micro-inverter With a New Adaptive Snubber for Photovoltaic Applications. *Rezaei, M.A.*, +, *TPEL Jan. 2016 318-327*
- An FPGA-Based Advanced Control Strategy of a Grid-Tied PV CHB Inverter. *Coppola, M.*, +, *TPEL Jan. 2016 806-816*
- An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*
- Bus Voltage Control With Zero Distortion and High Bandwidth for Single-Phase Solar Inverters. *Levron, Y.*, +, *TPEL Jan. 2016 258-269*
- Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G.*, +, *TPEL Jan. 2016 235-247*
- Transformerless Photovoltaic Inverter Based on Interleaving High-Frequency Legs Having Bidirectional Capability. *Liu, C.*, +, *TPEL Feb. 2016 1131-1142*
- Solar power**
- An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*
- Solders**
- Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W.*, +, *TPEL Sept. 2016 6575-6585*
- Solenoids**
- Analysis and Optimization of the Efficiency of Induction Heating Applications With Litz-Wire Planar and Solenoidal Coils. *Lope, I.*, +, *TPEL July 2016 5089-5101*
- Special issues and sections**
- Editorial Special Issue on Impedance-Source Converter Topologies and Applications. *Vinnikov, D.*, +, *TPEL Nov. 2016 7417-7418*
- Spectral analysis**
- Front-End Monitoring of the Mutual Inductance and Load Resistance in a Series-Series Compensated Wireless Power Transfer System. *Yin, J.*, +, *TPEL Oct. 2016 7339-7352*
- SPICE**
- Circuit-Based Electrothermal Simulation of Power Devices by an Ultrafast Nonlinear MOR Approach. *Codecasa, L.*, +, *TPEL Aug. 2016 5906-5916*
- Development of a Simple Analytical PSpice Model for SiC-Based BJT Power Modules. *Johannesson, D.*, +, *TPEL June 2016 4517-4525*
- Steady-State Analysis and Design of Class-D ZVS Inverter at Any Duty Ratio. *Wei, X.*, +, *TPEL Jan. 2016 394-405*
- Squirrel cage motors**
- Rotor Flux-Oriented Control of Induction Motor With Synchronized Sinusoidal PWM for Traction Application. *Sahoo, S.K.*, +, *TPEL June 2016 4429-4439*
- Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*
- Stability**
- A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins. *Kanjiya, P.*, +, *TPEL March 2016 2550-2561*
- Application of an Advanced Repetitive Controller to Mitigate Harmonics in MMC With APOD Scheme. *Madichetty, S.*, +, *TPEL Sept. 2016 6112-6121*
- Control Method of Monoinverter Dual Parallel Drive System With Interior Permanent Magnet Synchronous Machines. *Lee, Y.*, +, *TPEL Oct. 2016 7077-7086*
- Control Strategy to Maximize the Power Capability of PV Three-Phase Inverters During Voltage Sags. *Sosa, J.L.*, +, *TPEL April 2016 3314-3323*
- Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y.*, +, *TPEL May 2016 3728-3737*
- High-Performance Grid Simulator Using Parallel Structure Fractional Repetitive Control. *Liu, T.*, +, *TPEL March 2016 2669-2679*
- Sliding-Mode Observer-Based Mechanical Parameter Estimation for Permanent Magnet Synchronous Motor. *Zhang, X.*, +, *TPEL Aug. 2016 5732-5745*
- Small-Signal Modeling, Stability Analysis and Design Optimization of Single-Phase Delay-Based PLLs. *Golestan, S.*, +, *TPEL May 2016 3517-3527*
- Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi-Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*
- Stability Analysis of Vector-Controlled Modular Multilevel Converters in Linear Time-Periodic Framework. *Chaudhuri, N.R.*, +, *TPEL July 2016 5255-5269*
- Stability of Distributed Power Delivery Systems With Multiple Parallel On-Chip LDO Regulators. *Vaisband, I.*, +, *TPEL Aug. 2016 5625-5634*
- Stabilization of Cascaded DC/DC Converters via Adaptive Series-Virtual-Impedance Control of the Load Converter. *Zhang, X.*, +, *TPEL Sept. 2016 6057-6063*
- Subharmonic Instability Limits for  $V^2$ -Controlled Buck Converter With Outer Loop Closed/Open. *Fang, C.*, +, *TPEL Feb. 2016 1657-1664*

**State estimation**

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, +, *TPEL April 2016 3027-3035*

**State-space methods**

Modeling and Control of a Resonant Dual Active Bridge With a Tuned CLLC Network. *Malan, W.L.*, +, *TPEL Oct. 2016 7297-7310*

**Static VAR compensators**

A Comprehensive DC Short-Circuit Fault Ride Through Strategy of Hybrid Modular Multilevel Converters (MMCs) for Overhead Line Transmission. *Cui, S.*, +, *TPEL Nov. 2016 7780-7796*

A Hybrid Electrical Magnetic Power Quality Compensation System With Minimum Active Compensation Capacity for V/V Cophase Railway Power Supply System. *Chen, B.*, +, *TPEL June 2016 4159-4170*

A Modular and Scalable Structure Using Multiparallel-Connected Series-Voltage Compensators for Supply Voltage Regulation. *Cheung, V.S.*, +, *TPEL June 2016 4096-4110*

Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator. *Isobe, T.*, +, *TPEL Jan. 2016 224-234*

Individual Phase Current Control Based on Optimal Zero-Sequence Current Separation for a Star-Connected Cascade STATCOM Under Unbalanced Conditions. *Shi, Y.*, +, *TPEL March 2016 2099-2110*

**Stators**

A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*

Current Balance Control for Symmetrical Multiphase Inverters. *Liu, Z.*, +, *TPEL June 2016 4005-4012*

Detection and Discrimination of Open-Phase Fault in Permanent Magnet Synchronous Motor Drive System. *Hang, J.*, +, *TPEL July 2016 4697-4709*

Direct Torque Control for VSI-PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*

Direct Voltage Control With Slip Angle Estimation to Extend the Range of Supported Asymmetric Loads for Stand-Alone DFIG. *Ataji, A.B.*, +, *TPEL Feb. 2016 1015-1025*

Doubly Fed Induction Generator Wind Turbine Systems Subject to Recurring Symmetrical Grid Faults. *Chen, W.*, +, *TPEL Feb. 2016 1143-1160*

Dual-Loop Control Strategy for DFIG-Based Wind Turbines Under Grid Voltage Disturbances. *Zhu, R.*, +, *TPEL March 2016 2239-2253*

Dynamic Loss Minimization of Finite Control Set-Model Predictive Torque Control for Electric Drive System. *Xie, W.*, +, *TPEL Jan. 2016 849-860*

Estimation Method of Stator Winding Temperature for Dual Three-Phase Machines Based on DC-Signal Injection. *Baneira, F.*, +, *TPEL July 2016 5141-5148*

Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016 5538-5546*

Scaled Current Tracking Control for Doubly Fed Induction Generator to Ride-Through Serious Grid Faults. *Huang, Q.*, +, *TPEL March 2016 2150-2165*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, +, *TPEL April 2016 3027-3035*

Solid-State Transfer Switch Topologies for a Switched Doubly Fed Machine Drive. *Banerjee, A.*, +, *TPEL Aug. 2016 5709-5720*

Two-Vector-Based Model Predictive Torque Control Without Weighting Factors for Induction Motor Drives. *Zhang, Y.*, +, *TPEL Feb. 2016 1381-1390*

**Stochastic processes**

Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. *Yu, Y.*, +, *TPEL Jan. 2016 292-303*

**Street lighting**

A Single-Stage Single-Switch LED Driver Based on the Integrated SEPIC Circuit and Class-E Converter. *Wang, Y.*, +, *TPEL Aug. 2016 5814-5824*

**Stress analysis**

Low  $\Delta T_j$  Stress Cycle Effect in IGBT Power Module Die-Attach Lifetime Modeling. *Lai, W.*, +, *TPEL Sept. 2016 6575-6585*

**Strip lines**

Optimization of Coupled Stripline Microinductors in Power Supply on Chip Applications. *Feeney, C.*, +, *TPEL Aug. 2016 5805-5813*

**Substations**

Line-Voltage Control Based on Wayside Energy Storage Systems for Tramway Networks. *Ciccarelli, F.*, +, *TPEL Jan. 2016 884-899*

**Subsynchronous resonance**

Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. *Wen, B.*, +, *TPEL Jan. 2016 26-38*

**Supercapacitors**

An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. *Abeywardana, D.B.W.*, +, *TPEL June 2016 4594-4603*

Hybrid Ultracapacitor-Battery Energy Storage System Based on Quasi-Z-source Topology and Enhanced Frequency Dividing Coordinated Control for EV. *Hu, S.*, +, *TPEL Nov. 2016 7598-7610*

Improved Control Strategy of a Supercapacitor-Based Energy Recovery System for Elevator Applications. *Jabbour, N.*, +, *TPEL Dec. 2016 8398-8408*

Line-Voltage Control Based on Wayside Energy Storage Systems for Tramway Networks. *Ciccarelli, F.*, +, *TPEL Jan. 2016 884-899*

Novel Experimental Identification Method for a Supercapacitor Multipore Model in Order to Monitor the State of Health. *German, R.*, +, *TPEL Jan. 2016 548-559*

Quantitative Evaluation of LiFePO<sub>4</sub> Battery Cycle Life Improvement Using Ultracapacitors. *Zhao, C.*, +, *TPEL June 2016 3989-3993*

Transformer-Based Equalization Circuit Applied to  $n$ -Number of High Capacitance Cells. *Lambert, S.M.*, +, *TPEL Feb. 2016 1334-1343*

Ultracapacitor-Battery Hybrid Energy Storage System Based on the Asymmetric Bidirectional Z-Source Topology for EV. *Hu, S.*, +, *TPEL Nov. 2016 7489-7498*

**Support vector machines**

Lithium Polymer Battery State-of-Charge Estimation Based on Adaptive Unscented Kalman Filter and Support Vector Machine. *Meng, J.*, +, *TPEL March 2016 2226-2238*

**Surface mount technology**

Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016 7065-7076*

Singularity-Free Adaptive Speed Tracking Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2016 1692-1701*

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi-Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

**Surface treatment**

Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S.*, +, *TPEL Dec. 2016 8528-8540*

**Surge protection**

Analysis and Design of DC System Protection Using Z-Source Circuit Breaker. *Chang, A.H.*, +, *TPEL Feb. 2016 1036-1049*

**Sustainable development**

A New Multiinput Three-Level DC/DC Converter. *Dusmez, S.*, +, *TPEL Feb. 2016 1230-1240*

**Switched capacitor networks**

A Cascade Point of Load DC-DC Converter With a Novel Phase Shifted Switched Capacitor Converter Output Stage. *Challa, S.R.*, +, *TPEL Jan. 2016 353-368*

A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage. *Guo, F.*, +, *TPEL Dec. 2016 8237-8246*

An Integrated High-Density Power Management Solution for Portable Applications Based on a Multioutput Switched-Capacitor Circuit. *Ahsanuzzaman, S.M.*, +, *TPEL June 2016 4305-4323*

An NMOS-LDO Regulated Switched-Capacitor DC-DC Converter With Fast-Response Adaptive-Phase Digital Control. *Lu, Y.*, +, *TPEL Feb. 2016 1294-1303*

Decoding and Synthesizing Transformerless PWM Converters. *Wu, T.*, *TPEL Sept. 2016 6293-6304*

Generalized Structure for a Single Phase Switched-Capacitor Multilevel Inverter Using a New Multiple DC Link Producer With Reduced Number of Switches. *Barzegarkhoo, R.*, +, *TPEL Aug. 2016 5604-5617*

High-Power Thyristor-Based DC–DC Switched-Capacitor Voltage Multipliers: Basic Concept and Novel Derived Topology With Reduced Number of Switches. *Kawa, A.*, +, *TPEL Oct. 2016 6797-6813*

Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, +, *TPEL April 2016 2695-2708*

Modeling and Efficiency Analysis of Multiphase Resonant-Switched Capacitive Converters. *Pillonnet, G.*, *TPEL Jan. 2016 11-14*

Multi-input Step-Up Converters Based on the Switched-Diode-Capacitor Voltage Accumulator. *Hou, S.*, +, *TPEL Jan. 2016 381-393*

Split-Phase Control: Achieving Complete Soft-Charging Operation of a Dickson Switched-Capacitor Converter. *Lei, Y.*, +, *TPEL Jan. 2016 770-782*

#### Switched mode power supplies

A  $\Delta\Sigma$  Dithering-Amplification-Based Identification Technique for Online SMPS. *Congiu, A.*, +, *TPEL Aug. 2016 6001*

A Novel Method to Predict the Real Operation of Ferrite Inductors With Moderate Saturation in Switching Power Supply Applications. *Di Capua, G.*, +, *TPEL March 2016 2456-2464*

All-Digital Low-Dropout Regulator With Adaptive Control and Reduced Dynamic Stability for Digital Load Circuits. *Nasir, S.B.*, +, *TPEL Dec. 2016 8293-8302*

Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*

Load–Source Matching With Dielectric Isolation in High-Frequency Switch-Mode Power Supplies. *Amanci, A.Z.*, +, *TPEL Oct. 2016 7123-7130*

#### Switches

A Real-Time Variable Turn-Off Current Strategy for a PFC Converter With Voltage Spike Limitation and Efficiency Improvement. *Wu, Q.*, +, *TPEL Dec. 2016 8031-8036*

A Three-Terminal Switch Model of Constant On-Time Current Mode With External Ramp Compensation. *Tian, S.*, +, *TPEL Oct. 2016 7311-7319*

#### Switchgear

A Novel Multiple-Frequency Resonant Inverter for Induction Heating Applications. *Bi, C.*, +, *TPEL Dec. 2016 8162-8171*

An Enhanced Single-Phase Step-Up Five-Level Inverter. *Gao, F.*, *TPEL Dec. 2016 8024-8030*

Open-Circuit Fault-Tolerant Control for Outer Switches of Three-Level Rectifiers in Wind Turbine Systems. *Lee, J.*, +, *TPEL May 2016 3806-3815*

#### Switching circuits

Self-Oscillating Tuning Loops for Series Resonant Inductive Power Transfer Systems. *Namadmalan, A.*, *TPEL Oct. 2016 7320-7327*

Static Regulated Multistage Semiactive LED Drivers for High-Efficiency Applications. *Lee, E.S.*, +, *TPEL Sept. 2016 6543-6552*

#### Switching converters

3-D-Printed Air-Core Inductors for High-Frequency Power Converters. *Liang, W.*, +, *TPEL Jan. 2016 52-64*

A 10-MHz Isolated Synchronous Class- $\Phi_2$  Resonant Converter. *Ren, X.*, +, *TPEL Dec. 2016 8317-8328*

A 300-mV Low-Power Management System for Energy Harvesting Applications. *Dallago, E.*, +, *TPEL March 2016 2273-2281*

A Dual-Transformer Active-Clamp Forward Converter With Nonlinear Conversion Ratio. *Lin, J.*, +, *TPEL June 2016 4353-4361*

A Family of Isolated Buck-Boost Converters Based on Semiactive Rectifiers for High-Output Voltage Applications. *Lu, Y.*, +, *TPEL Sept. 2016 6327-6340*

A Fault-Tolerant Strategy Based on Fundamental Phase-Shift Compensation for Three-Phase Multilevel Converters With Quasi-Z-Source Networks With Discontinuous Input Current. *Aleenejad, M.*, +, *TPEL Nov. 2016 7480-7488*

A Gate Driver With Integrated Deadtime Controller. *Grezaud, R.*, +, *TPEL Dec. 2016 8409-8421*

A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC–DC Driver for Supplying Multiple LED Strings in Parallel. *Ma, H.*, +, *TPEL Aug. 2016 5825-5836*

A High-Precision CV/CC AC–DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*

A Monolithic High-Performance Buck Converter With Enhanced Current-Mode Control and Advanced Protection Circuits. *Wang, L.*, +, *TPEL Jan. 2016 793-805*

A Natural-Sampling-Based SVM Scheme for Current Source Converter With Superior Low-Order Harmonics Performance. *Wei, Q.*, +, *TPEL Sept. 2016 6144-6154*

A Novel High Step-up Converter With a Quasi-active Switched-Inductor Structure for Renewable Energy Systems. *Liu, H.*, +, *TPEL July 2016 5030-5039*

A Novel High Step-Up Dual Switches Converter With Coupled Inductor and Voltage Multiplier Cell for a Renewable Energy System. *Liu, H.*, +, *TPEL July 2016 4974-4983*

A Novel Multiple-Frequency Resonant Inverter for Induction Heating Applications. *Bi, C.*, +, *TPEL Dec. 2016 8162-8171*

A Novel Power Converter Topology for Electrostatic Precipitators. *Vukosavic, S.N.*, +, *TPEL Jan. 2016 152-164*

A Novel PWM High Voltage Conversion Ratio Bidirectional Three-Phase DC/DC Converter With Y– $\Delta$  Connected Transformer. *Jin, K.*, +, *TPEL Jan. 2016 81-88*

A Novel Soft-Switching Battery Charge/Discharge Converter With the Zero Voltage Discharge Function. *Yu, S.*, +, *TPEL July 2016 5067-5078*

A Novel SVPWM Algorithm for Five-Level Active Neutral-Point-Clamped Converter. *Liu, Z.*, +, *TPEL May 2016 3859-3866*

A Real-Time Variable Turn-Off Current Strategy for a PFC Converter With Voltage Spike Limitation and Efficiency Improvement. *Wu, Q.*, +, *TPEL Dec. 2016 8031-8036*

A Three-Phase Multilevel Hybrid Switched-Capacitor PWM PFC Rectifier for High-Voltage-Gain Applications. *Cortez, D.F.*, +, *TPEL May 2016 3495-3505*

A Three-State Switching Boost Converter Mixed With Magnetic Coupling and Voltage Multiplier Techniques for High Gain Conversion. *Hu, X.*, +, *TPEL April 2016 2991-3001*

Active DC-Link Capacitor Harmonic Current Reduction in Two-Level Back-to-Back Converter. *Shen, L.*, +, *TPEL Oct. 2016 6947-6954*

An AC Z-Source Converter Based on Gamma Structure With Safe-Commutation Strategy. *Banaei, M.R.*, +, *TPEL Feb. 2016 1255-1262*

An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*

An Integrated Inductor for Parallel Interleaved Three-Phase Voltage Source Converters. *Gohil, G.*, +, *TPEL May 2016 3400-3414*

Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells. *Melin, P.E.*, +, *TPEL Sept. 2016 6122-6133*

Analysis of High-Power Switched-Capacitor Converter Regulation Based on Charge-Balance Transient-Calculation Method. *Wu, B.*, +, *TPEL May 2016 3482-3494*

Analytical Switching Cycle Modeling of Bidirectional High-Voltage Flyback Converter for Capacitive Load Considering Core Loss Effect. *Huang, L.*, +, *TPEL Jan. 2016 470-487*

Asynchronous-Switching Map-Based Stability Effects of Circuit Parameters in Fixed Off-Time Controlled Buck Converter. *Zhang, X.*, +, *TPEL Sept. 2016 6686-6697*

Canonical Model and Design Methodology for LLC DC/DC Converter With Constant Current Operation Capability Under Shorted Load. *Duan, F.*, +, *TPEL Oct. 2016 6870-6883*

Closed-Form Oriented Modeling and Analysis of Wireless Power Transfer System With Constant-Voltage Source and Load. *Zhang, Y.*, +, *TPEL May 2016 3472-3481*

Combined Phase-Shift and Frequency Modulation of a Dual-Active-Bridge AC–DC Converter With PFC. *Jauch, F.*, +, *TPEL Dec. 2016 8387-8397*

Comparison of a Buck Converter and a Series Capacitor Buck Converter for High-Frequency, High-Conversion-Ratio Voltage Regulators. *Shenoy, P.S.*, +, *TPEL Oct. 2016 7006-7015*

- Constant Resonant Current Limiting Strategy for LLC Converter Without Current Sensing. *Li, Q.*, +, *TPEL Sept. 2016 6756-6764*
- DCM-Based Zero-Voltage Switching Control of a Bidirectional DC–DC Converter With Variable Switching Frequency. *Konjedic, T.*, +, *TPEL April 2016 3273-3288*
- Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*
- Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*
- Direct Torque Control for VSI–PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*
- Dual Switches DC/DC Converter With Three-Winding-Coupled Inductor and Charge Pump. *Tang, Y.*, +, *TPEL Jan. 2016 461-469*
- Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*
- Generalized Structure for a Single Phase Switched-Capacitor Multilevel Inverter Using a New Multiple DC Link Producer With Reduced Number of Switches. *Barzegarkhoo, R.*, +, *TPEL Aug. 2016 5604-5617*
- Global Synchronous Pulse Width Modulation of Distributed Inverters. *Xu, T.*, +, *TPEL Sept. 2016 6237-6253*
- High Switching Performance of 1700-V, 50-A SiC Power MOSFET Over Si IGBT/BiMOSFET for Advanced Power Conversion Applications. *Hazra, S.*, +, *TPEL July 2016 4742-4754*
- High-Efficiency Coupled-Inductor-Based Step-Down Converter. *Wai, R.*, +, *TPEL June 2016 4265-4279*
- High-Frequency Behavioral Ring Core Inductor Model. *Cuellar, C.*, +, *TPEL May 2016 3763-3772*
- Hybrid Modulation Scheme for a High-Frequency AC-Link Inverter. *Mazumder, S.K.*, *TPEL Jan. 2016 861-870*
- Hybrid Switched Inductor Impedance Source Converter—A Decoupled Approach. *Vakacharla, V.R.*, +, *TPEL Nov. 2016 7509-7521*
- Impedance Control Network Resonant DC–DC Converter for Wide-Range High-Efficiency Operation. *Lu, J.*, +, *TPEL July 2016 5040-5056*
- Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G.*, +, *TPEL Jan. 2016 235-247*
- Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*
- Interleaved Boundary Conduction Mode Versus Continuous Conduction Mode Magnetic Volume Comparison in Power Converters. *Antoszczuk, P.*, +, *TPEL Dec. 2016 8037-8041*
- Linear Regulator Design Considerations of the Serial Linear-Assisted Switching Converter Used as Envelope Amplifier. *Liu, M.*, +, *TPEL May 2016 3673-3689*
- Modeling and Analysis of a Fast and Robust Module-Integrated Analog Photovoltaic MPP Tracker. *Maity, S.*, +, *TPEL Jan. 2016 280-291*
- Modeling and Analysis of Class EF and Class E/F Inverters With Series-Tuned Resonant Networks. *Aldhafer, S.*, +, *TPEL May 2016 3415-3430*
- Modeling and Efficiency Analysis of Multiphase Resonant-Switched Capacitive Converters. *Pillonnet, G.*, *TPEL Jan. 2016 11-14*
- Modeling the Output Impedance of a T-Type Power Converter. *Krismer, F.*, +, *TPEL Dec. 2016 8052-8057*
- Modulation Schemes With Enhanced Switch Thermal Distribution for Single-Phase AC–DC–AC Reduced-Switch Converters. *Qin, Z.*, +, *TPEL April 2016 3302-3313*
- Morphing switched-capacitor converters with variable conversion ratio. *Xiong, S.*, +, *TPEL Aug. 2016 5680-5693*
- New Three-Dimensional Space Vector-Based Switching Signal Generation Technique Without Null Vectors and With Reduced Switching Losses for a Grid-Connected Four-Leg Inverter. *Gowala, H.*, +, *TPEL Feb. 2016 1026-1035*
- Novel Isolated Multilevel DC–DC Power Converter. *Jou, H.*, +, *TPEL April 2016 2690-2694*
- On Improving Phase-Shifted PWM for Flying Capacitor Multilevel Converters. *Ghiasi, A.M.Y.M.*, +, *TPEL Aug. 2016 5384-5388*
- On Trajectory Planning, Backstepping Controller Design and Sliding Modes in Active Front-Ends. *Fehr, H.*, +, *TPEL Aug. 2016 6044-6056*
- Performance Evaluation of a Three-Phase Dual Active Bridge DC–DC Converter With Different Transformer Winding Configurations. *Baars, N.H.*, +, *TPEL Oct. 2016 6814-6823*
- Performance Improvement of Two-Vectors-Based Model Predictive Control of PWM Rectifier. *Zhang, Y.*, +, *TPEL Aug. 2016 6016-6030*
- Piecewise Average-Value Model of PWM Converters With Applications to Large-Signal Transient Simulations. *Xu, Y.*, +, *TPEL Feb. 2016 1304-1321*
- Piezoelectric Filter Module Used in Harmonics Elimination for High-Efficiency Piezoelectric Transformer Driving. *Ju, B.*, +, *TPEL Jan. 2016 524-532*
- Power Semiconductor Filter: Use of Series-Pass Device in Switching Converters for Filtering Input Current Harmonics. *Fan, W.*, +, *TPEL March 2016 2053-2068*
- Pseudo-Constant Switching Frequency in On-Time Controlled Buck Converter with Predicting Correction Techniques. *Chen, W.*, +, *TPEL May 2016 3650-3662*
- Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*
- Reconfigurable Periodic Bifrequency DPWM With Custom Harmonic Reduction in DC–DC Converters. *Kapat, S.*, *TPEL April 2016 3380-3388*
- Research on A Novel Modulation Strategy for Double Auxiliary Resonant Commutated Pole Soft-switching Inverter With the Shunt Dead Time. *Chu, E.*, +, *TPEL Oct. 2016 6855-6869*
- Selective Harmonic Elimination With Groebner Bases and Symmetric Polynomials. *Yang, K.*, +, *TPEL April 2016 2742-2752*
- Sequence-Based Control of an Isolated DC/AC Matrix Converter. *Tajfar, A.*, +, *TPEL Feb. 2016 1757-1773*
- Simplified Space Vector Modulation Techniques for Multilevel Inverters. *Ahmed, I.*, +, *TPEL Dec. 2016 8483-8499*
- Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*
- Sliding-Mode Control for a Three-Phase Unity Power Factor Rectifier Operating at Fixed Switching Frequency. *Guzman, R.*, +, *TPEL Jan. 2016 758-769*
- Soft-Switching Operation of Isolated Modular DC/DC Converters for Application in HVDC Grids. *Xing, Z.*, +, *TPEL April 2016 2753-2766*
- Soft-Switching Step-Up Converter With Ripple-Free Output Current. *Kim, S.*, +, *TPEL Aug. 2016 5618-5624*
- Steady-State Analysis and Design of Class-D ZVS Inverter at Any Duty Ratio. *Wei, X.*, +, *TPEL Jan. 2016 394-405*
- Subharmonic Instability Limits for  $V^2$ -Controlled Buck Converter With Outer Loop Closed/Open. *Fang, C.*, +, *TPEL Feb. 2016 1657-1664*
- Switching Battery Charger Integrated Circuit for Mobile Devices in a 130-nm BCDMOS Process. *Jeong, M.*, +, *TPEL Nov. 2016 7943-7952*
- Switching-Converter-Only Multiphase Envelope Modulator With Slew Rate Enhancer for LTE Power Amplifier Applications. *Sankman, J.*, +, *TPEL Jan. 2016 817-826*
- Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*
- The impact of voltage-balancing control on switching frequency of the modular multilevel converter. *Li, Y.*, +, *TPEL April 2016 2829-2839*
- Time-Domain Analysis of a Phase-Shift-Modulated Series Resonant Converter with an Adaptive Passive Auxiliary Circuit. *Safaei, A.*, +, *TPEL Nov. 2016 7714-7734*
- Transient DC Bias and Current Impact Effects of High-Frequency-Isolated Bidirectional DC–DC Converter in Practice. *Zhao, B.*, +, *TPEL April 2016 3203-3216*
- Unified Modeling of PWM Converters With Regular or Tapped Inductors Using TIS-SFG Approach. *Abramovitz, A.*, +, *TPEL Feb. 2016 1702-1716*
- Versatile LED Drivers for Various Electronic Ballasts by Variable Switched Capacitor. *Lee, E.S.*, +, *TPEL Feb. 2016 1489-1502*
- Wide Load Range ZVS Three-Level DC–DC Converter: Four Primary Switches, Capacitor Clamped, Two Secondary Switches, and Smaller Output Filter Volume. *Shi, Y.*, +, *TPEL May 2016 3431-3443*

**Switching networks**

A Multiinput Bridgeless Resonant AC–DC Converter for Electromagnetic Energy Harvesting. *Tang, Y.*, +, *TPEL March 2016 2254-2263*

**Switching transients**

Piecewise Average-Value Model of PWM Converters With Applications to Large-Signal Transient Simulations. *Xu, Y.*, +, *TPEL Feb. 2016 1304-1321*

**Synchronization**

A Virtual Flux Sensorless Control for Single-Phase Grid-Tied Inverters. *Hadjidemetriou, L.*, +, *TPEL March 2016 2139-2149*

Analysis of D-Q Small-Signal Impedance of Grid-Tied Inverters. *Wen, B.*, +, *TPEL Jan. 2016 675-687*

Couplings in Phase Domain Impedance Modeling of Grid-Connected Converters. *Kazem Bakhshizadeh, M.*, +, *TPEL Oct. 2016 6792-6796*

Detection of Grid Voltage Fundamental and Harmonic Components Using Kalman Filter and Generalized Averaging Method. *Bagheri, A.*, +, *TPEL Feb. 2016 1064-1073*

High-Frequency-Link-Based Grid-Tied PV System With Small DC-Link Capacitor and Low-Frequency Ripple-Free Maximum Power Point Tracking. *Shi, Y.*, +, *TPEL Jan. 2016 328-339*

Highly Accurate Derivatives for LCL-Filtered Grid Converter With Capacitor Voltage Active Damping. *Xin, Z.*, +, *TPEL May 2016 3612-3625*

Interleaved Current Control for Multiphase Converters With High Dynamics Mean Current Tracking. *Antoszczuk, P.D.*, +, *TPEL Dec. 2016 8422-8434*

Switching-Converter-Only Multiphase Envelope Modulator With Slew Rate Enhancer for LTE Power Amplifier Applications. *Sankman, J.*, +, *TPEL Jan. 2016 817-826*

Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators. *Ketzer, M.B.*, +, *TPEL July 2016 4818-4830*

**Synchronous generators**

An Adaptive Network-Based Reinforcement Learning Method for MPPT Control of PMSG Wind Energy Conversion Systems. *Wei, C.*, +, *TPEL Nov. 2016 7837-7848*

An Energy Management Scheme With Power Limit Capability and an Adaptive Maximum Power Point Tracking for Small Standalone PMSG Wind Energy Systems. *Hui, J.C.Y.*, +, *TPEL July 2016 4861-4875*

Comparison of Dynamic Characteristics Between Virtual Synchronous Generator and Droop Control in Inverter-Based Distributed Generators. *Liu, J.*, +, *TPEL May 2016 3600-3611*

Control of a Small Wind Turbine in the High Wind Speed Region. *Lumberras, C.*, +, *TPEL Oct. 2016 6980-6991*

Design and Control of a Two-Phase Brushless Exciter for Aircraft Wound-Rotor Synchronous Starter/Generator in the Starting Mode. *Jiao, N.*, +, *TPEL June 2016 4452-4461*

Division-Summation Current Control and One-Cycle Voltage Regulation of the Surface-Mounted Permanent-Magnet Synchronous Generator. *Chang, Y.*, +, *TPEL Feb. 2016 1391-1400*

Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. *Wen, B.*, +, *TPEL Jan. 2016 26-38*

Open-Circuit Fault-Tolerant Control for Outer Switches of Three-Level Rectifiers in Wind Turbine Systems. *Lee, J.*, +, *TPEL May 2016 3806-3815*

Static Synchronous Generator Model: A New Perspective to Investigate Dynamic Characteristics and Stability Issues of Grid-Tied PWM Inverter. *Xiong, L.*, +, *TPEL Sept. 2016 6264-6280*

Zero-Sequence Current Suppression Strategy for Open Winding PMSG Fed by Semiconverter Converter. *Nian, H.*, +, *TPEL Jan. 2016 711-720*

**Synchronous machines**

A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM. *Vafaie, M.H.*, +, *TPEL May 2016 3738-3753*

Comparative Evaluation of Direct Torque Control Strategies for Permanent Magnet Synchronous Machines. *Niu, F.*, +, *TPEL Feb. 2016 1408-1424*

Dynamic Loss Minimization of Finite Control Set-Model Predictive Torque Control for Electric Drive System. *Xie, W.*, +, *TPEL Jan. 2016 849-860*

High-Resistance Connection Detection in Permanent Magnet Synchronous Machine Using Zero-Sequence Current Component. *Hang, J.*, +, *TPEL July 2016 4710-4719*

Minimum-Voltage Vector Injection Method for Sensorless Control of PMSM for Low-Speed Operations. *Xie, G.*, +, *TPEL Feb. 2016 1785-1794*

Model Predictive Control of Load-Commutated Inverter-Fed Synchronous Machines. *Besselmann, T.J.*, +, *TPEL Oct. 2016 7384-7393*

**Synchronous motor drives**

A Control Strategy for Suppressing Circulating Currents in Parallel-Connected PMSM Drives With Individual DC Links. *Wang, F.*, +, *TPEL Feb. 2016 1680-1691*

A New V/f-Based Sensorless MTPA Control for IPMSM Drives. *Tang, Z.*, +, *TPEL June 2016 4400-4415*

ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*

Adaptive Compensation Method for High-Speed Surface PMSM Sensorless Drives of EMF-Based Position Estimation Error. *Song, X.*, +, *TPEL Feb. 2016 1438-1449*

Adaptive Saturation Controller-Based Direct Torque Control for Permanent-Magnet Synchronous Machines. *Zhang, Z.*, +, *TPEL Oct. 2016 7112-7122*

Adaptive-Linear-Neuron-Based Dead-Time Effects Compensation Scheme for PMSM Drives. *Qiu, T.*, +, *TPEL March 2016 2530-2538*

Constant Switching Frequency Based Direct Torque Control of Interior Permanent Magnet Synchronous Motors With Reduced Ripples and Fast Torque Dynamics. *Foo, G.H.B.*, +, *TPEL Sept. 2016 6485-6493*

Control Method of Monoinverter Dual Parallel Drive System With Interior Permanent Magnet Synchronous Machines. *Lee, Y.*, +, *TPEL Oct. 2016 7077-7086*

Detection and Discrimination of Open-Phase Fault in Permanent Magnet Synchronous Motor Drive System. *Hang, J.*, +, *TPEL July 2016 4697-4709*

Direct Torque Control for VSI-PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*

Dual-Space Vector Control of Open-End Winding Permanent Magnet Synchronous Motor Drive Fed by Dual Inverter. *An, Q.*, +, *TPEL Dec. 2016 8329-8342*

Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016 5746-5758*

Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y.*, +, *TPEL May 2016 3728-3737*

Field-Oriented Control and Direct Torque Control for Paralleled VSIs Fed PMSM Drives With Variable Switching Frequencies. *Wang, Z.*, +, *TPEL March 2016 2417-2428*

High-Precision Rotor Position Detection for High-Speed Surface PMSM Drive Based on Linear Hall-Effect Sensors. *Song, X.*, +, *TPEL July 2016 4720-4731*

Novel PWM Schemes With Multi SVPWM of Sensorless IPMSM Drives for Reducing Current Ripple. *Gu, M.*, +, *TPEL Sept. 2016 6461-6475*

PWM Strategy With Minimum Harmonic Distortion for Dual Three-Phase Permanent-Magnet Synchronous Motor Drives Operating in the Overmodulation Region. *Zhou, C.*, +, *TPEL Feb. 2016 1367-1380*

Sliding-Mode Observer-Based Mechanical Parameter Estimation for Permanent Magnet Synchronous Motor. *Zhang, X.*, +, *TPEL Aug. 2016 5732-5745*

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi–Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*

**Synchronous motors**

Modeling and Analysis of Interturn Short Fault in Permanent Magnet Synchronous Motors With Multistrands Windings. *Qian, H.*, +, *TPEL March 2016 2496-2509*

Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016 7065-7076*

Singularity-Free Adaptive Speed Tracking Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2016 1692-1701*

Study of IPMSM Interturn Faults Part I: Development and Analysis of Models With Series and Parallel Winding Connections. *Gu, B.*, *TPEL Aug. 2016 5931-5943*

Study of IPMSM Interturn Faults Part II: Online Fault Parameter Estimation. *Gu, B.*, *TPEL Oct. 2016 7214-7223*

#### System-on-chip

A Dynamic Bootstrap Voltage Technique for a High-Efficiency Buck Converter in a Universal Serial Bus Power Delivery Device. *Chen, W.*, *TPEL April 2016 3002-3015*

A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souvignet, T.*, *TPEL July 2016 4984-4994*

A High-Efficiency Current-Mode Buck Converter With a Power-Loss-Aware Switch-On-Demand Modulation Technique for Multifunction SoCs. *Huang, C.*, *TPEL Dec. 2016 8303-8316*

Pseudo-Constant Switching Frequency in On-Time Controlled Buck Converter with Predicting Correction Techniques. *Chen, W.*, *TPEL May 2016 3650-3662*

Tradeoffs Aware Design Procedure for an Adaptively Biased Capacitorless Low Dropout Regulator Using Nested Miller Compensation. *Maity, A.*, *TPEL Jan. 2016 369-380*

## T

#### Table lookup

A Multimode 1-MHz PFC Front End With Digital Peak Current Modulation. *Fernandes, R.*, *TPEL Aug. 2016 5694-5708*

A Real-Time Selective Harmonic Elimination Based on a Transient-Free Inner Closed-Loop Control for Cascaded Multilevel Inverters. *Zhao, H.*, *TPEL Feb. 2016 1000-1014*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, *TPEL April 2016 3027-3035*

#### Telecommunication power supplies

Envelope Modulator for 1.5-W 10-MHz LTE PA Without AC Coupling Capacitor Achieving 86.5% Peak Efficiency. *Sung, S.*, *TPEL Dec. 2016 8282-8292*

#### Telecontrol

A Virtual Impedance Optimization Method for Reactive Power Sharing in Networked Microgrid. *Zhu, Y.*, *TPEL April 2016 2890-2904*

#### Temperature measurement

Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, *TPEL Feb. 2016 1576-1587*

IGBT Junction Temperature Measurement via Peak Gate Current. *Baker, N.*, *TPEL May 2016 3784-3793*

Measurement and Characterization Technique for Real-Time Die Temperature Prediction of MOSFET-Based Power Electronics. *Davidson, J.N.*, *TPEL June 2016 4378-4388*

Particle Filter-Based Prognostics for an Electrolytic Capacitor Working in Variable Operating Conditions. *Rigamonti, M.*, *TPEL Feb. 2016 1567-1575*

#### Testing

A Model Assisted Testing Scheme for Modular Multilevel Converter. *Tang, Y.*, *TPEL Jan. 2016 165-176*

Improved Testing Capability of the Model-Assisted Testing Scheme for a Modular Multilevel Converter. *Tang, Y.*, *TPEL Nov. 2016 7823-7836*

#### Thermal analysis

Modulation Methods for Three-Level Neutral-Point-Clamped Inverter Achieving Stress Redistribution Under Moderate Modulation Index. *Ma, K.*, *TPEL Jan. 2016 5-10*

Thermal Analysis of the Laminated Busbar System of a Multilevel Converter. *Smirnova, L.*, *TPEL Feb. 2016 1479-1488*

#### Thermal expansion

Dynamic Modeling Method of Electro-Thermo-Mechanical Degradation in IGBT Modules. *Pedersen, K.B.*, *TPEL Feb. 2016 975-986*

#### Thermal management (packaging)

Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices. *Ma, K.*, *TPEL Oct. 2016 7183-7193*

Heat Management in Power Converters: From State of the Art to Future Ultrahigh Efficiency Systems. *Laloya, E.*, *TPEL Nov. 2016 7896-7908*

Junction Temperature Extraction Approach With Turn-Off Delay Time for High-Voltage High-Power IGBT Modules. *Luo, H.*, *TPEL July 2016 5122-5132*

#### Thermal resistance

DBC Switch Module for Management of Temperature and Noise in 220-W/in<sup>3</sup> Power Assembly. *Shin, J.*, *TPEL March 2016 2387-2394*

Frequency-Domain Thermal Modeling and Characterization of Power Semiconductor Devices. *Ma, K.*, *TPEL Oct. 2016 7183-7193*

#### Thin film capacitors

Metacapacitors: Printed Thin Film, Flexible Capacitors for Power Conversion Applications. *Van Tassell, B.*, *TPEL April 2016 2695-2708*

#### Three-term control

A  $\Delta\Sigma$  Dithering-Amplification-Based Identification Technique for Online SMPS. *Congiu, A.*, *TPEL Aug. 2016 6001*

A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, *TPEL June 2016 4565-4575*

A Reference Modification Model Digitally Controlled DC-DC Converter for Improvement of Transient Response. *Kurokawa, F.*, *TPEL Jan. 2016 871-883*

#### Thyristor applications

A Method to Extract the Accurate Junction Temperature of an IGCT During Conduction Using Gate-Cathode Voltage. *Vemulapati, U.R.*, *TPEL Aug. 2016 5900-5905*

#### Thyristor converters

High-Power Thyristor-Based DC-DC Switched-Capacitor Voltage Multipliers: Basic Concept and Novel Derived Topology With Reduced Number of Switches. *Kawa, A.*, *TPEL Oct. 2016 6797-6813*

#### Thyristors

Design and Layout Strategy in the 60-V Power pLDMOS With Drain-End Modulated Engineering of Reliability Considerations. *Chen, S.*, *TPEL July 2016 5113-5121*

Failure Modes of 15-kV SiC SGTO Thyristors During Repetitive Extreme Pulsed Overcurrent Conditions. *Schrock, J.A.*, *TPEL Dec. 2016 8058-8062*

Thermal Stress and High Temperature Effects on Power Devices in a Fault-Resilient NPC IGCT-Based Converter. *Rocha, A.V.*, *TPEL April 2016 2800-2807*

#### Time measurement

On Automatic Resonant Frequency Tracking in LLC Series Resonant Converter Based on Zero-Current Duration Time of Secondary Diode. *Li, H.*, *TPEL July 2016 4956-4962*

#### Time-domain analysis

A ZVS Pulsewidth Modulation Full-Bridge Converter With a Low-RMS-Current Resonant Auxiliary Circuit. *Safae, A.*, *TPEL June 2016 4031-4047*

An Accurate Design Algorithm for LLC Resonant Converters—Part I. *Hu, Z.*, *TPEL Aug. 2016 5435-5447*

Digital current control in a rotating reference frame - Part I: System modeling and the discrete time-domain current controller with improved decoupling capabilities. *Hoffmann, N.*, *TPEL July 2016 5290-5305*

Minimizing Effect of Input Filter Capacitor in a Digital Boundary Conduction Mode Power Factor Corrector Based on Time-Domain Analysis. *Kim, J.*, *TPEL May 2016 3827-3836*

Multiple-Time-Scales Hierarchical Frequency Stability Control Strategy of Medium-Voltage Isolated Microgrid. *Zhao, Z.*, *TPEL Aug. 2016 5974-5991*

Optimized Common-Mode Voltage Reduction PWM for Three-Phase Voltage-Source Inverters. *Wu, X.*, *TPEL April 2016 2959-2969*

Piecewise Average-Value Model of PWM Converters With Applications to Large-Signal Transient Simulations. *Xu, Y.*, *TPEL Feb. 2016 1304-1321*

Time-Domain Analysis of a Phase-Shift-Modulated Series Resonant Converter with an Adaptive Passive Auxiliary Circuit. *Safae, A.*, *TPEL Nov. 2016 7714-7734*

**Time-varying systems**

Singularity-Free Adaptive Speed Tracking Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2016 1692-1701*

**Timing circuits**

A 10-MHz Isolated Synchronous Class- $\Phi_2$  Resonant Converter. *Ren, X.*, +, *TPEL Dec. 2016 8317-8328*

**Torque**

An EV Drive-Train With Integrated Fast Charging Capability. *Subotic, I.*, +, *TPEL Feb. 2016 1461-1471*

Modeling and Analysis of Interturn Short Fault in Permanent Magnet Synchronous Motors With Multistrands Windings. *Qian, H.*, +, *TPEL March 2016 2496-2509*

Scaled Current Tracking Control for Doubly Fed Induction Generator to Ride-Through Serious Grid Faults. *Huang, Q.*, +, *TPEL March 2016 2150-2165*

Speed Control of the Surface-Mounted Permanent-Magnet Synchronous Motor Based on Takagi–Sugeno Fuzzy Models. *Chang, Y.*, +, *TPEL Sept. 2016 6504-6510*

**Torque control**

A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM. *Vafaei, M.H.*, +, *TPEL May 2016 3738-3753*

Adaptive Saturation Controller-Based Direct Torque Control for Permanent-Magnet Synchronous Machines. *Zhang, Z.*, +, *TPEL Oct. 2016 7112-7122*

Comparative Evaluation of Direct Torque Control Strategies for Permanent Magnet Synchronous Machines. *Niu, F.*, +, *TPEL Feb. 2016 1408-1424*

Constant Switching Frequency Based Direct Torque Control of Interior Permanent Magnet Synchronous Motors With Reduced Ripples and Fast Torque Dynamics. *Foo, G.H.B.*, +, *TPEL Sept. 2016 6485-6493*

Control Method of Monoinverter Dual Parallel Drive System With Interior Permanent Magnet Synchronous Machines. *Lee, Y.*, +, *TPEL Oct. 2016 7077-7086*

Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction. *Song, W.*, +, *TPEL Jan. 2016 721-732*

Direct Torque Control for VSI-PMSMs Using Four-Dimensional Switching-Table. *Xia, C.*, +, *TPEL Aug. 2016 5774-5785*

Dynamic Loss Minimization of Finite Control Set-Model Predictive Torque Control for Electric Drive System. *Xie, W.*, +, *TPEL Jan. 2016 849-860*

Feedback Linearization Direct Torque Control With Reduced Torque and Flux Ripples for IPMSM Drives. *Choi, Y.*, +, *TPEL May 2016 3728-3737*

Field-Oriented Control and Direct Torque Control for Paralleled VSIs Fed PMSM Drives With Variable Switching Frequencies. *Wang, Z.*, +, *TPEL March 2016 2417-2428*

Model Predictive Control of Load-Commutated Inverter-Fed Synchronous Machines. *Besselmann, T.J.*, +, *TPEL Oct. 2016 7384-7393*

Simple Flux Regulation for Improving State Estimation at Very Low and Zero Speed of a Speed Sensorless Direct Torque Control of an Induction Motor. *Alsofyani, I.M.*, +, *TPEL April 2016 3027-3035*

Stationary Frame Fault-Tolerant Current Control of Polyphase Permanent-Magnet Machines Under Open-Circuit and Short-Circuit Faults. *Sen, B.*, +, *TPEL July 2016 4684-4696*

Two-Vector-Based Model Predictive Torque Control Without Weighting Factors for Induction Motor Drives. *Zhang, Y.*, +, *TPEL Feb. 2016 1381-1390*

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

**Traction**

Deadbeat Predictive Power Control of Single-Phase Three-Level Neutral-Point-Clamped Converters Using Space-Vector Modulation for Electric Railway Traction. *Song, W.*, +, *TPEL Jan. 2016 721-732*

Enhanced Fault-Tolerant Control of Interior PMSMs Based on an Adaptive EKF for EV Traction Applications. *Mwasilu, F.*, +, *TPEL Aug. 2016 5746-5758*

Hybrid Ultracapacitor–Battery Energy Storage System Based on Quasi-Z-source Topology and Enhanced Frequency Dividing Coordinated Control for EV. *Hu, S.*, +, *TPEL Nov. 2016 7598-7610*

Rotor Flux-Oriented Control of Induction Motor With Synchronized Sinusoidal PWM for Traction Application. *Sahoo, S.K.*, +, *TPEL June 2016 4429-4439*

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

**Traction motor drives**

An Open-Switch Fault Diagnosis Method for Single-Phase PWM Rectifier Using a Model-Based Approach in High-Speed Railway Electrical Traction Drive System. *Gou, B.*, +, *TPEL May 2016 3816-3826*

Flexible Fault-Tolerant Topology for Switched Reluctance Motor Drives. *Hu, Y.*, +, *TPEL June 2016 4654-4668*

**Traction power supplies**

Analysis of DC-Link Operation Voltage of a Hybrid Railway Power Quality Conditioner and Its PQ Compensation Capability in High-Speed Cophase Traction Power Supply. *Lao, K.*, +, *TPEL Feb. 2016 1643-1656*

Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*

Negative Sequence Current Optimizing Control Based on Railway Static Power Conditioner in V/v Traction Power Supply System. *Zhang, D.*, +, *TPEL Jan. 2016 200-212*

**Transfer functions**

A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souffignat, T.*, +, *TPEL July 2016 4984-4994*

A Physics-Based Improved Cauer-Type Thermal Equivalent Circuit for IGBT Modules. *Wang, Z.*, +, *TPEL Oct. 2016 6781-6786*

An Improved Second-Order Generalized Integrator Based Quadrature Signal Generator. *Xin, Z.*, +, *TPEL Dec. 2016 8068-8073*

Circulating Current Suppression of the Modular Multilevel Converter in a Double-Frequency Rotating Reference Frame. *Bahrani, B.*, +, *TPEL Jan. 2016 783-792*

**Transformer cores**

A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*

Wideband Mechanism Model and Parameter Extracting for High-Power High-Voltage High-Frequency Transformers. *Liu, C.*, +, *TPEL May 2016 3444-3455*

**Transformer windings**

A Family of High-Frequency Isolated Single-Phase Z-Source AC–AC Converters With Safe-Commutation Strategy. *Ahmed, H.F.*, +, *TPEL Nov. 2016 7522-7533*

A High-Precision CV/CC AC–DC Converter Based on Cable and Inductance Compensation Schemes. *Chang, C.*, +, *TPEL Sept. 2016 6372-6382*

A Multi-Winding Transformer Cell-to-Cell Active Equalization Method for Lithium-Ion Batteries With Reduced Number of Driving Circuits. *Chen, Y.*, +, *TPEL July 2016 4916-4929*

A Novel Variable Reactor and Its Application to Shunt Power Quality Controller. *Li, D.*, +, *TPEL June 2016 4148-4158*

A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*

AC Winding Loss of Phase-Shifted Coupled Windings. *Feeney, C.*, +, *TPEL Feb. 2016 1472-1478*

Analysis and Optimization of the Efficiency of Induction Heating Applications With Litz-Wire Planar and Solenoidal Coils. *Lope, I.*, +, *TPEL July 2016 5089-5101*

Dynamic Voltage Restorer Based on Three-Phase Inverters Cascaded Through an Open-End Winding Transformer. *de Almeida Carlos, G.A.*, +, *TPEL Jan. 2016 188-199*

Investigation of Transformer Winding Architectures for High-Voltage (2.5 kV) Capacitor Charging and Discharging Applications. *Thummala, P.*, +, *TPEL Aug. 2016 5786-5796*

Load–Source Matching With Dielectric Isolation in High-Frequency Switch-Mode Power Supplies. *Amanci, A.Z.*, +, *TPEL Oct. 2016 7123-7130*

- Modeling and Control of a Multiport Power Electronic Transformer (PET) for Electric Traction Applications. *Gu, C.*, +, *TPEL Feb. 2016 915-927*
- Negative Sequence Current Optimizing Control Based on Railway Static Power Conditioner in V/v Traction Power Supply System. *Zhang, D.*, +, *TPEL Jan. 2016 200-212*
- Novel Isolated Multilevel DC–DC Power Converter. *Jou, H.*, +, *TPEL April 2016 2690-2694*
- Performance Evaluation of a Three-Phase Dual Active Bridge DC–DC Converter With Different Transformer Winding Configurations. *Baars, N.H.*, +, *TPEL Oct. 2016 6814-6823*
- Reduction of Inrush Currents in Toroidal Transformers by Sector Winding Design. *Jazebi, S.*, +, *TPEL Oct. 2016 6776-6780*
- Wideband Mechanism Model and Parameter Extracting for High-Power High-Voltage High-Frequency Transformers. *Liu, C.*, +, *TPEL May 2016 3444-3455*

#### Transformers

- A  $\theta$ -Converter That Reduces Common Mode Currents, Output Voltage Ripples, and Total Capacitance Required. *Zhong, Q.*, +, *TPEL Dec. 2016 8435-8447*
- A Dual-Transformer Active-Clamp Forward Converter With Nonlinear Conversion Ratio. *Lin, J.*, +, *TPEL June 2016 4353-4361*
- A New Multiinput Three-Level DC/DC Converter. *Dusmez, S.*, +, *TPEL Feb. 2016 1230-1240*
- A Novel PWM High Voltage Conversion Ratio Bidirectional Three-Phase DC/DC Converter With Y– $\Delta$  Connected Transformer. *Jin, K.*, +, *TPEL Jan. 2016 81-88*
- A Quasi-Switched-Capacitor Resonant Converter. *Zhang, X.*, +, *TPEL Nov. 2016 7849-7856*
- An AC Z-Source Converter Based on Gamma Structure With Safe-Commutation Strategy. *Banaei, M.R.*, +, *TPEL Feb. 2016 1255-1262*
- Analysis on the Ring-Type Piezoelectric Ceramic Transformer in Radial Vibration. *Lin, S.*, +, *TPEL July 2016 5079-5088*
- Critical Design Criterion for Achieving Zero Voltage Switching in Inductorless Half-Bridge-Driven Piezoelectric-Transformer-Based Power Supplies. *Foster, M.P.*, +, *TPEL July 2016 5057-5066*
- Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*
- High Gain DC–DC Converter Based on the Cockcroft–Walton Multiplier. *Muller, L.*, +, *TPEL Sept. 2016 6405-6415*
- High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. *Cho, Y.*, +, *TPEL June 2016 4138-4147*
- Modeling and Analysis of the Bendable Transformer. *Ho, G.K.Y.*, +, *TPEL Sept. 2016 6450-6460*

- Transient DC Bias and Current Impact Effects of High-Frequency-Isolated Bidirectional DC–DC Converter in Practice. *Zhao, B.*, +, *TPEL April 2016 3203-3216*

#### Transient analysis

- Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*
- Reduction of Inrush Currents in Toroidal Transformers by Sector Winding Design. *Jazebi, S.*, +, *TPEL Oct. 2016 6776-6780*

#### Transient response

- A 0.45-to-1.2-V Fully Digital Low-Dropout Voltage Regulator With Fast-Transient Controller for Near/Subthreshold Circuits. *Li, Y.*, +, *TPEL Sept. 2016 6341-6350*
- A CMOS Low-Dropout Regulator With Dominant-Pole Substitution. *Ho, M.*, +, *TPEL Sept. 2016 6362-6371*
- A High-Efficiency Current-Mode Buck Converter With a Power-Loss-Aware Switch-On-Demand Modulation Technique for Multifunction SoCs. *Huang, C.*, +, *TPEL Dec. 2016 8303-8316*
- A Single-Inductor Multiple-Output Auto-Buck-Boost DC–DC Converter With Autophase Allocation. *Zheng, Y.*, +, *TPEL March 2016 2296-2313*
- All-Digital Low-Dropout Regulator With Adaptive Control and Reduced Dynamic Stability for Digital Load Circuits. *Nasir, S.B.*, +, *TPEL Dec. 2016 8293-8302*

- Analysis, Design, and Performance Evaluation of a Dynamically Slew Enhanced Adaptively Biased Capacitor-Less Low Dropout Regulator. *Maity, A.*, +, *TPEL Oct. 2016 7016-7028*
- Asynchronous-Switching Map-Based Stability Effects of Circuit Parameters in Fixed Off-Time Controlled Buck Converter. *Zhang, X.*, +, *TPEL Sept. 2016 6686-6697*
- Comparison of Dynamic Characteristics Between Virtual Synchronous Generator and Droop Control in Inverter-Based Distributed Generators. *Liu, J.*, +, *TPEL May 2016 3600-3611*
- Fast Reactive Power Sharing, Circulating Current and Resonance Suppression for Parallel Inverters Using Resistive-Capacitive Output Impedance. *Chen, Y.*, +, *TPEL Aug. 2016 5524-5537*
- Fast Transient Response of Series Resonant Converters Using Average Geometric Control. *Mohammadi, M.*, +, *TPEL Sept. 2016 6738-6755*
- Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. *Tian, S.*, +, *TPEL Feb. 2016 1734-1744*

#### Transients

- A Reference Modification Model Digitally Controlled DC–DC Converter for Improvement of Transient Response. *Kurokawa, F.*, +, *TPEL Jan. 2016 871-883*
- Robust Stability Analysis of Active Voltage Control for High-power IGBT Switching by Kharitonov's Theorem. *Yang, X.*, +, *TPEL March 2016 2584-2595*

#### Transmitters

- Wireless Power Transfer With Automatic Feedback Control of Load Resistance Transformation. *Ahn, D.*, +, *TPEL Nov. 2016 7876-7886*
- Wireless Power Transfer With Concurrent 200-kHz and 6.78-MHz Operation in a Single-Transmitter Device. *Ahn, D.*, +, *TPEL July 2016 5018-5029*

#### Tuning

- Self-Oscillating Tuning Loops for Series Resonant Inductive Power Transfer Systems. *Namadmalan, A.*, *TPEL Oct. 2016 7320-7327*

## U

#### Uninterruptible power supplies

- Control Architecture for Parallel-Connected Inverters in Uninterruptible Power Systems. *Zhang, C.*, +, *TPEL July 2016 5176-5188*
- Transformerless Single-Phase Universal Active Filter With UPS Features and Reduced Number of Electronic Power Switches. *Santos, W.R.N.*, +, *TPEL June 2016 4111-4120*

## V

#### Variable speed drives

- A DC-Link Modulation Scheme With Phase-Shifted Current Control for Harmonic Cancellations in Multidrive Applications. *Yang, Y.*, +, *TPEL March 2016 1837-1840*
- Single-Phase Input Variable-Speed AC Motor System Based on an Electrolytic Capacitor-Less Single-Stage Boost Three-Phase Inverter. *Zhou, Y.*, +, *TPEL Oct. 2016 7043-7052*
- Solid-State Transfer Switch Topologies for a Switched Doubly Fed Machine Drive. *Banerjee, A.*, +, *TPEL Aug. 2016 5709-5720*

#### Variable structure systems

- A High-Voltage SiC-Based Boost PFC for LED Applications. *Leon-Masich, A.*, +, *TPEL Feb. 2016 1633-1642*
- A Novel Power Failure Compensation Control Method for Active Magnetic Bearings Used in High-Speed Permanent Magnet Motor. *Liu, G.*, +, *TPEL June 2016 4565-4575*
- ADALINE-Network-Based PLL for Position Sensorless Interior Permanent Magnet Synchronous Motor Drives. *Zhang, G.*, +, *TPEL Feb. 2016 1450-1460*
- Improved Design of Sliding-Mode Controllers Based on the Requirements of MPPT Techniques. *Montoya, D.G.*, +, *TPEL Jan. 2016 235-247*
- Interleaved Digital Power Factor Correction Based on the Sliding-Mode Approach. *Marcos-Pastor, A.*, +, *TPEL June 2016 4641-4653*
- Modeling and Analysis of a Fast and Robust Module-Integrated Analog Photovoltaic MPP Tracker. *Maity, S.*, +, *TPEL Jan. 2016 280-291*

On Trajectory Planning, Backstepping Controller Design and Sliding Modes in Active Front-Ends. *Fehr, H.*, +, *TPEL Aug. 2016 6044-6056*

Second-Order Sliding-Mode Controlled Synchronous Buck DC–DC Converter. *Ling, R.*, +, *TPEL March 2016 2539-2549*

Sliding-Mode Control for a Three-Phase Unity Power Factor Rectifier Operating at Fixed Switching Frequency. *Guzman, R.*, +, *TPEL Jan. 2016 758-769*

Sliding-Mode Observer-Based Mechanical Parameter Estimation for Permanent Magnet Synchronous Motor. *Zhang, X.*, +, *TPEL Aug. 2016 5732-5745*

Synchronous Switching of Non-Line-Start Permanent Magnet Synchronous Machines From Inverter to Grid Drives. *Ni, R.*, +, *TPEL May 2016 3717-3727*

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

#### Vectors

A Virtual Space Vector Modulation Technique for the Reduction of Common-Mode Voltages in Both Magnitude and Third-Order Component. *Tian, K.*, +, *TPEL Jan. 2016 839-848*

An Improved Capacitor Voltage-Balancing Method for Five-Level Diode-Clamped Converters With High Modulation Index and High Power Factor. *Zhao, Z.*, +, *TPEL April 2016 3189-3202*

New Three-Dimensional Space Vector-Based Switching Signal Generation Technique Without Null Vectors and With Reduced Switching Losses for a Grid-Connected Four-Leg Inverter. *Gobwala, H.*, +, *TPEL Feb. 2016 1026-1035*

Simplified Space Vector Modulation Techniques for Multilevel Inverters. *Ahmed, I.*, +, *TPEL Dec. 2016 8483-8499*

Simplified Three-Level Five-Phase SVPWM. *Sakthisudhursun, B.*, +, *TPEL March 2016 2429-2436*

Stability Analysis of Vector-Controlled Modular Multilevel Converters in Linear Time-Periodic Framework. *Chaudhuri, N.R.*, +, *TPEL July 2016 5255-5269*

Synchronized Space-Vector PWM for Three-Level VSI With Lower Harmonic Distortion and Switching Frequency. *Chen, W.*, +, *TPEL Sept. 2016 6428-6441*

Unbalanced Grid Fault Ride-Through Control for Single-Stage Photovoltaic Inverters. *Neves, F.A.S.*, +, *TPEL April 2016 3338-3347*

#### Velocity control

Offset-Free Robust Adaptive Back-Stepping Speed Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Oct. 2016 7065-7076*

Singularity-Free Adaptive Speed Tracking Control for Uncertain Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2016 1692-1701*

Speed-Sensorless Induction Machine Control in the Field-Weakening Region Using Discrete Speed-Adaptive Full-Order Observer. *Wang, B.*, +, *TPEL Aug. 2016 5759-5773*

Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

#### Vias

A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics. *Chen, M.*, +, *TPEL Jan. 2016 560-580*

#### Vibrations

Power Electronic Circuits for Magnetic Energy Harvesters. *Moon, J.*, +, *TPEL Jan. 2016 270-279*

Weight-Transducerless Rollback Mitigation Adopting Enhanced MPC With Extended State Observer for Direct-Drive Elevators. *Wang, G.*, +, *TPEL June 2016 4440-4451*

Wireless Power Transmission Based on Sandwiched Composite Piezoelectric Transducers in Length Extensional Vibration. *Lin, S.*, +, *TPEL Sept. 2016 6134-6143*

#### Virtual prototyping

Design Tools for Rapid Multidomain Virtual Prototyping of Power Electronic Systems. *Evans, P.L.*, +, *TPEL March 2016 2443-2455*

#### Virtualization

Virtual Flux Sensorless Control for Shunt Active Power Filters With Quasi-Resonant Compensators. *Ketzer, M.B.*, +, *TPEL July 2016 4818-4830*

#### Voltage control

A Bidirectional Multiple-Input Multiple-Output Modular Multilevel DC–DC Converter and its Control Design. *Filsoof, K.*, +, *TPEL April 2016 2767-2779*

A Capacitor Voltage-Balancing Method for Nested Neutral Point Clamped (NNPC) Inverter. *Tian, K.*, +, *TPEL March 2016 2575-2583*

A Modular and Scalable Structure Using Multiparallel-Connected Series-Voltage Compensators for Supply Voltage Regulation. *Cheung, V.S.*, +, *TPEL June 2016 4096-4110*

A New Predictive Direct Torque Control Method for Improving Both Steady-State and Transient-State Operations of the PMSM. *Vafaie, M.H.*, +, *TPEL May 2016 3738-3753*

A New Way of Controlling Parallel-Connected Inverters by Using Synchronous-Reference-Frame Virtual Impedance Loop—Part I: Control Principle. *Guan, Y.*, +, *TPEL June 2016 4576-4593*

A Novel SVPWM Algorithm for Five-Level Active Neutral-Point-Clamped Converter. *Liu, Z.*, +, *TPEL May 2016 3859-3866*

A Novel Variable Reactor and Its Application to Shunt Power Quality Controller. *Li, D.*, +, *TPEL June 2016 4148-4158*

A Parabolic Voltage Control Strategy for Burst-Mode Converters With Constant Burst Frequency and Eliminated Audible Noise. *Zhang, L.*, +, *TPEL Dec. 2016 8572-8580*

A Real-Time Multiple Open-Circuit Fault Diagnosis Method in Voltage-Source-Inverter Fed Vector Controlled Drives. *Wu, F.*, +, *TPEL Feb. 2016 1425-1437*

A Robust LQG Servo Control Strategy of Shunt-Active Power Filter for Power Quality Enhancement. *Panigrahi, R.*, +, *TPEL April 2016 2860-2869*

A Series-Stacked Power Delivery Architecture With Isolated Differential Power Conversion for Data Centers. *Candan, E.*, +, *TPEL May 2016 3690-3703*

A Simplified PWM Strategy for a Neutral-Point-Clamped (NPC) Three-Level Converter With Unbalanced DC Links. *Ye, Z.*, +, *TPEL April 2016 3227-3238*

A Versatile Unified Power Quality Conditioner Applied to Three-Phase Four-Wire Distribution Systems Using a Dual Control Strategy. *Modesto, R.A.*, +, *TPEL Aug. 2016 5503-5514*

Adaptive  $Q$ – $V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. *Kim, J.*, +, *TPEL May 2016 3586-3599*

Adaptive DC-Link Voltage Control of Two-Stage Photovoltaic Inverter During Low Voltage Ride-Through Operation. *Ding, G.*, +, *TPEL June 2016 4182-4194*

An Active Voltage-Balancing Method Based on Phase-Shifted PWM for Stacked Multicell Converters. *Ghias, A.M.Y.M.*, +, *TPEL March 2016 1921-1930*

An FPGA-Based Advanced Control Strategy of a Grid-Tied PV CHB Inverter. *Coppola, M.*, +, *TPEL Jan. 2016 806-816*

An Improved Voltage Compensation Approach in a Droop-Controlled DC Power System for the More Electric Aircraft. *Gao, F.*, +, *TPEL Oct. 2016 7369-7383*

Analysis and Design of Modified Half-Bridge Series-Resonant Inverter With DC-Link Neutral-Point-Clamped Cell. *Ryu, S.*, +, *TPEL March 2016 2282-2295*

Analysis of High-Power Switched-Capacitor Converter Regulation Based on Charge-Balance Transient-Calculation Method. *Wu, B.*, +, *TPEL May 2016 3482-3494*

Burst Mode Elimination in High-Power  $> L+L+C$  Resonant Battery Charger for Electric Vehicles. *Shafiei, N.*, +, *TPEL Feb. 2016 1173-1188*

Bus Voltage Control With Zero Distortion and High Bandwidth for Single-Phase Solar Inverters. *Levron, Y.*, +, *TPEL Jan. 2016 258-269*

Constant Resonant Current Limiting Strategy for LLC Converter Without Current Sensing. *Li, Q.*, +, *TPEL Sept. 2016 6756-6764*

- Control and Experiment of an H-Bridge-Based Three-Phase Three-Stage Modular Power Electronic Transformer. *Wang, X.*, +, *TPEL March 2016 2002-2011*
- Control of Arm Capacitor Voltages in Modular Multilevel Converters. *Lizana, R.*, +, *TPEL Feb. 2016 1774-1784*
- Control Strategies of Three-Phase Distributed Generation Inverters for Grid Unbalanced Voltage Compensation. *Nejabatkhah, F.*, +, *TPEL July 2016 5228-5241*
- Coordinated Direct Power Control of DFIG System Without Phase-Locked Loop Under Unbalanced Grid Voltage Conditions. *Nian, H.*, +, *TPEL April 2016 2905-2918*
- DC–DC Autotransformer With Bidirectional DC Fault Isolating Capability. *Lin, W.*, *TPEL Aug. 2016 5400-5410*
- Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*
- Design of Energy Control Method for Three-Phase Buck-Type Rectifier With Very Demanding Load Steps to Achieve Smooth Input Currents. *Zhao, S.*, +, *TPEL April 2016 3217-3226*
- Direct Voltage Control With Slip Angle Estimation to Extend the Range of Supported Asymmetric Loads for Stand-Alone DFIG. *Ataji, A.B.*, +, *TPEL Feb. 2016 1015-1025*
- Distributed Auxiliary Inverter of Urban Rail Train—Load Sharing Control Strategy Under Complicated Operation Condition. *Chen, J.*, +, *TPEL March 2016 2518-2529*
- Distributed Auxiliary Inverter of Urban Rail Train—The Voltage and Current Control Strategy Under Complicated Load Condition. *Chen, J.*, +, *TPEL Feb. 2016 1745-1756*
- Distributed Voltage Unbalance Compensation in Islanded Microgrids by Using a Dynamic Consensus Algorithm. *Meng, L.*, +, *TPEL Jan. 2016 827-838*
- Division-Summation Current Control and One-Cycle Voltage Regulation of the Surface-Mounted Permanent-Magnet Synchronous Generator. *Chang, Y.*, +, *TPEL Feb. 2016 1391-1400*
- Droop-Free Distributed Control for AC Microgrids. *Nasirian, V.*, +, *TPEL Feb. 2016 1600-1617*
- Dynamic Voltage Balancing Algorithm for Modular Multilevel Converter: A Unique Solution. *Dekka, A.*, +, *TPEL Feb. 2016 952-963*
- Dynamic Voltage Restorer Based on Three-Phase Inverters Cascaded Through an Open-End Winding Transformer. *de Almeida Carlos, G.A.*, +, *TPEL Jan. 2016 188-199*
- Dynamics and Robust Control of a Grid-Connected VSC in Multiterminal DC Grids Considering the Instantaneous Power of DC- and AC-Side Filters and DC Grid Uncertainty. *Davari, M.*, +, *TPEL March 2016 1942-1958*
- Efficient Voltage Regulation for Microprocessor Cores Stacked in Vertical Voltage Domains. *Schaefer, C.*, +, *TPEL Feb. 2016 1795-1808*
- Field Weakening Strategy for a Vector-Controlled Induction Motor Drive Near the Six-Step Mode of Operation. *Sahoo, S.K.*, +, *TPEL April 2016 3043-3051*
- Flexible Fault-Tolerant Topology for Switched Reluctance Motor Drives. *Hu, Y.*, +, *TPEL June 2016 4654-4668*
- Full-Bridge Reactive Power Compensator With Minimized-Equipped Capacitor and Its Application to Static Var Compensator. *Isobe, T.*, +, *TPEL Jan. 2016 224-234*
- Grouping-Sorting-Optimized Model Predictive Control for Modular Multilevel Converter With Reduced Computational Load. *Liu, P.*, +, *TPEL March 2016 1896-1907*
- High Gain DC–DC Converter Based on the Cockcroft–Walton Multiplier. *Muller, L.*, +, *TPEL Sept. 2016 6405-6415*
- Hybrid Switched Inductor Impedance Source Converter—A Decoupled Approach. *Vakacharla, V.R.*, +, *TPEL Nov. 2016 7509-7521*
- Improved Nearest-Level Modulation for a Modular Multilevel Converter With a Lower Submodule Number. *Lin, L.*, +, *TPEL Aug. 2016 5369-5377*
- Improved Power-Quality-Based Welding Power Supply With Overcurrent Handling Capability. *Narula, S.*, +, *TPEL April 2016 2850-2859*
- Integration of an Active Filter and a Single-Phase AC/DC Converter With Reduced Capacitance Requirement and Component Count. *Li, S.*, +, *TPEL June 2016 4121-4137*
- Line-Voltage Control Based on Wayside Energy Storage Systems for Tramway Networks. *Ciccarelli, F.*, +, *TPEL Jan. 2016 884-899*
- Load-Current-Corrected Capacitor Voltage Control in Eight-Level DC–AC Converter Using Extended Commutation Cells. *Lemmen, E.*, +, *TPEL Oct. 2016 7286-7296*
- Mathematical Modeling and Control of a Cost Effective AC Voltage Stabilizer. *Liu, H.*, +, *TPEL Nov. 2016 8007-8016*
- Modeling and Control of a Multiport Power Electronic Transformer (PET) for Electric Traction Applications. *Gu, C.*, +, *TPEL Feb. 2016 915-927*
- Multi-input Step-Up Converters Based on the Switched-Diode-Capacitor Voltage Accumulator. *Hou, S.*, +, *TPEL Jan. 2016 381-393*
- Online Sensorless Position Estimation for Switched Reluctance Motors Using One Current Sensor. *Gan, C.*, +, *TPEL Oct. 2016 7248-7263*
- Optimization and Comparative Evaluation of Multiloop Control Schemes for Controllable AC Sources With Two-Stage LC Output Filters. *Boillat, D.O.*, +, *TPEL Oct. 2016 7353-7368*
- Output-Impedance Shaping of Bidirectional DAB DC–DC Converter Using Double-Proportional-Integral Feedback for Near-Ripple-Free DC Bus Voltage Regulation in Renewable Energy Systems. *Cao, L.*, +, *TPEL March 2016 2187-2199*
- Performance Improvement of Two-Vectors-Based Model Predictive Control of PWM Rectifier. *Zhang, Y.*, +, *TPEL Aug. 2016 6016-6030*
- Power and Voltage Balance Control of a Novel Three-Phase Solid-State Transformer Using Multilevel Cascaded H-Bridge Inverters for Microgrid Applications. *Wang, L.*, +, *TPEL April 2016 3289-3301*
- Real-Time Implementation of a Seven-Level Packed U-Cell Inverter with a Low-Switching-Frequency Voltage Regulator. *Vahedi, H.*, +, *TPEL Aug. 2016 5967-5973*
- Reduction of Common-Mode Voltage in Multiphase Two-Level Inverters Using SPWM With Phase-Shifted Carriers. *Liu, Z.*, +, *TPEL Sept. 2016 6631-6645*
- Robust Stability Analysis of Active Voltage Control for High-power IGBT Switching by Kharitonov's Theorem. *Yang, X.*, +, *TPEL March 2016 2584-2595*
- Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016 5538-5546*
- Secondary-Side-Regulated Soft-Switching Full-Bridge Three-Port Converter Based on Bridgeless Boost Rectifier and Bidirectional Converter for Multiple Energy Interface. *Wu, H.*, +, *TPEL July 2016 4847-4860*
- Sliding-Mode Control for a Three-Phase Unity Power Factor Rectifier Operating at Fixed Switching Frequency. *Guzman, R.*, +, *TPEL Jan. 2016 758-769*
- Small Signal Analysis of  $V^2$  Control Using Equivalent Circuit Model of Current Mode Controls. *Yan, Y.*, +, *TPEL July 2016 5344-5353*
- Soft-Switching Operation of Isolated Modular DC/DC Converters for Application in HVDC Grids. *Xing, Z.*, +, *TPEL April 2016 2753-2766*
- Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*
- Stability of Distributed Power Delivery Systems With Multiple Parallel On-Chip LDO Regulators. *Vaisband, I.*, +, *TPEL Aug. 2016 5625-5634*
- Subharmonic Instability Limits for  $V^2$ -Controlled Buck Converters With Outer Loop Closed/Open. *Fang, C.*, +, *TPEL Feb. 2016 1657-1664*
- Switching-Converter-Only Multiphase Envelope Modulator With Slew Rate Enhancer for LTE Power Amplifier Applications. *Sankman, J.*, +, *TPEL Jan. 2016 817-826*
- Synthesizing Virtual Oscillators to Control Islanded Inverters. *Johnson, B.B.*, +, *TPEL Aug. 2016 6002-6015*
- The impact of voltage-balancing control on switching frequency of the modular multilevel converter. *Li, Y.*, +, *TPEL April 2016 2829-2839*
- Ultrahigh Step-up DC–DC Converter for Distributed Generation by Three Degrees of Freedom (3DoF) Approach. *Hu, Y.*, +, *TPEL July 2016 4930-4941*

- Unified Equivalent Circuit Model and Optimal Design of  $>V^2$  Controlled Buck Converters. *Tian, S.*, +, *TPEL Feb. 2016 1734-1744*
- Unity Power Factor Operation of Indirect Matrix Converter Tied to Unbalanced Grid. *Hamouda, M.*, +, *TPEL Feb. 2016 1095-1107*
- Voltage Balancing Control of a Four-Level Hybrid-Clamped Converter Based on Zero-Sequence Voltage Injection Using Phase-Shifted PWM. *Wang, K.*, +, *TPEL Aug. 2016 5389-5399*

#### Voltage dividers

- A Family of Five-Level Dual-Buck Full-Bridge Inverters for Grid-Tied Applications. *Zhang, L.*, +, *TPEL Oct. 2016 7029-7042*
- A Novel Transformer-less Interleaved Four-Phase Step-Down DC Converter With Low Switch Voltage Stress and Automatic Uniform Current-Sharing Characteristics. *Chuang, C.*, +, *TPEL Jan. 2016 406-417*

#### Voltage measurement

- An Improved Grid-Voltage Feedforward Strategy for High-Power Three-Phase Grid-Connected Inverters Based on the Simplified Repetitive Predictor. *Yan, Q.*, +, *TPEL May 2016 3880-3897*
- Application of Kalman Filter to Estimate Junction Temperature in IGBT Power Modules. *Eleffendi, M.A.*, +, *TPEL Feb. 2016 1576-1587*
- New Measuring Technique for Reducing the Number of Voltage Sensors in Modular Multilevel Converters. *Picas, R.*, +, *TPEL Jan. 2016 177-187*
- Operating Conditions Monitoring for High Power Density and Cost-Effective Resonant Power Converters. *Sarnago, H.*, +, *TPEL Jan. 2016 488-496*

#### Voltage multipliers

- A New Hybrid Boosting Converter for Renewable Energy Applications. *Wu, B.*, +, *TPEL Feb. 2016 1203-1215*
- A Novel High Step-Up Dual Switches Converter With Coupled Inductor and Voltage Multiplier Cell for a Renewable Energy System. *Liu, H.*, +, *TPEL July 2016 4974-4983*
- A Three-State Switching Boost Converter Mixed With Magnetic Coupling and Voltage Multiplier Techniques for High Gain Conversion. *Hu, X.*, +, *TPEL April 2016 2991-3001*
- Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*
- High Gain DC–DC Converter Based on the Cockcroft–Walton Multiplier. *Muller, L.*, +, *TPEL Sept. 2016 6405-6415*
- High-Power Thyristor-Based DC–DC Switched-Capacitor Voltage Multipliers: Basic Concept and Novel Derived Topology With Reduced Number of Switches. *Kawa, A.*, +, *TPEL Oct. 2016 6797-6813*

#### Voltage regulators

- A 0.45-to-1.2-V Fully Digital Low-Dropout Voltage Regulator With Fast-Transient Controller for Near/Subthreshold Circuits. *Li, Y.*, +, *TPEL Sept. 2016 6341-6350*
- A 190 nA Bias Current 10 mV Input Multistage Boost Regulator With Intermediate-Node Control to Supply RF Blocks in Self-Powered Wireless Sensors. *Ahmed, K.Z.*, +, *TPEL Feb. 2016 1322-1333*
- A CMOS Low-Dropout Regulator With Dominant-Pole Substitution. *Ho, M.*, +, *TPEL Sept. 2016 6362-6371*
- A Fully Integrated Switched-Capacitor Regulator With Frequency Modulation Control in 28-nm FDSOI. *Souvignet, T.*, +, *TPEL July 2016 4984-4994*
- A Nanocurrent Power Management IC for Low-Voltage Energy Harvesting Sources. *Dini, M.*, +, *TPEL June 2016 4292-4304*
- A New Multiple-Frequency Small-Signal Model for High-Bandwidth Computer V-Core Regulator Applications. *Hsiao, S.*, +, *TPEL Jan. 2016 733-742*
- A Scalable Hybrid Regulator For Down Conversion of High Input Voltage Using Low-Voltage Devices. *Kar, M.*, +, *TPEL March 2016 1857-1862*
- A Three-Terminal Switch Model of Constant On-Time Current Mode With External Ramp Compensation. *Tian, S.*, +, *TPEL Oct. 2016 7311-7319*
- Analysis, Design, and Performance Evaluation of a Dynamically Slew Enhanced Adaptively Biased Capacitor-Less Low Dropout Regulator. *Maity, A.*, +, *TPEL Oct. 2016 7016-7028*
- Comparison of a Buck Converter and a Series Capacitor Buck Converter for High-Frequency, High-Conversion-Ratio Voltage Regulators. *Shenoy, P.S.*, +, *TPEL Oct. 2016 7006-7015*
- Droop-Free Distributed Control for AC Microgrids. *Nasirian, V.*, +, *TPEL Feb. 2016 1600-1617*

- Efficient Voltage Regulation for Microprocessor Cores Stacked in Vertical Voltage Domains. *Schaefer, C.*, +, *TPEL Feb. 2016 1795-1808*
- Tradeoffs Aware Design Procedure for an Adaptively Biased Capacitorless Low Dropout Regulator Using Nested Miller Compensation. *Maity, A.*, +, *TPEL Jan. 2016 369-380*
- Unified Digital Current Mode Control Tuning With Near Optimal Recovery in a CCM Buck Converter. *Kumar, V.I.*, +, *TPEL Dec. 2016 8461-8470*

#### W

#### Walsh functions

- Low Sampling Rate Online Parameters Monitoring of DC–DC Converters for Predictive-Maintenance Using Biogeography-Based Optimization. *Li, B.X.*, +, *TPEL April 2016 2870-2879*

#### Waveform analysis

- Analysis and Design of a Multicell Topology Based on Three-Phase/Single-Phase Current-Source Cells. *Melin, P.E.*, +, *TPEL Sept. 2016 6122-6133*
- Real-Time Device-Level Transient Electrothermal Model for Modular Multilevel Converter on FPGA. *Shen, Z.*, +, *TPEL Sept. 2016 6155-6168*

#### Waveform generators

- Enhancement of Performance, Availability, and Flexibility of a Battery Energy Storage System Based on a Modular Multilevel Cascaded Converter (MMCC-SSBC). *Ota, J.I.Y.*, +, *TPEL April 2016 2791-2799*

#### Wavelet neural nets

- Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

#### Wavelet transforms

- Passive-Islanding Detection Method Using the Wavelet Packet Transform in Grid-Connected Photovoltaic Systems. *Do, H.T.*, +, *TPEL Oct. 2016 6955-6967*

#### Wetting

- Energy Compression of Dielectric Barrier Discharge With Third Harmonic Circulating Current in Current-Fed Parallel-Series Resonant Converter. *Hao, S.*, +, *TPEL Dec. 2016 8528-8540*

#### Wide band gap semiconductors

- A 3.2-kW 13.56-MHz SiC Passive Rectifier With 94.0% Efficiency Using Commutation Capacitor. *Shamseh, M.B.*, +, *TPEL Oct. 2016 6787-6791*
- A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage. *Guo, F.*, +, *TPEL Dec. 2016 8237-8246*
- A Fully Integrated Inductor-Based GaN Boost Converter With Self-Generated Switching Signal for Vehicular Applications. *Choi, P.*, +, *TPEL Aug. 2016 5365-5368*
- A High-Voltage SiC-Based Boost PFC for LED Applications. *Leon-Masich, A.*, +, *TPEL Feb. 2016 1633-1642*
- A Maximum Power Density Design Method for Nine Switches Matrix Converter Using SiC-MOSFET. *Koiba, K.*, +, *TPEL Feb. 2016 1189-1202*
- A New Package of High-Voltage Cascode Gallium Nitride Device for Megahertz Operation. *Zhang, W.*, +, *TPEL Feb. 2016 1344-1353*
- A Physics-Based Compact Model of SiC Power MOSFETs. *Kraus, R.*, +, *TPEL Aug. 2016 5863-5870*
- A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control. *Zhou, Y.*, +, *TPEL March 2016 2166-2173*
- An Analytical Switching Process Model of Low-Voltage eGaN HEMTs for Loss Calculation. *Wang, K.*, +, *TPEL Jan. 2016 635-647*
- Analysis of the Breakdown Characterization Method in GaN-Based HEMTs. *Zhao, S.L.*, +, *TPEL Feb. 2016 1517-1527*
- Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*
- Bootstrap Voltage and Dead Time Behavior in GaN DC–DC Buck Converter With a Negative Gate Voltage. *Roschatt, P.M.*, +, *TPEL Oct. 2016 7161-7170*
- Characterization Method of SiC-JFET Interelectrode Capacitances in Linear Region. *Li, K.*, +, *TPEL Feb. 2016 1528-1540*

- Circuit-Based Electrothermal Simulation of Power Devices by an Ultrafast Nonlinear MOR Approach. *Codecasa, L.*, +, *TPEL Aug. 2016 5906-5916*
- Deadtime Effect on GaN-Based Synchronous Boost Converter and Analytical Model for Optimal Deadtime Selection. *Han, D.*, +, *TPEL Jan. 2016 601-612*
- Development of a Simple Analytical PSpice Model for SiC-Based BJT Power Modules. *Johannesson, D.*, +, *TPEL June 2016 4517-4525*
- Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL March 2016 1816-1821*
- Failure Modes of 15-kV SiC SGT0 Thyristors During Repetitive Extreme Pulsed Overcurrent Conditions. *Schrock, J.A.*, +, *TPEL Dec. 2016 8058-8062*
- Gate and Base Drivers for Silicon Carbide Power Transistors: An Overview. *Pefitsis, D.*, +, *TPEL Oct. 2016 7194-7213*
- High Switching Performance of 1700-V, 50-A SiC Power MOSFET Over Si IGBT/BiMOSFET for Advanced Power Conversion Applications. *Hazra, S.*, +, *TPEL July 2016 4742-4754*
- High-Frequency High-Efficiency GaN-Based Interleaved CRM Bidirectional Buck/Boost Converter with Inverse Coupled Inductor. *Huang, X.*, +, *TPEL June 2016 4343-4352*
- Influences of Device and Circuit Mismatches on Paralleling Silicon Carbide MOSFETs. *Li, H.*, +, *TPEL Jan. 2016 621-634*
- On the Design Process of a 6-kVA Quasi-Z-inverter Employing SiC Power Devices. *Zdanowski, M.*, +, *TPEL Nov. 2016 7499-7508*
- Power-Loss Prediction of High-Voltage SiC-mosfet Circuits With Compact Model Including Carrier-Trap Influences. *Tanimoto, Y.*, +, *TPEL June 2016 4509-4516*
- Single-Phase T-Type Inverter Performance Benchmark Using Si IGBTs, SiC MOSFETs, and GaN HEMTs. *Gurpinar, E.*, +, *TPEL Oct. 2016 7148-7160*
- Temperature-Dependent Short-Circuit Capability of Silicon Carbide Power MOSFETs. *Wang, Z.*, +, *TPEL Feb. 2016 1555-1566*
- The Effect of Electrothermal Nonuniformities on Parallel Connected SiC Power Devices Under Unclamped and Clamped Inductive Switching. *Hu, J.*, +, *TPEL June 2016 4526-4535*

#### Wind power

- A Multiinput Bridgeless Resonant AC-DC Converter for Electromagnetic Energy Harvesting. *Tang, Y.*, +, *TPEL March 2016 2254-2263*
- An Energy Management Scheme With Power Limit Capability and an Adaptive Maximum Power Point Tracking for Small Standalone PMSG Wind Energy Systems. *Hui, J.C.Y.*, +, *TPEL July 2016 4861-4875*

#### Wind power plants

- Adaptive  $Q$ - $V$  Scheme for the Voltage Control of a DFIG-Based Wind Power Plant. *Kim, J.*, +, *TPEL May 2016 3586-3599*
- An Adaptive Network-Based Reinforcement Learning Method for MPPT Control of PMSG Wind Energy Conversion Systems. *Wei, C.*, +, *TPEL Nov. 2016 7837-7848*
- Individual Phase Current Control Based on Optimal Zero-Sequence Current Separation for a Star-Connected Cascade STATCOM Under Unbalanced Conditions. *Shi, Y.*, +, *TPEL March 2016 2099-2110*
- Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016 5538-5546*
- Squirrel-Cage Induction Generator System Using Wavelet Petri Fuzzy Neural Network Control for Wind Power Applications. *Tan, K.*, *TPEL July 2016 5242-5254*

#### Wind turbines

- LCL Grid Filter Design of a Multimewatt Medium-Voltage Converter for Offshore Wind Turbine Using SHEPWM Modulation. *Zabaleta, M.*, +, *TPEL March 2016 1993-2001*
- A Single-Sensor-Based MPPT Controller for Wind-Driven Induction Generators Supplying DC Microgrid. *Nayanar, V.*, +, *TPEL Feb. 2016 1161-1172*
- Backstepping-Based DPC Strategy of a Wind Turbine-Driven DFIG Under Normal and Harmonic Grid Voltage. *Xiong, P.*, +, *TPEL June 2016 4216-4225*
- Control of a Small Wind Turbine in the High Wind Speed Region. *Lumbreas, C.*, +, *TPEL Oct. 2016 6980-6991*

- Doubly Fed Induction Generator Wind Turbine Systems Subject to Recurring Symmetrical Grid Faults. *Chen, W.*, +, *TPEL Feb. 2016 1143-1160*
- Dual-Loop Control Strategy for DFIG-Based Wind Turbines Under Grid Voltage Disturbances. *Zhu, R.*, +, *TPEL March 2016 2239-2253*
- Open-Circuit Fault-Tolerant Control for Outer Switches of Three-Level Rectifiers in Wind Turbine Systems. *Lee, J.*, +, *TPEL May 2016 3806-3815*
- Rotor-Speed Stability Improvement of Dual Stator-Winding Induction Generator-Based Wind Farms By Control-Windings Voltage Oriented Control. *Hassan Zamani, M.*, +, *TPEL Aug. 2016 5538-5546*

#### Windings

- Improving Wireless Power Transfer Efficiency Using Hollow Windings With Track-Width-Ratio. *Cove, S.R.*, +, *TPEL Sept. 2016 6524-6533*
- Switched-Coupled-Inductor Quasi-Z-Source Inverter. *Ahmed, H.F.*, +, *TPEL Feb. 2016 1241-1254*

#### Wireless sensor networks

- A 190 nA Bias Current 10 mV Input Multistage Boost Regulator With Intermediate-Node Control to Supply RF Blocks in Self-Powered Wireless Sensors. *Ahmed, K.Z.*, +, *TPEL Feb. 2016 1322-1333*

#### Wires (electric)

- Calculation of Power Losses in Litz Wire Systems by Coupling FEM and PEEC Method. *Roskopf, A.*, +, *TPEL Sept. 2016 6442-6449*
- Prediction of Bond Wire Fatigue of IGBTs in a PV Inverter Under a Long-Term Operation. *Reigosa, P.D.*, +, *TPEL Oct. 2016 7171-7182*

## Z

#### Zero current switching

- A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage. *Guo, F.*, +, *TPEL Dec. 2016 8237-8246*
- A General Design Method of Primary Compensation Network for Dynamic WPT System Maintaining Stable Transmission Power. *Zhao, J.*, +, *TPEL Dec. 2016 8343-8358*
- A High-Efficiency Flyback Micro-inverter With a New Adaptive Snubber for Photovoltaic Applications. *Rezaei, M.A.*, +, *TPEL Jan. 2016 318-327*
- A Novel Phase-Shift Dual Full-Bridge Converter With Full Soft-Switching Range and Wide Conversion Range. *Shi, K.*, +, *TPEL Nov. 2016 7747-7760*
- A Novel Soft-Switching Battery Charge/Discharge Converter With the Zero Voltage Discharge Function. *Yu, S.*, +, *TPEL July 2016 5067-5078*
- A Quasi-Switched-Capacitor Resonant Converter. *Zhang, X.*, +, *TPEL Nov. 2016 7849-7856*
- A Series-Parallel Current-Driven Full-Bridge DC/DC Converter. *Pahlevani, M.*, +, *TPEL Feb. 2016 1275-1293*
- A Single-Stage Single-Switch LED Driver Based on the Integrated SEPIC Circuit and Class-E Converter. *Wang, Y.*, +, *TPEL Aug. 2016 5814-5824*
- A Soft-Switched Asymmetric Flying-Capacitor Boost Converter With Synchronous Rectification. *Lefevre, G.*, +, *TPEL March 2016 2200-2212*
- Bidirectional Resonant DC-DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y.*, +, *TPEL Jan. 2016 340-352*
- Design and Development of an Efficient Multilevel DC/AC Traction Inverter for Railway Transportation Electrification. *Youssef, M.Z.*, +, *TPEL April 2016 3036-3042*
- Double-Deck Buck-Boost Converter With Soft Switching Operation. *Maali, E.*, +, *TPEL June 2016 4324-4330*
- Dual Switches DC/DC Converter With Three-Winding-Coupled Inductor and Charge Pump. *Tang, Y.*, +, *TPEL Jan. 2016 461-469*
- Flying-Capacitor-Based Hybrid LLC Converters With Input Voltage Auto-balance Ability for High Voltage Applications. *Li, W.*, +, *TPEL March 2016 1908-1920*
- Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*
- High-Efficiency Coupled-Inductor-Based Step-Down Converter. *Wai, R.*, +, *TPEL June 2016 4265-4279*
- High-Efficiency DAB Converter Using Switching Sequences and Burst Mode. *Oggier, G.G.*, +, *TPEL March 2016 2069-2082*

- High-Frequency High-Efficiency GaN-Based Interleaved CRM Bidirectional Buck/Boost Converter with Inverse Coupled Inductor. *Huang, X.*, +, *TPEL June 2016 4343-4352*
- High-Power Thyristor-Based DC–DC Switched-Capacitor Voltage Multipliers: Basic Concept and Novel Derived Topology With Reduced Number of Switches. *Kawa, A.*, +, *TPEL Oct. 2016 6797-6813*
- Impedance Control Network Resonant DC–DC Converter for Wide-Range High-Efficiency Operation. *Lu, J.*, +, *TPEL July 2016 5040-5056*
- Line Current Distortion Compensation for DCM/CRM Boost PFC Converters. *Chen, Y.*, +, *TPEL March 2016 2026-2038*
- LLC Resonant Converter With Semiactive Variable-Structure Rectifier (SA-VSR) for Wide Output Voltage Range Application. *Wu, H.*, +, *TPEL May 2016 3389-3394*
- Magnetic-Coupling Current-Balancing Cells Based Input-Parallel Output-Parallel LLC Resonant Converter Modules for High-Frequency Isolation of DC Distribution Systems. *Liu, C.*, +, *TPEL Oct. 2016 6968-6979*
- Modeling and Control of a Resonant Dual Active Bridge With a Tuned CLLC Network. *Malan, W.L.*, +, *TPEL Oct. 2016 7297-7310*
- On Automatic Resonant Frequency Tracking in LLC Series Resonant Converter Based on Zero-Current Duration Time of Secondary Diode. *Li, H.*, +, *TPEL July 2016 4956-4962*
- Operating Conditions Monitoring for High Power Density and Cost-Effective Resonant Power Converters. *Sarnago, H.*, +, *TPEL Jan. 2016 488-496*
- Optimization-Based Cell Selection Method for Grid-Connected Modular Multilevel Converters. *Hassanpoor, A.*, +, *TPEL April 2016 2780-2790*
- Phase-Shift-Controlled Isolated Buck-Boost Converter With Active-Clamped Three-Level Rectifier (AC-TLR) Featuring Soft-Switching Within Wide Operation Range. *Wu, H.*, +, *TPEL March 2016 2372-2386*
- Secondary-Side-Regulated Soft-Switching Full-Bridge Three-Port Converter Based on Bridgeless Boost Rectifier and Bidirectional Converter for Multiple Energy Interface. *Wu, H.*, +, *TPEL July 2016 4847-4860*
- Series-Input Parallel-Output Modular-Phase DC–DC Converter With Soft-Switching and High-Frequency Isolation. *Mohammadpour, A.*, +, *TPEL Jan. 2016 111-119*
- Wide Load Range ZVS Three-Level DC–DC Converter: Four Primary Switches, Capacitor Clamped, Two Secondary Switches, and Smaller Output Filter Volume. *Shi, Y.*, +, *TPEL May 2016 3431-3443*
- ZVS of Power MOSFETs Revisited. *Kasper, M.*, +, *TPEL Dec. 2016 8063-8067*
- Zero voltage switching**
- A Bidirectional Three-Phase Push–Pull Converter With Dual Asymmetrical PWM Method. *Kwon, M.*, +, *TPEL March 2016 1887-1895*
- A Class-E Power Amplifier Design Considering MOSFET Nonlinear Drain-to-Source and Nonlinear Gate-to-Drain Capacitances at Any Grading Coefficient. *Hayati, M.*, +, *TPEL Nov. 2016 7770-7779*
- A Dual-Transformer Active-Clamp Forward Converter With Nonlinear Conversion Ratio. *Lin, J.*, +, *TPEL June 2016 4353-4361*
- A Family of Quasi-Switched-Capacitor Circuit-Based Dual-Input DC/DC Converters for Photovoltaic Systems Integrated With Battery Energy Storage. *Guo, F.*, +, *TPEL Dec. 2016 8237-8246*
- A General Design Method of Primary Compensation Network for Dynamic WPT System Maintaining Stable Transmission Power. *Zhao, J.*, +, *TPEL Dec. 2016 8343-8358*
- A High-Efficiency Flyback Micro-inverter With a New Adaptive Snubber for Photovoltaic Applications. *Rezaei, M.A.*, +, *TPEL Jan. 2016 318-327*
- A High-Efficiency Quasi-Single-Stage Bridgeless Electrolytic Capacitor-Free High-Power AC–DC Driver for Supplying Multiple LED Strings in Parallel. *Ma, H.*, +, *TPEL Aug. 2016 5825-5836*
- A Modified Dual Active Bridge Converter With Hybrid Phase-Shift Control for Wide Input Voltage Range. *Shen, Y.*, +, *TPEL Oct. 2016 6884-6900*
- A Novel Multiple-Frequency Resonant Inverter for Induction Heating Applications. *Bi, C.*, +, *TPEL Dec. 2016 8162-8171*
- A Novel Soft-Switching Battery Charge/Discharge Converter With the Zero Voltage Discharge Function. *Yu, S.*, +, *TPEL July 2016 5067-5078*
- A Quasi-Switched-Capacitor Resonant Converter. *Zhang, X.*, +, *TPEL Nov. 2016 7849-7856*
- A Series–Parallel Current-Driven Full-Bridge DC/DC Converter. *Pahlevani, M.*, +, *TPEL Feb. 2016 1275-1293*
- A Single-Stage Single-Switch LED Driver Based on the Integrated SEPIC Circuit and Class-E Converter. *Wang, Y.*, +, *TPEL Aug. 2016 5814-5824*
- A Soft-Switched Asymmetric Flying-Capacitor Boost Converter With Synchronous Rectification. *Lefevre, G.*, +, *TPEL March 2016 2200-2212*
- A ZVS Grid-Connected Full-Bridge Inverter With a Novel ZVS SPWM Scheme. *Chen, Y.*, +, *TPEL May 2016 3626-3638*
- A ZVS Pulsewidth Modulation Full-Bridge Converter With a Low-RMS-Current Resonant Auxiliary Circuit. *Safaei, A.*, +, *TPEL June 2016 4031-4047*
- An Accurate Design Algorithm for LLC Resonant Converters—Part II. *Hu, Z.*, +, *TPEL Aug. 2016 5448-5460*
- An Integrated High-Power-Factor Converter With ZVS Transition. *Chang, C.*, +, *TPEL March 2016 2362-2371*
- An Interleaved PFM LLC Resonant Converter With Phase-Shift Compensation. *Murata, K.*, +, *TPEL March 2016 2264-2272*
- Analysis on Load-Adaptive Phase-Shift Control for High Efficiency Full-Bridge LLC Resonant Converter Under Light-Load Conditions. *Kim, J.*, +, *TPEL July 2016 4942-4955*
- Avoiding Si MOSFET Avalanche and Achieving Zero-Voltage Switching for Cascode GaN Devices. *Huang, X.*, +, *TPEL Jan. 2016 593-600*
- Bidirectional Resonant DC–DC Step-Up Converters for Driving High-Voltage Actuators in Mobile Microrobots. *Tang, Y.*, +, *TPEL Jan. 2016 340-352*
- Closed-Form Oriented Modeling and Analysis of Wireless Power Transfer System With Constant-Voltage Source and Load. *Zhang, Y.*, +, *TPEL May 2016 3472-3481*
- Combined Phase-Shift and Frequency Modulation of a Dual-Active-Bridge AC–DC Converter With PFC. *Jauch, F.*, +, *TPEL Dec. 2016 8387-8397*
- Critical Design Criterion for Achieving Zero Voltage Switching in Inductorless Half-Bridge-Driven Piezoelectric-Transformer-Based Power Supplies. *Foster, M.P.*, +, *TPEL July 2016 5057-5066*
- DCM-Based Zero-Voltage Switching Control of a Bidirectional DC–DC Converter With Variable Switching Frequency. *Konjedic, T.*, +, *TPEL April 2016 3273-3288*
- Double-Deck Buck-Boost Converter With Soft Switching Operation. *Maali, E.*, +, *TPEL June 2016 4324-4330*
- Dual Flying Capacitor Active-Neutral-Point-Clamped Multilevel Converter. *Naderi, R.*, +, *TPEL Sept. 2016 6476-6484*
- Flying-Capacitor-Based Hybrid LLC Converters With Input Voltage Auto-balance Ability for High Voltage Applications. *Li, W.*, +, *TPEL March 2016 1908-1920*
- Full-Range Soft-Switching-Isolated Buck-Boost Converters With Integrated Interleaved Boost Converter and Phase-Shifted Control. *Wu, H.*, +, *TPEL Feb. 2016 987-999*
- Fundamental Duty Modulation of Dual-Active-Bridge Converter for Wide-Range Operation. *Choi, W.*, +, *TPEL June 2016 4048-4064*
- High-Efficiency Coupled-Inductor-Based Step-Down Converter. *Wai, R.*, +, *TPEL June 2016 4265-4279*
- High-Efficiency DAB Converter Using Switching Sequences and Burst Mode. *Oggier, G.G.*, +, *TPEL March 2016 2069-2082*
- High-Frequency High-Efficiency GaN-Based Interleaved CRM Bidirectional Buck/Boost Converter with Inverse Coupled Inductor. *Huang, X.*, +, *TPEL June 2016 4343-4352*
- Impedance Control Network Resonant DC–DC Converter for Wide-Range High-Efficiency Operation. *Lu, J.*, +, *TPEL July 2016 5040-5056*
- Improved ZVS Three-Level DC–DC Converter With Reduced Circulating Loss. *Guo, Z.*, +, *TPEL Sept. 2016 6394-6404*
- Integrated Dual Full-Bridge Converter With Current-Doubler Rectifier for EV Charger. *Kim, J.*, +, *TPEL Feb. 2016 942-951*
- Line Current Distortion Compensation for DCM/CRM Boost PFC Converters. *Chen, Y.*, +, *TPEL March 2016 2026-2038*
- LLC Resonant Converter With Semiactive Variable-Structure Rectifier (SA-VSR) for Wide Output Voltage Range Application. *Wu, H.*, +, *TPEL May 2016 3389-3394*

- Magnetic-Coupling Current-Balancing Cells Based Input-Parallel Output-Parallel LLC Resonant Converter Modules for High-Frequency Isolation of DC Distribution Systems. *Liu, C.*, +, *TPEL Oct. 2016 6968-6979*
- Modeling and Control of a Multiport Power Electronic Transformer (PET) for Electric Traction Applications. *Gu, C.*, +, *TPEL Feb. 2016 915-927*
- Nonisolated Two-Channel LED Driver With Automatic Current Balance and Zero-Voltage Switching. *Hwu, K.I.*, +, *TPEL Dec. 2016 8359-8370*
- Operating Conditions Monitoring for High Power Density and Cost-Effective Resonant Power Converters. *Sarnago, H.*, +, *TPEL Jan. 2016 488-496*
- Performance Evaluation of a Three-Phase Dual Active Bridge DC-DC Converter With Different Transformer Winding Configurations. *Baars, N.H.*, +, *TPEL Oct. 2016 6814-6823*
- Phase-Shift-Controlled Isolated Buck-Boost Converter With Active-Clamped Three-Level Rectifier (AC-TLR) Featuring Soft-Switching Within Wide Operation Range. *Wu, H.*, +, *TPEL March 2016 2372-2386*
- Secondary-Side-Regulated Soft-Switching Full-Bridge Three-Port Converter Based on Bridgeless Boost Rectifier and Bidirectional Converter for Multiple Energy Interface. *Wu, H.*, +, *TPEL July 2016 4847-4860*
- Soft-Switching Step-Up Converter With Ripple-Free Output Current. *Kim, S.*, +, *TPEL Aug. 2016 5618-5624*
- Steady-State Analysis and Design of Class-D ZVS Inverter at Any Duty Ratio. *Wei, X.*, +, *TPEL Jan. 2016 394-405*
- Steady-State Analysis of a ZVS Bidirectional Isolated Three-Phase DC-DC Converter Using Dual Phase-Shift Control With Variable Duty Cycle. *de Oliveira Filho, H.M.*, +, *TPEL March 2016 1863-1872*
- Time-Domain Analysis of a Phase-Shift-Modulated Series Resonant Converter with an Adaptive Passive Auxiliary Circuit. *Safaei, A.*, +, *TPEL Nov. 2016 7714-7734*
- Ultrahigh Step-up DC-DC Converter for Distributed Generation by Three Degrees of Freedom (3DoF) Approach. *Hu, Y.*, +, *TPEL July 2016 4930-4941*
- Versatile LED Drivers for Various Electronic Ballasts by Variable Switched Capacitor. *Lee, E.S.*, +, *TPEL Feb. 2016 1489-1502*
- Wide Load Range ZVS Three-Level DC-DC Converter: Four Primary Switches, Capacitor Clamped, Two Secondary Switches, and Smaller Output Filter Volume. *Shi, Y.*, +, *TPEL May 2016 3431-3443*
- ZVS of Power MOSFETs Revisited. *Kasper, M.*, +, *TPEL Dec. 2016 8063-8067*