

2017 Index

IEEE Transactions on Power Electronics

Vol. 32

This index covers all technical items—papers, correspondence, reviews, etc.—that appeared in this periodical during 2017, and items from previous years that were commented upon or corrected in 2017. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

Author Index

A

- Aamir, M.**, and Mekhilef, S., An Online Transformerless Uninterruptible Power Supply (UPS) System With a Smaller Battery Bank for Low-Power Applications; *TPEL Jan. 2017 233-247*
- Abad, G.**, see Sanchez-Ruiz, A., *TPEL April 2017 2533-2545*
- Abapour, M.**, see Nazari-Heris, M., *TPEL Aug. 2017 6059-6068*
- Abapour, M.**, see Haji-Esmacili, M.M., *TPEL Aug. 2017 6455-6467*
- Abapour, M.**, see Abdolkarimzadeh, M., *TPEL Dec. 2017 9043-9050*
- Abbate, C.**, Busatto, G., Sanseverino, A., Velardi, F., Iavarone, S., and Ronsisvalle, C., Measurement of IGBT High-Frequency Input Impedance in Short Circuit; *TPEL Jan. 2017 584-592*
- Abdelsalam, I.**, see Adam, G.P., *TPEL June 2017 4258-4278*
- Abdolkarimzadeh, M.**, Nazari-Heris, M., Abapour, M., and Sabahi, M., A Bridge-Type Fault Current Limiter for Energy Management of AC/DC Microgrids; *TPEL Dec. 2017 9043-9050*
- Abeywardana, D.B.W.**, Hredzak, B., Agelidis, V.G., and Demetriades, G.D., Supercapacitor Sizing Method for Energy-Controlled Filter-Based Hybrid Energy Storage Systems; *TPEL Feb. 2017 1626-1637*
- Abosh, A.H.**, Zhu, Z.Q., and Ren, Y., Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine; *TPEL April 2017 2976-2986*
- Abu-Rub, H.**, see Mosa, M., *TPEL April 2017 3251-3262*
- Acevedo, J.M.**, see Quintans, C., *TPEL May 2017 3868-3878*
- Acuna, P.**, see Ghias, A.M.Y.M., *TPEL Jan. 2017 164-175*
- Acuna, P.**, see Aguilera, R.P., *TPEL March 2017 2416-2426*
- Acuna, P.**, see Gao, H., *TPEL Aug. 2017 6558-6569*
- Acuna, P.**, see Song, K., *TPEL Oct. 2017 7870-7881*
- Adam, G.P.**, see Li, P., *TPEL Jan. 2017 23-38*
- Adam, G.P.**, Abdelsalam, I., Fletcher, J.E., Burt, G.M., Holliday, D., and Finney, S.J., New Efficient Submodule for a Modular Multilevel Converter in Multiterminal HVDC Networks; *TPEL June 2017 4258-4278*
- Addowesh, K.E.**, see Eltamaly, A.M., *TPEL Oct. 2017 7663-7673*
- Adhikari, J.**, IV, P., and Panda, S.K., Reduction of Input Current Harmonic Distortions and Balancing of Output Voltages of the Vienna Rectifier Under Supply Voltage Disturbances; *TPEL July 2017 5802-5812*
- Adib, E.**, see Poorali, B., *TPEL Oct. 2017 7932-7940*
- Afridi, K.K.**, see Chen, M., *TPEL Jan. 2017 325-340*
- Afridi, K.K.**, see Ni, Y., *TPEL Aug. 2017 6363-6380*
- Afsharian, J.**, see Wang, H., *TPEL June 2017 4291-4306*
- Afsharian, J.**, see Wang, H., *TPEL Sept. 2017 6994-7010*
- Agarwal, V.**, see Peter, P.K., *TPEL May 2017 3571-3584*
- Agarwal, V.**, see Hota, A., *TPEL Oct. 2017 7414-7418*
- Agarwal, V.**, see Kobaku, T., *TPEL Nov. 2017 8880-8891*
- Agelidis, V.G.**, see Wickramasinghe Abeywardana, D.B., *TPEL Jan. 2017 668-680*
- Agelidis, V.G.**, see Ghias, A.M.Y.M., *TPEL Jan. 2017 164-175*
- Agelidis, V.G.**, see Abeywardana, D.B.W., *TPEL Feb. 2017 1626-1637*
- Agelidis, V.G.**, see Farivar, G., *TPEL March 2017 1744-1754*
- Agelidis, V.G.**, see Kim, T., *TPEL March 2017 1917-1926*
- Agelidis, V.G.**, see Aguilera, R.P., *TPEL March 2017 2416-2426*
- Agelidis, V.G.**, see Momayyezani, M., *TPEL May 2017 4056-4063*
- Agelidis, V.G.**, see Karanayil, B., *TPEL July 2017 5850-5861*
- Agelidis, V.G.**, see Song, K., *TPEL Oct. 2017 7870-7881*
- Agelidis, V.G.**, see Farivar, G., *TPEL Oct. 2017 8115-8123*
- Agelidis, V.G.**, see Farivar, G., *TPEL Nov. 2017 8338-8348*
- Agranovich, G.**, see Yuhimenko, V., *TPEL Feb. 2017 1570-1578*
- Aguilar, C.**, see Gordillo, J., *TPEL May 2017 3480-3489*
- Aguilera, R.P.**, Acuna, P., Lezana, P., Konstantinou, G., Wu, B., Bernet, S., and Agelidis, V.G., Selective Harmonic Elimination Model Predictive Control for Multilevel Power Converters; *TPEL March 2017 2416-2426*
- Aguilera, R.P.**, see Gao, H., *TPEL June 2017 4891-4904*
- Aguilera, R.P.**, see Gao, H., *TPEL Aug. 2017 6558-6569*
- Aguilera, R.P.**, see Song, K., *TPEL Oct. 2017 7870-7881*
- Ahmadi, R.**, see Aleenejad, M., *TPEL Oct. 2017 7980-7989*
- Ahmed, A.**, Sozer, Y., and Hamdan, M., Maximum Torque per Ampere Control for Buried Magnet PMSM Based on DC-Link Power Measurement; *TPEL Feb. 2017 1299-1311*
- Ahmed, A.**, see Irfan, M.S., *TPEL May 2017 3610-3622*
- Ahmed, A.**, see Manoharan, M.S., *TPEL Oct. 2017 7602-7614*
- Ahmed, E.M.**, see Aly, M., *TPEL Dec. 2017 9376-9388*
- Ahmed, H.F.**, Cha, H., Khan, A.A., Kim, J., and Cho, J., A Single-Phase Buck-Boost Matrix Converter With Only Six Switches and Without Commutation Problem; *TPEL Feb. 2017 1232-1244*
- Ahmed, H.F.**, see Kim, S., *TPEL March 2017 1792-1804*
- Ahmed, H.F.**, see Khan, A.A., *TPEL June 2017 4185-4198*
- Ahmed, M.H.**, see Fei, C., *TPEL July 2017 5628-5636*
- Ahmed, S.**, see Elserougi, A., *TPEL April 2017 2846-2855*
- Ahmed, S.**, Shen, Z., Mattavelli, P., Boroyevich, D., and Karimi, K.J., Small-Signal Model of Voltage Source Inverter (VSI) and Voltage Source Converter (VSC) Considering the DeadTime Effect and Space Vector Modulation Types; *TPEL June 2017 4145-4156*
- Ahmed, S.**, see Elgenedy, M.A., *TPEL Dec. 2017 8979-8991*
- Ahmeid, M.**, Armstrong, M., Gadoue, S., Al-Greer, M., and Missailidis, P., Real-Time Parameter Estimation of DC-DC Converters Using a Self-Tuned Kalman Filter; *TPEL July 2017 5666-5674*
- Ahn, D.**, Kim, S., Kim, S., Moon, J., and Cho, I., Wireless Power Transmitter and Receiver Supporting 200-kHz and 6.78-MHz Dual-Band Operation without Magnetic Field Canceling; *TPEL Sept. 2017 7068-7082*
- Ahrabi, R.R.**, Ardi, H., Elmi, M., and Ajami, A., A Novel Step-Up Multiinput DC-DC Converter for Hybrid Electric Vehicles Application; *TPEL May 2017 3549-3561*
- Ai, J.**, and Lin, M., Ultralarge Gain Step-Up Coupled-Inductor DC-DC Converter With an Asymmetric Voltage Multiplier Network for a Sustainable Energy System; *TPEL Sept. 2017 6896-6903*
- Ajami, A.**, see Ahrabi, R.R., *TPEL May 2017 3549-3561*
- Akagi, H.**, see Okazaki, Y., *TPEL March 2017 1805-1817*
- Akagi, H.**, see Sasongko, F., *TPEL July 2017 5058-5069*
- Akagi, H.**, see Oguma, K., *TPEL Aug. 2017 5931-5942*
- Al-Durra, A.**, see Errouissi, R., *TPEL March 2017 2265-2277*
- Al-Greer, M.**, see Ahmeid, M., *TPEL July 2017 5666-5674*
- Alakula, M.**, see Domingues-Olavarria, G., *TPEL Nov. 2017 8681-8692*

- Alam, M.**, Eberle, W., Gautam, D.S., and Botting, C., A Soft-Switching Bridgeless AC–DC Power Factor Correction Converter; *TPEL Oct. 2017* 7716-7726
- Alatise, O.**, see Lai, W., *TPEL Feb. 2017* 1431-1441
- Alatise, O.**, see Gonzalez, J.O., *TPEL Oct. 2017* 7954-7966
- Alenejad, M.**, Mahmoudi, H., and Ahmadi, R., Multifault Tolerance Strategy for Three-Phase Multilevel Converters Based on a Half-Wave Symmetrical Selective Harmonic Elimination Technique; *TPEL Oct. 2017* 7980-7989
- Alepuz, S.**, see Busquets-Monge, S., *TPEL Oct. 2017* 7521-7533
- Ali, M.**, Iqbal, A., Khan, M.R., Ayyub, M., and Anees, M.A., Generalized Theory and Analysis of Scalar Modulation Techniques for $m \times n$ Matrix Converter; *TPEL June 2017* 4864-4877
- Aljankawey, A.S.**, see Saleh, S.A., *TPEL Feb. 2017* 1106-1123
- Almeida, P.S.**, see Soares, G.M., *TPEL April 2017* 3022-3033
- Alonso, J.M.**, see Martins, M., *TPEL April 2017* 3051-3062
- Alonso, J.M.**, see Soares, G.M., *TPEL April 2017* 3022-3033
- Alonso, J.M.**, Perdigo, M.S., Dalla Costa, M.A., Martinez, G., and Osorio, R., Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control; *TPEL Dec. 2017* 9179-9190
- Alou, P.**, see Cucak, D., *TPEL March 2017* 2189-2202
- Alphones, A.**, see Sampath, J.P.K., *TPEL June 2017* 4359-4369
- Alsolami, M.**, Potty, K.A., and Wang, J., A Gallium-Nitride-Device-Based Switched Capacitor Multiport Multilevel Converter for UPS Applications; *TPEL Sept. 2017* 6853-6862
- Alves, L.F.S.**, see Vitorino, M.A., *TPEL April 2017* 2892-2912
- Aly, M.**, Ahmed, E.M., and Shoyama, M., Thermal Stresses Relief Carrier-Based PWM Strategy for Single-Phase Multilevel Inverters; *TPEL Dec. 2017* 9376-9388
- Amin, M.**, Molinas, M., Lyu, J., and Cai, X., Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot; *TPEL Oct. 2017* 8204-8217
- Amini, J.**, Viki, A.H., Radan, A., and Moallem, M., A General Control Method for Multilevel Converters Based on Knapsack Problem; *TPEL Jan. 2017* 2-10
- Ammous, A.**, see Barg, S., *TPEL March 2017* 2146-2154
- Ammous, K.**, see Barg, S., *TPEL March 2017* 2146-2154
- Amodeo, S.J.**, see Leon, A.E., *TPEL Aug. 2017* 6628-6637
- An, Q.**, see Bi, K., *TPEL May 2017* 3292-3296
- An, Q.**, see Tian, B., *TPEL July 2017* 5459-5472
- An, Q.**, see Tian, B., *TPEL July 2017* 5473-5486
- Anand, S.**, see Singh, A., *TPEL April 2017* 2481-2484
- Andersen, M.A.E.**, see Ekhtiari, M., *TPEL Jan. 2017* 866-877
- Andersen, M.A.E.**, see Ekhtiari, M., *TPEL Jan. 2017* 783-793
- Andersen, M.A.E.**, see Mira, M.C., *TPEL Feb. 2017* 1138-1155
- Andersen, M.A.E.**, see Anthon, A., *TPEL April 2017* 2808-2821
- Andersen, T.**, see Ekhtiari, M., *TPEL Jan. 2017* 783-793
- Andersen, T.M.**, Krismer, F., Kolar, J.W., Toifl, T., Menolfi, C., Kull, L., Morf, T., Kossel, M., Brandli, M., and Francese, P.A., Modeling and Pareto Optimization of On-Chip Switched Capacitor Converters; *TPEL Jan. 2017* 363-377
- Andersen, T.M.**, Krismer, F., Kolar, J.W., Toifl, T., Menolfi, C., Kull, L., Morf, T., Kossel, M., Brandli, M., and Francese, P.A., A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery; *TPEL Jan. 2017* 378-393
- Anderson, I.A.**, see Illenberger, P., *TPEL Sept. 2017* 6904-6912
- Anderson, J.A.**, Gammeter, C., Schrittwieser, L., and Kolar, J.W., Accurate Calorimetric Switching Loss Measurement for 900 V 10 m Ω SiC mosfets; *TPEL Dec. 2017* 8963-8968
- Andersson, M.**, see Domingues-Olavarria, G., *TPEL Nov. 2017* 8681-8692
- Andreadis, I.E.**, see Kokosis, S.G., *TPEL Feb. 2017* 1400-1410
- Andresen, M.**, Ma, K., De Carne, G., Buticchi, G., Blaabjerg, F., and Liserre, M., Thermal Stress Analysis of Medium-Voltage Converters for Smart Transformers; *TPEL June 2017* 4753-4765
- Andresen, M.**, see Buticchi, G., *TPEL Nov. 2017* 8892-8903
- Andresen, M.**, see Ko, Y., *TPEL Dec. 2017* 9435-9446
- Andreu, J.**, see Lopez, I., *TPEL June 2017* 4878-4890
- Andreu, J.**, see Onederra, O., *TPEL Aug. 2017* 6570-6576
- Anees, M.A.**, see Ali, M., *TPEL June 2017* 4864-4877
- Angel Oliver, J.**, see Cucak, D., *TPEL March 2017* 2189-2202
- Anthon, A.**, Zhang, Z., Andersen, M.A.E., Holmes, D.G., McGrath, B., and Teixeira, C.A., The Benefits of SiC mosfets in a T-Type Inverter for Grid-Tie Applications; *TPEL April 2017* 2808-2821
- Antonio Cobos, J.**, see Cucak, D., *TPEL March 2017* 2189-2202
- Antoszczuk, P.**, Cervellini, P., Retegui, R.G., and Funes, M., Optimized Switching Sequence for Multiphase Power Converters Under Inductance Mismatch; *TPEL March 2017* 1697-1702
- Antoszczuk, P.**, see Cervellini, P., *TPEL Sept. 2017* 6684-6688
- Anurag, A.**, see Singh, A., *TPEL April 2017* 2481-2484
- Ardi, H.**, see Ahrabi, R.R., *TPEL May 2017* 3549-3561
- Arias, M.**, see Lamar, D.G., *TPEL May 2017* 3908-3919
- Armstrong, M.**, see Ahmeid, M., *TPEL July 2017* 5666-5674
- Aroudi, A.E.**, A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part II: Case Studies; *TPEL July 2017* 5835-5849
- Aroudi, A.E.**, A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part I: Mathematical Derivations; *TPEL July 2017* 5651-5665
- Artigas, J.I.**, see Dominguez, A., *TPEL March 2017* 2300-2311
- Asfour, A.**, see Wanderoild, Y., *TPEL April 2017* 2493-2497
- Asha Rani, M.A.**, Nagamani, C., and Ilango, G.S., Compensation of Magnetizing Current for Enhanced Operation of DFIG Under Grid Unbalance; *TPEL July 2017* 5214-5226
- Asher, G.**, see Gao, F., *TPEL March 2017* 2395-2415
- Ataji, A.B.**, Miura, Y., Ise, T., and Tanaka, H., A Rotor-Current-Based Slip Angle Estimator for Grid-Connected Doubly Fed Induction Generator Requiring the Stator Inductance Only; *TPEL June 2017* 4827-4838
- Atkinson, D.**, see Dehghan-Azad, E., *TPEL Sept. 2017* 7140-7150
- Attia, H.A.**, Freddy, T.K.S., Che, H.S., Hew, W.P., and Elkhatib, A., Confined Band Variable Switching Frequency Pulse Width Modulation (CB-VSF PWM) for a Single-Phase Inverter With an LCL Filter; *TPEL Nov. 2017* 8593-8605
- Atutxa, I.**, see Sanchez-Ruiz, A., *TPEL April 2017* 2533-2545
- Averbukh, M.**, see Yuhimenko, V., *TPEL Feb. 2017* 1570-1578
- Aware, M.V.**, see Pandit, J.K., *TPEL Sept. 2017* 7118-7129
- Aware, M.V.**, see Tatte, Y.N., *TPEL Nov. 2017* 8644-8654
- Ayad, A.**, Karamanakos, P., and Kennel, R., Direct Model Predictive Current Control Strategy of Quasi-Z-Source Inverters; *TPEL July 2017* 5786-5801
- Ayyanar, R.**, see Xia, Y., *TPEL July 2017* 5188-5201
- Ayyanar, R.**, see Roy, J., *TPEL Nov. 2017* 8763-8777
- Ayyub, M.**, see Ali, M., *TPEL June 2017* 4864-4877
- Azcondo, F.J.**, see Lamo, P., *TPEL May 2017* 3959-3969
- Azeez, N.A.**, see Pramanick, S., *TPEL March 2017* 2064-2071

B

- Bakas, P.**, Harnefors, L., Norrga, S., Nami, A., Ilves, K., Dijkhuizen, F., and Nee, H., A Review of Hybrid Topologies Combining Line-Commutated and Cascaded Full-Bridge Converters; *TPEL Oct. 2017 7435-7448*
- Baker, N.**, Dupont, L., Munk-Nielsen, S., Iannuzzo, F., and Liserre, M., IR Camera Validation of IGBT Junction Temperature Measurement via Peak Gate Current; *TPEL April 2017 3099-3111*
- Bakhshai, A.**, see Eren, S., *TPEL May 2017 3970-3988*
- Bakkaloglu, B.**, see Marti-Arbona, E., *TPEL March 2017 2180-2188*
- Bakkaloglu, B.**, see Magod, R., *TPEL April 2017 2856-2864*
- Balasingam, R.**, see Magod, R., *TPEL April 2017 2856-2864*
- Balog, R.S.**, see Mosa, M., *TPEL April 2017 3251-3262*
- Bandeira, D.G.**, and Barbi, I., A T-Type Isolated Zero Voltage Switching DC-DC Converter With Capacitive Output; *TPEL June 2017 4210-4218*
- Baneira, F.**, Doval-Gandoy, J., Yepes, A.G., Lopez, O., and Perez-Estevéz, D., Control Strategy for Multiphase Drives With Minimum Losses in the Full Torque Operation Range Under Single Open-Phase Fault; *TPEL Aug. 2017 6275-6285*
- Baneira, F.**, Doval-Gandoy, J., Yepes, A.G., Lopez, O., and Perez-Estevéz, D., Comparison of Postfault Strategies for Current Reference Generation for Dual Three-Phase Machines in Terms of Converter Losses; *TPEL Nov. 2017 8243-8246*
- Bao, Z.**, see Qu, L., *TPEL July 2017 5699-5711*
- Bao, Z.**, see Qu, L., *TPEL Aug. 2017 6638-6651*
- Barai, M.**, see Biswas, J., *TPEL June 2017 4607-4618*
- Baranwal, R.**, see Iyer, K.V., *TPEL July 2017 5087-5108*
- Barbi, I.**, see Bandeira, D.G., *TPEL June 2017 4210-4218*
- Barbi, I.**, see Tibola, G., *TPEL Dec. 2017 9210-9222*
- Barg, S.**, Ammous, K., Mejri, H., and Ammous, A., An Improved Empirical Formulation for Magnetic Core Losses Estimation Under Nonsinusoidal Induction; *TPEL March 2017 2146-2154*
- Barragan, L.A.**, see Dominguez, A., *TPEL March 2017 2300-2311*
- Barrass, P.**, see Dehghan-Azad, E., *TPEL Sept. 2017 7140-7150*
- Barrero, F.**, see Gonzalez-Prieto, I., *TPEL Jan. 2017 515-528*
- Barrero, F.J.**, see Gonzalez-Prieto, I., *TPEL Oct. 2017 7894-7903*
- Barros, T.A.d.S.**, Neto, P.J.d.S., Filho, P.S.N., Moreira, A.B., and Filho, E.R., An Approach for Switched Reluctance Generator in a Wind Generation System With a Wide Range of Operation Speed; *TPEL Nov. 2017 8277-8292*
- Barth, C.**, see Qin, S., *TPEL June 2017 4905-4924*
- Barth, C.**, see Lei, Y., *TPEL Nov. 2017 8570-8581*
- Baruschka, L.**, see Kucka, J., *TPEL Sept. 2017 6767-6777*
- Bayne, S.B.**, see Kelley, M.D., *TPEL Aug. 2017 6405-6415*
- Bazzi, A.M.**, see Chen, W., *TPEL July 2017 5573-5589*
- Beczowski, S.**, see Li, H., *TPEL Oct. 2017 7816-7823*
- Beczowski, S.**, see Eni, E., *TPEL Dec. 2017 9342-9354*
- Bede, L.**, see Gohil, G., *TPEL March 2017 1818-1831*
- Bede, L.**, see Gohil, G., *TPEL May 2017 3442-3457*
- Behrouzian, E.**, Bongiorno, M., and Teodorescu, R., Impact of Switching Harmonics on Capacitor Cells Balancing in Phase-Shifted PWM-Based Cascaded H-Bridge STATCOM; *TPEL Jan. 2017 815-824*
- Behrouzian, E.**, and Bongiorno, M., Investigation of Negative-Sequence Injection Capability of Cascaded H-Bridge Converters in Star and Delta Configuration; *TPEL Feb. 2017 1675-1683*
- Ben Said-Romdhane, M.**, Naouar, M.W., Slama-Belkhdja, I., and Monmasson, E., Robust Active Damping Methods for LCL Filter-Based Grid-Connected Converters; *TPEL Sept. 2017 6739-6750*
- Ben-Yaakov, S.**, see Cervera, A., *TPEL Dec. 2017 8945-8952*
- Benedetto, M.D.**, Lidozzi, A., Solero, L., Crescimbeni, F., and Grbovic, P.J., Small-Signal Model of the Five-Level Unidirectional T-Rectifier; *TPEL July 2017 5741-5751*
- Bergveld, H.J.**, see Wen, Y., *TPEL Jan. 2017 423-432*
- Bergveld, H.J.**, see Li, J., *TPEL Nov. 2017 8582-8592*
- Bermudez, M.**, see Gonzalez-Prieto, I., *TPEL Jan. 2017 515-528*
- Bermudez, M.**, see Munim, W.N.W.A., *TPEL Oct. 2017 7824-7836*
- Bernal, C.**, see Oyarbide, E., *TPEL April 2017 2490-2492*
- Bernardoni, M.**, see Eiser, S., *TPEL Jan. 2017 561-570*
- Bernet, S.**, see Aguilera, R.P., *TPEL March 2017 2416-2426*
- Bertoluzzo, M.**, see Buja, G., *TPEL Dec. 2017 9447-9459*
- Bhattacharya, S.**, see Sonti, V., *TPEL Feb. 2017 1156-1169*
- Bhattacharya, S.**, see Madhusoodhanan, S., *TPEL May 2017 3355-3369*
- Bhattacharya, S.**, see Tripathi, A.K., *TPEL June 2017 4231-4245*
- Bi, K.**, An, Q., Duan, J., Sun, L., and Gai, K., Fast Diagnostic Method of Open Circuit Fault for Modular Multilevel DC/DC Converter Applied in Energy Storage System; *TPEL May 2017 3292-3296*
- Bian, J.**, see Lei, J., *TPEL Jan. 2017 878-888*
- Biel, D.**, see Repecho, V., *TPEL Feb. 2017 1557-1569*
- Biela, J.**, see Leuenberger, D., *TPEL Aug. 2017 6105-6118*
- Biela, J.**, see Shuai, P., *TPEL Oct. 2017 7916-7931*
- Biela, J.**, see Christen, D., *TPEL Nov. 2017 8693-8704*
- Bilgin, B.**, see Ge, H., *TPEL Sept. 2017 7151-7159*
- Biswas, J.**, Nair, M.D., Gopinath, V., and Barai, M., An Optimized Hybrid SVPWM Strategy Based on Multiple Division of Active Vector Time (MDAVT); *TPEL June 2017 4607-4618*
- Blaabjerg, F.**, see Yao, W., *TPEL Jan. 2017 186-199*
- Blaabjerg, F.**, see Lu, M., *TPEL Feb. 2017 894-899*
- Blaabjerg, F.**, see Kwon, J., *TPEL Feb. 2017 1044-1055*
- Blaabjerg, F.**, see Song, Y., *TPEL March 2017 1927-1940*
- Blaabjerg, F.**, see Gohil, G., *TPEL March 2017 1818-1831*
- Blaabjerg, F.**, see Yao, W., *TPEL March 2017 2360-2375*
- Blaabjerg, F.**, see Lascu, C., *TPEL March 2017 2072-2080*
- Blaabjerg, F.**, see Errouissi, R., *TPEL March 2017 2265-2277*
- Blaabjerg, F.**, see Hadjidemetriou, L., *TPEL April 2017 2784-2793*
- Blaabjerg, F.**, see Xin, Z., *TPEL April 2017 3216-3228*
- Blaabjerg, F.**, see Gohil, G., *TPEL May 2017 3442-3457*
- Blaabjerg, F.**, see Song, Y., *TPEL May 2017 3536-3548*
- Blaabjerg, F.**, see Andresen, M., *TPEL June 2017 4753-4765*
- Blaabjerg, F.**, see Song, Y., *TPEL June 2017 4370-4394*
- Blaabjerg, F.**, see Ni, R., *TPEL July 2017 5425-5437*
- Blaabjerg, F.**, see S, A.R., *TPEL July 2017 5450-5458*
- Blaabjerg, F.**, see Choi, U., *TPEL Aug. 2017 6434-6443*
- Blaabjerg, F.**, see Liu, H., *TPEL Aug. 2017 6091-6104*
- Blaabjerg, F.**, see Chen, Y., *TPEL Aug. 2017 6394-6404*
- Blaabjerg, F.**, see Esparza, M., *TPEL Aug. 2017 5907-5916*
- Blaabjerg, F.**, see Zhao, R., *TPEL Aug. 2017 6286-6296*
- Blaabjerg, F.**, see Wang, X., *TPEL Sept. 2017 7394-7404*
- Blaabjerg, F.**, see Dehghan-Azad, E., *TPEL Sept. 2017 7140-7150*
- Blaabjerg, F.**, see Kwon, J., *TPEL Sept. 2017 6823-6835*
- Blaabjerg, F.**, see Peyghami, S., *TPEL Oct. 2017 8089-8099*
- Blaabjerg, F.**, see Yi, H., *TPEL Oct. 2017 7409-7413*
- Blaabjerg, F.**, see Choi, U., *TPEL Oct. 2017 7990-7997*
- Blaabjerg, F.**, see Jiang, Y., *TPEL Oct. 2017 7882-7893*
- Blaabjerg, F.**, see Siwakoti, Y.P., *TPEL Nov. 2017 8544-8558*
- Blaabjerg, F.**, see Wang, X., *TPEL Nov. 2017 8922-8935*
- Blaabjerg, F.**, see Yao, W., *TPEL Nov. 2017 8419-8433*
- Blaabjerg, F.**, see Qu, X., *TPEL Nov. 2017 8718-8727*
- Blaabjerg, F.**, see Soltani, H., *TPEL Nov. 2017 8632-8643*
- Blaabjerg, F.**, see Sangwongwanich, A., *TPEL Nov. 2017 8559-8569*
- Blaabjerg, F.**, see Song, Y., *TPEL Dec. 2017 9105-9116*
- Blaabjerg, F.**, see Bai, H., *TPEL Dec. 2017 9078-9092*
- Blaabjerg, F.**, see Forouzesh, M., *TPEL Dec. 2017 9143-9178*
- Blalock, B.J.**, see Zhang, W., *TPEL Jan. 2017 571-583*
- Blalock, B.J.**, see Cui, Y., *TPEL April 2017 2925-2938*
- Blalock, B.J.**, see Zhang, Z., *TPEL Nov. 2017 8833-8844*
- Blalock, B.J.**, see Zhang, Z., *TPEL Dec. 2017 9307-9318*
- Blalock, B.J.**, see Zhang, Z., *TPEL Dec. 2017 9319-9332*
- Blanco Charro, C.**, see Reigosa, D.D., *TPEL Nov. 2017 8434-8445*
- Bobtsov, A.A.**, see Choi, J., *TPEL May 2017 3989-3997*
- Boby, M.**, Pramanick, S., Kaarthik, R.S., Rahul S., A., Gopakumar, K., and Umanand, L., Fifth- and Seventh-Order Harmonic Elimination With Multilevel Dodecagonal Voltage Space Vector Structure for IM Drive Using a Single DC Source for the Full Speed Range; *TPEL Jan. 2017 60-68*
- Boillat, D.O.**, Krismer, F., and Kolar, J.W., EMI Filter Volume Minimization of a Three-Phase, Three-Level T-Type PWM Converter System; *TPEL April 2017 2473-2480*

- Bonache-Samaniego, R.**, Olalla, C., and Martinez-Salamero, L., Dynamic Modeling and Control of Self-Oscillating Parallel Resonant Converters Based on a Variable Structure Systems Approach; *TPEL Feb. 2017* 1469-1480
- Bongiorno, M.**, see Behrouzian, E., *TPEL Jan. 2017* 815-824
- Bongiorno, M.**, see Behrouzian, E., *TPEL Feb. 2017* 1675-1683
- Borghate, V.B.**, see Karasani, R.R., *TPEL Feb. 2017* 1070-1087
- Born, R.**, see Zhang, L., *TPEL Nov. 2017* 8823-8832
- Boroyevich, D.**, see Wen, B., *TPEL Feb. 2017* 1548-1556
- Boroyevich, D.**, see Ahmed, S., *TPEL June 2017* 4145-4156
- Bortis, D.**, see Kasper, M., *TPEL Oct. 2017* 7750-7769
- Botting, C.**, see Alam, M., *TPEL Oct. 2017* 7716-7726
- Boucherma, M.**, see Moussa, M.A., *TPEL July 2017* 5560-5572
- Boulharts, H.**, see Videt, A., *TPEL April 2017* 2675-2686
- Boys, J.T.**, see Kamineni, A., *TPEL May 2017* 3467-3479
- Boys, J.T.**, see Kim, S., *TPEL July 2017* 5045-5057
- Boys, J.T.**, see Kamineni, A., *TPEL Sept. 2017* 6689-6699
- Boys, J.T.**, see Tejada, A., *TPEL Nov. 2017* 8349-8359
- Bozhko, S.**, see Gao, F., *TPEL March 2017* 2395-2415
- Braga, H.A.C.**, see Soares, G.M., *TPEL April 2017* 3022-3033
- Braga-Filho, E.R.**, see Melo, V.F.M.B., *TPEL Nov. 2017* 8606-8617
- Brandli, M.**, see Andersen, T.M., *TPEL Jan. 2017* 363-377
- Brandli, M.**, see Andersen, T.M., *TPEL Jan. 2017* 378-393
- Brea, V.M.**, see Ferro, E., *TPEL July 2017* 5293-5311
- Breglio, G.**, see Riccio, M., *TPEL April 2017* 3088-3098
- Briz, F.**, see Reigosa, D., *TPEL May 2017* 3691-3699
- Briz, F.**, see Reigosa, D.D., *TPEL Nov. 2017* 8434-8445
- Brusamarello, V.J.**, see Porto, R.W., *TPEL May 2017* 4115-4124
- Buja, G.**, Bertoluzzo, M., and Fontana, C., Reactive Power Compensation Capabilities of V2G-Enabled Electric Vehicles; *TPEL Dec. 2017* 9447-9459
- Burdio, J.M.**, see Sarnago, H., *TPEL Feb. 2017* 1018-1029
- Burgos, R.**, see Wen, B., *TPEL Feb. 2017* 1548-1556
- Burgos, R.**, see Zhang, L., *TPEL Aug. 2017* 5889-5892
- Burgos, R.**, see Khanna, M., *TPEL Dec. 2017* 8974-8978
- Burkart, R.M.**, and Kolar, J.W., Comparative Life Cycle Cost Analysis of Si and SiC PV Converter Systems Based on Advanced η - ρ - σ Multiobjective Optimization Techniques; *TPEL June 2017* 4344-4358
- Burkart, R.M.**, and Kolar, J.W., Comparative η - ρ - σ Pareto Optimization of Si and SiC Multilevel Dual-Active-Bridge Topologies With Wide Input Voltage Range; *TPEL July 2017* 5258-5270
- Burt, G.M.**, see Adam, G.P., *TPEL June 2017* 4258-4278
- Busatto, G.**, see Abbate, C., *TPEL Jan. 2017* 584-592
- Busca, C.**, see Kwon, J., *TPEL Sept. 2017* 6823-6835
- Busquets-Monge, S.**, Filba-Martinez, A., Alepuz, S., and Calle-Prado, A., A Modulation Strategy to Operate Multilevel Multiphase Diode-Clamped and Active-Clamped DC-AC Converters at Low Frequency Modulation Indices With DC-Link Capacitor Voltage Balance; *TPEL Oct. 2017* 7521-7533
- Buticchi, G.**, see Costa, L., *TPEL Feb. 2017* 900-905
- Buticchi, G.**, see Andresen, M., *TPEL June 2017* 4753-4765
- Buticchi, G.**, see Jedtberg, H., *TPEL July 2017* 5248-5257
- Buticchi, G.**, Andresen, M., Wutti, M., and Liserre, M., Lifetime-Based Power Routing of a Quadruple Active Bridge DC/DC Converter; *TPEL Nov. 2017* 8892-8903
- Buticchi, G.**, see Ko, Y., *TPEL Dec. 2017* 9435-9446
- Buttay, C.**, see Yu, C., *TPEL Feb. 2017* 906-910
- C**
- Cabello, D.**, see Ferro, E., *TPEL July 2017* 5293-5311
- Cacciato, M.**, Nobile, G., Scarcella, G., and Scelba, G., Real-Time Model-Based Estimation of SOC and SOH for Energy Storage Systems; *TPEL Jan. 2017* 794-803
- Cai, B.**, Zhao, Y., Liu, H., and Xie, M., A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems; *TPEL July 2017* 5590-5600
- Cai, X.**, see Sun, C., *TPEL Aug. 2017* 5978-5990
- Cai, X.**, see Amin, M., *TPEL Oct. 2017* 8204-8217
- Calderon-Lopez, G.**, see Wang, Y., *TPEL June 2017* 4683-4690
- Calle, F.**, see Cucak, D., *TPEL March 2017* 2189-2202
- Calle-Prado, A.**, see Busquets-Monge, S., *TPEL Oct. 2017* 7521-7533
- Campanhol, L.B.G.**, da Silva, S.A.O., de Oliveira, A.A., and Bacon, V.D., Single-Stage Three-Phase Grid-Tied PV System With Universal Filtering Capability Applied to DG Systems and AC Microgrids; *TPEL Dec. 2017* 9131-9142
- Campos-Gaona, D.**, see Pena-Alzola, R., *TPEL June 2017* 4812-4826
- Candan, E.**, Heeger, D., Shenoy, P.S., and Pilawa-Podgurski, R.C.N., Hot-Swapping Analysis and Implementation of Series-Stacked Server Power Delivery Architectures; *TPEL Oct. 2017* 8071-8088
- Cao, C.**, see Yao, K., *TPEL Dec. 2017* 9238-9248
- Cao, G.**, see Mai, R., *TPEL Aug. 2017* 5897-5906
- Cao, H.**, see Zhang, H., *TPEL March 2017* 2215-2226
- Cao, R.**, see Shao, Z., *TPEL March 2017* 2347-2359
- Cao, R.**, see Yu, C., *TPEL April 2017* 3192-3205
- Cao, R.**, see Zhang, X., *TPEL July 2017* 5023-5034
- Cao, W.**, see Hu, Y., *TPEL Feb. 2017* 1124-1137
- Cao, W.**, see Gan, C., *TPEL May 2017* 3754-3766
- Cao, W.**, Ma, Y., and Wang, F., Sequence-Impedance-Based Harmonic Stability Analysis and Controller Parameter Design of Three-Phase Inverter-Based Multibus AC Power Systems; *TPEL Oct. 2017* 7674-7693
- Cao, Y.**, see Zhang, Y., *TPEL Jan. 2017* 825-836
- Cao, Y.**, see Li, Y., *TPEL Feb. 2017* 920-926
- Cao, Z.**, see Li, C., *TPEL Sept. 2017* 6800-6812
- Cardenas, R.**, see Rojas, F., *TPEL Nov. 2017* 8371-8380
- Carpiuc, S.**, Rotor Temperature Detection in Permanent Magnet Synchronous Machine-Based Automotive Electric Traction Drives; *TPEL March 2017* 2090-2097
- Carretero, C.**, see Tejada, A., *TPEL Nov. 2017* 8349-8359
- Castellan, S.**, see Mohamadian, S., *TPEL Jan. 2017* 452-470
- Castilla, M.**, see Guzman, R., *TPEL July 2017* 5637-5650
- Ceballos, S.**, see Picas, R., *TPEL Jan. 2017* 39-51
- Ceballos, S.**, see Ghias, A.M.Y.M., *TPEL Jan. 2017* 164-175
- Ceballos, S.**, see Lopez, I., *TPEL June 2017* 4878-4890
- Cecati, C.**, see Yang, R., *TPEL June 2017* 4219-4230
- Cervellini, P.**, see Antoszczuk, P., *TPEL March 2017* 1697-1702
- Cervellini, P.**, Antoszczuk, P., Retegui, R.G., and Funes, M., Current Ripple Amplitude Measurement in Multiphase Power Converters; *TPEL Sept. 2017* 6684-6688
- Cervera, A.**, see Kirshenboim, O., *TPEL March 2017* 1996-2007
- Cervera, A.**, Peretz, M.M., and Ben-Yaakov, S., A Generic and Unified Global-Gyrator Model of Switched-Resonator Converters; *TPEL Dec. 2017* 8945-8952
- Cha, H.**, see Ahmed, H.F., *TPEL Feb. 2017* 1232-1244
- Cha, H.**, see Kim, S., *TPEL March 2017* 1792-1804
- Cha, H.**, see Khan, A.A., *TPEL June 2017* 4185-4198
- Cha, H.**, see Kim, K., *TPEL July 2017* 5016-5022
- Cha, H.**, see Khan, A.A., *TPEL Oct. 2017* 7509-7520
- Cha, H.**, see Kim, S., *TPEL Nov. 2017* 8406-8418
- Chae, Y.**, see Shin, H., *TPEL Feb. 2017* 1268-1278
- Chakraborty, S.**, see Chen, M., *TPEL Jan. 2017* 325-340
- Chakraborty, S.**, and Chattopadhyay, S., Minimum-RMS-Current Operation of Asymmetric Dual Active Half-Bridge Converters With and Without ZVS; *TPEL July 2017* 5132-5145
- Chan, C.**, Chincholkar, S.H., and Jiang, W., Adaptive Current-Mode Control of a High Step-Up DC-DC Converter; *TPEL Sept. 2017* 7297-7305
- Chan, J.Y.**, see Zhou, R., *TPEL May 2017* 3317-3337
- Chan, W.**, see Nien, C., *TPEL Oct. 2017* 8124-8133
- Chang, C.**, see Wu, T., *TPEL Feb. 2017* 1591-1601
- Chang, L.**, see Yang, S., *TPEL Sept. 2017* 6863-6881
- Chaoui, H.**, and Gualous, H., Online Lifetime Estimation of Supercapacitors; *TPEL Sept. 2017* 7199-7206
- Chaoui, H.**, see El Mejdoubi, A., *TPEL Dec. 2017* 9355-9363
- Chapman, C.**, see Sun, L., *TPEL Dec. 2017* 9364-9375
- Charalambous, A.**, see Yan, Q., *TPEL Jan. 2017* 406-422
- Chattopadhyay, S.**, see Chakraborty, S., *TPEL July 2017* 5132-5145

- Chatzinikolaou, E.**, and Rogers, D.J., A Comparison of Grid-Connected Battery Energy Storage System Designs; *TPEL Sept. 2017 6913-6923*
- Chaudhuri, B.**, see Yan, S., *TPEL July 2017 5171-5179*
- Che, H.S.**, see Munim, W.N.W.A., *TPEL Oct. 2017 7824-7836*
- Che, H.S.**, see Attia, H.A., *TPEL Nov. 2017 8593-8605*
- Chee, S.**, see Kim, H., *TPEL June 2017 4970-4980*
- Chen, B.**, Pin, G., Ng, W.M., Parisini, T., and Hui, S.R., A Fast-Convergent Modulation Integral Observer for Online Detection of the Fundamental and Harmonics in Grid-Connected Power Electronics Systems; *TPEL April 2017 2596-2607*
- Chen, C.**, Xiong, J., Wan, Z., Lei, J., and Zhang, K., A Time Delay Compensation Method Based on Area Equivalence For Active Damping of an LCL-Type Converter; *TPEL Jan. 2017 762-772*
- Chen, C.**, see Ye, X., *TPEL June 2017 4776-4784*
- Chen, C.**, see Nien, C., *TPEL Oct. 2017 8124-8133*
- Chen, C.C.**, see Wu, K., *TPEL Jan. 2017 849-865*
- Chen, D.**, Qiu, Y., Chen, Y., and He, Y., Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current; *TPEL April 2017 2717-2727*
- Chen, D.**, see Nien, C., *TPEL Oct. 2017 8124-8133*
- Chen, D.**, Jiang, J., Qiu, Y., Zhang, J., and Huang, F., Single-Stage Three-Phase Current-Source Photovoltaic Grid-Connected Inverter High Voltage Transmission Ratio; *TPEL Oct. 2017 7591-7601*
- Chen, F.**, see Huang, L., *TPEL May 2017 3513-3524*
- Chen, F.**, see Quan, X., *TPEL Dec. 2017 9400-9412*
- Chen, G.**, see Lu, H., *TPEL Dec. 2017 9280-9292*
- Chen, G.**, see Lee, A., *TPEL Dec. 2017 9249-9266*
- Chen, H.**, Hu, T., Li, M., and Zhao, Z., Cu@Sn Core-Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding; *TPEL Jan. 2017 441-451*
- Chen, H.**, Kim, H., Erickson, R., and Maksimovic, D., Electrified Automotive Powertrain Architecture Using Composite DC-DC Converters; *TPEL Jan. 2017 98-116*
- Chen, H.**, Prasai, A., and Divan, D., Dyna-C: A Minimal Topology for Bidirectional Solid-State Transformers; *TPEL Feb. 2017 995-1005*
- Chen, H.**, Tan, S., Lee, A.T.L., Lin, D., and Hui, S.Y.R., Precise Color Control of Red-Green-Blue Light-Emitting Diode Systems; *TPEL April 2017 3063-3074*
- Chen, H.**, Lu, C., Li, G., and Chen, W., Digital Current Sensorless Control for Dual-Boost Half-Bridge PFC Converter With Natural Capacitor Voltage Balancing; *TPEL May 2017 4074-4083*
- Chen, J.**, see Chen, X., *TPEL Jan. 2017 274-283*
- Chen, J.**, see Hsu, W., *TPEL Feb. 2017 957-966*
- Chen, J.**, Sato, T., Yano, K., Shiroshima, H., Owa, M., and Yamadaya, M., An Average Input Current Sensing Method of LLC Resonant Converters for Automatic Burst Mode Control; *TPEL April 2017 3263-3272*
- Chen, J.**, and Huang, J., Online Decoupled Stator and Rotor Resistances Adaptation for Speed Sensorless Induction Motor Drives by a Time-Division Approach; *TPEL June 2017 4587-4599*
- Chen, K.**, and Xie, Y., Reducing Harmonics Distortion in Five-Phase VSI Using Space-Vector-Based Optimal Hybrid PWM; *TPEL March 2017 2098-2113*
- Chen, K.**, and Hsieh, M., Generalized Minimum Common-Mode Voltage PWM for Two-Level Multiphase VSIs Considering Reference Order; *TPEL Aug. 2017 6493-6509*
- Chen, K.J.**, see Wang, H., *TPEL July 2017 5539-5549*
- Chen, K.J.**, see Xie, R., *TPEL Aug. 2017 6416-6433*
- Chen, M.**, Afridi, K.K., Chakraborty, S., and Perreault, D.J., Multitrack Power Conversion Architecture; *TPEL Jan. 2017 325-340*
- Chen, M.**, and Sun, D., A Unified Space Vector Pulse Width Modulation for Dual Two-level Inverter System; *TPEL Feb. 2017 889-893*
- Chen, M.**, see Lai, W., *TPEL Feb. 2017 1431-1441*
- Chen, M.**, see Gao, B., *TPEL March 2017 2227-2242*
- Chen, M.**, see Ni, Y., *TPEL Aug. 2017 6363-6380*
- Chen, P.**, see Zhang, X., *TPEL July 2017 5023-5034*
- Chen, Q.**, see Xu, L., *TPEL June 2017 4839-4851*
- Chen, Q.**, see Memon, A.H., *TPEL July 2017 5312-5322*
- Chen, R.**, Liu, Y., and Peng, F.Z., A Solid State Variable Capacitor With Minimum Capacitor; *TPEL July 2017 5035-5044*
- Chen, S.**, see Liu, X., *TPEL Aug. 2017 5964-5977*
- Chen, S.**, see Zhang, G., *TPEL Sept. 2017 6661-6665*
- Chen, S.**, see Ye, Y., *TPEL Oct. 2017 7739-7749*
- Chen, S.**, Liu, G., and Zheng, S., Sensorless Control of BLDCM Drive for a High-Speed Maglev Blower Using Low-Pass Filter; *TPEL Nov. 2017 8845-8856*
- Chen, W.**, see Jiang, W., *TPEL Feb. 2017 1518-1532*
- Chen, W.**, see Bai, Y., *TPEL April 2017 2687-2703*
- Chen, W.**, see Chen, H., *TPEL May 2017 4074-4083*
- Chen, W.**, see Li, Y., *TPEL May 2017 3338-3354*
- Chen, W.**, see Wang, K., *TPEL June 2017 4728-4740*
- Chen, W.**, see Ning, G., *TPEL July 2017 5162-5170*
- Chen, W.**, and Bazzi, A.M., Logic-Based Methods for Intelligent Fault Diagnosis and Recovery in Power Electronics; *TPEL July 2017 5573-5589*
- Chen, W.**, Liu, Y., Li, X., Shi, T., and Xia, C., A Novel Method of Reducing Commutation Torque Ripple for Brushless DC Motor Based on Cuk Converter; *TPEL July 2017 5497-5508*
- Chen, W.**, see Zhang, F., *TPEL Oct. 2017 7469-7481*
- Chen, W.W.**, Zane, R., and Corradini, L., Isolated Bidirectional Grid-Tied Three-Phase AC-DC Power Conversion Using Series-Resonant Converter Modules and a Three-Phase Unfolder; *TPEL Dec. 2017 9001-9012*
- Chen, X.**, see Yi, B., *TPEL Jan. 2017 551-560*
- Chen, X.**, Zhang, Y., Wang, S., Chen, J., and Gong, C., Impedance-Phased Dynamic Control Method for Grid-Connected Inverters in a Weak Grid; *TPEL Jan. 2017 274-283*
- Chen, X.**, see Liu, F., *TPEL April 2017 3240-3250*
- Chen, X.**, see Min, R., *TPEL April 2017 3143-3153*
- Chen, X.**, see Wang, B., *TPEL June 2017 4663-4674*
- Chen, X.**, see Liu, F., *TPEL July 2017 5122-5131*
- Chen, X.**, Chen, Y., Zhang, B., and Qiu, D., A Modeling and Analysis Method for Fractional-Order DC-DC Converters; *TPEL Sept. 2017 7034-7044*
- Chen, X.**, see Zhou, X., *TPEL Dec. 2017 9460-9472*
- Chen, Y.**, see Wu, T., *TPEL Feb. 2017 1591-1601*
- Chen, Y.**, see Chen, D., *TPEL April 2017 2717-2727*
- Chen, Y.**, see Luo, H., *TPEL April 2017 2558-2567*
- Chen, Y.**, see Wang, H., *TPEL June 2017 4291-4306*
- Chen, Y.**, see Liu, F., *TPEL July 2017 5122-5131*
- Chen, Y.**, see Xu, Q., *TPEL Aug. 2017 6031-6048*
- Chen, Y.**, see Mai, R., *TPEL Aug. 2017 5897-5906*
- Chen, Y.**, Luo, H., Li, W., He, X., Iannuzzo, F., and Blaabjerg, F., Analytical and Experimental Investigation on a Dynamic Thermo-Sensitive Electrical Parameter With Maximum dI_C/dt During Turn-off for High Power Trench Gate/Field-Stop IGBT Modules; *TPEL Aug. 2017 6394-6404*
- Chen, Y.**, see Liao, C., *TPEL Aug. 2017 6544-6557*
- Chen, Y.**, see Wang, H., *TPEL Sept. 2017 6994-7010*
- Chen, Y.**, see Chen, X., *TPEL Sept. 2017 7034-7044*
- Chen, Y.**, see Wu, F., *TPEL Nov. 2017 8751-8762*
- Chen, Y.**, Zhang, N., Wang, K., Yang, J., and Kang, Y., A Series Resonant Filament Power Supply with Variable Structure and Oscillation-Free Switching Strategy for High-Voltage Accelerator Application; *TPEL Nov. 2017 8229-8236*
- Chen, Y.**, see Wang, H., *TPEL Dec. 2017 9191-9209*
- Chen, Z.**, see Tai, B., *TPEL Jan. 2017 128-141*
- Chen, Z.**, see Liu, D., *TPEL May 2017 3402-3412*
- Chen, Z.**, see Shu, L., *TPEL May 2017 3787-3796*
- Chen, Z.**, see Liu, X., *TPEL Aug. 2017 5964-5977*
- Chen, Z.**, see Han, P., *TPEL Sept. 2017 7233-7243*
- Chen, Z.**, see Lu, H., *TPEL Dec. 2017 9280-9292*
- Chen, Z.**, see Zhang, Y., *TPEL Dec. 2017 9051-9064*
- Cheng, C.**, see Chow, J.P., *TPEL Sept. 2017 7169-7186*
- Cheng, J.**, see Tan, G., *TPEL Sept. 2017 7352-7380*
- Cheng, K.W.E.**, see Ye, Y., *TPEL March 2017 2018-2028*
- Cheng, K.W.E.**, see Ye, Y., *TPEL June 2017 4444-4454*
- Cheng, K.W.E.**, see Ye, Y., *TPEL Oct. 2017 7739-7749*
- Cheng, L.**, see Lu, Y., *TPEL Feb. 2017 927-930*

- Cheng, M.**, see Wang, W., *TPEL Jan. 2017 804-814*
- Cheng, M.**, see Wang, W., *TPEL March 2017 2052-2063*
- Cheng, M.**, see Zhang, J., *TPEL May 2017 3585-3594*
- Cheng, M.**, see Wang, W., *TPEL July 2017 5862-5872*
- Cheng, M.**, see Hang, J., *TPEL Aug. 2017 6444-6454*
- Cheng, M.**, see Han, P., *TPEL Sept. 2017 7233-7243*
- Cheng, P.**, Nian, H., Wu, C., and Zhu, Z.Q., Direct Stator Current Vector Control Strategy of DFIG Without Phase-Locked Loop During Network Unbalance; *TPEL Jan. 2017 284-297*
- Cheng, P.**, see Nian, H., *TPEL Sept. 2017 6936-6945*
- Cheng, X.**, see Zhang, Z., *TPEL Oct. 2017 7626-7634*
- Cheng, Z.**, see Lian, Y., *TPEL Feb. 2017 1312-1323*
- Cheng, Z.**, see Du, S., *TPEL March 2017 2081-2089*
- Cheng, Z.**, see Tan, L., *TPEL May 2017 3458-3466*
- Chilakapati, N.**, see Manickam, C., *TPEL June 2017 4432-4443*
- Chincholkar, S.H.**, see Chan, C., *TPEL Sept. 2017 7297-7305*
- Cho, B.**, see Jang, P., *TPEL June 2017 4491-4502*
- Cho, B.**, see Yi, J., *TPEL Aug. 2017 5917-5930*
- Cho, D.**, see Lee, J., *TPEL May 2017 3297-3300*
- Cho, I.**, see Ahn, D., *TPEL Sept. 2017 7068-7082*
- Cho, I.H.**, see Park, J.S., *TPEL Oct. 2017 7651-7662*
- Cho, J.**, see Ahmed, H.F., *TPEL Feb. 2017 1232-1244*
- Cho, J.**, see Khan, A.A., *TPEL June 2017 4185-4198*
- Cho, J.**, see Khan, A.A., *TPEL Oct. 2017 7509-7520*
- Choe, H.**, see Lee, H., *TPEL Jan. 2017 433-440*
- Choi, B.**, see Kim, S., *TPEL March 2017 1792-1804*
- Choi, B.G.**, see Lee, E.S., *TPEL Oct. 2017 8054-8070*
- Choi, H.**, and Jung, J., Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters; *TPEL June 2017 4140-4144*
- Choi, H.H.**, see Razaq, M.S., *TPEL June 2017 4631-4643*
- Choi, J.**, Nam, K., Bobtsov, A.A., Pyrkin, A., and Ortega, R., Robust Adaptive Sensorless Control for Permanent-Magnet Synchronous Motors; *TPEL May 2017 3989-3997*
- Choi, J.S.**, see Lee, E.S., *TPEL Oct. 2017 8054-8070*
- Choi, J.S.**, see Lee, E.S., *TPEL Nov. 2017 8258-8276*
- Choi, M.C.**, see Kim, H., *TPEL May 2017 3879-3891*
- Choi, S.**, Lee, J., Noh, Y., Kim, D., Kim, B., and Won, C., Load and Source Battery Simulator Based on Z-Source Rectifier; *TPEL Aug. 2017 6119-6134*
- Choi, S.**, see Kwon, M., *TPEL Sept. 2017 6792-6799*
- Choi, S.**, see Sandoval, J.J., *TPEL Oct. 2017 7458-7468*
- Choi, U.**, Blaabjerg, F., and Jorgensen, S., Study on Effect of Junction Temperature Swing Duration on Lifetime of Transfer Molded Power IGBT Modules; *TPEL Aug. 2017 6434-6443*
- Choi, U.**, Blaabjerg, F., Jorgensen, S., Munk-Nielsen, S., and Rannestad, B., Reliability Improvement of Power Converters by Means of Condition Monitoring of IGBT Modules; *TPEL Oct. 2017 7990-7997*
- Choi, W.**, see Tran, V., *TPEL Feb. 2017 1210-1219*
- Choi, W.**, see Yi, J., *TPEL Aug. 2017 5917-5930*
- Chou, C.**, see Liao, C., *TPEL Aug. 2017 6544-6557*
- Chou, D.**, see Lei, Y., *TPEL Nov. 2017 8570-8581*
- Chow, J.P.**, Chung, H., Cheng, C., and Wang, W., Use of Transmitter-Side Electrical Information to Estimate System Parameters of Wireless Inductive Links; *TPEL Sept. 2017 7169-7186*
- Chow, M.H.L.**, see Wong, C.S., *TPEL March 2017 2167-2179*
- Christen, D.**, Stojadinovic, M., and Biela, J., Energy Efficient Heat Sink Design: Natural Versus Forced Convection Cooling; *TPEL Nov. 2017 8693-8704*
- Chu, J.**, see Niu, W., *TPEL Oct. 2017 7837-7844*
- Chu, W.Q.**, see Liu, X., *TPEL May 2017 4095-4106*
- Chub, A.**, see Vinnikov, D., *TPEL May 2017 3634-3650*
- Chung, E.**, see Lee, K., *TPEL April 2017 2913-2924*
- Chung, E.**, Lee, K., Han, Y., and Ha, J., Single-Switch High-Frequency DC-DC Converter Using Parasitic Components; *TPEL May 2017 3651-3661*
- Chung, H.**, see Zhan, X., *TPEL April 2017 3034-3050*
- Chung, H.**, see Chow, J.P., *TPEL Sept. 2017 7169-7186*
- Chung, H.S.**, see Zhou, R., *TPEL May 2017 3317-3337*
- Chung, H.S.**, see He, Y., *TPEL July 2017 5723-5740*
- Chung, H.S.**, see He, Y., *TPEL Oct. 2017 8163-8180*
- Chung, H.S.**, see Jiang, Y., *TPEL Oct. 2017 7882-7893*
- Chung, H.S.**, see Qu, X., *TPEL Nov. 2017 8718-8727*
- Chung, H.S.**, see Tung, C., *TPEL Nov. 2017 8293-8311*
- Chung, H.S.**, see Fan, J.W., *TPEL Dec. 2017 9424-9434*
- Chung, H.S.H.**, see Lehman, B., *TPEL Jan. 2017 1-01*
- Cingoz, F.**, Elrassyah, A., and Sozer, Y., Plug-and-Play Nonlinear Droop Construction Scheme to Optimize Islanded Microgrid Operations; *TPEL April 2017 2743-2756*
- Ciobotaru, M.**, see Karanayil, B., *TPEL July 2017 5850-5861*
- Clare, J.C.**, see Rojas, F., *TPEL Nov. 2017 8371-8380*
- Cobreces, S.**, see Perez, J., *TPEL April 2017 3180-3191*
- Coelho, E.A.A.**, see Han, Y., *TPEL March 2017 2427-2451*
- Colet, E.F.**, see Repecho, V., *TPEL Feb. 2017 1557-1569*
- Conway, T.**, see Meehan, P.J., *TPEL June 2017 4741-4752*
- Corradini, L.**, see Chen, W.W., *TPEL Dec. 2017 9001-9012*
- Corzine, K.A.**, A New-Coupled-Inductor Circuit Breaker for DC Applications; *TPEL Feb. 2017 1411-1418*
- Costa, L.**, Buticchi, G., and Liserre, M., A Fault-Tolerant Series-Resonant DC-DC Converter; *TPEL Feb. 2017 900-905*
- Costa, P.J.S.**, Illa Font, C.H., and Lazzarin, T.B., A Family of Single-Phase Voltage-Doubler High-Power-Factor SEPIC Rectifiers Operating in DCM; *TPEL June 2017 4279-4290*
- Costabeber, A.**, see Gao, F., *TPEL March 2017 2395-2415*
- Costinett, D.**, see Zhang, Z., *TPEL Dec. 2017 9319-9332*
- Costinett, D.J.**, see Zhang, W., *TPEL Jan. 2017 571-583*
- Costinett, D.J.**, see Cui, Y., *TPEL April 2017 2925-2938*
- Costinett, D.J.**, see Zhang, Z., *TPEL Nov. 2017 8833-8844*
- Covic, G.A.**, see Kamineni, A., *TPEL May 2017 3467-3479*
- Covic, G.A.**, see Kim, S., *TPEL July 2017 5045-5057*
- Covic, G.A.**, see Kamineni, A., *TPEL Sept. 2017 6689-6699*
- Covic, G.A.**, see Tejada, A., *TPEL Nov. 2017 8349-8359*
- Crebier, J.**, see Nguyen, V., *TPEL Aug. 2017 6079-6090*
- Cresembini, F.**, see Benedetto, M.D., *TPEL July 2017 5741-5751*
- Cucak, D.**, Vasic, M., Garcia, O., Angel Oliver, J., Alou, P., Antonio Cobos, J., Wang, A., Martin-Horcajo, S., Romero, M.F., and Calle, F., Physics-Based Analytical Model for Input, Output, and Reverse Capacitance of a GaN HEMT With the Field-Plate Structure; *TPEL March 2017 2189-2202*
- Cui, J.**, see Yu, F., *TPEL Sept. 2017 7083-7095*
- Cui, N.**, see Shang, Y., *TPEL Oct. 2017 7694-7706*
- Cui, S.**, see Jung, J., *TPEL June 2017 4199-4209*
- Cui, X.**, see Liu, C., *TPEL June 2017 4157-4167*
- Cui, Y.**, Yang, F., Tolbert, L.M., Costinett, D.J., Wang, F., and Blalock, B.J., Load-Dependent Soft-Switching Method of Half-Bridge Current Doubler for High-Voltage Point-of-Load Converter in Data Center Power Supplies; *TPEL April 2017 2925-2938*
- Cui, Y.**, see Shi, L., *TPEL Nov. 2017 8787-8799*

D

- Das, P.**, see Singh, A.K., *TPEL June 2017 4796-4811*
- Das, P.**, see Muthuraj, S.S., *TPEL Oct. 2017 8035-8053*
- Davari, M.**, and Mohamed, Y.A.I., Robust Vector Control of a Very Weak-Grid-Connected Voltage-Source Converter Considering the Phase-Locked Loop Dynamics; *TPEL Feb. 2017 977-994*
- Davari, M.**, and Mohamed, Y.A.I., Robust DC-Link Voltage Control of a Full-Scale PMSG Wind Turbine for Effective Integration in DC Grids; *TPEL May 2017 4021-4035*
- Davari, P.**, see Peyghami, S., *TPEL Oct. 2017 8089-8099*
- Davari, P.**, see Soltani, H., *TPEL Nov. 2017 8632-8643*
- Davoudi, A.**, see Moayedi, S., *TPEL March 2017 2329-2346*
- de Alegria, I.M.**, see Onederra, O., *TPEL Aug. 2017 6570-6576*
- de Bosio, F.**, de S. Ribeiro, L.A., Freijedo, F.D., Pastorelli, M., and Guerrero, J.M., Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor; *TPEL Oct. 2017 8100-8114*
- De Carne, G.**, see Andresen, M., *TPEL June 2017 4753-4765*
- De Falco, G.**, see Riccio, M., *TPEL April 2017 3088-3098*
- de Oliveira, A.A.**, see Campanhol, L.B.G., *TPEL Dec. 2017 9131-9142*
- de Rossiter Correa, M.B.**, see Vitorino, M.A., *TPEL April 2017 2892-2912*
- de S. Ribeiro, L.A.**, see de Bosio, F., *TPEL Oct. 2017 8100-8114*
- de Sousa, F.R.**, see Porto, R.W., *TPEL May 2017 4115-4124*
- de Sousa, R.P.R.**, see Melo, V.F.M.B., *TPEL Nov. 2017 8606-8617*
- de Vicuna, L.G.**, see Guzman, R., *TPEL July 2017 5637-5650*
- Deboy, G.**, see Konrad, W., *TPEL Jan. 2017 117-127*
- Deboy, G.**, see Kasper, M., *TPEL Oct. 2017 7750-7769*
- Dede, E.M.**, see Ishigaki, M., *TPEL Sept. 2017 6961-6970*
- Dehghan-Azad, E.**, Gadoue, S., Atkinson, D., Slater, H., Barrass, P., and Blaabjerg, F., Sensorless Control of IM for Limp-Home Mode EV Applications; *TPEL Sept. 2017 7140-7150*
- Dehkordi, B.M.**, see Vafaie, M.H., *TPEL April 2017 2964-2975*
- Dehkordi, B.M.**, see Shafiei, A., *TPEL Dec. 2017 9117-9130*
- Dekka, A.**, Wu, B., Yaramasu, V., and Zargari, N.R., Model Predictive Control With Common-Mode Voltage Injection for Modular Multilevel Converter; *TPEL March 2017 1767-1778*
- Dekka, A.**, Wu, B., and Zargari, N.R., Minimization of DC-Bus Current Ripple in Modular Multilevel Converter Under Unbalanced Conditions; *TPEL June 2017 4125-4131*
- Dekka, A.**, Wu, B., Fuentes, R.L., Perez, M., and Zargari, N.R., Voltage-Balancing Approach With Improved Harmonic Performance for Modular Multilevel Converters; *TPEL Aug. 2017 5878-5884*
- Dekka, A.**, Wu, B., and Zargari, N.R., Start-Up Operation of a Modular Multilevel Converter With Flying Capacitor Submodules; *TPEL Aug. 2017 5873-5877*
- Delhotal, J.J.**, see Mauch, D.L., *TPEL Dec. 2017 9333-9341*
- Demetriades, G.D.**, see Abeywardana, D.B.W., *TPEL Feb. 2017 1626-1637*
- Deng, F.**, see Liu, D., *TPEL May 2017 3402-3412*
- Deng, L.**, see Zhu, D., *TPEL Nov. 2017 8514-8525*
- Deng, Y.**, Li, J., Shin, K.H., Viitanen, T., Saeedifard, M., and Harley, R.G., Improved Modulation Scheme for Loss Balancing of Three-Level Active NPC Converters; *TPEL April 2017 2521-2532*
- Detka, K.**, Gorecki, K., and Zarebski, J., Modeling Single Inductor DC-DC Converters With Thermal Phenomena in the Inductor Taken Into Account; *TPEL Sept. 2017 7025-7033*
- Deuringer, J.**, see Leibl, M., *TPEL Nov. 2017 8800-8812*
- Diaz, M.**, see Rojas, F., *TPEL Nov. 2017 8371-8380*
- Diaz, N.L.**, Guarnizo, J.G., Mellado, M., Vasquez, J.C., and Guerrero, J.M., A Robot-Soccer-Coordination Inspired Control Architecture Applied to Islanded Microgrids; *TPEL April 2017 2728-2742*
- Diaz, N.L.**, see Luna, A.C., *TPEL April 2017 2769-2783*
- Diaz, N.L.**, Luna, A.C., Vasquez, J.C., and Guerrero, J.M., Centralized Control Architecture for Coordination of Distributed Renewable Generation and Energy Storage in Islanded AC Microgrids; *TPEL July 2017 5202-5213*
- Dijkhuizen, F.**, see Bakas, P., *TPEL Oct. 2017 7435-7448*
- Din, E.**, Schaefer, C., Moffat, K., and Stauth, J.T., A Scalable Active Battery Management System With Embedded Real-Time Electrochemical Impedance Spectroscopy; *TPEL July 2017 5688-5698*
- Ding, S.**, see Zhang, J., *TPEL May 2017 3585-3594*
- Ding, S.**, see Hang, J., *TPEL Aug. 2017 6444-6454*
- Divan, D.**, see Chen, H., *TPEL Feb. 2017 995-1005*
- Dix, J.**, see Zhang, Z., *TPEL Dec. 2017 9319-9332*
- Do, H.**, see Lee, S., *TPEL Feb. 2017 1375-1384*
- Do, H.**, see Lee, S., *TPEL Aug. 2017 6170-6177*
- Do, H.T.**, see Zhang, X., *TPEL July 2017 5023-5034*
- Domingues-Olavarría, G.**, Fyhr, P., Reinap, A., Andersson, M., and Alakula, M., From Chip to Converter: A Complete Cost Model for Power Electronics Converters; *TPEL Nov. 2017 8681-8692*
- Dominguez, A.**, Barragan, L.A., Artigas, J.I., Otin, A., Urriza, I., and Navarro, D., Reduced-Order Models of Series Resonant Inverters in Induction Heating Applications; *TPEL March 2017 2300-2311*
- Dong, L.**, see Xiao, F., *TPEL March 2017 1713-1719*
- Dong, X.**, see Wang, J., *TPEL Oct. 2017 7494-7508*
- Dong, Z.**, see Zhang, Y., *TPEL Feb. 2017 1533-1547*
- Dong, Z.**, see Zhang, Z., *TPEL March 2017 2029-2040*
- Dong, Z.**, see Zhang, Z., *TPEL July 2017 5527-5538*
- Dong, Z.**, see Zhang, Y., *TPEL Aug. 2017 6532-6543*
- Dong, Z.**, see Zhang, Z., *TPEL Aug. 2017 6197-6205*
- Dordevic, O.**, see Darijevic, M., *TPEL May 2017 3719-3730*
- Dou, X.**, see Quan, X., *TPEL Dec. 2017 9400-9412*
- Doval-Gandoy, J.**, see Baneira, F., *TPEL Aug. 2017 6275-6285*
- Doval-Gandoy, J.**, see Perez-Estevéz, D., *TPEL Sept. 2017 7207-7221*
- Doval-Gandoy, J.**, see Baneira, F., *TPEL Nov. 2017 8243-8246*
- Du, C.**, Xu, D., He, N., and Zhu, N., Modeling and Optimization of a Zero-Voltage Switching Inverter for High Efficiency and Miniaturization; *TPEL Jan. 2017 150-163*
- Du, J.**, Wu, J., Wang, R., Lin, Z., and He, X., DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters; *TPEL Jan. 2017 693-702*
- Du, J.**, see Wang, R., *TPEL June 2017 4455-4465*
- Du, S.**, Wu, B., Xu, D., and Zargari, N.R., A Transformerless Bipolar Multitasking DC-DC Converter Based on Series-Connected Modules; *TPEL Feb. 2017 1006-1017*
- Du, S.**, Wu, B., Zargari, N.R., and Cheng, Z., A Flying-Capacitor Modular Multilevel Converter for Medium-Voltage Motor Drive; *TPEL March 2017 2081-2089*
- Du, S.**, Jia, Y., and Seshia, A.A., An Efficient Inductorless Dynamically Configured Interface Circuit for Piezoelectric Vibration Energy Harvesting; *TPEL May 2017 3595-3609*
- Du, S.**, Wu, B., and Zargari, N.R., A Startup Method for Flying-Capacitor Modular Multilevel Converter (FC-MMC) With Effective Damping of LC Oscillations; *TPEL July 2017 5827-5834*
- Du, S.**, and Wu, B., A Transformerless Bipolar Modular Multilevel DC-DC Converter With Wide Voltage Ratios; *TPEL Nov. 2017 8312-8321*
- Du, W.**, see Huang, X., *TPEL Jan. 2017 593-601*
- Du, X.**, see Sun, P., *TPEL May 2017 3777-3786*
- Duan, G.**, Vainshtein, S.N., and Kostamovaara, J.T., Modified High-Power Nanosecond Marx Generator Prevents Destructive Current Filamentation; *TPEL Oct. 2017 7845-7850*
- Duan, J.**, see Bi, K., *TPEL May 2017 3292-3296*
- Duan, J.**, see Tian, B., *TPEL July 2017 5459-5472*
- Duan, J.**, see Tian, B., *TPEL July 2017 5473-5486*
- Duarte, J.L.**, see Vermulst, B.J.D., *TPEL April 2017 2546-2557*
- Duarte, J.L.**, see Tibola, G., *TPEL Dec. 2017 9210-9222*
- Duong, T.**, see Reichl, J., *TPEL Jan. 2017 503-514*
- Dupont, L.**, see Baker, N., *TPEL April 2017 3099-3111*
- Duran, M.J.**, see Gonzalez-Prieto, I., *TPEL Jan. 2017 515-528*
- Duran, M.J.**, see Munim, W.N.W.A., *TPEL Oct. 2017 7824-7836*
- Duran, M.J.**, see Gonzalez-Prieto, I., *TPEL Oct. 2017 7894-7903*
- Durna, E.**, Yilmaz, I., and Ermis, M., Suppression of Time-Varying Interharmonics Produced by Medium-Frequency Induction Melting Furnaces by a HAPF System; *TPEL Feb. 2017 1030-1043*
- Dwari, S.**, see Zhang, L., *TPEL Aug. 2017 5889-5892*

E

- Eberle, W.**, *see* Alam, M., *TPEL Oct. 2017 7716-7726*
- Ebrahimi, M.**, and Khajehoddin, S.A., Fixed Switching Frequency Generalized Peak Current Control (GPCC) of DC–AC Converters; *TPEL Aug. 2017 6605-6616*
- Ebrahimi, M.**, *see* Esfandiari, G., *TPEL Nov. 2017 8671-8680*
- Echeverria, I.**, *see* Sanchez-Ruiz, A., *TPEL April 2017 2533-2545*
- Eco, J.A.**, *see* Meehan, P.J., *TPEL June 2017 4741-4752*
- Edpuganti, A.**, *see* Gnanasambandam, K., *TPEL May 2017 3382-3401*
- Edpuganti, A.**, *see* Gnanasambandam, K., *TPEL May 2017 3370-3381*
- Eiser, S.**, Bernardoni, M., Nelhiebel, M., and Kaltenbacher, M., Finite-Element Analysis of Coupled Electro-Thermal Problems With Strong Scale Separation; *TPEL Jan. 2017 561-570*
- Ekhtiari, M.**, Zhang, Z., and Andersen, M.A.E., Analysis of Bidirectional Piezoelectric-Based Converters for Zero-Voltage Switching Operation; *TPEL Jan. 2017 866-877*
- Ekhtiari, M.**, Andersen, T., Andersen, M.A.E., and Zhang, Z., Dynamic Optimum Dead Time in Piezoelectric Transformer-Based Switch-Mode Power Supplies; *TPEL Jan. 2017 783-793*
- El Mejdoubi, A.**, Chaoui, H., Gualous, H., and Sabor, J., Online Parameter Identification for Supercapacitor State-of-Health Diagnosis for Vehicular Applications; *TPEL Dec. 2017 9355-9363*
- Eleffendi, M.A.**, and Johnson, C.M., In-Service Diagnostics for Wire-Bond Lift-off and Solder Fatigue of Power Semiconductor Packages; *TPEL Sept. 2017 7187-7198*
- Elgenedy, M.A.**, Darwish, A., Ahmed, S., and Williams, B.W., A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electro-rotation Applications; *TPEL Dec. 2017 8979-8991*
- Elkhateb, A.**, *see* Attia, H.A., *TPEL Nov. 2017 8593-8605*
- Elmi, M.**, *see* Ahrabi, R.R., *TPEL May 2017 3549-3561*
- Elrayyah, A.**, *see* Cingoz, F., *TPEL April 2017 2743-2756*
- Elserougi, A.**, Massoud, A.M., and Ahmed, S., A Boost-Inverter-Based Bipolar High-Voltage Pulse Generator; *TPEL April 2017 2846-2855*
- Eltamaly, A.M.**, and Addoweesh, K.E., A Novel Self-Power SSHI Circuit for Piezoelectric Energy Harvester; *TPEL Oct. 2017 7663-7673*
- Emadi, A.**, *see* Hou, R., *TPEL March 2017 1860-1871*
- Emadi, A.**, *see* Ye, J., *TPEL May 2017 3920-3934*
- Emadi, A.**, *see* Sun, Y., *TPEL Aug. 2017 6308-6322*
- Emadi, A.**, *see* Ge, H., *TPEL Sept. 2017 7151-7159*
- Emadi, A.**, *see* Hou, R., *TPEL Nov. 2017 8393-8405*
- Emadi, A.**, *see* Peng, F., *TPEL Nov. 2017 8618-8631*
- Eni, E.**, Beczkowski, S., Munk-Nielsen, S., Kerekes, T., Teodorescu, R., Juluri, R.R., Julsgaard, B., VanBrunt, E., Hull, B., Sabri, S., Grider, D., and Uhrenfeldt, C., Short-Circuit Degradation of 10-kV 10-A SiC MOSFET; *TPEL Dec. 2017 9342-9354*
- Enjeti, P.N.**, *see* Sandoval, J.J., *TPEL Oct. 2017 7458-7468*
- Eren, S.**, Pahlevani, M., Bakhshai, A., and Jain, P., A Digital Current Control Technique for Grid-Connected AC/DC Converters Used for Energy Storage Systems; *TPEL May 2017 3970-3988*
- Erickson, R.**, *see* Chen, H., *TPEL Jan. 2017 98-116*
- Ermis, M.**, *see* Durna, E., *TPEL Feb. 2017 1030-1043*
- Errouissi, R.**, Al-Durra, A., Muyeen, S.M., Leng, S., and Blaabjerg, F., Off-set-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control; *TPEL March 2017 2265-2277*
- Ertl, H.**, *see* Makoschitz, M., *TPEL April 2017 2584-2595*
- Ertl, H.**, *see* Krismer, F., *TPEL April 2017 3112-3127*
- Esfandiari, G.**, Ebrahimi, M., and Tabesh, A., Instantaneous Torque Control Method With Rated Torque-Sharing Ratio for Cascaded DFIMs; *TPEL Nov. 2017 8671-8680*
- Esparza, M.**, Segundo-Ramirez, J., Kwon, J.B., Wang, X., and Blaabjerg, F., Modeling of VSC-Based Power Systems in the Extended Harmonic Domain; *TPEL Aug. 2017 5907-5916*
- Ettxeberria-Otadui, I.**, *see* Garcia-Bediaga, A., *TPEL April 2017 2508-2520*
- Everts, J.**, Closed-Form Solution for Efficient ZVS Modulation of DAB Converters; *TPEL Oct. 2017 7561-7576*

F

- Fadali, M.S.**, *see* Lascu, C., *TPEL March 2017 2072-2080*
- Fan, C.**, *see* Lee, A., *TPEL Dec. 2017 9249-9266*
- Fan, J.**, *see* Sun, B., *TPEL Aug. 2017 6338-6362*
- Fan, J.W.**, and Chung, H.S., Bifurcation Phenomena and Stabilization With Compensation Ramp in Converter With Power Semiconductor Filter; *TPEL Dec. 2017 9424-9434*
- Fan, S.**, *see* Zhang, Y., *TPEL Dec. 2017 9051-9064*
- Fan, X.**, *see* Wang, C., *TPEL Feb. 2017 1457-1468*
- Fang, C.**, and Redl, R., Subharmonic Instability Limits for the Peak-Current-Controlled Boost, Buck-Boost, Flyback, and SEPIC Converters With Closed Voltage Feedback Loop; *TPEL May 2017 4048-4055*
- Fang, J.**, Xiao, G., Yang, X., and Tang, Y., Parameter Design of a Novel Series-Parallel-Resonant LCL Filter for Single-Phase Half-Bridge Active Power Filters; *TPEL Jan. 2017 200-217*
- Fang, J.**, Li, H., and Tang, Y., A Magnetic Integrated LLCL Filter for Grid-Connected Voltage-Source Converters; *TPEL March 2017 1725-1730*
- Fang, J.**, Yang, X., Zhang, L., and Tang, Y., An Optimal Digital Pulse-Width-Modulated Dither Technique to Enhance the Resolution of High-Frequency Power Converters; *TPEL Sept. 2017 7222-7232*
- Fang, J.**, Li, X., Yang, X., and Tang, Y., An Integrated Trap-LCL Filter With Reduced Current Harmonics for Grid-Connected Converters Under Weak Grid Conditions; *TPEL Nov. 2017 8446-8457*
- Fang, K.**, *see* Yu, F., *TPEL Sept. 2017 7083-7095*
- Fang, P.**, and Liu, Y., Energy Channeling LED Driver Technology to Achieve Flicker-Free Operation With True Single Stage Power Factor Correction; *TPEL May 2017 3892-3907*
- Fang, P.**, *see* Wang, H., *TPEL June 2017 4291-4306*
- Fang, P.**, Qiu, Y., Wang, H., and Liu, Y., A Single-Stage Primary-Side-Controlled Off-line Flyback LED Driver With Ripple Cancellation; *TPEL June 2017 4700-4715*
- Fang, T.**, Shen, L., He, W., and Ruan, X., Distributed Control and Redundant Technique to Achieve Superior Reliability for Fully Modular Input-Series-Output-Parallel Inverter System; *TPEL Jan. 2017 723-735*
- Farhangi, S.**, *see* Shafei, A., *TPEL Dec. 2017 9117-9130*
- Farivar, G.**, Townsend, C.D., Hredzak, B., Pou, J., and Agelidis, V.G., Low-Capacitance Cascaded H-Bridge Multilevel StatCom; *TPEL March 2017 1744-1754*
- Farivar, G.**, Ghias, A.M.Y.M., Hredzak, B., Pou, J., and Agelidis, V.G., Capacitor Voltages Measurement and Balancing in Flying Capacitor Multilevel Converters Utilizing a Single Voltage Sensor; *TPEL Oct. 2017 8115-8123*
- Farivar, G.**, Townsend, C.D., Hredzak, B., Pou, J., and Agelidis, V.G., Passive Reactor Compensated Cascaded H-Bridge Multilevel LC-StatCom; *TPEL Nov. 2017 8338-8348*
- Farjah, E.**, Givi, H., and Ghanbari, T., Application of an Efficient Rogowski Coil Sensor for Switch Fault Diagnosis and Capacitor ESR Monitoring in Nonisolated Single-Switch DC–DC Converters; *TPEL Feb. 2017 1442-1456*
- Farjah, E.**, *see* Tashakor, N., *TPEL March 2017 2133-2145*
- Farjah, E.**, *see* Keshavarzi, D., *TPEL Sept. 2017 6813-6822*
- Farzanehfard, H.**, *see* Poorali, B., *TPEL Oct. 2017 7932-7940*
- Fei, C.**, Ahmed, M.H., Lee, F.C., and Li, Q., Two-Stage 48 V-12 V/6 V-1.8 V Voltage Regulator Module With Dynamic Bus Voltage Control for Light-Load Efficiency Improvement; *TPEL July 2017 5628-5636*
- Fei, C.**, Lee, F.C., and Li, Q., Digital Implementation of Soft Start-Up and Short-Circuit Protection for High-Frequency LLC Converters With Optimal Trajectory Control (OTC); *TPEL Oct. 2017 8008-8017*
- Fei, W.**, *see* Liang, W., *TPEL June 2017 4785-4795*
- Feng, D.**, *see* Kim, T., *TPEL March 2017 1917-1926*
- Feng, F.**, *see* Wu, F., *TPEL May 2017 3623-3633*
- Feng, K.**, *see* Liu, F., *TPEL April 2017 3007-3021*
- Feng, K.**, *see* Sun, L., *TPEL Dec. 2017 9364-9375*
- Feng, L.**, *see* Zhang, F., *TPEL Oct. 2017 7469-7481*
- Feng, Z.**, *see* Ju, B., *TPEL Feb. 2017 1346-1354*
- Ferdowsi, M.**, *see* Mukherjee, S., *TPEL July 2017 5601-5612*
- Ferdowsi, M.**, *see* Baddipadiga, B.P., *TPEL Oct. 2017 7707-7715*
- Fernandes, R.**, *see* Wen, Y., *TPEL Jan. 2017 423-432*

- Fernandez, A.**, see Lamar, D.G., *TPEL May 2017 3908-3919*
- Fernandez, D.**, see Reigosa, D., *TPEL May 2017 3691-3699*
- Fernando, T.**, see Zhang, G., *TPEL Sept. 2017 6661-6665*
- Ferro, E.**, Brea, V.M., Lopez, P., and Cabello, D., Dynamic Model of Switched-Capacitor DC–DC Converters in the Slow-Switching Limit Including Charge Reusing; *TPEL July 2017 5293-5311*
- Filba-Martinez, A.**, see Busquets-Monge, S., *TPEL Oct. 2017 7521-7533*
- Filho, E.R.**, see Barros, T.A.d.S., *TPEL Nov. 2017 8277-8292*
- Filho, P.S.N.**, see Barros, T.A.d.S., *TPEL Nov. 2017 8277-8292*
- Finney, S.J.**, see Li, P., *TPEL April 2017 2485-2489*
- Finney, S.J.**, see Adam, G.P., *TPEL June 2017 4258-4278*
- Finney, S.J.**, see Li, B., *TPEL June 2017 4619-4630*
- Fiore, V.**, Ragonese, E., and Palmisano, G., A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology; *TPEL March 2017 1984-1995*
- Fisher, C.A.**, see Hamilton, D.P., *TPEL Oct. 2017 7967-7979*
- Fletcher, J.E.**, see Adam, G.P., *TPEL June 2017 4258-4278*
- Fong, Y.C.**, see Ye, Y., *TPEL June 2017 4444-4454*
- Fontana, C.**, see Buja, G., *TPEL Dec. 2017 9447-9459*
- Foo, G.H.B.**, and Zhang, X., Robust Direct Torque Control of Synchronous Reluctance Motor Drives in the Field-Weakening Region; *TPEL Feb. 2017 1289-1298*
- Formentini, A.**, Oliveri, A., Marchesoni, M., and Storace, M., A Switched Predictive Controller for an Electrical Powertrain System With Backlash; *TPEL May 2017 4036-4047*
- Forouzesh, M.**, Siwakoti, Y.P., Gorji, S.A., Blaabjerg, F., and Lehman, B., Step-Up DC–DC Converters: A Comprehensive Review of Voltage-Boosting Techniques, Topologies, and Applications; *TPEL Dec. 2017 9143-9178*
- Forrisi, I.**, see Shahin, A., *TPEL Jan. 2017 681-692*
- Forsyth, A.J.**, see Villarruel-Parra, A., *TPEL March 2017 2290-2299*
- Forsyth, A.J.**, see Wang, Y., *TPEL June 2017 4683-4690*
- Forsyth, A.J.**, see Jiang, S., *TPEL Nov. 2017 8743-8750*
- Foster, M.P.**, see Liu, X., *TPEL May 2017 4095-4106*
- Foulkes, T.**, see Lei, Y., *TPEL Nov. 2017 8570-8581*
- Francese, P.A.**, see Andersen, T.M., *TPEL Jan. 2017 363-377*
- Francese, P.A.**, see Andersen, T.M., *TPEL Jan. 2017 378-393*
- Freddy, T.K.S.**, see Attia, H.A., *TPEL Nov. 2017 8593-8605*
- Freijedo, F.D.**, Rodriguez-Diaz, E., Golsorkhi, M.S., Vasquez, J.C., and Guerrero, J.M., A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected Converters in Wind Turbines; *TPEL Oct. 2017 8218-8228*
- Freijedo, F.D.**, see de Bosio, F., *TPEL Oct. 2017 8100-8114*
- Fu, D.**, see Zhang, H., *TPEL Nov. 2017 8458-8469*
- Fu, G.**, see Xue, P., *TPEL April 2017 3075-3087*
- Fu, M.**, Zhang, D., and Li, T., Design and Analysis of a Conductance Compensator for Keeping Constant Bandwidth and Output Impedance in Average Current Mode Control; *TPEL Jan. 2017 837-848*
- Fu, M.**, see Liu, M., *TPEL Feb. 2017 1198-1209*
- Fu, M.**, Zhang, D., and Li, T., A Novel Coupling Method of Power Supplies With High Power Density, Efficiency, and Fast Dynamic Response for Spacecraft Hollow Cathode Power Supply Applications; *TPEL July 2017 5377-5387*
- Fu, S.**, Mei, Y., Li, X., Ma, C., and Lu, G., Reliability Evaluation of Multichip Phase-Leg IGBT Modules Using Pressureless Sintering of Nanosilver Paste by Power Cycling Tests; *TPEL Aug. 2017 6049-6058*
- Fu, Z.**, see Zhang, X., *TPEL April 2017 3206-3215*
- Fuentes, R.L.**, see Dekka, A., *TPEL Aug. 2017 5878-5884*
- Funes, M.**, see Antoszczuk, P., *TPEL March 2017 1697-1702*
- Funes, M.**, see Cervellini, P., *TPEL Sept. 2017 6684-6688*
- Fyhr, P.**, see Domingues-Olavarria, G., *TPEL Nov. 2017 8681-8692*
- Gan, C.**, Wu, J., Hu, Y., Yang, S., Cao, W., and Guerrero, J.M., New Integrated Multilevel Converter for Switched Reluctance Motor Drives in Plug-in Hybrid Electric Vehicles With Flexible Energy Conversion; *TPEL May 2017 3754-3766*
- Ganesan, S.I.**, see Manickam, C., *TPEL June 2017 4432-4443*
- Ganesan, S.I.**, see Rudraraju, V.R.R., *TPEL June 2017 4334-4343*
- Gao, B.**, Yang, F., Chen, M., Ran, L., Ullah, I., Xu, S., and Mawby, P., A Temperature Gradient-Based Potential Defects Identification Method for IGBT Module; *TPEL March 2017 2227-2242*
- Gao, C.**, see Tai, B., *TPEL Jan. 2017 128-141*
- Gao, C.**, see Liu, X., *TPEL Aug. 2017 5964-5977*
- Gao, F.**, Bozhko, S., Costabeber, A., Patel, C., Wheeler, P., Hill, C.I., and Asher, G., Comparative Stability Analysis of Droop Control Approaches in Voltage-Source-Converter-Based DC Microgrids; *TPEL March 2017 2395-2415*
- Gao, F.**, see Zhou, L., *TPEL June 2017 4307-4319*
- Gao, F.**, see Wang, J., *TPEL Oct. 2017 7494-7508*
- Gao, H.**, Wu, B., Xu, D., Pande, M., and Aguilera, R.P., Common-Mode-Voltage-Reduced Model-Predictive Control Scheme for Current-Source-Converter-Fed Induction Motor Drives; *TPEL June 2017 4891-4904*
- Gao, H.**, Wu, B., Xu, D., Aguilera, R.P., and Acuna, P., Model Predictive Switching Pattern Control for Current-Source Converters With Space-Vector-Based Selective Harmonic Elimination; *TPEL Aug. 2017 6558-6569*
- Gao, J.**, see Zhang, Y., *TPEL March 2017 2319-2328*
- Gao, J.**, see Zhang, Y., *TPEL May 2017 4084-4094*
- Gao, S.**, see Peng, X., *TPEL Sept. 2017 7381-7393*
- Gao, Y.**, see Jiang, W., *TPEL June 2017 4675-4682*
- Gao, Y.**, see Lu, H., *TPEL Dec. 2017 9280-9292*
- Garate, J.I.**, see Onederra, O., *TPEL Aug. 2017 6570-6576*
- Garcia, G.**, see Lopez-Santos, O., *TPEL March 2017 2253-2264*
- Garcia, O.**, see Cucak, D., *TPEL March 2017 2189-2202*
- Garcia-Bediaga, A.**, Villar, I., Rujas, A., Etxeberria-Otadui, I., and Rufer, A., Analytical Models of Multiphase Isolated Medium-Frequency DC–DC Converters; *TPEL April 2017 2508-2520*
- Garcia-Bediaga, A.**, Villar, I., Rujas, A., Mir, L., and Rufer, A., Multiobjective Optimization of Medium-Frequency Transformers for Isolated Soft-Switching Converters Using a Genetic Algorithm; *TPEL April 2017 2995-3006*
- Garrett, C.**, see Umaz, R., *TPEL May 2017 3562-3570*
- Gasulla, M.**, see Reverter, F., *TPEL Aug. 2017 6188-6196*
- Gati, E.**, Kampitsis, G., and Manias, S., Variable Frequency Controller for Inductive Power Transfer in Dynamic Conditions; *TPEL Feb. 2017 1684-1696*
- Gautam, D.S.**, see Alam, M., *TPEL Oct. 2017 7716-7726*
- Gauthier, J.**, see Gendrin, M., *TPEL July 2017 5487-5496*
- Gavagsaz-Ghoachani, R.**, see Zadeh, M.K., *TPEL Jan. 2017 652-667*
- Ge, H.**, Miao, Y., Bilgin, B., Nahid-Mobarakeh, B., and Emadi, A., Speed Range Extended Maximum Torque Per Ampere Control for PM Drives Considering Inverter and Motor Nonlinearities; *TPEL Sept. 2017 7151-7159*
- Ge, T.**, Ngo, K.D.T., and Moss, J., Two-Dimensional Gapping to Reduce Light-Load Loss of Point-of-Load Inductor; *TPEL Jan. 2017 540-550*
- Gendrin, M.**, Gauthier, J., and Lin-Shi, X., A Predictive Hybrid Pulse-Width-Modulation Technique for Active-Front-End Rectifiers; *TPEL July 2017 5487-5496*
- Geng, L.**, see Zhang, Y., *TPEL Dec. 2017 9051-9064*
- Geng, Y.**, see Yan, Q., *TPEL Jan. 2017 406-422*
- Georgakopoulos, S.V.**, see Liu, D., *TPEL July 2017 5509-5519*
- Geula, G.**, see Yuhimenko, V., *TPEL Feb. 2017 1570-1578*
- Geyer, T.**, see Stellato, B., *TPEL May 2017 4007-4020*
- Ghanbari, T.**, see Farjah, E., *TPEL Feb. 2017 1442-1456*
- Ghanbari, T.**, see Tashakor, N., *TPEL March 2017 2133-2145*
- Ghanbari, T.**, see Keshavarzi, D., *TPEL Sept. 2017 6813-6822*
- Ghias, A.M.Y.M.**, Pou, J., Acuna, P., Ceballos, S., Heidari, A., Agelidis, V.G., and Merabet, A., Elimination of Low-Frequency Ripples and Regulation of Neutral-Point Voltage in Stacked Multicell Converters; *TPEL Jan. 2017 164-175*
- Ghias, A.M.Y.M.**, see Farivar, G., *TPEL Oct. 2017 8115-8123*
- Giaouris, D.**, see Wu, H., *TPEL Sept. 2017 7256-7270*
- Givi, H.**, see Farjah, E., *TPEL Feb. 2017 1442-1456*

G

- Gadoue, S.**, see Ahmeid, M., *TPEL July 2017 5666-5674*
- Gadoue, S.**, see Dehghan-Azad, E., *TPEL Sept. 2017 7140-7150*
- Gai, K.**, see Bi, K., *TPEL May 2017 3292-3296*
- Gammeter, C.**, see Anderson, J.A., *TPEL Dec. 2017 8963-8968*

- Gnanasambandam, K.**, Rathore, A.K., Edpuganti, A., Srinivasan, D., and Rodriguez, J., Current-Fed Multilevel Converters: An Overview of Circuit Topologies, Modulation Techniques, and Applications; *TPEL May 2017 3382-3401*
- Gnanasambandam, K.**, Edpuganti, A., Rathore, A.K., and Srinivasan, D., Modified Synchronous Pulsewidth Modulation of Current-Fed Five-Level Inverter for Solar Integration; *TPEL May 2017 3370-3381*
- Goetz, S.M.**, Li, Z., Liang, X., Zhang, C., Lukic, S.M., and Peterchev, A.V., Control of Modular Multilevel Converter With Parallel Connectivity—Application to Battery Systems; *TPEL Nov. 2017 8381-8392*
- Gohil, G.**, Bede, L., Teodorescu, R., Kerekes, T., and Blaabjerg, F., Optimized Integrated Harmonic Filter Inductor for Dual-Converter-Fed Open-End Transformer Topology; *TPEL March 2017 1818-1831*
- Gohil, G.**, Bede, L., Teodorescu, R., Kerekes, T., and Blaabjerg, F., Flux-Balancing Scheme for PD-Modulated Parallel-Interleaved Inverters; *TPEL May 2017 3442-3457*
- Gole, A.M.**, see Montanari, A.A., *TPEL Aug. 2017 6652-6660*
- Golestan, S.**, Guerrero, J.M., and Vasquez, J.C., Three-Phase PLLs: A Review of Recent Advances; *TPEL March 2017 1894-1907*
- Golestan, S.**, Guerrero, J.M., and Vasquez, J.C., High-Order Frequency-Locked Loops: A Critical Analysis; *TPEL May 2017 3285-3291*
- Golestan, S.**, Mousazadeh, S.Y., Guerrero, J.M., and Vasquez, J.C., A Critical Examination of Frequency-Fixed Second-Order Generalized Integrator-Based Phase-Locked Loops; *TPEL Sept. 2017 6666-6672*
- Golestan, S.**, Guerrero, J.M., and Vasquez, J.C., Single-Phase PLLs: A Review of Recent Advances; *TPEL Dec. 2017 9013-9030*
- Golsorkhi, M.S.**, Lu, D.D., and Guerrero, J.M., A GPS-Based Decentralized Control Method for Islanded Microgrids; *TPEL Feb. 2017 1615-1625*
- Golsorkhi, M.S.**, see Karimi, Y., *TPEL May 2017 3525-3535*
- Golsorkhi, M.S.**, Savaghebi, M., Lu, D.D., Guerrero, J.M., and Vasquez, J.C., A GPS-Based Control Framework for Accurate Current Sharing and Power Quality Improvement in Microgrids; *TPEL July 2017 5675-5687*
- Golsorkhi, M.S.**, see Freijedo, F.D., *TPEL Oct. 2017 8218-8228*
- Gong, C.**, see Chen, X., *TPEL Jan. 2017 274-283*
- Gong, C.**, see Sun, P., *TPEL May 2017 3777-3786*
- Gong, J.**, see Liu, Y., *TPEL Aug. 2017 6323-6337*
- Gong, X.**, see Rong, F., *TPEL June 2017 4320-4333*
- Gonzalez, J.O.**, Alatise, O., Hu, J., Ran, L., and Mawby, P.A., An Investigation of Temperature-Sensitive Electrical Parameters for SiC Power MOSFETs; *TPEL Oct. 2017 7954-7966*
- Gonzalez-Prieto, I.**, Duran, M.J., Barrero, F., Bermudez, M., and Guzman, H., Impact of Postfault Flux Adaptation on Six-Phase Induction Motor Drives With Parallel Converters; *TPEL Jan. 2017 515-528*
- Gonzalez-Prieto, I.**, see Munim, W.N.W.A., *TPEL Oct. 2017 7824-7836*
- Gonzalez-Prieto, I.**, Duran, M.J., and Barrero, F.J., Fault-Tolerant Control of Six-Phase Induction Motor Drives With Variable Current Injection; *TPEL Oct. 2017 7894-7903*
- Gonzalez-Santini, N.S.**, see Zeng, H., *TPEL May 2017 4064-4073*
- Goodwin, G.C.**, see Townsend, C.D., *TPEL Sept. 2017 7325-7337*
- Gooi, H.B.**, see Wu, F., *TPEL May 2017 3623-3633*
- Gopakumar, K.**, see Nair R., V., *TPEL Jan. 2017 52-59*
- Gopakumar, K.**, see Boby, M., *TPEL Jan. 2017 60-68*
- Gopakumar, K.**, see Pramanick, S., *TPEL March 2017 2064-2071*
- Gopakumar, K.**, see S, A.R., *TPEL July 2017 5450-5458*
- Gopinath, V.**, see Biswas, J., *TPEL June 2017 4607-4618*
- Gordillo, J.**, and Aguilar, C., A Simple Sensorless Current Sharing Technique for Multiphase DC–DC Buck Converters; *TPEL May 2017 3480-3489*
- Gorecki, K.**, see Detka, K., *TPEL Sept. 2017 7025-7033*
- Gorji, S.A.**, see Forouzesh, M., *TPEL Dec. 2017 9143-9178*
- Goulart, P.J.**, see Stellato, B., *TPEL May 2017 4007-4020*
- Graells, M.**, see Luna, A.C., *TPEL April 2017 2769-2783*
- Grbovic, P.J.**, see Benedetto, M.D., *TPEL July 2017 5741-5751*
- Greenough, J.**, see Liu, X., *TPEL May 2017 4095-4106*
- Grider, D.**, see Eni, E., *TPEL Dec. 2017 9342-9354*
- Grino, R.**, see Perez, J., *TPEL April 2017 3180-3191*
- Gu, B.**, see Park, J.S., *TPEL Oct. 2017 7651-7662*
- Gu, D.**, see Zhang, Z., *TPEL April 2017 2757-2768*
- Gu, D.**, see Zhang, Z., *TPEL Oct. 2017 7626-7634*
- Gu, W.**, see Niu, W., *TPEL Oct. 2017 7837-7844*
- Gu, X.**, see Xia, C., *TPEL July 2017 5109-5121*
- Gualous, H.**, see Chaoui, H., *TPEL Sept. 2017 7199-7206*
- Gualous, H.**, see El Mejdoubi, A., *TPEL Dec. 2017 9355-9363*
- Guan, Q.**, see Yang, K., *TPEL Feb. 2017 1579-1590*
- Guan, Q.**, Zhang, Y., Kang, Y., and Guerrero, J.M., Single-Phase Phase-Locked Loop Based on Derivative Elements; *TPEL June 2017 4411-4420*
- Guan, Q.**, see Li, C., *TPEL Dec. 2017 8958-8962*
- Guan, Y.**, Wang, Y., Xu, D., and Wang, W., A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics; *TPEL April 2017 2876-2891*
- Guarnizo, J.G.**, see Diaz, N.L., *TPEL April 2017 2728-2742*
- Guerrero, J.M.**, see Golsorkhi, M.S., *TPEL Feb. 2017 1615-1625*
- Guerrero, J.M.**, see Han, Y., *TPEL March 2017 2427-2451*
- Guerrero, J.M.**, see Golestan, S., *TPEL March 2017 1894-1907*
- Guerrero, J.M.**, see Zhao, X., *TPEL April 2017 3128-3142*
- Guerrero, J.M.**, see Diaz, N.L., *TPEL April 2017 2728-2742*
- Guerrero, J.M.**, see Luna, A.C., *TPEL April 2017 2769-2783*
- Guerrero, J.M.**, see Golestan, S., *TPEL May 2017 3285-3291*
- Guerrero, J.M.**, see Karimi, Y., *TPEL May 2017 3525-3535*
- Guerrero, J.M.**, see Gan, C., *TPEL May 2017 3754-3766*
- Guerrero, J.M.**, see Guan, Q., *TPEL June 2017 4411-4420*
- Guerrero, J.M.**, see Diaz, N.L., *TPEL July 2017 5202-5213*
- Guerrero, J.M.**, see Golsorkhi, M.S., *TPEL July 2017 5675-5687*
- Guerrero, J.M.**, see Karimi, Y., *TPEL Aug. 2017 6135-6144*
- Guerrero, J.M.**, see Xu, Q., *TPEL Aug. 2017 6031-6048*
- Guerrero, J.M.**, see Golestan, S., *TPEL Sept. 2017 6666-6672*
- Guerrero, J.M.**, see Freijedo, F.D., *TPEL Oct. 2017 8218-8228*
- Guerrero, J.M.**, see de Bosio, F., *TPEL Oct. 2017 8100-8114*
- Guerrero, J.M.**, see Reigosa, D.D., *TPEL Nov. 2017 8434-8445*
- Guerrero, J.M.**, see Golestan, S., *TPEL Dec. 2017 9013-9030*
- Gui, H.**, see Zhang, Z., *TPEL April 2017 2757-2768*
- Guiney, I.**, see Jiang, S., *TPEL Nov. 2017 8743-8750*
- Gunasekaran, D.**, Qin, L., Karki, U., Li, Y., and Peng, F.Z., A Variable (n/m)X Switched Capacitor DC–DC Converter; *TPEL Aug. 2017 6219-6235*
- Guo, B.**, see Zhang, L., *TPEL Aug. 2017 5889-5892*
- Guo, B.**, see Zhang, Z., *TPEL Dec. 2017 9307-9318*
- Guo, C.**, Li, C., Zhao, C., Ni, X., Zha, K., and Xu, W., An Evolutional Line-Commutated Converter Integrated With Thyristor-Based Full-Bridge Module to Mitigate the Commutation Failure; *TPEL Feb. 2017 967-976*
- Guo, H.**, see Liu, J., *TPEL April 2017 2939-2947*
- Guo, J.**, see Memon, A.H., *TPEL July 2017 5312-5322*
- Guo, J.**, see Wang, W., *TPEL Sept. 2017 7011-7024*
- Guo, S.**, see Wang, M., *TPEL March 2017 1832-1843*
- Guo, X.**, see Sun, X., *TPEL Jan. 2017 736-751*
- Guo, X.**, see Sun, X., *TPEL Jan. 2017 69-80*
- Guo, X.**, see Lei, X., *TPEL July 2017 5520-5526*
- Guo, Y.**, see Li, S., *TPEL June 2017 4716-4727*
- Guo, Z.**, see Tang, S.C., *TPEL May 2017 3844-3857*
- Guo, Z.**, see Lu, H., *TPEL Dec. 2017 9280-9292*
- Gurusinghe, N.**, Kularatna, N., Round, W.H., and Steyn-Ross, D.A., Energy-Limited Transient-Mode Fast Supercapacitor Charger Topology; *TPEL Feb. 2017 911-914*
- Guzman, H.**, see Gonzalez-Prieto, I., *TPEL Jan. 2017 515-528*
- Guzman, R.**, de Vicuna, L.G., Morales, J., Castilla, M., and Miret, J., Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter; *TPEL July 2017 5637-5650*

H

- Ha, J.**, see Shin, H., *TPEL Feb. 2017 1268-1278*
- Ha, J.**, see Son, Y., *TPEL Feb. 2017 1324-1334*
- Ha, J.**, see Shin, H., *TPEL Feb. 2017 1279-1288*
- Ha, J.**, see Lee, K., *TPEL Feb. 2017 1355-1366*
- Ha, J.**, see Lee, K., *TPEL April 2017 2913-2924*
- Ha, J.**, see Chung, E., *TPEL May 2017 3651-3661*

- Habibullah, M.**, Lu, D.D., Xiao, D., and Rahman, M.F., Finite-State Predictive Torque Control of Induction Motor Supplied From a Three-Level NPC Voltage Source Inverter; *TPEL Jan. 2017 479-489*
- Hackl, C.M.**, see Zhang, Z., *TPEL Oct. 2017 8018-8034*
- Hadjidemetriou, L.**, Yang, Y., Kyriakides, E., and Blaabjerg, F., A Synchronization Scheme for Single-Phase Grid-Tied Inverters Under Harmonic Distortion and Grid Disturbances; *TPEL April 2017 2784-2793*
- Haga, H.**, and Kurokawa, F., Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles; *TPEL April 2017 2498-2507*
- Hagiwara, M.**, see Okazaki, Y., *TPEL March 2017 1805-1817*
- Haji-Esmaili, M.M.**, Naseri, M., Khoun-Jahan, H., and Abapour, M., Fault-Tolerant and Reliable Structure for a Cascaded Quasi-Z-Source DC-DC Converter; *TPEL Aug. 2017 6455-6467*
- Ham, S.**, see Lee, H., *TPEL Jan. 2017 433-440*
- Hamdan, M.**, see Ahmed, A., *TPEL Feb. 2017 1299-1311*
- Hamilton, D.P.**, Jennings, M.R., Perez-Tomas, A., Russell, S.A.O., Hindmarsh, S.A., Fisher, C.A., and Mawby, P.A., High-Temperature Electrical and Thermal Aging Performance and Application Considerations for SiC Power MOSFETs; *TPEL Oct. 2017 7967-7979*
- Hamilton, M.C.**, see Yu, F., *TPEL Sept. 2017 7083-7095*
- Han, B.**, see Zheng, S., *TPEL July 2017 5752-5759*
- Han, B.**, see Song, X., *TPEL July 2017 5438-5449*
- Han, D.**, see Morris, C.T., *TPEL March 2017 1720-1724*
- Han, F.**, see Wang, C., *TPEL July 2017 5227-5247*
- Han, H.**, see Qu, X., *TPEL Jan. 2017 394-405*
- Han, J.**, Zhang, B., and Qiu, D., Bi-switching Status Modeling Method for DC-DC Converters in CCM and DCM Operations; *TPEL March 2017 2464-2472*
- Han, J.**, Kim, J., and Moon, G., A High-Efficiency Asymmetrical Half-Bridge Converter With Integrated Boost Converter in Secondary Rectifier; *TPEL Nov. 2017 8237-8242*
- Han, N.**, Zhou, B., Yu, J., Qin, X., Lei, J., and Yang, Y., A Novel Source Current Control Strategy and Its Stability Analysis for an Indirect Matrix Converter; *TPEL Oct. 2017 8181-8192*
- Han, P.**, Cheng, M., and Chen, Z., Single-Electrical-Port Control of Cascaded Doubly-Fed Induction Machine for EV/HEV Applications; *TPEL Sept. 2017 7233-7243*
- Han, P.**, see Peng, X., *TPEL Sept. 2017 7381-7393*
- Han, S.H.**, see Lee, E.S., *TPEL Nov. 2017 8258-8276*
- Han, Y.**, Li, H., Shen, P., Coelho, E.A.A., and Guerrero, J.M., Review of Active and Reactive Power Sharing Strategies in Hierarchical Controlled Microgrids; *TPEL March 2017 2427-2451*
- Han, Y.**, see Lee, K., *TPEL April 2017 2913-2924*
- Han, Y.**, see Chung, E., *TPEL May 2017 3651-3661*
- Hang, J.**, see Zhang, J., *TPEL May 2017 3585-3594*
- Hang, J.**, Zhang, J., Ding, S., and Cheng, M., Fault Diagnosis of High-Resistance Connection in a Nine-Phase Flux-Switching Permanent-Magnet Machine Considering the Neutral-Point Connection Model; *TPEL Aug. 2017 6444-6454*
- Hao, Y.**, see Sun, X., *TPEL Jan. 2017 736-751*
- Hariya, A.**, Koga, T., Matsuura, K., Yanagi, H., Tomioka, S., Ishizuka, Y., and Ninomiya, T., Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC-DC Converters; *TPEL Aug. 2017 5953-5963*
- Harley, R.G.**, see Deng, Y., *TPEL April 2017 2521-2532*
- Harmand, S.**, see Puigdemillivol, O., *TPEL June 2017 4691-4699*
- Harnefors, L.**, see Nikouie, M., *TPEL Feb. 2017 1666-1674*
- Harnefors, L.**, see Bakas, P., *TPEL Oct. 2017 7435-7448*
- Hartmann, M.**, see Makoschitz, M., *TPEL April 2017 2584-2595*
- Hasegawa, K.**, Takahara, S., Tabata, S., Tsukuda, M., and Omura, I., A New Output Current Measurement Method With Tiny PCB Sensors Capable of Being Embedded in an IGBT Module; *TPEL March 2017 1707-1712*
- Hashimoto, H.**, see Nakamura, S., *TPEL Jan. 2017 218-232*
- Hatua, K.**, see Madhusoodhanan, S., *TPEL May 2017 3355-3369*
- Hatua, K.**, see Tripathi, A.K., *TPEL June 2017 4231-4245*
- Hazra, S.**, see Tripathi, A.K., *TPEL June 2017 4231-4245*
- He, F.**, see Ma, J., *TPEL March 2017 1952-1963*
- He, H.**, see Zhang, Y., *TPEL June 2017 4421-4431*
- He, J.**, Li, Y.W., Xu, D., Liang, X., Liang, B., and Wang, C., Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter; *TPEL April 2017 2661-2674*
- He, J.**, Liang, B., Li, Y.W., and Wang, C., Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters; *TPEL April 2017 2647-2660*
- He, N.**, see Du, C., *TPEL Jan. 2017 150-163*
- He, Q.**, see Luo, Q., *TPEL March 2017 2155-2166*
- He, W.**, see Fang, T., *TPEL Jan. 2017 723-735*
- He, X.**, see Du, J., *TPEL Jan. 2017 693-702*
- He, X.**, see Luo, H., *TPEL April 2017 2558-2567*
- He, X.**, see Wang, R., *TPEL June 2017 4455-4465*
- He, X.**, see Xia, C., *TPEL July 2017 5109-5121*
- He, X.**, see Chen, Y., *TPEL Aug. 2017 6394-6404*
- He, X.**, see Peng, X., *TPEL Sept. 2017 7381-7393*
- He, X.**, see Hu, S., *TPEL Nov. 2017 8936-8944*
- He, Y.**, see Zhang, J., *TPEL Jan. 2017 341-352*
- He, Y.**, see Chen, D., *TPEL April 2017 2717-2727*
- He, Y.**, Chung, H.S., Ho, C.N., and Wu, W., Direct Current Tracking Using Boundary Control With Second-Order Switching Surface for Three-Phase Three-Wire Grid-Connected Inverter; *TPEL July 2017 5723-5740*
- He, Y.**, Chung, H.S., Ho, C.N., and Wu, W., Modified Cascaded Boundary-Deadbeat Control for a Virtually-Grounded Three-Phase Grid-Connected Inverter With LCL Filter; *TPEL Oct. 2017 8163-8180*
- He, Y.**, see Jiang, Y., *TPEL Oct. 2017 7882-7893*
- He, Z.**, see Li, Y., *TPEL Feb. 2017 1602-1614*
- He, Z.**, see Xu, Q., *TPEL Aug. 2017 6031-6048*
- He, Z.**, see Mai, R., *TPEL Aug. 2017 5897-5906*
- Heeger, D.**, see Candan, E., *TPEL Oct. 2017 8071-8088*
- Hefner, A.**, see Reichl, J., *TPEL Jan. 2017 503-514*
- Heidari, A.**, see Ghias, A.M.Y.M., *TPEL Jan. 2017 164-175*
- Heldwein, M.L.**, see Ries, L.K., *TPEL Aug. 2017 6005-6017*
- Heldwein, M.L.**, see Lago, J., *TPEL Aug. 2017 6297-6307*
- Heo, D.**, see Tang, N., *TPEL May 2017 3700-3707*
- Hernandez, M.E.**, see Ovalle, A., *TPEL June 2017 4925-4938*
- Hew, W.P.**, see Attia, H.A., *TPEL Nov. 2017 8593-8605*
- Hijazi, A.**, see Shili, S., *TPEL June 2017 4939-4948*
- Hill, C.I.**, see Gao, F., *TPEL March 2017 2395-2415*
- Hindmarsh, S.A.**, see Hamilton, D.P., *TPEL Oct. 2017 7967-7979*
- Ho, A.D.**, see Schuck, M., *TPEL Jan. 2017 715-722*
- Ho, C.N.**, see He, Y., *TPEL July 2017 5723-5740*
- Ho, C.N.**, see He, Y., *TPEL Oct. 2017 8163-8180*
- Ho, C.N.M.**, Li, R.T., and Siu, K.K., Active Virtual Ground—Bridgeless PFC Topology; *TPEL Aug. 2017 6206-6218*
- Ho, S.**, see Mok, K., *TPEL Oct. 2017 7635-7650*
- Ho, S.**, see Lam, C., *TPEL Oct. 2017 7577-7590*
- Hofmann, H.F.**, see Stein, A.L.F., *TPEL Aug. 2017 6178-6187*
- Holliday, D.**, see Li, P., *TPEL Jan. 2017 23-38*
- Holliday, D.**, see Li, P., *TPEL April 2017 2485-2489*
- Holliday, D.**, see Adam, G.P., *TPEL June 2017 4258-4278*
- Holliday, D.**, see Wang, Y., *TPEL Aug. 2017 6510-6522*
- Holmes, D.G.**, see Riedel, J., *TPEL April 2017 3166-3179*
- Holmes, D.G.**, see Anthon, A., *TPEL April 2017 2808-2821*
- Holmes, D.G.**, see Hu, C., *TPEL Oct. 2017 7419-7434*
- Holmes, D.G.**, see Riedel, J., *TPEL Nov. 2017 8857-8867*
- Hong, X.**, Wu, J., and Wei, C., 98.1%-Efficiency Hysteretic-Current-Mode Noninverting Buck-Boost DC-DC Converter With Smooth Mode Transition; *TPEL March 2017 2008-2017*
- Hota, A.**, Jain, S., and Agarwal, V., An Optimized Three-Phase Multilevel Inverter Topology With Separate Level and Phase Sequence Generation Part; *TPEL Oct. 2017 7414-7418*
- Hou, B.**, see Zhang, X., *TPEL May 2017 3818-3834*

- Hou, D.**, Mu, M., Lee, F.C., and Li, Q., New High-Frequency Core Loss Measurement Method With Partial Cancellation Concept; *TPEL April 2017 2987-2994*
- Hou, D.**, Lee, F.C., and Li, Q., Very High Frequency IVR for Small Portable Electronics With High-Current Multiphase 3-D Integrated Magnetics; *TPEL Nov. 2017 8705-8717*
- Hou, R.**, and Emadi, A., Applied Integrated Active Filter Auxiliary Power Module for Electrified Vehicles With Single-Phase Onboard Chargers; *TPEL March 2017 1860-1871*
- Hou, R.**, and Emadi, A., A Primary Full-Integrated Active Filter Auxiliary Power Module in Electrified Vehicles With Single-Phase Onboard Chargers; *TPEL Nov. 2017 8393-8405*
- Houston, P.A.**, see Jiang, S., *TPEL Nov. 2017 8743-8750*
- Hredzak, B.**, see Wickramasinghe Abeywardana, D.B., *TPEL Jan. 2017 668-680*
- Hredzak, B.**, see Abeywardana, D.B.W., *TPEL Feb. 2017 1626-1637*
- Hredzak, B.**, see Farivar, G., *TPEL March 2017 1744-1754*
- Hredzak, B.**, see Momayyezani, M., *TPEL May 2017 4056-4063*
- Hredzak, B.**, see Farivar, G., *TPEL Oct. 2017 8115-8123*
- Hredzak, B.**, see Farivar, G., *TPEL Nov. 2017 8338-8348*
- Hsiao, S.**, see Nien, C., *TPEL Oct. 2017 8124-8133*
- Hsieh, M.**, see Chen, K., *TPEL Aug. 2017 6493-6509*
- Hsieh, Y.**, see Hsu, W., *TPEL Feb. 2017 957-966*
- Hsu, W.**, Chen, J., Hsieh, Y., and Wu, Y., Design and Steady-State Analysis of Parallel Resonant DC-DC Converter for High-Voltage Power Generator; *TPEL Feb. 2017 957-966*
- Hu, A.P.**, see Tian, J., *TPEL March 2017 2312-2318*
- Hu, A.P.**, see Su, Y., *TPEL April 2017 3229-3239*
- Hu, A.P.**, see Sun, Y., *TPEL Aug. 2017 6617-6627*
- Hu, A.P.**, see Su, Y., *TPEL Nov. 2017 8778-8786*
- Hu, C.**, Yu, X., Holmes, D.G., Shen, W., Wang, Q., Luo, F., and Liu, N., An Improved Virtual Space Vector Modulation Scheme for Three-Level Active Neutral-Point-Clamped Inverter; *TPEL Oct. 2017 7419-7434*
- Hu, D.**, see Zhang, Z., *TPEL July 2017 5527-5538*
- Hu, H.**, see Liu, D., *TPEL July 2017 5509-5519*
- Hu, J.**, see Gonzalez, J.O., *TPEL Oct. 2017 7954-7966*
- Hu, J.**, and Ma, H., Synchronization of the carrier wave of parallel three-phase inverters with virtual oscillator control; *TPEL Oct. 2017 7998-8007*
- Hu, M.**, see Quan, X., *TPEL Dec. 2017 9400-9412*
- Hu, S.**, see Li, Y., *TPEL Feb. 2017 920-926*
- Hu, S.**, and Li, X., Performance Evaluation of a Semi-Dual-Bridge Resonant DC/DC Converter With Secondary Phase-Shifted Control; *TPEL Oct. 2017 7727-7738*
- Hu, S.**, Liang, Z., Wang, Y., Zhou, J., and He, X., Principle and Application of the Contactless Load Detection Based on the Amplitude Decay Rate in a Transient Process; *TPEL Nov. 2017 8936-8944*
- Hu, S.**, see Xie, B., *TPEL Dec. 2017 9031-9042*
- Hu, T.**, see Chen, H., *TPEL Jan. 2017 441-451*
- Hu, T.**, see Tahan, M., *TPEL Dec. 2017 9293-9306*
- Hu, W.**, see Bai, Y., *TPEL April 2017 2687-2703*
- Hu, W.**, see Memon, A.H., *TPEL July 2017 5312-5322*
- Hu, Y.**, Zhang, J., Wu, J., Cao, W., Tian, G.Y., and Kirtley, J.L., Efficiency Improvement of Nonuniformly Aged PV Arrays; *TPEL Feb. 2017 1124-1137*
- Hu, Y.**, see Gan, C., *TPEL May 2017 3754-3766*
- Hu, Y.**, Zhu, Z.Q., and Odavic, M., Instantaneous Power Control for Suppressing the Second-Harmonic DC-Bus Voltage Under Generic Unbalanced Operating Conditions; *TPEL May 2017 3998-4006*
- Hu, Y.**, see Li, K., *TPEL July 2017 5323-5340*
- Huang, A.Q.**, see Wang, M., *TPEL March 2017 1832-1843*
- Huang, A.Q.**, see Song, X., *TPEL Aug. 2017 6381-6393*
- Huang, D.**, see Ju, B., *TPEL Feb. 2017 1346-1354*
- Huang, F.**, see Chen, D., *TPEL Oct. 2017 7591-7601*
- Huang, H.**, see Jiang, W., *TPEL June 2017 4675-4682*
- Huang, J.**, see Chen, J., *TPEL June 2017 4587-4599*
- Huang, J.**, see Shi, L., *TPEL Nov. 2017 8787-8799*
- Huang, L.**, see Jiang, W., *TPEL Feb. 2017 1518-1532*
- Huang, L.**, Chen, F., Yao, W., and Lu, Z., Flexible Mode Bridgeless Boost PFC Rectifier With High Efficiency Over a Wide Range of Input Voltage; *TPEL May 2017 3513-3524*
- Huang, L.**, see Su, Y., *TPEL Nov. 2017 8778-8786*
- Huang, M.**, see Lu, Y., *TPEL Feb. 2017 927-930*
- Huang, M.**, see Liu, Y., *TPEL Aug. 2017 6323-6337*
- Huang, M.**, Peng, Y., Tse, C.K., Liu, Y., Sun, J., and Zha, X., Bifurcation and Large-Signal Stability Analysis of Three-Phase Voltage Source Converter Under Grid Voltage Dips; *TPEL Nov. 2017 8868-8879*
- Huang, Q.**, see Wang, M., *TPEL March 2017 1832-1843*
- Huang, Q.**, see Zhu, D., *TPEL Nov. 2017 8514-8525*
- Huang, S.**, see Li, X., *TPEL June 2017 4852-4863*
- Huang, S.**, see Rong, F., *TPEL June 2017 4320-4333*
- Huang, X.**, Du, W., Lee, F.C., Li, Q., and Zhang, W., Avoiding Divergent Oscillation of a Cascode GaN Device Under High-Current Turn-Off Condition; *TPEL Jan. 2017 593-601*
- Huang, X.**, see Wang, W., *TPEL Sept. 2017 7011-7024*
- Huang, X.**, see Niu, W., *TPEL Oct. 2017 7837-7844*
- Huang, Y.**, see Yuan, S., *TPEL July 2017 5365-5376*
- Huber, J.E.**, see Ortiz, G., *TPEL Oct. 2017 7534-7542*
- Hui, S.R.**, see Chen, B., *TPEL April 2017 2596-2607*
- Hui, S.Y.**, see Li, S., *TPEL June 2017 4716-4727*
- Hui, S.Y.**, see Mok, K., *TPEL Oct. 2017 7635-7650*
- Hui, S.Y.R.**, see Lin, D., *TPEL Jan. 2017 613-624*
- Hui, S.Y.R.**, see Lin, D., *TPEL Jan. 2017 625-633*
- Hui, S.Y.R.**, see Mok, K., *TPEL Feb. 2017 1088-1105*
- Hui, S.Y.R.**, see Chen, H., *TPEL April 2017 3063-3074*
- Hui, S.Y.R.**, see Yan, S., *TPEL July 2017 5171-5179*
- Hui, S.Y.R.**, see Li, S., *TPEL Sept. 2017 6971-6982*
- Hull, B.**, see Eni, E., *TPEL Dec. 2017 9342-9354*
- Humphreys, C.J.**, see Jiang, S., *TPEL Nov. 2017 8743-8750*
- Hwang, B.**, see Wu, K., *TPEL Jan. 2017 849-865*
- Hwang, K.C.**, see Park, Y., *TPEL Sept. 2017 6946-6960*
- Hwu, K.I.**, and Jiang, W.Z., Single-Switch Coupled-Inductor-Based Two-Channel LED Driver With a Passive Regenerative Snubber; *TPEL June 2017 4482-4490*
- Hwu, K.I.**, see Yau, Y.T., *TPEL July 2017 5341-5364*
- Hwu, K.I.**, Jiang, W.Z., and Wu, P.Y., An Expandable Two-Phase Interleaved Ultrahigh Step-Down Converter With Automatic Current Balance; *TPEL Dec. 2017 9223-9237*

I

- Iannuzzo, F.**, see Baker, N., *TPEL April 2017 3099-3111*
- Iannuzzo, F.**, see Chen, Y., *TPEL Aug. 2017 6394-6404*
- Iavarone, S.**, see Abbate, C., *TPEL Jan. 2017 584-592*
- Ibarra, E.**, see Lopez, I., *TPEL June 2017 4878-4890*
- Idir, N.**, see Videt, A., *TPEL April 2017 2675-2686*
- Iglesias, R.**, see Quintans, C., *TPEL May 2017 3868-3878*
- Ilango, G.S.**, see Asha Rani, M.A., *TPEL July 2017 5214-5226*
- Illa Font, C.H.**, see Costa, P.J.S., *TPEL June 2017 4279-4290*
- Illenberger, P.**, Takagi, K., Kojima, H., Madawala, U.K., and Anderson, I.A., A Mathematical Model for Self-Priming Circuits: Getting the Most From a Dielectric Elastomer Generator; *TPEL Sept. 2017 6904-6912*
- Ilves, K.**, see Bakas, P., *TPEL Oct. 2017 7435-7448*
- Inoue, Y.**, see Shinohara, A., *TPEL March 2017 2114-2122*
- Ioinovici, A.**, see Li, K., *TPEL July 2017 5323-5340*
- Iqbal, A.**, see Ali, M., *TPEL June 2017 4864-4877*
- Irace, A.**, see Riccio, M., *TPEL April 2017 3088-3098*
- Irfan, M.S.**, Ahmed, A., Park, J., and Seo, C., Current-Sensorless Power-Decoupling Phase-Shift Dual-Half-Bridge Converter for DC-AC Power Conversion Systems Without Electrolytic Capacitor; *TPEL May 2017 3610-3622*
- Ise, T.**, see Ataji, A.B., *TPEL June 2017 4827-4838*
- Ishida, T.**, see Okazaki, Y., *TPEL March 2017 1805-1817*
- Ishigaki, M.**, Shin, J., and Dede, E.M., A Novel Soft Switching Bidirectional DC-DC Converter Using Magnetic and Capacitive Hybrid Power Transfer; *TPEL Sept. 2017 6961-6970*

- Ishizuka, Y.**, see Hariya, A., *TPEL Aug. 2017 5953-5963*
Iskander, R., see Moursy, Y., *TPEL July 2017 5550-5559*
Iu, H.H., see Zhang, G., *TPEL Sept. 2017 6661-6665*
IV, P., see Adhikari, J., *TPEL July 2017 5802-5812*
Ivanov, V., see Magod, R., *TPEL April 2017 2856-2864*
Iwanski, G., Luszczyc, T., and Szypulski, M., Virtual-Torque-Based Control of Three-Phase Rectifier Under Grid Imbalance and Harmonics; *TPEL Sept. 2017 6836-6852*
Iyer, K.V., Baranwal, R., and Mohan, N., A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems; *TPEL July 2017 5087-5108*

J

- Jabbour, N.**, and Mademlis, C., Supercapacitor-Based Energy Recovery System With Improved Power Control and Energy Management for Elevator Applications; *TPEL Dec. 2017 9389-9399*
Jacobina, C.B., see Melo, V.F.M.B., *TPEL Nov. 2017 8606-8617*
Jafarzadeh, S., see Lascu, C., *TPEL March 2017 2072-2080*
Jain, P., see Poon, J., *TPEL Feb. 2017 1419-1430*
Jain, P., see Eren, S., *TPEL May 2017 3970-3988*
Jain, S., see Sonti, V., *TPEL Feb. 2017 1156-1169*
Jain, S., see Hota, A., *TPEL Oct. 2017 7414-7418*
Janaki, M., see Thirumalaivasan, R., *TPEL Dec. 2017 9413-9423*
Jang, M., see Kim, T., *TPEL March 2017 1917-1926*
Jang, P., and Cho, B., Two-Switch Forward Converter With Reset Winding and an Auxiliary Active-Clamp Circuit for a Wide Input Voltage Range; *TPEL June 2017 4491-4502*
Jang, Y., Jovanovic, M.M., Kumar, M., and Ruiz, J.M., Three-Level TAIPEI Rectifier—Analysis of Operation, Design Considerations, and Performance Evaluation; *TPEL Feb. 2017 942-956*
Jang, Y., see Liu, G., *TPEL June 2017 4168-4184*
Jarutus, N., and Kumsuwan, Y., A Carrier-Based Phase-Shift Space Vector Modulation Strategy for a Nine-Switch Inverter; *TPEL May 2017 3425-3441*
Jarzewowicz, L., Errors of a Linear Current Approximation in High-Speed PMSM Drives; *TPEL Nov. 2017 8254-8257*
Jatskevich, J., see Zhang, K., *TPEL March 2017 1964-1974*
Jeannin, P., see Wanderoild, Y., *TPEL April 2017 2493-2497*
Jedtberg, H., Pigazo, A., Liserre, M., and Buticchi, G., Analysis of the Robustness of Transformerless PV Inverter Topologies to the Choice of Power Devices; *TPEL July 2017 5248-5257*
Jennings, M.R., see Hamilton, D.P., *TPEL Oct. 2017 7967-7979*
Jensen, S., and Maksimovic, D., Fast Tracking Electrosurgical Generator Using Two-Rail Multiphase Buck Converter With GaN Switches; *TPEL Jan. 2017 634-641*
Jeon, J.W., see Le, K.M., *TPEL Sept. 2017 7244-7255*
Jeon, Y., Lee, H., Kim, K.A., and Park, J., Least Power Point Tracking Method for Photovoltaic Differential Power Processing Systems; *TPEL March 2017 1941-1951*
Jeong, D., see Kim, H., *TPEL May 2017 3879-3891*
Jeong, I., see Park, J.S., *TPEL Oct. 2017 7651-7662*
Jeong, Y., Kim, J., Lee, J., and Moon, G., An Asymmetric Half-Bridge Resonant Converter Having a Reduced Conduction Loss for DC/DC Power Applications With a Wide Range of Low Input Voltage; *TPEL Oct. 2017 7795-7804*
Jeyasankar, E., see Singh, A.K., *TPEL June 2017 4796-4811*
Ji, B., see Wu, H., *TPEL Sept. 2017 7256-7270*
Ji, Y., see Ma, C., *TPEL June 2017 4644-4651*
Jia, L., and Liu, Y., Topology and Control Innovation for Auxiliary Power Supply in Dimmable LED Drivers; *TPEL Nov. 2017 8728-8742*
Jia, Y., see Zhang, Y., *TPEL Feb. 2017 1533-1547*
Jia, Y., see Du, S., *TPEL May 2017 3595-3609*
Jiang, D., see Liu, F., *TPEL April 2017 3240-3250*
Jiang, J., see Li, Z., *TPEL May 2017 3301-3316*
Jiang, J., see Li, J., *TPEL Aug. 2017 5991-6004*
Jiang, J., see Chen, D., *TPEL Oct. 2017 7591-7601*
Jiang, N., see Lai, W., *TPEL Feb. 2017 1431-1441*

- Jiang, S.**, Lee, K.B., Guiney, I., Miaja, P.F., Zaidi, Z.H., Qian, H., Wallis, D.J., Forsyth, A.J., Humphreys, C.J., and Houston, P.A., All-GaN-Integrated Cascade Heterojunction Field Effect Transistors; *TPEL Nov. 2017 8743-8750*
Jiang, W., Huang, L., Zhang, L., Zhao, H., Wang, L., and Chen, W., Control of Active Power Exchange With Auxiliary Power Loop in a Single-Phase Cascaded Multilevel Converter-Based Energy Storage System; *TPEL Feb. 2017 1518-1532*
Jiang, W., Huang, H., Wang, J., Gao, Y., and Wang, L., Commutation Analysis of Brushless DC Motor and Reducing Commutation Torque Ripple in the Two-Phase Stationary Frame; *TPEL June 2017 4675-4682*
Jiang, W., see Chan, C., *TPEL Sept. 2017 7297-7305*
Jiang, W.Z., see Hwu, K.I., *TPEL June 2017 4482-4490*
Jiang, W.Z., see Yau, Y.T., *TPEL July 2017 5341-5364*
Jiang, W.Z., see Hwu, K.I., *TPEL Dec. 2017 9223-9237*
Jiang, X., see Sun, B., *TPEL Aug. 2017 6338-6362*
Jiang, Y., Wu, W., He, Y., Chung, H.S., and Blaabjerg, F., New Passive Filter Design Method for Overvoltage Suppression and Bearing Currents Mitigation in a Long Cable Based PWM Inverter-Fed Motor Drive System; *TPEL Oct. 2017 7882-7893*
Jin, K., see Zhou, W., *TPEL May 2017 3662-3672*
Jin, L., see Nikouie, M., *TPEL Feb. 2017 1666-1674*
Jing, Y., see Qu, X., *TPEL Jan. 2017 394-405*
Johnson, C.M., see Eleffendi, M.A., *TPEL Sept. 2017 7187-7198*
Johnson, R.W., see Yu, F., *TPEL Sept. 2017 7083-7095*
Jones, E.A., see Zhang, Z., *TPEL Dec. 2017 9307-9318*
Jones, M., see Darijevic, M., *TPEL May 2017 3719-3730*
Jones, S.R., see Li, H., *TPEL Oct. 2017 7816-7823*
Jorgensen, S., see Choi, U., *TPEL Aug. 2017 6434-6443*
Jorgensen, S., see Choi, U., *TPEL Oct. 2017 7990-7997*
Jovanovic, M.M., see Liu, G., *TPEL June 2017 4168-4184*
Jovanovic, M.M., see Jang, Y., *TPEL Feb. 2017 942-956*
Ju, B., Shao, W., Huang, D., Ye, Y., and Feng, Z., A Topology for Inductorless Actuation of Piezoelectric Transformer With Special Driving Waveform; *TPEL Feb. 2017 1346-1354*
Julsgaard, B., see Eni, E., *TPEL Dec. 2017 9342-9354*
Juluri, R.R., see Eni, E., *TPEL Dec. 2017 9342-9354*
Jung, J., see Choi, H., *TPEL June 2017 4140-4144*
Jung, J., see Razaq, M.S., *TPEL June 2017 4631-4643*
Jung, J., Cui, S., Lee, J., and Sul, S., A New Topology of Multilevel VSC Converter for a Hybrid HVDC Transmission System; *TPEL June 2017 4199-4209*
Jung, J., see Park, H., *TPEL Oct. 2017 7770-7782*

K

- Kaarthik, R.S.**, see Nair R., V., *TPEL Jan. 2017 52-59*
Kaarthik, R.S., see Boby, M., *TPEL Jan. 2017 60-68*
Kaarthik, R.S., see S, A.R., *TPEL July 2017 5450-5458*
Kadavelugu, A., see Madhusoodhanan, S., *TPEL May 2017 3355-3369*
Kadavelugu, A., see Tripathi, A.K., *TPEL June 2017 4231-4245*
Kaltenbacher, M., see Eiser, S., *TPEL Jan. 2017 561-570*
Kamineni, A., Covic, G.A., and Boys, J.T., Self-Tuning Power Supply for Inductive Charging; *TPEL May 2017 3467-3479*
Kamineni, A., Neath, M.J., Covic, G.A., and Boys, J.T., A Mistuning-Tolerant and Controllable Power Supply for Roadway Wireless Power Systems; *TPEL Sept. 2017 6689-6699*
Kampitsis, G., see Gati, E., *TPEL Feb. 2017 1684-1696*
Kampitsis, G.E., see Kokosis, S.G., *TPEL Feb. 2017 1400-1410*
Kan, J., see Tang, Y., *TPEL Oct. 2017 7543-7552*
Kan, T., see Zhang, X., *TPEL Feb. 2017 1481-1492*
Kan, T., Nguyen, T., White, J.C., Malhan, R.K., and Mi, C.C., A New Integration Method for an Electric Vehicle Wireless Charging System Using LCC Compensation Topology: Analysis and Design; *TPEL Feb. 2017 1638-1650*
Kanakesh, V.K., see Muthuraj, S.S., *TPEL Oct. 2017 8035-8053*
Kanamarlapudi, V.R.K., Wang, B., So, P.L., and Wang, Z., Analysis, Design, and Implementation of an APWM ZVZCS Full-Bridge DC-DC Converter for Battery Charging in Electric Vehicles; *TPEL Aug. 2017 6145-6160*

- Kang, B.**, see Lee, H., *TPEL Jan. 2017 433-440*
- Kang, B.**, Low, K., Soon, J.J., and Tran, Q., Single-Switch Quasi-Resonant DC–DC Converter for a Pulsed Plasma Thruster of Satellites; *TPEL June 2017 4503-4513*
- Kang, Y.**, see Guan, Q., *TPEL June 2017 4411-4420*
- Kang, Y.**, see Chen, Y., *TPEL Nov. 2017 8229-8236*
- Kang, Y.**, see Zhu, D., *TPEL Nov. 2017 8514-8525*
- Kapat, S.**, Parameter-Insensitive Mixed-Signal Hysteresis-Band Current Control for Point-of-Load Converters With Fixed Frequency and Robust Stability; *TPEL July 2017 5760-5770*
- Kaplar, R.J.**, see Mauch, D.L., *TPEL Dec. 2017 9333-9341*
- Karamanakos, P.**, see Ayad, A., *TPEL July 2017 5786-5801*
- Karanayil, B.**, Ciobotaru, M., and Agelidis, V.G., Power Flow Management of Isolated Multiport Converter for More Electric Aircraft; *TPEL July 2017 5850-5861*
- Karasani, R.R.**, Borghate, V.B., Meshram, P.M., Suryawanshi, H.M., and Sab-yasachi, S., A Three-Phase Hybrid Cascaded Modular Multilevel Inverter for Renewable Energy Environment; *TPEL Feb. 2017 1070-1087*
- Karimi, K.J.**, see Ahmed, S., *TPEL June 2017 4145-4156*
- Karimi, Y.**, Oraee, H., Golsorkhi, M.S., and Guerrero, J.M., Decentralized Method for Load Sharing and Power Management in a PV/Battery Hybrid Source Islanded Microgrid; *TPEL May 2017 3525-3535*
- Karimi, Y.**, Oraee, H., and Guerrero, J.M., Decentralized Method for Load Sharing and Power Management in a Hybrid Single/Three-Phase-Islanded Microgrid Consisting of Hybrid Source PV/Battery Units; *TPEL Aug. 2017 6135-6144*
- Karki, U.**, see Gunasekaran, D., *TPEL Aug. 2017 6219-6235*
- Karthik, R.S.**, see Pramanick, S., *TPEL March 2017 2064-2071*
- Karwatzki, D.**, see Kucka, J., *TPEL Sept. 2017 6767-6777*
- Karwatzki, D.**, see Kucka, J., *TPEL Dec. 2017 8953-8957*
- Kasper, M.**, Bortis, D., Deboy, G., and Kolar, J.W., Design of a Highly Efficient (97.7%) and Very Compact (2.2 kW/dm³) Isolated AC–DC Telecom Power Supply Module Based on the Multicell ISOP Converter Approach; *TPEL Oct. 2017 7750-7769*
- Kastha, D.**, see Vangalapati, T.B.G., *TPEL Oct. 2017 7805-7815*
- Kato, T.**, see Reigosa, D., *TPEL May 2017 3691-3699*
- Kawamura, W.**, see Okazaki, Y., *TPEL March 2017 1805-1817*
- Ke, Z.**, Zhang, J., and Raich, R., Low-Frequency Current Oscillation Reduction for Six-Step Operation of Three-Phase Inverters; *TPEL April 2017 2948-2956*
- Kelley, M.D.**, Pushpakaran, B.N., and Bayne, S.B., Single-Pulse Avalanche Mode Robustness of Commercial 1200 V/80 mΩ SiC MOSFETs; *TPEL Aug. 2017 6405-6415*
- Kennel, R.**, see Ayad, A., *TPEL July 2017 5786-5801*
- Kennel, R.**, see Zhang, Z., *TPEL Oct. 2017 8018-8034*
- Kennel, R.**, see Rojas, F., *TPEL Nov. 2017 8371-8380*
- Kerachev, L.**, see Nguyen, V., *TPEL Aug. 2017 6079-6090*
- Kerekes, T.**, see Gohil, G., *TPEL March 2017 1818-1831*
- Kerekes, T.**, see Gohil, G., *TPEL May 2017 3442-3457*
- Kerekes, T.**, see Eni, E., *TPEL Dec. 2017 9342-9354*
- Keshavarzi, D.**, Ghanbari, T., and Farjah, E., A Z-Source-Based Bidirectional DC Circuit Breaker With Fault Current Limitation and Interruption Capabilities; *TPEL Sept. 2017 6813-6822*
- Khaburi, D.A.**, see Siami, M., *TPEL Sept. 2017 7160-7168*
- Khajehoddin, S.A.**, see Ebrahimi, M., *TPEL Aug. 2017 6605-6616*
- Khaligh, A.**, see Mallik, A., *TPEL Aug. 2017 6523-6531*
- Khaligh, A.**, see Mallik, A., *TPEL Aug. 2017 6481-6492*
- Khaligh, A.**, see Yu, L., *TPEL Aug. 2017 6161-6169*
- Khalil, R.**, see Moursy, Y., *TPEL July 2017 5550-5559*
- Khan, A.A.**, see Ahmed, H.F., *TPEL Feb. 2017 1232-1244*
- Khan, A.A.**, Cha, H., Ahmed, H.F., Kim, J., and Cho, J., A Highly Reliable and High-Efficiency Quasi Single-Stage Buck–Boost Inverter; *TPEL June 2017 4185-4198*
- Khan, A.A.**, Cha, H., Baek, J., Kim, J., and Cho, J., Cascaded Dual-Buck AC–AC Converter With Reduced Number of Inductors; *TPEL Oct. 2017 7509-7520*
- Khan, M.R.**, see Ali, M., *TPEL June 2017 4864-4877*
- Khan, O.**, Xiao, W., and Moursi, M.S.E., A New PV System Configuration Based on Submodule Integrated Converters; *TPEL May 2017 3278-3284*
- Khang, S.**, see Yeo, T., *TPEL Jan. 2017 471-478*
- Khanna, M.**, Burgos, R., Wang, Q., Ngo, K.D.T., and Vazquez Carazo, A., New Tunable Piezoelectric Transformers and Their Application in DC–DC Converters; *TPEL Dec. 2017 8974-8978*
- Khezzar, A.**, see Moussa, M.A., *TPEL July 2017 5560-5572*
- Khoun-Jahan, H.**, see Haji-Esmacili, M.M., *TPEL Aug. 2017 6455-6467*
- Ki, W.**, see Lu, Y., *TPEL Feb. 2017 927-930*
- Kiaei, S.**, see Marti-Arbona, E., *TPEL March 2017 2180-2188*
- Kim, B.**, see Choi, S., *TPEL Aug. 2017 6119-6134*
- Kim, D.**, Kim, M., and Lee, B., An Integrated Battery Charger With High Power Density and Efficiency for Electric Vehicles; *TPEL June 2017 4553-4565*
- Kim, D.**, see Choi, S., *TPEL Aug. 2017 6119-6134*
- Kim, H.**, see Chen, H., *TPEL Jan. 2017 98-116*
- Kim, H.**, see Kim, S., *TPEL March 2017 1792-1804*
- Kim, H.**, Choi, M.C., Kim, S., and Jeong, D., An AC–DC LED Driver With a Two-Parallel Inverted Buck Topology for Reducing the Light Flicker in Lighting Applications to Low-Risk Levels; *TPEL May 2017 3879-3891*
- Kim, H.**, Kwon, Y., Chee, S., and Sul, S., Analysis and Compensation of Inverter Nonlinearity for Three-Level T-Type Inverters; *TPEL June 2017 4970-4980*
- Kim, H.**, see Kim, K., *TPEL July 2017 5016-5022*
- Kim, H.**, Lee, J.S., Lai, J., and Kim, M., Iterative Learning Controller With Multiple Phase-Lead Compensation for Dual-Mode Flyback Inverter; *TPEL Aug. 2017 6468-6480*
- Kim, H.**, see Park, Y., *TPEL Sept. 2017 6946-6960*
- Kim, H.**, see Kim, S., *TPEL Nov. 2017 8406-8418*
- Kim, J.**, see Ahmed, H.F., *TPEL Feb. 2017 1232-1244*
- Kim, J.**, see Tang, N., *TPEL May 2017 3700-3707*
- Kim, J.**, see Razaq, M.S., *TPEL June 2017 4631-4643*
- Kim, J.**, see Khan, A.A., *TPEL June 2017 4185-4198*
- Kim, J.**, see Yeon, C., *TPEL Sept. 2017 7056-7067*
- Kim, J.**, see Khan, A.A., *TPEL Oct. 2017 7509-7520*
- Kim, J.**, see Baek, J., *TPEL Oct. 2017 7449-7457*
- Kim, J.**, see Jeong, Y., *TPEL Oct. 2017 7795-7804*
- Kim, J.**, see Han, J., *TPEL Nov. 2017 8237-8242*
- Kim, J.C.**, see Neacsu, D.O., *TPEL July 2017 5813-5826*
- Kim, J.R.**, see Park, J.S., *TPEL Oct. 2017 7651-7662*
- Kim, K.**, Cha, H., and Kim, H., A New Single-Phase Switched-Coupled-Inductor DC–AC Inverter for Photovoltaic Systems; *TPEL July 2017 5016-5022*
- Kim, K.A.**, see Jeon, Y., *TPEL March 2017 1941-1951*
- Kim, M.**, see Kim, D., *TPEL June 2017 4553-4565*
- Kim, M.**, see Kim, H., *TPEL Aug. 2017 6468-6480*
- Kim, S.**, Lee, J., and Lee, K., Self-Tuning Adaptive Speed Controller for Permanent Magnet Synchronous Motor; *TPEL Feb. 2017 1493-1506*
- Kim, S.**, Cha, H., Ahmed, H.F., Choi, B., and Kim, H., Isolated Double Step-Down DC–DC Converter With Improved ZVS Range and No Transformer Saturation Problem; *TPEL March 2017 1792-1804*
- Kim, S.**, see Kim, H., *TPEL May 2017 3879-3891*
- Kim, S.**, Covic, G.A., and Boys, J.T., Tripolar Pad for Inductive Power Transfer Systems for EV Charging; *TPEL July 2017 5045-5057*
- Kim, S.**, see Ahn, D., *TPEL Sept. 2017 7068-7082*
- Kim, S.**, see Ahn, D., *TPEL Sept. 2017 7068-7082*
- Kim, S.**, see Park, Y., *TPEL Sept. 2017 6946-6960*
- Kim, S.**, Kim, H., and Cha, H., Dynamic Voltage Restorer Using Switching Cell Structured Multilevel AC–AC Converter; *TPEL Nov. 2017 8406-8418*
- Kim, T.**, Feng, D., Jang, M., and Agelidis, V.G., Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices; *TPEL March 2017 1917-1926*
- Kim, Y.**, and Nam, K., Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines; *TPEL Feb. 2017 1335-1345*
- Kim, Y.**, Oh, C., Sung, W., and Lee, B.K., Topology and Control Scheme of OBC–LDC Integrated Power Unit for Electric Vehicles; *TPEL March 2017 1731-1743*
- King, M.P.**, see Mauch, D.L., *TPEL Dec. 2017 9333-9341*
- Kiratipongvoot, S.**, see Lee, C.K., *TPEL July 2017 5180-5187*

- Kirshenboim, O.**, Cervera, A., and Peretz, M.M., Improving Loading and Unloading Transient Response of a Voltage Regulator Module Using a Load-Side Auxiliary Gyrator Circuit; *TPEL March 2017 1996-2007*
- Kirshenboim, O.**, and Peretz, M.M., High-Efficiency Nonisolated Converter With Very High Step-Down Conversion Ratio; *TPEL May 2017 3683-3690*
- Kirtley, J.L.**, see Hu, Y., *TPEL Feb. 2017 1124-1137*
- Kiyoumars, A.**, see Vafaie, M.H., *TPEL April 2017 2964-2975*
- Kiyoumars, A.**, see Shafiei, A., *TPEL Dec. 2017 9117-9130*
- Kizilyalli, I.C.**, see Mauch, D.L., *TPEL Dec. 2017 9333-9341*
- Kkelis, G.**, Yates, D.C., and Mitcheson, P.D., Class-E Half-Wave Zero dv/dt Rectifiers for Inductive Power Transfer; *TPEL Nov. 2017 8322-8337*
- Knott, A.**, see Mira, M.C., *TPEL Feb. 2017 1138-1155*
- Ko, Y.**, Andresen, M., Buticchi, G., and Liserre, M., Power Routing for Cascaded H-Bridge Converters; *TPEL Dec. 2017 9435-9446*
- Kobaku, T.**, Patwardhan, S.C., and Agarwal, V., Experimental Evaluation of Internal Model Control Scheme on a DC-DC Boost Converter Exhibiting Nonminimum Phase Behavior; *TPEL Nov. 2017 8880-8891*
- Koc, M.**, Wang, J., and Sun, T., An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives; *TPEL Jan. 2017 490-502*
- Koc, M.**, see Sun, T., *TPEL June 2017 4652-4662*
- Koc, M.**, see Sun, T., *TPEL Sept. 2017 7405-7408*
- Koga, T.**, see Hariya, A., *TPEL Aug. 2017 5953-5963*
- Koizumi, H.**, see Minami, Y., *TPEL Feb. 2017 1255-1267*
- Kojima, H.**, see Illenberger, P., *TPEL Sept. 2017 6904-6912*
- Kokosis, S.G.**, Andreadis, I.E., Kampitsis, G.E., Pachos, P., and Manias, S., Forced Current Balancing of Parallel-Connected SiC JFETs During Forward and Reverse Conduction Mode; *TPEL Feb. 2017 1400-1410*
- Kolar, J.W.**, see Andersen, T.M., *TPEL Jan. 2017 363-377*
- Kolar, J.W.**, see Andersen, T.M., *TPEL Jan. 2017 378-393*
- Kolar, J.W.**, see Krismer, F., *TPEL April 2017 3112-3127*
- Kolar, J.W.**, see Boillat, D.O., *TPEL April 2017 2473-2480*
- Kolar, J.W.**, see Burkart, R.M., *TPEL June 2017 4344-4358*
- Kolar, J.W.**, see Burkart, R.M., *TPEL July 2017 5258-5270*
- Kolar, J.W.**, see Schrittwieser, L., *TPEL July 2017 5771-5785*
- Kolar, J.W.**, see Kasper, M., *TPEL Oct. 2017 7750-7769*
- Kolar, J.W.**, see Ortiz, G., *TPEL Oct. 2017 7534-7542*
- Kolar, J.W.**, see Leibl, M., *TPEL Nov. 2017 8800-8812*
- Kolar, J.W.**, see Anderson, J.A., *TPEL Dec. 2017 8963-8968*
- Kong, L.**, see Nien, C., *TPEL Oct. 2017 8124-8133*
- Konrad, W.**, Deboy, G., and Muetze, A., A Power Supply Achieving Titanium Level Efficiency for a Wide Range of Input Voltages; *TPEL Jan. 2017 117-127*
- Konstantakopoulos, I.C.**, see Poon, J., *TPEL Feb. 2017 1419-1430*
- Konstantinou, G.**, see Aguilera, R.P., *TPEL March 2017 2416-2426*
- Konstantinou, G.**, see Lopez, I., *TPEL June 2017 4878-4890*
- Konstantinou, G.**, see Song, K., *TPEL Oct. 2017 7870-7881*
- Kortabarría, I.**, see Onederra, O., *TPEL Aug. 2017 6570-6576*
- Kossel, M.**, see Andersen, T.M., *TPEL Jan. 2017 363-377*
- Kossel, M.**, see Andersen, T.M., *TPEL Jan. 2017 378-393*
- Kostomovaara, J.T.**, see Duan, G., *TPEL Oct. 2017 7845-7850*
- Kostov, K.S.**, see Krismer, F., *TPEL April 2017 3112-3127*
- Kou, L.**, see Wang, H., *TPEL July 2017 5146-5161*
- Kou, L.**, see Wang, H., *TPEL Sept. 2017 6700-6715*
- Kouro, S.**, see Rojas, C.A., *TPEL Aug. 2017 6245-6260*
- Krause, O.**, see Xie, B., *TPEL Dec. 2017 9031-9042*
- Krishnamoorthy, H.S.**, see Sandoval, J.J., *TPEL Oct. 2017 7458-7468*
- Krismer, F.**, see Andersen, T.M., *TPEL Jan. 2017 363-377*
- Krismer, F.**, see Andersen, T.M., *TPEL Jan. 2017 378-393*
- Krismer, F.**, Schroth, S., Ertl, H., Kostov, K.S., Nee, H., and Kolar, J.W., Analysis and Practical Relevance of CM/DM EMI Noise Separator Characteristics; *TPEL April 2017 3112-3127*
- Krismer, F.**, see Boillat, D.O., *TPEL April 2017 2473-2480*
- Kshirsagar, A.**, see Nair, R., V., *TPEL Jan. 2017 52-59*
- Ksiazek, P.F.**, see Pena-Alzola, R., *TPEL June 2017 4812-4826*
- Kucka, J.**, Karwatzki, D., Baruschka, L., and Mertens, A., Modular Multilevel Converter With Magnetically Coupled Branch Inductors; *TPEL Sept. 2017 6767-6777*
- Kucka, J.**, Karwatzki, D., and Mertens, A., Enhancing the Reliability of Modular Multilevel Converters Using Neutral Shift; *TPEL Dec. 2017 8953-8957*
- Kukita, A.**, see Uno, M., *TPEL Nov. 2017 8500-8513*
- Kularatna, N.**, see Gurusinghe, N., *TPEL Feb. 2017 911-914*
- Kull, L.**, see Andersen, T.M., *TPEL Jan. 2017 363-377*
- Kull, L.**, see Andersen, T.M., *TPEL Jan. 2017 378-393*
- Kumar, A.**, see Verma, V., *TPEL July 2017 5398-5410*
- Kumar, A.**, and Sensarma, P., A Four-Switch Single-Stage Single-Phase Buck-Boost Inverter; *TPEL July 2017 5282-5292*
- Kumar, M.**, see Jang, Y., *TPEL Feb. 2017 942-956*
- Kumsuwan, Y.**, see Jarutus, N., *TPEL May 2017 3425-3441*
- Kundu, U.**, Yenduri, K., and Sensarma, P., Accurate ZVS Analysis for Magnetic Design and Efficiency Improvement of Full-Bridge LLC Resonant Converter; *TPEL March 2017 1703-1706*
- Kuo, N.**, see Zhao, B., *TPEL Sept. 2017 7130-7139*
- Kuperman, A.**, see Yuhimenko, V., *TPEL Feb. 2017 1570-1578*
- Kurokawa, F.**, see Haga, H., *TPEL April 2017 2498-2507*
- Kwok, K.**, see Tang, S.C., *TPEL May 2017 3844-3857*
- Kwon, D.**, see Yeo, T., *TPEL Jan. 2017 471-478*
- Kwon, J.**, Wang, X., Blaabjerg, F., and Bak, C.L., Frequency-Domain Modeling and Simulation of DC Power Electronic Systems Using Harmonic State Space Method; *TPEL Feb. 2017 1044-1055*
- Kwon, J.**, Wang, X., Blaabjerg, F., Bak, C.L., Sularea, V., and Busca, C., Harmonic Interaction Analysis in a Grid-Connected Converter Using Harmonic State-Space (HSS) Modeling; *TPEL Sept. 2017 6823-6835*
- Kwon, J.B.**, see Esparza, M., *TPEL Aug. 2017 5907-5916*
- Kwon, M.**, and Choi, S., An Electrolytic Capacitorless Bidirectional EV Charger for V2G and V2H Applications; *TPEL Sept. 2017 6792-6799*
- Kwon, Y.**, see Kim, H., *TPEL June 2017 4970-4980*
- Kwon, Y.**, and Sul, S., Reduction of Injection Voltage in Signal Injection Sensorless Drives Using a Capacitor-Integrated Inverter; *TPEL Aug. 2017 6261-6274*
- Kyriakides, E.**, see Hadjidemetriou, L., *TPEL April 2017 2784-2793*
- Kyritsis, A.C.**, see Voglitsis, D., *TPEL Nov. 2017 8526-8543*

L

- Laboure, E.**, see Yu, C., *TPEL Feb. 2017 906-910*
- Lago, A.**, see Quintans, C., *TPEL May 2017 3868-3878*
- Lago, J.**, and Heldwein, M.L., Generalized Synchronous Optimal Pulse Width Modulation for Multilevel Inverters; *TPEL Aug. 2017 6297-6307*
- Lai, J.**, see Reichl, J., *TPEL Jan. 2017 503-514*
- Lai, J.**, see Liu, Y., *TPEL May 2017 3835-3843*
- Lai, J.**, see Kim, H., *TPEL Aug. 2017 6468-6480*
- Lai, J.**, see Zhang, L., *TPEL Nov. 2017 8823-8832*
- Lai, W.**, Chen, M., Ran, L., Xu, S., Jiang, N., Wang, X., Alatise, O., and Mawby, P., Experimental Investigation on the Effects of Narrow Junction Temperature Cycles on Die-Attach Solder Layer in an IGBT Module; *TPEL Feb. 2017 1431-1441*
- Lai, X.**, see Wang, Z., *TPEL Sept. 2017 7045-7055*
- Lai, Y.M.**, see Wong, C.S., *TPEL March 2017 2167-2179*
- Lai, Y.M.**, see Leung, K.H., *TPEL April 2017 2608-2621*
- Lai, Y.M.**, see Yaqoob, M., *TPEL Dec. 2017 9093-9104*
- Lam, C.**, see Wang, L., *TPEL Feb. 2017 1056-1069*
- Lam, C.**, see Lao, K., *TPEL April 2017 2631-2646*
- Lam, C.**, Wang, L., Ho, S., and Wong, M., Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction; *TPEL Oct. 2017 7577-7590*
- Lam, C.**, see Wang, L., *TPEL Dec. 2017 9065-9077*
- Lamar, D.G.**, Arias, M., Fernandez, A., Villarejo, J.A., and Sebastian, J., Active Input Current Shaper Without an Electrolytic Capacitor for Retrofit Lamps Applications; *TPEL May 2017 3908-3919*

- Lamo, P.**, Lopez, F., Pigazo, A., and Azcondo, F.J., An Efficient FPGA Implementation of a Quadrature Signal-Generation Subsystem in SRF PLLs in Single-Phase PFCs; *TPEL May 2017 3959-3969*
- Lang, X.**, see Yang, M., *TPEL Dec. 2017 9267-9279*
- Lao, K.**, Wong, M., Dai, N., Lam, C., Wong, C., and Wang, L., Analysis in the Effect of Co-phase Traction Railway HPQC Coupled Impedance on Its Compensation Capability and Impedance-Mapping Design Technique Based on Required Compensation Capability for Reduction in Operation Voltage; *TPEL April 2017 2631-2646*
- Lascu, C.**, Jafarzadeh, S., Fadali, M.S., and Blaabjerg, F., Direct Torque Control With Feedback Linearization for Induction Motor Drives; *TPEL March 2017 2072-2080*
- Lazzarin, T.B.**, see Costa, P.J.S., *TPEL June 2017 4279-4290*
- Lee, K.M.**, Van Hoang, H., and Jeon, J.W., An Advanced Closed-Loop Control to Improve the Performance of Hybrid Stepper Motors; *TPEL Sept. 2017 7244-7255*
- Lee, A.**, Fan, C., and Chen, G., Current Integral Method for Fine Commutation Tuning of Sensorless Brushless DC Motor; *TPEL Dec. 2017 9249-9266*
- Lee, A.T.L.**, see Chen, H., *TPEL April 2017 3063-3074*
- Lee, B.**, see Kim, D., *TPEL June 2017 4553-4565*
- Lee, B.K.**, see Kim, Y., *TPEL March 2017 1731-1743*
- Lee, C.**, see Yan, S., *TPEL July 2017 5171-5179*
- Lee, C.K.**, Xu, D., Pong, B.M.H., Kiratipongvoot, S., and Ng, W.M., A Three-Winding Common Mode Inductor; *TPEL July 2017 5180-5187*
- Lee, E.S.**, Choi, B.G., Choi, J.S., Nguyen, D.T., and Rim, C.T., Wide-Range Adaptive IPT Using Dipole-Coils With a Reflector by Variable Switched Capacitance; *TPEL Oct. 2017 8054-8070*
- Lee, E.S.**, Choi, J.S., Son, H.S., Han, S.H., and Rim, C.T., Six Degrees of Freedom Wide-Range Ubiquitous IPT for IoT by DQ Magnetic Field; *TPEL Nov. 2017 8258-8276*
- Lee, F.C.**, see Huang, X., *TPEL Jan. 2017 593-601*
- Lee, F.C.**, see Hou, D., *TPEL April 2017 2987-2994*
- Lee, F.C.**, see Fei, C., *TPEL July 2017 5628-5636*
- Lee, F.C.**, see Fei, C., *TPEL Oct. 2017 8008-8017*
- Lee, F.C.**, see Hou, D., *TPEL Nov. 2017 8705-8717*
- Lee, H.**, Choe, H., Ham, S., and Kang, B., High-Efficiency Asymmetric Forward-Flyback Converter for Wide Output Power Range; *TPEL Jan. 2017 433-440*
- Lee, H.**, see Jeon, Y., *TPEL March 2017 1941-1951*
- Lee, H.**, see Tran, Q., *TPEL Oct. 2017 7904-7915*
- Lee, I.**, see Yeon, C., *TPEL Sept. 2017 7056-7067*
- Lee, J.**, see Kim, S., *TPEL Feb. 2017 1493-1506*
- Lee, J.**, Lee, K., and Cho, D., Stability Improvement of Transmission Efficiency Based on a Relay Resonator in a Wireless Power Transfer System; *TPEL May 2017 3297-3300*
- Lee, J.**, see Jung, J., *TPEL June 2017 4199-4209*
- Lee, J.**, see Choi, S., *TPEL Aug. 2017 6119-6134*
- Lee, J.**, see Baek, J., *TPEL Oct. 2017 7449-7457*
- Lee, J.**, see Jeong, Y., *TPEL Oct. 2017 7795-7804*
- Lee, J.**, see Park, J.S., *TPEL Oct. 2017 7651-7662*
- Lee, J.S.**, see Kim, H., *TPEL Aug. 2017 6468-6480*
- Lee, K.**, see Kim, S., *TPEL Feb. 2017 1493-1506*
- Lee, K.**, and Ha, J., Single-Phase Inverter Drive for Interior Permanent Magnet Machines; *TPEL Feb. 2017 1355-1366*
- Lee, K.**, Chung, E., Han, Y., and Ha, J., A Family of High-Frequency Single-Switch DC-DC Converters With Low Switch Voltage Stress Based on Impedance Networks; *TPEL April 2017 2913-2924*
- Lee, K.**, see Chung, E., *TPEL May 2017 3651-3661*
- Lee, K.**, see Lee, J., *TPEL May 2017 3297-3300*
- Lee, K.**, see Park, Y., *TPEL Sept. 2017 6946-6960*
- Lee, K.**, see Park, J.S., *TPEL Nov. 2017 8247-8253*
- Lee, K.B.**, see Jiang, S., *TPEL Nov. 2017 8743-8750*
- Lee, M.**, see Song, X., *TPEL Aug. 2017 6381-6393*
- Lee, M.**, see Park, Y., *TPEL Sept. 2017 6946-6960*
- Lee, P.**, see Wu, T., *TPEL Feb. 2017 1591-1601*
- Lee, S.**, and Do, H., A Single-Switch AC-DC LED Driver Based on a Boost-Flyback PFC Converter With Lossless Snubber; *TPEL Feb. 2017 1375-1384*
- Lee, S.**, and Do, H., Zero-Ripple Input-Current High-Step-Up Boost-SEPIC DC-DC Converter With Reduced Switch-Voltage Stress; *TPEL Aug. 2017 6170-6177*
- LeFranc, P.**, see Wanderoild, Y., *TPEL April 2017 2493-2497*
- LeFranc, P.**, see Nguyen, V., *TPEL Aug. 2017 6079-6090*
- Leggate, D.**, see Zhang, Z., *TPEL June 2017 4577-4586*
- Lehman, B.**, and Chung, H.S.H., Editorial: Reflections on 2016; *TPEL Jan. 2017 1-01*
- Lehman, B.**, see Neacsu, D.O., *TPEL July 2017 5813-5826*
- Lehman, B.**, see Forouzes, M., *TPEL Dec. 2017 9143-9178*
- Lei, J.**, see Chen, C., *TPEL Jan. 2017 762-772*
- Lei, J.**, Zhou, B., Bian, J., Wei, J., Zhu, Y., Yu, J., and Yang, Y., Feedback Control Strategy to Eliminate the Input Current Harmonics of Matrix Converter Under Unbalanced Input Voltages; *TPEL Jan. 2017 878-888*
- Lei, J.**, see Han, N., *TPEL Oct. 2017 8181-8192*
- Lei, W.**, see Li, Y., *TPEL Aug. 2017 6069-6078*
- Lei, W.**, see Shi, L., *TPEL Nov. 2017 8787-8799*
- Lei, X.**, Zheng, H., Guo, X., Zhang, Z., Wu, J., Xu, C., and Liu, S., Reduction of Die-Bonding Interface Thermal Resistance for High-Power LEDs Through Embedding Packaging Structure; *TPEL July 2017 5520-5526*
- Lei, Y.**, see Qin, S., *TPEL June 2017 4905-4924*
- Lei, Y.**, Barth, C., Qin, S., Liu, W., Moon, I., Stillwell, A., Chou, D., Foulkes, T., Ye, Z., Liao, Z., and Pilawa-Podgurski, R.C.N., A 2-kW Single-Phase Seven-Level Flying Capacitor Multilevel Inverter With an Active Energy Buffer; *TPEL Nov. 2017 8570-8581*
- Leibl, M.**, Kolar, J.W., and Deuringer, J., Sinusoidal Input Current Discontinuous Conduction Mode Control of the VIENNA Rectifier; *TPEL Nov. 2017 8800-8812*
- Leibl, M.G.**, see Ortiz, G., *TPEL Oct. 2017 7534-7542*
- Lemmen, E.**, see Tibola, G., *TPEL Dec. 2017 9210-9222*
- Leng, S.**, see Errouissi, R., *TPEL March 2017 2265-2277*
- Leng, S.**, see Ul-Haque, A.R.N.M.R., *TPEL Oct. 2017 7851-7861*
- Leon, A.E.**, and Amodeo, S.J., Energy Balancing Improvement of Modular Multilevel Converters Under Unbalanced Grid Conditions; *TPEL Aug. 2017 6628-6637*
- Leuenberger, D.**, and Biela, J., PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking; *TPEL Aug. 2017 6105-6118*
- Leung, K.H.**, Loo, K.H., and Lai, Y.M., A Family of Ripple Estimation-Cancellation Methods Based on Switched-Resistor Circuits and Their Application in Fast-Response PFC Preregulator; *TPEL April 2017 2608-2621*
- Levi, E.**, see Darijevic, M., *TPEL May 2017 3719-3730*
- Levi, E.**, see Pandit, J.K., *TPEL Sept. 2017 7118-7129*
- Lezana, P.**, see Aguilera, R.P., *TPEL March 2017 2416-2426*
- Li, B.**, see Umaz, R., *TPEL May 2017 3562-3570*
- Li, B.**, Zhou, S., Xu, D., Finney, S.J., and Williams, B.W., A Hybrid Modular Multilevel Converter for Medium-Voltage Variable-Speed Motor Drives; *TPEL June 2017 4619-4630*
- Li, B.**, see Yang, R., *TPEL June 2017 4219-4230*
- Li, C.**, see Guo, C., *TPEL Feb. 2017 967-976*
- Li, C.**, Zhang, Y., Cao, Z., and XU, D., Single-Phase Single-Stage Isolated ZCS Current-Fed Full-Bridge Converter for High-Power AC/DC Applications; *TPEL Sept. 2017 6800-6812*
- Li, C.**, Wang, S., Guan, Q., and Xu, D., Hybrid Modulation Concept for Five-Level Active-Neutral-Point-Clamped Converter; *TPEL Dec. 2017 8958-8962*
- Li, D.**, see Zhang, Y., *TPEL Dec. 2017 9051-9064*
- Li, F.**, see Yu, C., *TPEL April 2017 3192-3205*
- Li, F.**, see Zhang, X., *TPEL July 2017 5023-5034*
- Li, G.**, see Chen, H., *TPEL May 2017 4074-4083*
- Li, G.**, see Yin, Z., *TPEL Sept. 2017 7096-7117*
- Li, H.**, Zheng, S., and Ren, H., Self-Correction of Commutation Point for High-Speed Sensorless BLDC Motor With Low Inductance and Nonideal Back EMF; *TPEL Jan. 2017 642-651*
- Li, H.**, see Han, Y., *TPEL March 2017 2427-2451*
- Li, H.**, see Fang, J., *TPEL March 2017 1725-1730*

- Li, H., Li, W., and Ren, H., Fault-Tolerant Inverter for High-Speed Low-Inductance BLDC Drives in Aerospace Applications; *TPEL March 2017 2452-2463*
- Li, H., see Wang, K., *TPEL June 2017 4728-4740*
- Li, H., see Zheng, S., *TPEL July 2017 5752-5759*
- Li, H., Munk-Nielsen, S., Wang, X., Beczkowski, S., Jones, S.R., and Dai, X., Effects of Auxiliary-Source Connections in Multichip Power Module; *TPEL Oct. 2017 7816-7823*
- Li, J., see Zhang, Y., *TPEL Jan. 2017 825-836*
- Li, J., see Zhao, B., *TPEL March 2017 1779-1791*
- Li, J., see Deng, Y., *TPEL April 2017 2521-2532*
- Li, J., see Zhao, B., *TPEL May 2017 3413-3424*
- Li, J., Tseng, V.F., Xiao, Z., and Xie, H., A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC-DC Converters; *TPEL May 2017 3858-3867*
- Li, J., Teng, Z., Tang, Q., Song, J., and Li, X., Dielectric Loss Factor Measurement in Power Systems Based on Sampling Sequence Reconstruction Approach; *TPEL June 2017 4766-4775*
- Li, J., Jiang, J., and Qiao, S., A Space Vector Pulse Width Modulation for Five-Level Nested Neutral Point Piloted Converter; *TPEL Aug. 2017 5991-6004*
- Li, J., see Zhang, Y., *TPEL Sept. 2017 6728-6738*
- Li, J., see Zhao, B., *TPEL Sept. 2017 6751-6766*
- Li, J., van Horeck, F.B.M., Daniel, B.J., and Bergveld, H.J., A High-Switching-Frequency Flyback Converter in Resonant Mode; *TPEL Nov. 2017 8582-8592*
- Li, K., see Lu, S., *TPEL Jan. 2017 81-97*
- Li, K., Hu, Y., and Ioinovici, A., Generation of the Large DC Gain Step-Up Nonisolated Converters in Conjunction With Renewable Energy Sources Starting From a Proposed Geometric Structure; *TPEL July 2017 5323-5340*
- Li, K., Yuan, L., Zhao, Z., Lu, S., and Zhang, Y., Fault-Tolerant Control of MMC With Hot Reserved Submodules Based on Carrier Phase Shift Modulation; *TPEL Sept. 2017 6778-6791*
- Li, L., see Xiao, F., *TPEL March 2017 1713-1719*
- Li, M., see Chen, H., *TPEL Jan. 2017 441-451*
- Li, M., Zhang, B., Qiu, D., and Zhang, G., Sneak Circuit Phenomena in a DCM Boost Converter Considering Parasitic Parameters; *TPEL May 2017 3946-3958*
- Li, P., Adam, G.P., Holliday, D., and Williams, B., Controlled Transition Full-Bridge Hybrid Multilevel Converter With Chain-Links of Full-Bridge Cells; *TPEL Jan. 2017 23-38*
- Li, P., Finney, S.J., and Holliday, D., Active-Forced-Commutated Bridge Using Hybrid Devices for High Efficiency Voltage Source Converters; *TPEL April 2017 2485-2489*
- Li, Q., see Huang, X., *TPEL Jan. 2017 593-601*
- Li, Q., see Hou, D., *TPEL April 2017 2987-2994*
- Li, Q., see Fei, C., *TPEL July 2017 5628-5636*
- Li, Q., see Fei, C., *TPEL Oct. 2017 8008-8017*
- Li, Q., see Hou, D., *TPEL Nov. 2017 8705-8717*
- Li, R.T., see Ho, C.N.M., *TPEL Aug. 2017 6206-6218*
- Li, S., see Wang, W., *TPEL March 2017 2052-2063*
- Li, S., Guo, Y., Tan, S.-C., and Hui, S.Y., An Off-line Single-Inductor Multiple-Output LED Driver With High Dimming Precision and Full Dimming Range; *TPEL June 2017 4716-4727*
- Li, S., Xia, C., Yan, Y., and Shi, T., Space-Vector Overmodulation Strategy for Ultrasparse Matrix Converter Based on the Maximum Output Voltage Vector; *TPEL July 2017 5388-5397*
- Li, S., Qi, W., Tan, S., and Hui, S.Y.R., A Single-Stage Two-Switch PFC Rectifier With Wide Output Voltage Range and Automatic AC Ripple Power Decoupling; *TPEL Sept. 2017 6971-6982*
- Li, T., see Fu, M., *TPEL Jan. 2017 837-848*
- Li, T., see Fu, M., *TPEL July 2017 5377-5387*
- Li, W., see Li, H., *TPEL March 2017 2452-2463*
- Li, W., see Luo, H., *TPEL April 2017 2558-2567*
- Li, W., see Wang, C., *TPEL July 2017 5227-5247*
- Li, W., see Chen, Y., *TPEL Aug. 2017 6394-6404*
- Li, X., see Zhang, Y., *TPEL Jan. 2017 825-836*
- Li, X., see Sun, X., *TPEL Jan. 2017 69-80*
- Li, X., see Bai, Y., *TPEL April 2017 2687-2703*
- Li, X., see Wu, F., *TPEL May 2017 3623-3633*
- Li, X., see Li, J., *TPEL June 2017 4766-4775*
- Li, X., Sun, Y., Zhang, J., Su, M., and Huang, S., Modulation Methods for Indirect Matrix Converter Extending the Input Reactive Power Range; *TPEL June 2017 4852-4863*
- Li, X., see Chen, W., *TPEL July 2017 5497-5508*
- Li, X., see Fu, S., *TPEL Aug. 2017 6049-6058*
- Li, X., see Sun, X., *TPEL Sept. 2017 6882-6895*
- Li, X., see Hu, S., *TPEL Oct. 2017 7727-7738*
- Li, X., see Fang, J., *TPEL Nov. 2017 8446-8457*
- Li, Y., Mai, R., Lu, L., and He, Z., Active and Reactive Currents Decomposition-Based Control of Angle and Magnitude of Current for a Parallel Multi-inverter IPT System; *TPEL Feb. 2017 1602-1614*
- Li, Y., Liu, Q., Hu, S., Liu, F., Cao, Y., Luo, L., and Rehtanz, C., A Virtual Impedance Comprehensive Control Strategy for the Controllably Inductive Power Filtering System; *TPEL Feb. 2017 920-926*
- Li, Y., see Qiu, L., *TPEL April 2017 2568-2583*
- Li, Y., see Zhou, D., *TPEL May 2017 3731-3740*
- Li, Y., see Xu, Y., *TPEL May 2017 3797-3807*
- Li, Y., Yang, X., and Chen, W., Circulating Current Analysis and Suppression for Configured Three-Limb Inductors in Paralleled Three-Level T-Type Converters With Space-Vector Modulation; *TPEL May 2017 3338-3354*
- Li, Y., see Liu, B., *TPEL July 2017 5070-5086*
- Li, Y., see Gunasekaran, D., *TPEL Aug. 2017 6219-6235*
- Li, Y., see Xu, Q., *TPEL Aug. 2017 6031-6048*
- Li, Y., see Mai, R., *TPEL Aug. 2017 5897-5906*
- Li, Y., Shi, X., Liu, B., Lei, W., Wang, F., and Tolbert, L.M., Development, Demonstration, and Control of a Testbed for Multiterminal HVDC System; *TPEL Aug. 2017 6069-6078*
- Li, Y., see Shi, X., *TPEL Sept. 2017 7306-7324*
- Li, Y., see Zhang, H., *TPEL Nov. 2017 8458-8469*
- Li, Y., see Xie, B., *TPEL Dec. 2017 9031-9042*
- Li, Y.W., see Quan, Z., *TPEL Jan. 2017 703-714*
- Li, Y.W., see Lian, Y., *TPEL Feb. 2017 1312-1323*
- Li, Y.W., see Sun, K., *TPEL March 2017 1872-1884*
- Li, Y.W., see He, J., *TPEL April 2017 2661-2674*
- Li, Y.W., see He, J., *TPEL April 2017 2647-2660*
- Li, Z., see Zhang, H., *TPEL March 2017 2215-2226*
- Li, Z., Zhu, C., Jiang, J., Song, K., and Wei, G., A 3-kW Wireless Power Transfer System for Sightseeing Car Supercapacitor Charge; *TPEL May 2017 3301-3316*
- Li, Z., see Zhang, G., *TPEL Sept. 2017 6661-6665*
- Li, Z., see Goetz, S.M., *TPEL Nov. 2017 8381-8392*
- Li, Z., see Shi, L., *TPEL Nov. 2017 8787-8799*
- Li, Z., see Zhang, X., *TPEL Dec. 2017 8992-9000*
- Lian, Y., Li, Y.W., Quan, Z., Zargari, N.R., and Cheng, Z., SVM Strategies for Common-Mode Current Reduction in Transformerless Current-Source Drives at Low Modulation Index; *TPEL Feb. 2017 1312-1323*
- Liang, B., see He, J., *TPEL April 2017 2661-2674*
- Liang, B., see He, J., *TPEL April 2017 2647-2660*
- Liang, J., see Wang, J., *TPEL Oct. 2017 7494-7508*
- Liang, W., Luk, P.C., and Fei, W., Analytical Investigation of Sideband Electromagnetic Vibration in Integral-Slot PMSM Drive With SVPWM Technique; *TPEL June 2017 4785-4795*
- Liang, X., see He, J., *TPEL April 2017 2661-2674*
- Liang, X., see Goetz, S.M., *TPEL Nov. 2017 8381-8392*
- Liang, Z., see Hu, S., *TPEL Nov. 2017 8936-8944*
- Liao, C., Lin, W., Chen, Y., and Chou, C., A PV Micro-inverter With PV Current Decoupling Strategy; *TPEL Aug. 2017 6544-6557*
- Liao, L., Wang, J., Tang, S., Shuai, Z., Yin, X., and Shen, Z.J., A New Proportional Base Drive Technique for SiC Bipolar Junction Transistor; *TPEL June 2017 4600-4606*
- Liao, X., see Xiao, F., *TPEL March 2017 1713-1719*
- Liao, X., see Xu, G., *TPEL March 2017 2243-2252*

- Liao, Y., Liu, Z., Zhang, G., and Xiang, C., Vehicle-Grid System Modeling and Stability Analysis With Forbidden Region-Based Criterion; *TPEL May 2017* 3499-3512
- Liao, Z., see Lei, Y., *TPEL Nov. 2017* 8570-8581
- Lidozzi, A., see Benedetto, M.D., *TPEL July 2017* 5741-5751
- Liivik, E., see Vinnikov, D., *TPEL May 2017* 3634-3650
- Limjoco, A.S., see Meehan, P.J., *TPEL June 2017* 4741-4752
- Lin, D., Zhang, C., and Hui, S.Y.R., Mathematic Analysis of Omnidirectional Wireless Power Transfer—Part-II Three-Dimensional Systems; *TPEL Jan. 2017* 613-624
- Lin, D., Zhang, C., and Hui, S.Y.R., Mathematical Analysis of Omnidirectional Wireless Power Transfer—Part-I: Two-Dimensional Systems; *TPEL Jan. 2017* 625-633
- Lin, D., see Chen, H., *TPEL April 2017* 3063-3074
- Lin, H., see Peng, X., *TPEL Sept. 2017* 7381-7393
- Lin, H., see Wang, X., *TPEL Oct. 2017* 8193-8203
- Lin, J., see Ye, Y., *TPEL June 2017* 4444-4454
- Lin, L., see Wu, T., *TPEL Feb. 2017* 1591-1601
- Lin, L., Ma, H., and Bai, Z., An Improved Proportional Load-Sharing Strategy for Meshed Parallel Inverters System With Complex Impedances; *TPEL Sept. 2017* 7338-7351
- Lin, M., see Ai, J., *TPEL Sept. 2017* 6896-6903
- Lin, W., see Dai, Z., *TPEL July 2017* 5613-5627
- Lin, W., see Liao, C., *TPEL Aug. 2017* 6544-6557
- Lin, Y., see Nien, C., *TPEL Oct. 2017* 8124-8133
- Lin, Y., see Lu, H., *TPEL Dec. 2017* 9280-9292
- Lin, Z., see Du, J., *TPEL Jan. 2017* 693-702
- Lin, Z., see Wang, R., *TPEL June 2017* 4455-4465
- Lin-Shi, X., see Shili, S., *TPEL June 2017* 4939-4948
- Lin-Shi, X., see Gendrin, M., *TPEL July 2017* 5487-5496
- Liserre, M., see Costa, L., *TPEL Feb. 2017* 900-905
- Liserre, M., see Baker, N., *TPEL April 2017* 3099-3111
- Liserre, M., see Andresen, M., *TPEL June 2017* 4753-4765
- Liserre, M., see Jedtberg, H., *TPEL July 2017* 5248-5257
- Liserre, M., see Buticchi, G., *TPEL Nov. 2017* 8892-8903
- Liserre, M., see Ko, Y., *TPEL Dec. 2017* 9435-9446
- Liu, B., see Luo, Y., *TPEL Jan. 2017* 142-149
- Liu, B., Shi, X., Li, Y., Wang, F.F., and Tolbert, L.M., A Line Impedance Conditioner for Saturation Mitigation of Zigzag Transformer in Hybrid AC/DC Transmission System Considering Line Unbalances; *TPEL July 2017* 5070-5086
- Liu, B., see Li, Y., *TPEL Aug. 2017* 6069-6078
- Liu, B., see Shi, X., *TPEL Sept. 2017* 7306-7324
- Liu, C., Qi, L., Cui, X., and Wei, X., Experimental Extraction of Parasitic Capacitances for High-Frequency Transformers; *TPEL June 2017* 4157-4167
- Liu, C., see Wang, H., *TPEL July 2017* 5539-5549
- Liu, D., Deng, F., and Chen, Z., Five-Level Active-Neutral-Point-Clamped DC/DC Converter for Medium-Voltage DC Grids; *TPEL May 2017* 3402-3412
- Liu, D., Hu, H., and Georgakopoulos, S.V., Misalignment Sensitivity of Strongly Coupled Wireless Power Transfer Systems; *TPEL July 2017* 5509-5519
- Liu, F., see Li, Y., *TPEL Feb. 2017* 920-926
- Liu, F., Yang, Y., Jiang, D., Ruan, X., and Chen, X., Modeling and Optimization of Magnetically Coupled Resonant Wireless Power Transfer System With Varying Spatial Scales; *TPEL April 2017* 3240-3250
- Liu, F., see Yu, C., *TPEL April 2017* 3192-3205
- Liu, F., Liu, W., Zha, X., Yang, H., and Feng, K., Solid-State Circuit Breaker Snubber Design for Transient Overvoltage Suppression at Bus Fault Interruption in Low-Voltage DC Microgrid; *TPEL April 2017* 3007-3021
- Liu, F., Chen, Y., and Chen, X., Comprehensive Analysis of Three-Phase Three-Level LC-Type Resonant DC/DC Converter With Variable Frequency Control—Series Resonant Converter; *TPEL July 2017* 5122-5131
- Liu, G., Xu, F., Xu, Z., Zhang, Z., and Tang, G., Assembly HVDC Breaker for HVDC Grids With Modular Multilevel Converters; *TPEL Feb. 2017* 931-941
- Liu, G., Jang, Y., Jovanovi, M.M., and Zhang, J.Q., Implementation of a 3.3-kW DC-DC Converter for EV On-Board Charger Employing the Series-Resonant Converter With Reduced-Frequency-Range Control; *TPEL June 2017* 4168-4184
- Liu, G., see Chen, S., *TPEL Nov. 2017* 8845-8856
- Liu, H., and Zhang, D., Two-Phase Interleaved Inverse-Coupled Inductor Boost Without Right Half-Plane Zeros; *TPEL March 2017* 1844-1859
- Liu, H., see Cai, B., *TPEL July 2017* 5590-5600
- Liu, H., Zhang, D., and Wang, D., Design Considerations for Output Capacitance Under Inductance Mismatches in Multiphase Buck Converters; *TPEL July 2017* 5004-5015
- Liu, H., Yang, Y., Wang, X., Loh, P.C., Blaabjerg, F., Wang, W., and Xu, D., An Enhanced Dual Droop Control Scheme for Resilient Active Power Sharing Among Paralleled Two-Stage Converters; *TPEL Aug. 2017* 6091-6104
- Liu, H., see Wang, W., *TPEL Sept. 2017* 7011-7024
- Liu, J., see Zhang, Y., *TPEL Feb. 2017* 1533-1547
- Liu, J., see Zhang, H., *TPEL March 2017* 2215-2226
- Liu, J., Wu, J., Zeng, J., and Guo, H., A Novel Nine-Level Inverter Employing One Voltage Source and Reduced Components as High-Frequency AC Power Source; *TPEL April 2017* 2939-2947
- Liu, J., see Tan, L., *TPEL May 2017* 3458-3466
- Liu, J., see Zhang, Y., *TPEL Aug. 2017* 6532-6543
- Liu, J., see Yin, Z., *TPEL Sept. 2017* 7096-7117
- Liu, J., Zhang, J., Zheng, T.Q., and Yang, J., A Modified Gain Model and the Corresponding Design Method for an LLC Resonant Converter; *TPEL Sept. 2017* 6716-6727
- Liu, J., see Zhou, S., *TPEL Nov. 2017* 8904-8921
- Liu, K., see Liu, Z., *TPEL April 2017* 3154-3165
- Liu, M., Fu, M., and Ma, C., Low-Harmonic-Contents and High-Efficiency Class E Full-Wave Current-Driven Rectifier for Megahertz Wireless Power Transfer Systems; *TPEL Feb. 2017* 1198-1209
- Liu, M., Qiao, Y., Liu, S., and Ma, C., Analysis and Design of A Robust Class E^2 DC-DC Converter for Megahertz Wireless Power Transfer; *TPEL April 2017* 2835-2845
- Liu, M., see Liu, S., *TPEL June 2017* 4514-4523
- Liu, N., see Hu, C., *TPEL Oct. 2017* 7419-7434
- Liu, P., and Yen, C., A Fast-Charging Switching-Based Charger With Adaptive Hybrid Duty Cycle Control for Multiple Batteries; *TPEL March 2017* 1975-1983
- Liu, Q., see Li, Y., *TPEL Feb. 2017* 920-926
- Liu, S., see Liu, M., *TPEL April 2017* 2835-2845
- Liu, S., Liu, M., Yang, S., Ma, C., and Zhu, X., A Novel Design Methodology for High-Efficiency Current-Mode and Voltage-Mode Class-E Power Amplifiers in Wireless Power Transfer systems; *TPEL June 2017* 4514-4523
- Liu, S., see Lei, X., *TPEL July 2017* 5520-5526
- Liu, T., see Lu, H., *TPEL Dec. 2017* 9280-9292
- Liu, W., see Zhao, B., *TPEL March 2017* 1779-1791
- Liu, W., see Liu, F., *TPEL April 2017* 3007-3021
- Liu, W., see Zhao, B., *TPEL May 2017* 3413-3424
- Liu, W., see Qin, S., *TPEL June 2017* 4905-4924
- Liu, W., see Zhao, B., *TPEL Sept. 2017* 6751-6766
- Liu, W., see Lei, Y., *TPEL Nov. 2017* 8570-8581
- Liu, X., see Tai, B., *TPEL Jan. 2017* 128-141
- Liu, X., Zhu, Z.Q., Stone, D.A., Foster, M.P., Chu, W.Q., Urquhart, I., and Greenough, J., Novel Dual-Phase-Shift Control With Bidirectional Inner Phase Shifts for a Dual-Active-Bridge Converter Having Low Surge Current and Stable Power Control; *TPEL May 2017* 4095-4106
- Liu, X., Yang, Q., Zhou, Q., Xu, J., and Zhou, G., Single-Stage Single-Switch Four-Output Resonant LED Driver With High Power Factor and Passive Current Balancing; *TPEL June 2017* 4566-4576
- Liu, X., Lv, J., Gao, C., Chen, Z., and Chen, S., A Novel STATCOM Based on Diode-Clamped Modular Multilevel Converters; *TPEL Aug. 2017* 5964-5977
- Liu, Y., see Zhang, Y., *TPEL Feb. 2017* 1533-1547
- Liu, Y., see Fang, P., *TPEL May 2017* 3892-3907
- Liu, Y., See, K.Y., Tseng, K.J., Simanjorang, R., and Lai, J., Magnetic Integration of Three-Phase LCL Filter With Delta-Yoke Composite Core; *TPEL May 2017* 3835-3843
- Liu, Y., see Wang, H., *TPEL June 2017* 4291-4306

- Liu, Y., *see* Fang, P., *TPEL June 2017 4700-4715*
- Liu, Y., *see* Chen, R., *TPEL July 2017 5035-5044*
- Liu, Y., *see* Chen, W., *TPEL July 2017 5497-5508*
- Liu, Y., *see* Wang, H., *TPEL July 2017 5146-5161*
- Liu, Y., Huang, M., Wang, H., Zha, X., Gong, J., and Sun, J., Reliability-Oriented Optimization of the LC Filter in a Buck DC-DC Converter; *TPEL Aug. 2017 6323-6337*
- Liu, Y., *see* Zhang, Y., *TPEL Aug. 2017 6532-6543*
- Liu, Y., *see* Wang, H., *TPEL Sept. 2017 6700-6715*
- Liu, Y., *see* Wang, H., *TPEL Sept. 2017 6994-7010*
- Liu, Y., *see* Xiang, D., *TPEL Sept. 2017 7271-7283*
- Liu, Y., *see* Jia, L., *TPEL Nov. 2017 8728-8742*
- Liu, Y., *see* Huang, M., *TPEL Nov. 2017 8868-8879*
- Liu, Y., *see* Wang, H., *TPEL Dec. 2017 9191-9209*
- Liu, Z., Wei, H., Zhong, Q., Liu, K., Xiao, X., and Wu, L., Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies; *TPEL April 2017 3154-3165*
- Liu, Z., *see* Min, R., *TPEL April 2017 3143-3153*
- Liu, Z., *see* Liao, Y., *TPEL May 2017 3499-3512*
- Loh, P.C., *see* Yao, W., *TPEL Jan. 2017 186-199*
- Loh, P.C., *see* Lu, M., *TPEL Feb. 2017 894-899*
- Loh, P.C., *see* Yao, W., *TPEL March 2017 2360-2375*
- Loh, P.C., *see* Xin, Z., *TPEL April 2017 3216-3228*
- Loh, P.C., *see* Liu, H., *TPEL Aug. 2017 6091-6104*
- Loh, P.C., *see* Zhao, R., *TPEL Aug. 2017 6286-6296*
- Loh, P.C., *see* Wang, X., *TPEL Sept. 2017 7394-7404*
- Loh, P.C., *see* Peyghami, S., *TPEL Oct. 2017 8089-8099*
- Loh, P.C., *see* Wang, X., *TPEL Nov. 2017 8922-8935*
- Loh, P.C., *see* Yao, W., *TPEL Nov. 2017 8419-8433*
- Loh, P.C., *see* Soltani, H., *TPEL Nov. 2017 8632-8643*
- Loh, P.C., *see* Bai, H., *TPEL Dec. 2017 9078-9092*
- Lomonova, E.A., *see* Vermulst, B.J.D., *TPEL April 2017 2546-2557*
- Long, J., *see* Yang, M., *TPEL Dec. 2017 9267-9279*
- Loo, K.H., *see* Wong, C.S., *TPEL March 2017 2167-2179*
- Loo, K.H., *see* Leung, K.H., *TPEL April 2017 2608-2621*
- Loo, K.H., *see* Yaqoob, M., *TPEL Dec. 2017 9093-9104*
- Lopez, F., *see* Lamo, P., *TPEL May 2017 3959-3969*
- Lopez, I., Ceballos, S., Pou, J., Zaragoza, J., Andreu, J., Ibarra, E., and Konstantinou, G., Generalized PWM-Based Method for Multiphase Neutral-Point-Clamped Converters With Capacitor Voltage Balance Capability; *TPEL June 2017 4878-4890*
- Lopez, O., *see* Baneira, F., *TPEL Aug. 2017 6275-6285*
- Lopez, O., *see* Perez-Esteviz, D., *TPEL Sept. 2017 7207-7221*
- Lopez, O., *see* Baneira, F., *TPEL Nov. 2017 8243-8246*
- Lopez, P., *see* Ferro, E., *TPEL July 2017 5293-5311*
- Lopez-Santos, O., Martinez-Salamero, L., Garcia, G., Valderrama-Blavi, H., and Zambrano-Prada, D.A., Steady-State Analysis of Inductor Conduction Modes in the Quadratic Boost Converter; *TPEL March 2017 2253-2264*
- Louerat, M., *see* Moursy, Y., *TPEL July 2017 5550-5559*
- Low, K., *see* Kang, B., *TPEL June 2017 4503-4513*
- Lu, C., *see* Chen, H., *TPEL May 2017 4074-4083*
- Lu, D.D., *see* Habibullah, M., *TPEL Jan. 2017 479-489*
- Lu, D.D., *see* Golsorkhi, M.S., *TPEL Feb. 2017 1615-1625*
- Lu, D.D., *see* Golsorkhi, M.S., *TPEL July 2017 5675-5687*
- Lu, F., *see* Shang, Y., *TPEL Oct. 2017 7694-7706*
- Lu, G., *see* Fu, S., *TPEL Aug. 2017 6049-6058*
- Lu, H., *see* Zhang, Z., *TPEL Nov. 2017 8833-8844*
- Lu, H., Lu, Y., Zhu, L., Lin, Y., Guo, Z., Liu, T., Gao, Y., Chen, G., and Chen, Z., Efficient Measurement of Thermal Coupling Effects on Multichip Light-Emitting Diodes; *TPEL Dec. 2017 9280-9292*
- Lu, H., *see* Zhang, Y., *TPEL Dec. 2017 9051-9064*
- Lu, K., *see* Ni, R., *TPEL July 2017 5425-5437*
- Lu, L., *see* Li, Y., *TPEL Feb. 2017 1602-1614*
- Lu, M., Wang, X., Loh, P.C., and Blaabjerg, F., Resonance Interaction of Multiparallel Grid-Connected Inverters With LCL Filter; *TPEL Feb. 2017 894-899*
- Lu, S., Yuan, L., Li, K., and Zhao, Z., An Improved Phase-Shifted Carrier Modulation Scheme for a Hybrid Modular Multilevel Converter; *TPEL Jan. 2017 81-97*
- Lu, S., *see* Wang, C., *TPEL Feb. 2017 1457-1468*
- Lu, S., *see* Li, K., *TPEL Sept. 2017 6778-6791*
- Lu, X., *see* Sun, K., *TPEL March 2017 1872-1884*
- Lu, Y., Huang, M., Cheng, L., Ki, W., U, S., and Martins, R.P., A Dual-Output Wireless Power Transfer System With Active Rectifier and Three-Level Operation; *TPEL Feb. 2017 927-930*
- Lu, Y., *see* Lu, H., *TPEL Dec. 2017 9280-9292*
- Lu, Z., *see* Huang, L., *TPEL May 2017 3513-3524*
- Lu, Z., *see* Sun, X., *TPEL Sept. 2017 6882-6895*
- Lu, Z., *see* Zhang, Z., *TPEL Oct. 2017 7626-7634*
- Lucia, O., *see* Sarnago, H., *TPEL Feb. 2017 1018-1029*
- Luk, P.C., *see* Liang, W., *TPEL June 2017 4785-4795*
- Lukic, S.M., *see* Goetz, S.M., *TPEL Nov. 2017 8381-8392*
- Lun, T.L.T., *see* Tang, S.C., *TPEL May 2017 3844-3857*
- Luna, A.C., Diaz, N.L., Graells, M., Vasquez, J.C., and Guerrero, J.M., Mixed-Integer-Linear-Programming-Based Energy Management System for Hybrid PV-Wind-Battery Microgrids: Modeling, Design, and Experimental Verification; *TPEL April 2017 2769-2783*
- Luna, A.C., *see* Diaz, N.L., *TPEL July 2017 5202-5213*
- Luo, A., *see* Xu, Q., *TPEL Aug. 2017 6031-6048*
- Luo, F., *see* Hu, C., *TPEL Oct. 2017 7419-7434*
- Luo, H., Chen, Y., Li, W., and He, X., Online High-Power p-i-n Diode Junction Temperature Extraction With Reverse Recovery Fall Storage Charge; *TPEL April 2017 2558-2567*
- Luo, H., *see* Zhou, D., *TPEL May 2017 3731-3740*
- Luo, H., *see* Chen, Y., *TPEL Aug. 2017 6394-6404*
- Luo, L., *see* Li, Y., *TPEL Feb. 2017 920-926*
- Luo, L., *see* Xie, B., *TPEL Dec. 2017 9031-9042*
- Luo, Q., Ma, K., He, Q., Zou, C., and Zhou, L., A Single-Stage High-Frequency Resonant AC/AC Converter; *TPEL March 2017 2155-2166*
- Luo, X., *see* Tang, Q., *TPEL May 2017 3767-3776*
- Luo, X., and Niu, S., A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy; *TPEL Sept. 2017 6924-6935*
- Luo, Y., Xiao, F., Wang, B., Liu, B., and Xia, Y., A Voltage Model of p-i-n Diodes at Reverse Recovery Under Short-Time Freewheeling; *TPEL Jan. 2017 142-149*
- Luo, Y., Wang, X., and Zhou, X., Inductance Calculations for Circular Coils With Rectangular Cross Section and Parallel Axes Using Inverse Mellin Transform and Generalized Hypergeometric Functions; *TPEL Feb. 2017 1367-1374*
- Luszczuk, T., *see* Iwanski, G., *TPEL Sept. 2017 6836-6852*
- Lv, J., *see* Liu, X., *TPEL Aug. 2017 5964-5977*
- Lyu, J., *see* Amin, M., *TPEL Oct. 2017 8204-8217*

M

- Ma, C., *see* Liu, M., *TPEL Feb. 2017 1198-1209*
- Ma, C., *see* Liu, M., *TPEL April 2017 2835-2845*
- Ma, C., *see* Liu, S., *TPEL June 2017 4514-4523*
- Ma, C., Yang, L., Wang, S., Ji, Y., Zhang, L., and Shi, W., Study of the Lifetime of High-Power GaAs PCSSs Under Different Energy Storage Modes; *TPEL June 2017 4644-4651*
- Ma, C., *see* Fu, S., *TPEL Aug. 2017 6049-6058*
- Ma, F., *see* Xu, Q., *TPEL Aug. 2017 6031-6048*
- Ma, H., *see* Tang, Y., *TPEL Feb. 2017 1385-1399*
- Ma, H., *see* Lin, L., *TPEL Sept. 2017 7338-7351*
- Ma, H., *see* Hu, J., *TPEL Oct. 2017 7998-8007*
- Ma, H., *see* Zhang, L., *TPEL Nov. 2017 8823-8832*
- Ma, J., Yuan, L., Zhao, Z., and He, F., Transmission Loss Optimization-Based Optimal Power Flow Strategy by Hierarchical Control for DC Microgrids; *TPEL March 2017 1952-1963*
- Ma, K., *see* Luo, Q., *TPEL March 2017 2155-2166*
- Ma, K., *see* Andresen, M., *TPEL June 2017 4753-4765*

- Ma, Y.**, see Yang, L., *TPEL Feb. 2017 1651-1665*
- Ma, Y.**, see Cao, W., *TPEL Oct. 2017 7674-7693*
- Macasaet, J.J.**, see Meehan, P.J., *TPEL June 2017 4741-4752*
- Madawala, U.K.**, see Riar, B.S., *TPEL March 2017 2278-2289*
- Madawala, U.K.**, see Weerasinghe, S., *TPEL March 2017 1755-1766*
- Madawala, U.K.**, see Illenberger, P., *TPEL Sept. 2017 6904-6912*
- Mademlis, C.**, see Jabbour, N., *TPEL Dec. 2017 9389-9399*
- Mademlis, G.**, Steinke, G.K., and Rufer, A., Feed-Forward-based Control in a DC–DC Converter of Asymmetric Multistage-Stacked Boost Architecture; *TPEL Feb. 2017 1507-1517*
- Madhusoodhanan, S.**, Mainali, K., Tripathi, A., Patel, D., Kadavelugu, A., Bhattacharya, S., and Hatua, K., Harmonic Analysis and Controller Design of 15 kV SiC IGBT-Based Medium-Voltage Grid-Connected Three-Phase Three-Level NPC Converter; *TPEL May 2017 3355-3369*
- Madhusoodhanan, S.**, see Tripathi, A.K., *TPEL June 2017 4231-4245*
- Magod, R.**, Suda, N., Ivanov, V., Balasingam, R., and Bakkaloglu, B., A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference; *TPEL April 2017 2856-2864*
- Mahmoudi, H.**, see Aleenejad, M., *TPEL Oct. 2017 7980-7989*
- Mahnashi, Y.**, and Peng, F.Z., Generalization of the Fundamental Limit Theory in a Switched-Capacitor Converter; *TPEL Sept. 2017 6673-6676*
- Mai, R.**, see Li, Y., *TPEL Feb. 2017 1602-1614*
- Mai, R.**, Chen, Y., Li, Y., Zhang, Y., Cao, G., and He, Z., Inductive Power Transfer for Massive Electric Bicycles Charging Based on Hybrid Topology Switching With a Single Inverter; *TPEL Aug. 2017 5897-5906*
- Mainali, K.**, see Madhusoodhanan, S., *TPEL May 2017 3355-3369*
- Mainali, K.**, see Tripathi, A.K., *TPEL June 2017 4231-4245*
- Maity, A.**, and Patra, A., A Hybrid-Mode Operational Transconductance Amplifier for an Adaptively Biased Low Dropout Regulator; *TPEL Feb. 2017 1245-1254*
- Makoschitz, M.**, Hartmann, M., and Ertl, H., Control Concepts for Hybrid Rectifiers Utilizing a Flying Converter Cell Active Current Injection Unit; *TPEL April 2017 2584-2595*
- Maksimovic, D.**, see Chen, H., *TPEL Jan. 2017 98-116*
- Maksimovic, D.**, see Jensen, S., *TPEL Jan. 2017 634-641*
- Malhan, R.K.**, see Kan, T., *TPEL Feb. 2017 1638-1650*
- Mallik, A.**, and Khaligh, A., Variable-Switching-Frequency State-Feedback Control of a Phase-Shifted Full-Bridge DC/DC Converter; *TPEL Aug. 2017 6523-6531*
- Mallik, A.**, and Khaligh, A., Control of a Three-Phase Boost PFC Converter Using a Single DC-Link Voltage Sensor; *TPEL Aug. 2017 6481-6492*
- Mandal, D.**, see Marti-Arbona, E., *TPEL March 2017 2180-2188*
- Manias, S.**, see Kokosis, S.G., *TPEL Feb. 2017 1400-1410*
- Manias, S.**, see Gati, E., *TPEL Feb. 2017 1684-1696*
- Manickam, C.**, Raman, G.P., Raman, G.R., Ganesan, S.I., and Chilakapati, N., Fireworks Enriched P&O Algorithm for GMPPT and Detection of Partial Shading in PV Systems; *TPEL June 2017 4432-4443*
- Manoharan, M.S.**, Ahmed, A., and Park, J., A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current; *TPEL Oct. 2017 7602-7614*
- Mao, C.**, see Yao, K., *TPEL Dec. 2017 9238-9248*
- Mao, Y.**, see Shin, J., *TPEL May 2017 4107-4114*
- Mao, Y.**, Miao, Z., Wang, C., and Ngo, K.D.T., Passive Balancing of Peak Currents Between Paralleled MOSFETs With Unequal Threshold Voltages; *TPEL May 2017 3273-3277*
- Marchesoni, M.**, see Formentini, A., *TPEL May 2017 4036-4047*
- Maresca, L.**, see Riccio, M., *TPEL April 2017 3088-3098*
- Marti-Arbona, E.**, Mandal, D., Bakkaloglu, B., and Kiaei, S., A High-Voltage-Compliant Current-to-Digital Sensor for DC–DC Converters in Standard CMOS Technology; *TPEL March 2017 2180-2188*
- Martin, J.**, see Shahin, A., *TPEL Jan. 2017 681-692*
- Martin, J.**, see Zadeh, M.K., *TPEL Jan. 2017 652-667*
- Martin-Horcajo, S.**, see Cucak, D., *TPEL March 2017 2189-2202*
- Martinez, G.**, see Alonso, J.M., *TPEL Dec. 2017 9179-9190*
- Martinez-Penalver, C.**, see Quintans, C., *TPEL May 2017 3868-3878*
- Martinez-Salamero, L.**, see Bonache-Samaniego, R., *TPEL Feb. 2017 1469-1480*
- Martinez-Salamero, L.**, see Lopez-Santos, O., *TPEL March 2017 2253-2264*
- Martins, M.**, Perdigo, M.S., Mendes, A.M.S., Pinto, R.A., and Alonso, J.M., Analysis, Design, and Experimentation of a Dimmable Resonant-Switched-Capacitor LED Driver With Variable Inductor Control; *TPEL April 2017 3051-3062*
- Martins, R.P.**, see Lu, Y., *TPEL Feb. 2017 927-930*
- Massoud, A.M.**, see Elserougi, A., *TPEL April 2017 2846-2855*
- Matsumoto, H.**, Shibako, Y., and Neba, Y., Single-Phase Inverter With Energy Buffer and DC–DC Conversion Circuits; *TPEL Oct. 2017 7615-7625*
- Matsuo, T.**, see Zhang, Z., *TPEL June 2017 4577-4586*
- Matsuura, K.**, see Hariya, A., *TPEL Aug. 2017 5953-5963*
- Mattavelli, P.**, see Wen, B., *TPEL Feb. 2017 1548-1556*
- Mattavelli, P.**, see Ahmed, S., *TPEL June 2017 4145-4156*
- Mauch, D.L.**, Zutavern, F.J., Delhotal, J.J., King, M.P., Neely, J.C., Kizilyalli, I.C., and Kaplar, R.J., Ultrafast Reverse Recovery Time Measurement for Wide-Bandgap Diodes; *TPEL Dec. 2017 9333-9341*
- Mawby, P.**, see Lai, W., *TPEL Feb. 2017 1431-1441*
- Mawby, P.**, see Gao, B., *TPEL March 2017 2227-2242*
- Mawby, P.A.**, see Gonzalez, J.O., *TPEL Oct. 2017 7954-7966*
- Mawby, P.A.**, see Hamilton, D.P., *TPEL Oct. 2017 7967-7979*
- McDannold, N.J.**, see Tang, S.C., *TPEL May 2017 3844-3857*
- McGrath, B.**, see Anthon, A., *TPEL April 2017 2808-2821*
- McGrath, B.P.**, see Riedel, J., *TPEL April 2017 3166-3179*
- McGrath, B.P.**, see Riedel, J., *TPEL Nov. 2017 8857-8867*
- McGuinness, P.**, see Meehan, P.J., *TPEL June 2017 4741-4752*
- Meehan, P.J.**, OSullivan, D., Limjoco, A.S., McGuinness, P., Macasaet, J.J., Eco, J.A., and Conway, T., Varactor-Based Passive Ripple Filter With Automatic Tuning for Low-Noise Power-Supply Systems; *TPEL June 2017 4741-4752*
- Mei, Y.**, see Sun, K., *TPEL March 2017 1872-1884*
- Mei, Y.**, see Zhang, X., *TPEL May 2017 3818-3834*
- Mei, Y.**, see Fu, S., *TPEL Aug. 2017 6049-6058*
- Mejbri, H.**, see Barg, S., *TPEL March 2017 2146-2154*
- Mekhilef, S.**, see Aamir, M., *TPEL Jan. 2017 233-247*
- Mekhilef, S.**, see Shakib, S.M.S.I., *TPEL Nov. 2017 8360-8370*
- Mellado, M.**, see Diaz, N.L., *TPEL April 2017 2728-2742*
- Melo, V.F.M.B.**, Jacobina, C.B., Rocha, N., de Sousa, R.P.R., and Braga-Filho, E.R., Hybrid Dual and NPC Six-Phase Drive Systems; *TPEL Nov. 2017 8606-8617*
- Memon, A.H.**, Yao, K., Chen, Q., Guo, J., and Hu, W., Variable-On-Time Control to Achieve High Input Power Factor for a CRM-Integrated Buck–Flyback PFC Converter; *TPEL July 2017 5312-5322*
- Menach, Y.L.**, see Puigdellivol, O., *TPEL June 2017 4691-4699*
- Mendes, A.M.S.**, see Martins, M., *TPEL April 2017 3051-3062*
- Meng, Q.**, see Yao, K., *TPEL Aug. 2017 6236-6244*
- Meng, R.**, see Saleh, S.A., *TPEL Feb. 2017 1106-1123*
- Meng, Z.**, see Wang, C., *TPEL July 2017 5227-5247*
- Menolfi, C.**, see Andersen, T.M., *TPEL Jan. 2017 363-377*
- Menolfi, C.**, see Andersen, T.M., *TPEL Jan. 2017 378-393*
- Merabet, A.**, see Ghias, A.M.Y.M., *TPEL Jan. 2017 164-175*
- Meresse, D.**, see Puigdellivol, O., *TPEL June 2017 4691-4699*
- Mertens, A.**, see Kucka, J., *TPEL Sept. 2017 6767-6777*
- Mertens, A.**, see Kucka, J., *TPEL Dec. 2017 8953-8957*
- Meshram, P.M.**, see Karasani, R.R., *TPEL Feb. 2017 1070-1087*
- Messaoudi, M.**, see Videt, A., *TPEL April 2017 2675-2686*
- Metwally, M.K.**, see Zaky, M.S., *TPEL May 2017 3741-3753*
- Mi, C.**, see Zhang, X., *TPEL Feb. 2017 1481-1492*
- Mi, C.C.**, see Kan, T., *TPEL Feb. 2017 1638-1650*
- Mi, C.C.**, see Shang, Y., *TPEL Oct. 2017 7694-7706*
- Miaja, P.F.**, see Jiang, S., *TPEL Nov. 2017 8743-8750*
- Miao, Y.**, see Ge, H., *TPEL Sept. 2017 7151-7159*
- Miao, Z.**, see Mao, Y., *TPEL May 2017 3273-3277*
- Milimonfared, J.**, see Salehi Dobakhshari, S., *TPEL Jan. 2017 353-362*
- Min, R.**, Zhang, Q., Tong, Q., Zou, X., Chen, X., and Liu, Z., Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter; *TPEL April 2017 3143-3153*

- Minami, Y.**, and Koizumi, H., Class DE Voltage Driven Low dv/dt Rectifier; *TPEL Feb. 2017* 1255-1267
- Ming, W.**, and Zhong, Q., Current-Stress Reduction for the Neutral Inductor of Θ -Converters; *TPEL April 2017* 2794-2807
- Ming, W.**, see Zhong, Q., *TPEL Oct. 2017* 8150-8162
- Mingli, W.**, see Song, K., *TPEL Oct. 2017* 7870-7881
- Mir, L.**, see Garcia-Bediaga, A., *TPEL April 2017* 2995-3006
- Mira, M.C.**, Zhang, Z., Knott, A., and Andersen, M.A.E., Analysis, Design, Modeling, and Control of an Interleaved-Boost Full-Bridge Three-Port Converter for Hybrid Renewable Energy Systems; *TPEL Feb. 2017* 1138-1155
- Mirabbasi, S.**, see Tang, N., *TPEL May 2017* 3700-3707
- Miret, J.**, see Guzman, R., *TPEL July 2017* 5637-5650
- Mirone, P.**, see Riccio, M., *TPEL April 2017* 3088-3098
- Mirzaeva, G.**, see Townsend, C.D., *TPEL Sept. 2017* 7325-7337
- Mishima, T.**, Mizutani, H., and Nakaoka, M., A Sensitivity-Improved PFM LLC Resonant Full-Bridge DC-DC Converter With LC Antiresonant Circuitry; *TPEL Jan. 2017* 310-324
- Missailidis, P.**, see Ahmeid, M., *TPEL July 2017* 5666-5674
- Mitcheson, P.D.**, see Kkelis, G., *TPEL Nov. 2017* 8322-8337
- Miura, Y.**, see Ataji, A.B., *TPEL June 2017* 4827-4838
- Mizutani, H.**, see Mishima, T., *TPEL Jan. 2017* 310-324
- Moallem, M.**, see Amini, J., *TPEL Jan. 2017* 2-10
- Moallem, P.**, see Vafaie, M.H., *TPEL April 2017* 2964-2975
- Moayedi, S.**, and Davoudi, A., Unifying Distributed Dynamic Optimization and Control of Islanded DC Microgrids; *TPEL March 2017* 2329-2346
- Moffat, K.**, see Din, E., *TPEL July 2017* 5688-5698
- Mohamad, A.M.I.**, and Mohamed, Y.A.I., Assessment and Performance Comparison of Positive Feedback Islanding Detection Methods in DC Distribution Systems; *TPEL Aug. 2017* 6577-6594
- Mohamadian, S.**, Tessarolo, A., Castellan, S., and Shoulaie, A., Steady-State Simulation of LCI-Fed Synchronous Motor Drives Through a Computationally Efficient Algebraic Method; *TPEL Jan. 2017* 452-470
- Mohamed, Y.A.I.**, see Davari, M., *TPEL Feb. 2017* 977-994
- Mohamed, Y.A.I.**, see Davari, M., *TPEL May 2017* 4021-4035
- Mohamed, Y.A.I.**, see Mohamad, A.M.I., *TPEL Aug. 2017* 6577-6594
- Mohamed, Y.A.I.**, see Shabestary, M.M., *TPEL Sept. 2017* 7284-7296
- Mohamed, Y.A.I.**, see Mortazavian, S., *TPEL Oct. 2017* 8134-8149
- Mohan, N.**, see Iyer, K.V., *TPEL July 2017* 5087-5108
- Mohan, N.**, see Padhee, V., *TPEL Nov. 2017* 8655-8670
- Mohanty, K.B.**, see Swain, S.D., *TPEL May 2017* 3490-3498
- Mok, K.**, Wang, M., Tan, S., and Hui, S.Y.R., DC Electric Springs—A Technology for Stabilizing DC Power Distribution Systems; *TPEL Feb. 2017* 1088-1105
- Mok, K.**, see Yan, S., *TPEL July 2017* 5171-5179
- Mok, K.**, Ho, S., Tan, S., and Hui, S.Y., A Comprehensive Analysis and Control Strategy for Nullifying Negative- and Zero-Sequence Currents in an Unbalanced Three-Phase Power System Using Electric Springs; *TPEL Oct. 2017* 7635-7650
- Mokhtari, H.**, see Peyghami, S., *TPEL Oct. 2017* 8089-8099
- Molavi, R.**, see Tang, N., *TPEL May 2017* 3700-3707
- Molina-Gaudo, P.**, see Oyarbide, E., *TPEL April 2017* 2490-2492
- Molinas, M.**, see Zadeh, M.K., *TPEL Jan. 2017* 652-667
- Molinas, M.**, see Amin, M., *TPEL Oct. 2017* 8204-8217
- Momayyezani, M.**, Hredzak, B., and Agelidis, V.G., A Load-Sharing Strategy for the State of Charge Balancing Between the Battery Modules of Integrated Reconfigurable Converter; *TPEL May 2017* 4056-4063
- Monmasson, E.**, see Ben Said-Romdhane, M., *TPEL Sept. 2017* 6739-6750
- Montanari, A.A.**, and Gole, A.M., Enhanced Instantaneous Power Theory for Control of Grid Connected Voltage Sourced Converters Under Unbalanced Conditions; *TPEL Aug. 2017* 6652-6660
- Moon, G.**, see Yeon, C., *TPEL Sept. 2017* 7056-7067
- Moon, G.**, see Baek, J., *TPEL Oct. 2017* 7449-7457
- Moon, G.**, see Jeong, Y., *TPEL Oct. 2017* 7795-7804
- Moon, G.**, see Han, J., *TPEL Nov. 2017* 8237-8242
- Moon, I.**, see Lei, Y., *TPEL Nov. 2017* 8570-8581
- Moon, J.**, see Ahn, D., *TPEL Sept. 2017* 7068-7082
- Moradisizkoochi, H.**, see Salehi Dobakhshari, S., *TPEL Jan. 2017* 353-362
- Morales, J.**, see Guzman, R., *TPEL July 2017* 5637-5650
- Moreira, A.B.**, see Barros, T.A.d.S., *TPEL Nov. 2017* 8277-8292
- Morf, T.**, see Andersen, T.M., *TPEL Jan. 2017* 363-377
- Morf, T.**, see Andersen, T.M., *TPEL Jan. 2017* 378-393
- Morimoto, S.**, see Shinohara, A., *TPEL March 2017* 2114-2122
- Morris, C.T.**, Han, D., and Sarlioglu, B., Reduction of Common Mode Voltage and Conducted EMI Through Three-Phase Inverter Topology; *TPEL March 2017* 1720-1724
- Mortazavian, S.**, Shabestary, M.M., and Mohamed, Y.A.I., Analysis and Dynamic Performance Improvement of Grid-Connected Voltage-Source Converters Under Unbalanced Network Conditions; *TPEL Oct. 2017* 8134-8149
- Mosa, M.**, Balog, R.S., and Abu-Rub, H., High-Performance Predictive Control of Quasi-Impedance Source Inverter; *TPEL April 2017* 3251-3262
- Moss, J.**, see Ge, T., *TPEL Jan. 2017* 540-550
- Moursi, M.S.E.**, see Khan, O., *TPEL May 2017* 3278-3284
- Moursy, Y.**, Zou, H., Khalil, R., Iskander, R., Tisserand, P., Ton, D., Pasetti, G., and Louerat, M., Efficient Substrate Noise Coupling Verification and Failure Analysis Methodology for Smart Power ICs in Automotive Applications; *TPEL July 2017* 5550-5559
- Mousazadeh, S.Y.**, see Golestan, S., *TPEL Sept. 2017* 6666-6672
- Moussa, H.**, see Shahin, A., *TPEL Jan. 2017* 681-692
- Moussa, M.A.**, Boucherma, M., and Khezzer, A., A Detection Method for Induction Motor Bar Fault Using Sidelobes Leakage Phenomenon of the Sliding Discrete Fourier Transform; *TPEL July 2017* 5560-5572
- Mu, M.**, see Hou, D., *TPEL April 2017* 2987-2994
- Muetze, A.**, see Konrad, W., *TPEL Jan. 2017* 117-127
- Mukherjee, S.**, Shamsi, P., and Ferdowsi, M., Control of a Single-Phase Stand-alone Inverter Without an Output Voltage Sensor; *TPEL July 2017* 5601-5612
- Munim, W.N.W.A.**, Duran, M.J., Che, H.S., Bermudez, M., Gonzalez-Prieto, I., and Rahim, N.A., A Unified Analysis of the Fault Tolerance Capability in Six-Phase Induction Motor Drives; *TPEL Oct. 2017* 7824-7836
- Munk-Nielsen, S.**, see Baker, N., *TPEL April 2017* 3099-3111
- Munk-Nielsen, S.**, see Li, H., *TPEL Oct. 2017* 7816-7823
- Munk-Nielsen, S.**, see Choi, U., *TPEL Oct. 2017* 7990-7997
- Munk-Nielsen, S.**, see Eni, E., *TPEL Dec. 2017* 9342-9354
- Muthuraj, S.S.**, Kanakesh, V.K., Das, P., and Panda, S.K., Triple Phase Shift Control of an LLL Tank Based Bidirectional Dual Active Bridge Converter; *TPEL Oct. 2017* 8035-8053
- Muyeen, S.M.**, see Errouissi, R., *TPEL March 2017* 2265-2277
- Mwasilu, F.**, see Razaq, M.S., *TPEL June 2017* 4631-4643

N

- Nagamani, C.**, see Rudraraju, V.R.R., *TPEL June 2017* 4334-4343
- Nagamani, C.**, see Asha Rani, M.A., *TPEL July 2017* 5214-5226
- Nahid-Mobarakeh, B.**, see Shahin, A., *TPEL Jan. 2017* 681-692
- Nahid-Mobarakeh, B.**, see Zadeh, M.K., *TPEL Jan. 2017* 652-667
- Nahid-Mobarakeh, B.**, see Ge, H., *TPEL Sept. 2017* 7151-7159
- Nair, M.D.**, see Biswas, J., *TPEL June 2017* 4607-4618
- Nair R., V.**, Rahul S., A., Kaarthik, R.S., Kshirsagar, A., and Gopakumar, K., Generation of Higher Number of Voltage Levels by Stacking Inverters of Lower Multilevel Structures With Low Voltage Devices for Drives; *TPEL Jan. 2017* 52-59
- Nakamura, R.**, see Okazaki, Y., *TPEL March 2017* 1805-1817
- Nakamura, S.**, Namiki, M., Sugimoto, Y., and Hashimoto, H., Q Controllable Antenna as a Potential Means for Wide-Area Sensing and Communication in Wireless Charging via Coupled Magnetic Resonances; *TPEL Jan. 2017* 218-232
- Nakaoka, M.**, see Mishima, T., *TPEL Jan. 2017* 310-324
- Nam, K.**, see Kim, Y., *TPEL Feb. 2017* 1335-1345
- Nam, K.**, see Choi, J., *TPEL May 2017* 3989-3997
- Nami, A.**, see Bakas, P., *TPEL Oct. 2017* 7435-7448
- Namiki, M.**, see Nakamura, S., *TPEL Jan. 2017* 218-232
- Naouar, M.W.**, see Ben Said-Romdhane, M., *TPEL Sept. 2017* 6739-6750
- Narasimharaju, B.L.**, see Ramanjaneya Reddy, U., *TPEL Oct. 2017* 7941-7953

- Narimani, M.**, see Tan, L., *TPEL May 2017 3458-3466*
- Naseri, M.**, see Haji-Esmacili, M.M., *TPEL Aug. 2017 6455-6467*
- Navarro, D.**, see Dominguez, A., *TPEL March 2017 2300-2311*
- Nazari-Heris, M.**, Nourmohamadi, H., Abapour, M., and Sabahi, M., Multi-level Nonsuperconducting Fault Current Limiter: Analysis and Practical Feasibility; *TPEL Aug. 2017 6059-6068*
- Nazari-Heris, M.**, see Abdolkarimzadeh, M., *TPEL Dec. 2017 9043-9050*
- Neacsu, D.O.**, Kim, J.C., and Lehman, B., A Three-Phase Multioptimal PWM Implemented on 2-Gbit Flash Memory Integrated Circuits; *TPEL July 2017 5813-5826*
- Neath, M.J.**, see Kamineni, A., *TPEL Sept. 2017 6689-6699*
- Neba, Y.**, see Matsumoto, H., *TPEL Oct. 2017 7615-7625*
- Nee, H.**, see Nikouie, M., *TPEL Feb. 2017 1666-1674*
- Nee, H.**, see Krismer, F., *TPEL April 2017 3112-3127*
- Nee, H.**, see Bakas, P., *TPEL Oct. 2017 7435-7448*
- Neely, J.C.**, see Mauch, D.L., *TPEL Dec. 2017 9333-9341*
- Nejabatkhah, F.**, see Sun, K., *TPEL March 2017 1872-1884*
- Nelhiebel, M.**, see Eiser, S., *TPEL Jan. 2017 561-570*
- Nemade, R.V.**, see Pandit, J.K., *TPEL Sept. 2017 7118-7129*
- Neto, P.J.d.S.**, see Barros, T.A.d.S., *TPEL Nov. 2017 8277-8292*
- Ng, W.M.**, see Chen, B., *TPEL April 2017 2596-2607*
- Ng, W.M.**, see Lee, C.K., *TPEL July 2017 5180-5187*
- Ngo, K.**, see Zhang, L., *TPEL Aug. 2017 5889-5892*
- Ngo, K.D.T.**, see Ge, T., *TPEL Jan. 2017 540-550*
- Ngo, K.D.T.**, see Zhang, Z., *TPEL Jan. 2017 529-539*
- Ngo, K.D.T.**, see Shin, J., *TPEL May 2017 4107-4114*
- Ngo, K.D.T.**, see Mao, Y., *TPEL May 2017 3273-3277*
- Ngo, K.D.T.**, see Zhang, Z., *TPEL Aug. 2017 5885-5888*
- Ngo, K.D.T.**, see Khanna, M., *TPEL Dec. 2017 8974-8978*
- Nguyen, B.**, see Tang, N., *TPEL May 2017 3700-3707*
- Nguyen, D.T.**, see Lee, E.S., *TPEL Oct. 2017 8054-8070*
- Nguyen, N.**, see Nguyen, T.T., *TPEL Oct. 2017 7482-7493*
- Nguyen, T.**, see Kan, T., *TPEL Feb. 2017 1638-1650*
- Nguyen, T.T.**, Nguyen, N., and Prasad, N.R., Novel Eliminated Common-Mode Voltage PWM Sequences and an Online Algorithm to Reduce Current Ripple for a Three-Level Inverter; *TPEL Oct. 2017 7482-7493*
- Nguyen, V.**, Kerachev, L., Lefranc, P., and Crebier, J., Characterization and Analysis of an Innovative Gate Driver and Power Supplies Architecture for HF Power Devices With High dv/dt; *TPEL Aug. 2017 6079-6090*
- Ni, H.**, see Shao, Z., *TPEL March 2017 2347-2359*
- Ni, H.**, see Yu, C., *TPEL April 2017 3192-3205*
- Ni, R.**, Xu, D., Blaabjerg, F., Lu, K., Wang, G., and Zhang, G., Square-Wave Voltage Injection Algorithm for PMSM Position Sensorless Control With High Robustness to Voltage Errors; *TPEL July 2017 5425-5437*
- Ni, X.**, see Guo, C., *TPEL Feb. 2017 967-976*
- Ni, Y.**, Pervaiz, S., Chen, M., and Afridi, K.K., Energy Density Enhancement of Stacked Switched Capacitor Energy Buffers Through Capacitance Ratio Optimization; *TPEL Aug. 2017 6363-6380*
- Nian, H.**, see Cheng, P., *TPEL Jan. 2017 284-297*
- Nian, H.**, and Zhou, Y., Investigation and Suppression of Current Zero Crossing Phenomenon for a Semiconnected Open-Winding PMSG System; *TPEL Jan. 2017 602-612*
- Nian, H.**, Wu, C., and Cheng, P., Direct Resonant Control Strategy for Torque Ripple Mitigation of DFIG Connected to DC Link through Diode Rectifier on Stator; *TPEL Sept. 2017 6936-6945*
- Nie, C.**, see Zhang, Y., *TPEL Feb. 2017 1533-1547*
- Nien, C.**, Chen, D., Hsiao, S., Kong, L., Chen, C., Chan, W., and Lin, Y., A Novel Adaptive Quasi-Constant On-Time Current-Mode Buck Converter; *TPEL Oct. 2017 8124-8133*
- Nies, C.**, see Zhang, L., *TPEL Aug. 2017 5889-5892*
- Niknejad, A.M.**, see Zhao, B., *TPEL Sept. 2017 7130-7139*
- Nikouie, M.**, Wallmark, O., Jin, L., Harnefors, L., and Nee, H., DC-Link Stability Analysis and Controller Design for the Stacked Polyphase Bridges Converter; *TPEL Feb. 2017 1666-1674*
- Nilles, J.L.**, see Zhang, Z., *TPEL Jan. 2017 529-539*
- Ning, G.**, Chen, W., Shu, L., and Qu, X., A Hybrid ZVZCS Dual-Transformer-Based Full-Bridge Converter Operating in DCM for MVDC Grids; *TPEL July 2017 5162-5170*
- Ninomiya, T.**, see Hariya, A., *TPEL Aug. 2017 5953-5963*
- Niu, S.**, see Luo, X., *TPEL Sept. 2017 6924-6935*
- Niu, W.**, Huang, X., Yuan, F., Schofield, N., Xu, L., Chu, J., and Gu, W., Sizing of Energy System of a Hybrid Lithium Battery RTG Crane; *TPEL Oct. 2017 7837-7844*
- Nobile, G.**, see Cacciato, M., *TPEL Jan. 2017 794-803*
- Noh, Y.**, see Choi, S., *TPEL Aug. 2017 6119-6134*
- Norrnga, S.**, see Bakas, P., *TPEL Oct. 2017 7435-7448*
- Nourmohamadi, H.**, see Nazari-Heris, M., *TPEL Aug. 2017 6059-6068*

O

- Odavic, M.**, see Zhan, H., *TPEL May 2017 3808-3817*
- Odavic, M.**, see Hu, Y., *TPEL May 2017 3998-4006*
- Oguma, K.**, and Akagi, H., Low-Voltage-Ride-Through (LVRT) Control of an HVDC Transmission System Using Two Modular Multilevel DSCC Converters; *TPEL Aug. 2017 5931-5942*
- Oh, C.**, see Kim, Y., *TPEL March 2017 1731-1743*
- Okazaki, Y.**, Kawamura, W., Hagiwara, M., Akagi, H., Ishida, T., Tsukakoshi, M., and Nakamura, R., Experimental Comparisons Between Modular Multilevel DSCC Inverters and TSBC Converters for Medium-Voltage Motor Drives; *TPEL March 2017 1805-1817*
- Olalla, C.**, see Bonache-Samaniego, R., *TPEL Feb. 2017 1469-1480*
- Oliveira, R.**, and Yazdani, A., A Modular Multilevel Converter With DC Fault Handling Capability and Enhanced Efficiency for HVdc System Applications; *TPEL Jan. 2017 11-22*
- Oliveri, A.**, see Formentini, A., *TPEL May 2017 4036-4047*
- Olm, J.M.**, see Repecho, V., *TPEL Feb. 2017 1557-1569*
- Omura, I.**, see Hasegawa, K., *TPEL March 2017 1707-1712*
- Onederra, O.**, Kortabarria, I., de Alegria, I.M., Andreu, J., and Garate, J.I., Three-Phase VSI Optimal Switching Loss Reduction Using Variable Switching Frequency; *TPEL Aug. 2017 6570-6576*
- Oraee, H.**, see Karimi, Y., *TPEL May 2017 3525-3535*
- Oraee, H.**, see Karimi, Y., *TPEL Aug. 2017 6135-6144*
- Ordonez, M.**, see Serban, E., *TPEL Jan. 2017 298-309*
- Ordonez, M.**, see Saket, M.A., *TPEL June 2017 4524-4542*
- Ordonez, M.**, see Pena-Alzola, R., *TPEL June 2017 4812-4826*
- Ordonez, M.**, see Serban, E., *TPEL Nov. 2017 8470-8485*
- Ortega, R.**, see Choi, J., *TPEL May 2017 3989-3997*
- Ortiz, G.**, Leibl, M.G., Huber, J.E., and Kolar, J.W., Design and Experimental Testing of a Resonant DC-DC Converter for Solid-State Transformers; *TPEL Oct. 2017 7534-7542*
- Ortiz-Rodriguez, J.M.**, see Reichl, J., *TPEL Jan. 2017 503-514*
- Ortmann, M.S.**, see Ries, L.K., *TPEL Aug. 2017 6005-6017*
- Osorio, R.**, see Alonso, J.M., *TPEL Dec. 2017 9179-9190*
- OSullivan, D.**, see Meehan, P.J., *TPEL June 2017 4741-4752*
- Otin, A.**, see Dominguez, A., *TPEL March 2017 2300-2311*
- Ovalle, A.**, Hernandez, M.E., and Ramos, G.A., A Flexible Nonorthogonal-Reference-Frame-Based SVPWM Framework for Multilevel Inverters; *TPEL June 2017 4925-4938*
- Owa, M.**, see Chen, J., *TPEL April 2017 3263-3272*
- Oyarbide, E.**, Bernal, C., and Molina-Gaudo, P., New Current Measurement Procedure Using a Conventional Rogowski Transducer for the Analysis of Switching Transients in Transistors; *TPEL April 2017 2490-2492*
- Ozkop, E.**, see Saleh, S.A., *TPEL Feb. 2017 1106-1123*

P

- Pachos, P.**, see Kokosis, S.G., *TPEL Feb. 2017 1400-1410*
- Padhee, V.**, Sahoo, A.K., and Mohan, N., Modulation Techniques for Enhanced Reduction in Common-Mode Voltage and Output Voltage Distortion in Indirect Matrix Converters; *TPEL Nov. 2017 8655-8670*
- Pahlevani, M.**, see Eren, S., *TPEL May 2017 3970-3988*
- Palmisano, G.**, see Fiore, V., *TPEL March 2017 1984-1995*

- Pan, D.**, Ruan, X., Wang, X., Yu, H., and Xing, Z., Analysis and Design of Current Control Schemes for LCL-Type Grid-Connected Inverter Based on a General Mathematical Model; *TPEL June 2017 4395-4410*
- Panda, S.K.**, see Poon, J., *TPEL Feb. 2017 1419-1430*
- Panda, S.K.**, see Singh, A.K., *TPEL June 2017 4466-4481*
- Panda, S.K.**, see Singh, A.K., *TPEL June 2017 4796-4811*
- Panda, S.K.**, see Adhikari, J., *TPEL July 2017 5802-5812*
- Panda, S.K.**, see Muthuraj, S.S., *TPEL Oct. 2017 8035-8053*
- Pande, M.**, see Gao, H., *TPEL June 2017 4891-4904*
- Pande, P.P.**, see Tang, N., *TPEL May 2017 3700-3707*
- Pandit, J.K.**, Aware, M.V., Nemade, R.V., and Levi, E., Direct Torque Control Scheme for a Six-Phase Induction Motor With Reduced Torque Ripple; *TPEL Sept. 2017 7118-7129*
- Panigrahi, R.**, and Subudhi, B., Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H_∞ Control Strategy; *TPEL April 2017 2622-2630*
- Papanikolaou, N.**, see Voglitsis, D., *TPEL Nov. 2017 8526-8543*
- Parisini, T.**, see Chen, B., *TPEL April 2017 2596-2607*
- Park, H.**, and Jung, J., Power Stage and Feedback Loop Design for LLC Resonant Converter in High-Switching-Frequency Operation; *TPEL Oct. 2017 7770-7782*
- Park, J.**, see Jeon, Y., *TPEL March 2017 1941-1951*
- Park, J.**, see Irfan, M.S., *TPEL May 2017 3610-3622*
- Park, J.**, see Park, Y., *TPEL Sept. 2017 6946-6960*
- Park, J.**, see Manoharan, M.S., *TPEL Oct. 2017 7602-7614*
- Park, J.S.**, Gu, B., Kim, J.R., Cho, I.H., Jeong, I., and Lee, J., Active Phase Control for Maximum Power Point Tracking of a Linear Wave Generator; *TPEL Oct. 2017 7651-7662*
- Park, J.S.**, and Lee, K., Online Advanced Angle Adjustment Method for Sinusoidal BLDC Motors with Misaligned Hall Sensors; *TPEL Nov. 2017 8247-8253*
- Park, M.**, see Yeon, C., *TPEL Sept. 2017 7056-7067*
- Park, Y.**, Park, J., Kim, H., Ryu, H., Kim, S., Pu, Y., Hwang, K.C., Yang, Y., Lee, M., and Lee, K., A Design of a 92.4% Efficiency Triple Mode Control DC-DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications; *TPEL Sept. 2017 6946-6960*
- Pasetti, G.**, see Moursy, Y., *TPEL July 2017 5550-5559*
- Pastorelli, M.**, see de Bosio, F., *TPEL Oct. 2017 8100-8114*
- Patel, C.**, see Gao, F., *TPEL March 2017 2395-2415*
- Patel, D.**, see Madhusoodhanan, S., *TPEL May 2017 3355-3369*
- Patel, D.C.**, see Tripathi, A.K., *TPEL June 2017 4231-4245*
- Patra, A.**, see Maity, A., *TPEL Feb. 2017 1245-1254*
- Patwardhan, S.C.**, see Kobaku, T., *TPEL Nov. 2017 8880-8891*
- Paz, F.**, see Serban, E., *TPEL Nov. 2017 8470-8485*
- Pecht, M.G.**, see Sun, B., *TPEL Aug. 2017 6338-6362*
- Pei, Y.**, see Zhang, F., *TPEL Oct. 2017 7469-7481*
- Pena-Alzola, R.**, Campos-Gaona, D., Ksiazek, P.F., and Ordonez, M., DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines; *TPEL June 2017 4812-4826*
- Peng, C.**, see Song, X., *TPEL July 2017 5438-5449*
- Peng, C.**, see Song, X., *TPEL Aug. 2017 6381-6393*
- Peng, F.**, see Shu, L., *TPEL May 2017 3787-3796*
- Peng, F.**, Ye, J., and Emadi, A., An Asymmetric Three-Level Neutral Point Diode Clamped Converter for Switched Reluctance Motor Drives; *TPEL Nov. 2017 8618-8631*
- Peng, F.Z.**, see Zeng, H., *TPEL May 2017 4064-4073*
- Peng, F.Z.**, see Chen, R., *TPEL July 2017 5035-5044*
- Peng, F.Z.**, see Gunasekaran, D., *TPEL Aug. 2017 6219-6235*
- Peng, F.Z.**, see Zeng, H., *TPEL Aug. 2017 5943-5952*
- Peng, F.Z.**, see Mahnashi, Y., *TPEL Sept. 2017 6673-6676*
- Peng, F.Z.**, see Zeng, H., *TPEL Nov. 2017 8813-8822*
- Peng, X.**, He, X., Han, P., Lin, H., Gao, S., and Shu, Z., Opposite Vector Based Phase Shift Carrier Space Vector Pulse Width Modulation for Extending the Voltage Balance Region in Single-Phase 3LNPC Cascaded Rectifier; *TPEL Sept. 2017 7381-7393*
- Peng, Y.**, see Sun, P., *TPEL May 2017 3777-3786*
- Peng, Y.**, see Xia, Y., *TPEL June 2017 4949-4959*
- Peng, Y.**, see Huang, M., *TPEL Nov. 2017 8868-8879*
- Peng, Z.**, see Shang, X., *TPEL June 2017 4132-4139*
- Perdigao, M.S.**, see Martins, M., *TPEL April 2017 3051-3062*
- Perdigao, M.S.**, see Alonso, J.M., *TPEL Dec. 2017 9179-9190*
- Pereira, L.A.**, see Porto, R.W., *TPEL May 2017 4115-4124*
- Peretz, M.M.**, see Kirshenboim, O., *TPEL March 2017 1996-2007*
- Peretz, M.M.**, see Kirshenboim, O., *TPEL May 2017 3683-3690*
- Peretz, M.M.**, see Cervera, A., *TPEL Dec. 2017 8945-8952*
- Perez, J.**, Cobreces, S., Grino, R., and Sanchez, F.J.R., H_∞ current controller for input admittance shaping of VSC-based grid applications; *TPEL April 2017 3180-3191*
- Perez, M.**, see Dekka, A., *TPEL Aug. 2017 5878-5884*
- Perez-Estevez, D.**, see Baneira, F., *TPEL Aug. 2017 6275-6285*
- Perez-Estevez, D.**, Doval-Gandoy, J., Yepes, A.G., and Lopez, O., Positive- and Negative-Sequence Current Controller With Direct Discrete-Time Pole Placement for Grid-Tied Converters With LCL Filter; *TPEL Sept. 2017 7207-7221*
- Perez-Estevez, D.**, see Baneira, F., *TPEL Nov. 2017 8243-8246*
- Perez-Tomas, A.**, see Hamilton, D.P., *TPEL Oct. 2017 7967-7979*
- Perreault, D.J.**, see Chen, M., *TPEL Jan. 2017 325-340*
- Pervais, S.**, see Ni, Y., *TPEL Aug. 2017 6363-6380*
- Peter, P.K.**, and Agarwal, V., Photovoltaic Module-Integrated Stand-alone Single-Stage Switched Capacitor Inverter with Maximum Power Point Tracking; *TPEL May 2017 3571-3584*
- Peterchev, A.V.**, see Goetz, S.M., *TPEL Nov. 2017 8381-8392*
- Peyghami, S.**, Davari, P., Mokhtari, H., Loh, P.C., and Blaabjerg, F., Synchronverter-Enabled DC Power Sharing Approach for LVDC Microgrids; *TPEL Oct. 2017 8089-8099*
- Picas, R.**, Zaragoza, J., Pou, J., and Ceballos, S., Reliable Modular Multilevel Converter Fault Detection With Redundant Voltage Sensor; *TPEL Jan. 2017 39-51*
- Pickert, V.**, see Wu, H., *TPEL Sept. 2017 7256-7270*
- Piegari, L.**, see Quraan, M., *TPEL March 2017 2041-2051*
- Pierfederici, S.**, see Shahin, A., *TPEL Jan. 2017 681-692*
- Pierfederici, S.**, see Zadeh, M.K., *TPEL Jan. 2017 652-667*
- Pigazo, A.**, see Lamo, P., *TPEL May 2017 3959-3969*
- Pigazo, A.**, see Jedtberg, H., *TPEL July 2017 5248-5257*
- Pilawa-Podgurski, R.C.N.**, see Schuck, M., *TPEL Jan. 2017 715-722*
- Pilawa-Podgurski, R.C.N.**, see Qin, S., *TPEL June 2017 4905-4924*
- Pilawa-Podgurski, R.C.N.**, see Candan, E., *TPEL Oct. 2017 8071-8088*
- Pilawa-Podgurski, R.C.N.**, see Lei, Y., *TPEL Nov. 2017 8570-8581*
- Pin, G.**, see Chen, B., *TPEL April 2017 2596-2607*
- Pinto, R.A.**, see Martins, M., *TPEL April 2017 3051-3062*
- Pondiche, C.**, see Serban, E., *TPEL Jan. 2017 298-309*
- Pong, B.M.H.**, see Lee, C.K., *TPEL July 2017 5180-5187*
- Poon, J.**, Jain, P., Konstantakopoulos, I.C., Spanos, C., Panda, S.K., and Sanders, S.R., Model-Based Fault Detection and Identification for Switching Power Converters; *TPEL Feb. 2017 1419-1430*
- Poorali, B.**, Adib, E., and Farzanehfar, H., A Single-Stage Single-Switch Soft-Switching Power-Factor-Correction LED Driver; *TPEL Oct. 2017 7932-7940*
- Porto, R.W.**, Brusamarello, V.J., Pereira, L.A., and de Sousa, F.R., Fine Tuning of an Inductive Link Through a Voltage-Controlled Capacitance; *TPEL May 2017 4115-4124*
- Potty, K.A.**, see Alsolami, M., *TPEL Sept. 2017 6853-6862*
- Pou, J.**, see Picas, R., *TPEL Jan. 2017 39-51*
- Pou, J.**, see Ghias, A.M.Y.M., *TPEL Jan. 2017 164-175*
- Pou, J.**, see Farivar, G., *TPEL March 2017 1744-1754*
- Pou, J.**, see Lopez, L., *TPEL June 2017 4878-4890*
- Pou, J.**, see Farivar, G., *TPEL Oct. 2017 8115-8123*
- Pou, J.**, see Farivar, G., *TPEL Nov. 2017 8338-8348*
- Pramanick, S.**, see Bobby, M., *TPEL Jan. 2017 60-68*
- Pramanick, S.**, Karthik, R.S., Azeez, N.A., Gopakumar, K., Williamson, S.S., and Rajashekara, K.S., A Harmonic Suppression Scheme for Full Speed Range of a Two-Level Inverter Fed Induction Motor Drive Using Switched Capacitive Filter; *TPEL March 2017 2064-2071*

- Pramanick, S.**, see S, A.R., *TPEL July 2017 5450-5458*
- Prasad, N.R.**, see Nguyen, T.T., *TPEL Oct. 2017 7482-7493*
- Prasai, A.**, see Chen, H., *TPEL Feb. 2017 995-1005*
- Prasanth Ram, J.**, and Rajasekar, N., A Novel Flower Pollination Based Global Maximum Power Point Method for Solar Maximum Power Point Tracking; *TPEL Nov. 2017 8486-8499*
- Preindl, M.**, see Sun, Y., *TPEL Aug. 2017 6308-6322*
- Priya, S.**, see Zhang, L., *TPEL Aug. 2017 5889-5892*
- Pu, Y.**, see Park, Y., *TPEL Sept. 2017 6946-6960*
- Puigdellivol, O.**, Meresse, D., Menach, Y.L., Harmand, S., and Wecxsteen, J., Thermal Topology Optimization of a Three-Layer Laminated Busbar for Power Converters; *TPEL June 2017 4691-4699*
- Pushpakaran, B.N.**, see Kelley, M.D., *TPEL Aug. 2017 6405-6415*
- Pyrkin, A.**, see Choi, J., *TPEL May 2017 3989-3997*

Q

- Qi, F.**, and Xu, L., Development of a High-Temperature Gate Drive and Protection Circuit Using Discrete Components; *TPEL April 2017 2957-2963*
- Qi, L.**, see Liu, C., *TPEL June 2017 4157-4167*
- Qi, W.**, see Li, S., *TPEL Sept. 2017 6971-6982*
- Qian, F.**, see Umaz, R., *TPEL May 2017 3562-3570*
- Qian, H.**, see Jiang, S., *TPEL Nov. 2017 8743-8750*
- Qian, W.**, see Zhang, X., *TPEL Dec. 2017 8992-9000*
- Qiao, S.**, see Li, J., *TPEL Aug. 2017 5991-6004*
- Qiao, Y.**, see Liu, M., *TPEL April 2017 2835-2845*
- Qin, L.**, see Gunasekaran, D., *TPEL Aug. 2017 6219-6235*
- Qin, S.**, Lei, Y., Barth, C., Liu, W., and Pilawa-Podgurski, R.C.N., A High Power Density Series-Stacked Energy Buffer for Power Pulsation Decoupling in Single-Phase Converters; *TPEL June 2017 4905-4924*
- Qin, S.**, see Lei, Y., *TPEL Nov. 2017 8570-8581*
- Qin, W.**, Wu, X., and Zhang, J., A Family of DC Transformer (DCX) Topologies Based on New ZVZCS Cells With DC Resonant Capacitance; *TPEL April 2017 2822-2834*
- Qin, X.**, see Han, N., *TPEL Oct. 2017 8181-8192*
- Qiu, D.**, see Han, J., *TPEL March 2017 2464-2472*
- Qiu, D.**, see Li, M., *TPEL May 2017 3946-3958*
- Qiu, D.**, see Chen, X., *TPEL Sept. 2017 7034-7044*
- Qiu, L.**, Xu, L., Wang, K., Zheng, Z., and Li, Y., Research on Output Voltage Modulation of a Five-Level Matrix Converter; *TPEL April 2017 2568-2583*
- Qiu, Y.**, see Chen, D., *TPEL April 2017 2717-2727*
- Qiu, Y.**, see Fang, P., *TPEL June 2017 4700-4715*
- Qiu, Y.**, see Chen, D., *TPEL Oct. 2017 7591-7601*
- Qu, C.**, see Zhang, Y., *TPEL March 2017 2319-2328*
- Qu, C.**, see Zhang, Y., *TPEL May 2017 4084-4094*
- Qu, L.**, Zhang, D., and Bao, Z., Output Current-Differential Control Scheme for Input-Series-Output-Parallel-Connected Modular DC-DC Converters; *TPEL July 2017 5699-5711*
- Qu, L.**, Zhang, D., and Bao, Z., Active Output-Voltage-Sharing Control Scheme for Input Series Output Series Connected DC-DC Converters Based on a Master Slave Structure; *TPEL Aug. 2017 6638-6651*
- Qu, X.**, Jing, Y., Han, H., Wong, S., and Tse, C.K., Higher Order Compensation for Inductive-Power-Transfer Converters With Constant-Voltage or Constant-Current Output Combating Transformer Parameter Constraints; *TPEL Jan. 2017 394-405*
- Qu, X.**, see Ning, G., *TPEL July 2017 5162-5170*
- Qu, X.**, Wang, H., Zhan, X., Blaabjerg, F., and Chung, H.S., A Lifetime Prediction Method for LEDs Considering Real Mission Profiles; *TPEL Nov. 2017 8718-8727*
- Quaicoe, J.E.**, see Tahavorgar, A., *TPEL May 2017 3708-3718*
- Quan, X.**, Dou, X., Wu, Z., Hu, M., and Chen, F., A Concise Discrete Adaptive Filter for Frequency Estimation Under Distorted Three-Phase Voltage; *TPEL Dec. 2017 9400-9412*
- Quan, Z.**, and Li, Y.W., A Three-Level Space Vector Modulation Scheme for Paralleled Converters to Reduce Circulating Current and Common-Mode Voltage; *TPEL Jan. 2017 703-714*
- Quan, Z.**, see Lian, Y., *TPEL Feb. 2017 1312-1323*
- Quintans, C.**, Iglesias, R., Lago, A., Acevedo, J.M., and Martinez-Penalver, C., Methodology to Obtain the Voltage-Dependent Parameters of a Fourth-Order Supercapacitor Model With the Transient Response to Current Pulses; *TPEL May 2017 3868-3878*
- Quraan, M.**, Tricoli, P., D Arco, S., and Piegari, L., Efficiency Assessment of Modular Multilevel Converters for Battery Electric Vehicles; *TPEL March 2017 2041-2051*

R

- Radan, A.**, see Amini, J., *TPEL Jan. 2017 2-10*
- Rafaq, M.S.**, Mwasilu, F., Kim, J., Choi, H.H., and Jung, J., Online Parameter Identification for Model-Based Sensorless Control of Interior Permanent Magnet Synchronous Machine; *TPEL June 2017 4631-4643*
- Ragonese, E.**, see Fiore, V., *TPEL March 2017 1984-1995*
- Rahim, N.A.**, see Munim, W.N.W.A., *TPEL Oct. 2017 7824-7836*
- Rahman, M.F.**, see Habibullah, M., *TPEL Jan. 2017 479-489*
- Rahul S., A.**, see Nair R., V., *TPEL Jan. 2017 52-59*
- Rahul S., A.**, see Boby, M., *TPEL Jan. 2017 60-68*
- Raich, R.**, see Ke, Z., *TPEL April 2017 2948-2956*
- Rajasekar, N.**, see Prasanth Ram, J., *TPEL Nov. 2017 8486-8499*
- Rajashakara, K.S.**, see Pramanick, S., *TPEL March 2017 2064-2071*
- Raman, G.P.**, see Manickam, C., *TPEL June 2017 4432-4443*
- Raman, G.R.**, see Manickam, C., *TPEL June 2017 4432-4443*
- Ramanjaneya Reddy, U.**, and Narasimharaju, B.L., A Cost-Effective Zero-Voltage Switching Dual-Output LED Driver; *TPEL Oct. 2017 7941-7953*
- Ramos, G.A.**, see Ovalle, A., *TPEL June 2017 4925-4938*
- Ran, L.**, see Lai, W., *TPEL Feb. 2017 1431-1441*
- Ran, L.**, see Gao, B., *TPEL March 2017 2227-2242*
- Ran, L.**, see Gonzalez, J.O., *TPEL Oct. 2017 7954-7966*
- Rannestad, B.**, see Choi, U., *TPEL Oct. 2017 7990-7997*
- Rathore, A.K.**, see Gnanasambandam, K., *TPEL May 2017 3382-3401*
- Rathore, A.K.**, see Gnanasambandam, K., *TPEL May 2017 3370-3381*
- Ray, P.K.**, see Swain, S.D., *TPEL May 2017 3490-3498*
- Redl, R.**, see Fang, C., *TPEL May 2017 4048-4055*
- Rehtanz, C.**, see Li, Y., *TPEL Feb. 2017 920-926*
- Rehtanz, C.**, see Xie, B., *TPEL Dec. 2017 9031-9042*
- Reichl, J.**, Lai, J., Hefner, A., Ortiz-Rodriguez, J.M., and Duong, T., Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation; *TPEL Jan. 2017 503-514*
- Reigosa, D.**, Fernandez, D., Tanimoto, T., Kato, T., and Briz, F., Comparative Analysis of BEMF and Pulsating High-Frequency Current Injection Methods for PM Temperature Estimation in PMSMs; *TPEL May 2017 3691-3699*
- Reigosa, D.D.**, Briz, F., Blanco Charro, C., and Guerrero, J.M., Passive Islanding Detection Using Inverter Nonlinear Effects; *TPEL Nov. 2017 8434-8445*
- Reinap, A.**, see Domingues-Olavarria, G., *TPEL Nov. 2017 8681-8692*
- Ren, H.**, see Li, H., *TPEL Jan. 2017 642-651*
- Ren, H.**, see Li, H., *TPEL March 2017 2452-2463*
- Ren, J.**, Ye, Y., Xu, G., Zhao, Q., and Zhu, M., Uncertainty-and-Disturbance-Estimator-Based Current Control Scheme for PMSM Drives With a Simple Parameter Tuning Algorithm; *TPEL July 2017 5712-5722*
- Ren, Q.**, Sun, C., and Xiao, F., A Modular Multilevel DC-DC Converter Topology With a Wide Range of Output Voltage; *TPEL Aug. 2017 6018-6030*
- Ren, X.**, see Zhang, Z., *TPEL March 2017 2029-2040*
- Ren, X.**, see Zhang, Z., *TPEL April 2017 2757-2768*
- Ren, X.**, see Xu, L., *TPEL June 2017 4839-4851*
- Ren, X.**, see Zhang, Z., *TPEL July 2017 5527-5538*
- Ren, X.**, see Zhang, Z., *TPEL Aug. 2017 6197-6205*
- Ren, Y.**, see Abosh, A.H., *TPEL April 2017 2976-2986*
- Ren, Y.**, see Zhang, F., *TPEL Oct. 2017 7469-7481*
- Repecho, V.**, Biel, D., Olm, J.M., and Colet, E.F., Switching Frequency Regulation in Sliding Mode Control by a Hysteresis Band Controller; *TPEL Feb. 2017 1557-1569*
- Retegui, R.G.**, see Antoszczuk, P., *TPEL March 2017 1697-1702*
- Retegui, R.G.**, see Cervellini, P., *TPEL Sept. 2017 6684-6688*

- Reverter, F.**, and Gasulla, M., Optimal Inductor Current in Boost DC/DC Converters Regulating the Input Voltage Applied to Low-Power Photovoltaic Modules; *TPEL Aug. 2017 6188-6196*
- Riar, B.S.**, Scoltock, J., and Madawala, U.K., Model Predictive Direct Slope Control for Power Converters; *TPEL March 2017 2278-2289*
- Riccio, M.**, De Falco, G., Mirone, P., Maresca, L., Tedesco, M., Breglio, G., and Irace, A., Accurate SPICE Modeling of Reverse-Conducting IGBTs Including Self-Heating Effects; *TPEL April 2017 3088-3098*
- Riedel, J.**, Holmes, D.G., McGrath, B.P., and Teixeira, C., ZVS Soft Switching Boundaries for Dual Active Bridge DC-DC Converters Using Frequency Domain Analysis; *TPEL April 2017 3166-3179*
- Riedel, J.**, Holmes, D.G., McGrath, B.P., and Teixeira, C., Active Suppression of Selected DC Bus Harmonics for Dual Active Bridge DC-DC Converters; *TPEL Nov. 2017 8857-8867*
- Ries, L.K.**, Soeiro, T.B., Ortmann, M.S., and Heldwein, M.L., Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier; *TPEL Aug. 2017 6005-6017*
- Rim, C.T.**, see Lee, E.S., *TPEL Oct. 2017 8054-8070*
- Rim, C.T.**, see Lee, E.S., *TPEL Nov. 2017 8258-8276*
- Rincon-Mora, G.A.**, see Solis, C.J., *TPEL March 2017 2387-2394*
- Ritter, A.**, see Zhang, L., *TPEL Aug. 2017 5889-5892*
- Rivera, S.**, and Wu, B., Electric Vehicle Charging Station With an Energy Storage Stage for Split-DC Bus Voltage Balancing; *TPEL March 2017 2376-2386*
- Roasto, I.**, see Vinnikov, D., *TPEL May 2017 3634-3650*
- Rocha, N.**, see Melo, V.F.M.B., *TPEL Nov. 2017 8606-8617*
- Rodriguez, J.**, see Gnanasambandam, K., *TPEL May 2017 3382-3401*
- Rodriguez, J.**, see Siami, M., *TPEL Sept. 2017 7160-7168*
- Rodriguez, J.R.**, see Rojas, C.A., *TPEL Aug. 2017 6245-6260*
- Rodriguez-Diaz, E.**, see Freijedo, F.D., *TPEL Oct. 2017 8218-8228*
- Rogers, D.J.**, see Chatzinikolaou, E., *TPEL Sept. 2017 6913-6923*
- Rojas, C.A.**, Rodriguez, J.R., Kouro, S., and Villarreal, F., Multiobjective Fuzzy-Decision-Making Predictive Torque Control for an Induction Motor Drive; *TPEL Aug. 2017 6245-6260*
- Rojas, F.**, Cardenas, R., Kennel, R., Clare, J.C., and Diaz, M., A Simplified Space-Vector Modulation Algorithm for Four-Leg NPC Converters; *TPEL Nov. 2017 8371-8380*
- Romero, M.F.**, see Cucak, D., *TPEL March 2017 2189-2202*
- Rong, F.**, Gong, X., and Huang, S., A Novel Grid-Connected PV System Based on MMC to Get the Maximum Power Under Partial Shading Conditions; *TPEL June 2017 4320-4333*
- Rong-Jun, D.**, see Shu, C., *TPEL March 2017 2203-2214*
- Ronsisvalle, C.**, see Abbate, C., *TPEL Jan. 2017 584-592*
- Rose, M.**, see Wen, Y., *TPEL Jan. 2017 423-432*
- Round, W.H.**, see Gurusinge, N., *TPEL Feb. 2017 911-914*
- Roy, J.**, see Xia, Y., *TPEL July 2017 5188-5201*
- Roy, J.**, and Ayyanar, R., Sensor-Less Current Sharing Over Wide Operating Range for Extended-Duty-Ratio Boost Converter; *TPEL Nov. 2017 8763-8777*
- Ruan, X.**, see Fang, T., *TPEL Jan. 2017 723-735*
- Ruan, X.**, see Liu, F., *TPEL April 2017 3240-3250*
- Ruan, X.**, see Pan, D., *TPEL June 2017 4395-4410*
- Rudraraju, V.R.R.**, Nagamani, C., and Ganesan, S.I., A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link; *TPEL June 2017 4334-4343*
- Rufer, A.**, see Mademlis, G., *TPEL Feb. 2017 1507-1517*
- Rufer, A.**, see Garcia-Bediaga, A., *TPEL April 2017 2508-2520*
- Rufer, A.**, see Garcia-Bediaga, A., *TPEL April 2017 2995-3006*
- Ruiz, J.M.**, see Jang, Y., *TPEL Feb. 2017 942-956*
- Rujas, A.**, see Garcia-Bediaga, A., *TPEL April 2017 2508-2520*
- Rujas, A.**, see Garcia-Bediaga, A., *TPEL April 2017 2995-3006*
- Russell, S.A.O.**, see Hamilton, D.P., *TPEL Oct. 2017 7967-7979*
- Ryu, H.**, see Park, Y., *TPEL Sept. 2017 6946-6960*
- S**
- S, A.R.**, Pramanick, S., Kaarthik, R.S., Gopakumar, K., and Blaabjerg, F., Extending the Linear Modulation Range to the Full Base Speed Using a Single DC-Link Multilevel Inverter With Capacitor-Fed H-Bridges for IM Drives; *TPEL July 2017 5450-5458*
- Sabahi, M.**, see Nazari-Heris, M., *TPEL Aug. 2017 6059-6068*
- Sabahi, M.**, see Abdolkarimzadeh, M., *TPEL Dec. 2017 9043-9050*
- Sabor, J.**, see El Mejdoubi, A., *TPEL Dec. 2017 9355-9363*
- Sabri, S.**, see Eni, E., *TPEL Dec. 2017 9342-9354*
- Sabyasachi, S.**, see Karasani, R.R., *TPEL Feb. 2017 1070-1087*
- Saeedifard, M.**, see Deng, Y., *TPEL April 2017 2521-2532*
- Safaei, A.**, and Woronowicz, K., Time-Domain Analysis of Voltage-Driven Series-Series Compensated Inductive Power Transfer Topology; *TPEL July 2017 4981-5003*
- Sahoo, A.K.**, see Padhee, V., *TPEL Nov. 2017 8655-8670*
- Saket, M.A.**, Shafiei, N., and Ordonez, M., LLC Converters With Planar Transformers: Issues and Mitigation; *TPEL June 2017 4524-4542*
- Saleh, S.A.**, Aljankawey, A.S., Ozkop, E., and Meng, R., On the Experimental Performance of a Coordinated Antiislanding Protection for Systems With Multiple DGUs; *TPEL Feb. 2017 1106-1123*
- Salehi Dobakhshari, S.**, Milimonfared, J., Taheri, M., and Moradisizkoohi, H., A Quasi-Resonant Current-Fed Converter With Minimum Switching Losses; *TPEL Jan. 2017 353-362*
- Salmon, J.**, see UI Haque, A.R.N.M.R., *TPEL Oct. 2017 7851-7861*
- Sampath, J.P.K.**, Alphones, A., and Vilathgamuwa, D.M., Figure of Merit for the Optimization of Wireless Power Transfer System Against Misalignment Tolerance; *TPEL June 2017 4359-4369*
- Sanada, M.**, see Shinohara, A., *TPEL March 2017 2114-2122*
- Sanchez, F.J.R.**, see Perez, J., *TPEL April 2017 3180-3191*
- Sanchez-Ruiz, A.**, Abad, G., Echeverria, I., Torre, I., and Atutxa, I., Continuous Phase-Shifted Selective Harmonic Elimination and DC-Link Voltage Balance Solution for H-bridge Multilevel Configurations, Applied to 5L HNPC; *TPEL April 2017 2533-2545*
- Sandeep, N.**, and Yaragatti, U.R., Design and Implementation of a Sensorless Multilevel Inverter With Reduced Part Count; *TPEL Sept. 2017 6677-6683*
- Sanders, S.R.**, see Poon, J., *TPEL Feb. 2017 1419-1430*
- Sandoval, J.J.**, Krishnamoorthy, H.S., Enjeti, P.N., and Choi, S., Reduced Active Switch Front-End Multipulse Rectifier With Medium-Frequency Transformer Isolation; *TPEL Oct. 2017 7458-7468*
- Sangwongwanich, A.**, Yang, Y., and Blaabjerg, F., A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems; *TPEL Nov. 2017 8559-8569*
- Sanseverino, A.**, see Abbate, C., *TPEL Jan. 2017 584-592*
- Sari, A.**, see Shili, S., *TPEL June 2017 4939-4948*
- Sarlioglu, B.**, see Morris, C.T., *TPEL March 2017 1720-1724*
- Sarnago, H.**, Lucia, O., and Burdio, J.M., Interleaved Resonant Boost Inverter Featuring SiC Module for High-Performance Induction Heating; *TPEL Feb. 2017 1018-1029*
- Sasongko, F.**, and Akagi, H., Low-Switching-Frequency Operation of a Modular Multilevel DSCC Converter With Phase-Shifted Rotating-Carrier PWM; *TPEL July 2017 5058-5069*
- Sato, T.**, see Chen, J., *TPEL April 2017 3263-3272*
- Savaghebi, M.**, see Zhao, X., *TPEL April 2017 3128-3142*
- Savaghebi, M.**, see Golsorkhi, M.S., *TPEL July 2017 5675-5687*
- Scarcella, G.**, see Cacciato, M., *TPEL Jan. 2017 794-803*
- Scelba, G.**, see Cacciato, M., *TPEL Jan. 2017 794-803*
- Schaefer, C.**, see Din, E., *TPEL July 2017 5688-5698*
- Schofield, N.**, see Niu, W., *TPEL Oct. 2017 7837-7844*
- Schrittwieser, L.**, Kolar, J.W., and Soeiro, T.B., Novel SWISS Rectifier Modulation Scheme Preventing Input Current Distortions at Sector Boundaries; *TPEL July 2017 5771-5785*
- Schrittwieser, L.**, see Anderson, J.A., *TPEL Dec. 2017 8963-8968*
- Schroth, S.**, see Krismer, F., *TPEL April 2017 3112-3127*
- Schuck, M.**, Ho, A.D., and Pilawa-Podgurski, R.C.N., Asymmetric Interleaving in Low-Voltage CMOS Power Management With Multiple Supply Rails; *TPEL Jan. 2017 715-722*

- Scoltock, J.**, see Riar, B.S., *TPEL March 2017 2278-2289*
- Sebastian, J.**, see Lamar, D.G., *TPEL May 2017 3908-3919*
- See, K.Y.**, see Liu, Y., *TPEL May 2017 3835-3843*
- Segundo-Ramirez, J.**, see Esparza, M., *TPEL Aug. 2017 5907-5916*
- Semenov, D.**, see Tian, B., *TPEL July 2017 5459-5472*
- Semenov, D.**, see Tian, B., *TPEL July 2017 5473-5486*
- Sen, P.C.**, see Wang, H., *TPEL July 2017 5146-5161*
- Sen, P.C.**, see Wang, H., *TPEL Sept. 2017 6700-6715*
- Sensarma, P.**, see Kundu, U., *TPEL March 2017 1703-1706*
- Sensarma, P.**, see Tolani, S., *TPEL June 2017 4960-4969*
- Sensarma, P.**, see Kumar, A., *TPEL July 2017 5282-5292*
- Seo, C.**, see Irfan, M.S., *TPEL May 2017 3610-3622*
- Serban, E.**, Ordonez, M., and Pondiche, C., Voltage and Frequency Grid Support Strategies Beyond Standards; *TPEL Jan. 2017 298-309*
- Serban, E.**, Paz, F., and Ordonez, M., Improved PV Inverter Operating Range Using a Miniboost; *TPEL Nov. 2017 8470-8485*
- Seshia, A.A.**, see Du, S., *TPEL May 2017 3595-3609*
- Sha, D.**, see Xu, G., *TPEL March 2017 2243-2252*
- Sha, D.**, Zhang, J., Wang, X., and Yuan, W., Dynamic Response Improvements of Parallel-Connected Bidirectional DC-DC Converters for Electrical Drive Powered by Low-Voltage Battery Employing Optimized Feedforward Control; *TPEL Oct. 2017 7783-7794*
- Shabestary, M.M.**, and Mohamed, Y.A.I., Analytical Expressions for Multiobjective Optimization of Converter-Based DG Operation Under Unbalanced Grid Conditions; *TPEL Sept. 2017 7284-7296*
- Shabestary, M.M.**, see Mortazavian, S., *TPEL Oct. 2017 8134-8149*
- Shafiei, A.**, Dehkordi, B.M., Kiyoumars, A., and Farhangi, S., A Control Approach for a Small-Scale PMSG-Based WECS in the Whole Wind Speed Range; *TPEL Dec. 2017 9117-9130*
- Shafiei, N.**, see Saket, M.A., *TPEL June 2017 4524-4542*
- Shahin, A.**, Moussa, H., Forrissi, I., Martin, J., Nahid-Mobarakeh, B., and Pierfederici, S., Reliability Improvement Approach Based on Flatness Control of Parallel-Connected Inverters; *TPEL Jan. 2017 681-692*
- Shakib, S.M.S.I.**, and Mekhilef, S., A Frequency Adaptive Phase Shift Modulation Control Based LLC Series Resonant Converter for Wide Input Voltage Applications; *TPEL Nov. 2017 8360-8370*
- Shamsi, P.**, and Shen, A., Design and Analysis of a Class of Zero Fundamental Ripple Converters; *TPEL June 2017 4543-4552*
- Shamsi, P.**, see Mukherjee, S., *TPEL July 2017 5601-5612*
- Shan, Z.**, see Zhang, K., *TPEL March 2017 1964-1974*
- Shang, X.**, Su, D., Xu, H., and Peng, Z., A Noise Source Impedance Extraction Method for Operating SMPS Using Modified LISN and Simplified Calibration Procedure; *TPEL June 2017 4132-4139*
- Shang, Y.**, Xia, B., Lu, F., Zhang, C., Cui, N., and Mi, C.C., A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings; *TPEL Oct. 2017 7694-7706*
- Shao, W.**, see Ju, B., *TPEL Feb. 2017 1346-1354*
- Shao, Z.**, Zhang, X., Wang, F., Cao, R., and Ni, H., Analysis and Control of Neutral-Point Voltage for Transformerless Three-Level PV Inverter in LVRT Operation; *TPEL March 2017 2347-2359*
- Shen, A.**, see Tang, Q., *TPEL May 2017 3767-3776*
- Shen, A.**, see Shamsi, P., *TPEL June 2017 4543-4552*
- Shen, L.**, see Fang, T., *TPEL Jan. 2017 723-735*
- Shen, P.**, see Han, Y., *TPEL March 2017 2427-2451*
- Shen, W.**, see Zhang, Y., *TPEL June 2017 4421-4431*
- Shen, W.**, see Hu, C., *TPEL Oct. 2017 7419-7434*
- Shen, Y.**, see Sun, X., *TPEL Jan. 2017 69-80*
- Shen, Y.**, see Sun, X., *TPEL Sept. 2017 6882-6895*
- Shen, Z.**, see Wen, B., *TPEL Feb. 2017 1548-1556*
- Shen, Z.**, see Ahmed, S., *TPEL June 2017 4145-4156*
- Shen, Z.J.**, see Liao, L., *TPEL June 2017 4600-4606*
- Shenoy, P.S.**, see Candan, E., *TPEL Oct. 2017 8071-8088*
- Shi, G.**, see Sun, C., *TPEL Aug. 2017 5978-5990*
- Shi, J.**, see Zhang, Y., *TPEL Sept. 2017 6728-6738*
- Shi, L.**, Lei, W., Li, Z., Huang, J., Cui, Y., and Wang, Y., Bilinear Discrete-Time Modeling and Stability Analysis of the Digitally Controlled Dual Active Bridge Converter; *TPEL Nov. 2017 8787-8799*
- Shi, T.**, see Xia, C., *TPEL July 2017 5109-5121*
- Shi, T.**, see Li, S., *TPEL July 2017 5388-5397*
- Shi, T.**, see Chen, W., *TPEL July 2017 5497-5508*
- Shi, W.**, see Ma, C., *TPEL June 2017 4644-4651*
- Shi, X.**, see Liu, B., *TPEL July 2017 5070-5086*
- Shi, X.**, see Li, Y., *TPEL Aug. 2017 6069-6078*
- Shi, X.**, Wang, Z., Liu, B., Li, Y., Tolbert, L.M., and Wang, F., Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions; *TPEL Sept. 2017 7306-7324*
- Shibako, Y.**, see Matsumoto, H., *TPEL Oct. 2017 7615-7625*
- Shili, S.**, Hijazi, A., Sari, A., Lin-Shi, X., and Venet, P., Balancing Circuit New Control for Supercapacitor Storage System Lifetime Maximization; *TPEL June 2017 4939-4948*
- Shin, H.**, Chae, Y., Son, Y., and Ha, J., Single-Phase Grid-Connected Motor Drive System With DC-Link Shunt Compensator and Small DC-Link Capacitor; *TPEL Feb. 2017 1268-1278*
- Shin, H.**, Son, Y., and Ha, J., Grid Current Shaping Method with DC-Link Shunt Compensator for Three-Phase Diode Rectifier-Fed Motor Drive System; *TPEL Feb. 2017 1279-1288*
- Shin, J.**, Danilovic, M., Mao, Y., and Ngo, K.D.T., Bus Voltage Control of Cascaded Buck-Boost Power Amplifier Driving Inductive Load With 2.3-kW Peak Power; *TPEL May 2017 4107-4114*
- Shin, J.**, see Ishigaki, M., *TPEL Sept. 2017 6961-6970*
- Shin, K.H.**, see Deng, Y., *TPEL April 2017 2521-2532*
- Shinohara, A.**, Inoue, Y., Morimoto, S., and Sanada, M., Direct Calculation Method of Reference Flux Linkage for Maximum Torque per Ampere Control in DTC-Based IPMSM Drives; *TPEL March 2017 2114-2122*
- Shiroyama, H.**, see Chen, J., *TPEL April 2017 3263-3272*
- Shoulaie, A.**, see Mohamadian, S., *TPEL Jan. 2017 452-470*
- Shoyama, M.**, see Aly, M., *TPEL Dec. 2017 9376-9388*
- Shu, C.**, Wei, L., Rong-Jun, D., and Te-Fang, C., Fault Diagnosis and Fault-Tolerant Control Scheme for Open-Circuit Faults in Three-Stepped Bridge Converters; *TPEL March 2017 2203-2214*
- Shu, L.**, Zhang, J., Peng, F., and Chen, Z., Active Current Source IGBT Gate Drive With Closed-Loop di/dt and dv/dt Control; *TPEL May 2017 3787-3796*
- Shu, L.**, see Ning, G., *TPEL July 2017 5162-5170*
- Shu, Z.**, see Peng, X., *TPEL Sept. 2017 7381-7393*
- Shuai, P.**, and Biela, J., Influence of Material Properties and Geometric Shape of Magnetic Cores on Acoustic Noise Emission of Medium-Frequency Transformers; *TPEL Oct. 2017 7916-7931*
- Shuai, Z.**, see Liao, L., *TPEL June 2017 4600-4606*
- Siami, M.**, Khaburi, D.A., and Rodriguez, J., Torque Ripple Reduction of Predictive Torque Control for PMSM Drives With Parameter Mismatch; *TPEL Sept. 2017 7160-7168*
- Simanjorang, R.**, see Liu, Y., *TPEL May 2017 3835-3843*
- Singer, S.**, see Wu, B., *TPEL Feb. 2017 1186-1197*
- Singh, A.**, Anurag, A., and Anand, S., Evaluation of V_{ce} at Inflection Point for Monitoring Bond Wire Degradation in Discrete Packaged IGBTs; *TPEL April 2017 2481-2484*
- Singh, A.K.**, Das, P., and Panda, S.K., Analysis and Design of SQR-Based High-Voltage LLC Resonant DC-DC Converter; *TPEL June 2017 4466-4481*
- Singh, A.K.**, Jayasankar, E., Das, P., and Panda, S.K., A Matrix-Based Nonisolated Three-Phase AC-DC Rectifier With Large Step-Down Voltage Gain; *TPEL June 2017 4796-4811*
- Singh, M.**, see Trivedi, A., *TPEL Aug. 2017 6595-6604*
- Sirouspour, S.**, see Sun, Y., *TPEL Aug. 2017 6308-6322*
- Siu, K.K.**, see Ho, C.N.M., *TPEL Aug. 2017 6206-6218*
- Sivakumar, K.**, see Umesh, B.S., *TPEL Oct. 2017 7862-7869*
- Siwakoti, Y.P.**, and Blaabjerg, F., Single Switch Nonisolated Ultra-Step-Up DC-DC Converter With an Integrated Coupled Inductor for High Boost Applications; *TPEL Nov. 2017 8544-8558*
- Siwakoti, Y.P.**, see Forouzesh, M., *TPEL Dec. 2017 9143-9178*
- Skibin, S.**, see Wunsch, B., *TPEL March 2017 1908-1916*
- Slama-Belkhdja, I.**, see Ben Said-Romdhane, M., *TPEL Sept. 2017 6739-6750*
- Slater, H.**, see Dehghan-Azad, E., *TPEL Sept. 2017 7140-7150*

- Smedley, K.M.**, see Wu, B., *TPEL Feb. 2017 1186-1197*
- So, P.L.**, see Kanamarlapudi, V.R.K., *TPEL Aug. 2017 6145-6160*
- Soares, G.M.**, Almeida, P.S., Alonso, J.M., and Braga, H.A.C., Capacitance Minimization in Offline LED Drivers Using an Active-Ripple-Compensation Technique; *TPEL April 2017 3022-3033*
- Soeiro, T.B.**, see Schrittwieser, L., *TPEL July 2017 5771-5785*
- Soeiro, T.B.**, see Ries, L.K., *TPEL Aug. 2017 6005-6017*
- Solero, L.**, see Benedetto, M.D., *TPEL July 2017 5741-5751*
- Solis, C.J.**, and Rincon-Mora, G.A., 0.6- μm CMOS-Switched-Inductor Dual-Supply Hysteretic Current-Mode Buck Converter; *TPEL March 2017 2387-2394*
- Soltani, H.**, Davari, P., Zare, F., Loh, P.C., and Blaabjerg, F., Characterization of Input Current Interharmonics in Adjustable Speed Drives; *TPEL Nov. 2017 8632-8643*
- Son, H.S.**, see Lee, E.S., *TPEL Nov. 2017 8258-8276*
- Son, Y.**, see Shin, H., *TPEL Feb. 2017 1268-1278*
- Son, Y.**, and Ha, J., Discontinuous Grid Current Control of Motor Drive System With Single-Phase Diode Rectifier and Small DC-Link Capacitor; *TPEL Feb. 2017 1324-1334*
- Son, Y.**, see Shin, H., *TPEL Feb. 2017 1279-1288*
- Song, C.**, see Yuan, S., *TPEL July 2017 5365-5376*
- Song, J.**, see Li, J., *TPEL June 2017 4766-4775*
- Song, K.**, see Li, Z., *TPEL May 2017 3301-3316*
- Song, K.**, Konstantinou, G., Mingli, W., Acuna, P., Aguilera, R.P., and Agelidis, V.G., Windowed SHE-PWM of Interleaved Four-Quadrant Converters for Resonance Suppression in Traction Power Supply Systems; *TPEL Oct. 2017 7870-7881*
- Song, Q.**, see Zhao, B., *TPEL March 2017 1779-1791*
- Song, Q.**, see Zhao, B., *TPEL May 2017 3413-3424*
- Song, Q.**, see Zhao, B., *TPEL Sept. 2017 6751-6766*
- Song, X.**, Zheng, S., Han, B., Peng, C., and Zhou, X., Active Damping Stabilization for High-Speed BLDCM Drive System Based on Band-Pass Filter; *TPEL July 2017 5438-5449*
- Song, X.**, Huang, A.Q., Lee, M., and Peng, C., Theoretical and Experimental Study of 22 kV SiC Emitter Turn-OFF (ETO) Thyristor; *TPEL Aug. 2017 6381-6393*
- Song, Y.**, Wang, X., and Blaabjerg, F., High-Frequency Resonance Damping of DFIG-Based Wind Power System Under Weak Network; *TPEL March 2017 1927-1940*
- Song, Y.**, Wang, X., and Blaabjerg, F., Impedance-Based High-Frequency Resonance Analysis of DFIG System in Weak Grids; *TPEL May 2017 3536-3548*
- Song, Y.**, and Blaabjerg, F., Overview of DFIG-Based Wind Power System Resonances Under Weak Networks; *TPEL June 2017 4370-4394*
- Song, Y.**, and Blaabjerg, F., Analysis of the Behavior of Undamped and Unstable High-Frequency Resonance in a DFIG System; *TPEL Dec. 2017 9105-9116*
- Sonti, V.**, Jain, S., and Bhattacharya, S., Analysis of the Modulation Strategy for the Minimization of the Leakage Current in the PV Grid-Connected Cascaded Multilevel Inverter; *TPEL Feb. 2017 1156-1169*
- Soon, J.J.**, see Kang, B., *TPEL June 2017 4503-4513*
- Sozer, Y.**, see Ahmed, A., *TPEL Feb. 2017 1299-1311*
- Sozer, Y.**, see Cingoz, F., *TPEL April 2017 2743-2756*
- Spanos, C.**, see Poon, J., *TPEL Feb. 2017 1419-1430*
- Srinivasan, D.**, see Gnanasambandam, K., *TPEL May 2017 3382-3401*
- Srinivasan, D.**, see Gnanasambandam, K., *TPEL May 2017 3370-3381*
- Stauth, J.T.**, see Din, E., *TPEL July 2017 5688-5698*
- Stein, A.L.F.**, and Hofmann, H.F., Autonomous Wideband Piezoelectric Energy Harvesting Utilizing a Resonant Inverter; *TPEL Aug. 2017 6178-6187*
- Steinke, G.K.**, see Mademlis, G., *TPEL Feb. 2017 1507-1517*
- Stellato, B.**, Geyer, T., and Goulet, P.J., High-Speed Finite Control Set Model Predictive Control for Power Electronics; *TPEL May 2017 4007-4020*
- Stevanovic, I.**, see Wunsch, B., *TPEL March 2017 1908-1916*
- Steyn-Ross, D.A.**, see Gurusinge, N., *TPEL Feb. 2017 911-914*
- Stillwell, A.**, see Lei, Y., *TPEL Nov. 2017 8570-8581*
- Stojadinovic, M.**, see Christen, D., *TPEL Nov. 2017 8693-8704*
- Stone, D.A.**, see Liu, X., *TPEL May 2017 4095-4106*
- Storage, M.**, see Formentini, A., *TPEL May 2017 4036-4047*
- Su, D.**, see Shang, X., *TPEL June 2017 4132-4139*
- Su, M.**, see Li, X., *TPEL June 2017 4852-4863*
- Su, Y.**, Zhou, W., Hu, A.P., Tang, C., Xie, S., and Sun, Y., Full-Duplex Communication on the Shared Channel of a Capacitively Coupled Power Transfer System; *TPEL April 2017 3229-3239*
- Su, Y.**, Xie, S., Hu, A.P., Tang, C., Zhou, W., and Huang, L., Capacitive Power Transfer System With a Mixed-Resonant Topology for Constant-Current Multiple-Pickup Applications; *TPEL Nov. 2017 8778-8786*
- Subudhi, B.**, see Panigrahi, R., *TPEL April 2017 2622-2630*
- Suda, N.**, see Magod, R., *TPEL April 2017 2856-2864*
- Sugimoto, Y.**, see Nakamura, S., *TPEL Jan. 2017 218-232*
- Sul, S.**, see Kim, H., *TPEL June 2017 4970-4980*
- Sul, S.**, see Jung, J., *TPEL June 2017 4199-4209*
- Sul, S.**, see Kwon, Y., *TPEL Aug. 2017 6261-6274*
- Sularea, V.**, see Kwon, J., *TPEL Sept. 2017 6823-6835*
- Sumner, M.**, see Zhang, Y., *TPEL Jan. 2017 825-836*
- Sumner, M.**, see Zhang, Y., *TPEL Sept. 2017 6728-6738*
- Sun, B.**, Jiang, X., Yung, K., Fan, J., and Pecht, M.G., A Review of Prognostic Techniques for High-Power White LEDs; *TPEL Aug. 2017 6338-6362*
- Sun, C.**, see Ren, Q., *TPEL Aug. 2017 6018-6030*
- Sun, C.**, Zhang, J., Cai, X., and Shi, G., Analysis and Arm Voltage Control of Isolated Modular Multilevel DC-DC Converter with Asymmetric Branch Impedance; *TPEL Aug. 2017 5978-5990*
- Sun, D.**, see Wang, X., *TPEL Jan. 2017 773-782*
- Sun, D.**, see Chen, M., *TPEL Feb. 2017 889-893*
- Sun, D.**, see Tian, B., *TPEL July 2017 5459-5472*
- Sun, D.**, see Tian, B., *TPEL July 2017 5473-5486*
- Sun, J.**, see Liu, Y., *TPEL Aug. 2017 6323-6337*
- Sun, J.**, see Huang, M., *TPEL Nov. 2017 8868-8879*
- Sun, K.**, Wang, X., Li, Y.W., Nejabatkhah, F., Mei, Y., and Lu, X., Parallel Operation of Bidirectional Interfacing Converters in a Hybrid AC/DC Microgrid Under Unbalanced Grid Voltage Conditions; *TPEL March 2017 1872-1884*
- Sun, K.**, see Zhao, X., *TPEL April 2017 3128-3142*
- Sun, L.**, see Bi, K., *TPEL May 2017 3292-3296*
- Sun, L.**, see Tian, B., *TPEL July 2017 5459-5472*
- Sun, L.**, see Tian, B., *TPEL July 2017 5473-5486*
- Sun, L.**, Feng, K., Chapman, C., and Zhang, N., An Adaptive Power-Split Strategy for Battery-Supercapacitor Powertrain—Design, Simulation, and Experiment; *TPEL Dec. 2017 9364-9375*
- Sun, P.**, Gong, C., Du, X., Peng, Y., Wang, B., and Zhou, L., Condition Monitoring IGBT Module Bond Wires Fatigue Using Short-Circuit Current Identification; *TPEL May 2017 3777-3786*
- Sun, Q.**, see Zhao, B., *TPEL Sept. 2017 6751-6766*
- Sun, T.**, see Koc, M., *TPEL Jan. 2017 490-502*
- Sun, T.**, Wang, J., and Koc, M., Self-Learning Direct Flux Vector Control of Interior Permanent-Magnet Machine Drives; *TPEL June 2017 4652-4662*
- Sun, T.**, Wang, J., and Koc, M., On Accuracy of Virtual Signal Injection based MTPA Operation of Interior Permanent Magnet Synchronous Machine Drives; *TPEL Sept. 2017 7405-7408*
- Sun, W.**, see Wang, C., *TPEL Feb. 2017 1457-1468*
- Sun, X.**, Hao, Y., Wu, Q., Guo, X., and Wang, B., A Multifunctional and Wireless Droop Control for Distributed Energy Storage Units in Islanded AC Microgrid Applications; *TPEL Jan. 2017 736-751*
- Sun, X.**, Li, X., Shen, Y., Wang, B., and Guo, X., Dual-Bridge LLC Resonant Converter With Fixed-Frequency PWM Control for Wide Input Applications; *TPEL Jan. 2017 69-80*
- Sun, X.**, see Yin, Z., *TPEL Sept. 2017 7096-7117*
- Sun, X.**, see Tan, G., *TPEL Sept. 2017 7352-7380*
- Sun, X.**, Wu, X., Shen, Y., Li, X., and Lu, Z., A Current-Fed Isolated Bidirectional DC-DC Converter; *TPEL Sept. 2017 6882-6895*
- Sun, Y.**, see Su, Y., *TPEL April 2017 3229-3239*
- Sun, Y.**, see Li, X., *TPEL June 2017 4852-4863*
- Sun, Y.**, Zhang, H., Hu, A.P., Tang, C., and Xiang, L., The Recognition and Control of Nonideal Soft-Switching Frequency for Wireless Power Transfer System Based on Waveform Identification; *TPEL Aug. 2017 6617-6627*

- Sun, Y.**, Preindl, M., Sirouspour, S., and Emadi, A., Unified Wide-Speed Sensorless Scheme Using Nonlinear Optimization for IPMSM Drives; *TPEL Aug. 2017 6308-6322*
- Sung, W.**, see Kim, Y., *TPEL March 2017 1731-1743*
- Suryawanshi, H.M.**, see Karasani, R.R., *TPEL Feb. 2017 1070-1087*
- Swain, S.D.**, Ray, P.K., and Mohanty, K.B., Improvement of Power Quality Using a Robust Hybrid Series Active Power Filter; *TPEL May 2017 3490-3498*
- Szypulski, M.**, see Iwanski, G., *TPEL Sept. 2017 6836-6852*

T

- Tabata, S.**, see Hasegawa, K., *TPEL March 2017 1707-1712*
- Tabesh, A.**, see Esfandiari, G., *TPEL Nov. 2017 8671-8680*
- Tahan, M.**, and Hu, T., Multiple String LED Driver With Flexible and High-Performance PWM Dimming Control; *TPEL Dec. 2017 9293-9306*
- Tahavorgar, A.**, and Quaicoe, J.E., A Dual Series-Resonant DC-DC Converter; *TPEL May 2017 3708-3718*
- Taheri, M.**, see Salehi Dobakhshari, S., *TPEL Jan. 2017 353-362*
- Tai, B.**, Gao, C., Liu, X., and Chen, Z., A Novel Flexible Capacitor Voltage Control Strategy for Variable-Speed Drives With Modular Multilevel Converters; *TPEL Jan. 2017 128-141*
- Takagi, K.**, see Illenberger, P., *TPEL Sept. 2017 6904-6912*
- Takahara, S.**, see Hasegawa, K., *TPEL March 2017 1707-1712*
- Tan, G.**, Cheng, J., and Sun, X., Tan-Sun Coordinate Transformation System Theory and Applications for Three-Phase Unbalanced Power Systems; *TPEL Sept. 2017 7352-7380*
- Tan, L.**, Wu, B., Narimani, M., Xu, D., Liu, J., Cheng, Z., and Zargari, N.R., A Space Virtual-Vector Modulation With Voltage Balance Control for Nested Neutral-Point Clamped Converter Under Low Output Frequency Conditions; *TPEL May 2017 3458-3466*
- Tan, L.**, see Wang, W., *TPEL Sept. 2017 7011-7024*
- Tan, S.**, see Xiong, S., *TPEL Feb. 2017 1170-1185*
- Tan, S.**, see Mok, K., *TPEL Feb. 2017 1088-1105*
- Tan, S.**, see Xiong, S., *TPEL Feb. 2017 1220-1231*
- Tan, S.**, see Chen, H., *TPEL April 2017 3063-3074*
- Tan, S.**, see Yan, S., *TPEL July 2017 5171-5179*
- Tan, S.**, see Li, S., *TPEL Sept. 2017 6971-6982*
- Tan, S.**, see Mok, K., *TPEL Oct. 2017 7635-7650*
- Tan, S.-C.**, see Li, S., *TPEL June 2017 4716-4727*
- Tanaka, H.**, see Ataji, A.B., *TPEL June 2017 4827-4838*
- Tang, C.**, see Su, Y., *TPEL April 2017 3229-3239*
- Tang, C.**, see Sun, Y., *TPEL Aug. 2017 6617-6627*
- Tang, C.**, see Su, Y., *TPEL Nov. 2017 8778-8786*
- Tang, G.**, see Liu, G., *TPEL Feb. 2017 931-941*
- Tang, G.**, see Wang, H., *TPEL July 2017 5539-5549*
- Tang, G.**, see Xie, R., *TPEL Aug. 2017 6416-6433*
- Tang, J.**, see Zhou, X., *TPEL Dec. 2017 9460-9472*
- Tang, N.**, Nguyen, B., Molavi, R., Mirabbasi, S., Tang, Y., Zhang, P., Kim, J., Pande, P.P., and Heo, D., Fully Integrated Buck Converter With Fourth-Order Low-Pass Filter; *TPEL May 2017 3700-3707*
- Tang, Q.**, Shen, A., Luo, X., and Xu, J., PMSM Sensorless Control by Injecting HF Pulsating Carrier Signal Into ABC Frame; *TPEL May 2017 3767-3776*
- Tang, Q.**, see Li, J., *TPEL June 2017 4766-4775*
- Tang, S.**, see Liao, L., *TPEL June 2017 4600-4606*
- Tang, S.C.**, Lun, T.L.T., Guo, Z., Kwok, K., and McDannold, N.J., Intermediate Range Wireless Power Transfer With Segmented Coil Transmitters for Implantable Heart Pumps; *TPEL May 2017 3844-3857*
- Tang, Y.**, see Fang, J., *TPEL Jan. 2017 200-217*
- Tang, Y.**, and Ma, H., Dynamic Electrothermal Model of Paralleled IGBT Modules With Unbalanced Stray Parameters; *TPEL Feb. 2017 1385-1399*
- Tang, Y.**, see Fang, J., *TPEL March 2017 1725-1730*
- Tang, Y.**, see Tang, N., *TPEL May 2017 3700-3707*
- Tang, Y.**, see Fang, J., *TPEL Sept. 2017 7222-7232*
- Tang, Y.**, Bai, Y., Kan, J., and Xu, F., Improved Dual Boost Inverter With Half Cycle Modulation; *TPEL Oct. 2017 7543-7552*
- Tang, Y.**, see Yao, W., *TPEL Nov. 2017 8419-8433*
- Tang, Y.**, see Fang, J., *TPEL Nov. 2017 8446-8457*
- Tanimoto, T.**, see Reigosa, D., *TPEL May 2017 3691-3699*
- Tashakor, N.**, Farjah, E., and Ghanbari, T., A Bidirectional Battery Charger With Modular Integrated Charge Equalization Circuit; *TPEL March 2017 2133-2145*
- Tatte, Y.N.**, and Aware, M.V., Direct Torque Control of Five-Phase Induction Motor With Common-Mode Voltage and Current Harmonics Reduction; *TPEL Nov. 2017 8644-8654*
- Te-Fang, C.**, see Shu, C., *TPEL March 2017 2203-2214*
- Tedesco, M.**, see Riccio, M., *TPEL April 2017 3088-3098*
- Teixeira, C.**, see Riedel, J., *TPEL April 2017 3166-3179*
- Teixeira, C.**, see Riedel, J., *TPEL Nov. 2017 8857-8867*
- Teixeira, C.A.**, see Anthon, A., *TPEL April 2017 2808-2821*
- Tejeda, A.**, Carretero, C., Boys, J.T., and Covic, G.A., Ferrite-Less Circular Pad With Controlled Flux Cancellation for EV Wireless Charging; *TPEL Nov. 2017 8349-8359*
- Teng, Z.**, see Li, J., *TPEL June 2017 4766-4775*
- Teodorescu, R.**, see Behrouzian, E., *TPEL Jan. 2017 815-824*
- Teodorescu, R.**, see Gohil, G., *TPEL March 2017 1818-1831*
- Teodorescu, R.**, see Gohil, G., *TPEL May 2017 3442-3457*
- Teodorescu, R.**, see Eni, E., *TPEL Dec. 2017 9342-9354*
- Tessarolo, A.**, see Mohamadian, S., *TPEL Jan. 2017 452-470*
- Thirumalaivasan, R.**, Xu, Y., and Janaki, M., Power Control With Z-Source Converter Based Unified Power Flow Controller; *TPEL Dec. 2017 9413-9423*
- Thrimawithana, D.J.**, see Weerasinghe, S., *TPEL March 2017 1755-1766*
- Tian, B.**, An, Q., Duan, J., Semenov, D., Sun, D., and Sun, L., Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor; *TPEL July 2017 5459-5472*
- Tian, B.**, An, Q., Duan, J., Sun, D., Sun, L., and Semenov, D., Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault; *TPEL July 2017 5473-5486*
- Tian, G.Y.**, see Hu, Y., *TPEL Feb. 2017 1124-1137*
- Tian, J.**, and Hu, A.P., A DC-Voltage-Controlled Variable Capacitor for Stabilizing the ZVS Frequency of a Resonant Converter for Wireless Power Transfer; *TPEL March 2017 2312-2318*
- Tian, S.**, see Zhang, Z., *TPEL Aug. 2017 5885-5888*
- Tibola, G.**, Lemmen, E., Duarte, J.L., and Barbi, I., Passive Regenerative and Dissipative Snubber Cells for Isolated SEPIC Converters: Analysis, Design, and Comparison; *TPEL Dec. 2017 9210-9222*
- Tisserand, P.**, see Moursy, Y., *TPEL July 2017 5550-5559*
- Toifl, T.**, see Andersen, T.M., *TPEL Jan. 2017 363-377*
- Toifl, T.**, see Andersen, T.M., *TPEL Jan. 2017 378-393*
- Tolani, S.**, and Sensarma, P., Extended Bandwidth Instantaneous Current Sharing Scheme for Parallel UPS Systems; *TPEL June 2017 4960-4969*
- Tolbert, L.M.**, see Zhang, W., *TPEL Jan. 2017 571-583*
- Tolbert, L.M.**, see Yang, L., *TPEL Feb. 2017 1651-1665*
- Tolbert, L.M.**, see Cui, Y., *TPEL April 2017 2925-2938*
- Tolbert, L.M.**, see Liu, B., *TPEL July 2017 5070-5086*
- Tolbert, L.M.**, see Li, Y., *TPEL Aug. 2017 6069-6078*
- Tolbert, L.M.**, see Shi, X., *TPEL Sept. 2017 7306-7324*
- Tolbert, L.M.**, see Zhang, Z., *TPEL Nov. 2017 8833-8844*
- Tolbert, L.M.**, see Zhang, Z., *TPEL Dec. 2017 9307-9318*
- Tolbert, L.M.**, see Zhang, Z., *TPEL Dec. 2017 9319-9332*
- Tomioaka, S.**, see Hariya, A., *TPEL Aug. 2017 5953-5963*
- Tomsovic, K.**, see Yang, L., *TPEL Feb. 2017 1651-1665*
- Ton, D.**, see Moursy, Y., *TPEL July 2017 5550-5559*
- Tong, Q.**, see Min, R., *TPEL April 2017 3143-3153*
- Torre, I.**, see Sanchez-Ruiz, A., *TPEL April 2017 2533-2545*
- Townsend, C.D.**, see Farivar, G., *TPEL March 2017 1744-1754*
- Townsend, C.D.**, Mirzaeva, G., and Goodwin, G.C., Deadtime Compensation for Model Predictive Control of Power Inverters; *TPEL Sept. 2017 7325-7337*
- Townsend, C.D.**, see Farivar, G., *TPEL Nov. 2017 8338-8348*
- Tran, D.**, see Tran, V., *TPEL Feb. 2017 1210-1219*
- Tran, Q.**, see Kang, B., *TPEL June 2017 4503-4513*

- Tran, Q.**, and Lee, H., A Three-Vector Modulation Strategy for Indirect Matrix Converter Fed Open-End Load to Reduce Common-Mode Voltage With Improved Output Performance; *TPEL Oct. 2017 7904-7915*
- Tran, V.**, Vu, H., Tran, D., and Choi, W., Design and Implementation of a High-Efficiency Multiple Output Charger Based on the Time-Division Multiple Control Technique; *TPEL Feb. 2017 1210-1219*
- Treccases, O.**, see Wen, Y., *TPEL Jan. 2017 423-432*
- Tricoli, P.**, see Quraan, M., *TPEL March 2017 2041-2051*
- Tripathi, A.**, see Madhusoodhanan, S., *TPEL May 2017 3355-3369*
- Tripathi, A.K.**, Mainali, K., Madhusoodhanan, S., Kadavelugu, A., Vechalapu, K., Patel, D.C., Hazra, S., Bhattacharya, S., and Hatua, K., A Novel ZVS Range Enhancement Technique of a High-Voltage Dual Active Bridge Converter Using Series Injection; *TPEL June 2017 4231-4245*
- Trivedi, A.**, and Singh, M., Repetitive Controller for VSIs in Droop-Based AC-Microgrid; *TPEL Aug. 2017 6595-6604*
- Tse, C.K.**, see Qu, X., *TPEL Jan. 2017 394-405*
- Tse, C.K.**, see Xiong, S., *TPEL Feb. 2017 1170-1185*
- Tse, C.K.**, see Wong, C.S., *TPEL March 2017 2167-2179*
- Tse, C.K.**, see Xu, L., *TPEL June 2017 4839-4851*
- Tse, C.K.**, see Huang, M., *TPEL Nov. 2017 8868-8879*
- Tse, N.C.**, see Zhou, R., *TPEL May 2017 3317-3337*
- Tseng, K.J.**, see Liu, Y., *TPEL May 2017 3835-3843*
- Tseng, V.F.**, see Li, J., *TPEL May 2017 3858-3867*
- Tsukakoshi, M.**, see Okazaki, Y., *TPEL March 2017 1805-1817*
- Tsukuda, M.**, see Hasegawa, K., *TPEL March 2017 1707-1712*
- Tung, C.**, Chung, H.S., and Yuen, K.K., Boost-Type Power Factor Corrector With Power Semiconductor Filter for Input Current Shaping; *TPEL Nov. 2017 8293-8311*

U

- U, S.**, see Lu, Y., *TPEL Feb. 2017 927-930*
- Uhrenfeldt, C.**, see Eni, E., *TPEL Dec. 2017 9342-9354*
- Ul Haque, A.R.N.M.R.**, Leng, S., and Salmon, J., Smart Electrical Grid Interface Using Floating H-Bridges to Improve the Performance of Induction Motors; *TPEL Oct. 2017 7851-7861*
- Ullah, I.**, see Gao, B., *TPEL March 2017 2227-2242*
- Umanand, L.**, see Boby, M., *TPEL Jan. 2017 60-68*
- Umaz, R.**, Garrett, C., Qian, F., Li, B., and Wang, L., A Power Management System for Multianode Benthic Microbial Fuel Cells; *TPEL May 2017 3562-3570*
- Umesh, B.S.**, and Sivakumar, K., Pole-Phase Modulated Multiphase Induction Motor Drive With Reduced Torque Ripple and Improved DC Link Utilization; *TPEL Oct. 2017 7862-7869*
- Uno, M.**, and Kukita, A., PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers; *TPEL Nov. 2017 8500-8513*
- Urquhart, I.**, see Liu, X., *TPEL May 2017 4095-4106*
- Urriza, I.**, see Dominguez, A., *TPEL March 2017 2300-2311*

V

- Vachtsevanos, G.J.**, see Ye, X., *TPEL June 2017 4776-4784*
- Vafaie, M.H.**, Dehkordi, B.M., Moallem, P., and Kiyoumars, A., Improving the Steady-State and Transient-State Performances of PMSM Through an Advanced Deadbeat Direct Torque and Flux Control System; *TPEL April 2017 2964-2975*
- Vainshtein, S.N.**, see Duan, G., *TPEL Oct. 2017 7845-7850*
- Valderrama-Blavi, H.**, see Lopez-Santos, O., *TPEL March 2017 2253-2264*
- Van Hoang, H.**, see Le, K.M., *TPEL Sept. 2017 7244-7255*
- van Horck, F.B.M.**, see Li, J., *TPEL Nov. 2017 8582-8592*
- Van Otten, R.**, see Wen, Y., *TPEL Jan. 2017 423-432*
- Van Brunt, E.**, see Eni, E., *TPEL Dec. 2017 9342-9354*
- Vang, H.**, see Videt, A., *TPEL April 2017 2675-2686*
- Vangalapudi, T.B.G.**, and Kasta, D., Quasi-Parallel Voltage Regulator Topology for Powering Laptop Processors; *TPEL Oct. 2017 7805-7815*

- Vasic, M.**, see Cucak, D., *TPEL March 2017 2189-2202*
- Vasquez, J.C.**, see Golestan, S., *TPEL March 2017 1894-1907*
- Vasquez, J.C.**, see Zhao, X., *TPEL April 2017 3128-3142*
- Vasquez, J.C.**, see Diaz, N.L., *TPEL April 2017 2728-2742*
- Vasquez, J.C.**, see Luna, A.C., *TPEL April 2017 2769-2783*
- Vasquez, J.C.**, see Golestan, S., *TPEL May 2017 3285-3291*
- Vasquez, J.C.**, see Diaz, N.L., *TPEL July 2017 5202-5213*
- Vasquez, J.C.**, see Golsorkhi, M.S., *TPEL July 2017 5675-5687*
- Vasquez, J.C.**, see Golestan, S., *TPEL Sept. 2017 6666-6672*
- Vasquez, J.C.**, see Freijedo, F.D., *TPEL Oct. 2017 8218-8228*
- Vasquez, J.C.**, see Golestan, S., *TPEL Dec. 2017 9013-9030*
- Vazquez Carazo, A.**, see Khanna, M., *TPEL Dec. 2017 8974-8978*
- Vechalapu, K.**, see Tripathi, A.K., *TPEL June 2017 4231-4245*
- Velardi, F.**, see Abbate, C., *TPEL Jan. 2017 584-592*
- Venet, P.**, see Shili, S., *TPEL June 2017 4939-4948*
- Verma, V.**, and Kumar, A., Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder; *TPEL July 2017 5398-5410*
- Vermulst, B.J.D.**, Duarte, J.L., Wijnands, C.G.E., and Lomonova, E.A., Quad-Active-Bridge Single-Stage Bidirectional Three-Phase AC-DC Converter With Isolation: Introduction and Optimized Modulation; *TPEL April 2017 2546-2557*
- Videt, A.**, Messaoudi, M., Idir, N., Boulharts, H., and Vang, H., PWM Strategy for the Cancellation of Common-Mode Voltage Generated by Three-Phase Back-to-Back Inverters; *TPEL April 2017 2675-2686*
- Viitanen, T.**, see Deng, Y., *TPEL April 2017 2521-2532*
- Viki, A.H.**, see Amini, J., *TPEL Jan. 2017 2-10*
- Vilathgamuwa, D.M.**, see Sampath, J.P.K., *TPEL June 2017 4359-4369*
- Villar, I.**, see Garcia-Bediaga, A., *TPEL April 2017 2508-2520*
- Villar, I.**, see Garcia-Bediaga, A., *TPEL April 2017 2995-3006*
- Villarejo, J.A.**, see Lamar, D.G., *TPEL May 2017 3908-3919*
- Villaruel, F.**, see Rojas, C.A., *TPEL Aug. 2017 6245-6260*
- Villarruel-Parra, A.**, and Forsyth, A.J., Enhanced Average-Value Modeling of Interleaved DC-DC Converters Using Sampler Decomposition; *TPEL March 2017 2290-2299*
- Vinnikov, D.**, Chub, A., Liivik, E., and Roasto, I., High-Performance Quasi-Z-Source Series Resonant DC-DC Converter for Photovoltaic Module-Level Power Electronics Applications; *TPEL May 2017 3634-3650*
- Vitorino, M.A.**, Alves, L.F.S., Wang, R., and de Rossiter Correa, M.B., Low-Frequency Power Decoupling in Single-Phase Applications: A Comprehensive Overview; *TPEL April 2017 2892-2912*
- Voglitsis, D.**, Papanikolaou, N., and Kyritsis, A.C., Incorporation of Harmonic Injection in an Interleaved Flyback Inverter for the Implementation of an Active Anti-Islanding Technique; *TPEL Nov. 2017 8526-8543*
- Vu, H.**, see Tran, V., *TPEL Feb. 2017 1210-1219*

W

- Wallis, D.J.**, see Jiang, S., *TPEL Nov. 2017 8743-8750*
- Wallmark, O.**, see Nikouie, M., *TPEL Feb. 2017 1666-1674*
- Wan, Z.**, see Chen, C., *TPEL Jan. 2017 762-772*
- Wanderold, Y.**, Asfour, A., Lefranc, P., Jeannin, P., and Yonnet, J.P., Giant Magneto-Impedance Sensor for Gate Driver-Insulated Signal Transmission Functions; *TPEL April 2017 2493-2497*
- Wang, A.**, see Cucak, D., *TPEL March 2017 2189-2202*
- Wang, B.**, see Sun, X., *TPEL Jan. 2017 736-751*
- Wang, B.**, see Sun, X., *TPEL Jan. 2017 69-80*
- Wang, B.**, see Luo, Y., *TPEL Jan. 2017 142-149*
- Wang, B.**, see Xu, Y., *TPEL May 2017 3797-3807*
- Wang, B.**, see Sun, P., *TPEL May 2017 3777-3786*
- Wang, B.**, Chen, X., Yu, Y., Wang, G., and Xu, D., Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives; *TPEL June 2017 4663-4674*
- Wang, B.**, see Kanamarlapudi, V.R.K., *TPEL Aug. 2017 6145-6160*
- Wang, C.**, see Zhang, J., *TPEL Jan. 2017 341-352*

- Wang, C., Xu, S., Fan, X., Lu, S., and Sun, W., Novel Digital Control Method for Improving Dynamic Responses of Multimode Primary-Side Regulation Flyback Converter; *TPEL Feb. 2017 1457-1468*
- Wang, C., see He, J., *TPEL April 2017 2661-2674*
- Wang, C., see He, J., *TPEL April 2017 2647-2660*
- Wang, C., see Mao, Y., *TPEL May 2017 3273-3277*
- Wang, C., Yang, L., Wang, Y., Meng, Z., Li, W., and Han, F., Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range; *TPEL July 2017 5227-5247*
- Wang, C., see Xiang, D., *TPEL Sept. 2017 7271-7283*
- Wang, C., see Wang, J., *TPEL Oct. 2017 7494-7508*
- Wang, D., see Liu, H., *TPEL July 2017 5004-5015*
- Wang, F., see Zhang, W., *TPEL Jan. 2017 571-583*
- Wang, F., see Shao, Z., *TPEL March 2017 2347-2359*
- Wang, F., see Cui, Y., *TPEL April 2017 2925-2938*
- Wang, F., see Li, Y., *TPEL Aug. 2017 6069-6078*
- Wang, F., see Shi, X., *TPEL Sept. 2017 7306-7324*
- Wang, F., see Cao, W., *TPEL Oct. 2017 7674-7693*
- Wang, F., see Zhang, Z., *TPEL Nov. 2017 8833-8844*
- Wang, F.F., see Yang, L., *TPEL Feb. 2017 1651-1665*
- Wang, F.F., see Liu, B., *TPEL July 2017 5070-5086*
- Wang, F.F., see Zhang, Z., *TPEL Dec. 2017 9307-9318*
- Wang, F.F., see Zhang, Z., *TPEL Dec. 2017 9319-9332*
- Wang, G., Yang, L., Zhang, G., Zhang, X., and Xu, D., Comparative Investigation of Pseudorandom High-Frequency Signal Injection Schemes for Sensorless IPMSM Drives; *TPEL March 2017 2123-2132*
- Wang, G., see Zhang, X., *TPEL April 2017 3206-3215*
- Wang, G., see Wang, B., *TPEL June 2017 4663-4674*
- Wang, G., see Yang, R., *TPEL June 2017 4219-4230*
- Wang, G., see Ni, R., *TPEL July 2017 5425-5437*
- Wang, H., Chen, Y., Fang, P., Liu, Y., Afsharian, J., and Yang, Z., An LLC Converter Family With Auxiliary Switch for Hold-Up Mode Operation; *TPEL June 2017 4291-4306*
- Wang, H., see Fang, P., *TPEL June 2017 4700-4715*
- Wang, H., Kou, L., Liu, Y., and Sen, P.C., A Seven-Switch Five-Level Active-Neutral-Point-Clamped Converter and Its Optimal Modulation Strategy; *TPEL July 2017 5146-5161*
- Wang, H., Wei, J., Xie, R., Liu, C., Tang, G., and Chen, K.J., Maximizing the Performance of 650-V p-GaN Gate HEMTs: Dynamic RON Characterization and Circuit Design Considerations; *TPEL July 2017 5539-5549*
- Wang, H., see Yu, L., *TPEL Aug. 2017 6161-6169*
- Wang, H., see Liu, Y., *TPEL Aug. 2017 6323-6337*
- Wang, H., see Zhang, Y., *TPEL Aug. 2017 6532-6543*
- Wang, H., A Two-Terminal Active Capacitor; *TPEL Aug. 2017 5893-5896*
- Wang, H., see Wang, H., *TPEL Aug. 2017 5893-5896*
- Wang, H., see Xie, R., *TPEL Aug. 2017 6416-6433*
- Wang, H., Kou, L., Liu, Y., and Sen, P.C., A New Six-Switch Five-Level Active Neutral Point Clamped Inverter for PV Applications; *TPEL Sept. 2017 6700-6715*
- Wang, H., Chen, Y., Liu, Y., Afsharian, J., and Yang, Z., A Passive Current Sharing Method With Common Inductor Multiphase LLC Resonant Converter; *TPEL Sept. 2017 6994-7010*
- Wang, H., see Qu, X., *TPEL Nov. 2017 8718-8727*
- Wang, H., Chen, Y., and Liu, Y., A Passive-Impedance-Matching Technology to Achieve Automatic Current Sharing for a Multiphase Resonant Converter; *TPEL Dec. 2017 9191-9209*
- Wang, J., see Koc, M., *TPEL Jan. 2017 490-502*
- Wang, J., see Yang, K., *TPEL Feb. 2017 1579-1590*
- Wang, J., see Yang, L., *TPEL Feb. 2017 1651-1665*
- Wang, J., see Yang, L., *TPEL Feb. 2017 1651-1665*
- Wang, J., see Yang, S., *TPEL March 2017 1885-1893*
- Wang, J., see Jiang, W., *TPEL June 2017 4675-4682*
- Wang, J., see Sun, T., *TPEL June 2017 4652-4662*
- Wang, J., see Liao, L., *TPEL June 2017 4600-4606*
- Wang, J., see Alsolami, M., *TPEL Sept. 2017 6853-6862*
- Wang, J., and Wu, S., A Synchronous Buck DC-DC Converter Using a Novel Dual-Mode Control Scheme to Improve Efficiency; *TPEL Sept. 2017 6983-6993*
- Wang, J., see Sun, T., *TPEL Sept. 2017 7405-7408*
- Wang, J., Liang, J., Gao, F., Dong, X., Wang, C., and Zhao, B., A Closed-Loop Time-Domain Analysis Method for Modular Multilevel Converter; *TPEL Oct. 2017 7494-7508*
- Wang, K., see Qiu, L., *TPEL April 2017 2568-2583*
- Wang, K., Wang, L., Yang, X., Zeng, X., Chen, W., and Li, H., A Multiloop Method for Minimization of Parasitic Inductance in GaN-Based High-Frequency DC-DC Converter; *TPEL June 2017 4728-4740*
- Wang, K., see Chen, Y., *TPEL Nov. 2017 8229-8236*
- Wang, L., see Wu, B., *TPEL Feb. 2017 1186-1197*
- Wang, L., Lam, C., and Wong, M., Unbalanced Control Strategy for A Thyristor-Controlled LC-Coupling Hybrid Active Power Filter in Three-Phase Three-Wire Systems; *TPEL Feb. 2017 1056-1069*
- Wang, L., see Jiang, W., *TPEL Feb. 2017 1518-1532*
- Wang, L., see Lao, K., *TPEL April 2017 2631-2646*
- Wang, L., see Umaz, R., *TPEL May 2017 3562-3570*
- Wang, L., see Wang, K., *TPEL June 2017 4728-4740*
- Wang, L., see Jiang, W., *TPEL June 2017 4675-4682*
- Wang, L., see Lam, C., *TPEL Oct. 2017 7577-7590*
- Wang, L., Lam, C., and Wong, M., Selective Compensation of Distortion, Unbalanced and Reactive Power of a Thyristor-Controlled LC -Coupling Hybrid Active Power Filter (TCLC-HAPF); *TPEL Dec. 2017 9065-9077*
- Wang, M., see Mok, K., *TPEL Feb. 2017 1088-1105*
- Wang, M., Guo, S., Huang, Q., Yu, W., and Huang, A.Q., An Isolated Bidirectional Single-Stage DC-AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification; *TPEL March 2017 1832-1843*
- Wang, P., see Zhang, Y., *TPEL Sept. 2017 6728-6738*
- Wang, Q., see Wu, Q., *TPEL April 2017 2865-2875*
- Wang, Q., see Hu, C., *TPEL Oct. 2017 7419-7434*
- Wang, Q., see Zhang, H., *TPEL Nov. 2017 8458-8469*
- Wang, Q., see Khanna, M., *TPEL Dec. 2017 8974-8978*
- Wang, R., see Du, J., *TPEL Jan. 2017 693-702*
- Wang, R., see Vitorino, M.A., *TPEL April 2017 2892-2912*
- Wang, R., Lin, Z., Du, J., Wu, J., and He, X., Direct Sequence Spread Spectrum-Based PWM Strategy for Harmonic Reduction and Communication; *TPEL June 2017 4455-4465*
- Wang, S., see Chen, X., *TPEL Jan. 2017 274-283*
- Wang, S., see Ma, C., *TPEL June 2017 4644-4651*
- Wang, S., see Zhang, H., *TPEL Nov. 2017 8458-8469*
- Wang, S., see Li, C., *TPEL Dec. 2017 8958-8962*
- Wang, W., Zhang, J., and Cheng, M., A Dual-Level Hysteresis Current Control for One Five-Leg VSI to Control Two PMSMs; *TPEL Jan. 2017 804-814*
- Wang, W., Zhang, J., Cheng, M., and Li, S., Fault-Tolerant Control of Dual Three-Phase Permanent-Magnet Synchronous Machine Drives Under Open-Phase Faults; *TPEL March 2017 2052-2063*
- Wang, W., see Guan, Y., *TPEL April 2017 2876-2891*
- Wang, W., Zhang, J., and Cheng, M., Common Model Predictive Control for Permanent-Magnet Synchronous Machine Drives Considering Single-Phase Open-Circuit Fault; *TPEL July 2017 5862-5872*
- Wang, W., see Liu, H., *TPEL Aug. 2017 6091-6104*
- Wang, W., see Chow, J.P., *TPEL Sept. 2017 7169-7186*
- Wang, W., Huang, X., Guo, J., Liu, H., Yan, C., and Tan, L., Power Stabilization Based on Efficiency Optimization for WPT Systems With Single Relay by Frequency Configuration and Distribution Design of Receivers; *TPEL Sept. 2017 7011-7024*
- Wang, X., and Sun, D., Three-Vector-Based Low-Complexity Model Predictive Direct Power Control Strategy for Doubly Fed Induction Generators; *TPEL Jan. 2017 773-782*
- Wang, X., see Yao, W., *TPEL Jan. 2017 186-199*
- Wang, X., see Lu, M., *TPEL Feb. 2017 894-899*
- Wang, X., see Luo, Y., *TPEL Feb. 2017 1367-1374*
- Wang, X., see Kwon, J., *TPEL Feb. 2017 1044-1055*
- Wang, X., see Lai, W., *TPEL Feb. 2017 1431-1441*

- Wang, X., *see* Song, Y., *TPEL March 2017 1927-1940*
- Wang, X., *see* Sun, K., *TPEL March 2017 1872-1884*
- Wang, X., *see* Xin, Z., *TPEL April 2017 3216-3228*
- Wang, X., *see* Song, Y., *TPEL May 2017 3536-3548*
- Wang, X., *see* Pan, D., *TPEL June 2017 4395-4410*
- Wang, X., *see* Liu, H., *TPEL Aug. 2017 6091-6104*
- Wang, X., *see* Esparza, M., *TPEL Aug. 2017 5907-5916*
- Wang, X., Loh, P.C., and Blaabjerg, F., Stability Analysis and Controller Synthesis for Single-Loop Voltage-Controlled VSIs; *TPEL Sept. 2017 7394-7404*
- Wang, X., *see* Kwon, J., *TPEL Sept. 2017 6823-6835*
- Wang, X., *see* Li, H., *TPEL Oct. 2017 7816-7823*
- Wang, X., Lin, H., and Wang, Z., Transient Control of the Reactive Current for the Line-Side Converter of the Brushless Doubly-Fed Induction Generator in Stand-Alone Operation; *TPEL Oct. 2017 8193-8203*
- Wang, X., *see* Yi, H., *TPEL Oct. 2017 7409-7413*
- Wang, X., *see* Sha, D., *TPEL Oct. 2017 7783-7794*
- Wang, X., Blaabjerg, F., and Loh, P.C., Passivity-Based Stability Analysis and Damping Injection for Multiparalleled VSCs with LCL Filters; *TPEL Nov. 2017 8922-8935*
- Wang, X., *see* Yao, W., *TPEL Nov. 2017 8419-8433*
- Wang, X., *see* Bai, H., *TPEL Dec. 2017 9078-9092*
- Wang, Y., *see* Zhao, B., *TPEL March 2017 1779-1791*
- Wang, Y., *see* Guan, Y., *TPEL April 2017 2876-2891*
- Wang, Y., *see* Zhao, B., *TPEL May 2017 3413-3424*
- Wang, Y., Calderon-Lopez, G., and Forsyth, A.J., High-Frequency Gap Losses in Nanocrystalline Cores; *TPEL June 2017 4683-4690*
- Wang, Y., *see* Ye, X., *TPEL June 2017 4776-4784*
- Wang, Y., *see* Wang, C., *TPEL July 2017 5227-5247*
- Wang, Y., Darwish, A., Holliday, D., and Williams, B.W., Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters; *TPEL Aug. 2017 6510-6522*
- Wang, Y., *see* Hu, S., *TPEL Nov. 2017 8936-8944*
- Wang, Y., *see* Shi, L., *TPEL Nov. 2017 8787-8799*
- Wang, Y., *see* Zhang, Y., *TPEL Dec. 2017 9051-9064*
- Wang, Z., *see* Zhu, Z., *TPEL May 2017 3673-3682*
- Wang, Z., *see* Kanamarlapudi, V.R.K., *TPEL Aug. 2017 6145-6160*
- Wang, Z., *see* Shi, X., *TPEL Sept. 2017 7306-7324*
- Wang, Z., Lai, X., and Wu, Q., A PSR CC/CV Flyback Converter With Accurate CC Control and Optimized CV Regulation Strategy; *TPEL Sept. 2017 7045-7055*
- Wang, Z., *see* Wang, X., *TPEL Oct. 2017 8193-8203*
- Wecxsteen, J., *see* Puigdemivol, O., *TPEL June 2017 4691-4699*
- Weerasinghe, S., Madawala, U.K., and Thrimawithana, D.J., A Matrix Converter-Based Bidirectional Contactless Grid Interface; *TPEL March 2017 1755-1766*
- Wei, C., *see* Hong, X., *TPEL March 2017 2008-2017*
- Wei, G., *see* Li, Z., *TPEL May 2017 3301-3316*
- Wei, H., *see* Liu, Z., *TPEL April 2017 3154-3165*
- Wei, J., *see* Lei, J., *TPEL Jan. 2017 878-888*
- Wei, J., *see* Wang, H., *TPEL July 2017 5539-5549*
- Wei, L., *see* Shu, C., *TPEL March 2017 2203-2214*
- Wei, Q., Wu, B., Xu, D., and Zargari, N.R., Model Predictive Control of Capacitor Voltage Balancing for Cascaded Modular DC-DC Converters; *TPEL Jan. 2017 752-761*
- Wei, Q., Wu, B., Xu, D.D., and Zargari, N.R., Optimal Space Vector Sequence Investigation Based on Natural Sampling SVM for Medium-Voltage Current-Source Converter; *TPEL Jan. 2017 176-185*
- Wei, Q., Wu, B., Xu, D., and Zargari, N.R., A Medium-Frequency Transformer-Based Wind Energy Conversion System Used for Current-Source Converter-Based Offshore Wind Farm; *TPEL Jan. 2017 248-259*
- Wei, Q., Wu, B., Xu, D., and Zargari, N.R., Natural Sampling SVM-Based Common-Mode Voltage Reduction in Medium-Voltage Current Source Rectifier; *TPEL Oct. 2017 7553-7560*
- Wei, W., *see* Xia, Y., *TPEL June 2017 4949-4959*
- Wei, X., *see* Liu, C., *TPEL June 2017 4157-4167*
- Wei Li, Y., *see* Zhang, Y., *TPEL April 2017 2704-2716*
- Wen, B., Boroyevich, D., Burgos, R., Mattavelli, P., and Shen, Z., Inverse Nyquist Stability Criterion for Grid-Tied Inverters; *TPEL Feb. 2017 1548-1556*
- Wen, Y., Rose, M., Fernandes, R., Van Otten, R., Bergveld, H.J., and Trescases, O., A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT; *TPEL Jan. 2017 423-432*
- Wheeler, P., *see* Gao, F., *TPEL March 2017 2395-2415*
- White, J.C., *see* Kan, T., *TPEL Feb. 2017 1638-1650*
- Wickramasinghe Abeywardana, D.B., Hredzak, B., and Agelidis, V.G., A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System; *TPEL Jan. 2017 668-680*
- Wijnands, C.G.E., *see* Vermulst, B.J.D., *TPEL April 2017 2546-2557*
- Williams, B., *see* Li, P., *TPEL Jan. 2017 23-38*
- Williams, B.W., *see* Li, B., *TPEL June 2017 4619-4630*
- Williams, B.W., *see* Wang, Y., *TPEL Aug. 2017 6510-6522*
- Williams, B.W., *see* Elgenedy, M.A., *TPEL Dec. 2017 8979-8991*
- Williamson, S.S., *see* Pramanick, S., *TPEL March 2017 2064-2071*
- Won, C., *see* Choi, S., *TPEL Aug. 2017 6119-6134*
- Wong, C., *see* Lao, K., *TPEL April 2017 2631-2646*
- Wong, C.S., Loo, K.H., Lai, Y.M., Chow, M.H.L., and Tse, C.K., Accurate Capacitive Current Balancing in Multistring LED Lighting Systems Based on Switched-Capacitor-Controlled L+C+C Resonant Network; *TPEL March 2017 2167-2179*
- Wong, M., *see* Wang, L., *TPEL Feb. 2017 1056-1069*
- Wong, M., *see* Lao, K., *TPEL April 2017 2631-2646*
- Wong, M., *see* Lam, C., *TPEL Oct. 2017 7577-7590*
- Wong, M., *see* Wang, L., *TPEL Dec. 2017 9065-9077*
- Wong, S., *see* Qu, X., *TPEL Jan. 2017 394-405*
- Wong, S., *see* Xiong, S., *TPEL Feb. 2017 1170-1185*
- Wong, S., *see* Xu, L., *TPEL June 2017 4839-4851*
- Woronowicz, K., *see* Safaee, A., *TPEL July 2017 4981-5003*
- Wu, B., *see* Wei, Q., *TPEL Jan. 2017 752-761*
- Wu, B., *see* Wei, Q., *TPEL Jan. 2017 176-185*
- Wu, B., *see* Wei, Q., *TPEL Jan. 2017 248-259*
- Wu, B., Wang, L., Yang, L., Smedley, K.M., and Singer, S., Comparative Analysis of Steady-State Models for a Switched Capacitor Converter; *TPEL Feb. 2017 1186-1197*
- Wu, B., *see* Du, S., *TPEL Feb. 2017 1006-1017*
- Wu, B., *see* Dekka, A., *TPEL March 2017 1767-1778*
- Wu, B., *see* Rivera, S., *TPEL March 2017 2376-2386*
- Wu, B., *see* Du, S., *TPEL March 2017 2081-2089*
- Wu, B., *see* Aguilera, R.P., *TPEL March 2017 2416-2426*
- Wu, B., *see* Tan, L., *TPEL May 2017 3458-3466*
- Wu, B., *see* Dekka, A., *TPEL June 2017 4125-4131*
- Wu, B., *see* Gao, H., *TPEL June 2017 4891-4904*
- Wu, B., *see* Du, S., *TPEL July 2017 5827-5834*
- Wu, B., *see* Dekka, A., *TPEL Aug. 2017 5878-5884*
- Wu, B., *see* Gao, H., *TPEL Aug. 2017 6558-6569*
- Wu, B., *see* Dekka, A., *TPEL Aug. 2017 5873-5877*
- Wu, B., *see* Wei, Q., *TPEL Oct. 2017 7553-7560*
- Wu, B., *see* Du, S., *TPEL Nov. 2017 8312-8321*
- Wu, C., *see* Cheng, P., *TPEL Jan. 2017 284-297*
- Wu, C., *see* Nian, H., *TPEL Sept. 2017 6936-6945*
- Wu, F., *see* Zhou, D., *TPEL May 2017 3731-3740*
- Wu, F., and Zhao, J., Current Similarity Analysis-Based Open-Circuit Fault Diagnosis for Two-Level Three-Phase PWM Rectifier; *TPEL May 2017 3935-3945*
- Wu, F., Li, X., Feng, F., and Gooi, H.B., Multi-topology-Mode Grid-Connected Inverter to Improve Comprehensive Performance of Renewable Energy Source Generation System; *TPEL May 2017 3623-3633*
- Wu, F., and Chen, Y., Impact of PWM Duty Cycle Jitter on Switching-Mode Power Converter Efficiency; *TPEL Nov. 2017 8751-8762*
- Wu, H., Zhan, X., and Xing, Y., Interleaved LLC Resonant Converter With Hybrid Rectifier and Variable-Frequency Plus Phase-Shift Control for Wide Output Voltage Range Applications; *TPEL June 2017 4246-4257*

- Wu, H.**, Pickert, V., Giaouris, D., and Ji, B., Nonlinear Analysis and Control of Interleaved Boost Converter Using Real-Time Cycle to Cycle Variable Slope Compensation; *TPEL Sept. 2017* 7256-7270
- Wu, J.**, see Du, J., *TPEL Jan. 2017* 693-702
- Wu, J.**, see Hu, Y., *TPEL Feb. 2017* 1124-1137
- Wu, J.**, see Hong, X., *TPEL March 2017* 2008-2017
- Wu, J.**, see Liu, J., *TPEL April 2017* 2939-2947
- Wu, J.**, see Gan, C., *TPEL May 2017* 3754-3766
- Wu, J.**, see Wang, R., *TPEL June 2017* 4455-4465
- Wu, J.**, see Lei, X., *TPEL July 2017* 5520-5526
- Wu, K.**, Hwang, B., and Chen, C.C., Synchronous Double-Pumping Technique for Integrated Current-Mode PWM DC-DC Converters Demand on Fast-Transient Response; *TPEL Jan. 2017* 849-865
- Wu, L.**, see Liu, Z., *TPEL April 2017* 3154-3165
- Wu, P.Y.**, see Hwu, K.I., *TPEL Dec. 2017* 9223-9237
- Wu, Q.**, see Sun, X., *TPEL Jan. 2017* 736-751
- Wu, Q.**, Wang, Q., Xu, J., and Xiao, L., A Wide Load Range ZVS Push-Pull DC/DC Converter With Active Clamped; *TPEL April 2017* 2865-2875
- Wu, Q.**, see Zhu, Z., *TPEL May 2017* 3673-3682
- Wu, Q.**, see Wang, Z., *TPEL Sept. 2017* 7045-7055
- Wu, Q.**, and Zhu, Z., An Adaptive High-Precision OCP Control Scheme for Flyback AC/DC Converters; *TPEL Dec. 2017* 8969-8973
- Wu, S.**, see Wang, J., *TPEL Sept. 2017* 6983-6993
- Wu, T.**, Lee, P., Lin, L., Chang, C., and Chen, Y., Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based D-Σ Digital Control; *TPEL Feb. 2017* 1591-1601
- Wu, W.**, see He, Y., *TPEL July 2017* 5723-5740
- Wu, W.**, see He, Y., *TPEL Oct. 2017* 8163-8180
- Wu, W.**, see Jiang, Y., *TPEL Oct. 2017* 7882-7893
- Wu, X.**, see Yan, Q., *TPEL Jan. 2017* 406-422
- Wu, X.**, see Zhao, C., *TPEL Feb. 2017* 915-919
- Wu, X.**, see Zhao, X., *TPEL April 2017* 3128-3142
- Wu, X.**, see Qin, W., *TPEL April 2017* 2822-2834
- Wu, X.**, see Zhang, J., *TPEL July 2017* 5271-5281
- Wu, X.**, see Sun, X., *TPEL Sept. 2017* 6882-6895
- Wu, Y.**, see Hsu, W., *TPEL Feb. 2017* 957-966
- Wu, Z.**, see Quan, X., *TPEL Dec. 2017* 9400-9412
- Wunsch, B.**, Stevanovic, I., and Skibin, S., Length-Scalable Multiconductor Cable Modeling for EMI Simulations in Power Electronics; *TPEL March 2017* 1908-1916
- Wutti, M.**, see Buticchi, G., *TPEL Nov. 2017* 8892-8903
- X**
- Xia, B.**, see Shang, Y., *TPEL Oct. 2017* 7694-7706
- Xia, C.**, see Zhang, Y., *TPEL Jan. 2017* 825-836
- Xia, C.**, Zhang, G., Yan, Y., Gu, X., Shi, T., and He, X., Discontinuous Space Vector PWM Strategy of Neutral-Point-Clamped Three-Level Inverters for Output Current Ripple Reduction; *TPEL July 2017* 5109-5121
- Xia, C.**, see Li, S., *TPEL July 2017* 5388-5397
- Xia, C.**, see Chen, W., *TPEL July 2017* 5497-5508
- Xia, C.**, see Zhang, Y., *TPEL Sept. 2017* 6728-6738
- Xia, Y.**, see Luo, Y., *TPEL Jan. 2017* 142-149
- Xia, Y.**, Peng, Y., Yang, P., Yu, M., and Wei, W., Distributed Coordination Control for Multiple Bidirectional Power Converters in a Hybrid AC/DC Microgrid; *TPEL June 2017* 4949-4959
- Xia, Y.**, Roy, J., and Ayyanar, R., A Capacitance-Minimized, Doubly Grounded Transformer less Photovoltaic Inverter With Inherent Active-Power Decoupling; *TPEL July 2017* 5188-5201
- Xiang, C.**, see Liao, Y., *TPEL May 2017* 3499-3512
- Xiang, D.**, Wang, C., and Liu, Y., Switching Frequency Dynamic Control for DFIG Wind Turbine Performance Improvement Around Synchronous Speed; *TPEL Sept. 2017* 7271-7283
- Xiang, L.**, see Sun, Y., *TPEL Aug. 2017* 6617-6627
- Xiao, D.**, see Habibullah, M., *TPEL Jan. 2017* 479-489
- Xiao, F.**, see Luo, Y., *TPEL Jan. 2017* 142-149
- Xiao, F.**, Dong, L., Li, L., and Liao, X., A Frequency-Fixed SOGI-Based PLL for Single-Phase Grid-Connected Converters; *TPEL March 2017* 1713-1719
- Xiao, F.**, see Ren, Q., *TPEL Aug. 2017* 6018-6030
- Xiao, G.**, see Fang, J., *TPEL Jan. 2017* 200-217
- Xiao, L.**, see Wu, Q., *TPEL April 2017* 2865-2875
- Xiao, W.**, see Khan, O., *TPEL May 2017* 3278-3284
- Xiao, X.**, see Liu, Z., *TPEL April 2017* 3154-3165
- Xiao, Y.**, see Zhang, X., *TPEL April 2017* 3206-3215
- Xiao, Z.**, see Li, J., *TPEL May 2017* 3858-3867
- Xie, B.**, Zhang, Z., Li, Y., Hu, S., Luo, L., Rehtanz, C., and Krause, O., Reactive Power Compensation and Negative-Sequence Current Suppression System for Electrical Railways With YNvd-Connected Balance Transformer—Part II: Implementation and Verification; *TPEL Dec. 2017* 9031-9042
- Xie, H.**, see Li, J., *TPEL May 2017* 3858-3867
- Xie, M.**, see Cai, B., *TPEL July 2017* 5590-5600
- Xie, R.**, see Wang, H., *TPEL July 2017* 5539-5549
- Xie, R.**, Wang, H., Tang, G., Yang, X., and Chen, K.J., An Analytical Model for False Turn-On Evaluation of High-Voltage Enhancement-Mode GaN Transistor in Bridge-Leg Configuration; *TPEL Aug. 2017* 6416-6433
- Xie, S.**, see Su, Y., *TPEL April 2017* 3229-3239
- Xie, S.**, see Su, Y., *TPEL Nov. 2017* 8778-8786
- Xie, Y.**, see Chen, K., *TPEL March 2017* 2098-2113
- Xie, Z.**, see Yang, S., *TPEL Sept. 2017* 6863-6881
- Xin, Z.**, Wang, X., Loh, P.C., and Blaabjerg, F., Grid-Current-Feedback Control for LCL-Filtered Grid Converters With Enhanced Stability; *TPEL April 2017* 3216-3228
- Xin, Z.**, see Zhao, R., *TPEL Aug. 2017* 6286-6296
- Xing, Y.**, see Wu, H., *TPEL June 2017* 4246-4257
- Xing, Z.**, see Pan, D., *TPEL June 2017* 4395-4410
- Xiong, J.**, see Chen, C., *TPEL Jan. 2017* 762-772
- Xiong, R.**, see Zhang, Y., *TPEL June 2017* 4421-4431
- Xiong, S.**, Wong, S., Tan, S., and Tse, C.K., Optimal Design of Complex Switched-Capacitor Converters Via Energy-Flow-Path Analysis; *TPEL Feb. 2017* 1170-1185
- Xiong, S.**, and Tan, S., Cascaded High-Voltage-Gain Bidirectional Switched-Capacitor DC-DC Converters for Distributed Energy Resources Applications; *TPEL Feb. 2017* 1220-1231
- Xu, C.**, see Lei, X., *TPEL July 2017* 5520-5526
- Xu, D.**, see Wei, Q., *TPEL Jan. 2017* 752-761
- Xu, D.**, see Du, C., *TPEL Jan. 2017* 150-163
- Xu, D.**, see Wei, Q., *TPEL Jan. 2017* 248-259
- Xu, D.**, see Du, S., *TPEL Feb. 2017* 1006-1017
- Xu, D.**, see Wang, G., *TPEL March 2017* 2123-2132
- Xu, D.**, see Zhang, X., *TPEL April 2017* 3206-3215
- Xu, D.**, see He, J., *TPEL April 2017* 2661-2674
- Xu, D.**, see Guan, Y., *TPEL April 2017* 2876-2891
- Xu, D.**, see Tan, L., *TPEL May 2017* 3458-3466
- Xu, D.**, see Wang, B., *TPEL June 2017* 4663-4674
- Xu, D.**, see Li, B., *TPEL June 2017* 4619-4630
- Xu, D.**, see Yang, R., *TPEL June 2017* 4219-4230
- Xu, D.**, see Gao, H., *TPEL June 2017* 4891-4904
- Xu, D.**, see Lee, C.K., *TPEL July 2017* 5180-5187
- Xu, D.**, see Ni, R., *TPEL July 2017* 5425-5437
- Xu, D.**, see Gao, H., *TPEL Aug. 2017* 6558-6569
- Xu, D.**, see Liu, H., *TPEL Aug. 2017* 6091-6104
- XU, D.**, see Li, C., *TPEL Sept. 2017* 6800-6812
- Xu, D.**, see Wei, Q., *TPEL Oct. 2017* 7553-7560
- Xu, D.**, see Li, C., *TPEL Dec. 2017* 8958-8962
- Xu, D.**, see Yang, M., *TPEL Dec. 2017* 9267-9279
- Xu, D.D.**, see Wei, Q., *TPEL Jan. 2017* 176-185
- Xu, F.**, see Liu, G., *TPEL Feb. 2017* 931-941
- Xu, F.**, see Tang, Y., *TPEL Oct. 2017* 7543-7552
- Xu, G.**, Sha, D., Zhang, J., and Liao, X., Unified Boundary Trapezoidal Modulation Control Utilizing Fixed Duty Cycle Compensation and Magnetizing Current Design for Dual Active Bridge DC-DC Converter; *TPEL March 2017* 2243-2252
- Xu, G.**, see Ren, J., *TPEL July 2017* 5712-5722

Xu, H., see Yu, C., *TPEL April 2017 3192-3205*
Xu, H., see Shang, X., *TPEL June 2017 4132-4139*
Xu, J., see Wu, Q., *TPEL April 2017 2865-2875*
Xu, J., see Tang, Q., *TPEL May 2017 3767-3776*
Xu, J., see Liu, X., *TPEL June 2017 4566-4576*
Xu, L., see Qi, F., *TPEL April 2017 2957-2963*
Xu, L., see Qiu, L., *TPEL April 2017 2568-2583*
Xu, L., Chen, Q., Ren, X., Wong, S., and Tse, C.K., Self-Oscillating Resonant Converter With Contactless Power Transfer and Integrated Current Sensing Transformer; *TPEL June 2017 4839-4851*
Xu, L., see Niu, W., *TPEL Oct. 2017 7837-7844*
Xu, Q., see Yuan, S., *TPEL July 2017 5365-5376*
Xu, Q., Ma, F., He, Z., Chen, Y., Guerrero, J.M., Luo, A., Li, Y., and Yue, Y., Analysis and Comparison of Modular Railway Power Conditioner for High-Speed Railway Traction System; *TPEL Aug. 2017 6031-6048*
Xu, S., see Lai, W., *TPEL Feb. 2017 1431-1441*
Xu, S., see Wang, C., *TPEL Feb. 2017 1457-1468*
Xu, S., see Gao, B., *TPEL March 2017 2227-2242*
Xu, T., see Zhou, L., *TPEL June 2017 4307-4319*
Xu, W., see Guo, C., *TPEL Feb. 2017 967-976*
Xu, Y., Yan, H., Zou, J., Wang, B., and Li, Y., Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor; *TPEL May 2017 3797-3807*
Xu, Y., see Thirumalaivasan, R., *TPEL Dec. 2017 9413-9423*
Xu, Z., see Liu, G., *TPEL Feb. 2017 931-941*
Xue, P., Fu, G., and Zhang, D., Modeling Inductive Switching Characteristics of High-Speed Buffer Layer IGBT; *TPEL April 2017 3075-3087*
Xue, X., see Ye, Y., *TPEL June 2017 4444-4454*

Y

Yamadaya, M., see Chen, J., *TPEL April 2017 3263-3272*
Yan, C., see Wang, W., *TPEL Sept. 2017 7011-7024*
Yan, H., see Xu, Y., *TPEL May 2017 3797-3807*
Yan, Q., Yuan, X., Geng, Y., Charalambous, A., and Wu, X., Performance Evaluation of Split Output Converters With SiC MOSFETs and SiC Schottky Diodes; *TPEL Jan. 2017 406-422*
Yan, S., Lee, C., Yang, T., Mok, K., Tan, S., Chaudhuri, B., and Hui, S.Y.R., Extending the Operating Range of Electric Spring Using Back-To-Back Converter: Hardware Implementation and Control; *TPEL July 2017 5171-5179*
Yan, Y., see Xia, C., *TPEL July 2017 5109-5121*
Yan, Y., see Li, S., *TPEL July 2017 5388-5397*
Yanagi, H., see Hariya, A., *TPEL Aug. 2017 5953-5963*
Yang, F., see Gao, B., *TPEL March 2017 2227-2242*
Yang, F., see Cui, Y., *TPEL April 2017 2925-2938*
Yang, F., see Yao, K., *TPEL Aug. 2017 6236-6244*
Yang, F., see Yao, K., *TPEL Dec. 2017 9238-9248*
Yang, H., see Liu, F., *TPEL April 2017 3007-3021*
Yang, J., see Zheng, S., *TPEL July 2017 5752-5759*
Yang, J., see Liu, J., *TPEL Sept. 2017 6716-6727*
Yang, J., see Chen, Y., *TPEL Nov. 2017 8229-8236*
Yang, K., Zhang, Q., Zhang, J., Yuan, R., Guan, Q., Yu, W., and Wang, J., Unified Selective Harmonic Elimination for Multilevel Converters; *TPEL Feb. 2017 1579-1590*
Yang, K., see Ye, J., *TPEL May 2017 3920-3934*
Yang, L., see Wu, B., *TPEL Feb. 2017 1186-1197*
Yang, L., Wang, J., Ma, Y., Wang, J., Zhang, X., Tolbert, L.M., Wang, F.F., and Tomsovic, K., Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation; *TPEL Feb. 2017 1651-1665*
Yang, L., see Wang, G., *TPEL March 2017 2123-2132*
Yang, L., see Ma, C., *TPEL June 2017 4644-4651*
Yang, L., see Wang, C., *TPEL July 2017 5227-5247*
Yang, M., Lang, X., Long, J., and Xu, D., Flux Immunity Robust Predictive Current Control With Incremental Model and Extended State Observer for PMSM Drive; *TPEL Dec. 2017 9267-9279*
Yang, P., see Xia, Y., *TPEL June 2017 4949-4959*
Yang, Q., see Liu, X., *TPEL June 2017 4566-4576*
Yang, R., Li, B., Wang, G., Cecati, C., Zhou, S., and Xu, D., Asymmetric Mode Control of MMC to Suppress Capacitor Voltage Ripples in Low-Frequency, Low-Voltage Conditions; *TPEL June 2017 4219-4230*
Yang, S., Wang, J., and Yang, W., A Novel 24-Pulse Diode Rectifier with an Auxiliary Single-Phase Full-Wave Rectifier at DC Side; *TPEL March 2017 1885-1893*
Yang, S., see Gan, C., *TPEL May 2017 3754-3766*
Yang, S., see Zeng, H., *TPEL May 2017 4064-4073*
Yang, S., see Liu, S., *TPEL June 2017 4514-4523*
Yang, S., see Zeng, H., *TPEL Aug. 2017 5943-5952*
Yang, S., see Yao, K., *TPEL Aug. 2017 6236-6244*
Yang, S., Zhou, T., Chang, L., Xie, Z., and Zhang, X., Analytical Method for DFIG Transients During Voltage Dips; *TPEL Sept. 2017 6863-6881*
Yang, S., see Yao, K., *TPEL Dec. 2017 9238-9248*
Yang, T., see Yan, S., *TPEL July 2017 5171-5179*
Yang, W., see Yang, S., *TPEL March 2017 1885-1893*
Yang, X., see Fang, J., *TPEL Jan. 2017 200-217*
Yang, X., see Bai, Y., *TPEL April 2017 2687-2703*
Yang, X., see Li, Y., *TPEL May 2017 3338-3354*
Yang, X., see Wang, K., *TPEL June 2017 4728-4740*
Yang, X., see Xie, R., *TPEL Aug. 2017 6416-6433*
Yang, X., see Fang, J., *TPEL Sept. 2017 7222-7232*
Yang, X., see Zhang, F., *TPEL Oct. 2017 7469-7481*
Yang, X., see Fang, J., *TPEL Nov. 2017 8446-8457*
Yang, Y., see Lei, J., *TPEL Jan. 2017 878-888*
Yang, Y., see Yao, W., *TPEL March 2017 2360-2375*
Yang, Y., see Liu, F., *TPEL April 2017 3240-3250*
Yang, Y., see Zhang, Z., *TPEL April 2017 2757-2768*
Yang, Y., see Hadjemetriou, L., *TPEL April 2017 2784-2793*
Yang, Y., see Liu, H., *TPEL Aug. 2017 6091-6104*
Yang, Y., see Park, Y., *TPEL Sept. 2017 6946-6960*
Yang, Y., see Han, N., *TPEL Oct. 2017 8181-8192*
Yang, Y., see Sangwongwanich, A., *TPEL Nov. 2017 8559-8569*
Yang, Z., see Wang, H., *TPEL June 2017 4291-4306*
Yang, Z., see Wang, H., *TPEL Sept. 2017 6994-7010*
Yano, K., see Chen, J., *TPEL April 2017 3263-3272*
Yao, K., see Memon, A.H., *TPEL July 2017 5312-5322*
Yao, K., Meng, Q., Yang, F., and Yang, S., A Novel Control Scheme of Three-Phase Single-Switch Quasi-CRM Boost Rectifier; *TPEL Aug. 2017 6236-6244*
Yao, K., Zhou, X., Yang, F., Yang, S., Cao, C., and Mao, C., Optimum Third Current Harmonic During Nondead Zone and Its Control Implementation to Improve PF for DCM Buck PFC Converter; *TPEL Dec. 2017 9238-9248*
Yao, W., Wang, X., Loh, P.C., Zhang, X., and Blaabjerg, F., Improved Power Decoupling Scheme for a Single-Phase Grid-Connected Differential Inverter With Realistic Mismatch in Storage Capacitances; *TPEL Jan. 2017 186-199*
Yao, W., Yang, Y., Zhang, X., Blaabjerg, F., and Loh, P.C., Design and Analysis of Robust Active Damping for LCL Filters Using Digital Notch Filters; *TPEL March 2017 2360-2375*
Yao, W., see Huang, L., *TPEL May 2017 3513-3524*
Yao, W., Loh, P.C., Tang, Y., Wang, X., Zhang, X., and Blaabjerg, F., A Robust DC-Split-Capacitor Power Decoupling Scheme for Single-Phase Converter; *TPEL Nov. 2017 8419-8433*
Yaqoob, M., Loo, K.H., and Lai, Y.M., Extension of Soft-Switching Region of Dual-Active-Bridge Converter by a Tunable Resonant Tank; *TPEL Dec. 2017 9093-9104*
Yaragatti, U.R., see Sandeep, N., *TPEL Sept. 2017 6677-6683*
Yaramasu, V., see Dekka, A., *TPEL March 2017 1767-1778*
Yates, D.C., see Kkelis, G., *TPEL Nov. 2017 8322-8337*
Yau, Y.T., Jiang, W.Z., and Hwu, K.I., Ultrahigh Step-Down Converter With Wide Input Voltage Range Based on Topology Exchange; *TPEL July 2017 5341-5364*
Yazdani, A., see Oliveira, R., *TPEL Jan. 2017 11-22*
Ye, H., see Ye, J., *TPEL May 2017 3920-3934*
Ye, J., Yang, K., Ye, H., and Emadi, A., A Fast Electro-Thermal Model of Traction Inverters for Electrified Vehicles; *TPEL May 2017 3920-3934*

- Ye, J.**, see Peng, F., *TPEL Nov. 2017 8618-8631*
- Ye, X.**, Chen, C., Wang, Y., Zhai, G., and Vachtsevanos, G.J., Online Condition Monitoring of Power MOSFET Gate Oxide Degradation Based on Miller Platform Voltage; *TPEL June 2017 4776-4784*
- Ye, Y.**, see Ju, B., *TPEL Feb. 2017 1346-1354*
- Ye, Y.**, and Cheng, K.W.E., Analysis and Optimization of Switched Capacitor Power Conversion Circuits With Parasitic Resistances and Inductances; *TPEL March 2017 2018-2028*
- Ye, Y.**, Cheng, K.W.E., Fong, Y.C., Xue, X., and Lin, J., Topology, Modeling, and Design of Switched-Capacitor-Based Cell Balancing Systems and Their Balancing Exploration; *TPEL June 2017 4444-4454*
- Ye, Y.**, see Ren, J., *TPEL July 2017 5712-5722*
- Ye, Y.**, Cheng, K.W.E., and Chen, S., A High Step-up PWM DC-DC Converter With Coupled-Inductor and Resonant Switched-Capacitor; *TPEL Oct. 2017 7739-7749*
- Ye, Z.**, see Lei, Y., *TPEL Nov. 2017 8570-8581*
- Yen, C.**, see Liu, P., *TPEL March 2017 1975-1983*
- Yenduri, K.**, see Kundu, U., *TPEL March 2017 1703-1706*
- Yeo, T.**, Kwon, D., Khang, S., and Yu, J., Design of Maximum Efficiency Tracking Control Scheme for Closed-Loop Wireless Power Charging System Employing Series Resonant Tank; *TPEL Jan. 2017 471-478*
- Yeon, C.**, Kim, J., Park, M., Lee, I., and Moon, G., Improving the Light-Load Regulation Capability of LLC Series Resonant Converter Using Impedance Analysis; *TPEL Sept. 2017 7056-7067*
- Yepes, A.G.**, see Baneira, F., *TPEL Aug. 2017 6275-6285*
- Yepes, A.G.**, see Perez-Estevéz, D., *TPEL Sept. 2017 7207-7221*
- Yepes, A.G.**, see Baneira, F., *TPEL Nov. 2017 8243-8246*
- Yeung, R.S.**, see Zhou, R., *TPEL May 2017 3317-3337*
- Yi, B.**, and Chen, X., A 300-V Ultra-Low-Specific On-Resistance High-Side p-LDMOS With Auto-Biased n-LDMOS for SPIC; *TPEL Jan. 2017 551-560*
- Yi, H.**, Wang, X., Blaabjerg, F., and Zhuo, F., Impedance Analysis of SOGI-FLL-Based Grid Synchronization; *TPEL Oct. 2017 7409-7413*
- Yi, J.**, Choi, W., and Cho, B., Zero-Voltage-Transition Interleaved Boost Converter With an Auxiliary Coupled Inductor; *TPEL Aug. 2017 5917-5930*
- Yilmaz, I.**, see Durna, E., *TPEL Feb. 2017 1030-1043*
- Yin, X.**, see Liao, L., *TPEL June 2017 4600-4606*
- Yin, Z.**, Li, G., Zhang, Y., Liu, J., Sun, X., and Zhong, Y., A Speed and Flux Observer of Induction Motor Based on Extended Kalman Filter and Markov Chain; *TPEL Sept. 2017 7096-7117*
- Yonnet, J.P.**, see Wanderoild, Y., *TPEL April 2017 2493-2497*
- You, C.**, see Zhang, X., *TPEL Feb. 2017 1481-1492*
- Youn, H.**, see Baek, J., *TPEL Oct. 2017 7449-7457*
- Yu, C.**, Buttay, C., and Laboure, E., Thermal Management and Electromagnetic Analysis for GaN Devices Packaging on DBC Substrate; *TPEL Feb. 2017 906-910*
- Yu, C.**, Zhang, X., Liu, F., Li, F., Xu, H., Cao, R., and Ni, H., Modeling and Resonance Analysis of Multiparallel Inverters System Under Asynchronous Carriers Conditions; *TPEL April 2017 3192-3205*
- Yu, C.**, see Zhang, X., *TPEL July 2017 5023-5034*
- Yu, F.**, Cui, J., Zhou, Z., Fang, K., Johnson, R.W., and Hamilton, M.C., Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications; *TPEL Sept. 2017 7083-7095*
- Yu, H.**, see Pan, D., *TPEL June 2017 4395-4410*
- Yu, J.**, see Yeo, T., *TPEL Jan. 2017 471-478*
- Yu, J.**, see Lei, J., *TPEL Jan. 2017 878-888*
- Yu, J.**, see Han, N., *TPEL Oct. 2017 8181-8192*
- Yu, L.**, Wang, H., and Khaligh, A., A Discontinuous Conduction Mode Single-Stage Step-Up Rectifier for Low-Voltage Energy Harvesting Applications; *TPEL Aug. 2017 6161-6169*
- Yu, M.**, see Xia, Y., *TPEL June 2017 4949-4959*
- Yu, W.**, see Yang, K., *TPEL Feb. 2017 1579-1590*
- Yu, W.**, see Wang, M., *TPEL March 2017 1832-1843*
- Yu, X.**, see Hu, C., *TPEL Oct. 2017 7419-7434*
- Yu, Y.**, see Zeng, H., *TPEL May 2017 4064-4073*
- Yu, Y.**, see Wang, B., *TPEL June 2017 4663-4674*
- Yuan, F.**, see Niu, W., *TPEL Oct. 2017 7837-7844*
- Yuan, G.**, see Yuan, S., *TPEL July 2017 5365-5376*
- Yuan, L.**, see Lu, S., *TPEL Jan. 2017 81-97*
- Yuan, L.**, see Ma, J., *TPEL March 2017 1952-1963*
- Yuan, L.**, see Li, K., *TPEL Sept. 2017 6778-6791*
- Yuan, R.**, see Yang, K., *TPEL Feb. 2017 1579-1590*
- Yuan, S.**, Huang, Y., Zhou, J., Xu, Q., Song, C., and Yuan, G., A High-Efficiency Helical Core for Magnetic Field Energy Harvesting; *TPEL July 2017 5365-5376*
- Yuan, W.**, see Sha, D., *TPEL Oct. 2017 7783-7794*
- Yuan, X.**, see Zhang, J., *TPEL Jan. 2017 341-352*
- Yuan, X.**, see Yan, Q., *TPEL Jan. 2017 406-422*
- Yue, Y.**, see Xu, Q., *TPEL Aug. 2017 6031-6048*
- Yuen, K.K.**, see Tung, C., *TPEL Nov. 2017 8293-8311*
- Yuhimenko, V.**, Geula, G., Agranovich, G., Averbukh, M., and Kuperman, A., Average Modeling and Performance Analysis of Voltage Sensorless Active Supercapacitor Balancer With Peak Current Protection; *TPEL Feb. 2017 1570-1578*
- Yung, K.**, see Sun, B., *TPEL Aug. 2017 6338-6362*

Z

- Zadeh, M.K.**, Gavagsaz-Ghoachani, R., Martin, J., Pierfederici, S., Nahid-Mobarakeh, B., and Molinas, M., Discrete-Time Tool for Stability Analysis of DC Power Electronics-Based Cascaded Systems; *TPEL Jan. 2017 652-667*
- Zaidi, Z.H.**, see Jiang, S., *TPEL Nov. 2017 8743-8750*
- Zaky, M.S.**, and Metwaly, M.K., A Performance Investigation of a Four-Switch Three-Phase Inverter-Fed IM Drives at Low Speeds Using Fuzzy Logic and PI Controllers; *TPEL May 2017 3741-3753*
- Zambrano-Prada, D.A.**, see Lopez-Santos, O., *TPEL March 2017 2253-2264*
- Zane, R.**, see Chen, W.W., *TPEL Dec. 2017 9001-9012*
- Zaragoza, J.**, see Picas, R., *TPEL Jan. 2017 39-51*
- Zaragoza, J.**, see Lopez, I., *TPEL June 2017 4878-4890*
- Zare, F.**, see Soltani, H., *TPEL Nov. 2017 8632-8643*
- Zarebski, J.**, see Detka, K., *TPEL Sept. 2017 7025-7033*
- Zargari, N.R.**, see Wei, Q., *TPEL Jan. 2017 752-761*
- Zargari, N.R.**, see Wei, Q., *TPEL Jan. 2017 176-185*
- Zargari, N.R.**, see Wei, Q., *TPEL Jan. 2017 248-259*
- Zargari, N.R.**, see Lian, Y., *TPEL Feb. 2017 1312-1323*
- Zargari, N.R.**, see Du, S., *TPEL Feb. 2017 1006-1017*
- Zargari, N.R.**, see Dekka, A., *TPEL March 2017 1767-1778*
- Zargari, N.R.**, see Du, S., *TPEL March 2017 2081-2089*
- Zargari, N.R.**, see Tan, L., *TPEL May 2017 3458-3466*
- Zargari, N.R.**, see Dekka, A., *TPEL June 2017 4125-4131*
- Zargari, N.R.**, see Du, S., *TPEL July 2017 5827-5834*
- Zargari, N.R.**, see Dekka, A., *TPEL Aug. 2017 5878-5884*
- Zargari, N.R.**, see Dekka, A., *TPEL Aug. 2017 5873-5877*
- Zargari, N.R.**, see Wei, Q., *TPEL Oct. 2017 7553-7560*
- Zeng, F.**, see Zhou, X., *TPEL Dec. 2017 9460-9472*
- Zeng, H.**, Gonzalez-Santini, N.S., Yu, Y., Yang, S., and Peng, F.Z., Harmonic Burst Control Strategy for Full-Bridge Series-Resonant Converter-Based EV Charging; *TPEL May 2017 4064-4073*
- Zeng, H.**, Yang, S., and Peng, F.Z., Design Consideration and Comparison of Wireless Power Transfer via Harmonic Current for PHEV and EV Wireless Charging; *TPEL Aug. 2017 5943-5952*
- Zeng, H.**, and Peng, F.Z., SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger; *TPEL Nov. 2017 8813-8822*
- Zeng, J.**, see Liu, J., *TPEL April 2017 2939-2947*
- Zeng, X.**, see Wang, K., *TPEL June 2017 4728-4740*
- Zeng, Z.**, Zheng, W., and Zhao, R., Performance Analysis of the Zero-Voltage Vector Distribution in Three-Phase Four-Switch Converter Using a Space Vector Approach; *TPEL Jan. 2017 260-273*
- Zeng, Z.**, see Zhu, C., *TPEL July 2017 5411-5424*
- Zha, K.**, see Guo, C., *TPEL Feb. 2017 967-976*
- Zha, X.**, see Liu, F., *TPEL April 2017 3007-3021*
- Zha, X.**, see Liu, Y., *TPEL Aug. 2017 6323-6337*
- Zha, X.**, see Huang, M., *TPEL Nov. 2017 8868-8879*
- Zhai, G.**, see Ye, X., *TPEL June 2017 4776-4784*

- Zhan, H.**, Zhu, Z.Q., and Odavic, M., Nonparametric Sensorless Drive Method for Open-Winding PMSM Based on Zero-Sequence Back EMF With Circulating Current Suppression; *TPEL May 2017 3808-3817*
- Zhan, X.**, Chung, H., and Zhang, R., Investigation Into the Use of Single Inductor for Driving Multiple Series-Connected LED Channels; *TPEL April 2017 3034-3050*
- Zhan, X.**, see Wu, H., *TPEL June 2017 4246-4257*
- Zhan, X.**, see Qu, X., *TPEL Nov. 2017 8718-8727*
- Zhang, B.**, see Han, J., *TPEL March 2017 2464-2472*
- Zhang, B.**, see Li, M., *TPEL May 2017 3946-3958*
- Zhang, B.**, see Zhang, G., *TPEL Sept. 2017 6661-6665*
- Zhang, B.**, see Chen, X., *TPEL Sept. 2017 7034-7044*
- Zhang, C.**, see Lin, D., *TPEL Jan. 2017 613-624*
- Zhang, C.**, see Lin, D., *TPEL Jan. 2017 625-633*
- Zhang, C.**, see Shang, Y., *TPEL Oct. 2017 7694-7706*
- Zhang, C.**, see Goetz, S.M., *TPEL Nov. 2017 8381-8392*
- Zhang, D.**, see Fu, M., *TPEL Jan. 2017 837-848*
- Zhang, D.**, see Liu, H., *TPEL March 2017 1844-1859*
- Zhang, D.**, see Bai, Y., *TPEL April 2017 2687-2703*
- Zhang, D.**, see Xue, P., *TPEL April 2017 3075-3087*
- Zhang, D.**, see Liu, H., *TPEL July 2017 5004-5015*
- Zhang, D.**, see Qu, L., *TPEL July 2017 5699-5711*
- Zhang, D.**, see Fu, M., *TPEL July 2017 5377-5387*
- Zhang, D.**, see Qu, L., *TPEL Aug. 2017 6638-6651*
- Zhang, F.**, Yang, X., Ren, Y., Feng, L., Chen, W., and Pei, Y., A Hybrid Active Gate Drive for Switching Loss Reduction and Voltage Balancing of Series-Connected IGBTs; *TPEL Oct. 2017 7469-7481*
- Zhang, G.**, see Wang, G., *TPEL March 2017 2123-2132*
- Zhang, G.**, see Li, M., *TPEL May 2017 3946-3958*
- Zhang, G.**, see Liao, Y., *TPEL May 2017 3499-3512*
- Zhang, G.**, see Xia, C., *TPEL July 2017 5109-5121*
- Zhang, G.**, see Ni, R., *TPEL July 2017 5425-5437*
- Zhang, G.**, lu, H.H., Zhang, B., Li, Z., Fernando, T., Chen, S., and Zhang, Y., An Impedance Network Boost Converter With a High-Voltage Gain; *TPEL Sept. 2017 6661-6665*
- Zhang, H.**, da Sun, C., Li, Z., Liu, J., Cao, H., and Zhang, X., Voltage Vector Error Fault Diagnosis for Open-Circuit Faults of Three-Phase Four-Wire Active Power Filters; *TPEL March 2017 2215-2226*
- Zhang, H.**, see Sun, Y., *TPEL Aug. 2017 6617-6627*
- Zhang, H.**, Wang, S., Li, Y., Wang, Q., and Fu, D., Two-Capacitor Transformer Winding Capacitance Models for Common-Mode EMI Noise Analysis in Isolated DC–DC Converters; *TPEL Nov. 2017 8458-8469*
- Zhang, J.**, see Wang, W., *TPEL Jan. 2017 804-814*
- Zhang, J.**, Yuan, X., Wang, C., and He, Y., Comparative Analysis of Two-Coil and Three-Coil Structures for Wireless Power Transfer; *TPEL Jan. 2017 341-352*
- Zhang, J.**, see Yang, K., *TPEL Feb. 2017 1579-1590*
- Zhang, J.**, see Zhao, C., *TPEL Feb. 2017 915-919*
- Zhang, J.**, see Hu, Y., *TPEL Feb. 2017 1124-1137*
- Zhang, J.**, see Wang, W., *TPEL March 2017 2052-2063*
- Zhang, J.**, see Xu, G., *TPEL March 2017 2243-2252*
- Zhang, J.**, see Ke, Z., *TPEL April 2017 2948-2956*
- Zhang, J.**, see Qin, W., *TPEL April 2017 2822-2834*
- Zhang, J.**, Hang, J., Ding, S., and Cheng, M., Online Diagnosis and Localization of High-Resistance Connection in PMSM With Improved Fault Indicator; *TPEL May 2017 3585-3594*
- Zhang, J.**, see Shu, L., *TPEL May 2017 3787-3796*
- Zhang, J.**, see Li, X., *TPEL June 2017 4852-4863*
- Zhang, J.**, see Wang, W., *TPEL July 2017 5862-5872*
- Zhang, J.**, Zhao, C., Zhao, S., and Wu, X., A Family of Single-Phase Hybrid Step-Down PFC Converters; *TPEL July 2017 5271-5281*
- Zhang, J.**, see Hang, J., *TPEL Aug. 2017 6444-6454*
- Zhang, J.**, see Sun, C., *TPEL Aug. 2017 5978-5990*
- Zhang, J.**, see Liu, J., *TPEL Sept. 2017 6716-6727*
- Zhang, J.**, see Chen, D., *TPEL Oct. 2017 7591-7601*
- Zhang, J.**, see Sha, D., *TPEL Oct. 2017 7783-7794*
- Zhang, J.Q.**, see Liu, G., *TPEL June 2017 4168-4184*
- Zhang, K.**, see Chen, C., *TPEL Jan. 2017 762-772*
- Zhang, K.**, Shan, Z., and Jatskevich, J., Large- and Small-Signal Average-Value Modeling of Dual-Active-Bridge DC–DC Converter Considering Power Losses; *TPEL March 2017 1964-1974*
- Zhang, L.**, see Jiang, W., *TPEL Feb. 2017 1518-1532*
- Zhang, L.**, see Ma, C., *TPEL June 2017 4644-4651*
- Zhang, L.**, Ritter, A., Nies, C., Dwari, S., Guo, B., Priya, S., Burgos, R., and Ngo, K., Voltage-Controlled Capacitor—Feasibility Demonstration in DC–DC Converters; *TPEL Aug. 2017 5889-5892*
- Zhang, L.**, see Fang, J., *TPEL Sept. 2017 7222-7232*
- Zhang, L.**, Ma, H., Born, R., Zhao, X., and Lai, J., Single-Step Current Control for Voltage Source Inverters With Fast Transient Response and High Convergence Speed; *TPEL Nov. 2017 8823-8832*
- Zhang, N.**, see Chen, Y., *TPEL Nov. 2017 8229-8236*
- Zhang, N.**, see Sun, L., *TPEL Dec. 2017 9364-9375*
- Zhang, P.**, see Tang, N., *TPEL May 2017 3700-3707*
- Zhang, Q.**, see Yang, K., *TPEL Feb. 2017 1579-1590*
- Zhang, Q.**, see Min, R., *TPEL April 2017 3143-3153*
- Zhang, R.**, see Zhan, X., *TPEL April 2017 3034-3050*
- Zhang, W.**, Wang, F., Costinett, D.J., Tolbert, L.M., and Blalock, B.J., Investigation of Gallium Nitride Devices in High-Frequency LLC Resonant Converters; *TPEL Jan. 2017 571-583*
- Zhang, W.**, see Huang, X., *TPEL Jan. 2017 593-601*
- Zhang, X.**, see Yao, W., *TPEL Jan. 2017 186-199*
- Zhang, X.**, Kan, T., You, C., and Mi, C., Modeling and Analysis of AC Output Power Factor for Wireless Chargers in Electric Vehicles; *TPEL Feb. 2017 1481-1492*
- Zhang, X.**, see Yang, L., *TPEL Feb. 2017 1651-1665*
- Zhang, X.**, see Foo, G.H.B., *TPEL Feb. 2017 1289-1298*
- Zhang, X.**, see Shao, Z., *TPEL March 2017 2347-2359*
- Zhang, X.**, see Wang, G., *TPEL March 2017 2123-2132*
- Zhang, X.**, see Zhang, H., *TPEL March 2017 2215-2226*
- Zhang, X.**, see Yao, W., *TPEL March 2017 2360-2375*
- Zhang, X.**, Fu, Z., Xiao, Y., Wang, G., and Xu, D., Control of Parallel Three-Phase PWM Converters Under Generalized Unbalanced Operating Conditions; *TPEL April 2017 3206-3215*
- Zhang, X.**, see Yu, C., *TPEL April 2017 3192-3205*
- Zhang, X.**, Hou, B., and Mei, Y., Deadbeat Predictive Current Control of Permanent-Magnet Synchronous Motors with Stator Current and Disturbance Observer; *TPEL May 2017 3818-3834*
- Zhang, X.**, Chen, P., Yu, C., Li, F., Do, H.T., and Cao, R., Study of a Current Control Strategy Based on Multisampling for High-Power Grid-Connected Inverters With an LCL filter; *TPEL July 2017 5023-5034*
- Zhang, X.**, see Yang, S., *TPEL Sept. 2017 6863-6881*
- Zhang, X.**, see Yao, W., *TPEL Nov. 2017 8419-8433*
- Zhang, X.**, Qian, W., and Li, Z., Design and Analysis of a Novel ZVZCT Boost Converter With Coupling Effect; *TPEL Dec. 2017 8992-9000*
- Zhang, Y.**, Li, J., Li, X., Cao, Y., Sumner, M., and Xia, C., A Method for the Suppression of Fluctuations in the Neutral-Point Potential of a Three-Level NPC Inverter With a Capacitor-Voltage Loop; *TPEL Jan. 2017 825-836*
- Zhang, Y.**, see Chen, X., *TPEL Jan. 2017 274-283*
- Zhang, Y.**, Liu, J., Dong, Z., Jia, Y., Nie, C., Zhou, S., and Liu, Y., Maximum Boost Control of Diode-Assisted Buck–Boost Voltage-Source Inverter With Minimum Switching Frequency; *TPEL Feb. 2017 1533-1547*
- Zhang, Y.**, Qu, C., and Gao, J., Performance Improvement of Direct Power Control of PWM Rectifier Under Unbalanced Network; *TPEL March 2017 2319-2328*
- Zhang, Y.**, and Wei Li, Y., Energy Management Strategy for Supercapacitor in Droop-Controlled DC Microgrid Using Virtual Impedance; *TPEL April 2017 2704-2716*
- Zhang, Y.**, Gao, J., and Qu, C., Relationship Between Two Direct Power Control Methods for PWM Rectifiers Under Unbalanced Network; *TPEL May 2017 4084-4094*
- Zhang, Y.**, Xiong, R., He, H., and Shen, W., Lithium-Ion Battery Pack State of Charge and State of Energy Estimation Algorithms Using a Hardware-in-the-Loop Validation; *TPEL June 2017 4421-4431*
- Zhang, Y.**, see Guan, Q., *TPEL June 2017 4411-4420*

- Zhang, Y.**, Liu, J., Dong, Z., Wang, H., and Liu, Y., Dynamic Performance Improvement of Diode-capacitor-Based High Step-up DC-DC Converter Through Right-Half-Plane Zero Elimination; *TPEL Aug. 2017 6532-6543*
- Zhang, Y.**, see Mai, R., *TPEL Aug. 2017 5897-5906*
- Zhang, Y.**, Shi, J., Zhou, L., Li, J., Sumner, M., Wang, P., and Xia, C., Wide Input-Voltage Range Boost Three-Level DC-DC Converter With Quasi-Z Source for Fuel Cell Vehicles; *TPEL Sept. 2017 6728-6738*
- Zhang, Y.**, see Yin, Z., *TPEL Sept. 2017 7096-7117*
- Zhang, Y.**, see Li, C., *TPEL Sept. 2017 6800-6812*
- Zhang, Y.**, see Zhang, G., *TPEL Sept. 2017 6661-6665*
- Zhang, Y.**, see Li, K., *TPEL Sept. 2017 6778-6791*
- Zhang, Y.**, see Zhou, S., *TPEL Nov. 2017 8904-8921*
- Zhang, Y.**, Li, D., Lu, H., Fan, S., Chen, Z., Wang, Y., and Geng, L., Analysis and Implementation of a High-Performance-Integrated KY Converter; *TPEL Dec. 2017 9051-9064*
- Zhang, Z.**, see Ekhtiari, M., *TPEL Jan. 2017 866-877*
- Zhang, Z.**, see Ekhtiari, M., *TPEL Jan. 2017 783-793*
- Zhang, Z.**, Ngo, K.D.T., and Nilles, J.L., Design of Inductors With Significant AC Flux; *TPEL Jan. 2017 529-539*
- Zhang, Z.**, see Liu, G., *TPEL Feb. 2017 931-941*
- Zhang, Z.**, see Mira, M.C., *TPEL Feb. 2017 1138-1155*
- Zhang, Z.**, Zou, X., Dong, Z., Zhou, Y., and Ren, X., A 10-MHz eGaN Isolated Class- Φ_2 DCX; *TPEL March 2017 2029-2040*
- Zhang, Z.**, Gui, H., Gu, D., Yang, Y., and Ren, X., A Hierarchical Active Balancing Architecture for Lithium-Ion Batteries; *TPEL April 2017 2757-2768*
- Zhang, Z.**, see Anthon, A., *TPEL April 2017 2808-2821*
- Zhang, Z.**, Leggate, D., and Matsuo, T., Industrial Inverter Current Sensing With Three Shunt Resistors: Limitations and Solutions; *TPEL June 2017 4577-4586*
- Zhang, Z.**, Dong, Z., Hu, D., Zou, X., and Ren, X., Three-Level Gate Drivers for eGaN HEMTs in Resonant Converters; *TPEL July 2017 5527-5538*
- Zhang, Z.**, see Lei, X., *TPEL July 2017 5520-5526*
- Zhang, Z.**, Tian, S., and Ngo, K.D.T., Small-Signal Equivalent Circuit Model of Quasi-Square-Wave Flyback Converter; *TPEL Aug. 2017 5885-5888*
- Zhang, Z.**, Dong, Z., Zou, X., and Ren, X., A Digital Adaptive Driving Scheme for eGaN HEMTs in VHF Converters; *TPEL Aug. 2017 6197-6205*
- Zhang, Z.**, Cheng, X., Lu, Z., and Gu, D., SOC Estimation of Lithium-Ion Batteries With AEKF and Wavelet Transform Matrix; *TPEL Oct. 2017 7626-7634*
- Zhang, Z.**, Hackl, C.M., and Kennel, R., Computationally Efficient DMPC for Three-Level NPC Back-to-Back Converters in Wind Turbine Systems With PMSG; *TPEL Oct. 2017 8018-8034*
- Zhang, Z.**, Lu, H., Costinett, D.J., Wang, F., Tolbert, L.M., and Blalock, B.J., Model-Based Dead Time Optimization for Voltage-Source Converters Utilizing Silicon Carbide Semiconductors; *TPEL Nov. 2017 8833-8844*
- Zhang, Z.**, Guo, B., Wang, F.F., Jones, E.A., Tolbert, L.M., and Blalock, B.J., Methodology for Wide Band-Gap Device Dynamic Characterization; *TPEL Dec. 2017 9307-9318*
- Zhang, Z.**, see Xie, B., *TPEL Dec. 2017 9031-9042*
- Zhang, Z.**, Dix, J., Wang, F.F., Blalock, B.J., Costinett, D., and Tolbert, L.M., Intelligent Gate Drive for Fast Switching and Crosstalk Suppression of SiC Devices; *TPEL Dec. 2017 9319-9332*
- Zhao, B.**, Song, Q., Li, J., Wang, Y., and Liu, W., Modular Multilevel High-Frequency-Link DC Transformer Based on Dual Active Phase-Shift Principle for Medium-Voltage DC Power Distribution Application; *TPEL March 2017 1779-1791*
- Zhao, B.**, Song, Q., Li, J., Wang, Y., and Liu, W., High-Frequency-Link Modulation Methodology of DC-DC Transformer Based on Modular Multilevel Converter for HVDC Application: Comprehensive Analysis and Experimental Verification; *TPEL May 2017 3413-3424*
- Zhao, B.**, Kuo, N., and Niknejad, A.M., A Gain Boosting Array Technique for Weakly-Coupled Wireless Power Transfer; *TPEL Sept. 2017 7130-7139*
- Zhao, B.**, Song, Q., Li, J., Sun, Q., and Liu, W., Full-Process Operation, Control, and Experiments of Modular High-Frequency-Link DC Transformer Based on Dual Active Bridge for Flexible MVDC Distribution: A Practical Tutorial; *TPEL Sept. 2017 6751-6766*
- Zhao, B.**, see Wang, J., *TPEL Oct. 2017 7494-7508*
- Zhao, C.**, Zhang, J., and Wu, X., An Improved Variable On-Time Control Strategy for a CRM Flyback PFC Converter; *TPEL Feb. 2017 915-919*
- Zhao, C.**, see Guo, C., *TPEL Feb. 2017 967-976*
- Zhao, C.**, see Zhang, J., *TPEL July 2017 5271-5281*
- Zhao, H.**, see Jiang, W., *TPEL Feb. 2017 1518-1532*
- Zhao, J.**, see Zhou, D., *TPEL May 2017 3731-3740*
- Zhao, J.**, see Wu, F., *TPEL May 2017 3935-3945*
- Zhao, Q.**, see Ren, J., *TPEL July 2017 5712-5722*
- Zhao, R.**, see Zeng, Z., *TPEL Jan. 2017 260-273*
- Zhao, R.**, see Zhu, C., *TPEL July 2017 5411-5424*
- Zhao, R.**, Xin, Z., Loh, P.C., and Blaabjerg, F., A Novel Flux Estimator Based on Multiple Second-Order Generalized Integrators and Frequency-Locked Loop for Induction Motor Drives; *TPEL Aug. 2017 6286-6296*
- Zhao, S.**, see Zhang, J., *TPEL July 2017 5271-5281*
- Zhao, X.**, Guerrero, J.M., Savaghebi, M., Vasquez, J.C., Wu, X., and Sun, K., Low-Voltage Ride-Through Operation of Power Converters in Grid-Interactive Microgrids by Using Negative-Sequence Droop Control; *TPEL April 2017 3128-3142*
- Zhao, X.**, see Zhang, L., *TPEL Nov. 2017 8823-8832*
- Zhao, Y.**, see Cai, B., *TPEL July 2017 5590-5600*
- Zhao, Z.**, see Chen, H., *TPEL Jan. 2017 441-451*
- Zhao, Z.**, see Lu, S., *TPEL Jan. 2017 81-97*
- Zhao, Z.**, see Ma, J., *TPEL March 2017 1952-1963*
- Zhao, Z.**, see Li, K., *TPEL Sept. 2017 6778-6791*
- Zheng, H.**, see Lei, X., *TPEL July 2017 5520-5526*
- Zheng, S.**, see Li, H., *TPEL Jan. 2017 642-651*
- Zheng, S.**, Li, H., Han, B., and Yang, J., Power Consumption Reduction for Magnetic Bearing Systems During Torque Output of Control Moment Gyros; *TPEL July 2017 5752-5759*
- Zheng, S.**, see Song, X., *TPEL July 2017 5438-5449*
- Zheng, S.**, see Chen, S., *TPEL Nov. 2017 8845-8856*
- Zheng, T.Q.**, see Liu, J., *TPEL Sept. 2017 6716-6727*
- Zheng, W.**, see Zeng, Z., *TPEL Jan. 2017 260-273*
- Zheng, Z.**, see Qiu, L., *TPEL April 2017 2568-2583*
- Zhong, Q.**, see Ming, W., *TPEL April 2017 2794-2807*
- Zhong, Q.**, see Liu, Z., *TPEL April 2017 3154-3165*
- Zhong, Q.**, and Ming, W., Reducing the Inductors of Rectifiers Having Two Outputs to Improve Power Density; *TPEL Oct. 2017 8150-8162*
- Zhong, Y.**, see Yin, Z., *TPEL Sept. 2017 7096-7117*
- Zhou, B.**, see Lei, J., *TPEL Jan. 2017 878-888*
- Zhou, B.**, see Han, N., *TPEL Oct. 2017 8181-8192*
- Zhou, D.**, Li, Y., Zhao, J., Wu, F., and Luo, H., An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives; *TPEL May 2017 3731-3740*
- Zhou, G.**, see Liu, X., *TPEL June 2017 4566-4576*
- Zhou, J.**, see Yuan, S., *TPEL July 2017 5365-5376*
- Zhou, J.**, see Hu, S., *TPEL Nov. 2017 8936-8944*
- Zhou, L.**, see Luo, Q., *TPEL March 2017 2155-2166*
- Zhou, L.**, see Sun, P., *TPEL May 2017 3777-3786*
- Zhou, L.**, Gao, F., and Xu, T., A Family of Neutral-Point-Clamped Circuits of Single-Phase PV Inverters: Generalized Principle and Implementation; *TPEL June 2017 4307-4319*
- Zhou, L.**, see Zhang, Y., *TPEL Sept. 2017 6728-6738*
- Zhou, L.**, see Zhou, S., *TPEL Nov. 2017 8904-8921*
- Zhou, Q.**, see Liu, X., *TPEL June 2017 4566-4576*
- Zhou, R.**, Yeung, R.S., Chung, H.S., Chan, J.Y., and Tse, N.C., Current Compensator for LED Driver With a Long Cable Connecting to the Light Source; *TPEL May 2017 3317-3337*
- Zhou, S.**, see Zhang, Y., *TPEL Feb. 2017 1533-1547*
- Zhou, S.**, see Li, B., *TPEL June 2017 4619-4630*
- Zhou, S.**, see Yang, R., *TPEL June 2017 4219-4230*
- Zhou, S.**, Liu, J., Zhou, L., and Zhang, Y., DQ Current Control of Voltage Source Converters With a Decoupling Method Based on Preprocessed Reference Current Feed-forward; *TPEL Nov. 2017 8904-8921*
- Zhou, S.**, see Zhu, D., *TPEL Nov. 2017 8514-8525*
- Zhou, T.**, see Yang, S., *TPEL Sept. 2017 6863-6881*
- Zhou, W.**, see Su, Y., *TPEL April 2017 3229-3239*

- Zhou, W.**, and Jin, K., Optimal Photovoltaic Array Configuration Under Gaussian Laser Beam Condition for Wireless Power Transmission; *TPEL May 2017 3662-3672*
- Zhou, W.**, see Su, Y., *TPEL Nov. 2017 8778-8786*
- Zhou, X.**, see Luo, Y., *TPEL Feb. 2017 1367-1374*
- Zhou, X.**, see Song, X., *TPEL July 2017 5438-5449*
- Zhou, X.**, Chen, X., Zeng, F., and Tang, J., Fast Commutation Instant Shift Correction Method for Sensorless Coreless BLDC Motor Based on Terminal Voltage Information; *TPEL Dec. 2017 9460-9472*
- Zhou, X.**, see Yao, K., *TPEL Dec. 2017 9238-9248*
- Zhou, Y.**, see Nian, H., *TPEL Jan. 2017 602-612*
- Zhou, Y.**, see Zhang, Z., *TPEL March 2017 2029-2040*
- Zhou, Z.**, see Yu, F., *TPEL Sept. 2017 7083-7095*
- Zhu, C.**, see Li, Z., *TPEL May 2017 3301-3316*
- Zhu, C.**, Zeng, Z., and Zhao, R., Comprehensive Analysis and Reduction of Torque Ripples in Three-Phase Four-Switch Inverter-Fed PMSM Drives Using Space Vector Pulse-Width Modulation; *TPEL July 2017 5411-5424*
- Zhu, D.**, Zou, X., Deng, L., Huang, Q., Zhou, S., and Kang, Y., Inductance-Emulating Control for DFIG-Based Wind Turbine to Ride-Through Grid Faults; *TPEL Nov. 2017 8514-8525*
- Zhu, L.**, see Lu, H., *TPEL Dec. 2017 9280-9292*
- Zhu, M.**, see Ren, J., *TPEL July 2017 5712-5722*
- Zhu, N.**, see Du, C., *TPEL Jan. 2017 150-163*
- Zhu, X.**, see Liu, S., *TPEL June 2017 4514-4523*
- Zhu, Y.**, see Lei, J., *TPEL Jan. 2017 878-888*
- Zhu, Z.**, Wu, Q., and Wang, Z., Self-Compensating OCP Control Scheme for Primary-Side Controlled Flyback AC/DC Converters; *TPEL May 2017 3673-3682*
- Zhu, Z.**, see Wu, Q., *TPEL Dec. 2017 8969-8973*
- Zhu, Z.Q.**, see Cheng, P., *TPEL Jan. 2017 284-297*
- Zhu, Z.Q.**, see Abosh, A.H., *TPEL April 2017 2976-2986*
- Zhu, Z.Q.**, see Zhan, H., *TPEL May 2017 3808-3817*
- Zhu, Z.Q.**, see Liu, X., *TPEL May 2017 4095-4106*
- Zhu, Z.Q.**, see Hu, Y., *TPEL May 2017 3998-4006*
- Zhuo, F.**, see Yi, H., *TPEL Oct. 2017 7409-7413*
- Zou, C.**, see Luo, Q., *TPEL March 2017 2155-2166*
- Zou, H.**, see Moursy, Y., *TPEL July 2017 5550-5559*
- Zou, J.**, see Xu, Y., *TPEL May 2017 3797-3807*
- Zou, X.**, see Zhang, Z., *TPEL March 2017 2029-2040*
- Zou, X.**, see Min, R., *TPEL April 2017 3143-3153*
- Zou, X.**, see Zhang, Z., *TPEL July 2017 5527-5538*
- Zou, X.**, see Zhang, Z., *TPEL Aug. 2017 6197-6205*
- Zou, X.**, see Zhu, D., *TPEL Nov. 2017 8514-8525*
- Zutavern, F.J.**, see Mauch, D.L., *TPEL Dec. 2017 9333-9341*

Subject Index

Numeric

III-V semiconductors

- A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics. *Guan, Y.*, +, *TPEL April 2017 2876-2891*
- A 10-MHz eGaN Isolated Class- Φ_2 DCX. *Zhang, Z.*, +, *TPEL March 2017 2029-2040*
- A 2-kW Single-Phase Seven-Level Flying Capacitor Multilevel Inverter With an Active Energy Buffer. *Lei, Y.*, +, *TPEL Nov. 2017 8570-8581*
- A Digital Adaptive Driving Scheme for eGaN HEMTs in VHF Converters. *Zhang, Z.*, +, *TPEL Aug. 2017 6197-6205*
- A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*
- A Family of High-Frequency Single-Switch DC-DC Converters With Low Switch Voltage Stress Based on Impedance Networks. *Lee, K.*, +, *TPEL April 2017 2913-2924*

- A High Power Density Series-Stacked Energy Buffer for Power Pulsation Decoupling in Single-Phase Converters. *Qin, S.*, +, *TPEL June 2017 4905-4924*
- All-GaN-Integrated Cascode Heterojunction Field Effect Transistors. *Jiang, S.*, +, *TPEL Nov. 2017 8743-8750*
- An Analytical Model for False Turn-On Evaluation of High-Voltage Enhancement-Mode GaN Transistor in Bridge-Leg Configuration. *Xie, R.*, +, *TPEL Aug. 2017 6416-6433*
- Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC-DC Converters. *Hariya, A.*, +, *TPEL Aug. 2017 5953-5963*
- Investigation of Gallium Nitride Devices in High-Frequency LLC Resonant Converters. *Zhang, W.*, +, *TPEL Jan. 2017 571-583*
- Maximizing the Performance of 650-V p-GaN Gate HEMTs: Dynamic RON Characterization and Circuit Design Considerations. *Wang, H.*, +, *TPEL July 2017 5539-5549*
- Physics-Based Analytical Model for Input, Output, and Reverse Capacitance of a GaN HEMT With the Field-Plate Structure. *Cucak, D.*, +, *TPEL March 2017 2189-2202*
- PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking. *Leuenberger, D.*, +, *TPEL Aug. 2017 6105-6118*
- The Benefits of SiC mosfets in a T-Type Inverter for Grid-Tie Applications. *Anthou, A.*, +, *TPEL April 2017 2808-2821*
- Thermal Management and Electromagnetic Analysis for GaN Devices Packaging on DBC Substrate. *Yu, C.*, +, *TPEL Feb. 2017 906-910*

A

AC machines

- Comparison of Postfault Strategies for Current Reference Generation for Dual Three-Phase Machines in Terms of Converter Losses. *Baneira, F.*, +, *TPEL Nov. 2017 8243-8246*
- Reduction of Injection Voltage in Signal Injection Sensorless Drives Using a Capacitor-Integrated Inverter. *Kwon, Y.*, +, *TPEL Aug. 2017 6261-6274*

AC motor drives

- An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. *Koc, M.*, +, *TPEL Jan. 2017 490-502*
- Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor. *Tian, B.*, +, *TPEL July 2017 5459-5472*
- Dynamic Response Improvements of Parallel-Connected Bidirectional DC-DC Converters for Electrical Drive Powered by Low-Voltage Battery Employing Optimized Feedforward Control. *Sha, D.*, +, *TPEL Oct. 2017 7783-7794*
- Hybrid Dual and NPC Six-Phase Drive Systems. *Melo, V.F.M.B.*, +, *TPEL Nov. 2017 8606-8617*
- Sensorless Control of IM for Limp-Home Mode EV Applications. *Dehghan-Azad, E.*, +, *TPEL Sept. 2017 7140-7150*

AC-AC power converters

- A Single-Stage High-Frequency Resonant AC/AC Converter. *Luo, Q.*, +, *TPEL March 2017 2155-2166*
- Cascaded Dual-Buck AC-AC Converter With Reduced Number of Inductors. *Khan, A.A.*, +, *TPEL Oct. 2017 7509-7520*
- Dyna-C: A Minimal Topology for Bidirectional Solid-State Transformers. *Chen, H.*, +, *TPEL Feb. 2017 995-1005*
- Dynamic Voltage Restorer Using Switching Cell Structured Multilevel AC-AC Converter. *Kim, S.*, +, *TPEL Nov. 2017 8406-8418*
- Modular Multilevel Converter With Magnetically Coupled Branch Inductors. *Kucka, J.*, +, *TPEL Sept. 2017 6767-6777*
- Research on Output Voltage Modulation of a Five-Level Matrix Converter. *Qiu, L.*, +, *TPEL April 2017 2568-2583*

AC-DC power converters

- A Bridge-Type Fault Current Limiter for Energy Management of AC/DC Microgrids. *Abdolkarimzadeh, M.*, +, *TPEL Dec. 2017 9043-9050*
- A Digital Current Control Technique for Grid-Connected AC/DC Converters Used for Energy Storage Systems. *Eren, S.*, +, *TPEL May 2017 3970-3988*

- A Line Impedance Conditioner for Saturation Mitigation of Zigzag Transformer in Hybrid AC/DC Transmission System Considering Line Unbalances. *Liu, B.*, +, *TPEL July 2017 5070-5086*
- A PSR CC/CV Flyback Converter With Accurate CC Control and Optimized CV Regulation Strategy. *Wang, Z.*, +, *TPEL Sept. 2017 7045-7055*
- A Single-Stage High-Frequency Resonant AC/AC Converter. *Luo, Q.*, +, *TPEL March 2017 2155-2166*
- A Single-Switch AC–DC LED Driver Based on a Boost-Flyback PFC Converter With Lossless Snubber. *Lee, S.*, +, *TPEL Feb. 2017 1375-1384*
- A Soft-Switching Bridgeless AC–DC Power Factor Correction Converter. *Alam, M.*, +, *TPEL Oct. 2017 7716-7726*
- An Adaptive High-Precision OCP Control Scheme for Flyback AC/DC Converters. *Wu, Q.*, +, *TPEL Dec. 2017 8969-8973*
- An Efficient FPGA Implementation of a Quadrature Signal-Generation Subsystem in SRF PLLs in Single-Phase PFCs. *Lamo, P.*, +, *TPEL May 2017 3959-3969*
- An Electrolytic Capacitorless Bidirectional EV Charger for V2G and V2H Applications. *Kwon, M.*, +, *TPEL Sept. 2017 6792-6799*
- An Integrated Trap-LCL Filter With Reduced Current Harmonics for Grid-Connected Converters Under Weak Grid Conditions. *Fang, J.*, +, *TPEL Nov. 2017 8446-8457*
- Closed-Form Solution for Efficient ZVS Modulation of DAB Converters. *Everts, J.*, *TPEL Oct. 2017 7561-7576*
- Conducted EMI Mitigation Schemes in Isolated Switching-Mode Power Supply Without the Need of a Y-Capacitor. *Bai, Y.*, +, *TPEL April 2017 2687-2703*
- Design of a Highly Efficient (97.7%) and Very Compact (2.2 kW/dm³) Isolated AC–DC Telecom Power Supply Module Based on the Multicell ISOP Converter Approach. *Kasper, M.*, +, *TPEL Oct. 2017 7750-7769*
- Distributed Coordination Control for Multiple Bidirectional Power Converters in a Hybrid AC/DC Microgrid. *Xia, Y.*, +, *TPEL June 2017 4949-4959*
- Energy Channeling LED Driver Technology to Achieve Flicker-Free Operation With True Single Stage Power Factor Correction. *Fang, P.*, +, *TPEL May 2017 3892-3907*
- Energy Density Enhancement of Stacked Switched Capacitor Energy Buffers Through Capacitance Ratio Optimization. *Ni, Y.*, +, *TPEL Aug. 2017 6363-6380*
- Frequency-Domain Modeling and Simulation of DC Power Electronic Systems Using Harmonic State Space Method. *Kwon, J.*, +, *TPEL Feb. 2017 1044-1055*
- Isolated Bidirectional Grid-Tied Three-Phase AC–DC Power Conversion Using Series-Resonant Converter Modules and a Three-Phase Unfolder. *Chen, W.W.*, +, *TPEL Dec. 2017 9001-9012*
- Novel Digital Control Method for Improving Dynamic Responses of Multimode Primary-Side Regulation Flyback Converter. *Wang, C.*, +, *TPEL Feb. 2017 1457-1468*
- Parallel Operation of Bidirectional Interfacing Converters in a Hybrid AC/DC Microgrid Under Unbalanced Grid Voltage Conditions. *Sun, K.*, +, *TPEL March 2017 1872-1884*
- Quad-Active-Bridge Single-Stage Bidirectional Three-Phase AC–DC Converter With Isolation: Introduction and Optimized Modulation. *Vermulst, B.J.D.*, +, *TPEL April 2017 2546-2557*
- Self-Compensating OCP Control Scheme for Primary-Side Controlled Flyback AC/DC Converters. *Zhu, Z.*, +, *TPEL May 2017 3673-3682*
- Single-Phase Single-Stage Isolated ZCS Current-Fed Full-Bridge Converter for High-Power AC/DC Applications. *Li, C.*, +, *TPEL Sept. 2017 6800-6812*
- Three-Vector-Based Low-Complexity Model Predictive Direct Power Control Strategy for Doubly Fed Induction Generators. *Wang, X.*, +, *TPEL Jan. 2017 773-782*
- Acoustic noise**
- Comparative Investigation of Pseudorandom High-Frequency Signal Injection Schemes for Sensorless IPMSM Drives. *Wang, G.*, +, *TPEL March 2017 2123-2132*
- Deadtime Compensation for Model Predictive Control of Power Inverters. *Townsend, C.D.*, +, *TPEL Sept. 2017 7325-7337*
- Influence of Material Properties and Geometric Shape of Magnetic Cores on Acoustic Noise Emission of Medium-Frequency Transformers. *Shuai, P.*, +, *TPEL Oct. 2017 7916-7931*
- Active filters**
- A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link. *Rudraraju, V.R.R.*, +, *TPEL June 2017 4334-4343*
- A Primary Full-Integrated Active Filter Auxiliary Power Module in Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL Nov. 2017 8393-8405*
- Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction. *Lam, C.*, +, *TPEL Oct. 2017 7577-7590*
- Applied Integrated Active Filter Auxiliary Power Module for Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL March 2017 1860-1871*
- Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H_∞ Control Strategy. *Panigrahi, R.*, +, *TPEL April 2017 2622-2630*
- Unbalanced Control Strategy for A Thyristor-Controlled LC-Coupling Hybrid Active Power Filter in Three-Phase Three-Wire Systems. *Wang, L.*, +, *TPEL Feb. 2017 1056-1069*
- Voltage Vector Error Fault Diagnosis for Open-Circuit Faults of Three-Phase Four-Wire Active Power Filters. *Zhang, H.*, +, *TPEL March 2017 2215-2226*
- Active networks**
- Active Current Source IGBT Gate Drive With Closed-Loop di/dt and dv/dt Control. *Shu, L.*, +, *TPEL May 2017 3787-3796*
- Single-Stage Three-Phase Current-Source Photovoltaic Grid-Connected Inverter High Voltage Transmission Ratio. *Chen, D.*, +, *TPEL Oct. 2017 7591-7601*
- Two-Switch Forward Converter With Reset Winding and an Auxiliary Active-Clamp Circuit for a Wide Input Voltage Range. *Jang, P.*, +, *TPEL June 2017 4491-4502*
- Adaptive control**
- A Fast-Charging Switching-Based Charger With Adaptive Hybrid Duty Cycle Control for Multiple Batteries. *Liu, P.*, +, *TPEL March 2017 1975-1983*
- A Hybrid Active Gate Drive for Switching Loss Reduction and Voltage Balancing of Series-Connected IGBTs. *Zhang, F.*, +, *TPEL Oct. 2017 7469-7481*
- A Novel Adaptive Quasi-Constant On-Time Current-Mode Buck Converter. *Nien, C.*, +, *TPEL Oct. 2017 8124-8133*
- Adaptive Current-Mode Control of a High Step-Up DC–DC Converter. *Chan, C.*, +, *TPEL Sept. 2017 7297-7305*
- An Adaptive High-Precision OCP Control Scheme for Flyback AC/DC Converters. *Wu, Q.*, +, *TPEL Dec. 2017 8969-8973*
- Dynamic Performance Improvement of Diode–capacitor-Based High Step-up DC–DC Converter Through Right-Half-Plane Zero Elimination. *Zhang, Y.*, +, *TPEL Aug. 2017 6532-6543*
- Enhanced Instantaneous Power Theory for Control of Grid Connected Voltage Sourced Converters Under Unbalanced Conditions. *Montanari, A.A.*, +, *TPEL Aug. 2017 6652-6660*
- Robust Adaptive Sensorless Control for Permanent-Magnet Synchronous Motors. *Choi, J.*, +, *TPEL May 2017 3989-3997*
- Self-Correction of Commutation Point for High-Speed Sensorless BLDC Motor With Low Inductance and Nonideal Back EMF. *Li, H.*, +, *TPEL Jan. 2017 642-651*
- Self-Tuning Adaptive Speed Controller for Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2017 1493-1506*
- Adaptive estimation**
- Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z.*, +, *TPEL July 2017 5613-5627*
- Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H_∞ Control Strategy. *Panigrahi, R.*, +, *TPEL April 2017 2622-2630*

Adaptive filters

A Concise Discrete Adaptive Filter for Frequency Estimation Under Distorted Three-Phase Voltage. *Quan, X.*, +, *TPEL Dec. 2017 9400-9412*

Aging

High-Temperature Electrical and Thermal Aging Performance and Application Considerations for SiC Power DMOSFETs. *Hamilton, D.P.*, +, *TPEL Oct. 2017 7967-7979*

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Thermal Stresses Relief Carrier-Based PWM Strategy for Single-Phase Multilevel Inverters. *Aly, M.*, +, *TPEL Dec. 2017 9376-9388*

Air gaps

A New Integration Method for an Electric Vehicle Wireless Charging System Using LCC Compensation Topology: Analysis and Design. *Kan, T.*, +, *TPEL Feb. 2017 1638-1650*

High-Frequency Gap Losses in Nanocrystalline Cores. *Wang, Y.*, +, *TPEL June 2017 4683-4690*

Aircraft power systems

Fault-Tolerant Inverter for High-Speed Low-Inductance BLDC Drives in Aerospace Applications. *Li, H.*, +, *TPEL March 2017 2452-2463*

Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. *Karanayil, B.*, +, *TPEL July 2017 5850-5861*

Aluminum

Short-Circuit Degradation of 10-kV 10-A SiC MOSFET. *Eni, E.*, +, *TPEL Dec. 2017 9342-9354*

Aluminum compounds

Physics-Based Analytical Model for Input, Output, and Reverse Capacitance of a GaN HEMT With the Field-Plate Structure. *Cucak, D.*, +, *TPEL March 2017 2189-2202*

Amplifiers

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*

Amplitude estimation

Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z.*, +, *TPEL July 2017 5613-5627*

Analog-digital conversion

Varactor-Based Passive Ripple Filter With Automatic Tuning for Low-Noise Power-Supply Systems. *Meehan, P.J.*, +, *TPEL June 2017 4741-4752*

Angular measurement

A Rotor-Current-Based Slip Angle Estimator for Grid-Connected Doubly Fed Induction Generator Requiring the Stator Inductance Only. *Ataji, A.B.*, +, *TPEL June 2017 4827-4838*

Angular velocity control

A Novel Flexible Capacitor Voltage Control Strategy for Variable-Speed Drives With Modular Multilevel Converters. *Tai, B.*, +, *TPEL Jan. 2017 128-141*

A Performance Investigation of a Four-Switch Three-Phase Inverter-Fed IM Drives at Low Speeds Using Fuzzy Logic and PI Controllers. *Zaky, M.S.*, +, *TPEL May 2017 3741-3753*

A Switched Predictive Controller for an Electrical Powertrain System With Backlash. *Formentini, A.*, +, *TPEL May 2017 4036-4047*

Active Damping Stabilization for High-Speed BLDCM Drive System Based on Band-Pass Filter. *Song, X.*, +, *TPEL July 2017 5438-5449*

Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault. *Tian, B.*, +, *TPEL July 2017 5473-5486*

Fast Commutation Instant Shift Correction Method for Sensorless Coreless BLDC Motor Based on Terminal Voltage Information. *Zhou, X.*, +, *TPEL Dec. 2017 9460-9472*

Self-Tuning Adaptive Speed Controller for Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2017 1493-1506*

Single-Phase Inverter Drive for Interior Permanent Magnet Machines. *Lee, K.*, +, *TPEL Feb. 2017 1355-1366*

Antennas

Characterization and Analysis of an Innovative Gate Driver and Power Supplies Architecture for HF Power Devices With High dv/dt. *Nguyen, V.*, +, *TPEL Aug. 2017 6079-6090*

Approximation theory

A Modeling and Analysis Method for Fractional-Order DC–DC Converters. *Chen, X.*, +, *TPEL Sept. 2017 7034-7044*

Dynamic Modeling and Control of Self-Oscillating Parallel Resonant Converters Based on a Variable Structure Systems Approach. *Bonache-Samaniego, R.*, +, *TPEL Feb. 2017 1469-1480*

Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles. *Haga, H.*, +, *TPEL April 2017 2498-2507*

Asymptotic stability

Iterative Learning Controller With Multiple Phase-Lead Compensation for Dual-Mode Flyback Inverter. *Kim, H.*, +, *TPEL Aug. 2017 6468-6480*

Asynchronous generators

A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link. *Rudraraju, V.R.R.*, +, *TPEL June 2017 4334-4343*

A Rotor-Current-Based Slip Angle Estimator for Grid-Connected Doubly Fed Induction Generator Requiring the Stator Inductance Only. *Ataji, A.B.*, +, *TPEL June 2017 4827-4838*

Analysis of the Behavior of Undamped and Unstable High-Frequency Resonance in a DFIG System. *Song, Y.*, +, *TPEL Dec. 2017 9105-9116*

Analytical Method for DFIG Transients During Voltage Dips. *Yang, S.*, +, *TPEL Sept. 2017 6863-6881*

Compensation of Magnetizing Current for Enhanced Operation of DFIG Under Grid Unbalance. *Asha Rani, M.A.*, +, *TPEL July 2017 5214-5226*

Direct Resonant Control Strategy for Torque Ripple Mitigation of DFIG Connected to DC Link through Diode Rectifier on Stator. *Nian, H.*, +, *TPEL Sept. 2017 6936-6945*

Direct Stator Current Vector Control Strategy of DFIG Without Phase-Locked Loop During Network Unbalance. *Cheng, P.*, +, *TPEL Jan. 2017 284-297*

High-Frequency Resonance Damping of DFIG-Based Wind Power System Under Weak Network. *Song, Y.*, +, *TPEL March 2017 1927-1940*

Impedance-Based High-Frequency Resonance Analysis of DFIG System in Weak Grids. *Song, Y.*, +, *TPEL May 2017 3536-3548*

Inductance-Emulating Control for DFIG-Based Wind Turbine to Ride-Through Grid Faults. *Zhu, D.*, +, *TPEL Nov. 2017 8514-8525*

Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. *Errouissi, R.*, +, *TPEL March 2017 2265-2277*

Overview of DFIG-Based Wind Power System Resonances Under Weak Networks. *Song, Y.*, +, *TPEL June 2017 4370-4394*

Switching Frequency Dynamic Control for DFIG Wind Turbine Performance Improvement Around Synchronous Speed. *Xiang, D.*, +, *TPEL Sept. 2017 7271-7283*

Three-Vector-Based Low-Complexity Model Predictive Direct Power Control Strategy for Doubly Fed Induction Generators. *Wang, X.*, +, *TPEL Jan. 2017 773-782*

Transient Control of the Reactive Current for the Line-Side Converter of the Brushless Doubly-Fed Induction Generator in Stand-Alone Operation. *Wang, X.*, +, *TPEL Oct. 2017 8193-8203*

Asynchronous machines

Instantaneous Torque Control Method With Rated Torque-Sharing Ratio for Cascaded DFIMs. *Esfandiari, G.*, +, *TPEL Nov. 2017 8671-8680*

Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B.*, +, *TPEL June 2017 4663-4674*

Single-Electrical-Port Control of Cascaded Doubly-Fed Induction Machine for EV/HEV Applications. *Han, P.*, +, *TPEL Sept. 2017 7233-7243*

Automotive electric vehicles

Applied Integrated Active Filter Auxiliary Power Module for Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL March 2017 1860-1871*

Automotive electronics

Efficient Substrate Noise Coupling Verification and Failure Analysis Methodology for Smart Power ICs in Automotive Applications. *Moursy, Y.*, +, *TPEL July 2017 5550-5559*

Electrified Automotive Powertrain Architecture Using Composite DC–DC Converters. *Chen, H.*, +, *TPEL Jan. 2017 98-116*

Autotransformers

Single Switch Nonisolated Ultra-Step-Up DC–DC Converter With an Integrated Coupled Inductor for High Boost Applications. *Siwakoti, Y.P.*, +, *TPEL Nov. 2017 8544-8558*

Avalanche breakdown

Modified High-Power Nanosecond Marx Generator Prevents Destructive Current Filamentation. *Duan, G.*, +, *TPEL Oct. 2017 7845-7850*

B**Band-pass filters**

Active Damping Stabilization for High-Speed BLDCM Drive System Based on Band-Pass Filter. *Song, X.*, +, *TPEL July 2017 5438-5449*

Design Consideration and Comparison of Wireless Power Transfer via Harmonic Current for PHEV and EV Wireless Charging. *Zeng, H.*, +, *TPEL Aug. 2017 5943-5952*

Bang-bang control

Bifurcation Phenomena and Stabilization With Compensation Ramp in Converter With Power Semiconductor Filter. *Fan, J.W.*, +, *TPEL Dec. 2017 9424-9434*

Battery chargers

A Bidirectional Battery Charger With Modular Integrated Charge Equalization Circuit. *Tashakor, N.*, +, *TPEL March 2017 2133-2145*

A Fast-Charging Switching-Based Charger With Adaptive Hybrid Duty Cycle Control for Multiple Batteries. *Liu, P.*, +, *TPEL March 2017 1975-1983*

A Primary Full-Integrated Active Filter Auxiliary Power Module in Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL Nov. 2017 8393-8405*

An Integrated Battery Charger With High Power Density and Efficiency for Electric Vehicles. *Kim, D.*, +, *TPEL June 2017 4553-4565*

Applied Integrated Active Filter Auxiliary Power Module for Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL March 2017 1860-1871*

Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C.*, +, *TPEL July 2017 5227-5247*

Design and Implementation of a High-Efficiency Multiple Output Charger Based on the Time-Division Multiple Control Technique. *Tran, V.*, +, *TPEL Feb. 2017 1210-1219*

Modeling and Analysis of AC Output Power Factor for Wireless Chargers in Electric Vehicles. *Zhang, X.*, +, *TPEL Feb. 2017 1481-1492*

Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles. *Haga, H.*, +, *TPEL April 2017 2498-2507*

Topology and Control Scheme of OBC–LDC Integrated Power Unit for Electric Vehicles. *Kim, Y.*, +, *TPEL March 2017 1731-1743*

Battery management systems

A Scalable Active Battery Management System With Embedded Real-Time Electrochemical Impedance Spectroscopy. *Din, E.*, +, *TPEL July 2017 5688-5698*

Control of Modular Multilevel Converter With Parallel Connectivity—Application to Battery Systems. *Goetz, S.M.*, +, *TPEL Nov. 2017 8381-8392*

Efficiency Assessment of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL March 2017 2041-2051*

Battery powered vehicles

A Bidirectional Battery Charger With Modular Integrated Charge Equalization Circuit. *Tashakor, N.*, +, *TPEL March 2017 2133-2145*

An Electrolytic Capacitorless Bidirectional EV Charger for V2G and V2H Applications. *Kwon, M.*, +, *TPEL Sept. 2017 6792-6799*

An Integrated Battery Charger With High Power Density and Efficiency for Electric Vehicles. *Kim, D.*, +, *TPEL June 2017 4553-4565*

Efficiency Assessment of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL March 2017 2041-2051*

Generation of Higher Number of Voltage Levels by Stacking Inverters of Lower Multilevel Structures With Low Voltage Devices for Drives. *Nair, R., V.*, +, *TPEL Jan. 2017 52-59*

Harmonic Burst Control Strategy for Full-Bridge Series-Resonant Converter-Based EV Charging. *Zeng, H.*, +, *TPEL May 2017 4064-4073*

Modeling and Analysis of AC Output Power Factor for Wireless Chargers in Electric Vehicles. *Zhang, X.*, +, *TPEL Feb. 2017 1481-1492*

SOC Estimation of Lithium-Ion Batteries With AEKF and Wavelet Transform Matrix. *Zhang, Z.*, +, *TPEL Oct. 2017 7626-7634*

Battery storage plants

A Comparison of Grid-Connected Battery Energy Storage System Designs. *Chatzinikolaou, E.*, +, *TPEL Sept. 2017 6913-6923*

A Multifunctional and Wireless Droop Control for Distributed Energy Storage Units in Islanded AC Microgrid Applications. *Sun, X.*, +, *TPEL Jan. 2017 736-751*

An Electrolytic Capacitorless Bidirectional EV Charger for V2G and V2H Applications. *Kwon, M.*, +, *TPEL Sept. 2017 6792-6799*

Decentralized Method for Load Sharing and Power Management in a PV/Battery Hybrid Source Islanded Microgrid. *Karimi, Y.*, +, *TPEL May 2017 3525-3535*

Mixed-Integer-Linear-Programming-Based Energy Management System for Hybrid PV-Wind-Battery Microgrids: Modeling, Design, and Experimental Verification. *Luna, A.C.*, +, *TPEL April 2017 2769-2783*

Bays methods

A Review of Prognostic Techniques for High-Power White LEDs. *Sun, B.*, +, *TPEL Aug. 2017 6338-6362*

Belief networks

A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B.*, +, *TPEL July 2017 5590-5600*

Bessel functions

Inductance Calculations for Circular Coils With Rectangular Cross Section and Parallel Axes Using Inverse Mellin Transform and Generalized Hypergeometric Functions. *Luo, Y.*, +, *TPEL Feb. 2017 1367-1374*

Bicycles

Inductive Power Transfer for Massive Electric Bicycles Charging Based on Hybrid Topology Switching With a Single Inverter. *Mai, R.*, +, *TPEL Aug. 2017 5897-5906*

Bifurcation

Bifurcation and Large-Signal Stability Analysis of Three-Phase Voltage Source Converter Under Grid Voltage Dips. *Huang, M.*, +, *TPEL Nov. 2017 8868-8879*

Bifurcation Phenomena and Stabilization With Compensation Ramp in Converter With Power Semiconductor Filter. *Fan, J.W.*, +, *TPEL Dec. 2017 9424-9434*

The Recognition and Control of Nonideal Soft-Switching Frequency for Wireless Power Transfer System Based on Waveform Identification. *Sun, Y.*, +, *TPEL Aug. 2017 6617-6627*

Bilinear systems

Bilinear Discrete-Time Modeling and Stability Analysis of the Digitally Controlled Dual Active Bridge Converter. *Shi, L.*, +, *TPEL Nov. 2017 8787-8799*

BIMOS integrated circuits

A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology. *Fiore, V.*, +, *TPEL March 2017 1984-1995*

Biomedical electronics

Fast Tracking Electrosurgical Generator Using Two-Rail Multiphase Buck Converter With GaN Switches. *Jensen, S.*, +, *TPEL Jan. 2017 634-641*

Biomedical engineering

Fast Tracking Electrosurgical Generator Using Two-Rail Multiphase Buck Converter With GaN Switches. *Jensen, S.*, +, *TPEL Jan. 2017 634-641*

Bipolar transistor circuits

A New Output Current Measurement Method With Tiny PCB Sensors Capable of Being Embedded in an IGBT Module. *Hasegawa, K.*, +, *TPEL March 2017 1707-1712*

Bipolar transistors

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A New Proportional Base Drive Technique for SiC Bipolar Junction Transistor. *Liao, L.*, +, *TPEL June 2017 4600-4606*

Blades

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X., +, TPEL Sept. 2017 6924-6935*

Bluetooth

A Design of a 92.4% Efficiency Triple Mode Control DC–DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. *Park, Y., +, TPEL Sept. 2017 6946-6960*

Code diagrams

Analysis of the Behavior of Undamped and Unstable High-Frequency Resonance in a DFIG System. *Song, Y., +, TPEL Dec. 2017 9105-9116*

Impact of PWM Duty Cycle Jitter on Switching-Mode Power Converter Efficiency. *Wu, F., +, TPEL Nov. 2017 8751-8762*

Bonding processes

Cu@Sn Core–Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding. *Chen, H., +, TPEL Jan. 2017 441-451*

Boron compounds

Reduction of Die-Bonding Interface Thermal Resistance for High-Power LEDs Through Embedding Packaging Structure. *Lei, X., +, TPEL July 2017 5520-5526*

Boundary layers

Dynamic Model of Switched-Capacitor DC–DC Converters in the Slow-Switching Limit Including Charge Reusing. *Ferro, E., +, TPEL July 2017 5293-5311*

Bridge circuits

A Comparison of Grid-Connected Battery Energy Storage System Designs. *Chatzinikolaou, E., +, TPEL Sept. 2017 6913-6923*

A Fault-Tolerant Series-Resonant DC–DC Converter. *Costa, L., +, TPEL Feb. 2017 900-905*

A Flexible Nonorthogonal-Reference-Frame-Based SVPWM Framework for Multilevel Inverters. *Ovalle, A., +, TPEL June 2017 4925-4938*

A PV Power Conditioning System Using Nonregenerative Single-Sourced Tertiary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S., +, TPEL Oct. 2017 7602-7614*

A Review of Hybrid Topologies Combining Line-Commutated and Cascaded Full-Bridge Converters. *Bakas, P., +, TPEL Oct. 2017 7435-7448*

A Robust DC-Split-Capacitor Power Decoupling Scheme for Single-Phase Converter. *Yao, W., +, TPEL Nov. 2017 8419-8433*

A Solid State Variable Capacitor With Minimum Capacitor. *Chen, R., +, TPEL July 2017 5035-5044*

A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electroporation Applications. *Elgenedy, M.A., +, TPEL Dec. 2017 8979-8991*

Active Suppression of Selected DC Bus Harmonics for Dual Active Bridge DC–DC Converters. *Riedel, J., +, TPEL Nov. 2017 8857-8867*

An Analytical Model for False Turn-On Evaluation of High-Voltage Enhancement-Mode GaN Transistor in Bridge-Leg Configuration. *Xie, R., +, TPEL Aug. 2017 6416-6433*

Continuous Phase-Shifted Selective Harmonic Elimination and DC-Link Voltage Balance Solution for H-bridge Multilevel Configurations, Applied to 5L HNPC. *Sanchez-Ruiz, A., +, TPEL April 2017 2533-2545*

Controlled Transition Full-Bridge Hybrid Multilevel Converter With Chain-Links of Full-Bridge Cells. *Li, P., +, TPEL Jan. 2017 23-38*

Design and Experimental Testing of a Resonant DC–DC Converter for Solid-State Transformers. *Ortiz, G., +, TPEL Oct. 2017 7534-7542*

Design and Implementation of a Sensorless Multilevel Inverter With Reduced Part Count. *Sandeep, N., +, TPEL Sept. 2017 6677-6683*

Design and Steady-State Analysis of Parallel Resonant DC–DC Converter for High-Voltage Power Generator. *Hsu, W., +, TPEL Feb. 2017 957-966*

Digital Current Sensorless Control for Dual-Boost Half-Bridge PFC Converter With Natural Capacitor Voltage Balancing. *Chen, H., +, TPEL May 2017 4074-4083*

Extension of Soft-Switching Region of Dual-Active-Bridge Converter by a Tunable Resonant Tank. *Yaqoob, M., +, TPEL Dec. 2017 9093-9104*

Fifth- and Seventh-Order Harmonic Elimination With Multilevel Dodecagonal Voltage Space Vector Structure for IM Drive Using a Single DC Source for the Full Speed Range. *Boby, M., +, TPEL Jan. 2017 60-68*

Interleaved Resonant Boost Inverter Featuring SiC Module for High-Performance Induction Heating. *Sarnago, H., +, TPEL Feb. 2017 1018-1029*

Load-Dependent Soft-Switching Method of Half-Bridge Current Doubler for High-Voltage Point-of-Load Converter in Data Center Power Supplies. *Cui, Y., +, TPEL April 2017 2925-2938*

Maximum Boost Control of Diode-Assisted Buck–Boost Voltage-Source Inverter With Minimum Switching Frequency. *Zhang, Y., +, TPEL Feb. 2017 1533-1547*

Minimum-RMS-Current Operation of Asymmetric Dual Active Half-Bridge Converters With and Without ZVS. *Chakraborty, S., +, TPEL July 2017 5132-5145*

Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles. *Haga, H., +, TPEL April 2017 2498-2507*

Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current. *Chen, D., +, TPEL April 2017 2717-2727*

Online High-Power p-i-n Diode Junction Temperature Extraction With Reverse Recovery Fall Storage Charge. *Luo, H., +, TPEL April 2017 2558-2567*

Reduced-Order Models of Series Resonant Inverters in Induction Heating Applications. *Dominguez, A., +, TPEL March 2017 2300-2311*

SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H., +, TPEL Nov. 2017 8813-8822*

Single-Phase Single-Stage Isolated ZCS Current-Fed Full-Bridge Converter for High-Power AC/DC Applications. *Li, C., +, TPEL Sept. 2017 6800-6812*

Two-Stage 48 V-12 V/6 V-1.8 V Voltage Regulator Module With Dynamic Bus Voltage Control for Light-Load Efficiency Improvement. *Fei, C., +, TPEL July 2017 5628-5636*

Brushless DC motors

A Novel Method of Reducing Commutation Torque Ripple for Brushless DC Motor Based on Cuk Converter. *Chen, W., +, TPEL July 2017 5497-5508*

Active Damping Stabilization for High-Speed BLDCM Drive System Based on Band-Pass Filter. *Song, X., +, TPEL July 2017 5438-5449*

Commutation Analysis of Brushless DC Motor and Reducing Commutation Torque Ripple in the Two-Phase Stationary Frame. *Jiang, W., +, TPEL June 2017 4675-4682*

Current Integral Method for Fine Commutation Tuning of Sensorless Brushless DC Motor. *Lee, A., +, TPEL Dec. 2017 9249-9266*

Fast Commutation Instant Shift Correction Method for Sensorless Coreless BLDC Motor Based on Terminal Voltage Information. *Zhou, X., +, TPEL Dec. 2017 9460-9472*

Fault-Tolerant Inverter for High-Speed Low-Inductance BLDC Drives in Aerospace Applications. *Li, H., +, TPEL March 2017 2452-2463*

Online Advanced Angle Adjustment Method for Sinusoidal BLDC Motors with Misaligned Hall Sensors. *Park, J.S., +, TPEL Nov. 2017 8247-8253*

Self-Correction of Commutation Point for High-Speed Sensorless BLDC Motor With Low Inductance and Nonideal Back EMF. *Li, H., +, TPEL Jan. 2017 642-651*

Sensorless Control of BLDCM Drive for a High-Speed Maglev Blower Using Low-Pass Filter. *Chen, S., +, TPEL Nov. 2017 8845-8856*

Brushless machines

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X., +, TPEL Sept. 2017 6924-6935*

Transient Control of the Reactive Current for the Line-Side Converter of the Brushless Doubly-Fed Induction Generator in Stand-Alone Operation. *Wang, X., +, TPEL Oct. 2017 8193-8203*

Buffer circuits

A 2-kW Single-Phase Seven-Level Flying Capacitor Multilevel Inverter With an Active Energy Buffer. *Lei, Y., +, TPEL Nov. 2017 8570-8581*

Single-Phase Inverter With Energy Buffer and DC–DC Conversion Circuits. *Matsumoto, H.*, +, *TPEL Oct. 2017 7615-7625*

Buffer layers

Modeling Inductive Switching Characteristics of High-Speed Buffer Layer IGBT. *Xue, P.*, +, *TPEL April 2017 3075-3087*

Building integrated photovoltaics

PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking. *Leuenerger, D.*, +, *TPEL Aug. 2017 6105-6118*

Busbars

Thermal Topology Optimization of a Three-Layer Laminated Busbar for Power Converters. *Puigdellivol, O.*, +, *TPEL June 2017 4691-4699*

Butterworth filters

DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R.*, +, *TPEL June 2017 4812-4826*

C

Calibration

A Noise Source Impedance Extraction Method for Operating SMPS Using Modified LISN and Simplified Calibration Procedure. *Shang, X.*, +, *TPEL June 2017 4132-4139*

Calorimetry

Accurate Calorimetric Switching Loss Measurement for 900 V 10 mΩ SiC mosfets. *Anderson, J.A.*, +, *TPEL Dec. 2017 8963-8968*

Capacitance

Fine Tuning of an Inductive Link Through a Voltage-Controlled Capacitance. *Porto, R.W.*, +, *TPEL May 2017 4115-4124*

Improved Power Decoupling Scheme for a Single-Phase Grid-Connected Differential Inverter With Realistic Mismatch in Storage Capacitances. *Yao, W.*, +, *TPEL Jan. 2017 186-199*

Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X.*, +, *TPEL Sept. 2017 7306-7324*

Capacitance measurement

Two-Capacitor Transformer Winding Capacitance Models for Common-Mode EMI Noise Analysis in Isolated DC–DC Converters. *Zhang, H.*, +, *TPEL Nov. 2017 8458-8469*

Capacitor storage

A Primary Full-Integrated Active Filter Auxiliary Power Module in Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL Nov. 2017 8393-8405*

Capacitor switching

A Solid State Variable Capacitor With Minimum Capacitor. *Chen, R.*, +, *TPEL July 2017 5035-5044*

Modeling and Pareto Optimization of On-Chip Switched Capacitor Converters. *Andersen, T.M.*, +, *TPEL Jan. 2017 363-377*

Capacitors

A Modulation Strategy to Operate Multilevel Multiphase Diode-Clamped and Active-Clamped DC–AC Converters at Low Frequency Modulation Indices With DC-Link Capacitor Voltage Balance. *Busquets-Monge, S.*, +, *TPEL Oct. 2017 7521-7533*

A Novel Self-Power SSHI Circuit for Piezoelectric Energy Harvester. *Eltamaly, A.M.*, +, *TPEL Oct. 2017 7663-7673*

A Space Vector Pulse Width Modulation for Five-Level Nested Neutral Point Piloted Converter. *Li, J.*, +, *TPEL Aug. 2017 5991-6004*

A Two-Terminal Active Capacitor. *Wang, H.*, +, *TPEL Aug. 2017 5893-5896*

Current-Sensorless Power-Decoupling Phase-Shift Dual-Half-Bridge Converter for DC–AC Power Conversion Systems Without Electrolytic Capacitor. *Irfan, M.S.*, +, *TPEL May 2017 3610-3622*

Generation of Higher Number of Voltage Levels by Stacking Inverters of Lower Multilevel Structures With Low Voltage Devices for Drives. *Nair, R., V.*, +, *TPEL Jan. 2017 52-59*

Reduction of Injection Voltage in Signal Injection Sensorless Drives Using a Capacitor-Integrated Inverter. *Kwon, Y.*, +, *TPEL Aug. 2017 6261-6274*

Start-Up Operation of a Modular Multilevel Converter With Flying Capacitor Submodules. *Dekka, A.*, +, *TPEL Aug. 2017 5873-5877*

Voltage-Controlled Capacitor—Feasibility Demonstration in DC–DC Converters. *Zhang, L.*, +, *TPEL Aug. 2017 5889-5892*

Carrier transmission on power lines

DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters. *Du, J.*, +, *TPEL Jan. 2017 693-702*

Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. *Choi, H.*, +, *TPEL June 2017 4140-4144*

Cascade networks

A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. *Iyer, K.V.*, +, *TPEL July 2017 5087-5108*

Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V.*, +, *TPEL July 2017 5398-5410*

Design and Implementation of a Sensorless Multilevel Inverter With Reduced Part Count. *Sandeep, N.*, +, *TPEL Sept. 2017 6677-6683*

Cells (electric)

Design and Analysis of a Conductance Compensator for Keeping Constant Bandwidth and Output Impedance in Average Current Mode Control. *Fu, M.*, +, *TPEL Jan. 2017 837-848*

Supercapacitor Sizing Method for Energy-Controlled Filter-Based Hybrid Energy Storage Systems. *Abeywardana, D.B.W.*, +, *TPEL Feb. 2017 1626-1637*

Centralized control

A Robot-Soccer-Coordination Inspired Control Architecture Applied to Islanded Microgrids. *Diaz, N.L.*, +, *TPEL April 2017 2728-2742*

Centralized Control Architecture for Coordination of Distributed Renewable Generation and Energy Storage in Islanded AC Microgrids. *Diaz, N.L.*, +, *TPEL July 2017 5202-5213*

Ceramic capacitors

Energy Density Enhancement of Stacked Switched Capacitor Energy Buffers Through Capacitance Ratio Optimization. *Ni, Y.*, +, *TPEL Aug. 2017 6363-6380*

Charge measurement

Online High-Power p-i-n Diode Junction Temperature Extraction With Reverse Recovery Fall Storage Charge. *Luo, H.*, +, *TPEL April 2017 2558-2567*

Charge pump circuits

A high-voltage-gain dc-dc converter based on modified dickson charge pump voltage multiplier. *Baddipadiga, B.P.*, +, *TPEL Oct. 2017 7707-7715*

A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S.*, +, *TPEL Oct. 2017 7602-7614*

Chip scale packaging

Reduction of Die-Bonding Interface Thermal Resistance for High-Power LEDs Through Embedding Packaging Structure. *Lei, X.*, +, *TPEL July 2017 5520-5526*

Choppers (circuits)

Low-Switching-Frequency Operation of a Modular Multilevel DSCC Converter With Phase-Shifted Rotating-Carrier PWM. *Sasongko, F.*, +, *TPEL July 2017 5058-5069*

Circuit breakers

A New-Coupled-Inductor Circuit Breaker for DC Applications. *Corzine, K.A.*, *TPEL Feb. 2017 1411-1418*

A Z-Source-Based Bidirectional DC Circuit Breaker With Fault Current Limitation and Interruption Capabilities. *Keshavarzi, D.*, +, *TPEL Sept. 2017 6813-6822*

Assembly HVDC Breaker for HVDC Grids With Modular Multilevel Converters. *Liu, G.*, +, *TPEL Feb. 2017 931-941*

Solid-State Circuit Breaker Snubber Design for Transient Overvoltage Suppression at Bus Fault Interruption in Low-Voltage DC Microgrid. *Liu, F.*, +, *TPEL April 2017 3007-3021*

Circuit complexity

A Fast-Charging Switching-Based Charger With Adaptive Hybrid Duty Cycle Control for Multiple Batteries. *Liu, P.*, +, *TPEL March 2017 1975-1983*

A Voltage Model of p-i-n Diodes at Reverse Recovery Under Short-Time Freewheeling. *Luo, Y.*, +, *TPEL Jan. 2017 142-149*

Improving Loading and Unloading Transient Response of a Voltage Regulator Module Using a Load-Side Auxiliary Gyrator Circuit. *Kirshenboim, O.*, +, *TPEL March 2017 1996-2007*

Circuit feedback

Variable-Switching-Frequency State-Feedback Control of a Phase-Shifted Full-Bridge DC/DC Converter. *Mallik, A.*, +, *TPEL Aug. 2017 6523-6531*

Circuit noise

Two-Capacitor Transformer Winding Capacitance Models for Common-Mode EMI Noise Analysis in Isolated DC–DC Converters. *Zhang, H.*, +, *TPEL Nov. 2017 8458-8469*

Circuit reliability

Grid Current Shaping Method with DC-Link Shunt Compensator for Three-Phase Diode Rectifier-Fed Motor Drive System. *Shin, H.*, +, *TPEL Feb. 2017 1279-1288*

Circuit stability

A Hybrid-Mode Operational Transconductance Amplifier for an Adaptively Biased Low Dropout Regulator. *Maity, A.*, +, *TPEL Feb. 2017 1245-1254*

A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part I: Mathematical Derivations. *Aroudi, A.E.*, *TPEL July 2017 5651-5665*

Circuit theory

Analysis and Optimization of Switched Capacitor Power Conversion Circuits With Parasitic Resistances and Inductances. *Ye, Y.*, +, *TPEL March 2017 2018-2028*

Circuit tuning

Varactor-Based Passive Ripple Filter With Automatic Tuning for Low-Noise Power-Supply Systems. *Meehan, P.J.*, +, *TPEL June 2017 4741-4752*

Clamps

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A Novel STATCOM Based on Diode-Clamped Modular Multilevel Converters. *Liu, X.*, +, *TPEL Aug. 2017 5964-5977*

A Wide Load Range ZVS Push–Pull DC/DC Converter With Active Clamped. *Wu, Q.*, +, *TPEL April 2017 2865-2875*

Closed loop systems

A Closed-Loop Time-Domain Analysis Method for Modular Multilevel Converter. *Wang, J.*, +, *TPEL Oct. 2017 7494-7508*

A Modular Multilevel DC–DC Converter Topology With a Wide Range of Output Voltage. *Ren, Q.*, +, *TPEL Aug. 2017 6018-6030*

A PV Power Conditioning System Using Nonregenerative Single-Sourced Tertiary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S.*, +, *TPEL Oct. 2017 7602-7614*

A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected Converters in Wind Turbines. *Freijedo, F.D.*, +, *TPEL Oct. 2017 8218-8228*

Active Current Source IGBT Gate Drive With Closed-Loop di/dt and dv/dt Control. *Shu, L.*, +, *TPEL May 2017 3787-3796*

An Advanced Closed-Loop Control to Improve the Performance of Hybrid Stepper Motors. *Le, K.M.*, +, *TPEL Sept. 2017 7244-7255*

An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D.*, +, *TPEL May 2017 3731-3740*

Bilinear Discrete-Time Modeling and Stability Analysis of the Digitally Controlled Dual Active Bridge Converter. *Shi, L.*, +, *TPEL Nov. 2017 8787-8799*

Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J.*, +, *TPEL April 2017 2661-2674*

Design of Maximum Efficiency Tracking Control Scheme for Closed-Loop Wireless Power Charging System Employing Series Resonant Tank. *Yeo, T.*, +, *TPEL Jan. 2017 471-478*

Direct Model Predictive Current Control Strategy of Quasi-Z-Source Inverters. *Ayad, A.*, +, *TPEL July 2017 5786-5801*

DQ Current Control of Voltage Source Converters With a Decoupling Method Based on Preprocessed Reference Current Feed-forward. *Zhou, S.*, +, *TPEL Nov. 2017 8904-8921*

Extended Bandwidth Instantaneous Current Sharing Scheme for Parallel UPS Systems. *Tolani, S.*, +, *TPEL June 2017 4960-4969*

High-Performance Predictive Control of Quasi-Impedance Source Inverter. *Mosa, M.*, +, *TPEL April 2017 3251-3262*

Iterative Learning Controller With Multiple Phase-Lead Compensation for Dual-Mode Flyback Inverter. *Kim, H.*, +, *TPEL Aug. 2017 6468-6480*

Load and Source Battery Simulator Based on Z-Source Rectifier. *Choi, S.*, +, *TPEL Aug. 2017 6119-6134*

Maximum Boost Control of Diode-Assisted Buck–Boost Voltage-Source Inverter With Minimum Switching Frequency. *Zhang, Y.*, +, *TPEL Feb. 2017 1533-1547*

Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter. *Guzman, R.*, +, *TPEL July 2017 5637-5650*

Multi-topology-Mode Grid-Connected Inverter to Improve Comprehensive Performance of Renewable Energy Source Generation System. *Wu, F.*, +, *TPEL May 2017 3623-3633*

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Overview of DFIG-Based Wind Power System Resonances Under Weak Networks. *Song, Y.*, +, *TPEL June 2017 4370-4394*

Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters. *Wang, Y.*, +, *TPEL Aug. 2017 6510-6522*

Positive- and Negative-Sequence Current Controller With Direct Discrete-Time Pole Placement for Grid-Tied Converters With LCL Filter. *Perez-Esteviz, D.*, +, *TPEL Sept. 2017 7207-7221*

Self-Tuning Adaptive Speed Controller for Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2017 1493-1506*

Switching Frequency Regulation in Sliding Mode Control by a Hysteresis Band Controller. *Repecho, V.*, +, *TPEL Feb. 2017 1557-1569*

Three-Phase PLLs: A Review of Recent Advances. *Golestan, S.*, +, *TPEL March 2017 1894-1907*

Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation. *Yang, L.*, +, *TPEL Feb. 2017 1651-1665*

Windowed SHE-PWM of Interleaved Four-Quadrant Converters for Resonance Suppression in Traction Power Supply Systems. *Song, K.*, +, *TPEL Oct. 2017 7870-7881*

Cloud computing

Load-Dependent Soft-Switching Method of Half-Bridge Current Doubler for High-Voltage Point-of-Load Converter in Data Center Power Supplies. *Cui, Y.*, +, *TPEL April 2017 2925-2938*

CMOS analog integrated circuits

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*

CMOS digital integrated circuits

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*

CMOS integrated circuits

0.6- μm CMOS-Switched-Inductor Dual-Supply Hysteretic Current-Mode Buck Converter. *Solis, C.J.*, +, *TPEL March 2017 2387-2394*

98.1%-Efficiency Hysteretic-Current-Mode Noninverting Buck–Boost DC-DC Converter With Smooth Mode Transition. *Hong, X.*, +, *TPEL March 2017 2008-2017*

A Design of a 92.4% Efficiency Triple Mode Control DC–DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. *Park, Y.*, +, *TPEL Sept. 2017 6946-6960*

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology. *Fiore, V.*, +, *TPEL March 2017 1984-1995*

A High-Voltage-Compliant Current-to-Digital Sensor for DC–DC Converters in Standard CMOS Technology. *Marti-Arbona, E.*, +, *TPEL March 2017 2180-2188*

An AC–DC LED Driver With a Two-Parallel Inverted Buck Topology for Reducing the Light Flicker in Lighting Applications to Low-Risk Levels. *Kim, H.*, +, *TPEL May 2017 3879-3891*

An Efficient Inductorless Dynamically Configured Interface Circuit for Piezoelectric Vibration Energy Harvesting. *Du, S.*, +, *TPEL May 2017 3595-3609*

Analysis and Implementation of a High-Performance-Integrated KY Converter. *Zhang, Y.*, +, *TPEL Dec. 2017 9051-9064*

Asymmetric Interleaving in Low-Voltage CMOS Power Management With Multiple Supply Rails. *Schuck, M.*, +, *TPEL Jan. 2017 715-722*

Fully Integrated Buck Converter With Fourth-Order Low-Pass Filter. *Tang, N.*, +, *TPEL May 2017 3700-3707*

Modeling and Pareto Optimization of On-Chip Switched Capacitor Converters. *Andersen, T.M.*, +, *TPEL Jan. 2017 363-377*

Synchronous Double-Pumping Technique for Integrated Current-Mode PWM DC–DC Converters Demand on Fast-Transient Response. *Wu, K.*, +, *TPEL Jan. 2017 849-865*

Code division multiple access

Direct Sequence Spread Spectrum-Based PWM Strategy for Harmonic Reduction and Communication. *Wang, R.*, +, *TPEL June 2017 4455-4465*

Coils

A High-Efficiency Helical Core for Magnetic Field Energy Harvesting. *Yuan, S.*, +, *TPEL July 2017 5365-5376*

A New Integration Method for an Electric Vehicle Wireless Charging System Using LCC Compensation Topology: Analysis and Design. *Kan, T.*, +, *TPEL Feb. 2017 1638-1650*

Comparative Analysis of Two-Coil and Three-Coil Structures for Wireless Power Transfer. *Zhang, J.*, +, *TPEL Jan. 2017 341-352*

Fine Tuning of an Inductive Link Through a Voltage-Controlled Capacitance. *Porto, R.W.*, +, *TPEL May 2017 4115-4124*

Giant Magneto-Impedance Sensor for Gate Driver-Insulated Signal Transmission Functions. *Wanderoid, Y.*, +, *TPEL April 2017 2493-2497*

Inductance Calculations for Circular Coils With Rectangular Cross Section and Parallel Axes Using Inverse Mellin Transform and Generalized Hypergeometric Functions. *Luo, Y.*, +, *TPEL Feb. 2017 1367-1374*

Intermediate Range Wireless Power Transfer With Segmented Coil Transmitters for Implantable Heart Pumps. *Tang, S.C.*, +, *TPEL May 2017 3844-3857*

Misalignment Sensitivity of Strongly Coupled Wireless Power Transfer Systems. *Liu, D.*, +, *TPEL July 2017 5509-5519*

Modeling and Optimization of Magnetically Coupled Resonant Wireless Power Transfer System With Varying Spatial Scales. *Liu, F.*, +, *TPEL April 2017 3240-3250*

New Current Measurement Procedure Using a Conventional Rogowski Transducer for the Analysis of Switching Transients in Transistors. *Oyarbide, E.*, +, *TPEL April 2017 2490-2492*

Six Degrees of Freedom Wide-Range Ubiquitous IPT for IoT by DQ Magnetic Field. *Lee, E.S.*, +, *TPEL Nov. 2017 8258-8276*

Use of Transmitter-Side Electrical Information to Estimate System Parameters of Wireless Inductive Links. *Chow, J.P.*, +, *TPEL Sept. 2017 7169-7186*

Wide-Range Adaptive IPT Using Dipole-Coils With a Reflector by Variable Switched Capacitance. *Lee, E.S.*, +, *TPEL Oct. 2017 8054-8070*

Wireless Power Transmitter and Receiver Supporting 200-kHz and 6.78-MHz Dual-Band Operation without Magnetic Field Canceling. *Ahn, D.*, +, *TPEL Sept. 2017 7068-7082*

Color

Precise Color Control of Red-Green-Blue Light-Emitting Diode Systems. *Chen, H.*, +, *TPEL April 2017 3063-3074*

Commutation

A Review of Hybrid Topologies Combining Line-Commutated and Cascaded Full-Bridge Converters. *Bakas, P.*, +, *TPEL Oct. 2017 7435-7448*

A Single-Phase Buck–Boost Matrix Converter With Only Six Switches and Without Commutation Problem. *Ahmed, H.F.*, +, *TPEL Feb. 2017 1232-1244*

Accurate ZVS Analysis for Magnetic Design and Efficiency Improvement of Full-Bridge LLC Resonant Converter. *Kundu, U.*, +, *TPEL March 2017 1703-1706*

Commutation Analysis of Brushless DC Motor and Reducing Commutation Torque Ripple in the Two-Phase Stationary Frame. *Jiang, W.*, +, *TPEL June 2017 4675-4682*

Commutator motors

A Novel Method of Reducing Commutation Torque Ripple for Brushless DC Motor Based on Cuk Converter. *Chen, W.*, +, *TPEL July 2017 5497-5508*

Current Integral Method for Fine Commutation Tuning of Sensorless Brushless DC Motor. *Lee, A.*, +, *TPEL Dec. 2017 9249-9266*

Comparators (circuits)

Direct Torque Control Scheme for a Six-Phase Induction Motor With Reduced Torque Ripple. *Pandit, J.K.*, +, *TPEL Sept. 2017 7118-7129*

Sensorless Control of BLDCM Drive for a High-Speed Maglev Blower Using Low-Pass Filter. *Chen, S.*, +, *TPEL Nov. 2017 8845-8856*

Steady-State Analysis of Inductor Conduction Modes in the Quadratic Boost Converter. *Lopez-Santos, O.*, +, *TPEL March 2017 2253-2264*

Switching Frequency Regulation in Sliding Mode Control by a Hysteresis Band Controller. *Repecho, V.*, +, *TPEL Feb. 2017 1557-1569*

Compensation

Active Damping Stabilization for High-Speed BLDCM Drive System Based on Band-Pass Filter. *Song, X.*, +, *TPEL July 2017 5438-5449*

Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction. *Lam, C.*, +, *TPEL Oct. 2017 7577-7590*

Bifurcation Phenomena and Stabilization With Compensation Ramp in Converter With Power Semiconductor Filter. *Fan, J.W.*, +, *TPEL Dec. 2017 9424-9434*

Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J.*, +, *TPEL April 2017 2661-2674*

Deadtime Compensation for Model Predictive Control of Power Inverters. *Townsend, C.D.*, +, *TPEL Sept. 2017 7325-7337*

Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*

Energy Balancing Improvement of Modular Multilevel Converters Under Unbalanced Grid Conditions. *Leon, A.E.*, +, *TPEL Aug. 2017 6628-6637*

Extending the Operating Range of Electric Spring Using Back-To-Back Converter: Hardware Implementation and Control. *Yan, S.*, +, *TPEL July 2017 5171-5179*

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters. *Wang, Y.*, +, *TPEL Aug. 2017 6510-6522*

Single-Step Current Control for Voltage Source Inverters With Fast Transient Response and High Convergence Speed. *Zhang, L.*, +, *TPEL Nov. 2017 8823-8832*

Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor. *Xu, Y.*, +, *TPEL May 2017 3797-3807*

Composite materials

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*

Computer centers

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*

Load-Dependent Soft-Switching Method of Half-Bridge Current Doubler for High-Voltage Point-of-Load Converter in Data Center Power Supplies. *Cui, Y.*, +, *TPEL April 2017 2925-2938*

Condition monitoring

An Efficient Inductorless Dynamically Configured Interface Circuit for Piezoelectric Vibration Energy Harvesting. *Du, S.*, +, *TPEL May 2017 3595-3609*

- Condition Monitoring IGBT Module Bond Wires Fatigue Using Short-Circuit Current Identification. *Sun, P.*, +, *TPEL May 2017 3777-3786*
- Evaluation of V_{ce} at Inflection Point for Monitoring Bond Wire Degradation in Discrete Packaged IGBTs. *Singh, A.*, +, *TPEL April 2017 2481-2484*
- Online Condition Monitoring of Power MOSFET Gate Oxide Degradation Based on Miller Platform Voltage. *Ye, X.*, +, *TPEL June 2017 4776-4784*
- Conducting materials**
- A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*
- Conductors (electric)**
- A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*
- Constant current sources**
- Self-Compensating OCP Control Scheme for Primary-Side Controlled Flyback AC/DC Converters. *Zhu, Z.*, +, *TPEL May 2017 3673-3682*
- Contact resistance**
- A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*
- Containers**
- Sizing of Energy System of a Hybrid Lithium Battery RTG Crane. *Niu, W.*, +, *TPEL Oct. 2017 7837-7844*
- Continuous systems**
- A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S.*, +, *TPEL Oct. 2017 7602-7614*
- Control system synthesis**
- A Four-Switch Single-Stage Single-Phase Buck–Boost Inverter. *Kumar, A.*, +, *TPEL July 2017 5282-5292*
- A Novel Control Scheme of Three-Phase Single-Switch Quasi-CRM Boost Rectifier. *Yao, K.*, +, *TPEL Aug. 2017 6236-6244*
- A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected Converters in Wind Turbines. *Freijedo, F.D.*, +, *TPEL Oct. 2017 8218-8228*
- Adaptive Current-Mode Control of a High Step-Up DC–DC Converter. *Chan, C.*, +, *TPEL Sept. 2017 7297-7305*
- Analysis and Design of Current Control Schemes for LCL-Type Grid-Connected Inverter Based on a General Mathematical Model. *Pan, D.*, +, *TPEL June 2017 4395-4410*
- Compensation of Magnetizing Current for Enhanced Operation of DFIG Under Grid Unbalance. *Asha Rani, M.A.*, +, *TPEL July 2017 5214-5226*
- Control of a Single-Phase Standalone Inverter Without an Output Voltage Sensor. *Mukherjee, S.*, +, *TPEL July 2017 5601-5612*
- Dynamic Modeling and Control of Self-Oscillating Parallel Resonant Converters Based on a Variable Structure Systems Approach. *Bonache-Samaniego, R.*, +, *TPEL Feb. 2017 1469-1480*
- Dynamic Performance Improvement of Diode–capacitor-Based High Step-up DC–DC Converter Through Right-Half-Plane Zero Elimination. *Zhang, Y.*, +, *TPEL Aug. 2017 6532-6543*
- Harmonic Analysis and Controller Design of 15 kV SiC IGBT-Based Medium-Voltage Grid-Connected Three-Phase Three-Level NPC Converter. *Madhusoodhanan, S.*, +, *TPEL May 2017 3355-3369*
- Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M.*, +, *TPEL Oct. 2017 8204-8217*
- Improvement of Power Quality Using a Robust Hybrid Series Active Power Filter. *Swain, S.D.*, +, *TPEL May 2017 3490-3498*
- Load-Dependent Soft-Switching Method of Half-Bridge Current Doubler for High-Voltage Point-of-Load Converter in Data Center Power Supplies. *Cui, Y.*, +, *TPEL April 2017 2925-2938*
- Maximum Boost Control of Diode-Assisted Buck–Boost Voltage-Source Inverter With Minimum Switching Frequency. *Zhang, Y.*, +, *TPEL Feb. 2017 1533-1547*
- Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*
- Reduced-Order Models of Series Resonant Inverters in Induction Heating Applications. *Dominguez, A.*, +, *TPEL March 2017 2300-2311*
- Repetitive Controller for VSIs in Droop-Based AC-Microgrid. *Trivedi, A.*, +, *TPEL Aug. 2017 6595-6604*
- Stability Analysis and Controller Synthesis for Single-Loop Voltage-Controlled VSIs. *Wang, X.*, +, *TPEL Sept. 2017 7394-7404*
- Uncertainty-and-Disturbance-Estimator-Based Current Control Scheme for PMSM Drives With a Simple Parameter Tuning Algorithm. *Ren, J.*, +, *TPEL July 2017 5712-5722*
- Controllers**
- A Novel Source Current Control Strategy and Its Stability Analysis for an Indirect Matrix Converter. *Han, N.*, +, *TPEL Oct. 2017 8181-8192*
- Current-Sensorless Power-Decoupling Phase-Shift Dual-Half-Bridge Converter for DC–AC Power Conversion Systems Without Electrolytic Capacitor. *Irfan, M.S.*, +, *TPEL May 2017 3610-3622*
- Direct Calculation Method of Reference Flux Linkage for Maximum Torque per Ampere Control in DTC-Based IPMSM Drives. *Shinohara, A.*, +, *TPEL March 2017 2114-2122*
- Harmonic Analysis and Controller Design of 15 kV SiC IGBT-Based Medium-Voltage Grid-Connected Three-Phase Three-Level NPC Converter. *Madhusoodhanan, S.*, +, *TPEL May 2017 3355-3369*
- High-Performance Predictive Control of Quasi-Impedance Source Inverter. *Mosa, M.*, +, *TPEL April 2017 3251-3262*
- High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B.*, +, *TPEL May 2017 4007-4020*
- Instantaneous Power Control for Suppressing the Second-Harmonic DC-Bus Voltage Under Generic Unbalanced Operating Conditions. *Hu, Y.*, +, *TPEL May 2017 3998-4006*
- Modified Cascaded Boundary-Deadbeat Control for a Virtually-Grounded Three-Phase Grid-Connected Inverter With LCL Filter. *He, Y.*, +, *TPEL Oct. 2017 8163-8180*
- Quasi-Parallel Voltage Regulator Topology for Powering Laptop Processors. *Vangalapudi, T.B.G.*, +, *TPEL Oct. 2017 7805-7815*
- Relationship Between Two Direct Power Control Methods for PWM Rectifiers Under Unbalanced Network. *Zhang, Y.*, +, *TPEL May 2017 4084-4094*
- Convergence**
- Online Decoupled Stator and Rotor Resistances Adaptation for Speed Sensorless Induction Motor Drives by a Time-Division Approach. *Chen, J.*, +, *TPEL June 2017 4587-4599*
- PMSM Sensorless Control by Injecting HF Pulsating Carrier Signal Into ABC Frame. *Tang, Q.*, +, *TPEL May 2017 3767-3776*
- Cooling**
- A Transformerless Bipolar Modular Multilevel DC–DC Converter With Wide Voltage Ratios. *Du, S.*, +, *TPEL Nov. 2017 8312-8321*
- Reduction of Die-Bonding Interface Thermal Resistance for High-Power LEDs Through Embedding Packaging Structure. *Lei, X.*, +, *TPEL July 2017 5520-5526*
- Thermal Topology Optimization of a Three-Layer Laminated Busbar for Power Converters. *Puigdellivol, O.*, +, *TPEL June 2017 4691-4699*
- Copper**
- Cu@Sn Core–Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding. *Chen, H.*, +, *TPEL Jan. 2017 441-451*
- Cores**
- Cu@Sn Core–Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding. *Chen, H.*, +, *TPEL Jan. 2017 441-451*
- Two-Dimensional Gapping to Reduce Light-Load Loss of Point-of-Load Inductor. *Ge, T.*, +, *TPEL Jan. 2017 540-550*
- Cost reduction**
- Applied Integrated Active Filter Auxiliary Power Module for Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL March 2017 1860-1871*
- Covariance matrices**
- Lithium-Ion Battery Pack State of Charge and State of Energy Estimation Algorithms Using a Hardware-in-the-Loop Validation. *Zhang, Y.*, +, *TPEL June 2017 4421-4431*
- Cranes**
- Sizing of Energy System of a Hybrid Lithium Battery RTG Crane. *Niu, W.*, +, *TPEL Oct. 2017 7837-7844*

Crystal filters

A Topology for Inductorless Actuation of Piezoelectric Transformer With Special Driving Waveform. *Ju, B., +, TPEL Feb. 2017 1346-1354*

Current density

Thermal Topology Optimization of a Three-Layer Laminated Busbar for Power Converters. *Puigdellivol, O., +, TPEL June 2017 4691-4699*

Current distribution

Dynamic Electrothermal Model of Paralleled IGBT Modules With Unbalanced Stray Parameters. *Tang, Y., +, TPEL Feb. 2017 1385-1399*

Effects of Auxiliary-Source Connections in Multichip Power Module. *Li, H., +, TPEL Oct. 2017 7816-7823*

Resonance Interaction of Multiparallel Grid-Connected Inverters With LCL Filter. *Lu, M., +, TPEL Feb. 2017 894-899*

Current transformers

Forced Current Balancing of Parallel-Connected SiC JFETs During Forward and Reverse Conduction Mode. *Kokosis, S.G., +, TPEL Feb. 2017 1400-1410*

Self-Oscillating Resonant Converter With Contactless Power Transfer and Integrated Current Sensing Transformer. *Xu, L., +, TPEL June 2017 4839-4851*

Current-mode circuits

0.6- μm CMOS-Switched-Inductor Dual-Supply Hysteretic Current-Mode Buck Converter. *Solis, C.J., +, TPEL March 2017 2387-2394*

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R., +, TPEL April 2017 2856-2864*

Curve fitting

Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines. *Kim, Y., +, TPEL Feb. 2017 1335-1345*

Cycloconverters

An Isolated Bidirectional Single-Stage DC-AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification. *Wang, M., +, TPEL March 2017 1832-1843*

D**Damping**

An Advanced Closed-Loop Control to Improve the Performance of Hybrid Stepper Motors. *Le, K.M., +, TPEL Sept. 2017 7244-7255*

An Efficient Inductorless Dynamically Configured Interface Circuit for Piezoelectric Vibration Energy Harvesting. *Du, S., +, TPEL May 2017 3595-3609*

Fixed Switching Frequency Generalized Peak Current Control (GPCC) of DC-AC Converters. *Ebrahimi, M., +, TPEL Aug. 2017 6605-6616*

Parameter Design of a Novel Series-Parallel-Resonant LCL Filter for Single-Phase Half-Bridge Active Power Filters. *Fang, J., +, TPEL Jan. 2017 200-217*

Passivity-Based Stability Analysis and Damping Injection for Multiparalleled VSCs with LCL Filters. *Wang, X., +, TPEL Nov. 2017 8922-8935*

Data communication

DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters. *Du, J., +, TPEL Jan. 2017 693-702*

DC motor drives

Active Damping Stabilization for High-Speed BLDCM Drive System Based on Band-Pass Filter. *Song, X., +, TPEL July 2017 5438-5449*

Current Integral Method for Fine Commutation Tuning of Sensorless Brushless DC Motor. *Lee, A., +, TPEL Dec. 2017 9249-9266*

Fault-Tolerant Inverter for High-Speed Low-Inductance BLDC Drives in Aerospace Applications. *Li, H., +, TPEL March 2017 2452-2463*

DC motors

Single-Phase Grid-Connected Motor Drive System With DC-Link Shunt Compensator and Small DC-Link Capacitor. *Shin, H., +, TPEL Feb. 2017 1268-1278*

DC power transmission

Solid-State Circuit Breaker Snubber Design for Transient Overvoltage Suppression at Bus Fault Interruption in Low-Voltage DC Microgrid. *Liu, F., +, TPEL April 2017 3007-3021*

DC transformers

A 10-MHz eGaN Isolated Class- Φ_2 DCX. *Zhang, Z., +, TPEL March 2017 2029-2040*

A Family of DC Transformer (DCX) Topologies Based on New ZVZCS Cells With DC Resonant Capacitance. *Qin, W., +, TPEL April 2017 2822-2834*

A Novel 24-Pulse Diode Rectifier with an Auxiliary Single-Phase Full-Wave Rectifier at DC Side. *Yang, S., +, TPEL March 2017 1885-1893*

Modular Multilevel High-Frequency-Link DC Transformer Based on Dual Active Phase-Shift Principle for Medium-Voltage DC Power Distribution Application. *Zhao, B., +, TPEL March 2017 1779-1791*

DC-AC power converters

A Modulation Strategy to Operate Multilevel Multiphase Diode-Clamped and Active-Clamped DC-AC Converters at Low Frequency Modulation Indices With DC-Link Capacitor Voltage Balance. *Busquets-Monge, S., +, TPEL Oct. 2017 7521-7533*

A New Single-Phase Switched-Coupled-Inductor DC-AC Inverter for Photovoltaic Systems. *Kim, K., +, TPEL July 2017 5016-5022*

A Review of Hybrid Topologies Combining Line-Commutated and Cascaded Full-Bridge Converters. *Bakas, P., +, TPEL Oct. 2017 7435-7448*

An Isolated Bidirectional Single-Stage DC-AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification. *Wang, M., +, TPEL March 2017 1832-1843*

Current-Sensorless Power-Decoupling Phase-Shift Dual-Half-Bridge Converter for DC-AC Power Conversion Systems Without Electrolytic Capacitor. *Irfan, M.S., +, TPEL May 2017 3610-3622*

Fixed Switching Frequency Generalized Peak Current Control (GPCC) of DC-AC Converters. *Ebrahimi, M., +, TPEL Aug. 2017 6605-6616*

Magnetic Integration of Three-Phase LCL Filter With Delta-Yoke Composite Core. *Liu, Y., +, TPEL May 2017 3835-3843*

Multifault Tolerance Strategy for Three-Phase Multilevel Converters Based on a Half-Wave Symmetrical Selective Harmonic Elimination Technique. *Aleenejad, M., +, TPEL Oct. 2017 7980-7989*

Self-Tuning Power Supply for Inductive Charging. *Kamineni, A., +, TPEL May 2017 3467-3479*

DC-DC power converters

0.6- μm CMOS-Switched-Inductor Dual-Supply Hysteretic Current-Mode Buck Converter. *Solis, C.J., +, TPEL March 2017 2387-2394*

98.1%-Efficiency Hysteretic-Current-Mode Noninverting Buck-Boost DC-DC Converter With Smooth Mode Transition. *Hong, X., +, TPEL March 2017 2008-2017*

A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics. *Guan, Y., +, TPEL April 2017 2876-2891*

A Boost PFC Stage Utilized as Half-Bridge Converter for High-Efficiency DC-DC Stage in Power Supply Unit. *Baek, J., +, TPEL Oct. 2017 7449-7457*

A Boost-Inverter-Based Bipolar High-Voltage Pulse Generator. *Elserougi, A., +, TPEL April 2017 2846-2855*

A Current-Fed Isolated Bidirectional DC-DC Converter. *Sun, X., +, TPEL Sept. 2017 6882-6895*

A Design of a 92.4% Efficiency Triple Mode Control DC-DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. *Park, Y., +, TPEL Sept. 2017 6946-6960*

A Dual Series-Resonant DC-DC Converter. *Tahavorgar, A., +, TPEL May 2017 3708-3718*

A Family of High-Frequency Single-Switch DC-DC Converters With Low Switch Voltage Stress Based on Impedance Networks. *Lee, K., +, TPEL April 2017 2913-2924*

A Fault-Tolerant Series-Resonant DC-DC Converter. *Costa, L., +, TPEL Feb. 2017 900-905*

A Frequency Adaptive Phase Shift Modulation Control Based LLC Series Resonant Converter for Wide Input Voltage Applications. *Shakib, S.M.S.I., +, TPEL Nov. 2017 8360-8370*

A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology. *Fiore, V., +, TPEL March 2017 1984-1995*

- A High Step-up PWM DC-DC Converter With Coupled-Inductor and Resonant Switched-Capacitor. *Ye, Y.*, +, *TPEL Oct. 2017 7739-7749*
- A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC-DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*
- A High-Switching-Frequency Flyback Converter in Resonant Mode. *Li, J.*, +, *TPEL Nov. 2017 8582-8592*
- A high-voltage-gain dc-dc converter based on modified dickson charge pump voltage multiplier. *Baddipadiga, B.P.*, +, *TPEL Oct. 2017 7707-7715*
- A Hybrid ZVZCS Dual-Transformer-Based Full-Bridge Converter Operating in DCM for MVDC Grids. *Ning, G.*, +, *TPEL July 2017 5162-5170*
- A Modeling and Analysis Method for Fractional-Order DC-DC Converters. *Chen, X.*, +, *TPEL Sept. 2017 7034-7044*
- A Modular Multilevel DC-DC Converter Topology With a Wide Range of Output Voltage. *Ren, Q.*, +, *TPEL Aug. 2017 6018-6030*
- A Multiloop Method for Minimization of Parasitic Inductance in GaN-Based High-Frequency DC-DC Converter. *Wang, K.*, +, *TPEL June 2017 4728-4740*
- A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part I: Mathematical Derivations. *Aroudi, A.E.*, *TPEL July 2017 5651-5665*
- A New Proportional Base Drive Technique for SiC Bipolar Junction Transistor. *Liao, L.*, +, *TPEL June 2017 4600-4606*
- A Novel Method of Reducing Commutation Torque Ripple for Brushless DC Motor Based on Cuk Converter. *Chen, W.*, +, *TPEL July 2017 5497-5508*
- A Novel Soft Switching Bidirectional DC-DC Converter Using Magnetic and Capacitive Hybrid Power Transfer. *Ishigaki, M.*, +, *TPEL Sept. 2017 6961-6970*
- A Novel Step-Up Multiinput DC-DC Converter for Hybrid Electric Vehicles Application. *Ahrabi, R.R.*, +, *TPEL May 2017 3549-3561*
- A Novel ZVS Range Enhancement Technique of a High-Voltage Dual Active Bridge Converter Using Series Injection. *Tripathi, A.K.*, +, *TPEL June 2017 4231-4245*
- A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S.*, +, *TPEL Oct. 2017 7602-7614*
- A Quasi-Resonant Current-Fed Converter With Minimum Switching Losses. *Salehi Dobakhshari, S.*, +, *TPEL Jan. 2017 353-362*
- A Sensitivity-Improved PFM LLC Resonant Full-Bridge DC-DC Converter With LC Antiresonant Circuitry. *Mishima, T.*, +, *TPEL Jan. 2017 310-324*
- A Simple Sensorless Current Sharing Technique for Multiphase DC-DC Buck Converters. *Gordillo, J.*, +, *TPEL May 2017 3480-3489*
- A Single-Switch AC-DC LED Driver Based on a Boost-Flyback PFC Converter With Lossless Snubber. *Lee, S.*, +, *TPEL Feb. 2017 1375-1384*
- A Synchronous Buck DC-DC Converter Using a Novel Dual-Mode Control Scheme to Improve Efficiency. *Wang, J.*, +, *TPEL Sept. 2017 6983-6993*
- A T-Type Isolated Zero Voltage Switching DC-DC Converter With Capacitive Output. *Bandeira, D.G.*, +, *TPEL June 2017 4210-4218*
- A Transformerless Bipolar Modular Multilevel DC-DC Converter With Wide Voltage Ratios. *Du, S.*, +, *TPEL Nov. 2017 8312-8321*
- A Transformerless Bipolar Multistring DC-DC Converter Based on Series-Connected Modules. *Du, S.*, +, *TPEL Feb. 2017 1006-1017*
- A Variable (n/m)X Switched Capacitor DC-DC Converter. *Gumasekaran, D.*, +, *TPEL Aug. 2017 6219-6235*
- A Wide Load Range ZVS Push-Pull DC/DC Converter With Active Clamped. *Wu, Q.*, +, *TPEL April 2017 2865-2875*
- Active Output-Voltage-Sharing Control Scheme for Input Series Output Series Connected DC-DC Converters Based on a Master Slave Structure. *Qu, L.*, +, *TPEL Aug. 2017 6638-6651*
- Active Suppression of Selected DC Bus Harmonics for Dual Active Bridge DC-DC Converters. *Riedel, J.*, +, *TPEL Nov. 2017 8857-8867*
- Adaptive Current-Mode Control of a High Step-Up DC-DC Converter. *Chan, C.*, +, *TPEL Sept. 2017 7297-7305*
- An Asymmetric Half-Bridge Resonant Converter Having a Reduced Conduction Loss for DC/DC Power Applications With a Wide Range of Low Input Voltage. *Jeong, Y.*, +, *TPEL Oct. 2017 7795-7804*
- An Average Input Current Sensing Method of LLC Resonant Converters for Automatic Burst Mode Control. *Chen, J.*, +, *TPEL April 2017 3263-3272*
- An Enhanced Dual Droop Control Scheme for Resilient Active Power Sharing Among Paralleled Two-Stage Converters. *Liu, H.*, +, *TPEL Aug. 2017 6091-6104*
- An Expandable Two-Phase Interleaved Ultrahigh Step-Down Converter With Automatic Current Balance. *Hwu, K.I.*, +, *TPEL Dec. 2017 9223-9237*
- An Impedance Network Boost Converter With a High-Voltage Gain. *Zhang, G.*, +, *TPEL Sept. 2017 6661-6665*
- An Integrated Battery Charger With High Power Density and Efficiency for Electric Vehicles. *Kim, D.*, +, *TPEL June 2017 4553-4565*
- Analysis and Arm Voltage Control of Isolated Modular Multilevel DC-DC Converter with Asymmetric Branch Impedance. *Sun, C.*, +, *TPEL Aug. 2017 5978-5990*
- Analysis and Design of A Robust Class E^2 DC-DC Converter for Megahertz Wireless Power Transfer. *Liu, M.*, +, *TPEL April 2017 2835-2845*
- Analysis and Design of SQR-Based High-Voltage LLC Resonant DC-DC Converter. *Singh, A.K.*, +, *TPEL June 2017 4466-4481*
- Analysis and Implementation of a High-Performance-Integrated KY Converter. *Zhang, Y.*, +, *TPEL Dec. 2017 9051-9064*
- Analysis, Design, and Implementation of an APWM ZVZCS Full-Bridge DC-DC Converter for Battery Charging in Electric Vehicles. *Kanamarlapudi, V.R.K.*, +, *TPEL Aug. 2017 6145-6160*
- Analysis, Design, Modeling, and Control of an Interleaved-Boost Full-Bridge Three-Port Converter for Hybrid Renewable Energy Systems. *Mira, M.C.*, +, *TPEL Feb. 2017 1138-1155*
- Analytical Models of Multiphase Isolated Medium-Frequency DC-DC Converters. *Garcia-Bediaga, A.*, +, *TPEL April 2017 2508-2520*
- Application of an Efficient Rogowski Coil Sensor for Switch Fault Diagnosis and Capacitor ESR Monitoring in Nonisolated Single-Switch DC-DC Converters. *Farjah, E.*, +, *TPEL Feb. 2017 1442-1456*
- Bi-switching Status Modeling Method for DC-DC Converters in CCM and DCM Operations. *Han, J.*, +, *TPEL March 2017 2464-2472*
- Cascaded High-Voltage-Gain Bidirectional Switched-Capacitor DC-DC Converters for Distributed Energy Resources Applications. *Xiong, S.*, +, *TPEL Feb. 2017 1220-1231*
- Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC-DC Converters. *Hariya, A.*, +, *TPEL Aug. 2017 5953-5963*
- Closed-Form Solution for Efficient ZVS Modulation of DAB Converters. *Everts, J.*, *TPEL Oct. 2017 7561-7576*
- Comparative η - ρ - σ Pareto Optimization of Si and SiC Multilevel Dual-Active-Bridge Topologies With Wide Input Voltage Range. *Burkart, R.M.*, +, *TPEL July 2017 5258-5270*
- Comprehensive Analysis of Three-Phase Three-Level LC-Type Resonant DC/DC Converter With Variable Frequency Control—Series Resonant Converter. *Liu, F.*, +, *TPEL July 2017 5122-5131*
- Design and Analysis of a Class of Zero Fundamental Ripple Converters. *Shamsi, P.*, +, *TPEL June 2017 4543-4552*
- Design and Analysis of a Novel ZVZCT Boost Converter With Coupling Effect. *Zhang, X.*, +, *TPEL Dec. 2017 8992-9000*
- Design and Experimental Testing of a Resonant DC-DC Converter for Solid-State Transformers. *Ortiz, G.*, +, *TPEL Oct. 2017 7534-7542*
- Design and Steady-State Analysis of Parallel Resonant DC-DC Converter for High-Voltage Power Generator. *Hsu, W.*, +, *TPEL Feb. 2017 957-966*
- Discrete-Time Tool for Stability Analysis of DC Power Electronics-Based Cascaded Systems. *Zadeh, M.K.*, +, *TPEL Jan. 2017 652-667*
- Dynamic Model of Switched-Capacitor DC-DC Converters in the Slow-Switching Limit Including Charge Reusing. *Ferro, E.*, +, *TPEL July 2017 5293-5311*
- Dynamic Performance Improvement of Diode-capacitor-Based High Step-up DC-DC Converter Through Right-Half-Plane Zero Elimination. *Zhang, Y.*, +, *TPEL Aug. 2017 6532-6543*
- Dynamic Response Improvements of Parallel-Connected Bidirectional DC-DC Converters for Electrical Drive Powered by Low-Voltage Battery

- Employing Optimized Feedforward Control. *Sha, D.*, +, *TPEL Oct. 2017 7783-7794*
- Efficient Substrate Noise Coupling Verification and Failure Analysis Methodology for Smart Power ICs in Automotive Applications. *Moursy, Y.*, +, *TPEL July 2017 5550-5559*
- Electric Vehicle Charging Station With an Energy Storage Stage for Split-DC Bus Voltage Balancing. *Rivera, S.*, +, *TPEL March 2017 2376-2386*
- Electrified Automotive Powertrain Architecture Using Composite DC–DC Converters. *Chen, H.*, +, *TPEL Jan. 2017 98-116*
- Enhanced Average-Value Modeling of Interleaved DC–DC Converters Using Sampler Decomposition. *Villarruel-Parra, A.*, +, *TPEL March 2017 2290-2299*
- Experimental Evaluation of Internal Model Control Scheme on a DC–DC Boost Converter Exhibiting Nonminimum Phase Behavior. *Kobaku, T.*, +, *TPEL Nov. 2017 8880-8891*
- Experimental Extraction of Parasitic Capacitances for High-Frequency Transformers. *Liu, C.*, +, *TPEL June 2017 4157-4167*
- Extension of Soft-Switching Region of Dual-Active-Bridge Converter by a Tunable Resonant Tank. *Yaqoob, M.*, +, *TPEL Dec. 2017 9093-9104*
- Fast Diagnostic Method of Open Circuit Fault for Modular Multilevel DC/DC Converter Applied in Energy Storage System. *Bi, K.*, +, *TPEL May 2017 3292-3296*
- Fault-Tolerant and Reliable Structure for a Cascaded Quasi-Z-Source DC–DC Converter. *Haji-Esmaili, M.M.*, +, *TPEL Aug. 2017 6455-6467*
- Feed-Forward-based Control in a DC–DC Converter of Asymmetric Multistage-Stacked Boost Architecture. *Mademlis, G.*, +, *TPEL Feb. 2017 1507-1517*
- Five-Level Active-Neutral-Point-Clamped DC/DC Converter for Medium-Voltage DC Grids. *Liu, D.*, +, *TPEL May 2017 3402-3412*
- Harmonic Burst Control Strategy for Full-Bridge Series-Resonant Converter-Based EV Charging. *Zeng, H.*, +, *TPEL May 2017 4064-4073*
- High-Efficiency Asymmetric Forward-Flyback Converter for Wide Output Power Range. *Lee, H.*, +, *TPEL Jan. 2017 433-440*
- High-Performance Quasi-Z-Source Series Resonant DC–DC Converter for Photovoltaic Module-Level Power Electronics Applications. *Vinnikov, D.*, +, *TPEL May 2017 3634-3650*
- Hot-Swapping Analysis and Implementation of Series-Stacked Server Power Delivery Architectures. *Candan, E.*, +, *TPEL Oct. 2017 8071-8088*
- Implementation of a 3.3-kW DC–DC Converter for EV On-Board Charger Employing the Series-Resonant Converter With Reduced-Frequency-Range Control. *Liu, G.*, +, *TPEL June 2017 4168-4184*
- Improved Power Decoupling Scheme for a Single-Phase Grid-Connected Differential Inverter With Realistic Mismatch in Storage Capacitances. *Yao, W.*, +, *TPEL Jan. 2017 186-199*
- Isolated Bidirectional Grid-Tied Three-Phase AC–DC Power Conversion Using Series-Resonant Converter Modules and a Three-Phase Unfolder. *Chen, W.W.*, +, *TPEL Dec. 2017 9001-9012*
- Isolated Double Step-Down DC–DC Converter With Improved ZVS Range and No Transformer Saturation Problem. *Kim, S.*, +, *TPEL March 2017 1792-1804*
- Large- and Small-Signal Average-Value Modeling of Dual-Active-Bridge DC–DC Converter Considering Power Losses. *Zhang, K.*, +, *TPEL March 2017 1964-1974*
- Lifetime-Based Power Routing of a Quadruple Active Bridge DC/DC Converter. *Buticchi, G.*, +, *TPEL Nov. 2017 8892-8903*
- Minimum-RMS-Current Operation of Asymmetric Dual Active Half-Bridge Converters With and Without ZVS. *Chakraborty, S.*, +, *TPEL July 2017 5132-5145*
- Model Predictive Control of Capacitor Voltage Balancing for Cascaded Modular DC–DC Converters. *Wei, Q.*, +, *TPEL Jan. 2017 752-761*
- Modeling Single Inductor DC–DC Converters With Thermal Phenomena in the Inductor Taken Into Account. *Detka, K.*, +, *TPEL Sept. 2017 7025-7033*
- Multitrack Power Conversion Architecture. *Chen, M.*, +, *TPEL Jan. 2017 325-340*
- New Tunable Piezoelectric Transformers and Their Application in DC–DC Converters. *Khanna, M.*, +, *TPEL Dec. 2017 8974-8978*
- Novel Digital Control Method for Improving Dynamic Responses of Multimode Primary-Side Regulation Flyback Converter. *Wang, C.*, +, *TPEL Feb. 2017 1457-1468*
- Novel SWISS Rectifier Modulation Scheme Preventing Input Current Distortions at Sector Boundaries. *Schrittwieser, L.*, +, *TPEL July 2017 5771-5785*
- Optimal Inductor Current in Boost DC/DC Converters Regulating the Input Voltage Applied to Low-Power Photovoltaic Modules. *Reverter, F.*, +, *TPEL Aug. 2017 6188-6196*
- Output Current-Differential Control Scheme for Input-Series-Output-Parallel-Connected Modular DC–DC Converters. *Qu, L.*, +, *TPEL July 2017 5699-5711*
- Performance Evaluation of a Semi-Dual-Bridge Resonant DC/DC Converter With Secondary Phase-Shifted Control. *Hu, S.*, +, *TPEL Oct. 2017 7727-7738*
- PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers. *Uno, M.*, +, *TPEL Nov. 2017 8500-8513*
- Reactive Power Compensation Capabilities of V2G-Enabled Electric Vehicles. *Buja, G.*, +, *TPEL Dec. 2017 9447-9459*
- Real-Time Parameter Estimation of DC–DC Converters Using a Self-Tuned Kalman Filter. *Ahmeid, M.*, +, *TPEL July 2017 5666-5674*
- Reliability-Oriented Optimization of the LC Filter in a Buck DC-DC Converter. *Liu, Y.*, +, *TPEL Aug. 2017 6323-6337*
- SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H.*, +, *TPEL Nov. 2017 8813-8822*
- Single Switch Nonisolated Ultra-Step-Up DC–DC Converter With an Integrated Coupled Inductor for High Boost Applications. *Siwakoti, Y.P.*, +, *TPEL Nov. 2017 8544-8558*
- Single-Phase Inverter With Energy Buffer and DC–DC Conversion Circuits. *Matsumoto, H.*, +, *TPEL Oct. 2017 7615-7625*
- Single-Switch High-Frequency DC–DC Converter Using Parasitic Components. *Chung, E.*, +, *TPEL May 2017 3651-3661*
- Single-Switch Quasi-Resonant DC–DC Converter for a Pulsed Plasma Thruster of Satellites. *Kang, B.*, +, *TPEL June 2017 4503-4513*
- Step-Up DC–DC Converters: A Comprehensive Review of Voltage-Boosting Techniques, Topologies, and Applications. *Forouzes, M.*, +, *TPEL Dec. 2017 9143-9178*
- Supercapacitor-Based Energy Recovery System With Improved Power Control and Energy Management for Elevator Applications. *Jabbour, N.*, +, *TPEL Dec. 2017 9389-9399*
- Synchronous Double-Pumping Technique for Integrated Current-Mode PWM DC–DC Converters Demand on Fast-Transient Response. *Wu, K.*, +, *TPEL Jan. 2017 849-865*
- Topology and Control Scheme of OBC–LDC Integrated Power Unit for Electric Vehicles. *Kim, Y.*, +, *TPEL March 2017 1731-1743*
- Triple Phase Shift Control of an LLL Tank Based Bidirectional Dual Active Bridge Converter. *Muthuraj, S.S.*, +, *TPEL Oct. 2017 8035-8053*
- Two-Capacitor Transformer Winding Capacitance Models for Common-Mode EMI Noise Analysis in Isolated DC–DC Converters. *Zhang, H.*, +, *TPEL Nov. 2017 8458-8469*
- Ultralarge Gain Step-Up Coupled-Inductor DC–DC Converter With an Asymmetric Voltage Multiplier Network for a Sustainable Energy System. *Ai, J.*, +, *TPEL Sept. 2017 6896-6903*
- Unified Boundary Trapezoidal Modulation Control Utilizing Fixed Duty Cycle Compensation and Magnetizing Current Design for Dual Active Bridge DC–DC Converter. *Xu, G.*, +, *TPEL March 2017 2243-2252*
- Variable-Switching-Frequency State-Feedback Control of a Phase-Shifted Full-Bridge DC/DC Converter. *Mallik, A.*, +, *TPEL Aug. 2017 6523-6531*
- Voltage-Controlled Capacitor—Feasibility Demonstration in DC–DC Converters. *Zhang, L.*, +, *TPEL Aug. 2017 5889-5892*
- Wide Input-Voltage Range Boost Three-Level DC–DC Converter With Quasi-Z Source for Fuel Cell Vehicles. *Zhang, Y.*, +, *TPEL Sept. 2017 6728-6738*

Zero-Ripple Input-Current High-Step-Up Boost-SEPIC DC-DC Converter With Reduced Switch-Voltage Stress. *Lee, S.*, +, *TPEL Aug. 2017 6170-6177*

ZVS Soft Switching Boundaries for Dual Active Bridge DC-DC Converters Using Frequency Domain Analysis. *Riedel, J.*, +, *TPEL April 2017 3166-3179*

Decision making

Multiobjective Fuzzy-Decision-Making Predictive Torque Control for an Induction Motor Drive. *Rojas, C.A.*, +, *TPEL Aug. 2017 6245-6260*

Delay systems

Stability Analysis and Controller Synthesis for Single-Loop Voltage-Controlled VSIs. *Wang, X.*, +, *TPEL Sept. 2017 7394-7404*

Delays

A Time Delay Compensation Method Based on Area Equivalence For Active Damping of an LCL-Type Converter. *Chen, C.*, +, *TPEL Jan. 2017 762-772*

An Improved Proportional Load-Sharing Strategy for Meshed Parallel Inverters System With Complex Impedances. *Lin, L.*, +, *TPEL Sept. 2017 7338-7351*

Circulating Current Analysis and Suppression for Configured Three-Limb Inductors in Paralleled Three-Level T-Type Converters With Space-Vector Modulation. *Li, Y.*, +, *TPEL May 2017 3338-3354*

DQ Current Control of Voltage Source Converters With a Decoupling Method Based on Preprocessed Reference Current Feed-forward. *Zhou, S.*, +, *TPEL Nov. 2017 8904-8921*

Grid-Current-Feedback Control for LCL-Filtered Grid Converters With Enhanced Stability. *Xin, Z.*, +, *TPEL April 2017 3216-3228*

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Demagnetization

A PSR CC/CV Flyback Converter With Accurate CC Control and Optimized CV Regulation Strategy. *Wang, Z.*, +, *TPEL Sept. 2017 7045-7055*

Low-Frequency Current Oscillation Reduction for Six-Step Operation of Three-Phase Inverters. *Ke, Z.*, +, *TPEL April 2017 2948-2956*

New Integrated Multilevel Converter for Switched Reluctance Motor Drives in Plug-in Hybrid Electric Vehicles With Flexible Energy Conversion. *Gan, C.*, +, *TPEL May 2017 3754-3766*

Demodulation

Full-Duplex Communication on the Shared Channel of a Capacitively Coupled Power Transfer System. *Su, Y.*, +, *TPEL April 2017 3229-3239*

Dielectric loss measurement

Dielectric Loss Factor Measurement in Power Systems Based on Sampling Sequence Reconstruction Approach. *Li, J.*, +, *TPEL June 2017 4766-4775*

Diesel-electric generators

Sizing of Energy System of a Hybrid Lithium Battery RTG Crane. *Niu, W.*, +, *TPEL Oct. 2017 7837-7844*

Digital control

A Digital Current Control Technique for Grid-Connected AC/DC Converters Used for Energy Storage Systems. *Eren, S.*, +, *TPEL May 2017 3970-3988*

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A Time Delay Compensation Method Based on Area Equivalence For Active Damping of an LCL-Type Converter. *Chen, C.*, +, *TPEL Jan. 2017 762-772*

An Optimal Digital Pulse-Width-Modulated Dither Technique to Enhance the Resolution of High-Frequency Power Converters. *Fang, J.*, +, *TPEL Sept. 2017 7222-7232*

Bilinear Discrete-Time Modeling and Stability Analysis of the Digitally Controlled Dual Active Bridge Converter. *Shi, L.*, +, *TPEL Nov. 2017 8787-8799*

Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based $D-\Sigma$ Digital Control. *Wu, T.*, +, *TPEL Feb. 2017 1591-1601*

Digital Current Sensorless Control for Dual-Boost Half-Bridge PFC Converter With Natural Capacitor Voltage Balancing. *Chen, H.*, +, *TPEL May 2017 4074-4083*

Enhanced Average-Value Modeling of Interleaved DC-DC Converters Using Sampler Decomposition. *Villarruel-Parra, A.*, +, *TPEL March 2017 2290-2299*

Errors of a Linear Current Approximation in High-Speed PMSM Drives. *Jarzewowicz, L.*, *TPEL Nov. 2017 8254-8257*

Load and Source Battery Simulator Based on Z-Source Rectifier. *Choi, S.*, +, *TPEL Aug. 2017 6119-6134*

Novel Digital Control Method for Improving Dynamic Responses of Multimode Primary-Side Regulation Flyback Converter. *Wang, C.*, +, *TPEL Feb. 2017 1457-1468*

Overview of DFIG-Based Wind Power System Resonances Under Weak Networks. *Song, Y.*, +, *TPEL June 2017 4370-4394*

Power Stage and Feedback Loop Design for LLC Resonant Converter in High-Switching-Frequency Operation. *Park, H.*, +, *TPEL Oct. 2017 7770-7782*

Reduction of Input Current Harmonic Distortions and Balancing of Output Voltages of the Vienna Rectifier Under Supply Voltage Disturbances. *Adhikari, J.*, +, *TPEL July 2017 5802-5812*

Robust Active Damping Methods for LCL Filter-Based Grid-Connected Converters. *Ben Said-Romdhane, M.*, +, *TPEL Sept. 2017 6739-6750*

Stability Analysis and Controller Synthesis for Single-Loop Voltage-Controlled VSIs. *Wang, X.*, +, *TPEL Sept. 2017 7394-7404*

Study of a Current Control Strategy Based on Multisampling for High-Power Grid-Connected Inverters With an LCL filter. *Zhang, X.*, +, *TPEL July 2017 5023-5034*

Digital signal processing chips

Control Concepts for Hybrid Rectifiers Utilizing a Flying Converter Cell Active Current Injection Unit. *Makoschitz, M.*, +, *TPEL April 2017 2584-2595*

Fault-Tolerant Control of MMC With Hot Reserved Submodules Based on Carrier Phase Shift Modulation. *Li, K.*, +, *TPEL Sept. 2017 6778-6791*

Flux-Balancing Scheme for PD-Modulated Parallel-Interleaved Inverters. *Gohil, G.*, +, *TPEL May 2017 3442-3457*

Online Parameter Identification for Model-Based Sensorless Control of Interior Permanent Magnet Synchronous Machine. *Rafaq, M.S.*, +, *TPEL June 2017 4631-4643*

Digital-analog conversion

Novel Digital Control Method for Improving Dynamic Responses of Multimode Primary-Side Regulation Flyback Converter. *Wang, C.*, +, *TPEL Feb. 2017 1457-1468*

Parameter-Insensitive Mixed-Signal Hysteresis-Band Current Control for Point-of-Load Converters With Fixed Frequency and Robust Stability. *Kapat, S.*, *TPEL July 2017 5760-5770*

Diodes

A Boost PFC Stage Utilized as Half-Bridge Converter for High-Efficiency DC-DC Stage in Power Supply Unit. *Baek, J.*, +, *TPEL Oct. 2017 7449-7457*

An Impedance Network Boost Converter With a High-Voltage Gain. *Zhang, G.*, +, *TPEL Sept. 2017 6661-6665*

Class DE Voltage Driven Low dv/dt Rectifier. *Minami, Y.*, +, *TPEL Feb. 2017 1255-1267*

Dynamic Performance Improvement of Diode-capacitor-Based High Step-up DC-DC Converter Through Right-Half-Plane Zero Elimination. *Zhang, Y.*, +, *TPEL Aug. 2017 6532-6543*

Direct energy conversion

DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R.*, +, *TPEL June 2017 4812-4826*

Discrete Fourier transforms

A Detection Method for Induction Motor Bar Fault Using Sidelobes Leakage Phenomenon of the Sliding Discrete Fourier Transform. *Moussa, M.A.*, +, *TPEL July 2017 5560-5572*

A Fast-Convergent Modulation Integral Observer for Online Detection of the Fundamental and Harmonics in Grid-Connected Power Electronics Systems. *Chen, B.*, +, *TPEL April 2017 2596-2607*

Discrete systems

A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and

- Reduced Leakage Current. *Manoharan, M.S.*, +, *TPEL Oct. 2017 7602-7614*
- Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B.*, +, *TPEL June 2017 4663-4674*
- Discrete time filters**
- Discrete-Time Tool for Stability Analysis of DC Power Electronics-Based Cascaded Systems. *Zadeh, M.K.*, +, *TPEL Jan. 2017 652-667*
- Discrete time systems**
- A Time Delay Compensation Method Based on Area Equivalence For Active Damping of an LCL-Type Converter. *Chen, C.*, +, *TPEL Jan. 2017 762-772*
- Bilinear Discrete-Time Modeling and Stability Analysis of the Digitally Controlled Dual Active Bridge Converter. *Shi, L.*, +, *TPEL Nov. 2017 8787-8799*
- Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*
- Extended Bandwidth Instantaneous Current Sharing Scheme for Parallel UPS Systems. *Tolani, S.*, +, *TPEL June 2017 4960-4969*
- Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*
- Parameter-Insensitive Mixed-Signal Hysteresis-Band Current Control for Point-of-Load Converters With Fixed Frequency and Robust Stability. *Kapat, S.*, *TPEL July 2017 5760-5770*
- Positive- and Negative-Sequence Current Controller With Direct Discrete-Time Pole Placement for Grid-Tied Converters With LCL Filter. *Perez-Estevez, D.*, +, *TPEL Sept. 2017 7207-7221*
- Distortion**
- Active Input Current Shaper Without an Electrolytic Capacitor for Retrofit Lamps Applications. *Lamar, D.G.*, +, *TPEL May 2017 3908-3919*
- Optimal Space Vector Sequence Investigation Based on Natural Sampling SVM for Medium-Voltage Current-Source Converter. *Wei, Q.*, +, *TPEL Jan. 2017 176-185*
- Distributed control**
- Distributed Control and Redundant Technique to Achieve Superior Reliability for Fully Modular Input-Series-Output-Parallel Inverter System. *Fang, T.*, +, *TPEL Jan. 2017 723-735*
- Unifying Distributed Dynamic Optimization and Control of Islanded DC Microgrids. *Moayedi, S.*, +, *TPEL March 2017 2329-2346*
- Distributed power generation**
- A Bridge-Type Fault Current Limiter for Energy Management of AC/DC Microgrids. *Abdolkarimzadeh, M.*, +, *TPEL Dec. 2017 9043-9050*
- A GPS-Based Control Framework for Accurate Current Sharing and Power Quality Improvement in Microgrids. *Golsorkhi, M.S.*, +, *TPEL July 2017 5675-5687*
- A GPS-Based Decentralized Control Method for Islanded Microgrids. *Golsorkhi, M.S.*, +, *TPEL Feb. 2017 1615-1625*
- A Multifunctional and Wireless Droop Control for Distributed Energy Storage Units in Islanded AC Microgrid Applications. *Sun, X.*, +, *TPEL Jan. 2017 736-751*
- A New-Coupled-Inductor Circuit Breaker for DC Applications. *Corzine, K.A.*, *TPEL Feb. 2017 1411-1418*
- A Robot-Soccer-Coordination Inspired Control Architecture Applied to Islanded Microgrids. *Diaz, N.L.*, +, *TPEL April 2017 2728-2742*
- A Three-Phase Hybrid Cascaded Modular Multilevel Inverter for Renewable Energy Environment. *Karasani, R.R.*, +, *TPEL Feb. 2017 1070-1087*
- A Z-Source-Based Bidirectional DC Circuit Breaker With Fault Current Limitation and Interruption Capabilities. *Keshavarzi, D.*, +, *TPEL Sept. 2017 6813-6822*
- Analytical Expressions for Multiobjective Optimization of Converter-Based DG Operation Under Unbalanced Grid Conditions. *Shabestary, M.M.*, +, *TPEL Sept. 2017 7284-7296*
- Assessment and Performance Comparison of Positive Feedback Islanding Detection Methods in DC Distribution Systems. *Mohamad, A.M.I.*, +, *TPEL Aug. 2017 6577-6594*
- Cascaded High-Voltage-Gain Bidirectional Switched-Capacitor DC-DC Converters for Distributed Energy Resources Applications. *Xiong, S.*, +, *TPEL Feb. 2017 1220-1231*
- Centralized Control Architecture for Coordination of Distributed Renewable Generation and Energy Storage in Islanded AC Microgrids. *Diaz, N.L.*, +, *TPEL July 2017 5202-5213*
- Comparative η - ρ - σ Pareto Optimization of Si and SiC Multilevel Dual-Active-Bridge Topologies With Wide Input Voltage Range. *Burkart, R.M.*, +, *TPEL July 2017 5258-5270*
- Comparative Stability Analysis of Droop Control Approaches in Voltage-Source-Converter-Based DC Microgrids. *Gao, F.*, +, *TPEL March 2017 2395-2415*
- Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J.*, +, *TPEL April 2017 2661-2674*
- Decentralized Method for Load Sharing and Power Management in a Hybrid Single/Three-Phase-Islanded Microgrid Consisting of Hybrid Source PV/Battery Units. *Karimi, Y.*, +, *TPEL Aug. 2017 6135-6144*
- Decentralized Method for Load Sharing and Power Management in a PV/Battery Hybrid Source Islanded Microgrid. *Karimi, Y.*, +, *TPEL May 2017 3525-3535*
- Distributed Coordination Control for Multiple Bidirectional Power Converters in a Hybrid AC/DC Microgrid. *Xia, Y.*, +, *TPEL June 2017 4949-4959*
- Energy Management Strategy for Supercapacitor in Droop-Controlled DC Microgrid Using Virtual Impedance. *Zhang, Y.*, +, *TPEL April 2017 2704-2716*
- Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. *Choi, H.*, +, *TPEL June 2017 4140-4144*
- Fixed Switching Frequency Generalized Peak Current Control (GPCC) of DC-AC Converters. *Ebrahimi, M.*, +, *TPEL Aug. 2017 6605-6616*
- Impedance-Phased Dynamic Control Method for Grid-Connected Inverters in a Weak Grid. *Chen, X.*, +, *TPEL Jan. 2017 274-283*
- Incorporation of Harmonic Injection in an Interleaved Flyback Inverter for the Implementation of an Active Anti-Islanding Technique. *Voglitsis, D.*, +, *TPEL Nov. 2017 8526-8543*
- Low-Voltage Ride-Through Operation of Power Converters in Grid-Interactive Microgrids by Using Negative-Sequence Droop Control. *Zhao, X.*, +, *TPEL April 2017 3128-3142*
- Mixed-Integer-Linear-Programming-Based Energy Management System for Hybrid PV-Wind-Battery Microgrids: Modeling, Design, and Experimental Verification. *Luna, A.C.*, +, *TPEL April 2017 2769-2783*
- On the Experimental Performance of a Coordinated Antiislanding Protection for Systems With Multiple DGUs. *Saleh, S.A.*, +, *TPEL Feb. 2017 1106-1123*
- Overview of DFIG-Based Wind Power System Resonances Under Weak Networks. *Song, Y.*, +, *TPEL June 2017 4370-4394*
- Parallel Operation of Bidirectional Interfacing Converters in a Hybrid AC/DC Microgrid Under Unbalanced Grid Voltage Conditions. *Sun, K.*, +, *TPEL March 2017 1872-1884*
- Passive Islanding Detection Using Inverter Nonlinear Effects. *Reigosa, D.D.*, +, *TPEL Nov. 2017 8434-8445*
- Plug-and-Play Nonlinear Droop Construction Scheme to Optimize Islanded Microgrid Operations. *Cingoz, F.*, +, *TPEL April 2017 2743-2756*
- Repetitive Controller for VSIs in Droop-Based AC-Microgrid. *Trivedi, A.*, +, *TPEL Aug. 2017 6595-6604*
- Review of Active and Reactive Power Sharing Strategies in Hierarchical Controlled Microgrids. *Han, Y.*, +, *TPEL March 2017 2427-2451*
- Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters. *He, J.*, +, *TPEL April 2017 2647-2660*
- Single-Stage Three-Phase Grid-Tied PV System With Universal Filtering Capability Applied to DG Systems and AC Microgrids. *Campanhol, L.B.G.*, +, *TPEL Dec. 2017 9131-9142*
- Solid-State Circuit Breaker Snubber Design for Transient Overvoltage Suppression at Bus Fault Interruption in Low-Voltage DC Microgrid. *Liu, F.*, +, *TPEL April 2017 3007-3021*

Synchronverter-Enabled DC Power Sharing Approach for LVDC Microgrids. *Peyghami, S.*, +, *TPEL Oct. 2017 8089-8099*

Transmission Loss Optimization-Based Optimal Power Flow Strategy by Hierarchical Control for DC Microgrids. *Ma, J.*, +, *TPEL March 2017 1952-1963*

Unifying Distributed Dynamic Optimization and Control of Islanded DC Microgrids. *Moayedi, S.*, +, *TPEL March 2017 2329-2346*

Voltage and Frequency Grid Support Strategies Beyond Standards. *Serban, E.*, +, *TPEL Jan. 2017 298-309*

Distribution networks

A Novel Nine-Level Inverter Employing One Voltage Source and Reduced Components as High-Frequency AC Power Source. *Liu, J.*, +, *TPEL April 2017 2939-2947*

Frequency-Domain Modeling and Simulation of DC Power Electronic Systems Using Harmonic State Space Method. *Kwon, J.*, +, *TPEL Feb. 2017 1044-1055*

Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. *Karanayil, B.*, +, *TPEL July 2017 5850-5861*

Driver circuits

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A Family of High-Frequency Single-Switch DC-DC Converters With Low Switch Voltage Stress Based on Impedance Networks. *Lee, K.*, +, *TPEL April 2017 2913-2924*

A Single-Stage High-Frequency Resonant AC/AC Converter. *Luo, Q.*, +, *TPEL March 2017 2155-2166*

A Single-Stage Primary-Side-Controlled Off-line Flyback LED Driver With Ripple Cancellation. *Fang, P.*, +, *TPEL June 2017 4700-4715*

A Single-Stage Single-Switch Soft-Switching Power-Factor-Correction LED Driver. *Poorali, B.*, +, *TPEL Oct. 2017 7932-7940*

A Single-Switch AC-DC LED Driver Based on a Boost-Flyback PFC Converter With Lossless Snubber. *Lee, S.*, +, *TPEL Feb. 2017 1375-1384*

A Topology for Inductorless Actuation of Piezoelectric Transformer With Special Driving Waveform. *Ju, B.*, +, *TPEL Feb. 2017 1346-1354*

Active Input Current Shaper Without an Electrolytic Capacitor for Retrofit Lamps Applications. *Lamar, D.G.*, +, *TPEL May 2017 3908-3919*

An AC-DC LED Driver With a Two-Parallel Inverted Buck Topology for Reducing the Light Flicker in Lighting Applications to Low-Risk Levels. *Kim, H.*, +, *TPEL May 2017 3879-3891*

An Off-line Single-Inductor Multiple-Output LED Driver With High Dimming Precision and Full Dimming Range. *Li, S.*, +, *TPEL June 2017 4716-4727*

Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control. *Alonso, J.M.*, +, *TPEL Dec. 2017 9179-9190*

Analysis, Design, and Experimentation of a Dimmable Resonant-Switched-Capacitor LED Driver With Variable Inductor Control. *Martins, M.*, +, *TPEL April 2017 3051-3062*

Capacitance Minimization in Offline LED Drivers Using an Active-Ripple-Compensation Technique. *Soares, G.M.*, +, *TPEL April 2017 3022-3033*

Cascaded High-Voltage-Gain Bidirectional Switched-Capacitor DC-DC Converters for Distributed Energy Resources Applications. *Xiong, S.*, +, *TPEL Feb. 2017 1220-1231*

Characterization and Analysis of an Innovative Gate Driver and Power Supplies Architecture for HF Power Devices With High dv/dt. *Nguyen, V.*, +, *TPEL Aug. 2017 6079-6090*

Current Compensator for LED Driver With a Long Cable Connecting to the Light Source. *Zhou, R.*, +, *TPEL May 2017 3317-3337*

Development of a High-Temperature Gate Drive and Protection Circuit Using Discrete Components. *Qi, F.*, +, *TPEL April 2017 2957-2963*

Energy Channeling LED Driver Technology to Achieve Flicker-Free Operation With True Single Stage Power Factor Correction. *Fang, P.*, +, *TPEL May 2017 3892-3907*

Intelligent Gate Drive for Fast Switching and Crosstalk Suppression of SiC Devices. *Zhang, Z.*, +, *TPEL Dec. 2017 9319-9332*

Multiple String LED Driver With Flexible and High-Performance PWM Dimming Control. *Tahan, M.*, +, *TPEL Dec. 2017 9293-9306*

Single-Stage Single-Switch Four-Output Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL June 2017 4566-4576*

Single-Switch Coupled-Inductor-Based Two-Channel LED Driver With a Passive Regenerative Snubber. *Hwu, K.I.*, +, *TPEL June 2017 4482-4490*

Three-Level Gate Drivers for eGaN HEMTs in Resonant Converters. *Zhang, Z.*, +, *TPEL July 2017 5527-5538*

Topology and Control Innovation for Auxiliary Power Supply in Dimmable LED Drivers. *Jia, L.*, +, *TPEL Nov. 2017 8728-8742*

Drives

Active Current Source IGBT Gate Drive With Closed-Loop di/dt and dv/dt Control. *Shu, L.*, +, *TPEL May 2017 3787-3796*

Dynamic programming

High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B.*, +, *TPEL May 2017 4007-4020*

Dynamic response

A Novel Coupling Method of Power Supplies With High Power Density, Efficiency, and Fast Dynamic Response for Spacecraft Hollow Cathode Power Supply Applications. *Fu, M.*, +, *TPEL July 2017 5377-5387*

A Solid State Variable Capacitor With Minimum Capacitor. *Chen, R.*, +, *TPEL July 2017 5035-5044*

Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J.*, +, *TPEL April 2017 2661-2674*

Improving the Steady-State and Transient-State Performances of PMSM Through an Advanced Deadbeat Direct Torque and Flux Control System. *Vafaie, M.H.*, +, *TPEL April 2017 2964-2975*

Novel Digital Control Method for Improving Dynamic Responses of Multitime Primary-Side Regulation Flyback Converter. *Wang, C.*, +, *TPEL Feb. 2017 1457-1468*

Selective Harmonic Elimination Model Predictive Control for Multilevel Power Converters. *Aguilera, R.P.*, +, *TPEL March 2017 2416-2426*

Self-Learning Direct Flux Vector Control of Interior Permanent-Magnet Machine Drives. *Sun, T.*, +, *TPEL June 2017 4652-4662*

Self-Oscillating Resonant Converter With Contactless Power Transfer and Integrated Current Sensing Transformer. *Xu, L.*, +, *TPEL June 2017 4839-4851*

E

Earthing

Enhanced Instantaneous Power Theory for Control of Grid Connected Voltage Sourced Converters Under Unbalanced Conditions. *Montanari, A.A.*, +, *TPEL Aug. 2017 6652-6660*

Eddy current losses

An Improved Empirical Formulation for Magnetic Core Losses Estimation Under Nonsinusoidal Induction. *Barg, S.*, +, *TPEL March 2017 2146-2154*

Capacitive Power Transfer System With a Mixed-Resonant Topology for Constant-Current Multiple-Pickup Applications. *Su, Y.*, +, *TPEL Nov. 2017 8778-8786*

Eigenvalues and eigenfunctions

A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected Converters in Wind Turbines. *Freijedo, F.D.*, +, *TPEL Oct. 2017 8218-8228*

Bifurcation and Large-Signal Stability Analysis of Three-Phase Voltage Source Converter Under Grid Voltage Dips. *Huang, M.*, +, *TPEL Nov. 2017 8868-8879*

Nonlinear Analysis and Control of Interleaved Boost Converter Using Real-Time Cycle to Cycle Variable Slope Compensation. *Wu, H.*, +, *TPEL Sept. 2017 7256-7270*

Elastomers

A Mathematical Model for Self-Priming Circuits: Getting the Most From a Dielectric Elastomer Generator. *Illenberger, P.*, +, *TPEL Sept. 2017 6904-6912*

Electric actuators

Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. *Karanayil, B.*, +, *TPEL July 2017 5850-5861*

Electric admittance

Passivity-Based Stability Analysis and Damping Injection for Multiparalleled VSCs with LCL Filters. *Wang, X.*, +, *TPEL Nov. 2017 8922-8935*

Electric breakdown

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

Cu@Sn Core-Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding. *Chen, H.*, +, *TPEL Jan. 2017 441-451*

Electric current control

A Bridge-Type Fault Current Limiter for Energy Management of AC/DC Microgrids. *Abdolkarimzadeh, M.*, +, *TPEL Dec. 2017 9043-9050*

A Digital Current Control Technique for Grid-Connected AC/DC Converters Used for Energy Storage Systems. *Eren, S.*, +, *TPEL May 2017 3970-3988*

A Dual-Level Hysteresis Current Control for One Five-Leg VSI to Control Two PMSMs. *Wang, W.*, +, *TPEL Jan. 2017 804-814*

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A Fast-Charging Switching-Based Charger With Adaptive Hybrid Duty Cycle Control for Multiple Batteries. *Liu, P.*, +, *TPEL March 2017 1975-1983*

A Flying-Capacitor Modular Multilevel Converter for Medium-Voltage Motor Drive. *Du, S.*, +, *TPEL March 2017 2081-2089*

A Hierarchical Active Balancing Architecture for Lithium-Ion Batteries. *Zhang, Z.*, +, *TPEL April 2017 2757-2768*

A Modular Multilevel DC-DC Converter Topology With a Wide Range of Output Voltage. *Ren, Q.*, +, *TPEL Aug. 2017 6018-6030*

A Novel Adaptive Quasi-Constant On-Time Current-Mode Buck Converter. *Nien, C.*, +, *TPEL Oct. 2017 8124-8133*

A Novel Source Current Control Strategy and Its Stability Analysis for an Indirect Matrix Converter. *Han, N.*, +, *TPEL Oct. 2017 8181-8192*

A Novel STATCOM Based on Diode-Clamped Modular Multilevel Converters. *Liu, X.*, +, *TPEL Aug. 2017 5964-5977*

A PSR CC/CV Flyback Converter With Accurate CC Control and Optimized CV Regulation Strategy. *Wang, Z.*, +, *TPEL Sept. 2017 7045-7055*

A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected Converters in Wind Turbines. *Freijedo, F.D.*, +, *TPEL Oct. 2017 8218-8228*

A Soft-Switching Bridgeless AC-DC Power Factor Correction Converter. *Alam, M.*, +, *TPEL Oct. 2017 7716-7726*

A Transformerless Bipolar Multistring DC-DC Converter Based on Series-Connected Modules. *Du, S.*, +, *TPEL Feb. 2017 1006-1017*

Active and Reactive Currents Decomposition-Based Control of Angle and Magnitude of Current for a Parallel Multiinverter IPT System. *Li, Y.*, +, *TPEL Feb. 2017 1602-1614*

Active Current Source IGBT Gate Drive With Closed-Loop di/dt and dv/dt Control. *Shu, L.*, +, *TPEL May 2017 3787-3796*

Adaptive Current-Mode Control of a High Step-Up DC-DC Converter. *Chan, C.*, +, *TPEL Sept. 2017 7297-7305*

An Active Trap Filter for Switching Harmonic Attenuation of Low-Pulse-Ratio Inverters. *Bai, H.*, +, *TPEL Dec. 2017 9078-9092*

An Advanced Closed-Loop Control to Improve the Performance of Hybrid Stepper Motors. *Le, K.M.*, +, *TPEL Sept. 2017 7244-7255*

An Asymmetric Three-Level Neutral Point Diode Clamped Converter for Switched Reluctance Motor Drives. *Peng, F.*, +, *TPEL Nov. 2017 8618-8631*

Analysis and Design of Current Control Schemes for LCL-Type Grid-Connected Inverter Based on a General Mathematical Model. *Pan, D.*, +, *TPEL June 2017 4395-4410*

Analysis and Dynamic Performance Improvement of Grid-Connected Voltage-Source Converters Under Unbalanced Network Conditions. *Mortazavian, S.*, +, *TPEL Oct. 2017 8134-8149*

Analysis, Design, and Experimentation of a Dimmable Resonant-Switched-Capacitor LED Driver With Variable Inductor Control. *Martins, M.*, +, *TPEL April 2017 3051-3062*

Bus Voltage Control of Cascaded Buck-Boost Power Amplifier Driving Inductive Load With 2.3-kW Peak Power. *Shin, J.*, +, *TPEL May 2017 4107-4114*

Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C.*, +, *TPEL July 2017 5227-5247*

Comparative Stability Analysis of Droop Control Approaches in Voltage-Source-Converter-Based DC Microgrids. *Gao, F.*, +, *TPEL March 2017 2395-2415*

Compensation of Magnetizing Current for Enhanced Operation of DFIG Under Grid Unbalance. *Asha Rani, M.A.*, +, *TPEL July 2017 5214-5226*

Control Concepts for Hybrid Rectifiers Utilizing a Flying Converter Cell Active Current Injection Unit. *Makoschütz, M.*, +, *TPEL April 2017 2584-2595*

Control of a Single-Phase Standalone Inverter Without an Output Voltage Sensor. *Mukherjee, S.*, +, *TPEL July 2017 5601-5612*

Control of Parallel Three-Phase PWM Converters Under Generalized Unbalanced Operating Conditions. *Zhang, X.*, +, *TPEL April 2017 3206-3215*

Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines. *Kim, Y.*, +, *TPEL Feb. 2017 1335-1345*

Current-Sensorless Power-Decoupling Phase-Shift Dual-Half-Bridge Converter for DC-AC Power Conversion Systems Without Electrolytic Capacitor. *Irfan, M.S.*, +, *TPEL May 2017 3610-3622*

Deadbeat Predictive Current Control of Permanent-Magnet Synchronous Motors with Stator Current and Disturbance Observer. *Zhang, X.*, +, *TPEL May 2017 3818-3834*

Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J.*, +, *TPEL April 2017 2661-2674*

Design and Analysis of a Conductance Compensator for Keeping Constant Bandwidth and Output Impedance in Average Current Mode Control. *Fu, M.*, +, *TPEL Jan. 2017 837-848*

Design and Analysis of Robust Active Damping for LCL Filters Using Digital Notch Filters. *Yao, W.*, +, *TPEL March 2017 2360-2375*

Development, Demonstration, and Control of a Testbed for Multiterminal HVDC System. *Li, Y.*, +, *TPEL Aug. 2017 6069-6078*

Digital Current Sensorless Control for Dual-Boost Half-Bridge PFC Converter With Natural Capacitor Voltage Balancing. *Chen, H.*, +, *TPEL May 2017 4074-4083*

Direct Current Tracking Using Boundary Control With Second-Order Switching Surface for Three-Phase Three-Wire Grid-Connected Inverter. *He, Y.*, +, *TPEL July 2017 5723-5740*

Direct Model Predictive Current Control Strategy of Quasi-Z-Source Inverters. *Ayad, A.*, +, *TPEL July 2017 5786-5801*

Direct Resonant Control Strategy for Torque Ripple Mitigation of DFIG Connected to DC Link through Diode Rectifier on Stator. *Nian, H.*, +, *TPEL Sept. 2017 6936-6945*

Direct Stator Current Vector Control Strategy of DFIG Without Phase-Locked Loop During Network Unbalance. *Cheng, P.*, +, *TPEL Jan. 2017 284-297*

Discontinuous Grid Current Control of Motor Drive System With Single-Phase Diode Rectifier and Small DC-Link Capacitor. *Son, Y.*, +, *TPEL Feb. 2017 1324-1334*

Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*

DQ Current Control of Voltage Source Converters With a Decoupling Method Based on Preprocessed Reference Current Feed-forward. *Zhou, S.*, +, *TPEL Nov. 2017 8904-8921*

Errors of a Linear Current Approximation in High-Speed PMSM Drives. *Jarzewicz, L.*, *TPEL Nov. 2017 8254-8257*

- Fixed Switching Frequency Generalized Peak Current Control (GPCC) of DC-AC Converters. *Ebrahimi, M.*, +, *TPEL Aug. 2017 6605-6616*
- Flux Immunity Robust Predictive Current Control With Incremental Model and Extended State Observer for PMSM Drive. *Yang, M.*, +, *TPEL Dec. 2017 9267-9279*
- Grid-Current-Feedback Control for LCL-Filtered Grid Converters With Enhanced Stability. *Xin, Z.*, +, *TPEL April 2017 3216-3228*
- H_∞ current controller for input admittance shaping of VSC-based grid applications. *Perez, J.*, +, *TPEL April 2017 3180-3191*
- High-Performance Predictive Control of Quasi-Impedance Source Inverter. *Mosa, M.*, +, *TPEL April 2017 3251-3262*
- High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B.*, +, *TPEL May 2017 4007-4020*
- Instantaneous Power Control for Suppressing the Second-Harmonic DC-Bus Voltage Under Generic Unbalanced Operating Conditions. *Hu, Y.*, +, *TPEL May 2017 3998-4006*
- Inverse Nyquist Stability Criterion for Grid-Tied Inverters. *Wen, B.*, +, *TPEL Feb. 2017 1548-1556*
- Investigation and Suppression of Current Zero Crossing Phenomenon for a Semicontrolled Open-Winding PMSG System. *Nian, H.*, +, *TPEL Jan. 2017 602-612*
- Iterative Learning Controller With Multiple Phase-Lead Compensation for Dual-Mode Flyback Inverter. *Kim, H.*, +, *TPEL Aug. 2017 6468-6480*
- Maximum Torque per Ampere Control for Buried Magnet PMSM Based on DC-Link Power Measurement. *Ahmed, A.*, +, *TPEL Feb. 2017 1299-1311*
- Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter. *Guzman, R.*, +, *TPEL July 2017 5637-5650*
- Multi-topology-Mode Grid-Connected Inverter to Improve Comprehensive Performance of Renewable Energy Source Generation System. *Wu, F.*, +, *TPEL May 2017 3623-3633*
- Multiple String LED Driver With Flexible and High-Performance PWM Dimming Control. *Tahan, M.*, +, *TPEL Dec. 2017 9293-9306*
- Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current. *Chen, D.*, +, *TPEL April 2017 2717-2727*
- Output Current-Differential Control Scheme for Input-Series-Output-Parallel-Connected Modular DC-DC Converters. *Qu, L.*, +, *TPEL July 2017 5699-5711*
- Overview of DFIG-Based Wind Power System Resonances Under Weak Networks. *Song, Y.*, +, *TPEL June 2017 4370-4394*
- Parameter-Insensitive Mixed-Signal Hysteresis-Band Current Control for Point-of-Load Converters With Fixed Frequency and Robust Stability. *Kapat, S.*, *TPEL July 2017 5760-5770*
- Passivity-Based Stability Analysis and Damping Injection for Multiparalleled VSCs with LCL Filters. *Wang, X.*, +, *TPEL Nov. 2017 8922-8935*
- Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H_∞ Control Strategy. *Panigrahi, R.*, +, *TPEL April 2017 2622-2630*
- Performance Improvement of Direct Power Control of PWM Rectifier Under Unbalanced Network. *Zhang, Y.*, +, *TPEL March 2017 2319-2328*
- Positive- and Negative-Sequence Current Controller With Direct Discrete-Time Pole Placement for Grid-Tied Converters With LCL Filter. *Perez-Esteviz, D.*, +, *TPEL Sept. 2017 7207-7221*
- Reactive Power Compensation and Negative-Sequence Current Suppression System for Electrical Railways With YNvd-Connected Balance Transformer—Part II: Implementation and Verification. *Xie, B.*, +, *TPEL Dec. 2017 9031-9042*
- Reduction of Input Current Harmonic Distortions and Balancing of Output Voltages of the Vienna Rectifier Under Supply Voltage Disturbances. *Adhikari, J.*, +, *TPEL July 2017 5802-5812*
- Relationship Between Two Direct Power Control Methods for PWM Rectifiers Under Unbalanced Network. *Zhang, Y.*, +, *TPEL May 2017 4084-4094*
- Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B.*, +, *TPEL June 2017 4663-4674*
- Self-Compensating OCP Control Scheme for Primary-Side Controlled Flyback AC/DC Converters. *Zhu, Z.*, +, *TPEL May 2017 3673-3682*
- Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters. *He, J.*, +, *TPEL April 2017 2647-2660*
- Single-Phase Grid-Connected Motor Drive System With DC-Link Shunt Compensator and Small DC-Link Capacitor. *Shin, H.*, +, *TPEL Feb. 2017 1268-1278*
- Single-Step Current Control for Voltage Source Inverters With Fast Transient Response and High Convergence Speed. *Zhang, L.*, +, *TPEL Nov. 2017 8823-8832*
- Sinusoidal Input Current Discontinuous Conduction Mode Control of the VIENNA Rectifier. *Leibl, M.*, +, *TPEL Nov. 2017 8800-8812*
- Small-Signal Model of Voltage Source Inverter (VSI) and Voltage Source Converter (VSC) Considering the DeadTime Effect and Space Vector Modulation Types. *Ahmed, S.*, +, *TPEL June 2017 4145-4156*
- Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X.*, +, *TPEL Sept. 2017 7306-7324*
- Study of a Current Control Strategy Based on Multisampling for High-Power Grid-Connected Inverters With an LCL filter. *Zhang, X.*, +, *TPEL July 2017 5023-5034*
- Suppression of Time-Varying Interharmonics Produced by Medium-Frequency Induction Melting Furnaces by a HAPF System. *Durna, E.*, +, *TPEL Feb. 2017 1030-1043*
- Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation. *Yang, L.*, +, *TPEL Feb. 2017 1651-1665*
- Transient Control of the Reactive Current for the Line-Side Converter of the Brushless Doubly-Fed Induction Generator in Stand-Alone Operation. *Wang, X.*, +, *TPEL Oct. 2017 8193-8203*
- Uncertainty-and-Disturbance-Estimator-Based Current Control Scheme for PMSM Drives With a Simple Parameter Tuning Algorithm. *Ren, J.*, +, *TPEL July 2017 5712-5722*
- Electric current measurement**
- A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*
- A New Output Current Measurement Method With Tiny PCB Sensors Capable of Being Embedded in an IGBT Module. *Hasegawa, K.*, +, *TPEL March 2017 1707-1712*
- A Rotor-Current-Based Slip Angle Estimator for Grid-Connected Doubly Fed Induction Generator Requiring the Stator Inductance Only. *Ataji, A.B.*, +, *TPEL June 2017 4827-4838*
- Current Ripple Amplitude Measurement in Multiphase Power Converters. *Cervellini, P.*, +, *TPEL Sept. 2017 6684-6688*
- Direct Current Tracking Using Boundary Control With Second-Order Switching Surface for Three-Phase Three-Wire Grid-Connected Inverter. *He, Y.*, +, *TPEL July 2017 5723-5740*
- Finite-Element Analysis of Coupled Electro-Thermal Problems With Strong Scale Separation. *Eiser, S.*, +, *TPEL Jan. 2017 561-570*
- Multilevel Nonsuperconducting Fault Current Limiter: Analysis and Practical Feasibility. *Nazari-Heris, M.*, +, *TPEL Aug. 2017 6059-6068*
- Electric drives**
- A Dual-Level Hysteresis Current Control for One Five-Leg VSI to Control Two PMSMs. *Wang, W.*, +, *TPEL Jan. 2017 804-814*
- Control Strategy for Multiphase Drives With Minimum Losses in the Full Torque Operation Range Under Single Open-Phase Fault. *Baneira, F.*, +, *TPEL Aug. 2017 6275-6285*
- Electrified Automotive Powertrain Architecture Using Composite DC-DC Converters. *Chen, H.*, +, *TPEL Jan. 2017 98-116*
- From Chip to Converter: A Complete Cost Model for Power Electronics Converters. *Domingues-Olavarria, G.*, +, *TPEL Nov. 2017 8681-8692*
- Low-Frequency Current Oscillation Reduction for Six-Step Operation of Three-Phase Inverters. *Ke, Z.*, +, *TPEL April 2017 2948-2956*
- Nonparametric Sensorless Drive Method for Open-Winding PMSM Based on Zero-Sequence Back EMF With Circulating Current Suppression. *Zhan, H.*, +, *TPEL May 2017 3808-3817*
- On Accuracy of Virtual Signal Injection based MTPA Operation of Interior Permanent Magnet Synchronous Machine Drives. *Sun, T.*, +, *TPEL Sept. 2017 7405-7408*

Reduction of Injection Voltage in Signal Injection Sensorless Drives Using a Capacitor-Integrated Inverter. *Kwon, Y.*, +, *TPEL Aug. 2017 6261-6274*

Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B.*, +, *TPEL June 2017 4663-4674*

Self-Learning Direct Flux Vector Control of Interior Permanent-Magnet Machine Drives. *Sun, T.*, +, *TPEL June 2017 4652-4662*

Electric fields

A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electroporation Applications. *Elgenedy, M.A.*, +, *TPEL Dec. 2017 8979-8991*

Online Condition Monitoring of Power MOSFET Gate Oxide Degradation Based on Miller Platform Voltage. *Ye, X.*, +, *TPEL June 2017 4776-4784*

Electric furnaces

Suppression of Time-Varying Interharmonics Produced by Medium-Frequency Induction Melting Furnaces by a HAPF System. *Durna, E.*, +, *TPEL Feb. 2017 1030-1043*

Electric generators

Design and Steady-State Analysis of Parallel Resonant DC–DC Converter for High-Voltage Power Generator. *Hsu, W.*, +, *TPEL Feb. 2017 957-966*

Impact of PWM Duty Cycle Jitter on Switching-Mode Power Converter Efficiency. *Wu, F.*, +, *TPEL Nov. 2017 8751-8762*

Electric impedance

Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M.*, +, *TPEL Oct. 2017 8204-8217*

Electric impedance measurement

Measurement of IGBT High-Frequency Input Impedance in Short Circuit. *Abbate, C.*, +, *TPEL Jan. 2017 584-592*

Electric locomotives

Vehicle-Grid System Modeling and Stability Analysis With Forbidden Region-Based Criterion. *Liao, Y.*, +, *TPEL May 2017 3499-3512*

Windowed SHE-PWM of Interleaved Four-Quadrant Converters for Resonance Suppression in Traction Power Supply Systems. *Song, K.*, +, *TPEL Oct. 2017 7870-7881*

Electric machines

Control Strategy for Multiphase Drives With Minimum Losses in the Full Torque Operation Range Under Single Open-Phase Fault. *Baneira, F.*, +, *TPEL Aug. 2017 6275-6285*

Electric potential

A Novel Flux Estimator Based on Multiple Second-Order Generalized Integrators and Frequency-Locked Loop for Induction Motor Drives. *Zhao, R.*, +, *TPEL Aug. 2017 6286-6296*

A Power Management System for Multianode Benthic Microbial Fuel Cells. *Umaz, R.*, +, *TPEL May 2017 3562-3570*

Current Integral Method for Fine Commutation Tuning of Sensorless Brushless DC Motor. *Lee, A.*, +, *TPEL Dec. 2017 9249-9266*

Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault. *Tian, B.*, +, *TPEL July 2017 5473-5486*

Fast Commutation Instant Shift Correction Method for Sensorless Coreless BLDC Motor Based on Terminal Voltage Information. *Zhou, X.*, +, *TPEL Dec. 2017 9460-9472*

Fault Diagnosis of High-Resistance Connection in a Nine-Phase Flux-Switching Permanent-Magnet Machine Considering the Neutral-Point Connection Model. *Hang, J.*, +, *TPEL Aug. 2017 6444-6454*

Online Parameter Identification for Model-Based Sensorless Control of Interior Permanent Magnet Synchronous Machine. *Rafaq, M.S.*, +, *TPEL June 2017 4631-4643*

Sensorless Control of BLDCM Drive for a High-Speed Maglev Blower Using Low-Pass Filter. *Chen, S.*, +, *TPEL Nov. 2017 8845-8856*

Sensorless Control of IM for Limp-Home Mode EV Applications. *Dehghan-Azad, E.*, +, *TPEL Sept. 2017 7140-7150*

Electric properties

Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation. *Reichl, J.*, +, *TPEL Jan. 2017 503-514*

Electric propulsion

Pole-Phase Modulated Multiphase Induction Motor Drive With Reduced Torque Ripple and Improved DC Link Utilization. *Umesh, B.S.*, +, *TPEL Oct. 2017 7862-7869*

Single-Switch Quasi-Resonant DC–DC Converter for a Pulsed Plasma Thruster of Satellites. *Kang, B.*, +, *TPEL June 2017 4503-4513*

Electric resistance

A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*

In-Service Diagnostics for Wire-Bond Lift-off and Solder Fatigue of Power Semiconductor Packages. *Eleffendi, M.A.*, +, *TPEL Sept. 2017 7187-7198*

Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X.*, +, *TPEL Sept. 2017 7306-7324*

Electric sensing devices

Control of a Three-Phase Boost PFC Converter Using a Single DC-Link Voltage Sensor. *Mallik, A.*, +, *TPEL Aug. 2017 6481-6492*

Direct Current Tracking Using Boundary Control With Second-Order Switching Surface for Three-Phase Three-Wire Grid-Connected Inverter. *He, Y.*, +, *TPEL July 2017 5723-5740*

Finite-Element Analysis of Coupled Electro-Thermal Problems With Strong Scale Separation. *Eiser, S.*, +, *TPEL Jan. 2017 561-570*

Multilevel Nonsuperconducting Fault Current Limiter: Analysis and Practical Feasibility. *Nazari-Heris, M.*, +, *TPEL Aug. 2017 6059-6068*

Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor. *Xu, Y.*, +, *TPEL May 2017 3797-3807*

Electric vehicle charging

A Mistuning-Tolerant and Controllable Power Supply for Roadway Wireless Power Systems. *Kamini, A.*, +, *TPEL Sept. 2017 6689-6699*

A Primary Full-Integrated Active Filter Auxiliary Power Module in Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL Nov. 2017 8393-8405*

An Electrolytic Capacitorless Bidirectional EV Charger for V2G and V2H Applications. *Kwon, M.*, +, *TPEL Sept. 2017 6792-6799*

An Integrated Battery Charger With High Power Density and Efficiency for Electric Vehicles. *Kim, D.*, +, *TPEL June 2017 4553-4565*

Analysis, Design, and Implementation of an APWM ZVZCS Full-Bridge DC–DC Converter for Battery Charging in Electric Vehicles. *Kanamarlapudi, V.R.K.*, +, *TPEL Aug. 2017 6145-6160*

Applied Integrated Active Filter Auxiliary Power Module for Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL March 2017 1860-1871*

Design Consideration and Comparison of Wireless Power Transfer via Harmonic Current for PHEV and EV Wireless Charging. *Zeng, H.*, +, *TPEL Aug. 2017 5943-5952*

Electric Vehicle Charging Station With an Energy Storage Stage for Split-DC Bus Voltage Balancing. *Rivera, S.*, +, *TPEL March 2017 2376-2386*

Ferrite-Less Circular Pad With Controlled Flux Cancellation for EV Wireless Charging. *Tejeda, A.*, +, *TPEL Nov. 2017 8349-8359*

Inductive Power Transfer for Massive Electric Bicycles Charging Based on Hybrid Topology Switching With a Single Inverter. *Mai, R.*, +, *TPEL Aug. 2017 5897-5906*

Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles. *Haga, H.*, +, *TPEL April 2017 2498-2507*

Reactive Power Compensation Capabilities of V2G-Enabled Electric Vehicles. *Buja, G.*, +, *TPEL Dec. 2017 9447-9459*

SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H.*, +, *TPEL Nov. 2017 8813-8822*

Tripolar Pad for Inductive Power Transfer Systems for EV Charging. *Kim, S.*, +, *TPEL July 2017 5045-5057*

Electric vehicles

A 3-kW Wireless Power Transfer System for Sightseeing Car Supercapacitor Charge. *Li, Z.*, +, *TPEL May 2017 3301-3316*

A Fast Electro-Thermal Model of Traction Inverters for Electrified Vehicles. *Ye, J.*, +, *TPEL May 2017 3920-3934*

A New Integration Method for an Electric Vehicle Wireless Charging System Using LCC Compensation Topology: Analysis and Design. *Kan, T.*, +, *TPEL Feb. 2017 1638-1650*

An Adaptive Power-Split Strategy for Battery–Supercapacitor Powertrain—Design, Simulation, and Experiment. *Sun, L., +, TPEL Dec. 2017 9364-9375*

Self-Tuning Power Supply for Inductive Charging. *Kamineni, A., +, TPEL May 2017 3467-3479*

Sensorless Control of IM for Limp-Home Mode EV Applications. *Dehghan-Azad, E., +, TPEL Sept. 2017 7140-7150*

Topology and Control Scheme of OBC–LDC Integrated Power Unit for Electric Vehicles. *Kim, Y., +, TPEL March 2017 1731-1743*

Tripolar Pad for Inductive Power Transfer Systems for EV Charging. *Kim, S., +, TPEL July 2017 5045-5057*

Electrical conductivity

Cu@Sn Core–Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding. *Chen, H., +, TPEL Jan. 2017 441-451*

Electroactive polymer actuators

A Mathematical Model for Self-Priming Circuits: Getting the Most From a Dielectric Elastomer Generator. *Illenberger, P., +, TPEL Sept. 2017 6904-6912*

Electrochemical electrodes

A Power Management System for Multianode Benthic Microbial Fuel Cells. *Umaz, R., +, TPEL May 2017 3562-3570*

Electrochemical impedance spectroscopy

A Scalable Active Battery Management System With Embedded Real-Time Electrochemical Impedance Spectroscopy. *Din, E., +, TPEL July 2017 5688-5698*

Online Parameter Identification for Supercapacitor State-of-Health Diagnosis for Vehicular Applications. *El Mejdoubi, A., +, TPEL Dec. 2017 9355-9363*

Electrolytes

Current-Sensorless Power-Decoupling Phase-Shift Dual-Half-Bridge Converter for DC–AC Power Conversion Systems Without Electrolytic Capacitor. *Irfan, M.S., +, TPEL May 2017 3610-3622*

Electrolytic capacitors

Flexible Mode Bridgeless Boost PFC Rectifier With High Efficiency Over a Wide Range of Input Voltage. *Huang, L., +, TPEL May 2017 3513-3524*

Electromagnetic compatibility

A Noise Source Impedance Extraction Method for Operating SMPS Using Modified LISN and Simplified Calibration Procedure. *Shang, X., +, TPEL June 2017 4132-4139*

PWM Strategy for the Cancellation of Common-Mode Voltage Generated by Three-Phase Back-to-Back Inverters. *Videt, A., +, TPEL April 2017 2675-2686*

Electromagnetic forces

Analytical Investigation of Sideband Electromagnetic Vibration in Integral-Slot PMSM Drive With SVPWM Technique. *Liang, W., +, TPEL June 2017 4785-4795*

Electromagnetic induction

Capacitive Power Transfer System With a Mixed-Resonant Topology for Constant-Current Multiple-Pickup Applications. *Su, Y., +, TPEL Nov. 2017 8778-8786*

Electromagnetic interference

A Design of a 92.4% Efficiency Triple Mode Control DC–DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. *Park, Y., +, TPEL Sept. 2017 6946-6960*

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J., +, TPEL May 2017 3858-3867*

A High-Switching-Frequency Flyback Converter in Resonant Mode. *Li, J., +, TPEL Nov. 2017 8582-8592*

A Noise Source Impedance Extraction Method for Operating SMPS Using Modified LISN and Simplified Calibration Procedure. *Shang, X., +, TPEL June 2017 4132-4139*

A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electroporation Applications. *Elgenedy, M.A., +, TPEL Dec. 2017 8979-8991*

Active Suppression of Selected DC Bus Harmonics for Dual Active Bridge DC–DC Converters. *Riedel, J., +, TPEL Nov. 2017 8857-8867*

Analysis and Practical Relevance of CM/DM EMI Noise Separator Characteristics. *Krismer, F., +, TPEL April 2017 3112-3127*

Boost-Type Power Factor Corrector With Power Semiconductor Filter for Input Current Shaping. *Tung, C., +, TPEL Nov. 2017 8293-8311*

Characterization and Analysis of an Innovative Gate Driver and Power Supplies Architecture for HF Power Devices With High dv/dt. *Nguyen, V., +, TPEL Aug. 2017 6079-6090*

Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices. *Kim, T., +, TPEL March 2017 1917-1926*

Conducted EMI Mitigation Schemes in Isolated Switching-Mode Power Supply Without the Need of a Y-Capacitor. *Bai, Y., +, TPEL April 2017 2687-2703*

Deadtime Compensation for Model Predictive Control of Power Inverters. *Townsend, C.D., +, TPEL Sept. 2017 7325-7337*

EMI Filter Volume Minimization of a Three-Phase, Three-Level T-Type PWM Converter System. *Boillat, D.O., +, TPEL April 2017 2473-2480*

Five-Level Active-Neutral-Point-Clamped DC/DC Converter for Medium-Voltage DC Grids. *Liu, D., +, TPEL May 2017 3402-3412*

Generalized Minimum Common-Mode Voltage PWM for Two-Level Multiphase VSIs Considering Reference Order. *Chen, K., +, TPEL Aug. 2017 6493-6509*

Investigation and Suppression of Current Zero Crossing Phenomenon for a Semicontrolled Open-Winding PMSG System. *Nian, H., +, TPEL Jan. 2017 602-612*

Length-Scalable Multiconductor Cable Modeling for EMI Simulations in Power Electronics. *Wunsch, B., +, TPEL March 2017 1908-1916*

Performance Evaluation of Split Output Converters With SiC MOSFETs and SiC Schottky Diodes. *Yan, Q., +, TPEL Jan. 2017 406-422*

Reduction of Common Mode Voltage and Conducted EMI Through Three-Phase Inverter Topology. *Morris, C.T., +, TPEL March 2017 1720-1724*

Sinusoidal Input Current Discontinuous Conduction Mode Control of the VIENNA Rectifier. *Leibl, M., +, TPEL Nov. 2017 8800-8812*

Two-Capacitor Transformer Winding Capacitance Models for Common-Mode EMI Noise Analysis in Isolated DC–DC Converters. *Zhang, H., +, TPEL Nov. 2017 8458-8469*

Electron mobility

A 300-V Ultra-Low-Specific On-Resistance High-Side p-LDMOS With Auto-Biased n-LDMOS for SPIC. *Yi, B., +, TPEL Jan. 2017 551-560*

Electronic engineering computing

A Review of Prognostic Techniques for High-Power White LEDs. *Sun, B., +, TPEL Aug. 2017 6338-6362*

Electroplating

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J., +, TPEL May 2017 3858-3867*

Electrostatic discharge

Synchronous Double-Pumping Technique for Integrated Current-Mode PWM DC–DC Converters Demand on Fast-Transient Response. *Wu, K., +, TPEL Jan. 2017 849-865*

Elemental semiconductors

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y., +, TPEL Jan. 2017 423-432*

A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology. *Fiore, V., +, TPEL March 2017 1984-1995*

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J., +, TPEL May 2017 3858-3867*

Avoiding Divergent Oscillation of a Cascade GaN Device Under High-Current Turn-Off Condition. *Huang, X., +, TPEL Jan. 2017 593-601*

Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices. *Kim, T., +, TPEL March 2017 1917-1926*

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F., +, TPEL Sept. 2017 7083-7095*

Sinusoidal Input Current Discontinuous Conduction Mode Control of the VIENNA Rectifier. *Leibl, M., +, TPEL Nov. 2017 8800-8812*

Energy conservation

A Novel Flower Pollination Based Global Maximum Power Point Method for Solar Maximum Power Point Tracking. *Prasanth Ram, J., +, TPEL Nov. 2017 8486-8499*

Efficiency Improvement of Nonuniformly Aged PV Arrays. *Hu, Y., +, TPEL Feb. 2017 1124-1137*

Mathematic Analysis of Omnidirectional Wireless Power Transfer—Part-II Three-Dimensional Systems. *Lin, D., +, TPEL Jan. 2017 613-624*

Two-Stage 48 V-12 V/6 V-1.8 V Voltage Regulator Module With Dynamic Bus Voltage Control for Light-Load Efficiency Improvement. *Fei, C., +, TPEL July 2017 5628-5636*

Energy harvesting

A Discontinuous Conduction Mode Single-Stage Step-Up Rectifier for Low-Voltage Energy Harvesting Applications. *Yu, L., +, TPEL Aug. 2017 6161-6169*

A High-Efficiency Helical Core for Magnetic Field Energy Harvesting. *Yuan, S., +, TPEL July 2017 5365-5376*

A Mathematical Model for Self-Priming Circuits: Getting the Most From a Dielectric Elastomer Generator. *Illenberger, P., +, TPEL Sept. 2017 6904-6912*

A Novel Self-Power SSHI Circuit for Piezoelectric Energy Harvester. *Eltamaly, A.M., +, TPEL Oct. 2017 7663-7673*

A Power Management System for Multianode Benthic Microbial Fuel Cells. *Umaz, R., +, TPEL May 2017 3562-3570*

An Efficient Inductorless Dynamically Configured Interface Circuit for Piezoelectric Vibration Energy Harvesting. *Du, S., +, TPEL May 2017 3595-3609*

Autonomous Wideband Piezoelectric Energy Harvesting Utilizing a Resonant Inverter. *Stein, A.L.F., +, TPEL Aug. 2017 6178-6187*

Energy management systems

A Bridge-Type Fault Current Limiter for Energy Management of AC/DC Microgrids. *Abdolkarimzadeh, M., +, TPEL Dec. 2017 9043-9050*

A Power Management System for Multianode Benthic Microbial Fuel Cells. *Umaz, R., +, TPEL May 2017 3562-3570*

Electric Vehicle Charging Station With an Energy Storage Stage for Split-DC Bus Voltage Balancing. *Rivera, S., +, TPEL March 2017 2376-2386*

Energy Management Strategy for Supercapacitor in Droop-Controlled DC Microgrid Using Virtual Impedance. *Zhang, Y., +, TPEL April 2017 2704-2716*

Mixed-Integer-Linear-Programming-Based Energy Management System for Hybrid PV-Wind-Battery Microgrids: Modeling, Design, and Experimental Verification. *Luna, A.C., +, TPEL April 2017 2769-2783*

Supercapacitor-Based Energy Recovery System With Improved Power Control and Energy Management for Elevator Applications. *Jabbour, N., +, TPEL Dec. 2017 9389-9399*

Energy storage

A Digital Current Control Technique for Grid-Connected AC/DC Converters Used for Energy Storage Systems. *Eren, S., +, TPEL May 2017 3970-3988*

Control of Active Power Exchange With Auxiliary Power Loop in a Single-Phase Cascaded Multilevel Converter-Based Energy Storage System. *Jiang, W., +, TPEL Feb. 2017 1518-1532*

Low-Frequency Power Decoupling in Single-Phase Applications: A Comprehensive Overview. *Vitorino, M.A., +, TPEL April 2017 2892-2912*

PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers. *Uno, M., +, TPEL Nov. 2017 8500-8513*

Study of the Lifetime of High-Power GaAs PCSSs Under Different Energy Storage Modes. *Ma, C., +, TPEL June 2017 4644-4651*

Voltage and Frequency Grid Support Strategies Beyond Standards. *Serban, E., +, TPEL Jan. 2017 298-309*

Equalizers

A Bidirectional Battery Charger With Modular Integrated Charge Equalization Circuit. *Tashakor, N., +, TPEL March 2017 2133-2145*

A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings. *Shang, Y., +, TPEL Oct. 2017 7694-7706*

Equivalent circuits

A Four-Switch Single-Stage Single-Phase Buck–Boost Inverter. *Kumar, A., +, TPEL July 2017 5282-5292*

A Startup Method for Flying-Capacitor Modular Multilevel Converter (FC-MMC) With Effective Damping of LC Oscillations. *Du, S., +, TPEL July 2017 5827-5834*

A Variable (n/m)X Switched Capacitor DC–DC Converter. *Gunasekaran, D., +, TPEL Aug. 2017 6219-6235*

An LLC Converter Family With Auxiliary Switch for Hold-Up Mode Operation. *Wang, H., +, TPEL June 2017 4291-4306*

Modeling and Resonance Analysis of Multiparallel Inverters System Under Asynchronous Carriers Conditions. *Yu, C., +, TPEL April 2017 3192-3205*

Small-Signal Equivalent Circuit Model of Quasi-Square-Wave Flyback Converter. *Zhang, Z., +, TPEL Aug. 2017 5885-5888*

Voltage-Controlled Capacitor—Feasibility Demonstration in DC–DC Converters. *Zhang, L., +, TPEL Aug. 2017 5889-5892*

Estimation theory

A Fast Electro-Thermal Model of Traction Inverters for Electrified Vehicles. *Ye, J., +, TPEL May 2017 3920-3934*

Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B., +, TPEL June 2017 4663-4674*

Square-Wave Voltage Injection Algorithm for PMSM Position Sensorless Control With High Robustness to Voltage Errors. *Ni, R., +, TPEL July 2017 5425-5437*

Unified Wide-Speed Sensorless Scheme Using Nonlinear Optimization for IPMSM Drives. *Sun, Y., +, TPEL Aug. 2017 6308-6322*

Evolutionary computation

Use of Transmitter-Side Electrical Information to Estimate System Parameters of Wireless Inductive Links. *Chow, J.P., +, TPEL Sept. 2017 7169-7186*

F**Failure analysis**

A Scalable Active Battery Management System With Embedded Real-Time Electrochemical Impedance Spectroscopy. *Din, E., +, TPEL July 2017 5688-5698*

Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor. *Tian, B., +, TPEL July 2017 5459-5472*

Condition Monitoring IGBT Module Bond Wires Fatigue Using Short-Circuit Current Identification. *Sun, P., +, TPEL May 2017 3777-3786*

Efficient Substrate Noise Coupling Verification and Failure Analysis Methodology for Smart Power ICs in Automotive Applications. *Moursy, Y., +, TPEL July 2017 5550-5559*

Output Current-Differential Control Scheme for Input-Series–Output-Parallel-Connected Modular DC–DC Converters. *Qu, L., +, TPEL July 2017 5699-5711*

Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. *Karanayil, B., +, TPEL July 2017 5850-5861*

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F., +, TPEL Sept. 2017 7083-7095*

Single-Pulse Avalanche Mode Robustness of Commercial 1200 V/80 mΩ SiC MOSFETs. *Kelley, M.D., +, TPEL Aug. 2017 6405-6415*

Fast Fourier transforms

A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B., +, TPEL July 2017 5590-5600*

Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction. *Lam, C., +, TPEL Oct. 2017 7577-7590*

Dielectric Loss Factor Measurement in Power Systems Based on Sampling Sequence Reconstruction Approach. *Li, J., +, TPEL June 2017 4766-4775*

Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. *Choi, H., +, TPEL June 2017 4140-4144*

The Recognition and Control of Nonideal Soft-Switching Frequency for Wireless Power Transfer System Based on Waveform Identification. *Sun, Y., +, TPEL Aug. 2017 6617-6627*

Fatigue

Condition Monitoring IGBT Module Bond Wires Fatigue Using Short-Circuit Current Identification. *Sun, P.*, +, *TPEL May 2017 3777-3786*

Fault current limiters

A Bridge-Type Fault Current Limiter for Energy Management of AC/DC Microgrids. *Abdolkarimzadeh, M.*, +, *TPEL Dec. 2017 9043-9050*

A Unified Analysis of the Fault Tolerance Capability in Six-Phase Induction Motor Drives. *Munim, W.N.W.A.*, +, *TPEL Oct. 2017 7824-7836*

A Z-Source-Based Bidirectional DC Circuit Breaker With Fault Current Limitation and Interruption Capabilities. *Keshavarzi, D.*, +, *TPEL Sept. 2017 6813-6822*

Fault currents

Assembly HVDC Breaker for HVDC Grids With Modular Multilevel Converters. *Liu, G.*, +, *TPEL Feb. 2017 931-941*

Fault diagnosis

A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B.*, +, *TPEL July 2017 5590-5600*

A Detection Method for Induction Motor Bar Fault Using Sidelobes Leakage Phenomenon of the Sliding Discrete Fourier Transform. *Moussa, M.A.*, +, *TPEL July 2017 5560-5572*

An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D.*, +, *TPEL May 2017 3731-3740*

Application of an Efficient Rogowski Coil Sensor for Switch Fault Diagnosis and Capacitor ESR Monitoring in Nonisolated Single-Switch DC–DC Converters. *Farjah, E.*, +, *TPEL Feb. 2017 1442-1456*

Current Similarity Analysis-Based Open-Circuit Fault Diagnosis for Two-Level Three-Phase PWM Rectifier. *Wu, F.*, +, *TPEL May 2017 3935-3945*

Fault Diagnosis and Fault-Tolerant Control Scheme for Open-Circuit Faults in Three-Stepped Bridge Converters. *Shu, C.*, +, *TPEL March 2017 2203-2214*

Fault Diagnosis of High-Resistance Connection in a Nine-Phase Flux-Switching Permanent-Magnet Machine Considering the Neutral-Point Connection Model. *Hang, J.*, +, *TPEL Aug. 2017 6444-6454*

Fault-Tolerant Inverter for High-Speed Low-Inductance BLDC Drives in Aerospace Applications. *Li, H.*, +, *TPEL March 2017 2452-2463*

Inductance-Emulating Control for DFIG-Based Wind Turbine to Ride-Through Grid Faults. *Zhu, D.*, +, *TPEL Nov. 2017 8514-8525*

Model-Based Fault Detection and Identification for Switching Power Converters. *Poon, J.*, +, *TPEL Feb. 2017 1419-1430*

Reliable Modular Multilevel Converter Fault Detection With Redundant Voltage Sensor. *Picas, R.*, +, *TPEL Jan. 2017 39-51*

Voltage Vector Error Fault Diagnosis for Open-Circuit Faults of Three-Phase Four-Wire Active Power Filters. *Zhang, H.*, +, *TPEL March 2017 2215-2226*

Fault location

Current Similarity Analysis-Based Open-Circuit Fault Diagnosis for Two-Level Three-Phase PWM Rectifier. *Wu, F.*, +, *TPEL May 2017 3935-3945*

Logic-Based Methods for Intelligent Fault Diagnosis and Recovery in Power Electronics. *Chen, W.*, +, *TPEL July 2017 5573-5589*

Online Diagnosis and Localization of High-Resistance Connection in PMSM With Improved Fault Indicator. *Zhang, J.*, +, *TPEL May 2017 3585-3594*

Fault tolerance

A Fault-Tolerant Series-Resonant DC–DC Converter. *Costa, L.*, +, *TPEL Feb. 2017 900-905*

A Unified Analysis of the Fault Tolerance Capability in Six-Phase Induction Motor Drives. *Munim, W.N.W.A.*, +, *TPEL Oct. 2017 7824-7836*

Comparison of Postfault Strategies for Current Reference Generation for Dual Three-Phase Machines in Terms of Converter Losses. *Baneira, F.*, +, *TPEL Nov. 2017 8243-8246*

Fault-Tolerant and Reliable Structure for a Cascaded Quasi-Z-Source DC–DC Converter. *Haji-Esmaili, M.M.*, +, *TPEL Aug. 2017 6455-6467*

Impact of Postfault Flux Adaptation on Six-Phase Induction Motor Drives With Parallel Converters. *Gonzalez-Prieto, I.*, +, *TPEL Jan. 2017 515-528*

Model-Based Fault Detection and Identification for Switching Power Converters. *Poon, J.*, +, *TPEL Feb. 2017 1419-1430*

Multifault Tolerance Strategy for Three-Phase Multilevel Converters Based on a Half-Wave Symmetrical Selective Harmonic Elimination Technique. *Aleenejad, M.*, +, *TPEL Oct. 2017 7980-7989*

Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. *Karanayil, B.*, +, *TPEL July 2017 5850-5861*

Fault tolerant control

An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D.*, +, *TPEL May 2017 3731-3740*

Control Strategy for Multiphase Drives With Minimum Losses in the Full Torque Operation Range Under Single Open-Phase Fault. *Baneira, F.*, +, *TPEL Aug. 2017 6275-6285*

Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault. *Tian, B.*, +, *TPEL July 2017 5473-5486*

Energy Balancing Improvement of Modular Multilevel Converters Under Unbalanced Grid Conditions. *Leon, A.E.*, +, *TPEL Aug. 2017 6628-6637*

Fault Diagnosis and Fault-Tolerant Control Scheme for Open-Circuit Faults in Three-Stepped Bridge Converters. *Shu, C.*, +, *TPEL March 2017 2203-2214*

Fault-Tolerant Control of Dual Three-Phase Permanent-Magnet Synchronous Machine Drives Under Open-Phase Faults. *Wang, W.*, +, *TPEL March 2017 2052-2063*

Fault-Tolerant Control of MMC With Hot Reserved Submodules Based on Carrier Phase Shift Modulation. *Li, K.*, +, *TPEL Sept. 2017 6778-6791*

Fault-Tolerant Control of Six-Phase Induction Motor Drives With Variable Current Injection. *Gonzalez-Prieto, I.*, +, *TPEL Oct. 2017 7894-7903*

Fault-Tolerant Inverter for High-Speed Low-Inductance BLDC Drives in Aerospace Applications. *Li, H.*, +, *TPEL March 2017 2452-2463*

Output Current-Differential Control Scheme for Input-Series–Output-Parallel-Connected Modular DC–DC Converters. *Qu, L.*, +, *TPEL July 2017 5699-5711*

Sensorless Control of IM for Limp-Home Mode EV Applications. *Dehghan-Azad, E.*, +, *TPEL Sept. 2017 7140-7150*

Feature extraction

A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B.*, +, *TPEL July 2017 5590-5600*

Current Similarity Analysis-Based Open-Circuit Fault Diagnosis for Two-Level Three-Phase PWM Rectifier. *Wu, F.*, +, *TPEL May 2017 3935-3945*

Feedback

Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z.*, +, *TPEL July 2017 5613-5627*

Analysis and Design of Current Control Schemes for LCL-Type Grid-Connected Inverter Based on a General Mathematical Model. *Pan, D.*, +, *TPEL June 2017 4395-4410*

DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R.*, +, *TPEL June 2017 4812-4826*

Design and Analysis of Robust Active Damping for LCL Filters Using Digital Notch Filters. *Yao, W.*, +, *TPEL March 2017 2360-2375*

Energy Balancing Improvement of Modular Multilevel Converters Under Unbalanced Grid Conditions. *Leon, A.E.*, +, *TPEL Aug. 2017 6628-6637*

Feedback Control Strategy to Eliminate the Input Current Harmonics of Matrix Converter Under Unbalanced Input Voltages. *Lei, J.*, +, *TPEL Jan. 2017 878-888*

Grid-Current-Feedback Control for LCL-Filtered Grid Converters With Enhanced Stability. *Xin, Z.*, +, *TPEL April 2017 3216-3228*

Inverse Nyquist Stability Criterion for Grid-Tied Inverters. *Wen, B.*, +, *TPEL Feb. 2017 1548-1556*

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Small-Signal Model of Voltage Source Inverter (VSI) and Voltage Source Converter (VSC) Considering the DeadTime Effect and Space Vector Modulation Types. *Ahmed, S.*, +, *TPEL June 2017 4145-4156*

Subharmonic Instability Limits for the Peak-Current-Controlled Boost, Buck–Boost, Flyback, and SEPIC Converters With Closed Voltage Feedback Loop. *Fang, C.*, +, *TPEL May 2017 4048-4055*

Three-Phase PLLs: A Review of Recent Advances. *Golestan, S.*, +, *TPEL March 2017 1894-1907*

Feedforward

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*

Control of Parallel Three-Phase PWM Converters Under Generalized Unbalanced Operating Conditions. *Zhang, X.*, +, *TPEL April 2017 3206-3215*

Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J.*, +, *TPEL April 2017 2661-2674*

DQ Current Control of Voltage Source Converters With a Decoupling Method Based on Preprocessed Reference Current Feed-forward. *Zhou, S.*, +, *TPEL Nov. 2017 8904-8921*

Dynamic Response Improvements of Parallel-Connected Bidirectional DC–DC Converters for Electrical Drive Powered by Low-Voltage Battery Employing Optimized Feedforward Control. *Sha, D.*, +, *TPEL Oct. 2017 7783-7794*

Energy Balancing Improvement of Modular Multilevel Converters Under Unbalanced Grid Conditions. *Leon, A.E.*, +, *TPEL Aug. 2017 6628-6637*

Feed-Forward-based Control in a DC–DC Converter of Asymmetric Multistage-Stacked Boost Architecture. *Mademlis, G.*, +, *TPEL Feb. 2017 1507-1517*

Feedback Control Strategy to Eliminate the Input Current Harmonics of Matrix Converter Under Unbalanced Input Voltages. *Lei, J.*, +, *TPEL Jan. 2017 878-888*

Modified Cascaded Boundary-Deadbeat Control for a Virtually-Grounded Three-Phase Grid-Connected Inverter With LCL Filter. *He, Y.*, +, *TPEL Oct. 2017 8163-8180*

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Power Consumption Reduction for Magnetic Bearing Systems During Torque Output of Control Moment Gyros. *Zheng, S.*, +, *TPEL July 2017 5752-5759*

Switching Frequency Regulation in Sliding Mode Control by a Hysteresis Band Controller. *Repecho, V.*, +, *TPEL Feb. 2017 1557-1569*

Ferrites

A High-Efficiency Helical Core for Magnetic Field Energy Harvesting. *Yuan, S.*, +, *TPEL July 2017 5365-5376*

Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices. *Kim, T.*, +, *TPEL March 2017 1917-1926*

Two-Dimensional Gapping to Reduce Light-Load Loss of Point-of-Load Inductor. *Ge, T.*, +, *TPEL Jan. 2017 540-550*

Field effect transistor switches

All-GaN-Integrated Cascode Heterojunction Field Effect Transistors. *Jiang, S.*, +, *TPEL Nov. 2017 8743-8750*

Intelligent Gate Drive for Fast Switching and Crosstalk Suppression of SiC Devices. *Zhang, Z.*, +, *TPEL Dec. 2017 9319-9332*

Zero-Voltage-Transition Interleaved Boost Converter With an Auxiliary Coupled Inductor. *Yi, J.*, +, *TPEL Aug. 2017 5917-5930*

Field effect transistors

A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics. *Guan, Y.*, +, *TPEL April 2017 2876-2891*

A New PV System Configuration Based on Submodule Integrated Converters. *Khan, O.*, +, *TPEL May 2017 3278-3284*

An Analytical Model for False Turn-On Evaluation of High-Voltage Enhancement-Mode GaN Transistor in Bridge-Leg Configuration. *Xie, R.*, +, *TPEL Aug. 2017 6416-6433*

Field programmable gate arrays

A New Output Current Measurement Method With Tiny PCB Sensors Capable of Being Embedded in an IGBT Module. *Hasegawa, K.*, +, *TPEL March 2017 1707-1712*

An Efficient FPGA Implementation of a Quadrature Signal-Generation Subsystem in SRF PLLs in Single-Phase PFCs. *Lamo, P.*, +, *TPEL May 2017 3959-3969*

Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier. *Ries, L.K.*, +, *TPEL Aug. 2017 6005-6017*

Computationally Efficient DMPC for Three-Level NPC Back-to-Back Converters in Wind Turbine Systems With PMSG. *Zhang, Z.*, +, *TPEL Oct. 2017 8018-8034*

High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B.*, +, *TPEL May 2017 4007-4020*

Novel Digital Control Method for Improving Dynamic Responses of Multimode Primary-Side Regulation Flyback Converter. *Wang, C.*, +, *TPEL Feb. 2017 1457-1468*

Pole-Phase Modulated Multiphase Induction Motor Drive With Reduced Torque Ripple and Improved DC Link Utilization. *Umesh, B.S.*, +, *TPEL Oct. 2017 7862-7869*

Filters

Control of Active Power Exchange With Auxiliary Power Loop in a Single-Phase Cascaded Multilevel Converter-Based Energy Storage System. *Jiang, W.*, +, *TPEL Feb. 2017 1518-1532*

Modified Cascaded Boundary-Deadbeat Control for a Virtually-Grounded Three-Phase Grid-Connected Inverter With LCL Filter. *He, Y.*, +, *TPEL Oct. 2017 8163-8180*

Finite element analysis

A New Integration Method for an Electric Vehicle Wireless Charging System Using LCC Compensation Topology: Analysis and Design. *Kan, T.*, +, *TPEL Feb. 2017 1638-1650*

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X.*, +, *TPEL Sept. 2017 6924-6935*

A Temperature Gradient-Based Potential Defects Identification Method for IGBT Module. *Gao, B.*, +, *TPEL March 2017 2227-2242*

Application of an Efficient Rogowski Coil Sensor for Switch Fault Diagnosis and Capacitor ESR Monitoring in Nonisolated Single-Switch DC–DC Converters. *Farjah, E.*, +, *TPEL Feb. 2017 1442-1456*

Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor. *Tian, B.*, +, *TPEL July 2017 5459-5472*

Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC–DC Converters. *Hariya, A.*, +, *TPEL Aug. 2017 5953-5963*

Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault. *Tian, B.*, +, *TPEL July 2017 5473-5486*

Design of Inductors With Significant AC Flux. *Zhang, Z.*, +, *TPEL Jan. 2017 529-539*

Dynamic Electrothermal Model of Paralleled IGBT Modules With Unbalanced Stray Parameters. *Tang, Y.*, +, *TPEL Feb. 2017 1385-1399*

Experimental Investigation on the Effects of Narrow Junction Temperature Cycles on Die-Attach Solder Layer in an IGBT Module. *Lai, W.*, +, *TPEL Feb. 2017 1431-1441*

Ferrite-Less Circular Pad With Controlled Flux Cancellation for EV Wireless Charging. *Tejeda, A.*, +, *TPEL Nov. 2017 8349-8359*

Finite-Element Analysis of Coupled Electro-Thermal Problems With Strong Scale Separation. *Eiser, S.*, +, *TPEL Jan. 2017 561-570*

High-Frequency Gap Losses in Nanocrystalline Cores. *Wang, Y.*, +, *TPEL June 2017 4683-4690*

Investigation of Gallium Nitride Devices in High-Frequency LLC Resonant Converters. *Zhang, W.*, +, *TPEL Jan. 2017 571-583*

Magnetic Integration of Three-Phase LCL Filter With Delta-Yoke Composite Core. *Liu, Y.*, +, *TPEL May 2017 3835-3843*

Physics-Based Analytical Model for Input, Output, and Reverse Capacitance of a GaN HEMT With the Field-Plate Structure. *Cucak, D.*, +, *TPEL March 2017 2189-2202*

Thermal Topology Optimization of a Three-Layer Laminated Busbar for Power Converters. *Puigdellivol, O.*, +, *TPEL June 2017 4691-4699*

FIR filters

Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters. *Wang, Y.*, +, *TPEL Aug. 2017 6510-6522*

Flash memories

A Three-Phase Multioptimal PWM Implemented on 2-Gbit Flash Memory Integrated Circuits. *Neacsu, D.O.*, +, *TPEL July 2017 5813-5826*

Flicker noise

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*

Forced convection

Energy Efficient Heat Sink Design: Natural Versus Forced Convection Cooling. *Christen, D.*, +, *TPEL Nov. 2017 8693-8704*

Fourier analysis

A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part I: Mathematical Derivations. *Aroudi, A.E.*, *TPEL July 2017 5651-5665*

Performance Analysis of the Zero-Voltage Vector Distribution in Three-Phase Four-Switch Converter Using a Space Vector Approach. *Zeng, Z.*, +, *TPEL Jan. 2017 260-273*

Fourier series

A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part I: Mathematical Derivations. *Aroudi, A.E.*, *TPEL July 2017 5651-5665*

Low-Switching-Frequency Operation of a Modular Multilevel DSCC Converter With Phase-Shifted Rotating-Carrier PWM. *Sasongko, F.*, +, *TPEL July 2017 5058-5069*

Fourier transforms

Space-Vector Overmodulation Strategy for Ultrasparse Matrix Converter Based on the Maximum Output Voltage Vector. *Li, S.*, +, *TPEL July 2017 5388-5397*

Frequency control

A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link. *Rudraraju, V.R.R.*, +, *TPEL June 2017 4334-4343*

A Frequency Adaptive Phase Shift Modulation Control Based LLC Series Resonant Converter for Wide Input Voltage Applications. *Shakib, S.M.S.I.*, +, *TPEL Nov. 2017 8360-8370*

A Novel Control Scheme of Three-Phase Single-Switch Quasi-CRM Boost Rectifier. *Yao, K.*, +, *TPEL Aug. 2017 6236-6244*

Accurate Capacitive Current Balancing in Multistring LED Lighting Systems Based on Switched-Capacitor-Controlled L+C+C Resonant Network. *Wong, C.S.*, +, *TPEL March 2017 2167-2179*

An Integrated Battery Charger With High Power Density and Efficiency for Electric Vehicles. *Kim, D.*, +, *TPEL June 2017 4553-4565*

Centralized Control Architecture for Coordination of Distributed Renewable Generation and Energy Storage in Islanded AC Microgrids. *Diaz, N.L.*, +, *TPEL July 2017 5202-5213*

Comprehensive Analysis of Three-Phase Three-Level LC-Type Resonant DC/DC Converter With Variable Frequency Control—Series Resonant Converter. *Liu, F.*, +, *TPEL July 2017 5122-5131*

Dual-Bridge LLC Resonant Converter With Fixed-Frequency PWM Control for Wide Input Applications. *Sun, X.*, +, *TPEL Jan. 2017 69-80*

New Tunable Piezoelectric Transformers and Their Application in DC–DC Converters. *Khanna, M.*, +, *TPEL Dec. 2017 8974-8978*

Switching Frequency Dynamic Control for DFIG Wind Turbine Performance Improvement Around Synchronous Speed. *Xiang, D.*, +, *TPEL Sept. 2017 7271-7283*

Switching Frequency Regulation in Sliding Mode Control by a Hysteresis Band Controller. *Repecho, V.*, +, *TPEL Feb. 2017 1557-1569*

The Recognition and Control of Nonideal Soft-Switching Frequency for Wireless Power Transfer System Based on Waveform Identification. *Sun, Y.*, +, *TPEL Aug. 2017 6617-6627*

Variable Frequency Controller for Inductive Power Transfer in Dynamic Conditions. *Gati, E.*, +, *TPEL Feb. 2017 1684-1696*

Variable-Switching-Frequency State-Feedback Control of a Phase-Shifted Full-Bridge DC/DC Converter. *Mallik, A.*, +, *TPEL Aug. 2017 6523-6531*

Frequency converters

A Digital Adaptive Driving Scheme for eGaN HEMTs in VHF Converters. *Zhang, Z.*, +, *TPEL Aug. 2017 6197-6205*

Frequency estimation

A Concise Discrete Adaptive Filter for Frequency Estimation Under Distorted Three-Phase Voltage. *Quan, X.*, +, *TPEL Dec. 2017 9400-9412*

Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z.*, +, *TPEL July 2017 5613-5627*

Frequency locked loops

A Novel Flux Estimator Based on Multiple Second-Order Generalized Integrators and Frequency-Locked Loop for Induction Motor Drives. *Zhao, R.*, +, *TPEL Aug. 2017 6286-6296*

High-Order Frequency-Locked Loops: A Critical Analysis. *Golestan, S.*, +, *TPEL May 2017 3285-3291*

Impedance Analysis of SOGI-FLL-Based Grid Synchronization. *Yi, H.*, +, *TPEL Oct. 2017 7409-7413*

Frequency modulation

A Modulation Strategy to Operate Multilevel Multiphase Diode-Clamped and Active-Clamped DC–AC Converters at Low Frequency Modulation Indices With DC-Link Capacitor Voltage Balance. *Busquets-Monge, S.*, +, *TPEL Oct. 2017 7521-7533*

An LLC Converter Family With Auxiliary Switch for Hold-Up Mode Operation. *Wang, H.*, +, *TPEL June 2017 4291-4306*

Dynamic Modeling and Control of Self-Oscillating Parallel Resonant Converters Based on a Variable Structure Systems Approach. *Bonache-Samaniego, R.*, +, *TPEL Feb. 2017 1469-1480*

Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. *Choi, H.*, +, *TPEL June 2017 4140-4144*

Harmonic Burst Control Strategy for Full-Bridge Series-Resonant Converter-Based EV Charging. *Zeng, H.*, +, *TPEL May 2017 4064-4073*

Improved Modulation Scheme for Loss Balancing of Three-Level Active NPC Converters. *Deng, Y.*, +, *TPEL April 2017 2521-2532*

SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H.*, +, *TPEL Nov. 2017 8813-8822*

Frequency response

New Tunable Piezoelectric Transformers and Their Application in DC–DC Converters. *Khanna, M.*, +, *TPEL Dec. 2017 8974-8978*

Variable Frequency Controller for Inductive Power Transfer in Dynamic Conditions. *Gati, E.*, +, *TPEL Feb. 2017 1684-1696*

Frequency-domain analysis

A Digital Current Control Technique for Grid-Connected AC/DC Converters Used for Energy Storage Systems. *Eren, S.*, +, *TPEL May 2017 3970-3988*

A Modified Gain Model and the Corresponding Design Method for an LLC Resonant Converter. *Liu, J.*, +, *TPEL Sept. 2017 6716-6727*

A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part I: Mathematical Derivations. *Aroudi, A.E.*, *TPEL July 2017 5651-5665*

Current Ripple Amplitude Measurement in Multiphase Power Converters. *Cervellini, P.*, +, *TPEL Sept. 2017 6684-6688*

Full-Duplex Communication on the Shared Channel of a Capacitively Coupled Power Transfer System. *Su, Y.*, +, *TPEL April 2017 3229-3239*

Large- and Small-Signal Average-Value Modeling of Dual-Active-Bridge DC–DC Converter Considering Power Losses. *Zhang, K.*, +, *TPEL March 2017 1964-1974*

PWM Strategy for the Cancellation of Common-Mode Voltage Generated by Three-Phase Back-to-Back Inverters. *Videt, A.*, +, *TPEL April 2017 2675-2686*

Single-Phase Phase-Locked Loop Based on Derivative Elements. *Guan, Q.*, +, *TPEL June 2017 4411-4420*

ZVS Soft Switching Boundaries for Dual Active Bridge DC–DC Converters Using Frequency Domain Analysis. *Riedel, J.*, +, *TPEL April 2017 3166-3179*

Fuel cell vehicles

Wide Input-Voltage Range Boost Three-Level DC–DC Converter With Quasi-Z Source for Fuel Cell Vehicles. *Zhang, Y.*, +, *TPEL Sept. 2017 6728-6738*

Fuzzy control

A Performance Investigation of a Four-Switch Three-Phase Inverter-Fed IM Drives at Low Speeds Using Fuzzy Logic and PI Controllers. *Zaky, M.S.*, +, *TPEL May 2017 3741-3753*

Multiobjective Fuzzy-Decision-Making Predictive Torque Control for an Induction Motor Drive. *Rojas, C.A., +, TPEL Aug. 2017 6245-6260*

Robust DC-Link Voltage Control of a Full-Scale PMSG Wind Turbine for Effective Integration in DC Grids. *Davari, M., +, TPEL May 2017 4021-4035*

Fuzzy logic

Logic-Based Methods for Intelligent Fault Diagnosis and Recovery in Power Electronics. *Chen, W., +, TPEL July 2017 5573-5589*

G

Gallium arsenide

Study of the Lifetime of High-Power GaAs PCSSs Under Different Energy Storage Modes. *Ma, C., +, TPEL June 2017 4644-4651*

Gallium compounds

A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics. *Guan, Y., +, TPEL April 2017 2876-2891*

A 10-MHz eGaN Isolated Class- Φ_2 DCX. *Zhang, Z., +, TPEL March 2017 2029-2040*

A Digital Adaptive Driving Scheme for eGaN HEMTs in VHF Converters. *Zhang, Z., +, TPEL Aug. 2017 6197-6205*

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y., +, TPEL Jan. 2017 423-432*

A Family of High-Frequency Single-Switch DC-DC Converters With Low Switch Voltage Stress Based on Impedance Networks. *Lee, K., +, TPEL April 2017 2913-2924*

A Gallium-Nitride-Device-Based Switched Capacitor Multiport Multilevel Converter for UPS Applications. *Alsolami, M., +, TPEL Sept. 2017 6853-6862*

A High Power Density Series-Stacked Energy Buffer for Power Pulsation Decoupling in Single-Phase Converters. *Qin, S., +, TPEL June 2017 4905-4924*

A Multiloop Method for Minimization of Parasitic Inductance in GaN-Based High-Frequency DC-DC Converter. *Wang, K., +, TPEL June 2017 4728-4740*

All-GaN-Integrated Cascode Heterojunction Field Effect Transistors. *Jiang, S., +, TPEL Nov. 2017 8743-8750*

An Analytical Model for False Turn-On Evaluation of High-Voltage Enhancement-Mode GaN Transistor in Bridge-Leg Configuration. *Xie, R., +, TPEL Aug. 2017 6416-6433*

An Optimal Digital Pulse-Width-Modulated Dither Technique to Enhance the Resolution of High-Frequency Power Converters. *Fang, J., +, TPEL Sept. 2017 7222-7232*

Avoiding Divergent Oscillation of a Cascode GaN Device Under High-Current Turn-Off Condition. *Huang, X., +, TPEL Jan. 2017 593-601*

Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC-DC Converters. *Hariya, A., +, TPEL Aug. 2017 5953-5963*

Fast Tracking Electrosurgical Generator Using Two-Rail Multiphase Buck Converter With GaN Switches. *Jensen, S., +, TPEL Jan. 2017 634-641*

Maximizing the Performance of 650-V p-GaN Gate HEMTs: Dynamic RON Characterization and Circuit Design Considerations. *Wang, H., +, TPEL July 2017 5539-5549*

Physics-Based Analytical Model for Input, Output, and Reverse Capacitance of a GaN HEMT With the Field-Plate Structure. *Cucak, D., +, TPEL March 2017 2189-2202*

PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking. *Leuenberger, D., +, TPEL Aug. 2017 6105-6118*

Thermal Management and Electromagnetic Analysis for GaN Devices Packaging on DBC Substrate. *Yu, C., +, TPEL Feb. 2017 906-910*

Gaussian distribution

Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *Liu, Z., +, TPEL April 2017 3154-3165*

Genetic algorithms

Multiobjective Optimization of Medium-Frequency Transformers for Isolated Soft-Switching Converters Using a Genetic Algorithm. *Garcia-Bediga, A., +, TPEL April 2017 2995-3006*

Geometry

Modular Multilevel Converter With Magnetically Coupled Branch Inductors. *Kucka, J., +, TPEL Sept. 2017 6767-6777*

Two-Dimensional Gapping to Reduce Light-Load Loss of Point-of-Load Inductor. *Ge, T., +, TPEL Jan. 2017 540-550*

Giant magneto-resistance

Giant Magneto-Impedance Sensor for Gate Driver-Insulated Signal Transmission Functions. *Wanderoild, Y., +, TPEL April 2017 2493-2497*

Global Positioning System

A GPS-Based Control Framework for Accurate Current Sharing and Power Quality Improvement in Microgrids. *Golsorkhi, M.S., +, TPEL July 2017 5675-5687*

A GPS-Based Decentralized Control Method for Islanded Microgrids. *Golsorkhi, M.S., +, TPEL Feb. 2017 1615-1625*

Granular computing

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M., +, TPEL Jan. 2017 378-393*

Graph theory

Review of Active and Reactive Power Sharing Strategies in Hierarchical Controlled Microgrids. *Han, Y., +, TPEL March 2017 2427-2451*

Gyrators

A Generic and Unified Global-Gyrator Model of Switched-Resonator Converters. *Cervera, A., +, TPEL Dec. 2017 8945-8952*

Improving Loading and Unloading Transient Response of a Voltage Regulator Module Using a Load-Side Auxiliary Gyrator Circuit. *Kirshenboim, O., +, TPEL March 2017 1996-2007*

Wide-Range Adaptive IPT Using Dipole-Coils With a Reflector by Variable Switched Capacitance. *Lee, E.S., +, TPEL Oct. 2017 8054-8070*

H

H $^{\infty}$ control

Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H $^{\infty}$ Control Strategy. *Panigrahi, R., +, TPEL April 2017 2622-2630*

H $_{\infty}$ filters

Lithium-Ion Battery Pack State of Charge and State of Energy Estimation Algorithms Using a Hardware-in-the-Loop Validation. *Zhang, Y., +, TPEL June 2017 4421-4431*

Hall effect devices

Online Advanced Angle Adjustment Method for Sinusoidal BLDC Motors with Misaligned Hall Sensors. *Park, J.S., +, TPEL Nov. 2017 8247-8253*

Hardware-in-the-loop simulation

Lithium-Ion Battery Pack State of Charge and State of Energy Estimation Algorithms Using a Hardware-in-the-Loop Validation. *Zhang, Y., +, TPEL June 2017 4421-4431*

Harmonic analysis

A Modeling and Analysis Method for Fractional-Order DC-DC Converters. *Chen, X., +, TPEL Sept. 2017 7034-7044*

Analytical Investigation of Sideband Electromagnetic Vibration in Integral-Slot PMSM Drive With SVPWM Technique. *Liang, W., +, TPEL June 2017 4785-4795*

Design Consideration and Comparison of Wireless Power Transfer via Harmonic Current for PHEV and EV Wireless Charging. *Zeng, H., +, TPEL Aug. 2017 5943-5952*

Harmonic Analysis and Controller Design of 15 kV SiC IGBT-Based Medium-Voltage Grid-Connected Three-Phase Three-Level NPC Converter. *Madhusoodhanan, S., +, TPEL May 2017 3355-3369*

Harmonic Interaction Analysis in a Grid-Connected Converter Using Harmonic State-Space (HSS) Modeling. *Kwon, J., +, TPEL Sept. 2017 6823-6835*

Multifault Tolerance Strategy for Three-Phase Multilevel Converters Based on a Half-Wave Symmetrical Selective Harmonic Elimination Technique. *Aleenejad, M., +, TPEL Oct. 2017 7980-7989*

Novel Eliminated Common-Mode Voltage PWM Sequences and an Online Algorithm to Reduce Current Ripple for a Three-Level Inverter. *Nguyen, T.T., +, TPEL Oct. 2017 7482-7493*

Space-Vector Overmodulation Strategy for Ultrasparse Matrix Converter Based on the Maximum Output Voltage Vector. *Li, S.*, +, *TPEL July 2017 5388-5397*

Harmonic distortion

A Family of Ripple Estimation–Cancellation Methods Based on Switched-Resistor Circuits and Their Application in Fast-Response PFC Preregulator. *Leung, K.H.*, +, *TPEL April 2017 2608-2621*

A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. *Iyer, K.V.*, +, *TPEL July 2017 5087-5108*

A Matrix Converter-Based Bidirectional Contactless Grid Interface. *Weerasinghe, S.*, +, *TPEL March 2017 1755-1766*

A Novel Nine-Level Inverter Employing One Voltage Source and Reduced Components as High-Frequency AC Power Source. *Liu, J.*, +, *TPEL April 2017 2939-2947*

A Performance Investigation of a Four-Switch Three-Phase Inverter-Fed IM Drives at Low Speeds Using Fuzzy Logic and PI Controllers. *Zaky, M.S.*, +, *TPEL May 2017 3741-3753*

A Single-Stage High-Frequency Resonant AC/AC Converter. *Luo, Q.*, +, *TPEL March 2017 2155-2166*

A Single-Stage Single-Switch Soft-Switching Power-Factor-Correction LED Driver. *Poorali, B.*, +, *TPEL Oct. 2017 7932-7940*

A Synchronization Scheme for Single-Phase Grid-Tied Inverters Under Harmonic Distortion and Grid Disturbances. *Hadjidemetriou, L.*, +, *TPEL April 2017 2784-2793*

An Improved Variable On-Time Control Strategy for a CRM Flyback PFC Converter. *Zhao, C.*, +, *TPEL Feb. 2017 915-919*

An Integrated Trap-LCL Filter With Reduced Current Harmonics for Grid-Connected Converters Under Weak Grid Conditions. *Fang, J.*, +, *TPEL Nov. 2017 8446-8457*

An Optimized Hybrid SVPWM Strategy Based on Multiple Division of Active Vector Time (MDAVT). *Biswas, J.*, +, *TPEL June 2017 4607-4618*

Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier. *Ries, L.K.*, +, *TPEL Aug. 2017 6005-6017*

Confined Band Variable Switching Frequency Pulse Width Modulation (CB-VSF PWM) for a Single-Phase Inverter With an LCL Filter. *Attia, H.A.*, +, *TPEL Nov. 2017 8593-8605*

Control of a Single-Phase Standalone Inverter Without an Output Voltage Sensor. *Mukherjee, S.*, +, *TPEL July 2017 5601-5612*

Control of Parallel Three-Phase PWM Converters Under Generalized Unbalanced Operating Conditions. *Zhang, X.*, +, *TPEL April 2017 3206-3215*

Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J.*, +, *TPEL April 2017 2661-2674*

Hybrid Dual and NPC Six-Phase Drive Systems. *Melo, V.F.M.B.*, +, *TPEL Nov. 2017 8606-8617*

Low-Harmonic-Contents and High-Efficiency Class E Full-Wave Current-Driven Rectifier for Megahertz Wireless Power Transfer Systems. *Liu, M.*, +, *TPEL Feb. 2017 1198-1209*

Modeling of VSC-Based Power Systems in the Extended Harmonic Domain. *Esparza, M.*, +, *TPEL Aug. 2017 5907-5916*

Multifault Tolerance Strategy for Three-Phase Multilevel Converters Based on a Half-Wave Symmetrical Selective Harmonic Elimination Technique. *Aleenejad, M.*, +, *TPEL Oct. 2017 7980-7989*

Novel SWISS Rectifier Modulation Scheme Preventing Input Current Distortions at Sector Boundaries. *Schrittwieser, L.*, +, *TPEL July 2017 5771-5785*

On the Experimental Performance of a Coordinated Antiislanding Protection for Systems With Multiple DGUs. *Saleh, S.A.*, +, *TPEL Feb. 2017 1106-1123*

Photovoltaic Module-Integrated Stand-alone Single-Stage Switched Capacitor Inverter with Maximum Power Point Tracking. *Peter, P.K.*, +, *TPEL May 2017 3571-3584*

Quad-Active-Bridge Single-Stage Bidirectional Three-Phase AC–DC Converter With Isolation: Introduction and Optimized Modulation. *Vermulst, B.J.D.*, +, *TPEL April 2017 2546-2557*

Reducing Harmonics Distortion in Five-Phase VSI Using Space-Vector-Based Optimal Hybrid PWM. *Chen, K.*, +, *TPEL March 2017 2098-2113*

Reduction of Input Current Harmonic Distortions and Balancing of Output Voltages of the Vienna Rectifier Under Supply Voltage Disturbances. *Adhikari, J.*, +, *TPEL July 2017 5802-5812*

Reliability Improvement Approach Based on Flatness Control of Parallel-Connected Inverters. *Shahin, A.*, +, *TPEL Jan. 2017 681-692*

Single-Phase Inverter With Energy Buffer and DC–DC Conversion Circuits. *Matsumoto, H.*, +, *TPEL Oct. 2017 7615-7625*

Single-Stage Three-Phase Current-Source Photovoltaic Grid-Connected Inverter High Voltage Transmission Ratio. *Chen, D.*, +, *TPEL Oct. 2017 7591-7601*

Sinusoidal Input Current Discontinuous Conduction Mode Control of the VIENNA Rectifier. *Leibl, M.*, +, *TPEL Nov. 2017 8800-8812*

Three-Level TAIPEI Rectifier—Analysis of Operation, Design Considerations, and Performance Evaluation. *Jang, Y.*, +, *TPEL Feb. 2017 942-956*

Three-Phase VSI Optimal Switching Loss Reduction Using Variable Switching Frequency. *Onederra, O.*, +, *TPEL Aug. 2017 6570-6576*

Unified Selective Harmonic Elimination for Multilevel Converters. *Yang, K.*, +, *TPEL Feb. 2017 1579-1590*

Variable-On-Time Control to Achieve High Input Power Factor for a CRM-Integrated Buck–Flyback PFC Converter. *Memon, A.H.*, +, *TPEL July 2017 5312-5322*

Voltage-Balancing Approach With Improved Harmonic Performance for Modular Multilevel Converters. *Dekka, A.*, +, *TPEL Aug. 2017 5878-5884*

Harmonic generation

Square-Wave Voltage Injection Algorithm for PMSM Position Sensorless Control With High Robustness to Voltage Errors. *Ni, R.*, +, *TPEL July 2017 5425-5437*

Harmonics

Direct Resonant Control Strategy for Torque Ripple Mitigation of DFIG Connected to DC Link through Diode Rectifier on Stator. *Nian, H.*, +, *TPEL Sept. 2017 6936-6945*

Harmonics suppression

A Harmonic Suppression Scheme for Full Speed Range of a Two-Level Inverter Fed Induction Motor Drive Using Switched Capacitive Filter. *Pramanick, S.*, +, *TPEL March 2017 2064-2071*

A Method for the Suppression of Fluctuations in the Neutral-Point Potential of a Three-Level NPC Inverter With a Capacitor-Voltage Loop. *Zhang, Y.*, +, *TPEL Jan. 2017 825-836*

Analysis and Compensation of Inverter Nonlinearity for Three-Level T-Type Inverters. *Kim, H.*, +, *TPEL June 2017 4970-4980*

Continuous Phase-Shifted Selective Harmonic Elimination and DC-Link Voltage Balance Solution for H-bridge Multilevel Configurations, Applied to 5L HNPC. *Sanchez-Ruiz, A.*, +, *TPEL April 2017 2533-2545*

Direct Sequence Spread Spectrum-Based PWM Strategy for Harmonic Reduction and Communication. *Wang, R.*, +, *TPEL June 2017 4455-4465*

Direct Torque Control Scheme for a Six-Phase Induction Motor With Reduced Torque Ripple. *Pandit, J.K.*, +, *TPEL Sept. 2017 7118-7129*

Feedback Control Strategy to Eliminate the Input Current Harmonics of Matrix Converter Under Unbalanced Input Voltages. *Lei, J.*, +, *TPEL Jan. 2017 878-888*

Fifth- and Seventh-Order Harmonic Elimination With Multilevel Dodecagonal Voltage Space Vector Structure for IM Drive Using a Single DC Source for the Full Speed Range. *Boby, M.*, +, *TPEL Jan. 2017 60-68*

Model Predictive Switching Pattern Control for Current-Source Converters With Space-Vector-Based Selective Harmonic Elimination. *Gao, H.*, +, *TPEL Aug. 2017 6558-6569*

Reduction of Input Current Harmonic Distortions and Balancing of Output Voltages of the Vienna Rectifier Under Supply Voltage Disturbances. *Adhikari, J.*, +, *TPEL July 2017 5802-5812*

Selective Harmonic Elimination Model Predictive Control for Multilevel Power Converters. *Aguilera, R.P.*, +, *TPEL March 2017 2416-2426*

Single-Phase Inverter With Energy Buffer and DC–DC Conversion Circuits. *Matsumoto, H.*, +, *TPEL Oct. 2017 7615-7625*

Unified Selective Harmonic Elimination for Multilevel Converters. *Yang, K.*, +, *TPEL Feb. 2017 1579-1590*

Windowed SHE-PWM of Interleaved Four-Quadrant Converters for Resonance Suppression in Traction Power Supply Systems. *Song, K.*, +, *TPEL Oct. 2017 7870-7881*

Heat sinks

Applied Integrated Active Filter Auxiliary Power Module for Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL March 2017 1860-1871*

Energy Efficient Heat Sink Design: Natural Versus Forced Convection Cooling. *Christen, D.*, +, *TPEL Nov. 2017 8693-8704*

High electron mobility transistors

A 10-MHz eGaN Isolated Class- Φ_2 DCX. *Zhang, Z.*, +, *TPEL March 2017 2029-2040*

A Digital Adaptive Driving Scheme for eGaN HEMTs in VHF Converters. *Zhang, Z.*, +, *TPEL Aug. 2017 6197-6205*

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A Multiloop Method for Minimization of Parasitic Inductance in GaN-Based High-Frequency DC–DC Converter. *Wang, K.*, +, *TPEL June 2017 4728-4740*

Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC–DC Converters. *Hariya, A.*, +, *TPEL Aug. 2017 5953-5963*

Physics-Based Analytical Model for Input, Output, and Reverse Capacitance of a GaN HEMT With the Field-Plate Structure. *Cucak, D.*, +, *TPEL March 2017 2189-2202*

Three-Level Gate Drivers for eGaN HEMTs in Resonant Converters. *Zhang, Z.*, +, *TPEL July 2017 5527-5538*

High-frequency transformers

A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. *Iyer, K.V.*, +, *TPEL July 2017 5087-5108*

Design and Steady-State Analysis of Parallel Resonant DC–DC Converter for High-Voltage Power Generator. *Hsu, W.*, +, *TPEL Feb. 2017 957-966*

Experimental Extraction of Parasitic Capacitances for High-Frequency Transformers. *Liu, C.*, +, *TPEL June 2017 4157-4167*

Full-Process Operation, Control, and Experiments of Modular High-Frequency-Link DC Transformer Based on Dual Active Bridge for Flexible MVDC Distribution: A Practical Tutorial. *Zhao, B.*, +, *TPEL Sept. 2017 6751-6766*

Modular Multilevel High-Frequency-Link DC Transformer Based on Dual Active Phase-Shift Principle for Medium-Voltage DC Power Distribution Application. *Zhao, B.*, +, *TPEL March 2017 1779-1791*

Novel Dual-Phase-Shift Control With Bidirectional Inner Phase Shifts for a Dual-Active-Bridge Converter Having Low Surge Current and Stable Power Control. *Liu, X.*, +, *TPEL May 2017 4095-4106*

High-speed optical techniques

Ultrafast Reverse Recovery Time Measurement for Wide-Bandgap Diodes. *Mauch, D.L.*, +, *TPEL Dec. 2017 9333-9341*

High-temperature electronics

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

HVDC power converters

A Review of Hybrid Topologies Combining Line-Commutated and Cascaded Full-Bridge Converters. *Bakas, P.*, +, *TPEL Oct. 2017 7435-7448*

A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electroporation Applications. *Elgenedy, M.A.*, +, *TPEL Dec. 2017 8979-8991*

An Evolutional Line-Commutated Converter Integrated With Thyristor-Based Full-Bridge Module to Mitigate the Commutation Failure. *Guo, C.*, +, *TPEL Feb. 2017 967-976*

Assembly HVDC Breaker for HVDC Grids With Modular Multilevel Converters. *Liu, G.*, +, *TPEL Feb. 2017 931-941*

Development, Demonstration, and Control of a Testbed for Multiterminal HVDC System. *Li, Y.*, +, *TPEL Aug. 2017 6069-6078*

Efficiency Assessment of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL March 2017 2041-2051*

Enhancing the Reliability of Modular Multilevel Converters Using Neutral Shift. *Kucka, J.*, +, *TPEL Dec. 2017 8953-8957*

High-Frequency-Link Modulation Methodology of DC–DC Transformer Based on Modular Multilevel Converter for HVDC Application: Comprehensive Analysis and Experimental Verification. *Zhao, B.*, +, *TPEL May 2017 3413-3424*

Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M.*, +, *TPEL Oct. 2017 8204-8217*

Low-Switching-Frequency Operation of a Modular Multilevel DSCC Converter With Phase-Shifted Rotating-Carrier PWM. *Sasongko, F.*, +, *TPEL July 2017 5058-5069*

Model Predictive Control With Common-Mode Voltage Injection for Modular Multilevel Converter. *Dekka, A.*, +, *TPEL March 2017 1767-1778*

New Efficient Submodule for a Modular Multilevel Converter in Multiterminal HVDC Networks. *Adam, G.P.*, +, *TPEL June 2017 4258-4278*

Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. *Karanayil, B.*, +, *TPEL July 2017 5850-5861*

Power Routing for Cascaded H-Bridge Converters. *Ko, Y.*, +, *TPEL Dec. 2017 9435-9446*

Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X.*, +, *TPEL Sept. 2017 7306-7324*

HVDC power transmission

A Modular Multilevel Converter With DC Fault Handling Capability and Enhanced Efficiency for HVdc System Applications. *Oliveira, R.*, +, *TPEL Jan. 2017 11-22*

A New Topology of Multilevel VSC Converter for a Hybrid HVDC Transmission System. *Jung, J.*, +, *TPEL June 2017 4199-4209*

A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electroporation Applications. *Elgenedy, M.A.*, +, *TPEL Dec. 2017 8979-8991*

Assembly HVDC Breaker for HVDC Grids With Modular Multilevel Converters. *Liu, G.*, +, *TPEL Feb. 2017 931-941*

Development, Demonstration, and Control of a Testbed for Multiterminal HVDC System. *Li, Y.*, +, *TPEL Aug. 2017 6069-6078*

Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M.*, +, *TPEL Oct. 2017 8204-8217*

Low-Voltage-Ride-Through (LVRT) Control of an HVDC Transmission System Using Two Modular Multilevel DSCC Converters. *Oguma, K.*, +, *TPEL Aug. 2017 5931-5942*

Model Predictive Control With Common-Mode Voltage Injection for Modular Multilevel Converter. *Dekka, A.*, +, *TPEL March 2017 1767-1778*

New Efficient Submodule for a Modular Multilevel Converter in Multiterminal HVDC Networks. *Adam, G.P.*, +, *TPEL June 2017 4258-4278*

Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X.*, +, *TPEL Sept. 2017 7306-7324*

Hybrid electric vehicles

A Novel Step-Up Multiinput DC–DC Converter for Hybrid Electric Vehicles Application. *Ahrabi, R.R.*, +, *TPEL May 2017 3549-3561*

Design Consideration and Comparison of Wireless Power Transfer via Harmonic Current for PHEV and EV Wireless Charging. *Zeng, H.*, +, *TPEL Aug. 2017 5943-5952*

Electrified Automotive Powertrain Architecture Using Composite DC–DC Converters. *Chen, H.*, +, *TPEL Jan. 2017 98-116*

From Chip to Converter: A Complete Cost Model for Power Electronics Converters. *Domingues-Olavarria, G.*, +, *TPEL Nov. 2017 8681-8692*

New Integrated Multilevel Converter for Switched Reluctance Motor Drives in Plug-in Hybrid Electric Vehicles With Flexible Energy Conversion. *Gan, C.*, +, *TPEL May 2017 3754-3766*

Rotor Temperature Detection in Permanent Magnet Synchronous Machine-Based Automotive Electric Traction Drives. *Carpiuc, S.*, *TPEL March 2017 2090-2097*

Single-Electrical-Port Control of Cascaded Doubly-Fed Induction Machine for EV/HEV Applications. *Han, P.*, +, *TPEL Sept. 2017 7233-7243*

Hybrid power systems

Analysis, Design, Modeling, and Control of an Interleaved-Boost Full-Bridge Three-Port Converter for Hybrid Renewable Energy Systems. *Mira, M.C.*, +, *TPEL Feb. 2017 1138-1155*

Bifurcation and Large-Signal Stability Analysis of Three-Phase Voltage Source Converter Under Grid Voltage Dips. *Huang, M.*, +, *TPEL Nov. 2017 8868-8879*

Mixed-Integer-Linear-Programming-Based Energy Management System for Hybrid PV-Wind-Battery Microgrids: Modeling, Design, and Experimental Verification. *Luna, A.C.*, +, *TPEL April 2017 2769-2783*

Hydrogen storage

Analysis, Design, Modeling, and Control of an Interleaved-Boost Full-Bridge Three-Port Converter for Hybrid Renewable Energy Systems. *Mira, M.C.*, +, *TPEL Feb. 2017 1138-1155*

Hysteresis

A Dual-Level Hysteresis Current Control for One Five-Leg VSI to Control Two PMSMs. *Wang, W.*, +, *TPEL Jan. 2017 804-814*

Continuous Phase-Shifted Selective Harmonic Elimination and DC-Link Voltage Balance Solution for H-bridge Multilevel Configurations, Applied to 5L HNPC. *Sanchez-Ruiz, A.*, +, *TPEL April 2017 2533-2545*

Parameter-Insensitive Mixed-Signal Hysteresis-Band Current Control for Point-of-Load Converters With Fixed Frequency and Robust Stability. *Kapat, S.*, *TPEL July 2017 5760-5770*

Single-Step Current Control for Voltage Source Inverters With Fast Transient Response and High Convergence Speed. *Zhang, L.*, +, *TPEL Nov. 2017 8823-8832*

I

IEC standards

A Family of Single-Phase Hybrid Step-Down PFC Converters. *Zhang, J.*, +, *TPEL July 2017 5271-5281*

IEEE standards

A Robust DC-Split-Capacitor Power Decoupling Scheme for Single-Phase Converter. *Yao, W.*, +, *TPEL Nov. 2017 8419-8433*

Impedance converters

A Three-Winding Common Mode Inductor. *Lee, C.K.*, +, *TPEL July 2017 5180-5187*

Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters. *Wang, Y.*, +, *TPEL Aug. 2017 6510-6522*

Impedance matching

A Passive-Impedance-Matching Technology to Achieve Automatic Current Sharing for a Multiphase Resonant Converter. *Wang, H.*, +, *TPEL Dec. 2017 9191-9209*

Inductance

A Multiloop Method for Minimization of Parasitic Inductance in GaN-Based High-Frequency DC-DC Converter. *Wang, K.*, +, *TPEL June 2017 4728-4740*

A Single-Stage Single-Switch Soft-Switching Power-Factor-Correction LED Driver. *Poorali, B.*, +, *TPEL Oct. 2017 7932-7940*

EMI Filter Volume Minimization of a Three-Phase, Three-Level T-Type PWM Converter System. *Boillat, D.O.*, +, *TPEL April 2017 2473-2480*

Inductance Calculations for Circular Coils With Rectangular Cross Section and Parallel Axes Using Inverse Mellin Transform and Generalized Hypergeometric Functions. *Luo, Y.*, +, *TPEL Feb. 2017 1367-1374*

Optimized Switching Sequence for Multiphase Power Converters Under Inductance Mismatch. *Antoszczuk, P.*, +, *TPEL March 2017 1697-1702*

Power Stage and Feedback Loop Design for LLC Resonant Converter in High-Switching-Frequency Operation. *Park, H.*, +, *TPEL Oct. 2017 7770-7782*

Robust Direct Torque Control of Synchronous Reluctance Motor Drives in the Field-Weakening Region. *Foo, G.H.B.*, +, *TPEL Feb. 2017 1289-1298*

Single-Switch High-Frequency DC-DC Converter Using Parasitic Components. *Chung, E.*, +, *TPEL May 2017 3651-3661*

Induction heating

Interleaved Resonant Boost Inverter Featuring SiC Module for High-Performance Induction Heating. *Sarnago, H.*, +, *TPEL Feb. 2017 1018-1029*

Reduced-Order Models of Series Resonant Inverters in Induction Heating Applications. *Dominguez, A.*, +, *TPEL March 2017 2300-2311*

Suppression of Time-Varying Interharmonics Produced by Medium-Frequency Induction Melting Furnaces by a HAPF System. *Durna, E.*, +, *TPEL Feb. 2017 1030-1043*

Induction motor drives

A Harmonic Suppression Scheme for Full Speed Range of a Two-Level Inverter Fed Induction Motor Drive Using Switched Capacitive Filter. *Pramanick, S.*, +, *TPEL March 2017 2064-2071*

A Novel Flux Estimator Based on Multiple Second-Order Generalized Integrators and Frequency-Locked Loop for Induction Motor Drives. *Zhao, R.*, +, *TPEL Aug. 2017 6286-6296*

A Performance Investigation of a Four-Switch Three-Phase Inverter-Fed IM Drives at Low Speeds Using Fuzzy Logic and PI Controllers. *Zaky, M.S.*, +, *TPEL May 2017 3741-3753*

A Speed and Flux Observer of Induction Motor Based on Extended Kalman Filter and Markov Chain. *Yin, Z.*, +, *TPEL Sept. 2017 7096-7117*

A Unified Analysis of the Fault Tolerance Capability in Six-Phase Induction Motor Drives. *Munim, W.N.W.A.*, +, *TPEL Oct. 2017 7824-7836*

An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D.*, +, *TPEL May 2017 3731-3740*

An Optimized Hybrid SVPWM Strategy Based on Multiple Division of Active Vector Time (MDAVT). *Biswas, J.*, +, *TPEL June 2017 4607-4618*

Common-Mode-Voltage-Reduced Model-Predictive Control Scheme for Current-Source-Converter-Fed Induction Motor Drives. *Gao, H.*, +, *TPEL June 2017 4891-4904*

Decoupled PWM Control of a Dual-Inverter Four-Level Five-Phase Drive. *Darijevic, M.*, +, *TPEL May 2017 3719-3730*

Direct Torque Control Scheme for a Six-Phase Induction Motor With Reduced Torque Ripple. *Pandit, J.K.*, +, *TPEL Sept. 2017 7118-7129*

Direct Torque Control With Feedback Linearization for Induction Motor Drives. *Lasca, C.*, +, *TPEL March 2017 2072-2080*

Experimental Comparisons Between Modular Multilevel DSCC Inverters and TSBC Converters for Medium-Voltage Motor Drives. *Okazaki, Y.*, +, *TPEL March 2017 1805-1817*

Extending the Linear Modulation Range to the Full Base Speed Using a Single DC-Link Multilevel Inverter With Capacitor-Fed H-Bridges for IM Drives. *S, A.R.*, +, *TPEL July 2017 5450-5458*

Fault-Tolerant Control of Six-Phase Induction Motor Drives With Variable Current Injection. *Gonzalez-Prieto, I.*, +, *TPEL Oct. 2017 7894-7903*

Fifth- and Seventh-Order Harmonic Elimination With Multilevel Dodecagonal Voltage Space Vector Structure for IM Drive Using a Single DC Source for the Full Speed Range. *Boby, M.*, +, *TPEL Jan. 2017 60-68*

Finite-State Predictive Torque Control of Induction Motor Supplied From a Three-Level NPC Voltage Source Inverter. *Habibullah, M.*, +, *TPEL Jan. 2017 479-489*

Generation of Higher Number of Voltage Levels by Stacking Inverters of Lower Multilevel Structures With Low Voltage Devices for Drives. *Nair, R. V.*, +, *TPEL Jan. 2017 52-59*

Impact of Postfault Flux Adaptation on Six-Phase Induction Motor Drives With Parallel Converters. *Gonzalez-Prieto, I.*, +, *TPEL Jan. 2017 515-528*

Model Predictive Direct Slope Control for Power Converters. *Riar, B.S.*, +, *TPEL March 2017 2278-2289*

Multiojective Fuzzy-Decision-Making Predictive Torque Control for an Induction Motor Drive. *Rojas, C.A.*, +, *TPEL Aug. 2017 6245-6260*

Online Decoupled Stator and Rotor Resistances Adaptation for Speed Sensorless Induction Motor Drives by a Time-Division Approach. *Chen, J.*, +, *TPEL June 2017 4587-4599*

Pole-Phase Modulated Multiphase Induction Motor Drive With Reduced Torque Ripple and Improved DC Link Utilization. *Umesh, B.S.*, +, *TPEL Oct. 2017 7862-7869*

Induction motors

A Detection Method for Induction Motor Bar Fault Using Sidelobes Leakage Phenomenon of the Sliding Discrete Fourier Transform. *Moussa, M.A.*, +, *TPEL July 2017 5560-5572*

Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V.*, +, *TPEL July 2017 5398-5410*

Direct Torque Control of Five-Phase Induction Motor With Common-Mode Voltage and Current Harmonics Reduction. *Tatte, Y.N.*, +, *TPEL Nov. 2017 8644-8654*

Sensorless Control of IM for Limp-Home Mode EV Applications. *Dehghan-Azad, E.*, +, *TPEL Sept. 2017 7140-7150*

Smart Electrical Grid Interface Using Floating H-Bridges to Improve the Performance of Induction Motors. *Ul Haque, A.R.N.M.R.*, +, *TPEL Oct. 2017 7851-7861*

Inductive power transmission

Q Controllable Antenna as a Potential Means for Wide-Area Sensing and Communication in Wireless Charging via Coupled Magnetic Resonances. *Nakamura, S.*, +, *TPEL Jan. 2017 218-232*

A 3-kW Wireless Power Transfer System for Sightseeing Car Supercapacitor Charge. *Li, Z.*, +, *TPEL May 2017 3301-3316*

A Dual-Output Wireless Power Transfer System With Active Rectifier and Three-Level Operation. *Lu, Y.*, +, *TPEL Feb. 2017 927-930*

A Gain Boosting Array Technique for Weakly-Coupled Wireless Power Transfer. *Zhao, B.*, +, *TPEL Sept. 2017 7130-7139*

A Matrix Converter-Based Bidirectional Contactless Grid Interface. *Weerasinghe, S.*, +, *TPEL March 2017 1755-1766*

A Mistuning-Tolerant and Controllable Power Supply for Roadway Wireless Power Systems. *Kamineni, A.*, +, *TPEL Sept. 2017 6689-6699*

A New Integration Method for an Electric Vehicle Wireless Charging System Using LCC Compensation Topology: Analysis and Design. *Kan, T.*, +, *TPEL Feb. 2017 1638-1650*

A Novel Design Methodology for High-Efficiency Current-Mode and Voltage-Mode Class-E Power Amplifiers in Wireless Power Transfer systems. *Liu, S.*, +, *TPEL June 2017 4514-4523*

A Novel Soft Switching Bidirectional DC–DC Converter Using Magnetic and Capacitive Hybrid Power Transfer. *Ishigaki, M.*, +, *TPEL Sept. 2017 6961-6970*

Active and Reactive Currents Decomposition-Based Control of Angle and Magnitude of Current for a Parallel Multiinverter IPT System. *Li, Y.*, +, *TPEL Feb. 2017 1602-1614*

Analysis and Design of A Robust Class E^2 DC–DC Converter for Megahertz Wireless Power Transfer. *Liu, M.*, +, *TPEL April 2017 2835-2845*

Capacitive Power Transfer System With a Mixed-Resonant Topology for Constant-Current Multiple-Pickup Applications. *Su, Y.*, +, *TPEL Nov. 2017 8778-8786*

Class-E Half-Wave Zero dv/dt Rectifiers for Inductive Power Transfer. *Kkellis, G.*, +, *TPEL Nov. 2017 8322-8337*

Comparative Analysis of Two-Coil and Three-Coil Structures for Wireless Power Transfer. *Zhang, J.*, +, *TPEL Jan. 2017 341-352*

Design Consideration and Comparison of Wireless Power Transfer via Harmonic Current for PHEV and EV Wireless Charging. *Zeng, H.*, +, *TPEL Aug. 2017 5943-5952*

Fine Tuning of an Inductive Link Through a Voltage-Controlled Capacitance. *Porto, R.W.*, +, *TPEL May 2017 4115-4124*

Full-Duplex Communication on the Shared Channel of a Capacitively Coupled Power Transfer System. *Su, Y.*, +, *TPEL April 2017 3229-3239*

Higher Order Compensation for Inductive-Power-Transfer Converters With Constant-Voltage or Constant-Current Output Combating Transformer Parameter Constraints. *Qu, X.*, +, *TPEL Jan. 2017 394-405*

Inductive Power Transfer for Massive Electric Bicycles Charging Based on Hybrid Topology Switching With a Single Inverter. *Mai, R.*, +, *TPEL Aug. 2017 5897-5906*

Intermediate Range Wireless Power Transfer With Segmented Coil Transmitters for Implantable Heart Pumps. *Tang, S.C.*, +, *TPEL May 2017 3844-3857*

Low-Harmonic-Contents and High-Efficiency Class E Full-Wave Current-Driven Rectifier for Megahertz Wireless Power Transfer Systems. *Liu, M.*, +, *TPEL Feb. 2017 1198-1209*

Mathematic Analysis of Omnidirectional Wireless Power Transfer—Part-II Three-Dimensional Systems. *Lin, D.*, +, *TPEL Jan. 2017 613-624*

Mathematical Analysis of Omnidirectional Wireless Power Transfer—Part-I: Two-Dimensional Systems. *Lin, D.*, +, *TPEL Jan. 2017 625-633*

Misalignment Sensitivity of Strongly Coupled Wireless Power Transfer Systems. *Liu, D.*, +, *TPEL July 2017 5509-5519*

Modeling and Analysis of AC Output Power Factor for Wireless Chargers in Electric Vehicles. *Zhang, X.*, +, *TPEL Feb. 2017 1481-1492*

Modeling and Optimization of Magnetically Coupled Resonant Wireless Power Transfer System With Varying Spatial Scales. *Liu, F.*, +, *TPEL April 2017 3240-3250*

Power Stabilization Based on Efficiency Optimization for WPT Systems With Single Relay by Frequency Configuration and Distribution Design of Receivers. *Wang, W.*, +, *TPEL Sept. 2017 7011-7024*

Principle and Application of the Contactless Load Detection Based on the Amplitude Decay Rate in a Transient Process. *Hu, S.*, +, *TPEL Nov. 2017 8936-8944*

Self-Tuning Power Supply for Inductive Charging. *Kamineni, A.*, +, *TPEL May 2017 3467-3479*

SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H.*, +, *TPEL Nov. 2017 8813-8822*

Six Degrees of Freedom Wide-Range Ubiquitous IPT for IoT by DQ Magnetic Field. *Lee, E.S.*, +, *TPEL Nov. 2017 8258-8276*

The Recognition and Control of Nonideal Soft-Switching Frequency for Wireless Power Transfer System Based on Waveform Identification. *Sun, Y.*, +, *TPEL Aug. 2017 6617-6627*

Time-Domain Analysis of Voltage-Driven Series-Series Compensated Inductive Power Transfer Topology. *Safaei, A.*, +, *TPEL July 2017 4981-5003*

Tripolar Pad for Inductive Power Transfer Systems for EV Charging. *Kim, S.*, +, *TPEL July 2017 5045-5057*

Use of Transmitter-Side Electrical Information to Estimate System Parameters of Wireless Inductive Links. *Chow, J.P.*, +, *TPEL Sept. 2017 7169-7186*

Variable Frequency Controller for Inductive Power Transfer in Dynamic Conditions. *Gati, E.*, +, *TPEL Feb. 2017 1684-1696*

Wide-Range Adaptive IPT Using Dipole-Coils With a Reflector by Variable Switched Capacitance. *Lee, E.S.*, +, *TPEL Oct. 2017 8054-8070*

Wireless Power Transmitter and Receiver Supporting 200-kHz and 6.78-MHz Dual-Band Operation without Magnetic Field Canceling. *Ahn, D.*, +, *TPEL Sept. 2017 7068-7082*

Inductors

0.6- μm CMOS-Switched-Inductor Dual-Supply Hysteretic Current-Mode Buck Converter. *Solis, C.J.*, +, *TPEL March 2017 2387-2394*

A Cost-Effective Zero-Voltage Switching Dual-Output LED Driver. *Ramanjaneya Reddy, U.*, +, *TPEL Oct. 2017 7941-7953*

A Discontinuous Conduction Mode Single-Stage Step-Up Rectifier for Low-Voltage Energy Harvesting Applications. *Yu, L.*, +, *TPEL Aug. 2017 6161-6169*

A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*

A High Step-up PWM DC-DC Converter With Coupled-Inductor and Resonant Switched-Capacitor. *Ye, Y.*, +, *TPEL Oct. 2017 7739-7749*

A Magnetic Integrated LLCL Filter for Grid-Connected Voltage-Source Converters. *Fang, J.*, +, *TPEL March 2017 1725-1730*

A New Single-Phase Switched-Coupled-Inductor DC–AC Inverter for Photovoltaic Systems. *Kim, K.*, +, *TPEL July 2017 5016-5022*

A Three-Level Space Vector Modulation Scheme for Paralleled Converters to Reduce Circulating Current and Common-Mode Voltage. *Quan, Z.*, +, *TPEL Jan. 2017 703-714*

A Wide Load Range ZVS Push–Pull DC/DC Converter With Active Clamped. *Wu, Q.*, +, *TPEL April 2017 2865-2875*

Active Virtual Ground—Bridgeless PFC Topology. *Ho, C.N.M.*, +, *TPEL Aug. 2017 6206-6218*

An Impedance Network Boost Converter With a High-Voltage Gain. *Zhang, G.*, +, *TPEL Sept. 2017 6661-6665*

An Off-line Single-Inductor Multiple-Output LED Driver With High Dimming Precision and Full Dimming Range. *Li, S.*, +, *TPEL June 2017 4716-4727*

Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control. *Alonso, J.M.*, +, *TPEL Dec. 2017 9179-9190*

- Analysis, Design, and Experimentation of a Dimmable Resonant-Switched-Capacitor LED Driver With Variable Inductor Control. *Martins, M.*, +, *TPEL April 2017 3051-3062*
- Cascaded Dual-Buck AC-AC Converter With Reduced Number of Inductors. *Khan, A.A.*, +, *TPEL Oct. 2017 7509-7520*
- Current-Stress Reduction for the Neutral Inductor of Θ -Converters. *Ming, W.*, +, *TPEL April 2017 2794-2807*
- Design of Inductors With Significant AC Flux. *Zhang, Z.*, +, *TPEL Jan. 2017 529-539*
- Fully Integrated Buck Converter With Fourth-Order Low-Pass Filter. *Tang, N.*, +, *TPEL May 2017 3700-3707*
- Generation of the Large DC Gain Step-Up Nonisolated Converters in Conjunction With Renewable Energy Sources Starting From a Proposed Geometric Structure. *Li, K.*, +, *TPEL July 2017 5323-5340*
- High-Frequency Resonance Damping of DFIG-Based Wind Power System Under Weak Network. *Song, Y.*, +, *TPEL March 2017 1927-1940*
- Investigation Into the Use of Single Inductor for Driving Multiple Series-Connected LED Channels. *Zhan, X.*, +, *TPEL April 2017 3034-3050*
- Magnetic Integration of Three-Phase LCL Filter With Delta-Yoke Composite Core. *Liu, Y.*, +, *TPEL May 2017 3835-3843*
- Maximum Boost Control of Diode-Assisted Buck-Boost Voltage-Source Inverter With Minimum Switching Frequency. *Zhang, Y.*, +, *TPEL Feb. 2017 1533-1547*
- Modeling Single Inductor DC-DC Converters With Thermal Phenomena in the Inductor Taken Into Account. *Detka, K.*, +, *TPEL Sept. 2017 7025-7033*
- Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*
- Optimal Inductor Current in Boost DC/DC Converters Regulating the Input Voltage Applied to Low-Power Photovoltaic Modules. *Reverter, F.*, +, *TPEL Aug. 2017 6188-6196*
- Optimized Integrated Harmonic Filter Inductor for Dual-Converter-Fed Open-End Transformer Topology. *Gohil, G.*, +, *TPEL March 2017 1818-1831*
- Single-Stage Single-Switch Four-Output Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL June 2017 4566-4576*
- Single-Stage Three-Phase Current-Source Photovoltaic Grid-Connected Inverter High Voltage Transmission Ratio. *Chen, D.*, +, *TPEL Oct. 2017 7591-7601*
- SVM Strategies for Common-Mode Current Reduction in Transformerless Current-Source Drives at Low Modulation Index. *Lian, Y.*, +, *TPEL Feb. 2017 1312-1323*
- Triple Phase Shift Control of an LLL Tank Based Bidirectional Dual Active Bridge Converter. *Muthuraj, S.S.*, +, *TPEL Oct. 2017 8035-8053*
- Two-Switch Forward Converter With Reset Winding and an Auxiliary Active-Clamp Circuit for a Wide Input Voltage Range. *Jang, P.*, +, *TPEL June 2017 4491-4502*
- Ultrahigh Step-Down Converter With Wide Input Voltage Range Based on Topology Exchange. *Yau, Y.T.*, +, *TPEL July 2017 5341-5364*
- Very High Frequency IVR for Small Portable Electronics With High-Current Multiphase 3-D Integrated Magnetics. *Hou, D.*, +, *TPEL Nov. 2017 8705-8717*
- Wireless Power Transmitter and Receiver Supporting 200-kHz and 6.78-MHz Dual-Band Operation without Magnetic Field Canceling. *Ahn, D.*, +, *TPEL Sept. 2017 7068-7082*
- Zero-Ripple Input-Current High-Step-Up Boost-SEPIC DC-DC Converter With Reduced Switch-Voltage Stress. *Lee, S.*, +, *TPEL Aug. 2017 6170-6177*
- Zero-Voltage-Transition Interleaved Boost Converter With an Auxiliary Coupled Inductor. *Yi, J.*, +, *TPEL Aug. 2017 5917-5930*
- Infrared imaging**
- Efficient Measurement of Thermal Coupling Effects on Multichip Light-Emitting Diodes. *Lu, H.*, +, *TPEL Dec. 2017 9280-9292*
- Insulated gate bipolar transistors**
- A Fault-Tolerant Series-Resonant DC-DC Converter. *Costa, L.*, +, *TPEL Feb. 2017 900-905*
- A Hybrid Active Gate Drive for Switching Loss Reduction and Voltage Balancing of Series-Connected IGBTs. *Zhang, F.*, +, *TPEL Oct. 2017 7469-7481*
- A Temperature Gradient-Based Potential Defects Identification Method for IGBT Module. *Gao, B.*, +, *TPEL March 2017 2227-2242*
- A Voltage Model of p-i-n Diodes at Reverse Recovery Under Short-Time Freewheeling. *Luo, Y.*, +, *TPEL Jan. 2017 142-149*
- Accurate SPICE Modeling of Reverse-Conducting IGBTs Including Self-Heating Effects. *Riccio, M.*, +, *TPEL April 2017 3088-3098*
- Active Current Source IGBT Gate Drive With Closed-Loop di/dt and dv/dt Control. *Shu, L.*, +, *TPEL May 2017 3787-3796*
- Active-Forced-Commutated Bridge Using Hybrid Devices for High Efficiency Voltage Source Converters. *Li, P.*, +, *TPEL April 2017 2485-2489*
- Analytical and Experimental Investigation on A Dynamic Thermo-Sensitive Electrical Parameter With Maximum dI_c/dt During Turn-off for High Power Trench Gate/Field-Stop IGBT Modules. *Chen, Y.*, +, *TPEL Aug. 2017 6394-6404*
- Comparative Life Cycle Cost Analysis of Si and SiC PV Converter Systems Based on Advanced η - ρ - σ Multiobjective Optimization Techniques. *Burkart, R.M.*, +, *TPEL June 2017 4344-4358*
- Condition Monitoring IGBT Module Bond Wires Fatigue Using Short-Circuit Current Identification. *Sun, P.*, +, *TPEL May 2017 3777-3786*
- Cu@Sn Core-Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding. *Chen, H.*, +, *TPEL Jan. 2017 441-451*
- Dynamic Electrothermal Model of Paralleled IGBT Modules With Unbalanced Stray Parameters. *Tang, Y.*, +, *TPEL Feb. 2017 1385-1399*
- Effects of Auxiliary-Source Connections in Multichip Power Module. *Li, H.*, +, *TPEL Oct. 2017 7816-7823*
- Evaluation of V_{ce} at Inflection Point for Monitoring Bond Wire Degradation in Discrete Packaged IGBTs. *Singh, A.*, +, *TPEL April 2017 2481-2484*
- Experimental Investigation on the Effects of Narrow Junction Temperature Cycles on Die-Attach Solder Layer in an IGBT Module. *Lai, W.*, +, *TPEL Feb. 2017 1431-1441*
- Harmonic Analysis and Controller Design of 15 kV SiC IGBT-Based Medium-Voltage Grid-Connected Three-Phase Three-Level NPC Converter. *Madhusoodhanan, S.*, +, *TPEL May 2017 3355-3369*
- IR Camera Validation of IGBT Junction Temperature Measurement via Peak Gate Current. *Baker, N.*, +, *TPEL April 2017 3099-3111*
- Measurement of IGBT High-Frequency Input Impedance in Short Circuit. *Abbate, C.*, +, *TPEL Jan. 2017 584-592*
- Modeling Inductive Switching Characteristics of High-Speed Buffer Layer IGBT. *Xue, P.*, +, *TPEL April 2017 3075-3087*
- Online High-Power p-i-n Diode Junction Temperature Extraction With Reverse Recovery Fall Storage Charge. *Luo, H.*, +, *TPEL April 2017 2558-2567*
- Reliability Evaluation of Multichip Phase-Leg IGBT Modules Using Pressureless Sintering of Nanosilver Paste by Power Cycling Tests. *Fu, S.*, +, *TPEL Aug. 2017 6049-6058*
- Reliability Improvement of Power Converters by Means of Condition Monitoring of IGBT Modules. *Choi, U.*, +, *TPEL Oct. 2017 7990-7997*
- Single-Phase Single-Stage Isolated ZCS Current-Fed Full-Bridge Converter for High-Power AC/DC Applications. *Li, C.*, +, *TPEL Sept. 2017 6800-6812*
- Sinusoidal Input Current Discontinuous Conduction Mode Control of the VIENNA Rectifier. *Leibl, M.*, +, *TPEL Nov. 2017 8800-8812*
- Study on Effect of Junction Temperature Swing Duration on Lifetime of Transfer Molded Power IGBT Modules. *Choi, U.*, +, *TPEL Aug. 2017 6434-6443*
- Voltage Vector Error Fault Diagnosis for Open-Circuit Faults of Three-Phase Four-Wire Active Power Filters. *Zhang, H.*, +, *TPEL March 2017 2215-2226*

Integer programming

High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B.*, +, *TPEL May 2017 4007-4020*

Mixed-Integer-Linear-Programming-Based Energy Management System for Hybrid PV-Wind-Battery Microgrids: Modeling, Design, and Experimental Verification. *Luna, A.C.*, +, *TPEL April 2017 2769-2783*

Integral equations

A Fast-Convergent Modulation Integral Observer for Online Detection of the Fundamental and Harmonics in Grid-Connected Power Electronics Systems. *Chen, B.*, +, *TPEL April 2017 2596-2607*

Inductance Calculations for Circular Coils With Rectangular Cross Section and Parallel Axes Using Inverse Mellin Transform and Generalized Hypergeometric Functions. *Luo, Y.*, +, *TPEL Feb. 2017 1367-1374*

Integrated circuit bonding

Thermal Management and Electromagnetic Analysis for GaN Devices Packaging on DBC Substrate. *Yu, C.*, +, *TPEL Feb. 2017 906-910*

Integrated circuit design

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*

Integrated circuit manufacture

Synchronous Double-Pumping Technique for Integrated Current-Mode PWM DC–DC Converters Demand on Fast-Transient Response. *Wu, K.*, +, *TPEL Jan. 2017 849-865*

Integrated circuit noise

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*

Integrated circuit packaging

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*

Integrated memory circuits

A Three-Phase Multioptimal PWM Implemented on 2-Gbit Flash Memory Integrated Circuits. *Neacsu, D.O.*, +, *TPEL July 2017 5813-5826*

Integrating circuits

A New Output Current Measurement Method With Tiny PCB Sensors Capable of Being Embedded in an IGBT Module. *Hasegawa, K.*, +, *TPEL March 2017 1707-1712*

A Novel Flux Estimator Based on Multiple Second-Order Generalized Integrators and Frequency-Locked Loop for Induction Motor Drives. *Zhao, R.*, +, *TPEL Aug. 2017 6286-6296*

Intelligent control

A Digital Current Control Technique for Grid-Connected AC/DC Converters Used for Energy Storage Systems. *Eren, S.*, +, *TPEL May 2017 3970-3988*

Interference suppression

A DC-Voltage-Controlled Variable Capacitor for Stabilizing the ZVS Frequency of a Resonant Converter for Wireless Power Transfer. *Tian, J.*, +, *TPEL March 2017 2312-2318*

A Design of a 92.4% Efficiency Triple Mode Control DC–DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. *Park, Y.*, +, *TPEL Sept. 2017 6946-6960*

Conducted EMI Mitigation Schemes in Isolated Switching-Mode Power Supply Without the Need of a Y-Capacitor. *Bai, Y.*, +, *TPEL April 2017 2687-2703*

Full-Duplex Communication on the Shared Channel of a Capacitively Coupled Power Transfer System. *Su, Y.*, +, *TPEL April 2017 3229-3239*

Reduction of Common Mode Voltage and Conducted EMI Through Three-Phase Inverter Topology. *Morris, C.T.*, +, *TPEL March 2017 1720-1724*

Internal combustion engines

An Adaptive Power-Split Strategy for Battery–Supercapacitor Powertrain—Design, Simulation, and Experiment. *Sun, L.*, +, *TPEL Dec. 2017 9364-9375*

Sizing of Energy System of a Hybrid Lithium Battery RTG Crane. *Niu, W.*, +, *TPEL Oct. 2017 7837-7844*

Internet of Things

A Design of a 92.4% Efficiency Triple Mode Control DC–DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. *Park, Y.*, +, *TPEL Sept. 2017 6946-6960*

Six Degrees of Freedom Wide-Range Ubiquitous IPT for IoT by DQ Magnetic Field. *Lee, E.S.*, +, *TPEL Nov. 2017 8258-8276*

Interrupters

A New-Coupled-Inductor Circuit Breaker for DC Applications. *Corzine, K.A.*, *TPEL Feb. 2017 1411-1418*

Inverse transforms

Inductance Calculations for Circular Coils With Rectangular Cross Section and Parallel Axes Using Inverse Mellin Transform and Generalized Hypergeometric Functions. *Luo, Y.*, +, *TPEL Feb. 2017 1367-1374*

Inverters

A 2-kW Single-Phase Seven-Level Flying Capacitor Multilevel Inverter With an Active Energy Buffer. *Lei, Y.*, +, *TPEL Nov. 2017 8570-8581*

A Boost-Inverter-Based Bipolar High-Voltage Pulse Generator. *Elserougi, A.*, +, *TPEL April 2017 2846-2855*

A Capacitance-Minimized, Doubly Grounded Transformer less Photovoltaic Inverter With Inherent Active-Power Decoupling. *Xia, Y.*, +, *TPEL July 2017 5188-5201*

A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B.*, +, *TPEL July 2017 5590-5600*

A Dual-Level Hysteresis Current Control for One Five-Leg VSI to Control Two PMSMs. *Wang, W.*, +, *TPEL Jan. 2017 804-814*

A Fast Electro-Thermal Model of Traction Inverters for Electrified Vehicles. *Ye, J.*, +, *TPEL May 2017 3920-3934*

A Four-Switch Single-Stage Single-Phase Buck–Boost Inverter. *Kumar, A.*, +, *TPEL July 2017 5282-5292*

A General Control Method for Multilevel Converters Based on Knapsack Problem. *Amini, J.*, +, *TPEL Jan. 2017 2-10*

A Medium-Frequency Transformer-Based Wind Energy Conversion System Used for Current-Source Converter-Based Offshore Wind Farm. *Wei, Q.*, +, *TPEL Jan. 2017 248-259*

A New Output Current Measurement Method With Tiny PCB Sensors Capable of Being Embedded in an IGBT Module. *Hasegawa, K.*, +, *TPEL March 2017 1707-1712*

A New Six-Switch Five-Level Active Neutral Point Clamped Inverter for PV Applications. *Wang, H.*, +, *TPEL Sept. 2017 6700-6715*

A Novel Nine-Level Inverter Employing One Voltage Source and Reduced Components as High-Frequency AC Power Source. *Liu, J.*, +, *TPEL April 2017 2939-2947*

A Performance Investigation of a Four-Switch Three-Phase Inverter-Fed IM Drives at Low Speeds Using Fuzzy Logic and PI Controllers. *Zaky, M.S.*, +, *TPEL May 2017 3741-3753*

A PV Micro-inverter With PV Current Decoupling Strategy. *Liao, C.*, +, *TPEL Aug. 2017 6544-6557*

A Seven-Switch Five-Level Active-Neutral-Point-Clamped Converter and Its Optimal Modulation Strategy. *Wang, H.*, +, *TPEL July 2017 5146-5161*

A Simplified Space-Vector Modulation Algorithm for Four-Leg NPC Converters. *Rojas, F.*, +, *TPEL Nov. 2017 8371-8380*

A Solid State Variable Capacitor With Minimum Capacitor. *Chen, R.*, +, *TPEL July 2017 5035-5044*

A Synchronization Scheme for Single-Phase Grid-Tied Inverters Under Harmonic Distortion and Grid Disturbances. *Hadjidemetriou, L.*, +, *TPEL April 2017 2784-2793*

A Three-Phase Hybrid Cascaded Modular Multilevel Inverter for Renewable Energy Environment. *Karasani, R.R.*, +, *TPEL Feb. 2017 1070-1087*

A Voltage Model of p-i-n Diodes at Reverse Recovery Under Short-Time Freewheeling. *Luo, Y.*, +, *TPEL Jan. 2017 142-149*

Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction. *Lam, C.*, +, *TPEL Oct. 2017 7577-7590*

An Active Trap Filter for Switching Harmonic Attenuation of Low-Pulse-Ratio Inverters. *Bai, H.*, +, *TPEL Dec. 2017 9078-9092*

- An Approach for Switched Reluctance Generator in a Wind Generation System With a Wide Range of Operation Speed. *Barros, T.A.d.S.*, +, *TPEL Nov. 2017 8277-8292*
- An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D.*, +, *TPEL May 2017 3731-3740*
- An Enhanced Dual Droop Control Scheme for Resilient Active Power Sharing Among Paralleled Two-Stage Converters. *Liu, H.*, +, *TPEL Aug. 2017 6091-6104*
- An Improved Proportional Load-Sharing Strategy for Meshed Parallel Inverters System With Complex Impedances. *Lin, L.*, +, *TPEL Sept. 2017 7338-7351*
- An Improved Virtual Space Vector Modulation Scheme for Three-Level Active Neutral-Point-Clamped Inverter. *Hu, C.*, +, *TPEL Oct. 2017 7419-7434*
- An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. *Koc, M.*, +, *TPEL Jan. 2017 490-502*
- An Isolated Bidirectional Single-Stage DC-AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification. *Wang, M.*, +, *TPEL March 2017 1832-1843*
- An Online Transformerless Uninterruptible Power Supply (UPS) System With a Smaller Battery Bank for Low-Power Applications. *Aamir, M.*, +, *TPEL Jan. 2017 233-247*
- An Optimized Three-Phase Multilevel Inverter Topology With Separate Level and Phase Sequence Generation Part. *Hota, A.*, +, *TPEL Oct. 2017 7414-7418*
- Analysis and Control of Neutral-Point Voltage for Transformerless Three-Level PV Inverter in LVRT Operation. *Shao, Z.*, +, *TPEL March 2017 2347-2359*
- Analysis of the Robustness of Transformerless PV Inverter Topologies to the Choice of Power Devices. *Jedberg, H.*, +, *TPEL July 2017 5248-5257*
- Bus Voltage Control of Cascaded Buck-Boost Power Amplifier Driving Inductive Load With 2.3-kW Peak Power. *Shin, J.*, +, *TPEL May 2017 4107-4114*
- Characterization of Input Current Interharmonics in Adjustable Speed Drives. *Soltani, H.*, +, *TPEL Nov. 2017 8632-8643*
- Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C.*, +, *TPEL July 2017 5227-5247*
- Common-Mode-Voltage-Reduced Model-Predictive Control Scheme for Current-Source-Converter-Fed Induction Motor Drives. *Gao, H.*, +, *TPEL June 2017 4891-4904*
- Comparative Life Cycle Cost Analysis of Si and SiC PV Converter Systems Based on Advanced η - ρ - σ Multiobjective Optimization Techniques. *Burkart, R.M.*, +, *TPEL June 2017 4344-4358*
- Control of a Single-Phase Standalone Inverter Without an Output Voltage Sensor. *Mukherjee, S.*, +, *TPEL July 2017 5601-5612*
- Current-Sensorless Power-Decoupling Phase-Shift Dual-Half-Bridge Converter for DC-AC Power Conversion Systems Without Electrolytic Capacitor. *Irfan, M.S.*, +, *TPEL May 2017 3610-3622*
- DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R.*, +, *TPEL June 2017 4812-4826*
- Deadtime Compensation for Model Predictive Control of Power Inverters. *Townsend, C.D.*, +, *TPEL Sept. 2017 7325-7337*
- Design and Steady-State Analysis of Parallel Resonant DC-DC Converter for High-Voltage Power Generator. *Hsu, W.*, +, *TPEL Feb. 2017 957-966*
- Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation. *Reichl, J.*, +, *TPEL Jan. 2017 503-514*
- Direct Model Predictive Current Control Strategy of Quasi-Z-Source Inverters. *Ayad, A.*, +, *TPEL July 2017 5786-5801*
- Direct Torque Control of Five-Phase Induction Motor With Common-Mode Voltage and Current Harmonics Reduction. *Tatte, Y.N.*, +, *TPEL Nov. 2017 8644-8654*
- Direct Torque Control Scheme for a Six-Phase Induction Motor With Reduced Torque Ripple. *Pandit, J.K.*, +, *TPEL Sept. 2017 7118-7129*
- Distributed Control and Redundant Technique to Achieve Superior Reliability for Fully Modular Input-Series-Output-Parallel Inverter System. *Fang, T.*, +, *TPEL Jan. 2017 723-735*
- Dyna-C: A Minimal Topology for Bidirectional Solid-State Transformers. *Chen, H.*, +, *TPEL Feb. 2017 995-1005*
- Experimental Comparisons Between Modular Multilevel DSCC Inverters and TSBC Converters for Medium-Voltage Motor Drives. *Okazaki, Y.*, +, *TPEL March 2017 1805-1817*
- Fault-Tolerant Inverter for High-Speed Low-Inductance BLDC Drives in Aerospace Applications. *Li, H.*, +, *TPEL March 2017 2452-2463*
- Finite-State Predictive Torque Control of Induction Motor Supplied From a Three-Level NPC Voltage Source Inverter. *Habibullah, M.*, +, *TPEL Jan. 2017 479-489*
- High-Performance Predictive Control of Quasi-Impedance Source Inverter. *Mosa, M.*, +, *TPEL April 2017 3251-3262*
- Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M.*, +, *TPEL Oct. 2017 8204-8217*
- Impedance-Phased Dynamic Control Method for Grid-Connected Inverters in a Weak Grid. *Chen, X.*, +, *TPEL Jan. 2017 274-283*
- Improved Dual Boost Inverter With Half Cycle Modulation. *Tang, Y.*, +, *TPEL Oct. 2017 7543-7552*
- Improved PV Inverter Operating Range Using a Miniboost. *Serban, E.*, +, *TPEL Nov. 2017 8470-8485*
- Incorporation of Harmonic Injection in an Interleaved Flyback Inverter for the Implementation of an Active Anti-Islanding Technique. *Voglitsis, D.*, +, *TPEL Nov. 2017 8526-8543*
- Inductive Power Transfer for Massive Electric Bicycles Charging Based on Hybrid Topology Switching With a Single Inverter. *Mai, R.*, +, *TPEL Aug. 2017 5897-5906*
- Industrial Inverter Current Sensing With Three Shunt Resistors: Limitations and Solutions. *Zhang, Z.*, +, *TPEL June 2017 4577-4586*
- Inverse Nyquist Stability Criterion for Grid-Tied Inverters. *Wen, B.*, +, *TPEL Feb. 2017 1548-1556*
- Iterative Learning Controller With Multiple Phase-Lead Compensation for Dual-Mode Flyback Inverter. *Kim, H.*, +, *TPEL Aug. 2017 6468-6480*
- Magnetic Integration of Three-Phase LCL Filter With Delta-Yoke Composite Core. *Liu, Y.*, +, *TPEL May 2017 3835-3843*
- Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter. *Guzman, R.*, +, *TPEL July 2017 5637-5650*
- Model-Based Fault Detection and Identification for Switching Power Converters. *Poon, J.*, +, *TPEL Feb. 2017 1419-1430*
- Modeling and Optimization of a Zero-Voltage Switching Inverter for High Efficiency and Miniaturization. *Du, C.*, +, *TPEL Jan. 2017 150-163*
- Modeling and Resonance Analysis of Multiparallel Inverters System Under Asynchronous Carriers Conditions. *Yu, C.*, +, *TPEL April 2017 3192-3205*
- Modified Cascaded Boundary-Deadbeat Control for a Virtually-Grounded Three-Phase Grid-Connected Inverter With LCL Filter. *He, Y.*, +, *TPEL Oct. 2017 8163-8180*
- Multi-topology-Mode Grid-Connected Inverter to Improve Comprehensive Performance of Renewable Energy Source Generation System. *Wu, F.*, +, *TPEL May 2017 3623-3633*
- Multifault Tolerance Strategy for Three-Phase Multilevel Converters Based on a Half-Wave Symmetrical Selective Harmonic Elimination Technique. *Aleenejad, M.*, +, *TPEL Oct. 2017 7980-7989*
- Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *Liu, Z.*, +, *TPEL April 2017 3154-3165*
- Photovoltaic Module-Integrated Stand-alone Single-Stage Switched Capacitor Inverter with Maximum Power Point Tracking. *Peter, P.K.*, +, *TPEL May 2017 3571-3584*
- Pole-Phase Modulated Multiphase Induction Motor Drive With Reduced Torque Ripple and Improved DC Link Utilization. *Umesh, B.S.*, +, *TPEL Oct. 2017 7862-7869*
- Reduction of Injection Voltage in Signal Injection Sensorless Drives Using a Capacitor-Integrated Inverter. *Kwon, Y.*, +, *TPEL Aug. 2017 6261-6274*
- Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine. *Abosh, A.H.*, +, *TPEL April 2017 2976-2986*

Repetitive Controller for VSIs in Droop-Based AC-Microgrid. *Trivedi, A.*, +, *TPEL Aug. 2017 6595-6604*

Resonance Interaction of Multiparallel Grid-Connected Inverters With LCL Filter. *Lu, M.*, +, *TPEL Feb. 2017 894-899*

Self-Oscillating Resonant Converter With Contactless Power Transfer and Integrated Current Sensing Transformer. *Xu, L.*, +, *TPEL June 2017 4839-4851*

Sequence-Impedance-Based Harmonic Stability Analysis and Controller Parameter Design of Three-Phase Inverter-Based Multibus AC Power Systems. *Cao, W.*, +, *TPEL Oct. 2017 7674-7693*

Single-Electrical-Port Control of Cascaded Doubly-Fed Induction Machine for EV/HEV Applications. *Han, P.*, +, *TPEL Sept. 2017 7233-7243*

Single-Phase Inverter Drive for Interior Permanent Magnet Machines. *Lee, K.*, +, *TPEL Feb. 2017 1355-1366*

Single-Stage Three-Phase Grid-Tied PV System With Universal Filtering Capability Applied to DG Systems and AC Microgrids. *Campanhol, L.B.G.*, +, *TPEL Dec. 2017 9131-9142*

Single-Step Current Control for Voltage Source Inverters With Fast Transient Response and High Convergence Speed. *Zhang, L.*, +, *TPEL Nov. 2017 8823-8832*

Six Degrees of Freedom Wide-Range Ubiquitous IPT for IoT by DQ Magnetic Field. *Lee, E.S.*, +, *TPEL Nov. 2017 8258-8276*

Small-Signal Model of Voltage Source Inverter (VSI) and Voltage Source Converter (VSC) Considering the DeadTime Effect and Space Vector Modulation Types. *Ahmed, S.*, +, *TPEL June 2017 4145-4156*

Speed Range Extended Maximum Torque Per Ampere Control for PM Drives Considering Inverter and Motor Nonlinearities. *Ge, H.*, +, *TPEL Sept. 2017 7151-7159*

Stability Analysis and Controller Synthesis for Single-Loop Voltage-Controlled VSIs. *Wang, X.*, +, *TPEL Sept. 2017 7394-7404*

Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X.*, +, *TPEL Sept. 2017 7306-7324*

Steady-State Simulation of LCI-Fed Synchronous Motor Drives Through a Computationally Efficient Algebraic Method. *Mohamadian, S.*, +, *TPEL Jan. 2017 452-470*

Study of a Current Control Strategy Based on Multisampling for High-Power Grid-Connected Inverters With an LCL filter. *Zhang, X.*, +, *TPEL July 2017 5023-5034*

Suppression of Time-Varying Interharmonics Produced by Medium-Frequency Induction Melting Furnaces by a HAPF System. *Durna, E.*, +, *TPEL Feb. 2017 1030-1043*

Synchronization of the carrier wave of parallel three-phase inverters with virtual oscillator control. *Hu, J.*, +, *TPEL Oct. 2017 7998-8007*

The Benefits of SiC mosfets in a T-Type Inverter for Grid-Tie Applications. *Anthon, A.*, +, *TPEL April 2017 2808-2821*

Variable Frequency Controller for Inductive Power Transfer in Dynamic Conditions. *Gati, E.*, +, *TPEL Feb. 2017 1684-1696*

Wide Input-Voltage Range Boost Three-Level DC-DC Converter With Quasi-Z Source for Fuel Cell Vehicles. *Zhang, Y.*, +, *TPEL Sept. 2017 6728-6738*

Wireless Power Transmitter and Receiver Supporting 200-kHz and 6.78-MHz Dual-Band Operation without Magnetic Field Canceling. *Ahn, D.*, +, *TPEL Sept. 2017 7068-7082*

Ion engines

A Novel Coupling Method of Power Supplies With High Power Density, Efficiency, and Fast Dynamic Response for Spacecraft Hollow Cathode Power Supply Applications. *Fu, M.*, +, *TPEL July 2017 5377-5387*

Irrigation

Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V.*, +, *TPEL July 2017 5398-5410*

Iterative learning control

Iterative Learning Controller With Multiple Phase-Lead Compensation for Dual-Mode Flyback Inverter. *Kim, H.*, +, *TPEL Aug. 2017 6468-6480*

Iterative methods

Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines. *Kim, Y.*, +, *TPEL Feb. 2017 1335-1345*

Design of Inductors With Significant AC Flux. *Zhang, Z.*, +, *TPEL Jan. 2017 529-539*

Dielectric Loss Factor Measurement in Power Systems Based on Sampling Sequence Reconstruction Approach. *Li, J.*, +, *TPEL June 2017 4766-4775*

J

Jacobian matrices

A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part I: Mathematical Derivations. *Aroudi, A.E.*, *TPEL July 2017 5651-5665*

Jitter

Impact of PWM Duty Cycle Jitter on Switching-Mode Power Converter Efficiency. *Wu, F.*, +, *TPEL Nov. 2017 8751-8762*

Junction gate field effect transistors

Forced Current Balancing of Parallel-Connected SiC JFETs During Forward and Reverse Conduction Mode. *Kokosis, S.G.*, +, *TPEL Feb. 2017 1400-1410*

K

Kalman filters

A Review of Prognostic Techniques for High-Power White LEDs. *Sun, B.*, +, *TPEL Aug. 2017 6338-6362*

A Speed and Flux Observer of Induction Motor Based on Extended Kalman Filter and Markov Chain. *Yin, Z.*, +, *TPEL Sept. 2017 7096-7117*

In-Service Diagnostics for Wire-Bond Lift-off and Solder Fatigue of Power Semiconductor Packages. *Eleffendi, M.A.*, +, *TPEL Sept. 2017 7187-7198*

Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter. *Guzman, R.*, +, *TPEL July 2017 5637-5650*

Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H_∞ Control Strategy. *Panigrahi, R.*, +, *TPEL April 2017 2622-2630*

Real-Time Parameter Estimation of DC-DC Converters Using a Self-Tuned Kalman Filter. *Ahmeid, M.*, +, *TPEL July 2017 5666-5674*

L

Lamps

Active Input Current Shaper Without an Electrolytic Capacitor for Retrofit Lamps Applications. *Lamar, D.G.*, +, *TPEL May 2017 3908-3919*

Laptop computers

Quasi-Parallel Voltage Regulator Topology for Powering Laptop Processors. *Vangalapudi, T.B.G.*, +, *TPEL Oct. 2017 7805-7815*

Laser power transmission

Optimal Photovoltaic Array Configuration Under Gaussian Laser Beam Condition for Wireless Power Transmission. *Zhou, W.*, +, *TPEL May 2017 3662-3672*

LC circuits

A New Integration Method for an Electric Vehicle Wireless Charging System Using LCC Compensation Topology: Analysis and Design. *Kan, T.*, +, *TPEL Feb. 2017 1638-1650*

A Passive Current Sharing Method With Common Inductor Multiphase LLC Resonant Converter. *Wang, H.*, +, *TPEL Sept. 2017 6994-7010*

A Sensitivity-Improved PFM LLC Resonant Full-Bridge DC-DC Converter With LC Antiresonant Circuitry. *Mishima, T.*, +, *TPEL Jan. 2017 310-324*

A Startup Method for Flying-Capacitor Modular Multilevel Converter (FC-MMC) With Effective Damping of LC Oscillations. *Du, S.*, +, *TPEL July 2017 5827-5834*

Accurate Capacitive Current Balancing in Multistring LED Lighting Systems Based on Switched-Capacitor-Controlled L+C+C Resonant Network. *Wong, C.S.*, +, *TPEL March 2017 2167-2179*

Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction. *Lam, C.*, +, *TPEL Oct. 2017 7577-7590*

Comprehensive Analysis of Three-Phase Three-Level LC-Type Resonant DC/DC Converter With Variable Frequency Control—Series Resonant Converter. *Liu, F.*, +, *TPEL July 2017 5122-5131*

Fully Integrated Buck Converter With Fourth-Order Low-Pass Filter. *Tang, N.*, +, *TPEL May 2017 3700-3707*

Investigation of Gallium Nitride Devices in High-Frequency LLC Resonant Converters. *Zhang, W.*, +, *TPEL Jan. 2017 571-583*

Study of a Current Control Strategy Based on Multisampling for High-Power Grid-Connected Inverters With an LCL filter. *Zhang, X.*, +, *TPEL July 2017 5023-5034*

Lead bonding

Condition Monitoring IGBT Module Bond Wires Fatigue Using Short-Circuit Current Identification. *Sun, P.*, +, *TPEL May 2017 3777-3786*

Effects of Auxiliary-Source Connections in Multichip Power Module. *Li, H.*, +, *TPEL Oct. 2017 7816-7823*

Evaluation of V_{ce} at Inflection Point for Monitoring Bond Wire Degradation in Discrete Packaged IGBTs. *Singh, A.*, +, *TPEL April 2017 2481-2484*

Leakage currents

A Family of Neutral-Point-Clamped Circuits of Single-Phase PV Inverters: Generalized Principle and Implementation. *Zhou, L.*, +, *TPEL June 2017 4307-4319*

A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S.*, +, *TPEL Oct. 2017 7602-7614*

Analysis of the Modulation Strategy for the Minimization of the Leakage Current in the PV Grid-Connected Cascaded Multilevel Inverter. *Sonti, V.*, +, *TPEL Feb. 2017 1156-1169*

Analysis of the Robustness of Transformerless PV Inverter Topologies to the Choice of Power Devices. *Jedterg, H.*, +, *TPEL July 2017 5248-5257*

Design and Analysis of a Novel ZVZCT Boost Converter With Coupling Effect. *Zhang, X.*, +, *TPEL Dec. 2017 8992-9000*

Theoretical and Experimental Study of 22 kV SiC Emitter Turn-OFF (ETO) Thyristor. *Song, X.*, +, *TPEL Aug. 2017 6381-6393*

Learning (artificial intelligence)

Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *Liu, Z.*, +, *TPEL April 2017 3154-3165*

Least mean squares methods

A Current-Fed Isolated Bidirectional DC–DC Converter. *Sun, X.*, +, *TPEL Sept. 2017 6882-6895*

Least squares approximations

In-Service Diagnostics for Wire-Bond Lift-off and Solder Fatigue of Power Semiconductor Packages. *Eleffendi, M.A.*, +, *TPEL Sept. 2017 7187-7198*

LED lamps

A Single-Switch AC–DC LED Driver Based on a Boost-Flyback PFC Converter With Lossless Snubber. *Lee, S.*, +, *TPEL Feb. 2017 1375-1384*

Active Input Current Shaper Without an Electrolytic Capacitor for Retrofit Lamps Applications. *Lamar, D.G.*, +, *TPEL May 2017 3908-3919*

Analysis, Design, and Experimentation of a Dimmable Resonant-Switched-Capacitor LED Driver With Variable Inductor Control. *Martins, M.*, +, *TPEL April 2017 3051-3062*

Topology and Control Innovation for Auxiliary Power Supply in Dimmable LED Drivers. *Jia, L.*, +, *TPEL Nov. 2017 8728-8742*

Life cycle costing

Comparative Life Cycle Cost Analysis of Si and SiC PV Converter Systems Based on Advanced η – ρ – σ Multiobjective Optimization Techniques. *Burkart, R.M.*, +, *TPEL June 2017 4344-4358*

Life testing

A Lifetime Prediction Method for LEDs Considering Real Mission Profiles. *Qu, X.*, +, *TPEL Nov. 2017 8718-8727*

Study on Effect of Junction Temperature Swing Duration on Lifetime of Transfer Molded Power IGBT Modules. *Choi, U.*, +, *TPEL Aug. 2017 6434-6443*

Lifts

Supercapacitor-Based Energy Recovery System With Improved Power Control and Energy Management for Elevator Applications. *Jabbour, N.*, +, *TPEL Dec. 2017 9389-9399*

Light emitting diodes

A Lifetime Prediction Method for LEDs Considering Real Mission Profiles. *Qu, X.*, +, *TPEL Nov. 2017 8718-8727*

A Review of Prognostic Techniques for High-Power White LEDs. *Sun, B.*, +, *TPEL Aug. 2017 6338-6362*

A Single-Stage Primary-Side-Controlled Off-line Flyback LED Driver With Ripple Cancellation. *Fang, P.*, +, *TPEL June 2017 4700-4715*

A Single-Stage Single-Switch Soft-Switching Power-Factor-Correction LED Driver. *Poorali, B.*, +, *TPEL Oct. 2017 7932-7940*

Accurate Capacitive Current Balancing in Multistring LED Lighting Systems Based on Switched-Capacitor-Controlled L+C+C Resonant Network. *Wong, C.S.*, +, *TPEL March 2017 2167-2179*

An AC–DC LED Driver With a Two-Parallel Inverted Buck Topology for Reducing the Light Flicker in Lighting Applications to Low-Risk Levels. *Kim, H.*, +, *TPEL May 2017 3879-3891*

Capacitance Minimization in Offline LED Drivers Using an Active-Ripple-Compensation Technique. *Soares, G.M.*, +, *TPEL April 2017 3022-3033*

Efficient Measurement of Thermal Coupling Effects on Multichip Light-Emitting Diodes. *Lu, H.*, +, *TPEL Dec. 2017 9280-9292*

Investigation Into the Use of Single Inductor for Driving Multiple Series-Connected LED Channels. *Zhan, X.*, +, *TPEL April 2017 3034-3050*

Precise Color Control of Red-Green-Blue Light-Emitting Diode Systems. *Chen, H.*, +, *TPEL April 2017 3063-3074*

Reduction of Die-Bonding Interface Thermal Resistance for High-Power LEDs Through Embedding Packaging Structure. *Lei, X.*, +, *TPEL July 2017 5520-5526*

Single-Switch Coupled-Inductor-Based Two-Channel LED Driver With a Passive Regenerative Snubber. *Hwu, K.I.*, +, *TPEL June 2017 4482-4490*

Light sources

Current Compensator for LED Driver With a Long Cable Connecting to the Light Source. *Zhou, R.*, +, *TPEL May 2017 3317-3337*

Lighting

A Review of Prognostic Techniques for High-Power White LEDs. *Sun, B.*, +, *TPEL Aug. 2017 6338-6362*

Accurate Capacitive Current Balancing in Multistring LED Lighting Systems Based on Switched-Capacitor-Controlled L+C+C Resonant Network. *Wong, C.S.*, +, *TPEL March 2017 2167-2179*

Lighting control

Topology and Control Innovation for Auxiliary Power Supply in Dimmable LED Drivers. *Jia, L.*, +, *TPEL Nov. 2017 8728-8742*

Linear programming

Mixed-Integer-Linear-Programming-Based Energy Management System for Hybrid PV-Wind-Battery Microgrids: Modeling, Design, and Experimental Verification. *Luna, A.C.*, +, *TPEL April 2017 2769-2783*

Linearization techniques

Discrete-Time Tool for Stability Analysis of DC Power Electronics-Based Cascaded Systems. *Zadeh, M.K.*, +, *TPEL Jan. 2017 652-667*

Lithium

A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings. *Shang, Y.*, +, *TPEL Oct. 2017 7694-7706*

Sizing of Energy System of a Hybrid Lithium Battery RTG Crane. *Niu, W.*, +, *TPEL Oct. 2017 7837-7844*

Lithium compounds

A Hierarchical Active Balancing Architecture for Lithium-Ion Batteries. *Zhang, Z.*, +, *TPEL April 2017 2757-2768*

A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings. *Shang, Y.*, +, *TPEL Oct. 2017 7694-7706*

Lithium-Ion Battery Pack State of Charge and State of Energy Estimation Algorithms Using a Hardware-in-the-Loop Validation. *Zhang, Y.*, +, *TPEL June 2017 4421-4431*

SOC Estimation of Lithium-Ion Batteries With AEKF and Wavelet Transform Matrix. *Zhang, Z.*, +, *TPEL Oct. 2017 7626-7634*

Load flow

A Bidirectional Battery Charger With Modular Integrated Charge Equalization Circuit. *Tashakor, N.*, +, *TPEL March 2017 2133-2145*

A Highly Reliable and High-Efficiency Quasi Single-Stage Buck–Boost Inverter. *Khan, A.A.*, +, *TPEL June 2017 4185-4198*

A Novel ZVS Range Enhancement Technique of a High-Voltage Dual Active Bridge Converter Using Series Injection. *Tripathi, A.K.*, +, *TPEL June 2017 4231-4245*

A Transformerless Bipolar Modular Multilevel DC–DC Converter With Wide Voltage Ratios. *Du, S.*, +, *TPEL Nov. 2017 8312-8321*

- A Transformerless Bipolar Multistring DC–DC Converter Based on Series-Connected Modules. *Du, S., +, TPEL Feb. 2017 1006-1017*
- Bifurcation and Large-Signal Stability Analysis of Three-Phase Voltage Source Converter Under Grid Voltage Dips. *Huang, M., +, TPEL Nov. 2017 8868-8879*
- Decentralized Method for Load Sharing and Power Management in a Hybrid Single/Three-Phase-Islanded Microgrid Consisting of Hybrid Source PV/Battery Units. *Karimi, Y., +, TPEL Aug. 2017 6135-6144*
- Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. *Choi, H., +, TPEL June 2017 4140-4144*
- Fault-Tolerant Control of Six-Phase Induction Motor Drives With Variable Current Injection. *Gonzalez-Prieto, I., +, TPEL Oct. 2017 7894-7903*
- Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M., +, TPEL Oct. 2017 8204-8217*
- Influence of Material Properties and Geometric Shape of Magnetic Cores on Acoustic Noise Emission of Medium-Frequency Transformers. *Shuai, P., +, TPEL Oct. 2017 7916-7931*
- Mathematical Analysis of Omnidirectional Wireless Power Transfer—Part-I: Two-Dimensional Systems. *Lin, D., +, TPEL Jan. 2017 625-633*
- Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. *Karanayil, B., +, TPEL July 2017 5850-5861*
- Quad-Active-Bridge Single-Stage Bidirectional Three-Phase AC–DC Converter With Isolation: Introduction and Optimized Modulation. *Vermulst, B.J.D., +, TPEL April 2017 2546-2557*
- Load flow control**
- A Bridge-Type Fault Current Limiter for Energy Management of AC/DC Microgrids. *Abdolkarimzadeh, M., +, TPEL Dec. 2017 9043-9050*
- A GPS-Based Control Framework for Accurate Current Sharing and Power Quality Improvement in Microgrids. *Golsorkhi, M.S., +, TPEL July 2017 5675-5687*
- Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based $D-\Sigma$ Digital Control. *Wu, T., +, TPEL Feb. 2017 1591-1601*
- Power Control With Z-Source Converter Based Unified Power Flow Controller. *Thirumalaivasan, R., +, TPEL Dec. 2017 9413-9423*
- Transmission Loss Optimization-Based Optimal Power Flow Strategy by Hierarchical Control for DC Microgrids. *Ma, J., +, TPEL March 2017 1952-1963*
- Voltage and Frequency Grid Support Strategies Beyond Standards. *Serban, E., +, TPEL Jan. 2017 298-309*
- Load management**
- Decentralized Method for Load Sharing and Power Management in a Hybrid Single/Three-Phase-Islanded Microgrid Consisting of Hybrid Source PV/Battery Units. *Karimi, Y., +, TPEL Aug. 2017 6135-6144*
- Load regulation**
- A Hybrid-Mode Operational Transconductance Amplifier for an Adaptively Biased Low Dropout Regulator. *Maity, A., +, TPEL Feb. 2017 1245-1254*
- Analysis and Implementation of a High-Performance-Integrated KY Converter. *Zhang, Y., +, TPEL Dec. 2017 9051-9064*
- Harmonic Burst Control Strategy for Full-Bridge Series-Resonant Converter-Based EV Charging. *Zeng, H., +, TPEL May 2017 4064-4073*
- SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H., +, TPEL Nov. 2017 8813-8822*
- Load shedding**
- Centralized Control Architecture for Coordination of Distributed Renewable Generation and Energy Storage in Islanded AC Microgrids. *Diaz, N.L., +, TPEL July 2017 5202-5213*
- Loss measurement**
- Accurate Calorimetric Switching Loss Measurement for 900 V 10 m Ω SiC mosfets. *Anderson, J.A., +, TPEL Dec. 2017 8963-8968*
- Comparative Life Cycle Cost Analysis of Si and SiC PV Converter Systems Based on Advanced η - p - σ Multiobjective Optimization Techniques. *Burkart, R.M., +, TPEL June 2017 4344-4358*
- New High-Frequency Core Loss Measurement Method With Partial Cancellation Concept. *Hou, D., +, TPEL April 2017 2987-2994*
- The Benefits of SiC mosfets in a T-Type Inverter for Grid-Tie Applications. *Anthon, A., +, TPEL April 2017 2808-2821*
- Losses**
- Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines. *Kim, Y., +, TPEL Feb. 2017 1335-1345*
- Low-pass filters**
- Fully Integrated Buck Converter With Fourth-Order Low-Pass Filter. *Tang, N., +, TPEL May 2017 3700-3707*
- Reactive Power Compensation and Negative-Sequence Current Suppression System for Electrical Railways With YNvd-Connected Balance Transformer—Part II: Implementation and Verification. *Xie, B., +, TPEL Dec. 2017 9031-9042*
- Sensorless Control of BLDCM Drive for a High-Speed Maglev Blower Using Low-Pass Filter. *Chen, S., +, TPEL Nov. 2017 8845-8856*
- Low-power electronics**
- A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y., +, TPEL Jan. 2017 423-432*
- A High-Voltage-Compliant Current-to-Digital Sensor for DC–DC Converters in Standard CMOS Technology. *Marti-Arbona, E., +, TPEL March 2017 2180-2188*
- A Novel 24-Pulse Diode Rectifier with an Auxiliary Single-Phase Full-Wave Rectifier at DC Side. *Yang, S., +, TPEL March 2017 1885-1893*
- Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F., +, TPEL Sept. 2017 7083-7095*
- Lyapunov methods**
- Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z., +, TPEL July 2017 5613-5627*
- Online Lifetime Estimation of Supercapacitors. *Chaoui, H., +, TPEL Sept. 2017 7199-7206*
- Online Parameter Identification for Supercapacitor State-of-Health Diagnosis for Vehicular Applications. *El Mejdoubi, A., +, TPEL Dec. 2017 9355-9363*
- M**
- Machine control**
- A Control Approach for a Small-Scale PMSG-Based WECS in the Whole Wind Speed Range. *Shafiei, A., +, TPEL Dec. 2017 9117-9130*
- A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link. *Rudraraju, V.R.R., +, TPEL June 2017 4334-4343*
- A Dual-Level Hysteresis Current Control for One Five-Leg VSI to Control Two PMSMs. *Wang, W., +, TPEL Jan. 2017 804-814*
- A Switched Predictive Controller for an Electrical Powertrain System With Backlash. *Formentini, A., +, TPEL May 2017 4036-4047*
- A Unified Analysis of the Fault Tolerance Capability in Six-Phase Induction Motor Drives. *Munim, W.N.W.A., +, TPEL Oct. 2017 7824-7836*
- Active Damping Stabilization for High-Speed BLDCM Drive System Based on Band-Pass Filter. *Song, X., +, TPEL July 2017 5438-5449*
- An Advanced Closed-Loop Control to Improve the Performance of Hybrid Stepper Motors. *Le, K.M., +, TPEL Sept. 2017 7244-7255*
- An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D., +, TPEL May 2017 3731-3740*
- An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. *Koc, M., +, TPEL Jan. 2017 490-502*
- Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V., +, TPEL July 2017 5398-5410*
- Common Model Predictive Control for Permanent-Magnet Synchronous Machine Drives Considering Single-Phase Open-Circuit Fault. *Wang, W., +, TPEL July 2017 5862-5872*
- Common-Mode-Voltage-Reduced Model-Predictive Control Scheme for Current-Source-Converter-Fed Induction Motor Drives. *Gao, H., +, TPEL June 2017 4891-4904*

- Commutation Analysis of Brushless DC Motor and Reducing Commutation Torque Ripple in the Two-Phase Stationary Frame. *Jiang, W.*, +, *TPEL June 2017 4675-4682*
- Control Strategy for Multiphase Drives With Minimum Losses in the Full Torque Operation Range Under Single Open-Phase Fault. *Baneira, F.*, +, *TPEL Aug. 2017 6275-6285*
- Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines. *Kim, Y.*, +, *TPEL Feb. 2017 1335-1345*
- DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R.*, +, *TPEL June 2017 4812-4826*
- Deadbeat Predictive Current Control of Permanent-Magnet Synchronous Motors with Stator Current and Disturbance Observer. *Zhang, X.*, +, *TPEL May 2017 3818-3834*
- Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault. *Tian, B.*, +, *TPEL July 2017 5473-5486*
- Direct Calculation Method of Reference Flux Linkage for Maximum Torque per Ampere Control in DTC-Based IPMSM Drives. *Shinohara, A.*, +, *TPEL March 2017 2114-2122*
- Direct Resonant Control Strategy for Torque Ripple Mitigation of DFIG Connected to DC Link through Diode Rectifier on Stator. *Nian, H.*, +, *TPEL Sept. 2017 6936-6945*
- Direct Torque Control of Five-Phase Induction Motor With Common-Mode Voltage and Current Harmonics Reduction. *Tatte, Y.N.*, +, *TPEL Nov. 2017 8644-8654*
- Direct Torque Control Scheme for a Six-Phase Induction Motor With Reduced Torque Ripple. *Pandit, J.K.*, +, *TPEL Sept. 2017 7118-7129*
- Direct Torque Control With Feedback Linearization for Induction Motor Drives. *Lascu, C.*, +, *TPEL March 2017 2072-2080*
- Discontinuous Grid Current Control of Motor Drive System With Single-Phase Diode Rectifier and Small DC-Link Capacitor. *Son, Y.*, +, *TPEL Feb. 2017 1324-1334*
- Dynamic Response Improvements of Parallel-Connected Bidirectional DC-DC Converters for Electrical Drive Powered by Low-Voltage Battery Employing Optimized Feedforward Control. *Sha, D.*, +, *TPEL Oct. 2017 7783-7794*
- Fault-Tolerant Control of Dual Three-Phase Permanent-Magnet Synchronous Machine Drives Under Open-Phase Faults. *Wang, W.*, +, *TPEL March 2017 2052-2063*
- Finite-State Predictive Torque Control of Induction Motor Supplied From a Three-Level NPC Voltage Source Inverter. *Habibullah, M.*, +, *TPEL Jan. 2017 479-489*
- Flux Immunity Robust Predictive Current Control With Incremental Model and Extended State Observer for PMSM Drive. *Yang, M.*, +, *TPEL Dec. 2017 9267-9279*
- Impact of Postfault Flux Adaptation on Six-Phase Induction Motor Drives With Parallel Converters. *Gonzalez-Prieto, I.*, +, *TPEL Jan. 2017 515-528*
- Inductance-Emulating Control for DFIG-Based Wind Turbine to Ride-Through Grid Faults. *Zhu, D.*, +, *TPEL Nov. 2017 8514-8525*
- Instantaneous Torque Control Method With Rated Torque-Sharing Ratio for Cascaded DFIMs. *Esfandiari, G.*, +, *TPEL Nov. 2017 8671-8680*
- Investigation and Suppression of Current Zero Crossing Phenomenon for a Semicontrolled Open-Winding PMSG System. *Nian, H.*, +, *TPEL Jan. 2017 602-612*
- Low-Frequency Current Oscillation Reduction for Six-Step Operation of Three-Phase Inverters. *Ke, Z.*, +, *TPEL April 2017 2948-2956*
- Maximum Torque per Ampere Control for Buried Magnet PMSM Based on DC-Link Power Measurement. *Ahmed, A.*, +, *TPEL Feb. 2017 1299-1311*
- Multiobjective Fuzzy-Decision-Making Predictive Torque Control for an Induction Motor Drive. *Rojas, C.A.*, +, *TPEL Aug. 2017 6245-6260*
- On Accuracy of Virtual Signal Injection based MTPA Operation of Interior Permanent Magnet Synchronous Machine Drives. *Sun, T.*, +, *TPEL Sept. 2017 7405-7408*
- Online Advanced Angle Adjustment Method for Sinusoidal BLDC Motors with Misaligned Hall Sensors. *Park, J.S.*, +, *TPEL Nov. 2017 8247-8253*
- Pole-Phase Modulated Multiphase Induction Motor Drive With Reduced Torque Ripple and Improved DC Link Utilization. *Umesh, B.S.*, +, *TPEL Oct. 2017 7862-7869*
- Robust DC-Link Voltage Control of a Full-Scale PMSG Wind Turbine for Effective Integration in DC Grids. *Davari, M.*, +, *TPEL May 2017 4021-4035*
- Robust Direct Torque Control of Synchronous Reluctance Motor Drives in the Field-Weakening Region. *Foo, G.H.B.*, +, *TPEL Feb. 2017 1289-1298*
- Single-Phase Inverter Drive for Interior Permanent Magnet Machines. *Lee, K.*, +, *TPEL Feb. 2017 1355-1366*
- Smart Electrical Grid Interface Using Floating H-Bridges to Improve the Performance of Induction Motors. *Ul Haque, A.R.N.M.R.*, +, *TPEL Oct. 2017 7851-7861*
- Speed Range Extended Maximum Torque Per Ampere Control for PM Drives Considering Inverter and Motor Nonlinearities. *Ge, H.*, +, *TPEL Sept. 2017 7151-7159*
- Switching Frequency Dynamic Control for DFIG Wind Turbine Performance Improvement Around Synchronous Speed. *Xiang, D.*, +, *TPEL Sept. 2017 7271-7283*
- Torque Ripple Reduction of Predictive Torque Control for PMSM Drives With Parameter Mismatch. *Siami, M.*, +, *TPEL Sept. 2017 7160-7168*
- Transient Control of the Reactive Current for the Line-Side Converter of the Brushless Doubly-Fed Induction Generator in Stand-Alone Operation. *Wang, X.*, +, *TPEL Oct. 2017 8193-8203*
- Uncertainty-and-Disturbance-Estimator-Based Current Control Scheme for PMSM Drives With a Simple Parameter Tuning Algorithm. *Ren, J.*, +, *TPEL July 2017 5712-5722*
- Machine insulation**
- Common-Mode-Voltage-Reduced Model-Predictive Control Scheme for Current-Source-Converter-Fed Induction Motor Drives. *Gao, H.*, +, *TPEL June 2017 4891-4904*
- Machine theory**
- Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B.*, +, *TPEL June 2017 4663-4674*
- Machine vector control**
- A Performance Investigation of a Four-Switch Three-Phase Inverter-Fed IM Drives at Low Speeds Using Fuzzy Logic and PI Controllers. *Zaky, M.S.*, +, *TPEL May 2017 3741-3753*
- Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor. *Tian, B.*, +, *TPEL July 2017 5459-5472*
- Direct Stator Current Vector Control Strategy of DFIG Without Phase-Locked Loop During Network Unbalance. *Cheng, P.*, +, *TPEL Jan. 2017 284-297*
- Improving the Steady-State and Transient-State Performances of PMSM Through an Advanced Deadbeat Direct Torque and Flux Control System. *Vafaie, M.H.*, +, *TPEL April 2017 2964-2975*
- Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine. *Abosh, A.H.*, +, *TPEL April 2017 2976-2986*
- Self-Learning Direct Flux Vector Control of Interior Permanent-Magnet Machine Drives. *Sun, T.*, +, *TPEL June 2017 4652-4662*
- Self-Tuning Adaptive Speed Controller for Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2017 1493-1506*
- Three-Vector-Based Low-Complexity Model Predictive Direct Power Control Strategy for Doubly Fed Induction Generators. *Wang, X.*, +, *TPEL Jan. 2017 773-782*
- Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor. *Xu, Y.*, +, *TPEL May 2017 3797-3807*
- Machine windings**
- A Novel Flexible Capacitor Voltage Control Strategy for Variable-Speed Drives With Modular Multilevel Converters. *Tai, B.*, +, *TPEL Jan. 2017 128-141*
- Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V.*, +, *TPEL July 2017 5398-5410*
- Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines. *Kim, Y.*, +, *TPEL Feb. 2017 1335-1345*
- Decoupled PWM Control of a Dual-Inverter Four-Level Five-Phase Drive. *Darijevic, M.*, +, *TPEL May 2017 3719-3730*

Fast Commutation Instant Shift Correction Method for Sensorless Coreless BLDC Motor Based on Terminal Voltage Information. Zhou, X., +, *TPEL Dec. 2017* 9460-9472

Generalized Minimum Common-Mode Voltage PWM for Two-Level Multiphase VSIs Considering Reference Order. Chen, K., +, *TPEL Aug. 2017* 6493-6509

Investigation and Suppression of Current Zero Crossing Phenomenon for a Semicontrolled Open-Winding PMSG System. Nian, H., +, *TPEL Jan. 2017* 602-612

Modulation Techniques for Enhanced Reduction in Common-Mode Voltage and Output Voltage Distortion in Indirect Matrix Converters. Padhee, V., +, *TPEL Nov. 2017* 8655-8670

Nonparametric Sensorless Drive Method for Open-Winding PMSM Based on Zero-Sequence Back EMF With Circulating Current Suppression. Zhan, H., +, *TPEL May 2017* 3808-3817

Pole-Phase Modulated Multiphase Induction Motor Drive With Reduced Torque Ripple and Improved DC Link Utilization. Umesh, B.S., +, *TPEL Oct. 2017* 7862-7869

Single-Phase Inverter Drive for Interior Permanent Magnet Machines. Lee, K., +, *TPEL Feb. 2017* 1355-1366

Magnetic bearings

Power Consumption Reduction for Magnetic Bearing Systems During Torque Output of Control Moment Gyros. Zheng, S., +, *TPEL July 2017* 5752-5759

Magnetic circuits

Circulating Current Analysis and Suppression for Configured Three-Limb Inductors in Paralleled Three-Level T-Type Converters With Space-Vector Modulation. Li, Y., +, *TPEL May 2017* 3338-3354

Magnetic Integration of Three-Phase LCL Filter With Delta-Yoke Composite Core. Liu, Y., +, *TPEL May 2017* 3835-3843

Tripolar Pad for Inductive Power Transfer Systems for EV Charging. Kim, S., +, *TPEL July 2017* 5045-5057

Magnetic cores

A High-Efficiency Helical Core for Magnetic Field Energy Harvesting. Yuan, S., +, *TPEL July 2017* 5365-5376

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC-DC Converters. Li, J., +, *TPEL May 2017* 3858-3867

An Improved Empirical Formulation for Magnetic Core Losses Estimation Under Nonsinusoidal Induction. Barg, S., +, *TPEL March 2017* 2146-2154

Application of an Efficient Rogowski Coil Sensor for Switch Fault Diagnosis and Capacitor ESR Monitoring in Nonisolated Single-Switch DC-DC Converters. Farjah, E., +, *TPEL Feb. 2017* 1442-1456

New High-Frequency Core Loss Measurement Method With Partial Cancellation Concept. Hou, D., +, *TPEL April 2017* 2987-2994

Optimized Integrated Harmonic Filter Inductor for Dual-Converter-Fed Open-End Transformer Topology. Gohil, G., +, *TPEL March 2017* 1818-1831

Two-Phase Interleaved Inverse-Coupled Inductor Boost Without Right Half-Plane Zeros. Liu, H., +, *TPEL March 2017* 1844-1859

Magnetic fields

Analytical Investigation of Sideband Electromagnetic Vibration in Integral-Slot PMSM Drive With SVPWM Technique. Liang, W., +, *TPEL June 2017* 4785-4795

Mathematical Analysis of Omnidirectional Wireless Power Transfer—Part-I: Two-Dimensional Systems. Lin, D., +, *TPEL Jan. 2017* 625-633

Six Degrees of Freedom Wide-Range Ubiquitous IPT for IoT by DQ Magnetic Field. Lee, E.S., +, *TPEL Nov. 2017* 8258-8276

Magnetic flux

A High-Efficiency Helical Core for Magnetic Field Energy Harvesting. Yuan, S., +, *TPEL July 2017* 5365-5376

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC-DC Converters. Li, J., +, *TPEL May 2017* 3858-3867

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. Luo, X., +, *TPEL Sept. 2017* 6924-6935

An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. Koc, M., +, *TPEL Jan. 2017* 490-502

Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC-DC Converters. Hariya, A., +, *TPEL Aug. 2017* 5953-5963

Design and Analysis of a Novel ZVZCT Boost Converter With Coupling Effect. Zhang, X., +, *TPEL Dec. 2017* 8992-9000

Fault Diagnosis of High-Resistance Connection in a Nine-Phase Flux-Switching Permanent-Magnet Machine Considering the Neutral-Point Connection Model. Hang, J., +, *TPEL Aug. 2017* 6444-6454

Ferrite-Less Circular Pad With Controlled Flux Cancellation for EV Wireless Charging. Tejada, A., +, *TPEL Nov. 2017* 8349-8359

Optimized Integrated Harmonic Filter Inductor for Dual-Converter-Fed Open-End Transformer Topology. Gohil, G., +, *TPEL March 2017* 1818-1831

Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine. Abosh, A.H., +, *TPEL April 2017* 2976-2986

Robust Adaptive Sensorless Control for Permanent-Magnet Synchronous Motors. Choi, J., +, *TPEL May 2017* 3989-3997

Robust Direct Torque Control of Synchronous Reluctance Motor Drives in the Field-Weakening Region. Foo, G.H.B., +, *TPEL Feb. 2017* 1289-1298

Tripolar Pad for Inductive Power Transfer Systems for EV Charging. Kim, S., +, *TPEL July 2017* 5045-5057

Virtual-Torque-Based Control of Three-Phase Rectifier Under Grid Imbalance and Harmonics. Iwanski, G., +, *TPEL Sept. 2017* 6836-6852

Magnetic leakage

A Detection Method for Induction Motor Bar Fault Using Sidelobes Leakage Phenomenon of the Sliding Discrete Fourier Transform. Moussa, M.A., +, *TPEL July 2017* 5560-5572

A Single-Stage Single-Switch Soft-Switching Power-Factor-Correction LED Driver. Poorali, B., +, *TPEL Oct. 2017* 7932-7940

A Wide Load Range ZVS Push-Pull DC/DC Converter With Active Clamped. Wu, Q., +, *TPEL April 2017* 2865-2875

An Improved Empirical Formulation for Magnetic Core Losses Estimation Under Nonsinusoidal Induction. Barg, S., +, *TPEL March 2017* 2146-2154

Ferrite-Less Circular Pad With Controlled Flux Cancellation for EV Wireless Charging. Tejada, A., +, *TPEL Nov. 2017* 8349-8359

Power Stage and Feedback Loop Design for LLC Resonant Converter in High-Switching-Frequency Operation. Park, H., +, *TPEL Oct. 2017* 7770-7782

Magnetic levitation

Sensorless Control of BLDCM Drive for a High-Speed Maglev Blower Using Low-Pass Filter. Chen, S., +, *TPEL Nov. 2017* 8845-8856

Magnetic materials

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC-DC Converters. Li, J., +, *TPEL May 2017* 3858-3867

Magnetic permeability

A High-Efficiency Helical Core for Magnetic Field Energy Harvesting. Yuan, S., +, *TPEL July 2017* 5365-5376

Magnetic resonance

Tripolar Pad for Inductive Power Transfer Systems for EV Charging. Kim, S., +, *TPEL July 2017* 5045-5057

Magnetic sensors

Giant Magneto-Impedance Sensor for Gate Driver-Insulated Signal Transmission Functions. Wanderoild, Y., +, *TPEL April 2017* 2493-2497

Markov processes

A Comparison of Grid-Connected Battery Energy Storage System Designs. Chatziniolaou, E., +, *TPEL Sept. 2017* 6913-6923

A Speed and Flux Observer of Induction Motor Based on Extended Kalman Filter and Markov Chain. Yin, Z., +, *TPEL Sept. 2017* 7096-7117

Materials properties

Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation. Reichl, J., +, *TPEL Jan. 2017* 503-514

Influence of Material Properties and Geometric Shape of Magnetic Cores on Acoustic Noise Emission of Medium-Frequency Transformers. Shuai, P., +, *TPEL Oct. 2017* 7916-7931

Mathematical analysis

A Mistuning-Tolerant and Controllable Power Supply for Roadway Wireless Power Systems. Kamineni, A., +, *TPEL Sept. 2017* 6689-6699

A New PV System Configuration Based on Submodule Integrated Converters. *Khan, O.*, +, *TPEL May 2017 3278-3284*

A New-Coupled-Inductor Circuit Breaker for DC Applications. *Corzine, K.A.*, *TPEL Feb. 2017 1411-1418*

An Improved Phase-Shifted Carrier Modulation Scheme for a Hybrid Modular Multilevel Converter. *Lu, S.*, +, *TPEL Jan. 2017 81-97*

Fault Diagnosis of High-Resistance Connection in a Nine-Phase Flux-Switching Permanent-Magnet Machine Considering the Neutral-Point Connection Model. *Hang, J.*, +, *TPEL Aug. 2017 6444-6454*

Impact of PWM Duty Cycle Jitter on Switching-Mode Power Converter Efficiency. *Wu, F.*, +, *TPEL Nov. 2017 8751-8762*

Incorporation of Harmonic Injection in an Interleaved Flyback Inverter for the Implementation of an Active Anti-Islanding Technique. *Voglitsis, D.*, +, *TPEL Nov. 2017 8526-8543*

Investigation Into the Use of Single Inductor for Driving Multiple Series-Connected LED Channels. *Zhan, X.*, +, *TPEL April 2017 3034-3050*

Least Power Point Tracking Method for Photovoltaic Differential Power Processing Systems. *Jeon, Y.*, +, *TPEL March 2017 1941-1951*

Mathematical Analysis of Omnidirectional Wireless Power Transfer—Part-I: Two-Dimensional Systems. *Lin, D.*, +, *TPEL Jan. 2017 625-633*

Three-Vector-Based Low-Complexity Model Predictive Direct Power Control Strategy for Doubly Fed Induction Generators. *Wang, X.*, +, *TPEL Jan. 2017 773-782*

Unified Boundary Trapezoidal Modulation Control Utilizing Fixed Duty Cycle Compensation and Magnetizing Current Design for Dual Active Bridge DC–DC Converter. *Xu, G.*, +, *TPEL March 2017 2243-2252*

Mathematics computing

Fault-Tolerant Control of MMC With Hot Reserved Submodules Based on Carrier Phase Shift Modulation. *Li, K.*, +, *TPEL Sept. 2017 6778-6791*

Matrix algebra

A Flexible Nonorthogonal-Reference-Frame-Based SVPWM Framework for Multilevel Inverters. *Ovalle, A.*, +, *TPEL June 2017 4925-4938*

A Generic and Unified Global-Gyrator Model of Switched-Resonator Converters. *Cervera, A.*, +, *TPEL Dec. 2017 8945-8952*

A Matrix-Based Nonisolated Three-Phase AC–DC Rectifier With Large Step-Down Voltage Gain. *Singh, A.K.*, +, *TPEL June 2017 4796-4811*

Harmonic Interaction Analysis in a Grid-Connected Converter Using Harmonic State-Space (HSS) Modeling. *Kwon, J.*, +, *TPEL Sept. 2017 6823-6835*

Nonlinear Analysis and Control of Interleaved Boost Converter Using Real-Time Cycle to Cycle Variable Slope Compensation. *Wu, H.*, +, *TPEL Sept. 2017 7256-7270*

Matrix converters

A Matrix Converter-Based Bidirectional Contactless Grid Interface. *Weerasinghe, S.*, +, *TPEL March 2017 1755-1766*

A Novel Source Current Control Strategy and Its Stability Analysis for an Indirect Matrix Converter. *Han, N.*, +, *TPEL Oct. 2017 8181-8192*

A Single-Phase Buck–Boost Matrix Converter With Only Six Switches and Without Commutation Problem. *Ahmed, H.F.*, +, *TPEL Feb. 2017 1232-1244*

A Three-Vector Modulation Strategy for Indirect Matrix Converter Fed Open-End Load to Reduce Common-Mode Voltage With Improved Output Performance. *Tran, Q.*, +, *TPEL Oct. 2017 7904-7915*

Feedback Control Strategy to Eliminate the Input Current Harmonics of Matrix Converter Under Unbalanced Input Voltages. *Lei, J.*, +, *TPEL Jan. 2017 878-888*

Generalized Theory and Analysis of Scalar Modulation Techniques for a $m \times n$ Matrix Converter. *Ali, M.*, +, *TPEL June 2017 4864-4877*

Modulation Methods for Indirect Matrix Converter Extending the Input Reactive Power Range. *Li, X.*, +, *TPEL June 2017 4852-4863*

Modulation Techniques for Enhanced Reduction in Common-Mode Voltage and Output Voltage Distortion in Indirect Matrix Converters. *Padhee, V.*, +, *TPEL Nov. 2017 8655-8670*

Research on Output Voltage Modulation of a Five-Level Matrix Converter. *Qiu, L.*, +, *TPEL April 2017 2568-2583*

Space-Vector Overmodulation Strategy for Ultrasparse Matrix Converter Based on the Maximum Output Voltage Vector. *Li, S.*, +, *TPEL July 2017 5388-5397*

Matrix inversion

Quad-Active-Bridge Single-Stage Bidirectional Three-Phase AC–DC Converter With Isolation: Introduction and Optimized Modulation. *Vermulst, B.J.D.*, +, *TPEL April 2017 2546-2557*

Maximum power point trackers

A Control Approach for a Small-Scale PMSG-Based WECS in the Whole Wind Speed Range. *Shafiei, A.*, +, *TPEL Dec. 2017 9117-9130*

A High-Voltage-Compliant Current-to-Digital Sensor for DC–DC Converters in Standard CMOS Technology. *Marti-Arbona, E.*, +, *TPEL March 2017 2180-2188*

A New PV System Configuration Based on Submodule Integrated Converters. *Khan, O.*, +, *TPEL May 2017 3278-3284*

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X.*, +, *TPEL Sept. 2017 6924-6935*

A Novel Flower Pollination Based Global Maximum Power Point Method for Solar Maximum Power Point Tracking. *Prasanth Ram, J.*, +, *TPEL Nov. 2017 8486-8499*

A Novel Grid-Connected PV System Based on MMC to Get the Maximum Power Under Partial Shading Conditions. *Rong, F.*, +, *TPEL June 2017 4320-4333*

A PV Micro-inverter With PV Current Decoupling Strategy. *Liao, C.*, +, *TPEL Aug. 2017 6544-6557*

A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL Nov. 2017 8559-8569*

Active Phase Control for Maximum Power Point Tracking of a Linear Wave Generator. *Park, J.S.*, +, *TPEL Oct. 2017 7651-7662*

Design of Maximum Efficiency Tracking Control Scheme for Closed-Loop Wireless Power Charging System Employing Series Resonant Tank. *Yeo, T.*, +, *TPEL Jan. 2017 471-478*

Efficiency Improvement of Nonuniformly Aged PV Arrays. *Hu, Y.*, +, *TPEL Feb. 2017 1124-1137*

Fireworks Enriched P&O Algorithm for GMPPT and Detection of Partial Shading in PV Systems. *Manickam, C.*, +, *TPEL June 2017 4432-4443*

Least Power Point Tracking Method for Photovoltaic Differential Power Processing Systems. *Jeon, Y.*, +, *TPEL March 2017 1941-1951*

Photovoltaic Module-Integrated Stand-alone Single-Stage Switched Capacitor Inverter with Maximum Power Point Tracking. *Peter, P.K.*, +, *TPEL May 2017 3571-3584*

PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking. *Leuenberger, D.*, +, *TPEL Aug. 2017 6105-6118*

Single-Stage Three-Phase Current-Source Photovoltaic Grid-Connected Inverter High Voltage Transmission Ratio. *Chen, D.*, +, *TPEL Oct. 2017 7591-7601*

Mean square error methods

Comprehensive Analysis and Reduction of Torque Ripples in Three-Phase Four-Switch Inverter-Fed PMSM Drives Using Space Vector Pulse-Width Modulation. *Zhu, C.*, +, *TPEL July 2017 5411-5424*

Novel Eliminated Common-Mode Voltage PWM Sequences and an Online Algorithm to Reduce Current Ripple for a Three-Level Inverter. *Nguyen, T.T.*, +, *TPEL Oct. 2017 7482-7493*

Reducing Harmonics Distortion in Five-Phase VSI Using Space-Vector-Based Optimal Hybrid PWM. *Chen, K.*, +, *TPEL March 2017 2098-2113*

Measurement errors

Analysis and Practical Relevance of CM/DM EMI Noise Separator Characteristics. *Krismer, F.*, +, *TPEL April 2017 3112-3127*

Microassembling

Experimental Investigation on the Effects of Narrow Junction Temperature Cycles on Die-Attach Solder Layer in an IGBT Module. *Lai, W.*, +, *TPEL Feb. 2017 1431-1441*

Reduction of Die-Bonding Interface Thermal Resistance for High-Power LEDs Through Embedding Packaging Structure. *Lei, X.*, +, *TPEL July 2017 5520-5526*

Reliability Evaluation of Multichip Phase-Leg IGBT Modules Using Pressureless Sintering of Nanosilver Paste by Power Cycling Tests. *Fu, S.*, +, *TPEL Aug. 2017 6049-6058*

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Microbial fuel cells

A Power Management System for Multianode Benthic Microbial Fuel Cells. *Umaz, R.*, +, *TPEL May 2017 3562-3570*

Microcontrollers

Digital Implementation of Soft Start-Up and Short-Circuit Protection for High-Frequency LLC Converters With Optimal Trajectory Control (OTC). *Fei, C.*, +, *TPEL Oct. 2017 8008-8017*

Fault-Tolerant Control of MMC With Hot Reserved Submodules Based on Carrier Phase Shift Modulation. *Li, K.*, +, *TPEL Sept. 2017 6778-6791*

Model-Based Dead Time Optimization for Voltage-Source Converters Utilizing Silicon Carbide Semiconductors. *Zhang, Z.*, +, *TPEL Nov. 2017 8833-8844*

Real-Time Parameter Estimation of DC-DC Converters Using a Self-Tuned Kalman Filter. *Ahmeid, M.*, +, *TPEL July 2017 5666-5674*

Single-Step Current Control for Voltage Source Inverters With Fast Transient Response and High Convergence Speed. *Zhang, L.*, +, *TPEL Nov. 2017 8823-8832*

SOC Estimation of Lithium-Ion Batteries With AEKF and Wavelet Transform Matrix. *Zhang, Z.*, +, *TPEL Oct. 2017 7626-7634*

Microprocessor chips

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*

Minimization

Analysis of the Modulation Strategy for the Minimization of the Leakage Current in the PV Grid-Connected Cascaded Multilevel Inverter. *Sonti, V.*, +, *TPEL Feb. 2017 1156-1169*

EMI Filter Volume Minimization of a Three-Phase, Three-Level T-Type PWM Converter System. *Boillat, D.O.*, +, *TPEL April 2017 2473-2480*

Load and Source Battery Simulator Based on Z-Source Rectifier. *Choi, S.*, +, *TPEL Aug. 2017 6119-6134*

Minimization of DC-Bus Current Ripple in Modular Multilevel Converter Under Unbalanced Conditions. *Dekka, A.*, +, *TPEL June 2017 4125-4131*

Minimum-RMS-Current Operation of Asymmetric Dual Active Half-Bridge Converters With and Without ZVS. *Chakraborty, S.*, +, *TPEL July 2017 5132-5145*

Model Predictive Control With Common-Mode Voltage Injection for Modular Multilevel Converter. *Dekka, A.*, +, *TPEL March 2017 1767-1778*

Multiobjective Fuzzy-Decision-Making Predictive Torque Control for an Induction Motor Drive. *Rojas, C.A.*, +, *TPEL Aug. 2017 6245-6260*

Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. *Errouissi, R.*, +, *TPEL March 2017 2265-2277*

Plug-and-Play Nonlinear Droop Construction Scheme to Optimize Islanded Microgrid Operations. *Cingoz, F.*, +, *TPEL April 2017 2743-2756*

Variable-Switching-Frequency State-Feedback Control of a Phase-Shifted Full-Bridge DC/DC Converter. *Mallik, A.*, +, *TPEL Aug. 2017 6523-6531*

MIS devices

Finite-Element Analysis of Coupled Electro-Thermal Problems With Strong Scale Separation. *Eiser, S.*, +, *TPEL Jan. 2017 561-570*

Model reference adaptive control systems

Sensorless Control of IM for Limp-Home Mode EV Applications. *Dehghan-Azad, E.*, +, *TPEL Sept. 2017 7140-7150*

Modulation

A Three-Level Space Vector Modulation Scheme for Paralleled Converters to Reduce Circulating Current and Common-Mode Voltage. *Quan, Z.*, +, *TPEL Jan. 2017 703-714*

Closed-Form Solution for Efficient ZVS Modulation of DAB Converters. *Everts, J.*, *TPEL Oct. 2017 7561-7576*

DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters. *Du, J.*, +, *TPEL Jan. 2017 693-702*

Generalized Theory and Analysis of Scalar Modulation Techniques for a m x n Matrix Converter. *Ali, M.*, +, *TPEL June 2017 4864-4877*

Modules

Condition Monitoring IGBT Module Bond Wires Fatigue Using Short-Circuit Current Identification. *Sun, P.*, +, *TPEL May 2017 3777-3786*

Monte Carlo methods

Design Considerations for Output Capacitance Under Inductance Mismatches in Multiphase Buck Converters. *Liu, H.*, +, *TPEL July 2017 5004-5015*

MOS integrated circuits

A 300-V Ultra-Low-Specific On-Resistance High-Side p-LDMOS With Auto-Biased n-LDMOS for SPIC. *Yi, B.*, +, *TPEL Jan. 2017 551-560*

MOSFET

A Capacitance-Minimized, Doubly Grounded Transformer less Photovoltaic Inverter With Inherent Active-Power Decoupling. *Xia, Y.*, +, *TPEL July 2017 5188-5201*

A Discontinuous Conduction Mode Single-Stage Step-Up Rectifier for Low-Voltage Energy Harvesting Applications. *Yu, L.*, +, *TPEL Aug. 2017 6161-6169*

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A Highly Reliable and High-Efficiency Quasi Single-Stage Buck-Boost Inverter. *Khan, A.A.*, +, *TPEL June 2017 4185-4198*

A Novel ZVS Range Enhancement Technique of a High-Voltage Dual Active Bridge Converter Using Series Injection. *Tripathi, A.K.*, +, *TPEL June 2017 4231-4245*

A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings. *Shang, Y.*, +, *TPEL Oct. 2017 7694-7706*

Accurate Calorimetric Switching Loss Measurement for 900 V 10 mΩ SiC mosfets. *Anderson, J.A.*, +, *TPEL Dec. 2017 8963-8968*

Accurate ZVS Analysis for Magnetic Design and Efficiency Improvement of Full-Bridge LLC Resonant Converter. *Kundu, U.*, +, *TPEL March 2017 1703-1706*

Avoiding Divergent Oscillation of a Cascode GaN Device Under High-Current Turn-Off Condition. *Huang, X.*, +, *TPEL Jan. 2017 593-601*

Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices. *Kim, T.*, +, *TPEL March 2017 1917-1926*

Effects of Auxiliary-Source Connections in Multichip Power Module. *Li, H.*, +, *TPEL Oct. 2017 7816-7823*

High-Temperature Electrical and Thermal Aging Performance and Application Considerations for SiC Power DMOSFETs. *Hamilton, D.P.*, +, *TPEL Oct. 2017 7967-7979*

Methodology for Wide Band-Gap Device Dynamic Characterization. *Zhang, Z.*, +, *TPEL Dec. 2017 9307-9318*

Model-Based Dead Time Optimization for Voltage-Source Converters Utilizing Silicon Carbide Semiconductors. *Zhang, Z.*, +, *TPEL Nov. 2017 8833-8844*

New Current Measurement Procedure Using a Conventional Rogowski Transducer for the Analysis of Switching Transients in Transistors. *Oyarbide, E.*, +, *TPEL April 2017 2490-2492*

Passive Balancing of Peak Currents Between Paralleled MOSFETs With Unequal Threshold Voltages. *Mao, Y.*, +, *TPEL May 2017 3273-3277*

Short-Circuit Degradation of 10-kV 10-A SiC MOSFET. *Eni, E.*, +, *TPEL Dec. 2017 9342-9354*

Single-Pulse Avalanche Mode Robustness of Commercial 1200 V/80 mΩ SiC MOSFETs. *Kelley, M.D.*, +, *TPEL Aug. 2017 6405-6415*

The Benefits of SiC mosfets in a T-Type Inverter for Grid-Tie Applications. *Anthon, A.*, +, *TPEL April 2017 2808-2821*

Zero-Ripple Input-Current High-Step-Up Boost-SEPIC DC-DC Converter With Reduced Switch-Voltage Stress. *Lee, S.*, +, *TPEL Aug. 2017 6170-6177*

MOSFET circuits

A Single-Phase Buck-Boost Matrix Converter With Only Six Switches and Without Commutation Problem. *Ahmed, H.F.*, +, *TPEL Feb. 2017 1232-1244*

Development of a High-Temperature Gate Drive and Protection Circuit Using Discrete Components. *Qi, F.*, +, *TPEL April 2017 2957-2963*

Motor drives

- A Flying-Capacitor Modular Multilevel Converter for Medium-Voltage Motor Drive. *Du, S.*, +, *TPEL March 2017 2081-2089*
- A Hybrid Modular Multilevel Converter for Medium-Voltage Variable-Speed Motor Drives. *Li, B.*, +, *TPEL June 2017 4619-4630*
- A Novel Flexible Capacitor Voltage Control Strategy for Variable-Speed Drives With Modular Multilevel Converters. *Tai, B.*, +, *TPEL Jan. 2017 128-141*
- A Startup Method for Flying-Capacitor Modular Multilevel Converter (FC-MMC) With Effective Damping of LC Oscillations. *Du, S.*, +, *TPEL July 2017 5827-5834*
- Discontinuous Grid Current Control of Motor Drive System With Single-Phase Diode Rectifier and Small DC-Link Capacitor. *Son, Y.*, +, *TPEL Feb. 2017 1324-1334*
- Fault-Tolerant Control of Dual Three-Phase Permanent-Magnet Synchronous Machine Drives Under Open-Phase Faults. *Wang, W.*, +, *TPEL March 2017 2052-2063*
- Generalized Minimum Common-Mode Voltage PWM for Two-Level Multiphase VSIs Considering Reference Order. *Chen, K.*, +, *TPEL Aug. 2017 6493-6509*
- Grid Current Shaping Method with DC-Link Shunt Compensator for Three-Phase Diode Rectifier-Fed Motor Drive System. *Shin, H.*, +, *TPEL Feb. 2017 1279-1288*
- New Passive Filter Design Method for Overvoltage Suppression and Bearing Currents Mitigation in a Long Cable Based PWM Inverter-Fed Motor Drive System. *Jiang, Y.*, +, *TPEL Oct. 2017 7882-7893*
- Reduction of Common Mode Voltage and Conducted EMI Through Three-Phase Inverter Topology. *Morris, C.T.*, +, *TPEL March 2017 1720-1724*
- Single-Phase Grid-Connected Motor Drive System With DC-Link Shunt Compensator and Small DC-Link Capacitor. *Shin, H.*, +, *TPEL Feb. 2017 1268-1278*
- Single-Phase Inverter Drive for Interior Permanent Magnet Machines. *Lee, K.*, +, *TPEL Feb. 2017 1355-1366*

Multi-agent systems

- Review of Active and Reactive Power Sharing Strategies in Hierarchical Controlled Microgrids. *Han, Y.*, +, *TPEL March 2017 2427-2451*

Multichip modules

- Effects of Auxiliary-Source Connections in Multichip Power Module. *Li, H.*, +, *TPEL Oct. 2017 7816-7823*
- Efficient Measurement of Thermal Coupling Effects on Multichip Light-Emitting Diodes. *Lu, H.*, +, *TPEL Dec. 2017 9280-9292*

Multiport networks

- Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. *Karanayil, B.*, +, *TPEL July 2017 5850-5861*

N**Nanostructured materials**

- PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking. *Leuenberger, D.*, +, *TPEL Aug. 2017 6105-6118*

Natural convection

- Energy Efficient Heat Sink Design: Natural Versus Forced Convection Cooling. *Christen, D.*, +, *TPEL Nov. 2017 8693-8704*

Network topology

- A Fault-Tolerant Series-Resonant DC-DC Converter. *Costa, L.*, +, *TPEL Feb. 2017 900-905*
- A Four-Switch Single-Stage Single-Phase Buck-Boost Inverter. *Kumar, A.*, +, *TPEL July 2017 5282-5292*
- A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. *Iyer, K.V.*, +, *TPEL July 2017 5087-5108*
- A Matrix Converter-Based Bidirectional Contactless Grid Interface. *Weerasinghe, S.*, +, *TPEL March 2017 1755-1766*
- A Single-Stage High-Frequency Resonant AC/AC Converter. *Luo, Q.*, +, *TPEL March 2017 2155-2166*
- Analytical Models of Multiphase Isolated Medium-Frequency DC-DC Converters. *Garcia-Bediaga, A.*, +, *TPEL April 2017 2508-2520*

Conducted EMI Mitigation Schemes in Isolated Switching-Mode Power Supply Without the Need of a Y-Capacitor. *Bai, Y.*, +, *TPEL April 2017 2687-2703*

Current-Fed Multilevel Converters: An Overview of Circuit Topologies, Modulation Techniques, and Applications. *Gnanasambandam, K.*, +, *TPEL May 2017 3382-3401*

Extension of Soft-Switching Region of Dual-Active-Bridge Converter by a Tunable Resonant Tank. *Yaqoob, M.*, +, *TPEL Dec. 2017 9093-9104*

Fifth- and Seventh-Order Harmonic Elimination With Multilevel Dodecagonal Voltage Space Vector Structure for IM Drive Using a Single DC Source for the Full Speed Range. *Boby, M.*, +, *TPEL Jan. 2017 60-68*

Load-Dependent Soft-Switching Method of Half-Bridge Current Doubler for High-Voltage Point-of-Load Converter in Data Center Power Supplies. *Cui, Y.*, +, *TPEL April 2017 2925-2938*

Modeling and Analysis of AC Output Power Factor for Wireless Chargers in Electric Vehicles. *Zhang, X.*, +, *TPEL Feb. 2017 1481-1492*

Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current. *Chen, D.*, +, *TPEL April 2017 2717-2727*

Reduced-Order Models of Series Resonant Inverters in Induction Heating Applications. *Dominguez, A.*, +, *TPEL March 2017 2300-2311*

Single-Stage Three-Phase Current-Source Photovoltaic Grid-Connected Inverter High Voltage Transmission Ratio. *Chen, D.*, +, *TPEL Oct. 2017 7591-7601*

Two-Capacitor Transformer Winding Capacitance Models for Common-Mode EMI Noise Analysis in Isolated DC-DC Converters. *Zhang, H.*, +, *TPEL Nov. 2017 8458-8469*

Wide Input-Voltage Range Boost Three-Level DC-DC Converter With Quasi-Z Source for Fuel Cell Vehicles. *Zhang, Y.*, +, *TPEL Sept. 2017 6728-6738*

Neural networks

A Review of Prognostic Techniques for High-Power White LEDs. *Sun, B.*, +, *TPEL Aug. 2017 6338-6362*

Nonlinear control systems

Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault. *Tian, B.*, +, *TPEL July 2017 5473-5486*

Experimental Evaluation of Internal Model Control Scheme on a DC-DC Boost Converter Exhibiting Nonminimum Phase Behavior. *Kobaku, T.*, +, *TPEL Nov. 2017 8880-8891*

Nonlinear Analysis and Control of Interleaved Boost Converter Using Real-Time Cycle to Cycle Variable Slope Compensation. *Wu, H.*, +, *TPEL Sept. 2017 7256-7270*

Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current. *Chen, D.*, +, *TPEL April 2017 2717-2727*

Plug-and-Play Nonlinear Droop Construction Scheme to Optimize Islanded Microgrid Operations. *Cingoz, F.*, +, *TPEL April 2017 2743-2756*

Robust DC-Link Voltage Control of a Full-Scale PMSG Wind Turbine for Effective Integration in DC Grids. *Davari, M.*, +, *TPEL May 2017 4021-4035*

Three-Phase PLLs: A Review of Recent Advances. *Golestan, S.*, +, *TPEL March 2017 1894-1907*

Topology and Control Innovation for Auxiliary Power Supply in Dimmable LED Drivers. *Jia, L.*, +, *TPEL Nov. 2017 8728-8742*

Nonlinear dynamical systems

Bilinear Discrete-Time Modeling and Stability Analysis of the Digitally Controlled Dual Active Bridge Converter. *Shi, L.*, +, *TPEL Nov. 2017 8787-8799*

Nonlinear filters

A Speed and Flux Observer of Induction Motor Based on Extended Kalman Filter and Markov Chain. *Yin, Z.*, +, *TPEL Sept. 2017 7096-7117*

Nonlinear programming

Unified Wide-Speed Sensorless Scheme Using Nonlinear Optimization for IPMSM Drives. *Sun, Y.*, +, *TPEL Aug. 2017 6308-6322*

Notch filters

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*

- DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R., +, TPEL June 2017 4812-4826*
- Design and Analysis of Robust Active Damping for LCL Filters Using Digital Notch Filters. *Yao, W., +, TPEL March 2017 2360-2375*
- Varactor-Based Passive Ripple Filter With Automatic Tuning for Low-Noise Power-Supply Systems. *Meehan, P.J., +, TPEL June 2017 4741-4752*

Numerical analysis

- A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part II: Case Studies. *Aroudi, A.E., TPEL July 2017 5835-5849*
- Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z., +, TPEL July 2017 5613-5627*

Nyquist criterion

- Analysis of the Behavior of Undamped and Unstable High-Frequency Resonance in a DFIG System. *Song, Y., +, TPEL Dec. 2017 9105-9116*
- Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M., +, TPEL Oct. 2017 8204-8217*

Nyquist stability

- Inverse Nyquist Stability Criterion for Grid-Tied Inverters. *Wen, B., +, TPEL Feb. 2017 1548-1556*

O

Observers

- Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z., +, TPEL July 2017 5613-5627*
- An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. *Koc, M., +, TPEL Jan. 2017 490-502*
- Deadbeat Predictive Current Control of Permanent-Magnet Synchronous Motors with Stator Current and Disturbance Observer. *Zhang, X., +, TPEL May 2017 3818-3834*
- Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter. *Guzman, R., +, TPEL July 2017 5637-5650*
- Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. *Errouissi, R., +, TPEL March 2017 2265-2277*
- Online Decoupled Stator and Rotor Resistances Adaptation for Speed Sensorless Induction Motor Drives by a Time-Division Approach. *Chen, J., +, TPEL June 2017 4587-4599*
- Online Parameter Identification for Model-Based Sensorless Control of Interior Permanent Magnet Synchronous Machine. *Rafaq, M.S., +, TPEL June 2017 4631-4643*
- Online Parameter Identification for Supercapacitor State-of-Health Diagnosis for Vehicular Applications. *El Mejdoubi, A., +, TPEL Dec. 2017 9355-9363*
- Robust Adaptive Sensorless Control for Permanent-Magnet Synchronous Motors. *Choi, J., +, TPEL May 2017 3989-3997*
- Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B., +, TPEL June 2017 4663-4674*

Open loop systems

- Cascaded High-Voltage-Gain Bidirectional Switched-Capacitor DC–DC Converters for Distributed Energy Resources Applications. *Xiong, S., +, TPEL Feb. 2017 1220-1231*

Operational amplifiers

- A Hybrid-Mode Operational Transconductance Amplifier for an Adaptively Biased Low Dropout Regulator. *Maity, A., +, TPEL Feb. 2017 1245-1254*
- An Improved Variable On-Time Control Strategy for a CRM Flyback PFC Converter. *Zhao, C., +, TPEL Feb. 2017 915-919*

Optical communication

- Variable Frequency Controller for Inductive Power Transfer in Dynamic Conditions. *Gati, E., +, TPEL Feb. 2017 1684-1696*

Optimal control

- Digital Implementation of Soft Start-Up and Short-Circuit Protection for High-Frequency LLC Converters With Optimal Trajectory Control (OTC). *Fei, C., +, TPEL Oct. 2017 8008-8017*

- Dynamic Response Improvements of Parallel-Connected Bidirectional DC–DC Converters for Electrical Drive Powered by Low-Voltage Battery Employing Optimized Feedforward Control. *Sha, D., +, TPEL Oct. 2017 7783-7794*
- High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B., +, TPEL May 2017 4007-4020*
- Self-Learning Direct Flux Vector Control of Interior Permanent-Magnet Machine Drives. *Sun, T., +, TPEL June 2017 4652-4662*
- Two-Stage 48 V-12 V/6 V-1.8 V Voltage Regulator Module With Dynamic Bus Voltage Control for Light-Load Efficiency Improvement. *Fei, C., +, TPEL July 2017 5628-5636*

Optimization

- An Optimized Hybrid SVPWM Strategy Based on Multiple Division of Active Vector Time (MDAVT). *Biswas, J., +, TPEL June 2017 4607-4618*
- An Optimized Three-Phase Multilevel Inverter Topology With Separate Level and Phase Sequence Generation Part. *Hota, A., +, TPEL Oct. 2017 7414-7418*
- Analysis and Optimization of Switched Capacitor Power Conversion Circuits With Parasitic Resistances and Inductances. *Ye, Y., +, TPEL March 2017 2018-2028*
- Analytical Expressions for Multiobjective Optimization of Converter-Based DG Operation Under Unbalanced Grid Conditions. *Shabestary, M.M., +, TPEL Sept. 2017 7284-7296*
- Analytical Models of Multiphase Isolated Medium-Frequency DC–DC Converters. *Garcia-Bediaga, A., +, TPEL April 2017 2508-2520*
- Balancing Circuit New Control for Supercapacitor Storage System Lifetime Maximization. *Shili, S., +, TPEL June 2017 4939-4948*
- Characterization and Analysis of an Innovative Gate Driver and Power Supplies Architecture for HF Power Devices With High dv/dt. *Nguyen, V., +, TPEL Aug. 2017 6079-6090*
- Design of a Highly Efficient (97.7%) and Very Compact (2.2 kW/dm³) Isolated AC–DC Telecom Power Supply Module Based on the Multicell ISOP Converter Approach. *Kasper, M., +, TPEL Oct. 2017 7750-7769*
- Design of Maximum Efficiency Tracking Control Scheme for Closed-Loop Wireless Power Charging System Employing Series Resonant Tank. *Yeo, T., +, TPEL Jan. 2017 471-478*
- Direct Model Predictive Current Control Strategy of Quasi-Z-Source Inverters. *Ayad, A., +, TPEL July 2017 5786-5801*
- Figure of Merit for the Optimization of Wireless Power Transfer System Against Misalignment Tolerance. *Sampath, J.P.K., +, TPEL June 2017 4359-4369*
- Generalized Synchronous Optimal Pulse Width Modulation for Multilevel Inverters. *Lago, J., +, TPEL Aug. 2017 6297-6307*
- Impact of Postfault Flux Adaptation on Six-Phase Induction Motor Drives With Parallel Converters. *Gonzalez-Prieto, I., +, TPEL Jan. 2017 515-528*
- Model-Based Dead Time Optimization for Voltage-Source Converters Utilizing Silicon Carbide Semiconductors. *Zhang, Z., +, TPEL Nov. 2017 8833-8844*
- Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R., +, TPEL April 2017 3143-3153*
- Optimized Integrated Harmonic Filter Inductor for Dual-Converter-Fed Open-End Transformer Topology. *Gohil, G., +, TPEL March 2017 1818-1831*
- Optimized Switching Sequence for Multiphase Power Converters Under Inductance Mismatch. *Antoszczuk, P., +, TPEL March 2017 1697-1702*
- PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking. *Leuenberger, D., +, TPEL Aug. 2017 6105-6118*
- Reliability-Oriented Optimization of the LC Filter in a Buck DC-DC Converter. *Liu, Y., +, TPEL Aug. 2017 6323-6337*
- Thermal Topology Optimization of a Three-Layer Laminated Busbar for Power Converters. *Puigdellivol, O., +, TPEL June 2017 4691-4699*
- Three-Phase VSI Optimal Switching Loss Reduction Using Variable Switching Frequency. *Onederra, O., +, TPEL Aug. 2017 6570-6576*
- Unifying Distributed Dynamic Optimization and Control of Islanded DC Microgrids. *Moayeddi, S., +, TPEL March 2017 2329-2346*

Oscillations

A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part II: Case Studies. *Aroudi, A.E.*, *TPEL July 2017 5835-5849*

Subharmonic Instability Limits for the Peak-Current-Controlled Boost, Buck-Boost, Flyback, and SEPIC Converters With Closed Voltage Feedback Loop. *Fang, C.*, +, *TPEL May 2017 4048-4055*

Oscillators

A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology. *Fiore, V.*, +, *TPEL March 2017 1984-1995*

Measurement of IGBT High-Frequency Input Impedance in Short Circuit. *Abbate, C.*, +, *TPEL Jan. 2017 584-592*

Synchronization of the carrier wave of parallel three-phase inverters with virtual oscillator control. *Hu, J.*, +, *TPEL Oct. 2017 7998-8007*

Overcurrent protection

A Sensitivity-Improved PFM LLC Resonant Full-Bridge DC–DC Converter With LC Antiresonant Circuitry. *Mishima, T.*, +, *TPEL Jan. 2017 310-324*

An Adaptive High-Precision OCP Control Scheme for Flyback AC/DC Converters. *Wu, Q.*, +, *TPEL Dec. 2017 8969-8973*

Fault-Tolerant Control of Dual Three-Phase Permanent-Magnet Synchronous Machine Drives Under Open-Phase Faults. *Wang, W.*, +, *TPEL March 2017 2052-2063*

Self-Compensating OCP Control Scheme for Primary-Side Controlled Flyback AC/DC Converters. *Zhu, Z.*, +, *TPEL May 2017 3673-3682*

Overvoltage protection

New Passive Filter Design Method for Overvoltage Suppression and Bearing Currents Mitigation in a Long Cable Based PWM Inverter-Fed Motor Drive System. *Jiang, Y.*, +, *TPEL Oct. 2017 7882-7893*

P**P-i-n diodes**

A Voltage Model of p-i-n Diodes at Reverse Recovery Under Short-Time Freewheeling. *Luo, Y.*, +, *TPEL Jan. 2017 142-149*

Accurate SPICE Modeling of Reverse-Conducting IGBTs Including Self-Heating Effects. *Riccio, M.*, +, *TPEL April 2017 3088-3098*

Online High-Power p-i-n Diode Junction Temperature Extraction With Reverse Recovery Fall Storage Charge. *Luo, H.*, +, *TPEL April 2017 2558-2567*

Parameter estimation

A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*

Analytical and Experimental Investigation on A Dynamic Thermo-Sensitive Electrical Parameter With Maximum dI_C/dt During Turn-off for High Power Trench Gate/Field-Stop IGBT Modules. *Chen, Y.*, +, *TPEL Aug. 2017 6394-6404*

Online Parameter Identification for Model-Based Sensorless Control of Interior Permanent Magnet Synchronous Machine. *Rafiq, M.S.*, +, *TPEL June 2017 4631-4643*

Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *Liu, Z.*, +, *TPEL April 2017 3154-3165*

Real-Time Parameter Estimation of DC–DC Converters Using a Self-Tuned Kalman Filter. *Ahmeid, M.*, +, *TPEL July 2017 5666-5674*

Robust Adaptive Sensorless Control for Permanent-Magnet Synchronous Motors. *Choi, J.*, +, *TPEL May 2017 3989-3997*

Pareto optimization

Comparative η – ρ – σ Pareto Optimization of Si and SiC Multilevel Dual-Active-Bridge Topologies With Wide Input Voltage Range. *Burkart, R.M.*, +, *TPEL July 2017 5258-5270*

Comparative Life Cycle Cost Analysis of Si and SiC PV Converter Systems Based on Advanced η – ρ – σ Multiobjective Optimization Techniques. *Burkart, R.M.*, +, *TPEL June 2017 4344-4358*

Modeling and Pareto Optimization of On-Chip Switched Capacitor Converters. *Andersen, T.M.*, +, *TPEL Jan. 2017 363-377*

Particle filtering (numerical methods)

A Review of Prognostic Techniques for High-Power White LEDs. *Sun, B.*, +, *TPEL Aug. 2017 6338-6362*

Particle swarm optimization

A Novel Flower Pollination Based Global Maximum Power Point Method for Solar Maximum Power Point Tracking. *Prasanth Ram, J.*, +, *TPEL Nov. 2017 8486-8499*

Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *Liu, Z.*, +, *TPEL April 2017 3154-3165*

Passive filters

A Magnetic Integrated LLCL Filter for Grid-Connected Voltage-Source Converters. *Fang, J.*, +, *TPEL March 2017 1725-1730*

Modulation Techniques for Enhanced Reduction in Common-Mode Voltage and Output Voltage Distortion in Indirect Matrix Converters. *Padhee, V.*, +, *TPEL Nov. 2017 8655-8670*

New Passive Filter Design Method for Overvoltage Suppression and Bearing Currents Mitigation in a Long Cable Based PWM Inverter-Fed Motor Drive System. *Jiang, Y.*, +, *TPEL Oct. 2017 7882-7893*

Passivity-Based Stability Analysis and Damping Injection for Multiparalleled VSCs with LCL Filters. *Wang, X.*, +, *TPEL Nov. 2017 8922-8935*

Varactor-Based Passive Ripple Filter With Automatic Tuning for Low-Noise Power-Supply Systems. *Meehan, P.J.*, +, *TPEL June 2017 4741-4752*

Performance evaluation

Performance Evaluation of a Semi-Dual-Bridge Resonant DC/DC Converter With Secondary Phase-Shifted Control. *Hu, S.*, +, *TPEL Oct. 2017 7727-7738*

Permanent magnet generators

A Control Approach for a Small-Scale PMSG-Based WECS in the Whole Wind Speed Range. *Shafiei, A.*, +, *TPEL Dec. 2017 9117-9130*

A Medium-Frequency Transformer-Based Wind Energy Conversion System Used for Current-Source Converter-Based Offshore Wind Farm. *Wei, Q.*, +, *TPEL Jan. 2017 248-259*

Computationally Efficient DMPC for Three-Level NPC Back-to-Back Converters in Wind Turbine Systems With PMSG. *Zhang, Z.*, +, *TPEL Oct. 2017 8018-8034*

DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R.*, +, *TPEL June 2017 4812-4826*

Instantaneous Power Control for Suppressing the Second-Harmonic DC-Bus Voltage Under Generic Unbalanced Operating Conditions. *Hu, Y.*, +, *TPEL May 2017 3998-4006*

Investigation and Suppression of Current Zero Crossing Phenomenon for a Semicontrolled Open-Winding PMSG System. *Nian, H.*, +, *TPEL Jan. 2017 602-612*

Robust DC-Link Voltage Control of a Full-Scale PMSG Wind Turbine for Effective Integration in DC Grids. *Davari, M.*, +, *TPEL May 2017 4021-4035*

Permanent magnet machines

A Dual-Level Hysteresis Current Control for One Five-Leg VSI to Control Two PMSMs. *Wang, W.*, +, *TPEL Jan. 2017 804-814*

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X.*, +, *TPEL Sept. 2017 6924-6935*

Comparative Analysis of BEMF and Pulsating High-Frequency Current Injection Methods for PM Temperature Estimation in PMSMs. *Reigosa, D.*, +, *TPEL May 2017 3691-3699*

Fault Diagnosis of High-Resistance Connection in a Nine-Phase Flux-Switching Permanent-Magnet Machine Considering the Neutral-Point Connection Model. *Hang, J.*, +, *TPEL Aug. 2017 6444-6454*

Fault-Tolerant Control of Dual Three-Phase Permanent-Magnet Synchronous Machine Drives Under Open-Phase Faults. *Wang, W.*, +, *TPEL March 2017 2052-2063*

Low-Frequency Current Oscillation Reduction for Six-Step Operation of Three-Phase Inverters. *Ke, Z.*, +, *TPEL April 2017 2948-2956*

Nonparametric Sensorless Drive Method for Open-Winding PMSM Based on Zero-Sequence Back EMF With Circulating Current Suppression. *Zhan, H.*, +, *TPEL May 2017 3808-3817*

On Accuracy of Virtual Signal Injection based MTPA Operation of Interior Permanent Magnet Synchronous Machine Drives. *Sun, T.*, +, *TPEL Sept. 2017 7405-7408*

PMSM Sensorless Control by Injecting HF Pulsating Carrier Signal Into ABC Frame. *Tang, Q.*, +, *TPEL May 2017 3767-3776*

Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine. *Abosh, A.H.*, +, *TPEL April 2017 2976-2986*

Self-Learning Direct Flux Vector Control of Interior Permanent-Magnet Machine Drives. *Sun, T.*, +, *TPEL June 2017 4652-4662*

Single-Phase Inverter Drive for Interior Permanent Magnet Machines. *Lee, K.*, +, *TPEL Feb. 2017 1355-1366*

Square-Wave Voltage Injection Algorithm for PMSM Position Sensorless Control With High Robustness to Voltage Errors. *Ni, R.*, +, *TPEL July 2017 5425-5437*

Permanent magnet motors

A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B.*, +, *TPEL July 2017 5590-5600*

A Switched Predictive Controller for an Electrical Powertrain System With Backlash. *Formentini, A.*, +, *TPEL May 2017 4036-4047*

An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. *Koc, M.*, +, *TPEL Jan. 2017 490-502*

Analytical Investigation of Sideband Electromagnetic Vibration in Integral-Slot PMSM Drive With SVPWM Technique. *Liang, W.*, +, *TPEL June 2017 4785-4795*

Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor. *Tian, B.*, +, *TPEL July 2017 5459-5472*

Common Model Predictive Control for Permanent-Magnet Synchronous Machine Drives Considering Single-Phase Open-Circuit Fault. *Wang, W.*, +, *TPEL July 2017 5862-5872*

Comparative Investigation of Pseudorandom High-Frequency Signal Injection Schemes for Sensorless IPMSM Drives. *Wang, G.*, +, *TPEL March 2017 2123-2132*

Comprehensive Analysis and Reduction of Torque Ripples in Three-Phase Four-Switch Inverter-Fed PMSM Drives Using Space Vector Pulse-Width Modulation. *Zhu, C.*, +, *TPEL July 2017 5411-5424*

Deadbeat Predictive Current Control of Permanent-Magnet Synchronous Motors with Stator Current and Disturbance Observer. *Zhang, X.*, +, *TPEL May 2017 3818-3834*

Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault. *Tian, B.*, +, *TPEL July 2017 5473-5486*

Direct Calculation Method of Reference Flux Linkage for Maximum Torque per Ampere Control in DTC-Based IPMSM Drives. *Shinohara, A.*, +, *TPEL March 2017 2114-2122*

Errors of a Linear Current Approximation in High-Speed PMSM Drives. *Jarzewicz, L.*, +, *TPEL Nov. 2017 8254-8257*

Flux Immunity Robust Predictive Current Control With Incremental Model and Extended State Observer for PMSM Drive. *Yang, M.*, +, *TPEL Dec. 2017 9267-9279*

Generalized Synchronous Optimal Pulse Width Modulation for Multilevel Inverters. *Lago, J.*, +, *TPEL Aug. 2017 6297-6307*

Improving the Steady-State and Transient-State Performances of PMSM Through an Advanced Deadbeat Direct Torque and Flux Control System. *Vafaie, M.H.*, +, *TPEL April 2017 2964-2975*

Maximum Torque per Ampere Control for Buried Magnet PMSM Based on DC-Link Power Measurement. *Ahmed, A.*, +, *TPEL Feb. 2017 1299-1311*

Online Diagnosis and Localization of High-Resistance Connection in PMSM With Improved Fault Indicator. *Zhang, J.*, +, *TPEL May 2017 3585-3594*

Online Parameter Identification for Model-Based Sensorless Control of Interior Permanent Magnet Synchronous Machine. *Rafaq, M.S.*, +, *TPEL June 2017 4631-4643*

Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *Liu, Z.*, +, *TPEL April 2017 3154-3165*

Robust Adaptive Sensorless Control for Permanent-Magnet Synchronous Motors. *Choi, J.*, +, *TPEL May 2017 3989-3997*

Rotor Temperature Detection in Permanent Magnet Synchronous Machine-Based Automotive Electric Traction Drives. *Carpiuc, S.*, *TPEL March 2017 2090-2097*

Self-Tuning Adaptive Speed Controller for Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2017 1493-1506*

Speed Range Extended Maximum Torque Per Ampere Control for PM Drives Considering Inverter and Motor Nonlinearities. *Ge, H.*, +, *TPEL Sept. 2017 7151-7159*

Torque Ripple Reduction of Predictive Torque Control for PMSM Drives With Parameter Mismatch. *Siami, M.*, +, *TPEL Sept. 2017 7160-7168*

Uncertainty-and-Disturbance-Estimator-Based Current Control Scheme for PMSM Drives With a Simple Parameter Tuning Algorithm. *Ren, J.*, +, *TPEL July 2017 5712-5722*

Unified Wide-Speed Sensorless Scheme Using Nonlinear Optimization for IPMSM Drives. *Sun, Y.*, +, *TPEL Aug. 2017 6308-6322*

Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor. *Xu, Y.*, +, *TPEL May 2017 3797-3807*

Permanent magnets

Analytical Investigation of Sideband Electromagnetic Vibration in Integral-Slot PMSM Drive With SVPWM Technique. *Liang, W.*, +, *TPEL June 2017 4785-4795*

Power Consumption Reduction for Magnetic Bearing Systems During Torque Output of Control Moment Gyros. *Zheng, S.*, +, *TPEL July 2017 5752-5759*

Permittivity

Voltage-Controlled Capacitor—Feasibility Demonstration in DC–DC Converters. *Zhang, L.*, +, *TPEL Aug. 2017 5889-5892*

Perturbation techniques

DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters. *Du, J.*, +, *TPEL Jan. 2017 693-702*

Phase control

A Frequency Adaptive Phase Shift Modulation Control Based LLC Series Resonant Converter for Wide Input Voltage Applications. *Shakib, S.M.S.I.*, +, *TPEL Nov. 2017 8360-8370*

Active Phase Control for Maximum Power Point Tracking of a Linear Wave Generator. *Park, J.S.*, +, *TPEL Oct. 2017 7651-7662*

DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters. *Du, J.*, +, *TPEL Jan. 2017 693-702*

Novel Dual-Phase-Shift Control With Bidirectional Inner Phase Shifts for a Dual-Active-Bridge Converter Having Low Surge Current and Stable Power Control. *Liu, X.*, +, *TPEL May 2017 4095-4106*

Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters. *Wang, Y.*, +, *TPEL Aug. 2017 6510-6522*

Variable-Switching-Frequency State-Feedback Control of a Phase-Shifted Full-Bridge DC/DC Converter. *Mallik, A.*, +, *TPEL Aug. 2017 6523-6531*

Phase detectors

Self-Oscillating Resonant Converter With Contactless Power Transfer and Integrated Current Sensing Transformer. *Xu, L.*, +, *TPEL June 2017 4839-4851*

Phase estimation

Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z.*, +, *TPEL July 2017 5613-5627*

Phase locked loops

A Critical Examination of Frequency-Fixed Second-Order Generalized Integrator-Based Phase-Locked Loops. *Golestan, S.*, +, *TPEL Sept. 2017 6666-6672*

A DC-Voltage-Controlled Variable Capacitor for Stabilizing the ZVS Frequency of a Resonant Converter for Wireless Power Transfer. *Tian, J.*, +, *TPEL March 2017 2312-2318*

A Frequency-Fixed SOGI-Based PLL for Single-Phase Grid-Connected Converters. *Xiao, F.*, +, *TPEL March 2017 1713-1719*

A Synchronization Scheme for Single-Phase Grid-Tied Inverters Under Harmonic Distortion and Grid Disturbances. *Hadjidemetriou, L.*, +, *TPEL April 2017 2784-2793*

- An Efficient FPGA Implementation of a Quadrature Signal-Generation Subsystem in SRF PLLs in Single-Phase PFCs. *Lamo, P.*, +, *TPEL May 2017 3959-3969*
- Analysis and Dynamic Performance Improvement of Grid-Connected Voltage-Source Converters Under Unbalanced Network Conditions. *Mortazavian, S.*, +, *TPEL Oct. 2017 8134-8149*
- Current-Sensorless Power-Decoupling Phase-Shift Dual-Half-Bridge Converter for DC-AC Power Conversion Systems Without Electrolytic Capacitor. *Irfan, M.S.*, +, *TPEL May 2017 3610-3622*
- High-Order Frequency-Locked Loops: A Critical Analysis. *Golestan, S.*, +, *TPEL May 2017 3285-3291*
- Impedance Analysis of SOGI-FLL-Based Grid Synchronization. *Yi, H.*, +, *TPEL Oct. 2017 7409-7413*
- Impedance-Phased Dynamic Control Method for Grid-Connected Inverters in a Weak Grid. *Chen, X.*, +, *TPEL Jan. 2017 274-283*
- Parameter-Insensitive Mixed-Signal Hysteresis-Band Current Control for Point-of-Load Converters With Fixed Frequency and Robust Stability. *Kapat, S.*, *TPEL July 2017 5760-5770*
- Robust Vector Control of a Very Weak-Grid-Connected Voltage-Source Converter Considering the Phase-Locked Loop Dynamics. *Davari, M.*, +, *TPEL Feb. 2017 977-994*
- Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters. *He, J.*, +, *TPEL April 2017 2647-2660*
- Single-Phase Phase-Locked Loop Based on Derivative Elements. *Guan, Q.*, +, *TPEL June 2017 4411-4420*
- Single-Phase PLLs: A Review of Recent Advances. *Golestan, S.*, +, *TPEL Dec. 2017 9013-9030*
- Tan-Sun Coordinate Transformation System Theory and Applications for Three-Phase Unbalanced Power Systems. *Tan, G.*, +, *TPEL Sept. 2017 7352-7380*
- Three-Phase PLLs: A Review of Recent Advances. *Golestan, S.*, +, *TPEL March 2017 1894-1907*
- Unified Wide-Speed Sensorless Scheme Using Nonlinear Optimization for IPMSM Drives. *Sun, Y.*, +, *TPEL Aug. 2017 6308-6322*
- Variable Frequency Controller for Inductive Power Transfer in Dynamic Conditions. *Gati, E.*, +, *TPEL Feb. 2017 1684-1696*
- Phase shift keying**
- A Frequency Adaptive Phase Shift Modulation Control Based LLC Series Resonant Converter for Wide Input Voltage Applications. *Shakib, S.M.S.I.*, +, *TPEL Nov. 2017 8360-8370*
- Phase shifters**
- Cascaded Dual-Buck AC-AC Converter With Reduced Number of Inductors. *Khan, A.A.*, +, *TPEL Oct. 2017 7509-7520*
- Continuous Phase-Shifted Selective Harmonic Elimination and DC-Link Voltage Balance Solution for H-bridge Multilevel Configurations, Applied to 5L HNPC. *Sanchez-Ruiz, A.*, +, *TPEL April 2017 2533-2545*
- Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters. *Wang, Y.*, +, *TPEL Aug. 2017 6510-6522*
- Photoconducting switches**
- Study of the Lifetime of High-Power GaAs PCSSs Under Different Energy Storage Modes. *Ma, C.*, +, *TPEL June 2017 4644-4651*
- Photovoltaic cells**
- PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers. *Uno, M.*, +, *TPEL Nov. 2017 8500-8513*
- Photovoltaic power systems**
- A Capacitance-Minimized, Doubly Grounded Transformer less Photovoltaic Inverter With Inherent Active-Power Decoupling. *Xia, Y.*, +, *TPEL July 2017 5188-5201*
- A Family of Neutral-Point-Clamped Circuits of Single-Phase PV Inverters: Generalized Principle and Implementation. *Zhou, L.*, +, *TPEL June 2017 4307-4319*
- A Four-Switch Single-Stage Single-Phase Buck-Boost Inverter. *Kumar, A.*, +, *TPEL July 2017 5282-5292*
- A High-Voltage-Compliant Current-to-Digital Sensor for DC-DC Converters in Standard CMOS Technology. *Marti-Arbona, E.*, +, *TPEL March 2017 2180-2188*
- A New Single-Phase Switched-Coupled-Inductor DC-AC Inverter for Photovoltaic Systems. *Kim, K.*, +, *TPEL July 2017 5016-5022*
- A New Six-Switch Five-Level Active Neutral Point Clamped Inverter for PV Applications. *Wang, H.*, +, *TPEL Sept. 2017 6700-6715*
- A Novel Flower Pollination Based Global Maximum Power Point Method for Solar Maximum Power Point Tracking. *Prasanth Ram, J.*, +, *TPEL Nov. 2017 8486-8499*
- A Novel Grid-Connected PV System Based on MMC to Get the Maximum Power Under Partial Shading Conditions. *Rong, F.*, +, *TPEL June 2017 4320-4333*
- A PV Micro-inverter With PV Current Decoupling Strategy. *Liao, C.*, +, *TPEL Aug. 2017 6544-6557*
- A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S.*, +, *TPEL Oct. 2017 7602-7614*
- A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL Nov. 2017 8559-8569*
- A Synchronization Scheme for Single-Phase Grid-Tied Inverters Under Harmonic Distortion and Grid Disturbances. *Hadjidemetriou, L.*, +, *TPEL April 2017 2784-2793*
- Analysis and Control of Neutral-Point Voltage for Transformerless Three-Level PV Inverter in LVRT Operation. *Shao, Z.*, +, *TPEL March 2017 2347-2359*
- Analysis of the Modulation Strategy for the Minimization of the Leakage Current in the PV Grid-Connected Cascaded Multilevel Inverter. *Sonti, V.*, +, *TPEL Feb. 2017 1156-1169*
- Analysis of the Robustness of Transformerless PV Inverter Topologies to the Choice of Power Devices. *Jedtberg, H.*, +, *TPEL July 2017 5248-5257*
- Decentralized Method for Load Sharing and Power Management in a Hybrid Single/Three-Phase-Islanded Microgrid Consisting of Hybrid Source PV/Battery Units. *Karimi, Y.*, +, *TPEL Aug. 2017 6135-6144*
- Decentralized Method for Load Sharing and Power Management in a PV/Battery Hybrid Source Islanded Microgrid. *Karimi, Y.*, +, *TPEL May 2017 3525-3535*
- Efficiency Improvement of Nonuniformly Aged PV Arrays. *Hu, Y.*, +, *TPEL Feb. 2017 1124-1137*
- Fireworks Enriched P&O Algorithm for GMPPT and Detection of Partial Shading in PV Systems. *Manickam, C.*, +, *TPEL June 2017 4432-4443*
- High-Performance Quasi-Z-Source Series Resonant DC-DC Converter for Photovoltaic Module-Level Power Electronics Applications. *Vinnikov, D.*, +, *TPEL May 2017 3634-3650*
- Improved PV Inverter Operating Range Using a Miniboost. *Serban, E.*, +, *TPEL Nov. 2017 8470-8485*
- Least Power Point Tracking Method for Photovoltaic Differential Power Processing Systems. *Jeon, Y.*, +, *TPEL March 2017 1941-1951*
- Mixed-Integer-Linear-Programming-Based Energy Management System for Hybrid PV-Wind-Battery Microgrids: Modeling, Design, and Experimental Verification. *Luna, A.C.*, +, *TPEL April 2017 2769-2783*
- Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current. *Chen, D.*, +, *TPEL April 2017 2717-2727*
- Optimal Inductor Current in Boost DC/DC Converters Regulating the Input Voltage Applied to Low-Power Photovoltaic Modules. *Reverter, F.*, +, *TPEL Aug. 2017 6188-6196*
- Optimal Photovoltaic Array Configuration Under Gaussian Laser Beam Condition for Wireless Power Transmission. *Zhou, W.*, +, *TPEL May 2017 3662-3672*
- Photovoltaic Module-Integrated Stand-alone Single-Stage Switched Capacitor Inverter with Maximum Power Point Tracking. *Peter, P.K.*, +, *TPEL May 2017 3571-3584*
- Single-Stage Three-Phase Grid-Tied PV System With Universal Filtering Capability Applied to DG Systems and AC Microgrids. *Campanhol, L.B.G.*, +, *TPEL Dec. 2017 9131-9142*

PI control

A 3-kW Wireless Power Transfer System for Sightseeing Car Supercapacitor Charge. *Li, Z.*, +, *TPEL May 2017 3301-3316*

A Multifunctional and Wireless Droop Control for Distributed Energy Storage Units in Islanded AC Microgrid Applications. *Sun, X.*, +, *TPEL Jan. 2017 736-751*

A Novel Source Current Control Strategy and Its Stability Analysis for an Indirect Matrix Converter. *Han, N.*, +, *TPEL Oct. 2017 8181-8192*

A Performance Investigation of a Four-Switch Three-Phase Inverter-Fed IM Drives at Low Speeds Using Fuzzy Logic and PI Controllers. *Zaky, M.S.*, +, *TPEL May 2017 3741-3753*

An Advanced Closed-Loop Control to Improve the Performance of Hybrid Stepper Motors. *Le, K.M.*, +, *TPEL Sept. 2017 7244-7255*

Analysis of the Behavior of Undamped and Unstable High-Frequency Resonance in a DFIG System. *Song, Y.*, +, *TPEL Dec. 2017 9105-9116*

Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault. *Tian, B.*, +, *TPEL July 2017 5473-5486*

Dynamic Performance Improvement of Diode-capacitor-Based High Step-up DC-DC Converter Through Right-Half-Plane Zero Elimination. *Zhang, Y.*, +, *TPEL Aug. 2017 6532-6543*

Feed-Forward-based Control in a DC-DC Converter of Asymmetric Multistage-Stacked Boost Architecture. *Mademlis, G.*, +, *TPEL Feb. 2017 1507-1517*

High-Performance Predictive Control of Quasi-Impedance Source Inverter. *Mosa, M.*, +, *TPEL April 2017 3251-3262*

Instantaneous Power Control for Suppressing the Second-Harmonic DC-Bus Voltage Under Generic Unbalanced Operating Conditions. *Hu, Y.*, +, *TPEL May 2017 3998-4006*

Model Predictive Control of Capacitor Voltage Balancing for Cascaded Modular DC-DC Converters. *Wei, Q.*, +, *TPEL Jan. 2017 752-761*

Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H_{∞} Control Strategy. *Panigrahi, R.*, +, *TPEL April 2017 2622-2630*

Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters. *Wang, Y.*, +, *TPEL Aug. 2017 6510-6522*

Positive- and Negative-Sequence Current Controller With Direct Discrete-Time Pole Placement for Grid-Tied Converters With LCL Filter. *Perez-Estevez, D.*, +, *TPEL Sept. 2017 7207-7221*

Reduction of Input Current Harmonic Distortions and Balancing of Output Voltages of the Vienna Rectifier Under Supply Voltage Disturbances. *Adhikari, J.*, +, *TPEL July 2017 5802-5812*

Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine. *Abosh, A.H.*, +, *TPEL April 2017 2976-2986*

Repetitive Controller for VSIs in Droop-Based AC-Microgrid. *Trivedi, A.*, +, *TPEL Aug. 2017 6595-6604*

Robust Active Damping Methods for LCL Filter-Based Grid-Connected Converters. *Ben Said-Romdhane, M.*, +, *TPEL Sept. 2017 6739-6750*

Piecewise constant techniques

On Accuracy of Virtual Signal Injection based MTPA Operation of Interior Permanent Magnet Synchronous Machine Drives. *Sun, T.*, +, *TPEL Sept. 2017 7405-7408*

Piecewise linear techniques

Switching Frequency Regulation in Sliding Mode Control by a Hysteresis Band Controller. *Repecho, V.*, +, *TPEL Feb. 2017 1557-1569*

Piezoelectric devices

Dynamic Optimum Dead Time in Piezoelectric Transformer-Based Switch-Mode Power Supplies. *Ekhtiari, M.*, +, *TPEL Jan. 2017 783-793*

Piezoelectric materials

A Novel Self-Power SSHI Circuit for Piezoelectric Energy Harvester. *Eltamaly, A.M.*, +, *TPEL Oct. 2017 7663-7673*

An Efficient Inductorless Dynamically Configured Interface Circuit for Piezoelectric Vibration Energy Harvesting. *Du, S.*, +, *TPEL May 2017 3595-3609*

Piezoelectric transducers

A Novel Self-Power SSHI Circuit for Piezoelectric Energy Harvester. *Eltamaly, A.M.*, +, *TPEL Oct. 2017 7663-7673*

An Efficient Inductorless Dynamically Configured Interface Circuit for Piezoelectric Vibration Energy Harvesting. *Du, S.*, +, *TPEL May 2017 3595-3609*

Autonomous Wideband Piezoelectric Energy Harvesting Utilizing a Resonant Inverter. *Stein, A.L.F.*, +, *TPEL Aug. 2017 6178-6187*

Planetary rovers

PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers. *Uno, M.*, +, *TPEL Nov. 2017 8500-8513*

Plasma devices

Single-Switch Quasi-Resonant DC-DC Converter for a Pulsed Plasma Thruster of Satellites. *Kang, B.*, +, *TPEL June 2017 4503-4513*

Pole assignment

Positive- and Negative-Sequence Current Controller With Direct Discrete-Time Pole Placement for Grid-Tied Converters With LCL Filter. *Perez-Estevez, D.*, +, *TPEL Sept. 2017 7207-7221*

Poles and zeros

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Polynomials

Rotor Temperature Detection in Permanent Magnet Synchronous Machine-Based Automotive Electric Traction Drives. *Carpiuc, S.*, *TPEL March 2017 2090-2097*

Unified Selective Harmonic Elimination for Multilevel Converters. *Yang, K.*, +, *TPEL Feb. 2017 1579-1590*

Position control

An Advanced Closed-Loop Control to Improve the Performance of Hybrid Stepper Motors. *Le, K.M.*, +, *TPEL Sept. 2017 7244-7255*

Online Advanced Angle Adjustment Method for Sinusoidal BLDC Motors with Misaligned Hall Sensors. *Park, J.S.*, +, *TPEL Nov. 2017 8247-8253*

Square-Wave Voltage Injection Algorithm for PMSM Position Sensorless Control With High Robustness to Voltage Errors. *Ni, R.*, +, *TPEL July 2017 5425-5437*

Potential transformers

Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation. *Yang, L.*, +, *TPEL Feb. 2017 1651-1665*

Power amplifiers

A Novel Design Methodology for High-Efficiency Current-Mode and Voltage-Mode Class-E Power Amplifiers in Wireless Power Transfer systems. *Liu, S.*, +, *TPEL June 2017 4514-4523*

Analysis and Design of A Robust Class E^2 DC-DC Converter for Megahertz Wireless Power Transfer. *Liu, M.*, +, *TPEL April 2017 2835-2845*

Bus Voltage Control of Cascaded Buck-Boost Power Amplifier Driving Inductive Load With 2.3-kW Peak Power. *Shin, J.*, +, *TPEL May 2017 4107-4114*

Power aware computing

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*

Power bipolar transistors

Active Current Source IGBT Gate Drive With Closed-Loop di/dt and dv/dt Control. *Shu, L.*, +, *TPEL May 2017 3787-3796*

Study on Effect of Junction Temperature Swing Duration on Lifetime of Transfer Molded Power IGBT Modules. *Choi, U.*, +, *TPEL Aug. 2017 6434-6443*

Voltage Vector Error Fault Diagnosis for Open-Circuit Faults of Three-Phase Four-Wire Active Power Filters. *Zhang, H.*, +, *TPEL March 2017 2215-2226*

Power cables

Length-Scalable Multiconductor Cable Modeling for EMI Simulations in Power Electronics. *Wunsch, B.*, +, *TPEL March 2017 1908-1916*

Low-Voltage-Ride-Through (LVRT) Control of an HVDC Transmission System Using Two Modular Multilevel DSCC Converters. *Oguma, K.*, +, *TPEL Aug. 2017 5931-5942*

Power capacitors

- A 2-kW Single-Phase Seven-Level Flying Capacitor Multilevel Inverter With an Active Energy Buffer. *Lei, Y.*, +, *TPEL Nov. 2017 8570-8581*
- A Flying-Capacitor Modular Multilevel Converter for Medium-Voltage Motor Drive. *Du, S.*, +, *TPEL March 2017 2081-2089*
- A Modeling and Analysis Method for Fractional-Order DC–DC Converters. *Chen, X.*, +, *TPEL Sept. 2017 7034-7044*
- A Novel Grid-Connected PV System Based on MMC to Get the Maximum Power Under Partial Shading Conditions. *Rong, F.*, +, *TPEL June 2017 4320-4333*
- A Robust DC-Split-Capacitor Power Decoupling Scheme for Single-Phase Converter. *Yao, W.*, +, *TPEL Nov. 2017 8419-8433*
- A Single-Switch AC–DC LED Driver Based on a Boost-Flyback PFC Converter With Lossless Snubber. *Lee, S.*, +, *TPEL Feb. 2017 1375-1384*
- A Startup Method for Flying-Capacitor Modular Multilevel Converter (FC-MMC) With Effective Damping of LC Oscillations. *Du, S.*, +, *TPEL July 2017 5827-5834*
- A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electroporation Applications. *Elgenedy, M.A.*, +, *TPEL Dec. 2017 8979-8991*
- An Evolutional Line-Commutated Converter Integrated With Thyristor-Based Full-Bridge Module to Mitigate the Commutation Failure. *Guo, C.*, +, *TPEL Feb. 2017 967-976*
- Analysis and Design of Current Control Schemes for LCL-Type Grid-Connected Inverter Based on a General Mathematical Model. *Pan, D.*, +, *TPEL June 2017 4395-4410*
- Analysis and Implementation of a High-Performance-Integrated KY Converter. *Zhang, Y.*, +, *TPEL Dec. 2017 9051-9064*
- Application of an Efficient Rogowski Coil Sensor for Switch Fault Diagnosis and Capacitor ESR Monitoring in Nonisolated Single-Switch DC–DC Converters. *Farjah, E.*, +, *TPEL Feb. 2017 1442-1456*
- Asymmetric Mode Control of MMC to Suppress Capacitor Voltage Ripples in Low-Frequency, Low-Voltage Conditions. *Yang, R.*, +, *TPEL June 2017 4219-4230*
- Capacitor Voltages Measurement and Balancing in Flying Capacitor Multilevel Converters Utilizing a Single Voltage Sensor. *Farivar, G.*, +, *TPEL Oct. 2017 8115-8123*
- Control Concepts for Hybrid Rectifiers Utilizing a Flying Converter Cell Active Current Injection Unit. *Makoschitz, M.*, +, *TPEL April 2017 2584-2595*
- Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation. *Reichl, J.*, +, *TPEL Jan. 2017 503-514*
- Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*
- Dynamic Performance Improvement of Diode–capacitor-Based High Step-up DC–DC Converter Through Right-Half-Plane Zero Elimination. *Zhang, Y.*, +, *TPEL Aug. 2017 6532-6543*
- Electrified Automotive Powertrain Architecture Using Composite DC–DC Converters. *Chen, H.*, +, *TPEL Jan. 2017 98-116*
- Hybrid Modulation Concept for Five-Level Active-Neutral-Point-Clamped Converter. *Li, C.*, +, *TPEL Dec. 2017 8958-8962*
- Investigation of Negative-Sequence Injection Capability of Cascaded H-Bridge Converters in Star and Delta Configuration. *Behrouzian, E.*, +, *TPEL Feb. 2017 1675-1683*
- Model Predictive Control With Common-Mode Voltage Injection for Modular Multilevel Converter. *Dekka, A.*, +, *TPEL March 2017 1767-1778*
- Optimal Design of Complex Switched-Capacitor Converters Via Energy-Flow-Path Analysis. *Xiong, S.*, +, *TPEL Feb. 2017 1170-1185*
- PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers. *Uno, M.*, +, *TPEL Nov. 2017 8500-8513*
- Single-Phase Grid-Connected Motor Drive System With DC-Link Shunt Compensator and Small DC-Link Capacitor. *Shin, H.*, +, *TPEL Feb. 2017 1268-1278*

Single-Phase Inverter With Energy Buffer and DC–DC Conversion Circuits. *Matsumoto, H.*, +, *TPEL Oct. 2017 7615-7625*

Thermal Stresses Relief Carrier-Based PWM Strategy for Single-Phase Multilevel Inverters. *Aly, M.*, +, *TPEL Dec. 2017 9376-9388*

Power consumption

Current Integral Method for Fine Commutation Tuning of Sensorless Brushless DC Motor. *Lee, A.*, +, *TPEL Dec. 2017 9249-9266*

Energy Efficient Heat Sink Design: Natural Versus Forced Convection Cooling. *Christen, D.*, +, *TPEL Nov. 2017 8693-8704*

Power Consumption Reduction for Magnetic Bearing Systems During Torque Output of Control Moment Gyros. *Zheng, S.*, +, *TPEL July 2017 5752-5759*

Voltage and Frequency Grid Support Strategies Beyond Standards. *Serban, E.*, +, *TPEL Jan. 2017 298-309*

Power control

A Control Approach for a Small-Scale PMSG-Based WECS in the Whole Wind Speed Range. *Shafiei, A.*, +, *TPEL Dec. 2017 9117-9130*

A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*

A Highly Reliable and High-Efficiency Quasi Single-Stage Buck–Boost Inverter. *Khan, A.A.*, +, *TPEL June 2017 4185-4198*

A Novel Soft Switching Bidirectional DC–DC Converter Using Magnetic and Capacitive Hybrid Power Transfer. *Ishigaki, M.*, +, *TPEL Sept. 2017 6961-6970*

A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL Nov. 2017 8559-8569*

An Approach for Switched Reluctance Generator in a Wind Generation System With a Wide Range of Operation Speed. *Barros, T.A.d.S.*, +, *TPEL Nov. 2017 8277-8292*

An Enhanced Dual Droop Control Scheme for Resilient Active Power Sharing Among Paralleled Two-Stage Converters. *Liu, H.*, +, *TPEL Aug. 2017 6091-6104*

An Improved Virtual Space Vector Modulation Scheme for Three-Level Active Neutral-Point-Clamped Inverter. *Hu, C.*, +, *TPEL Oct. 2017 7419-7434*

Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V.*, +, *TPEL July 2017 5398-5410*

Compensation of Magnetizing Current for Enhanced Operation of DFIG Under Grid Unbalance. *Asha Rani, M.A.*, +, *TPEL July 2017 5214-5226*

Computationally Efficient DMPC for Three-Level NPC Back-to-Back Converters in Wind Turbine Systems With PMSG. *Zhang, Z.*, +, *TPEL Oct. 2017 8018-8034*

Discontinuous Grid Current Control of Motor Drive System With Single-Phase Diode Rectifier and Small DC-Link Capacitor. *Son, Y.*, +, *TPEL Feb. 2017 1324-1334*

Enhanced Instantaneous Power Theory for Control of Grid Connected Voltage Sourced Converters Under Unbalanced Conditions. *Montanari, A.A.*, +, *TPEL Aug. 2017 6652-6660*

Enhancing the Reliability of Modular Multilevel Converters Using Neutral Shift. *Kucka, J.*, +, *TPEL Dec. 2017 8953-8957*

Fireworks Enriched P&O Algorithm for GMPPT and Detection of Partial Shading in PV Systems. *Manickam, C.*, +, *TPEL June 2017 4432-4443*

Full-Process Operation, Control, and Experiments of Modular High-Frequency-Link DC Transformer Based on Dual Active Bridge for Flexible MVDC Distribution: A Practical Tutorial. *Zhao, B.*, +, *TPEL Sept. 2017 6751-6766*

Instantaneous Power Control for Suppressing the Second-Harmonic DC-Bus Voltage Under Generic Unbalanced Operating Conditions. *Hu, Y.*, +, *TPEL May 2017 3998-4006*

Low-Frequency Power Decoupling in Single-Phase Applications: A Comprehensive Overview. *Vitorino, M.A.*, +, *TPEL April 2017 2892-2912*

Multi-topology-Mode Grid-Connected Inverter to Improve Comprehensive Performance of Renewable Energy Source Generation System. *Wu, F.*, +, *TPEL May 2017 3623-3633*

Novel Dual-Phase-Shift Control With Bidirectional Inner Phase Shifts for a Dual-Active-Bridge Converter Having Low Surge Current and Stable Power Control. *Liu, X.*, +, *TPEL May 2017 4095-4106*

Single-Phase Grid-Connected Motor Drive System With DC-Link Shunt Compensator and Small DC-Link Capacitor. *Shin, H.*, +, *TPEL Feb. 2017 1268-1278*

Supercapacitor Sizing Method for Energy-Controlled Filter-Based Hybrid Energy Storage Systems. *Abeywardana, D.B.W.*, +, *TPEL Feb. 2017 1626-1637*

Supercapacitor-Based Energy Recovery System With Improved Power Control and Energy Management for Elevator Applications. *Jabbour, N.*, +, *TPEL Dec. 2017 9389-9399*

Synchronization of the carrier wave of parallel three-phase inverters with virtual oscillator control. *Hu, J.*, +, *TPEL Oct. 2017 7998-8007*

Three-Vector-Based Low-Complexity Model Predictive Direct Power Control Strategy for Doubly Fed Induction Generators. *Wang, X.*, +, *TPEL Jan. 2017 773-782*

Topology and Control Scheme of OBC-LDC Integrated Power Unit for Electric Vehicles. *Kim, Y.*, +, *TPEL March 2017 1731-1743*

Tripolar Pad for Inductive Power Transfer Systems for EV Charging. *Kim, S.*, +, *TPEL July 2017 5045-5057*

Unified Boundary Trapezoidal Modulation Control Utilizing Fixed Duty Cycle Compensation and Magnetizing Current Design for Dual Active Bridge DC-DC Converter. *Xu, G.*, +, *TPEL March 2017 2243-2252*

Power conversion

DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters. *Du, J.*, +, *TPEL Jan. 2017 693-702*

Power Stage and Feedback Loop Design for LLC Resonant Converter in High-Switching-Frequency Operation. *Park, H.*, +, *TPEL Oct. 2017 7770-7782*

Single-Stage Single-Switch Four-Output Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL June 2017 4566-4576*

Power conversion harmonics

A Family of Single-Phase Hybrid Step-Down PFC Converters. *Zhang, J.*, +, *TPEL July 2017 5271-5281*

A Passive Current Sharing Method With Common Inductor Multiphase LLC Resonant Converter. *Wang, H.*, +, *TPEL Sept. 2017 6994-7010*

Active Suppression of Selected DC Bus Harmonics for Dual Active Bridge DC-DC Converters. *Riedel, J.*, +, *TPEL Nov. 2017 8857-8867*

Bifurcation Phenomena and Stabilization With Compensation Ramp in Converter With Power Semiconductor Filter. *Fan, J.W.*, +, *TPEL Dec. 2017 9424-9434*

Characterization of Input Current Interharmonics in Adjustable Speed Drives. *Soltani, H.*, +, *TPEL Nov. 2017 8632-8643*

Comprehensive Analysis of Three-Phase Three-Level LC-Type Resonant DC/DC Converter With Variable Frequency Control—Series Resonant Converter. *Liu, F.*, +, *TPEL July 2017 5122-5131*

Continuous Phase-Shifted Selective Harmonic Elimination and DC-Link Voltage Balance Solution for H-bridge Multilevel Configurations, Applied to 5L HNPC. *Sanchez-Ruiz, A.*, +, *TPEL April 2017 2533-2545*

Feedback Control Strategy to Eliminate the Input Current Harmonics of Matrix Converter Under Unbalanced Input Voltages. *Lei, J.*, +, *TPEL Jan. 2017 878-888*

Model Predictive Switching Pattern Control for Current-Source Converters With Space-Vector-Based Selective Harmonic Elimination. *Gao, H.*, +, *TPEL Aug. 2017 6558-6569*

Optimum Third Current Harmonic During Nondead Zone and Its Control Implementation to Improve PF for DCM Buck PFC Converter. *Yao, K.*, +, *TPEL Dec. 2017 9238-9248*

Passive Islanding Detection Using Inverter Nonlinear Effects. *Reigosa, D.D.*, +, *TPEL Nov. 2017 8434-8445*

Power Routing for Cascaded H-Bridge Converters. *Ko, Y.*, +, *TPEL Dec. 2017 9435-9446*

Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters. *He, J.*, +, *TPEL April 2017 2647-2660*

Variable-On-Time Control to Achieve High Input Power Factor for a CRM-Integrated Buck-Flyback PFC Converter. *Memon, A.H.*, +, *TPEL July 2017 5312-5322*

Power converters

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*

A 3-kW Wireless Power Transfer System for Sightseeing Car Supercapacitor Charge. *Li, Z.*, +, *TPEL May 2017 3301-3316*

A Closed-Loop Time-Domain Analysis Method for Modular Multilevel Converter. *Wang, J.*, +, *TPEL Oct. 2017 7494-7508*

A Comparison of Grid-Connected Battery Energy Storage System Designs. *Chatziniolaou, E.*, +, *TPEL Sept. 2017 6913-6923*

A Concise Discrete Adaptive Filter for Frequency Estimation Under Distorted Three-Phase Voltage. *Quan, X.*, +, *TPEL Dec. 2017 9400-9412*

A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link. *Rudraraju, V.R.R.*, +, *TPEL June 2017 4334-4343*

A Cost-Effective Zero-Voltage Switching Dual-Output LED Driver. *Ramanjaneya Reddy, U.*, +, *TPEL Oct. 2017 7941-7953*

A Family of Single-Phase Voltage-Doubler High-Power-Factor SEPIC Rectifiers Operating in DCM. *Costa, P.J.S.*, +, *TPEL Dec. 2017 4279-4290*

A Frequency-Fixed SOGI-Based PLL for Single-Phase Grid-Connected Converters. *Xiao, F.*, +, *TPEL March 2017 1713-1719*

A Gallium-Nitride-Device-Based Switched Capacitor Multiport Multilevel Converter for UPS Applications. *Alsolami, M.*, +, *TPEL Sept. 2017 6853-6862*

A Hierarchical Active Balancing Architecture for Lithium-Ion Batteries. *Zhang, Z.*, +, *TPEL April 2017 2757-2768*

A High Power Density Series-Stacked Energy Buffer for Power Pulsation Decoupling in Single-Phase Converters. *Qin, S.*, +, *TPEL June 2017 4905-4924*

A High-Efficiency Asymmetrical Half-Bridge Converter With Integrated Boost Converter in Secondary Rectifier. *Han, J.*, +, *TPEL Nov. 2017 8237-8242*

A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. *Iyer, K.V.*, +, *TPEL July 2017 5087-5108*

A Load-Sharing Strategy for the State of Charge Balancing Between the Battery Modules of Integrated Reconfigurable Converter. *Momayyezani, M.*, +, *TPEL May 2017 4056-4063*

A Magnetic Integrated LLCL Filter for Grid-Connected Voltage-Source Converters. *Fang, J.*, +, *TPEL March 2017 1725-1730*

A Medium-Frequency Transformer-Based Wind Energy Conversion System Used for Current-Source Converter-Based Offshore Wind Farm. *Wei, Q.*, +, *TPEL Jan. 2017 248-259*

A Mistuning-Tolerant and Controllable Power Supply for Roadway Wireless Power Systems. *Kamineni, A.*, +, *TPEL Sept. 2017 6689-6699*

A Modular Multilevel Converter With DC Fault Handling Capability and Enhanced Efficiency for HVdc System Applications. *Oliveira, R.*, +, *TPEL Jan. 2017 11-22*

A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part II: Case Studies. *Aroudi, A.E.*, *TPEL July 2017 5835-5849*

A New Output Current Measurement Method With Tiny PCB Sensors Capable of Being Embedded in an IGBT Module. *Hasegawa, K.*, +, *TPEL March 2017 1707-1712*

A New Topology of Multilevel VSC Converter for a Hybrid HVDC Transmission System. *Jung, J.*, +, *TPEL June 2017 4199-4209*

A Novel Adaptive Quasi-Constant On-Time Current-Mode Buck Converter. *Nien, C.*, +, *TPEL Oct. 2017 8124-8133*

A Novel STATCOM Based on Diode-Clamped Modular Multilevel Converters. *Liu, X.*, +, *TPEL Aug. 2017 5964-5977*

A Robust DC-Split-Capacitor Power Decoupling Scheme for Single-Phase Converter. *Yao, W.*, +, *TPEL Nov. 2017 8419-8433*

A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected

- Converters in Wind Turbines. *Freijedo, F.D.*, +, *TPEL Oct. 2017 8218-8228*
- A Space Virtual-Vector Modulation With Voltage Balance Control for Nested Neutral-Point Clamped Converter Under Low Output Frequency Conditions. *Tan, L.*, +, *TPEL May 2017 3458-3466*
- A Startup Method for Flying-Capacitor Modular Multilevel Converter (FC-MMC) With Effective Damping of LC Oscillations. *Du, S.*, +, *TPEL July 2017 5827-5834*
- Active Current Source IGBT Gate Drive With Closed-Loop di/dt and dv/dt Control. *Shu, L.*, +, *TPEL May 2017 3787-3796*
- Active-Forced-Commutated Bridge Using Hybrid Devices for High Efficiency Voltage Source Converters. *Li, P.*, +, *TPEL April 2017 2485-2489*
- An AC–DC LED Driver With a Two-Parallel Inverted Buck Topology for Reducing the Light Flicker in Lighting Applications to Low-Risk Levels. *Kim, H.*, +, *TPEL May 2017 3879-3891*
- An Adaptive Power-Split Strategy for Battery–Supercapacitor Powertrain—Design, Simulation, and Experiment. *Sun, L.*, +, *TPEL Dec. 2017 9364-9375*
- An Analytical Model for False Turn-On Evaluation of High-Voltage Enhancement-Mode GaN Transistor in Bridge-Leg Configuration. *Xie, R.*, +, *TPEL Aug. 2017 6416-6433*
- An Asymmetric Three-Level Neutral Point Diode Clamped Converter for Switched Reluctance Motor Drives. *Peng, F.*, +, *TPEL Nov. 2017 8618-8631*
- An Improved Variable On-Time Control Strategy for a CRM Flyback PFC Converter. *Zhao, C.*, +, *TPEL Feb. 2017 915-919*
- Analysis and Optimization of Switched Capacitor Power Conversion Circuits With Parasitic Resistances and Inductances. *Ye, Y.*, +, *TPEL March 2017 2018-2028*
- Analysis of Bidirectional Piezoelectric-Based Converters for Zero-Voltage Switching Operation. *Ekhtiari, M.*, +, *TPEL Jan. 2017 866-877*
- Analysis of the Robustness of Transformerless PV Inverter Topologies to the Choice of Power Devices. *Jedberg, H.*, +, *TPEL July 2017 5248-5257*
- Analytical Expressions for Multiobjective Optimization of Converter-Based DG Operation Under Unbalanced Grid Conditions. *Shabestary, M.M.*, +, *TPEL Sept. 2017 7284-7296*
- Applied Integrated Active Filter Auxiliary Power Module for Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL March 2017 1860-1871*
- Asymmetric Interleaving in Low-Voltage CMOS Power Management With Multiple Supply Rails. *Schuck, M.*, +, *TPEL Jan. 2017 715-722*
- Asymmetric Mode Control of MMC to Suppress Capacitor Voltage Ripples in Low-Frequency, Low-Voltage Conditions. *Yang, R.*, +, *TPEL June 2017 4219-4230*
- Average Modeling and Performance Analysis of Voltage Sensorless Active Supercapacitor Balancer With Peak Current Protection. *Yuhimenco, V.*, +, *TPEL Feb. 2017 1570-1578*
- Bilinear Discrete-Time Modeling and Stability Analysis of the Digitally Controlled Dual Active Bridge Converter. *Shi, L.*, +, *TPEL Nov. 2017 8787-8799*
- Bus Voltage Control of Cascaded Buck–Boost Power Amplifier Driving Inductive Load With 2.3-kW Peak Power. *Shin, J.*, +, *TPEL May 2017 4107-4114*
- Capacitance Minimization in Offline LED Drivers Using an Active-Ripple-Compensation Technique. *Soares, G.M.*, +, *TPEL April 2017 3022-3033*
- Capacitor Voltages Measurement and Balancing in Flying Capacitor Multilevel Converters Utilizing a Single Voltage Sensor. *Farivar, G.*, +, *TPEL Oct. 2017 8115-8123*
- Circulating Current Analysis and Suppression for Configured Three-Limb Inductors in Paralleled Three-Level T-Type Converters With Space-Vector Modulation. *Li, Y.*, +, *TPEL May 2017 3338-3354*
- Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices. *Kim, T.*, +, *TPEL March 2017 1917-1926*
- Comparative Life Cycle Cost Analysis of Si and SiC PV Converter Systems Based on Advanced η – ρ – σ Multiobjective Optimization Techniques. *Burkart, R.M.*, +, *TPEL June 2017 4344-4358*
- Comparison of Postfault Strategies for Current Reference Generation for Dual Three-Phase Machines in Terms of Converter Losses. *Baneira, F.*, +, *TPEL Nov. 2017 8243-8246*
- Computationally Efficient DMPC for Three-Level NPC Back-to-Back Converters in Wind Turbine Systems With PMSG. *Zhang, Z.*, +, *TPEL Oct. 2017 8018-8034*
- Condition Monitoring IGBT Module Bond Wires Fatigue Using Short-Circuit Current Identification. *Sun, P.*, +, *TPEL May 2017 3777-3786*
- Control Concepts for Hybrid Rectifiers Utilizing a Flying Converter Cell Active Current Injection Unit. *Makoschitz, M.*, +, *TPEL April 2017 2584-2595*
- Controlled Transition Full-Bridge Hybrid Multilevel Converter With Chain-Links of Full-Bridge Cells. *Li, P.*, +, *TPEL Jan. 2017 23-38*
- Current Ripple Amplitude Measurement in Multiphase Power Converters. *Cervellini, P.*, +, *TPEL Sept. 2017 6684-6688*
- Current-Fed Multilevel Converters: An Overview of Circuit Topologies, Modulation Techniques, and Applications. *Gnanasambandam, K.*, +, *TPEL May 2017 3382-3401*
- Current-Stress Reduction for the Neutral Inductor of Θ -Converters. *Ming, W.*, +, *TPEL April 2017 2794-2807*
- DC-Link Stability Analysis and Controller Design for the Stacked Polyphase Bridges Converter. *Nikouie, M.*, +, *TPEL Feb. 2017 1666-1674*
- Design and Implementation of a High-Efficiency Multiple Output Charger Based on the Time-Division Multiple Control Technique. *Tran, V.*, +, *TPEL Feb. 2017 1210-1219*
- Digital Current Sensorless Control for Dual-Boost Half-Bridge PFC Converter With Natural Capacitor Voltage Balancing. *Chen, H.*, +, *TPEL May 2017 4074-4083*
- Digital Implementation of Soft Start-Up and Short-Circuit Protection for High-Frequency LLC Converters With Optimal Trajectory Control (OTC). *Fei, C.*, +, *TPEL Oct. 2017 8008-8017*
- Energy Balancing Improvement of Modular Multilevel Converters Under Unbalanced Grid Conditions. *Leon, A.E.*, +, *TPEL Aug. 2017 6628-6637*
- Energy Efficient Heat Sink Design: Natural Versus Forced Convection Cooling. *Christen, D.*, +, *TPEL Nov. 2017 8693-8704*
- Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. *Choi, H.*, +, *TPEL June 2017 4140-4144*
- Experimental Comparisons Between Modular Multilevel DSCC Inverters and TSBC Converters for Medium-Voltage Motor Drives. *Okazaki, Y.*, +, *TPEL March 2017 1805-1817*
- Extending the Operating Range of Electric Spring Using Back-To-Back Converter: Hardware Implementation and Control. *Yan, S.*, +, *TPEL July 2017 5171-5179*
- Fault Diagnosis and Fault-Tolerant Control Scheme for Open-Circuit Faults in Three-Stepped Bridge Converters. *Shu, C.*, +, *TPEL March 2017 2203-2214*
- Fault-Tolerant Control of MMC With Hot Reserved Submodules Based on Carrier Phase Shift Modulation. *Li, K.*, +, *TPEL Sept. 2017 6778-6791*
- Fine Tuning of an Inductive Link Through a Voltage-Controlled Capacitance. *Porto, R.W.*, +, *TPEL May 2017 4115-4124*
- From Chip to Converter: A Complete Cost Model for Power Electronics Converters. *Domingues-Olavarria, G.*, +, *TPEL Nov. 2017 8681-8692*
- Fully Integrated Buck Converter With Fourth-Order Low-Pass Filter. *Tang, N.*, +, *TPEL May 2017 3700-3707*
- Generalization of the Fundamental Limit Theory in a Switched-Capacitor Converter. *Mahnashi, Y.*, +, *TPEL Sept. 2017 6673-6676*
- Generation of Higher Number of Voltage Levels by Stacking Inverters of Lower Multilevel Structures With Low Voltage Devices for Drives. *Nair, R. V.*, +, *TPEL Jan. 2017 52-59*
- Giant Magneto-Impedance Sensor for Gate Driver-Insulated Signal Transmission Functions. *Wanderoild, Y.*, +, *TPEL April 2017 2493-2497*
- Grid-Current-Feedback Control for LCL-Filtered Grid Converters With Enhanced Stability. *Xin, Z.*, +, *TPEL April 2017 3216-3228*
- H_∞ current controller for input admittance shaping of VSC-based grid applications. *Perez, J.*, +, *TPEL April 2017 3180-3191*

- Harmonic Analysis and Controller Design of 15 kV SiC IGBT-Based Medium-Voltage Grid-Connected Three-Phase Three-Level NPC Converter. *Madhusoodhanan, S.*, +, *TPEL May 2017 3355-3369*
- Harmonic Interaction Analysis in a Grid-Connected Converter Using Harmonic State-Space (HSS) Modeling. *Kwon, J.*, +, *TPEL Sept. 2017 6823-6835*
- High-Efficiency Nonisolated Converter With Very High Step-Down Conversion Ratio. *Kirshenboim, O.*, +, *TPEL May 2017 3683-3690*
- High-Frequency Resonance Damping of DFIG-Based Wind Power System Under Weak Network. *Song, Y.*, +, *TPEL March 2017 1927-1940*
- High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B.*, +, *TPEL May 2017 4007-4020*
- Impact of Postfault Flux Adaptation on Six-Phase Induction Motor Drives With Parallel Converters. *Gonzalez-Prieto, I.*, +, *TPEL Jan. 2017 515-528*
- Impedance Analysis of SOGI-FLL-Based Grid Synchronization. *Yi, H.*, +, *TPEL Oct. 2017 7409-7413*
- Improved Dual Boost Inverter With Half Cycle Modulation. *Tang, Y.*, +, *TPEL Oct. 2017 7543-7552*
- Improved Modulation Scheme for Loss Balancing of Three-Level Active NPC Converters. *Deng, Y.*, +, *TPEL April 2017 2521-2532*
- Investigation of Negative-Sequence Injection Capability of Cascaded H-Bridge Converters in Star and Delta Configuration. *Behrouzian, E.*, +, *TPEL Feb. 2017 1675-1683*
- Length-Scalable Multiconductor Cable Modeling for EMI Simulations in Power Electronics. *Wunsch, B.*, +, *TPEL March 2017 1908-1916*
- Load-Dependent Soft-Switching Method of Half-Bridge Current Doubler for High-Voltage Point-of-Load Converter in Data Center Power Supplies. *Cui, Y.*, +, *TPEL April 2017 2925-2938*
- Logic-Based Methods for Intelligent Fault Diagnosis and Recovery in Power Electronics. *Chen, W.*, +, *TPEL July 2017 5573-5589*
- Low-Capacitance Cascaded H-Bridge Multilevel StatCom. *Farivar, G.*, +, *TPEL March 2017 1744-1754*
- Low-Frequency Power Decoupling in Single-Phase Applications: A Comprehensive Overview. *Vitorino, M.A.*, +, *TPEL April 2017 2892-2912*
- Low-Voltage Ride-Through Operation of Power Converters in Grid-Interactive Microgrids by Using Negative-Sequence Droop Control. *Zhao, X.*, +, *TPEL April 2017 3128-3142*
- Model Predictive Direct Slope Control for Power Converters. *Riar, B.S.*, +, *TPEL March 2017 2278-2289*
- Multiobjective Optimization of Medium-Frequency Transformers for Isolated Soft-Switching Converters Using a Genetic Algorithm. *Garcia-Bediga, A.*, +, *TPEL April 2017 2995-3006*
- New Current Measurement Procedure Using a Conventional Rogowski Transducer for the Analysis of Switching Transients in Transistors. *Oyarbide, E.*, +, *TPEL April 2017 2490-2492*
- New High-Frequency Core Loss Measurement Method With Partial Cancellation Concept. *Hou, D.*, +, *TPEL April 2017 2987-2994*
- New Integrated Multilevel Converter for Switched Reluctance Motor Drives in Plug-in Hybrid Electric Vehicles With Flexible Energy Conversion. *Gan, C.*, +, *TPEL May 2017 3754-3766*
- Nonlinear Analysis and Control of Interleaved Boost Converter Using Real-Time Cycle to Cycle Variable Slope Compensation. *Wu, H.*, +, *TPEL Sept. 2017 7256-7270*
- Novel Dual-Phase-Shift Control With Bidirectional Inner Phase Shifts for a Dual-Active-Bridge Converter Having Low Surge Current and Stable Power Control. *Liu, X.*, +, *TPEL May 2017 4095-4106*
- Optimal Design of Complex Switched-Capacitor Converters Via Energy-Flow-Path Analysis. *Xiong, S.*, +, *TPEL Feb. 2017 1170-1185*
- Optimal Space Vector Sequence Investigation Based on Natural Sampling SVM for Medium-Voltage Current-Source Converter. *Wei, Q.*, +, *TPEL Jan. 2017 176-185*
- Optimized Integrated Harmonic Filter Inductor for Dual-Converter-Fed Open-End Transformer Topology. *Gohil, G.*, +, *TPEL March 2017 1818-1831*
- Optimized Switching Sequence for Multiphase Power Converters Under Inductance Mismatch. *Antoszczuk, P.*, +, *TPEL March 2017 1697-1702*
- Parameter-Insensitive Mixed-Signal Hysteresis-Band Current Control for Point-of-Load Converters With Fixed Frequency and Robust Stability. *Kapat, S.*, *TPEL July 2017 5760-5770*
- Passive Regenerative and Dissipative Snubber Cells for Isolated SEPIC Converters: Analysis, Design, and Comparison. *Tibola, G.*, +, *TPEL Dec. 2017 9210-9222*
- Performance Evaluation of Split Output Converters With SiC MOSFETs and SiC Schottky Diodes. *Yan, Q.*, +, *TPEL Jan. 2017 406-422*
- Physics-Based Analytical Model for Input, Output, and Reverse Capacitance of a GaN HEMT With the Field-Plate Structure. *Cucak, D.*, +, *TPEL March 2017 2189-2202*
- Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters. *Wang, Y.*, +, *TPEL Aug. 2017 6510-6522*
- Power Control With Z-Source Converter Based Unified Power Flow Controller. *Thirumalaivasan, R.*, +, *TPEL Dec. 2017 9413-9423*
- Quasi-Parallel Voltage Regulator Topology for Powering Laptop Processors. *Vangalapudi, T.B.G.*, +, *TPEL Oct. 2017 7805-7815*
- Reliability Improvement of Power Converters by Means of Condition Monitoring of IGBT Modules. *Choi, U.*, +, *TPEL Oct. 2017 7990-7997*
- Reliable Modular Multilevel Converter Fault Detection With Redundant Voltage Sensor. *Picas, R.*, +, *TPEL Jan. 2017 39-51*
- Robust Active Damping Methods for LCL Filter-Based Grid-Connected Converters. *Ben Said-Romdhane, M.*, +, *TPEL Sept. 2017 6739-6750*
- Robust Vector Control of a Very Weak-Grid-Connected Voltage-Source Converter Considering the Phase-Locked Loop Dynamics. *Davari, M.*, +, *TPEL Feb. 2017 977-994*
- Sensor-Less Current Sharing Over Wide Operating Range for Extended-Duty-Ratio Boost Converter. *Roy, J.*, +, *TPEL Nov. 2017 8763-8777*
- Single-Phase PLLs: A Review of Recent Advances. *Golestan, S.*, +, *TPEL Dec. 2017 9013-9030*
- Small-Signal Equivalent Circuit Model of Quasi-Square-Wave Flyback Converter. *Zhang, Z.*, +, *TPEL Aug. 2017 5885-5888*
- Sneak Circuit Phenomena in a DCM Boost Converter Considering Parasitic Parameters. *Li, M.*, +, *TPEL May 2017 3946-3958*
- Start-Up Operation of a Modular Multilevel Converter With Flying Capacitor Submodules. *Dekka, A.*, +, *TPEL Aug. 2017 5873-5877*
- Subharmonic Instability Limits for the Peak-Current-Controlled Boost, Buck-Boost, Flyback, and SEPIC Converters With Closed Voltage Feedback Loop. *Fang, C.*, +, *TPEL May 2017 4048-4055*
- Thermal Topology Optimization of a Three-Layer Laminated Busbar for Power Converters. *Puigdellivol, O.*, +, *TPEL June 2017 4691-4699*
- Three-Phase PLLs: A Review of Recent Advances. *Golestan, S.*, +, *TPEL March 2017 1894-1907*
- Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation. *Yang, L.*, +, *TPEL Feb. 2017 1651-1665*
- Torque Ripple Reduction of Predictive Torque Control for PMSM Drives With Parameter Mismatch. *Siami, M.*, +, *TPEL Sept. 2017 7160-7168*
- Two-Dimensional Gapping to Reduce Light-Load Loss of Point-of-Load Inductor. *Ge, T.*, +, *TPEL Jan. 2017 540-550*
- Two-Phase Interleaved Inverse-Coupled Inductor Boost Without Right Half-Plane Zeros. *Liu, H.*, +, *TPEL March 2017 1844-1859*
- Ultrahigh Step-Down Converter With Wide Input Voltage Range Based on Topology Exchange. *Yau, Y.T.*, +, *TPEL July 2017 5341-5364*
- Unified Selective Harmonic Elimination for Multilevel Converters. *Yang, K.*, +, *TPEL Feb. 2017 1579-1590*
- Voltage and Frequency Grid Support Strategies Beyond Standards. *Serban, E.*, +, *TPEL Jan. 2017 298-309*
- Windowed SHE-PWM of Interleaved Four-Quadrant Converters for Resonance Suppression in Traction Power Supply Systems. *Song, K.*, +, *TPEL Oct. 2017 7870-7881*
- Power distribution control**
- A GPS-Based Decentralized Control Method for Islanded Microgrids. *Golsorkhi, M.S.*, +, *TPEL Feb. 2017 1615-1625*
- A Robot-Soccer-Coordination Inspired Control Architecture Applied to Islanded Microgrids. *Diaz, N.L.*, +, *TPEL April 2017 2728-2742*
- DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters. *Du, J.*, +, *TPEL Jan. 2017 693-702*

Discrete-Time Tool for Stability Analysis of DC Power Electronics-Based Cascaded Systems. *Zadeh, M.K., +, TPEL Jan. 2017 652-667*

Full-Process Operation, Control, and Experiments of Modular High-Frequency-Link DC Transformer Based on Dual Active Bridge for Flexible MVDC Distribution: A Practical Tutorial. *Zhao, B., +, TPEL Sept. 2017 6751-6766*

Modular Multilevel High-Frequency-Link DC Transformer Based on Dual Active Phase-Shift Principle for Medium-Voltage DC Power Distribution Application. *Zhao, B., +, TPEL March 2017 1779-1791*

Reliability Improvement Approach Based on Flatness Control of Parallel-Connected Inverters. *Shahin, A., +, TPEL Jan. 2017 681-692*

Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters. *He, J., +, TPEL April 2017 2647-2660*

Power distribution faults

DC Electric Springs—A Technology for Stabilizing DC Power Distribution Systems. *Mok, K., +, TPEL Feb. 2017 1088-1105*

Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J., +, TPEL April 2017 2661-2674*

Full-Process Operation, Control, and Experiments of Modular High-Frequency-Link DC Transformer Based on Dual Active Bridge for Flexible MVDC Distribution: A Practical Tutorial. *Zhao, B., +, TPEL Sept. 2017 6751-6766*

Power distribution protection

On the Experimental Performance of a Coordinated Antiislanding Protection for Systems With Multiple DGUs. *Saleh, S.A., +, TPEL Feb. 2017 1106-1123*

Power distribution reliability

Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. *Choi, H., +, TPEL June 2017 4140-4144*

Modular Multilevel High-Frequency-Link DC Transformer Based on Dual Active Phase-Shift Principle for Medium-Voltage DC Power Distribution Application. *Zhao, B., +, TPEL March 2017 1779-1791*

Reliability Improvement Approach Based on Flatness Control of Parallel-Connected Inverters. *Shahin, A., +, TPEL Jan. 2017 681-692*

Transmission Loss Optimization-Based Optimal Power Flow Strategy by Hierarchical Control for DC Microgrids. *Ma, J., +, TPEL March 2017 1952-1963*

Power electronics

A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B., +, TPEL July 2017 5590-5600*

A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. *Iyer, K.V., +, TPEL July 2017 5087-5108*

A Three-Phase Hybrid Cascaded Modular Multilevel Inverter for Renewable Energy Environment. *Karasani, R.R., +, TPEL Feb. 2017 1070-1087*

All-GaN-Integrated Cascode Heterojunction Field Effect Transistors. *Jiang, S., +, TPEL Nov. 2017 8743-8750*

Fault-Tolerant Control of MMC With Hot Reserved Submodules Based on Carrier Phase Shift Modulation. *Li, K., +, TPEL Sept. 2017 6778-6791*

Frequency-Domain Modeling and Simulation of DC Power Electronic Systems Using Harmonic State Space Method. *Kwon, J., +, TPEL Feb. 2017 1044-1055*

From Chip to Converter: A Complete Cost Model for Power Electronics Converters. *Domingues-Olavarria, G., +, TPEL Nov. 2017 8681-8692*

High-Performance Quasi-Z-Source Series Resonant DC–DC Converter for Photovoltaic Module-Level Power Electronics Applications. *Vinnikov, D., +, TPEL May 2017 3634-3650*

High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B., +, TPEL May 2017 4007-4020*

Length-Scalable Multiconductor Cable Modeling for EMI Simulations in Power Electronics. *Wunsch, B., +, TPEL March 2017 1908-1916*

Logic-Based Methods for Intelligent Fault Diagnosis and Recovery in Power Electronics. *Chen, W., +, TPEL July 2017 5573-5589*

Low-Frequency Current Oscillation Reduction for Six-Step Operation of Three-Phase Inverters. *Ke, Z., +, TPEL April 2017 2948-2956*

Ultrafast Reverse Recovery Time Measurement for Wide-Bandgap Diodes. *Mauch, D.L., +, TPEL Dec. 2017 9333-9341*

Power engineering computing

Optimal Space Vector Sequence Investigation Based on Natural Sampling SVM for Medium-Voltage Current-Source Converter. *Wei, Q., +, TPEL Jan. 2017 176-185*

Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *Liu, Z., +, TPEL April 2017 3154-3165*

Power factor

A Family of Single-Phase Voltage-Doubler High-Power-Factor SEPIC Rectifiers Operating in DCM. *Costa, P.J.S., +, TPEL June 2017 4279-4290*

A Single-Stage Primary-Side-Controlled Off-line Flyback LED Driver With Ripple Cancellation. *Fang, P., +, TPEL June 2017 4700-4715*

A Soft-Switching Bridgeless AC–DC Power Factor Correction Converter. *Alam, M., +, TPEL Oct. 2017 7716-7726*

An Improved Virtual Space Vector Modulation Scheme for Three-Level Active Neutral-Point-Clamped Inverter. *Hu, C., +, TPEL Oct. 2017 7419-7434*

Capacitance Minimization in Offline LED Drivers Using an Active-Ripple-Compensation Technique. *Soares, G.M., +, TPEL April 2017 3022-3033*

Compensation of Magnetizing Current for Enhanced Operation of DFIG Under Grid Unbalance. *Asha Rani, M.A., +, TPEL July 2017 5214-5226*

Control Concepts for Hybrid Rectifiers Utilizing a Flying Converter Cell Active Current Injection Unit. *Makoschitz, M., +, TPEL April 2017 2584-2595*

Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines. *Kim, Y., +, TPEL Feb. 2017 1335-1345*

Dyna-C: A Minimal Topology for Bidirectional Solid-State Transformers. *Chen, H., +, TPEL Feb. 2017 995-1005*

Generation of Higher Number of Voltage Levels by Stacking Inverters of Lower Multilevel Structures With Low Voltage Devices for Drives. *Nair, R., V., +, TPEL Jan. 2017 52-59*

Low-Harmonic-Contents and High-Efficiency Class E Full-Wave Current-Driven Rectifier for Megahertz Wireless Power Transfer Systems. *Liu, M., +, TPEL Feb. 2017 1198-1209*

Modeling and Analysis of AC Output Power Factor for Wireless Chargers in Electric Vehicles. *Zhang, X., +, TPEL Feb. 2017 1481-1492*

Modular Multilevel High-Frequency-Link DC Transformer Based on Dual Active Phase-Shift Principle for Medium-Voltage DC Power Distribution Application. *Zhao, B., +, TPEL March 2017 1779-1791*

Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H_∞ Control Strategy. *Panigrahi, R., +, TPEL April 2017 2622-2630*

Quad-Active-Bridge Single-Stage Bidirectional Three-Phase AC–DC Converter With Isolation: Introduction and Optimized Modulation. *Vermulst, B.J.D., +, TPEL April 2017 2546-2557*

Reducing the Inductors of Rectifiers Having Two Outputs to Improve Power Density. *Zhong, Q., +, TPEL Oct. 2017 8150-8162*

Reduction of Input Current Harmonic Distortions and Balancing of Output Voltages of the Vienna Rectifier Under Supply Voltage Disturbances. *Adhikari, J., +, TPEL July 2017 5802-5812*

Single-Stage Single-Switch Four-Output Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X., +, TPEL June 2017 4566-4576*

The Benefits of SiC mosfets in a T-Type Inverter for Grid-Tie Applications. *Anthon, A., +, TPEL April 2017 2808-2821*

Power factor correction

A Boost PFC Stage Utilized as Half-Bridge Converter for High-Efficiency DC–DC Stage in Power Supply Unit. *Baek, J., +, TPEL Oct. 2017 7449-7457*

A Family of Ripple Estimation–Cancellation Methods Based on Switched-Resistor Circuits and Their Application in Fast-Response PFC Preregulator. *Leung, K.H., +, TPEL April 2017 2608-2621*

A Family of Single-Phase Hybrid Step-Down PFC Converters. *Zhang, J., +, TPEL July 2017 5271-5281*

- A Novel Control Scheme of Three-Phase Single-Switch Quasi-CRM Boost Rectifier. Yao, K., +, *TPEL Aug. 2017* 6236-6244
- A Power Supply Achieving Titanium Level Efficiency for a Wide Range of Input Voltages. Konrad, W., +, *TPEL Jan. 2017* 117-127
- A Single-Stage High-Frequency Resonant AC/AC Converter. Luo, Q., +, *TPEL March 2017* 2155-2166
- A Single-Stage Single-Switch Soft-Switching Power-Factor-Correction LED Driver. Poorali, B., +, *TPEL Oct. 2017* 7932-7940
- A Single-Stage Two-Switch PFC Rectifier With Wide Output Voltage Range and Automatic AC Ripple Power Decoupling. Li, S., +, *TPEL Sept. 2017* 6971-6982
- A Single-Switch AC–DC LED Driver Based on a Boost-Flyback PFC Converter With Lossless Snubber. Lee, S., +, *TPEL Feb. 2017* 1375-1384
- A Soft-Switching Bridgeless AC–DC Power Factor Correction Converter. Alam, M., +, *TPEL Oct. 2017* 7716-7726
- Active Virtual Ground—Bridgeless PFC Topology. Ho, C.N.M., +, *TPEL Aug. 2017* 6206-6218
- An Improved Variable On-Time Control Strategy for a CRM Flyback PFC Converter. Zhao, C., +, *TPEL Feb. 2017* 915-919
- Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier. Ries, L.K., +, *TPEL Aug. 2017* 6005-6017
- Boost-Type Power Factor Corrector With Power Semiconductor Filter for Input Current Shaping. Tung, C., +, *TPEL Nov. 2017* 8293-8311
- Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based D- Σ Digital Control. Wu, T., +, *TPEL Feb. 2017* 1591-1601
- Control of a Three-Phase Boost PFC Converter Using a Single DC-Link Voltage Sensor. Mallik, A., +, *TPEL Aug. 2017* 6481-6492
- Digital Current Sensorless Control for Dual-Boost Half-Bridge PFC Converter With Natural Capacitor Voltage Balancing. Chen, H., +, *TPEL May 2017* 4074-4083
- Energy Channeling LED Driver Technology to Achieve Flicker-Free Operation With True Single Stage Power Factor Correction. Fang, P., +, *TPEL May 2017* 3892-3907
- Flexible Mode Bridgeless Boost PFC Rectifier With High Efficiency Over a Wide Range of Input Voltage. Huang, L., +, *TPEL May 2017* 3513-3524
- Implementation of a 3.3-kW DC–DC Converter for EV On-Board Charger Employing the Series-Resonant Converter With Reduced-Frequency-Range Control. Liu, G., +, *TPEL June 2017* 4168-4184
- Optimum Third Current Harmonic During Nondead Zone and Its Control Implementation to Improve PF for DCM Buck PFC Converter. Yao, K., +, *TPEL Dec. 2017* 9238-9248
- SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. Zeng, H., +, *TPEL Nov. 2017* 8813-8822
- Single-Phase Single-Stage Isolated ZCS Current-Fed Full-Bridge Converter for High-Power AC/DC Applications. Li, C., +, *TPEL Sept. 2017* 6800-6812
- Sinusoidal Input Current Discontinuous Conduction Mode Control of the VIENNA Rectifier. Leibl, M., +, *TPEL Nov. 2017* 8800-8812
- Three-Level TAIPEI Rectifier—Analysis of Operation, Design Considerations, and Performance Evaluation. Jang, Y., +, *TPEL Feb. 2017* 942-956
- Variable-On-Time Control to Achieve High Input Power Factor for a CRM-Integrated Buck–Flyback PFC Converter. Memon, A.H., +, *TPEL July 2017* 5312-5322
- Power field effect transistors**
- A 10-MHz eGaN Isolated Class- Φ_2 DCX. Zhang, Z., +, *TPEL March 2017* 2029-2040
- Voltage Vector Error Fault Diagnosis for Open-Circuit Faults of Three-Phase Four-Wire Active Power Filters. Zhang, H., +, *TPEL March 2017* 2215-2226
- Power filters**
- A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link. Rudraraju, V.R.R., +, *TPEL June 2017* 4334-4343
- A Three-Winding Common Mode Inductor. Lee, C.K., +, *TPEL July 2017* 5180-5187
- Active Virtual Ground—Bridgeless PFC Topology. Ho, C.N.M., +, *TPEL Aug. 2017* 6206-6218
- Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction. Lam, C., +, *TPEL Oct. 2017* 7577-7590
- An Integrated Trap-LCL Filter With Reduced Current Harmonics for Grid-Connected Converters Under Weak Grid Conditions. Fang, J., +, *TPEL Nov. 2017* 8446-8457
- Bifurcation Phenomena and Stabilization With Compensation Ramp in Converter With Power Semiconductor Filter. Fan, J.W., +, *TPEL Dec. 2017* 9424-9434
- Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based D- Σ Digital Control. Wu, T., +, *TPEL Feb. 2017* 1591-1601
- Design and Analysis of Robust Active Damping for LCL Filters Using Digital Notch Filters. Yao, W., +, *TPEL March 2017* 2360-2375
- Direct Current Tracking Using Boundary Control With Second-Order Switching Surface for Three-Phase Three-Wire Grid-Connected Inverter. He, Y., +, *TPEL July 2017* 5723-5740
- EMI Filter Volume Minimization of a Three-Phase, Three-Level T-Type PWM Converter System. Boillat, D.O., +, *TPEL April 2017* 2473-2480
- Fixed Switching Frequency Generalized Peak Current Control (GPCC) of DC–AC Converters. Ebrahimi, M., +, *TPEL Aug. 2017* 6605-6616
- Improvement of Power Quality Using a Robust Hybrid Series Active Power Filter. Swain, S.D., +, *TPEL May 2017* 3490-3498
- Magnetic Integration of Three-Phase LCL Filter With Delta-Yoke Composite Core. Liu, Y., +, *TPEL May 2017* 3835-3843
- Reliability-Oriented Optimization of the LC Filter in a Buck DC-DC Converter. Liu, Y., +, *TPEL Aug. 2017* 6323-6337
- Robust Active Damping Methods for LCL Filter-Based Grid-Connected Converters. Ben Said-Romdhane, M., +, *TPEL Sept. 2017* 6739-6750
- Study of a Current Control Strategy Based on Multisampling for High-Power Grid-Connected Inverters With an LCL filter. Zhang, X., +, *TPEL July 2017* 5023-5034
- Supercapacitor Sizing Method for Energy-Controlled Filter-Based Hybrid Energy Storage Systems. Abeywardana, D.B.W., +, *TPEL Feb. 2017* 1626-1637
- Varactor-Based Passive Ripple Filter With Automatic Tuning for Low-Noise Power-Supply Systems. Meehan, P.J., +, *TPEL June 2017* 4741-4752
- Voltage Vector Error Fault Diagnosis for Open-Circuit Faults of Three-Phase Four-Wire Active Power Filters. Zhang, H., +, *TPEL March 2017* 2215-2226
- Power generation control**
- A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link. Rudraraju, V.R.R., +, *TPEL June 2017* 4334-4343
- A GPS-Based Decentralized Control Method for Islanded Microgrids. Golsorkhi, M.S., +, *TPEL Feb. 2017* 1615-1625
- A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. Luo, X., +, *TPEL Sept. 2017* 6924-6935
- A Novel Grid-Connected PV System Based on MMC to Get the Maximum Power Under Partial Shading Conditions. Rong, F., +, *TPEL June 2017* 4320-4333
- A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. Manoharan, M.S., +, *TPEL Oct. 2017* 7602-7614
- A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems. Sangwongwanich, A., +, *TPEL Nov. 2017* 8559-8569
- An Approach for Switched Reluctance Generator in a Wind Generation System With a Wide Range of Operation Speed. Barros, T.A.d.S., +, *TPEL Nov. 2017* 8277-8292

- Centralized Control Architecture for Coordination of Distributed Renewable Generation and Energy Storage in Islanded AC Microgrids. *Diaz, N.L., +, TPEL July 2017 5202-5213*
- Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C., +, TPEL July 2017 5227-5247*
- DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R., +, TPEL June 2017 4812-4826*
- Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J., +, TPEL April 2017 2661-2674*
- Fireworks Enriched P&O Algorithm for GMPPT and Detection of Partial Shading in PV Systems. *Manickam, C., +, TPEL June 2017 4432-4443*
- High-Frequency Resonance Damping of DFIG-Based Wind Power System Under Weak Network. *Song, Y., +, TPEL March 2017 1927-1940*
- Impedance-Phased Dynamic Control Method for Grid-Connected Inverters in a Weak Grid. *Chen, X., +, TPEL Jan. 2017 274-283*
- Multi-topology-Mode Grid-Connected Inverter to Improve Comprehensive Performance of Renewable Energy Source Generation System. *Wu, F., +, TPEL May 2017 3623-3633*
- Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current. *Chen, D., +, TPEL April 2017 2717-2727*
- Overview of DFIG-Based Wind Power System Resonances Under Weak Networks. *Song, Y., +, TPEL June 2017 4370-4394*
- Plug-and-Play Nonlinear Droop Construction Scheme to Optimize Islanded Microgrid Operations. *Cingoz, F., +, TPEL April 2017 2743-2756*
- Review of Active and Reactive Power Sharing Strategies in Hierarchical Controlled Microgrids. *Han, Y., +, TPEL March 2017 2427-2451*
- Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters. *He, J., +, TPEL April 2017 2647-2660*
- Synchronverter-Enabled DC Power Sharing Approach for LVDC Microgrids. *Peyghami, S., +, TPEL Oct. 2017 8089-8099*
- Three-Vector-Based Low-Complexity Model Predictive Direct Power Control Strategy for Doubly Fed Induction Generators. *Wang, X., +, TPEL Jan. 2017 773-782*
- Power generation dispatch**
- Unifying Distributed Dynamic Optimization and Control of Islanded DC Microgrids. *Moayedi, S., +, TPEL March 2017 2329-2346*
- Power generation economics**
- A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems. *Sangwongwanich, A., +, TPEL Nov. 2017 8559-8569*
- Plug-and-Play Nonlinear Droop Construction Scheme to Optimize Islanded Microgrid Operations. *Cingoz, F., +, TPEL April 2017 2743-2756*
- Unifying Distributed Dynamic Optimization and Control of Islanded DC Microgrids. *Moayedi, S., +, TPEL March 2017 2329-2346*
- Power generation faults**
- Analytical Method for DFIG Transients During Voltage Dips. *Yang, S., +, TPEL Sept. 2017 6863-6881*
- Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J., +, TPEL April 2017 2661-2674*
- Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. *Karanayil, B., +, TPEL July 2017 5850-5861*
- Power generation reliability**
- Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C., +, TPEL July 2017 5227-5247*
- Transmission Loss Optimization-Based Optimal Power Flow Strategy by Hierarchical Control for DC Microgrids. *Ma, J., +, TPEL March 2017 1952-1963*
- Power generation scheduling**
- A Multifunctional and Wireless Droop Control for Distributed Energy Storage Units in Islanded AC Microgrid Applications. *Sun, X., +, TPEL Jan. 2017 736-751*
- Review of Active and Reactive Power Sharing Strategies in Hierarchical Controlled Microgrids. *Han, Y., +, TPEL March 2017 2427-2451*
- Power grids**
- A Bidirectional Battery Charger With Modular Integrated Charge Equalization Circuit. *Tashakor, N., +, TPEL March 2017 2133-2145*
- A Comparison of Grid-Connected Battery Energy Storage System Designs. *Chatziniolaou, E., +, TPEL Sept. 2017 6913-6923*
- A Concise Discrete Adaptive Filter for Frequency Estimation Under Distorted Three-Phase Voltage. *Quan, X., +, TPEL Dec. 2017 9400-9412*
- A Four-Switch Single-Stage Single-Phase Buck–Boost Inverter. *Kumar, A., +, TPEL July 2017 5282-5292*
- A Frequency-Fixed SOGI-Based PLL for Single-Phase Grid-Connected Converters. *Xiao, F., +, TPEL March 2017 1713-1719*
- A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. *Iyer, K.V., +, TPEL July 2017 5087-5108*
- A Hybrid ZVZCS Dual-Transformer-Based Full-Bridge Converter Operating in DCM for MVDC Grids. *Ning, G., +, TPEL July 2017 5162-5170*
- A Matrix Converter-Based Bidirectional Contactless Grid Interface. *Weerasinghe, S., +, TPEL March 2017 1755-1766*
- A Novel Grid-Connected PV System Based on MMC to Get the Maximum Power Under Partial Shading Conditions. *Rong, F., +, TPEL June 2017 4320-4333*
- A Novel Soft Switching Bidirectional DC–DC Converter Using Magnetic and Capacitive Hybrid Power Transfer. *Ishigaki, M., +, TPEL Sept. 2017 6961-6970*
- A PV Micro-inverter With PV Current Decoupling Strategy. *Liao, C., +, TPEL Aug. 2017 6544-6557*
- A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S., +, TPEL Oct. 2017 7602-7614*
- A Scalable Active Battery Management System With Embedded Real-Time Electrochemical Impedance Spectroscopy. *Din, E., +, TPEL July 2017 5688-5698*
- A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems. *Sangwongwanich, A., +, TPEL Nov. 2017 8559-8569*
- A Transformerless Bipolar Modular Multilevel DC–DC Converter With Wide Voltage Ratios. *Du, S., +, TPEL Nov. 2017 8312-8321*
- Active Virtual Ground—Bridgeless PFC Topology. *Ho, C.N.M., +, TPEL Aug. 2017 6206-6218*
- Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z., +, TPEL July 2017 5613-5627*
- An Integrated Trap-LCL Filter With Reduced Current Harmonics for Grid-Connected Converters Under Weak Grid Conditions. *Fang, J., +, TPEL Nov. 2017 8446-8457*
- Analysis and Control of Neutral-Point Voltage for Transformerless Three-Level PV Inverter in LVRT Operation. *Shao, Z., +, TPEL March 2017 2347-2359*
- Analysis and Design of Current Control Schemes for LCL-Type Grid-Connected Inverter Based on a General Mathematical Model. *Pan, D., +, TPEL June 2017 4395-4410*
- Analysis and Dynamic Performance Improvement of Grid-Connected Voltage–Source Converters Under Unbalanced Network Conditions. *Mortazavian, S., +, TPEL Oct. 2017 8134-8149*
- Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control. *Alonso, J.M., +, TPEL Dec. 2017 9179-9190*
- Assessment and Performance Comparison of Positive Feedback Islanding Detection Methods in DC Distribution Systems. *Mohamad, A.M.I., +, TPEL Aug. 2017 6577-6594*
- Bifurcation and Large-Signal Stability Analysis of Three-Phase Voltage Source Converter Under Grid Voltage Dips. *Huang, M., +, TPEL Nov. 2017 8868-8879*
- Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V., +, TPEL July 2017 5398-5410*
- Centralized Control Architecture for Coordination of Distributed Renewable Generation and Energy Storage in Islanded AC Microgrids. *Diaz, N.L., +, TPEL July 2017 5202-5213*

- Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. Wang, C., +, *TPEL July 2017 5227-5247*
- Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based $D\text{-}\Sigma$ Digital Control. Wu, T., +, *TPEL Feb. 2017 1591-1601*
- Compensation of Magnetizing Current for Enhanced Operation of DFIG Under Grid Unbalance. Asha Rani, M.A., +, *TPEL July 2017 5214-5226*
- Control of Parallel Three-Phase PWM Converters Under Generalized Unbalanced Operating Conditions. Zhang, X., +, *TPEL April 2017 3206-3215*
- DC Electric Springs—A Technology for Stabilizing DC Power Distribution Systems. Mok, K., +, *TPEL Feb. 2017 1088-1105*
- Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. He, J., +, *TPEL April 2017 2661-2674*
- Decentralized Method for Load Sharing and Power Management in a Hybrid Single/Three-Phase-Islanded Microgrid Consisting of Hybrid Source PV/Battery Units. Karimi, Y., +, *TPEL Aug. 2017 6135-6144*
- Direct Current Tracking Using Boundary Control With Second-Order Switching Surface for Three-Phase Three-Wire Grid-Connected Inverter. He, Y., +, *TPEL July 2017 5723-5740*
- Discontinuous Grid Current Control of Motor Drive System With Single-Phase Diode Rectifier and Small DC-Link Capacitor. Son, Y., +, *TPEL Feb. 2017 1324-1334*
- DQ Current Control of Voltage Source Converters With a Decoupling Method Based on Preprocessed Reference Current Feed-forward. Zhou, S., +, *TPEL Nov. 2017 8904-8921*
- Electric Vehicle Charging Station With an Energy Storage Stage for Split-DC Bus Voltage Balancing. Rivera, S., +, *TPEL March 2017 2376-2386*
- Energy Balancing Improvement of Modular Multilevel Converters Under Unbalanced Grid Conditions. Leon, A.E., +, *TPEL Aug. 2017 6628-6637*
- Enhanced Instantaneous Power Theory for Control of Grid Connected Voltage Sourced Converters Under Unbalanced Conditions. Montanari, A.A., +, *TPEL Aug. 2017 6652-6660*
- Extending the Operating Range of Electric Spring Using Back-To-Back Converter: Hardware Implementation and Control. Yan, S., +, *TPEL July 2017 5171-5179*
- Five-Level Active-Neutral-Point-Clamped DC/DC Converter for Medium-Voltage DC Grids. Liu, D., +, *TPEL May 2017 3402-3412*
- Grid Current Shaping Method with DC-Link Shunt Compensator for Three-Phase Diode Rectifier-Fed Motor Drive System. Shin, H., +, *TPEL Feb. 2017 1279-1288*
- Harmonic Analysis and Controller Design of 15 kV SiC IGBT-Based Medium-Voltage Grid-Connected Three-Phase Three-Level NPC Converter. Madhusoodhanan, S., +, *TPEL May 2017 3355-3369*
- Harmonic Interaction Analysis in a Grid-Connected Converter Using Harmonic State-Space (HSS) Modeling. Kwon, J., +, *TPEL Sept. 2017 6823-6835*
- Impedance-Based High-Frequency Resonance Analysis of DFIG System in Weak Grids. Song, Y., +, *TPEL May 2017 3536-3548*
- Impedance-Phased Dynamic Control Method for Grid-Connected Inverters in a Weak Grid. Chen, X., +, *TPEL Jan. 2017 274-283*
- Improved Power Decoupling Scheme for a Single-Phase Grid-Connected Differential Inverter With Realistic Mismatch in Storage Capacitances. Yao, W., +, *TPEL Jan. 2017 186-199*
- Improved PV Inverter Operating Range Using a Miniboost. Serban, E., +, *TPEL Nov. 2017 8470-8485*
- Inductance-Emulating Control for DFIG-Based Wind Turbine to Ride-Through Grid Faults. Zhu, D., +, *TPEL Nov. 2017 8514-8525*
- Investigation of Negative-Sequence Injection Capability of Cascaded H-Bridge Converters in Star and Delta Configuration. Behrouzian, E., +, *TPEL Feb. 2017 1675-1683*
- Isolated Bidirectional Grid-Tied Three-Phase AC-DC Power Conversion Using Series-Resonant Converter Modules and a Three-Phase Unfolder. Chen, W.W., +, *TPEL Dec. 2017 9001-9012*
- Low-Capacitance Cascaded H-Bridge Multilevel StatCom. Farivar, G., +, *TPEL March 2017 1744-1754*
- Model Predictive Direct Slope Control for Power Converters. Riar, B.S., +, *TPEL March 2017 2278-2289*
- Modular Multilevel High-Frequency-Link DC Transformer Based on Dual Active Phase-Shift Principle for Medium-Voltage DC Power Distribution Application. Zhao, B., +, *TPEL March 2017 1779-1791*
- Multi-topology-Mode Grid-Connected Inverter to Improve Comprehensive Performance of Renewable Energy Source Generation System. Wu, F., +, *TPEL May 2017 3623-3633*
- Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current. Chen, D., +, *TPEL April 2017 2717-2727*
- Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. Errouissi, R., +, *TPEL March 2017 2265-2277*
- Parallel Operation of Bidirectional Interfacing Converters in a Hybrid AC/DC Microgrid Under Unbalanced Grid Voltage Conditions. Sun, K., +, *TPEL March 2017 1872-1884*
- Performance Improvement of Direct Power Control of PWM Rectifier Under Unbalanced Network. Zhang, Y., +, *TPEL March 2017 2319-2328*
- Plug-and-Play Nonlinear Droop Construction Scheme to Optimize Islanded Microgrid Operations. Cingoz, F., +, *TPEL April 2017 2743-2756*
- Positive- and Negative-Sequence Current Controller With Direct Discrete-Time Pole Placement for Grid-Tied Converters With LCL Filter. Perez-Estevez, D., +, *TPEL Sept. 2017 7207-7221*
- Relationship Between Two Direct Power Control Methods for PWM Rectifiers Under Unbalanced Network. Zhang, Y., +, *TPEL May 2017 4084-4094*
- Robust Active Damping Methods for LCL Filter-Based Grid-Connected Converters. Ben Said-Romdhane, M., +, *TPEL Sept. 2017 6739-6750*
- Robust Vector Control of a Very Weak-Grid-Connected Voltage-Source Converter Considering the Phase-Locked Loop Dynamics. Davari, M., +, *TPEL Feb. 2017 977-994*
- Study of a Current Control Strategy Based on Multisampling for High-Power Grid-Connected Inverters With an LCL filter. Zhang, X., +, *TPEL July 2017 5023-5034*
- Virtual-Torque-Based Control of Three-Phase Rectifier Under Grid Imbalance and Harmonics. Iwanski, G., +, *TPEL Sept. 2017 6836-6852*
- Voltage and Frequency Grid Support Strategies Beyond Standards. Serban, E., +, *TPEL Jan. 2017 298-309*

Power harmonic filters

- A Concise Discrete Adaptive Filter for Frequency Estimation Under Distorted Three-Phase Voltage. Quan, X., +, *TPEL Dec. 2017 9400-9412*
- A Fast-Convergent Modulation Integral Observer for Online Detection of the Fundamental and Harmonics in Grid-Connected Power Electronics Systems. Chen, B., +, *TPEL April 2017 2596-2607*
- A Topology for Inductorless Actuation of Piezoelectric Transformer With Special Driving Waveform. Ju, B., +, *TPEL Feb. 2017 1346-1354*
- A Virtual Impedance Comprehensive Control Strategy for the Controllably Inductive Power Filtering System. Li, Y., +, *TPEL Feb. 2017 920-926*
- Active Suppression of Selected DC Bus Harmonics for Dual Active Bridge DC-DC Converters. Riedel, J., +, *TPEL Nov. 2017 8857-8867*
- An Active Trap Filter for Switching Harmonic Attenuation of Low-Pulse-Ratio Inverters. Bai, H., +, *TPEL Dec. 2017 9078-9092*
- Boost-Type Power Factor Corrector With Power Semiconductor Filter for Input Current Shaping. Tung, C., +, *TPEL Nov. 2017 8293-8311*
- Confined Band Variable Switching Frequency Pulse Width Modulation (CB-VSF PWM) for a Single-Phase Inverter With an LCL Filter. Attia, H.A., +, *TPEL Nov. 2017 8593-8605*
- Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. de Bosio, F., +, *TPEL Oct. 2017 8100-8114*
- Parameter Design of a Novel Series-Parallel-Resonant LCL Filter for Single-Phase Half-Bridge Active Power Filters. Fang, J., +, *TPEL Jan. 2017 200-217*
- Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H_∞ Control Strategy. Panigrahi, R., +, *TPEL April 2017 2622-2630*

Selective Compensation of Distortion, Unbalanced and Reactive Power of a Thyristor-Controlled LC-Coupling Hybrid Active Power Filter (TCLC-HAPF). *Wang, L.*, +, *TPEL Dec. 2017 9065-9077*

Suppression of Time-Varying Interharmonics Produced by Medium-Frequency Induction Melting Furnaces by a HAPF System. *Durna, E.*, +, *TPEL Feb. 2017 1030-1043*

Unbalanced Control Strategy for A Thyristor-Controlled LC-Coupling Hybrid Active Power Filter in Three-Phase Three-Wire Systems. *Wang, L.*, +, *TPEL Feb. 2017 1056-1069*

Power HEMT

Maximizing the Performance of 650-V p-GaN Gate HEMTs: Dynamic RON Characterization and Circuit Design Considerations. *Wang, H.*, +, *TPEL July 2017 5539-5549*

Power inductors

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC-DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*

A Modeling and Analysis Method for Fractional-Order DC-DC Converters. *Chen, X.*, +, *TPEL Sept. 2017 7034-7044*

A Passive Current Sharing Method With Common Inductor Multiphase LLC Resonant Converter. *Wang, H.*, +, *TPEL Sept. 2017 6994-7010*

A PV Power Conditioning System Using Nonregenerative Single-Sourced Trinary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S.*, +, *TPEL Oct. 2017 7602-7614*

A Three-Winding Common Mode Inductor. *Lee, C.K.*, +, *TPEL July 2017 5180-5187*

Analysis and Implementation of a High-Performance-Integrated KY Converter. *Zhang, Y.*, +, *TPEL Dec. 2017 9051-9064*

Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based D-Σ Digital Control. *Wu, T.*, +, *TPEL Feb. 2017 1591-1601*

Design and Analysis of a Novel ZVZCT Boost Converter With Coupling Effect. *Zhang, X.*, +, *TPEL Dec. 2017 8992-9000*

Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*

Flux-Balancing Scheme for PD-Modulated Parallel-Interleaved Inverters. *Gohil, G.*, +, *TPEL May 2017 3442-3457*

High-Frequency Gap Losses in Nanocrystalline Cores. *Wang, Y.*, +, *TPEL June 2017 4683-4690*

Improving Loading and Unloading Transient Response of a Voltage Regulator Module Using a Load-Side Auxiliary Gyrator Circuit. *Kirshenboim, O.*, +, *TPEL March 2017 1996-2007*

Modular Multilevel Converter With Magnetically Coupled Branch Inductors. *Kucka, J.*, +, *TPEL Sept. 2017 6767-6777*

Reducing the Inductors of Rectifiers Having Two Outputs to Improve Power Density. *Zhong, Q.*, +, *TPEL Oct. 2017 8150-8162*

Steady-State Analysis of Inductor Conduction Modes in the Quadratic Boost Converter. *Lopez-Santos, O.*, +, *TPEL March 2017 2253-2264*

Two-Phase Interleaved Inverse-Coupled Inductor Boost Without Right Half-Plane Zeros. *Liu, H.*, +, *TPEL March 2017 1844-1859*

Power integrated circuits

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*

A 300-V Ultra-Low-Specific On-Resistance High-Side p-LDMOS With Auto-Biased n-LDMOS for SPIC. *Yi, B.*, +, *TPEL Jan. 2017 551-560*

A Three-Phase Multi-optimal PWM Implemented on 2-Gbit Flash Memory Integrated Circuits. *Neacsu, D.O.*, +, *TPEL July 2017 5813-5826*

Efficient Substrate Noise Coupling Verification and Failure Analysis Methodology for Smart Power ICs in Automotive Applications. *Moursy, Y.*, +, *TPEL July 2017 5550-5559*

Intelligent Gate Drive for Fast Switching and Crosstalk Suppression of SiC Devices. *Zhang, Z.*, +, *TPEL Dec. 2017 9319-9332*

Modeling and Pareto Optimization of On-Chip Switched Capacitor Converters. *Andersen, T.M.*, +, *TPEL Jan. 2017 363-377*

Synchronous Double-Pumping Technique for Integrated Current-Mode PWM DC-DC Converters Demand on Fast-Transient Response. *Wu, K.*, +, *TPEL Jan. 2017 849-865*

Power measurement

Maximum Torque per Ampere Control for Buried Magnet PMSM Based on DC-Link Power Measurement. *Ahmed, A.*, +, *TPEL Feb. 2017 1299-1311*

Power MOSFET

An Investigation of Temperature-Sensitive Electrical Parameters for SiC Power MOSFETs. *Gonzalez, J.O.*, +, *TPEL Oct. 2017 7954-7966*

Online Condition Monitoring of Power MOSFET Gate Oxide Degradation Based on Miller Platform Voltage. *Ye, X.*, +, *TPEL June 2017 4776-4784*

Performance Evaluation of Split Output Converters With SiC MOSFETs and SiC Schottky Diodes. *Yan, Q.*, +, *TPEL Jan. 2017 406-422*

Power semiconductor devices

Analysis of the Robustness of Transformerless PV Inverter Topologies to the Choice of Power Devices. *Jedtberg, H.*, +, *TPEL July 2017 5248-5257*

Boost-Type Power Factor Corrector With Power Semiconductor Filter for Input Current Shaping. *Tung, C.*, +, *TPEL Nov. 2017 8293-8311*

Finite-Element Analysis of Coupled Electro-Thermal Problems With Strong Scale Separation. *Eiser, S.*, +, *TPEL Jan. 2017 561-570*

In-Service Diagnostics for Wire-Bond Lift-off and Solder Fatigue of Power Semiconductor Packages. *Eleffendi, M.A.*, +, *TPEL Sept. 2017 7187-7198*

Investigation of Gallium Nitride Devices in High-Frequency LLC Resonant Converters. *Zhang, W.*, +, *TPEL Jan. 2017 571-583*

Methodology for Wide Band-Gap Device Dynamic Characterization. *Zhang, Z.*, +, *TPEL Dec. 2017 9307-9318*

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Thermal Stresses Relief Carrier-Based PWM Strategy for Single-Phase Multilevel Inverters. *Aly, M.*, +, *TPEL Dec. 2017 9376-9388*

Power semiconductor diodes

A Voltage Model of p-i-n Diodes at Reverse Recovery Under Short-Time Freewheeling. *Luo, Y.*, +, *TPEL Jan. 2017 142-149*

Control Concepts for Hybrid Rectifiers Utilizing a Flying Converter Cell Active Current Injection Unit. *Makoschitz, M.*, +, *TPEL April 2017 2584-2595*

Ultrafast Reverse Recovery Time Measurement for Wide-Bandgap Diodes. *Mauch, D.L.*, +, *TPEL Dec. 2017 9333-9341*

Power semiconductor switches

A 2-kW Single-Phase Seven-Level Flying Capacitor Multilevel Inverter With an Active Energy Buffer. *Lei, Y.*, +, *TPEL Nov. 2017 8570-8581*

A Hybrid Active Gate Drive for Switching Loss Reduction and Voltage Balancing of Series-Connected IGBTs. *Zhang, F.*, +, *TPEL Oct. 2017 7469-7481*

A Two-Terminal Active Capacitor. *Wang, H.*, +, *TPEL Aug. 2017 5893-5896*

Design and Experimental Testing of a Resonant DC-DC Converter for Solid-State Transformers. *Ortiz, G.*, +, *TPEL Oct. 2017 7534-7542*

Fast Tracking Electrosurgical Generator Using Two-Rail Multiphase Buck Converter With GaN Switches. *Jensen, S.*, +, *TPEL Jan. 2017 634-641*

Generalized Synchronous Optimal Pulse Width Modulation for Multilevel Inverters. *Lago, J.*, +, *TPEL Aug. 2017 6297-6307*

Generalized Theory and Analysis of Scalar Modulation Techniques for a m x n Matrix Converter. *Ali, M.*, +, *TPEL June 2017 4864-4877*

Influence of Material Properties and Geometric Shape of Magnetic Cores on Acoustic Noise Emission of Medium-Frequency Transformers. *Shuai, P.*, +, *TPEL Oct. 2017 7916-7931*

Intelligent Gate Drive for Fast Switching and Crosstalk Suppression of SiC Devices. *Zhang, Z.*, +, *TPEL Dec. 2017 9319-9332*

Modeling and Optimization of a Zero-Voltage Switching Inverter for High Efficiency and Miniaturization. *Du, C.*, +, *TPEL Jan. 2017 150-163*

Theoretical and Experimental Study of 22 kV SiC Emitter Turn-OFF (ETO) Thyristor. *Song, X.*, +, *TPEL Aug. 2017 6381-6393*

Power supplies to apparatus

A Boost PFC Stage Utilized as Half-Bridge Converter for High-Efficiency DC-DC Stage in Power Supply Unit. *Baek, J.*, +, *TPEL Oct. 2017 7449-7457*

Asymmetric Interleaving in Low-Voltage CMOS Power Management With Multiple Supply Rails. *Schuck, M.*, +, *TPEL Jan. 2017 715-722*

Power supply circuits

A Power Supply Achieving Titanium Level Efficiency for a Wide Range of Input Voltages. *Konrad, W.*, +, *TPEL Jan. 2017 117-127*

Characterization and Analysis of an Innovative Gate Driver and Power Supplies Architecture for HF Power Devices With High dv/dt . *Nguyen, V.*, +, *TPEL Aug. 2017 6079-6090*

Varactor-Based Passive Ripple Filter With Automatic Tuning for Low-Noise Power-Supply Systems. *Meehan, P.J.*, +, *TPEL June 2017 4741-4752*

Power supply quality

A GPS-Based Control Framework for Accurate Current Sharing and Power Quality Improvement in Microgrids. *Golsorkhi, M.S.*, +, *TPEL July 2017 5675-5687*

A Matrix-Based Nonisolated Three-Phase AC–DC Rectifier With Large Step-Down Voltage Gain. *Singh, A.K.*, +, *TPEL June 2017 4796-4811*

A Novel Method of Reducing Commutation Torque Ripple for Brushless DC Motor Based on Cuk Converter. *Chen, W.*, +, *TPEL July 2017 5497-5508*

A Three-Phase Hybrid Cascaded Modular Multilevel Inverter for Renewable Energy Environment. *Karasaki, R.R.*, +, *TPEL Feb. 2017 1070-1087*

A Virtual Impedance Comprehensive Control Strategy for the Controllably Inductive Power Filtering System. *Li, Y.*, +, *TPEL Feb. 2017 920-926*

Analysis in the Effect of Co-phase Traction Railway HPQC Coupled Impedance on Its Compensation Capability and Impedance-Mapping Design Technique Based on Required Compensation Capability for Reduction in Operation Voltage. *Lao, K.*, +, *TPEL April 2017 2631-2646*

Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V.*, +, *TPEL July 2017 5398-5410*

Control of a Three-Phase Boost PFC Converter Using a Single DC-Link Voltage Sensor. *Mallik, A.*, +, *TPEL Aug. 2017 6481-6492*

DC Electric Springs—A Technology for Stabilizing DC Power Distribution Systems. *Mok, K.*, +, *TPEL Feb. 2017 1088-1105*

Dynamic Voltage Restorer Using Switching Cell Structured Multilevel AC–AC Converter. *Kim, S.*, +, *TPEL Nov. 2017 8406-8418*

Energy Channeling LED Driver Technology to Achieve Flicker-Free Operation With True Single Stage Power Factor Correction. *Fang, P.*, +, *TPEL May 2017 3892-3907*

Energy Management Strategy for Supercapacitor in Droop-Controlled DC Microgrid Using Virtual Impedance. *Zhang, Y.*, +, *TPEL April 2017 2704-2716*

Harmonic Analysis and Controller Design of 15 kV SiC IGBT-Based Medium-Voltage Grid-Connected Three-Phase Three-Level NPC Converter. *Madhusoodhanan, S.*, +, *TPEL May 2017 3355-3369*

Improvement of Power Quality Using a Robust Hybrid Series Active Power Filter. *Swain, S.D.*, +, *TPEL May 2017 3490-3498*

Low-Voltage Ride-Through Operation of Power Converters in Grid-Interactive Microgrids by Using Negative-Sequence Droop Control. *Zhao, X.*, +, *TPEL April 2017 3128-3142*

Passive Islanding Detection Using Inverter Nonlinear Effects. *Reigosa, D.D.*, +, *TPEL Nov. 2017 8434-8445*

Reliability Improvement Approach Based on Flatness Control of Parallel-Connected Inverters. *Shahin, A.*, +, *TPEL Jan. 2017 681-692*

Repetitive Controller for VSIs in Droop-Based AC-Microgrid. *Trivedi, A.*, +, *TPEL Aug. 2017 6595-6604*

Review of Active and Reactive Power Sharing Strategies in Hierarchical Controlled Microgrids. *Han, Y.*, +, *TPEL March 2017 2427-2451*

Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters. *He, J.*, +, *TPEL April 2017 2647-2660*

Single-Stage Three-Phase Grid-Tied PV System With Universal Filtering Capability Applied to DG Systems and AC Microgrids. *Campanhol, L.B.G.*, +, *TPEL Dec. 2017 9131-9142*

Voltage-Balancing Approach With Improved Harmonic Performance for Modular Multilevel Converters. *Dekka, A.*, +, *TPEL Aug. 2017 5878-5884*

Power system CAD

Low-Voltage-Ride-Through (LVRT) Control of an HVDC Transmission System Using Two Modular Multilevel DSCC Converters. *Oguma, K.*, +, *TPEL Aug. 2017 5931-5942*

Power system control

A Bidirectional Battery Charger With Modular Integrated Charge Equalization Circuit. *Tashakor, N.*, +, *TPEL March 2017 2133-2145*

A Comprehensive Analysis and Control Strategy for Nullifying Negative- and Zero-Sequence Currents in an Unbalanced Three-Phase Power System Using Electric Springs. *Mok, K.*, +, *TPEL Oct. 2017 7635-7650*

Analysis and Control of Neutral-Point Voltage for Transformerless Three-Level PV Inverter in LVRT Operation. *Shao, Z.*, +, *TPEL March 2017 2347-2359*

Control of Modular Multilevel Converter With Parallel Connectivity—Application to Battery Systems. *Goetz, S.M.*, +, *TPEL Nov. 2017 8381-8392*

Direct Current Tracking Using Boundary Control With Second-Order Switching Surface for Three-Phase Three-Wire Grid-Connected Inverter. *He, Y.*, +, *TPEL July 2017 5723-5740*

Improved Power Decoupling Scheme for a Single-Phase Grid-Connected Differential Inverter With Realistic Mismatch in Storage Capacitances. *Yao, W.*, +, *TPEL Jan. 2017 186-199*

Least Power Point Tracking Method for Photovoltaic Differential Power Processing Systems. *Jeon, Y.*, +, *TPEL March 2017 1941-1951*

Selective Compensation of Distortion, Unbalanced and Reactive Power of a Thyristor-Controlled LC -Coupling Hybrid Active Power Filter (TCLC-HAPF). *Wang, L.*, +, *TPEL Dec. 2017 9065-9077*

Power system faults

A Comparison of Grid-Connected Battery Energy Storage System Designs. *Chatziniolaou, E.*, +, *TPEL Sept. 2017 6913-6923*

Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z.*, +, *TPEL July 2017 5613-5627*

Control of Parallel Three-Phase PWM Converters Under Generalized Unbalanced Operating Conditions. *Zhang, X.*, +, *TPEL April 2017 3206-3215*

Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. *Errouissi, R.*, +, *TPEL March 2017 2265-2277*

Selective Compensation of Distortion, Unbalanced and Reactive Power of a Thyristor-Controlled LC -Coupling Hybrid Active Power Filter (TCLC-HAPF). *Wang, L.*, +, *TPEL Dec. 2017 9065-9077*

Solid-State Circuit Breaker Snubber Design for Transient Overvoltage Suppression at Bus Fault Interruption in Low-Voltage DC Microgrid. *Liu, F.*, +, *TPEL April 2017 3007-3021*

Power system harmonics

Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z.*, +, *TPEL July 2017 5613-5627*

DC Electric Springs—A Technology for Stabilizing DC Power Distribution Systems. *Mok, K.*, +, *TPEL Feb. 2017 1088-1105*

Impact of Switching Harmonics on Capacitor Cells Balancing in Phase-Shifted PWM-Based Cascaded H-Bridge STATCOM. *Behrouzian, E.*, +, *TPEL Jan. 2017 815-824*

Incorporation of Harmonic Injection in an Interleaved Flyback Inverter for the Implementation of an Active Anti-Islanding Technique. *Voglitsis, D.*, +, *TPEL Nov. 2017 8526-8543*

Sequence-Impedance-Based Harmonic Stability Analysis and Controller Parameter Design of Three-Phase Inverter-Based Multibus AC Power Systems. *Cao, W.*, +, *TPEL Oct. 2017 7674-7693*

Power system measurement

Dielectric Loss Factor Measurement in Power Systems Based on Sampling Sequence Reconstruction Approach. *Li, J.*, +, *TPEL June 2017 4766-4775*

Power system protection

Digital Implementation of Soft Start-Up and Short-Circuit Protection for High-Frequency LLC Converters With Optimal Trajectory Control (OTC). *Fei, C.*, +, *TPEL Oct. 2017 8008-8017*

Solid-State Circuit Breaker Snubber Design for Transient Overvoltage Suppression at Bus Fault Interruption in Low-Voltage DC Microgrid. *Liu, F.*, +, *TPEL April 2017 3007-3021*

Power system reliability

A Comparison of Grid-Connected Battery Energy Storage System Designs. *Chatziniolaou, E.*, +, *TPEL Sept. 2017 6913-6923*

- A Transformerless Bipolar Modular Multilevel DC–DC Converter With Wide Voltage Ratios. *Du, S.*, +, *TPEL Nov. 2017 8312-8321*
- Enhancing the Reliability of Modular Multilevel Converters Using Neutral Shift. *Kucka, J.*, +, *TPEL Dec. 2017 8953-8957*
- Solid-State Circuit Breaker Snubber Design for Transient Overvoltage Suppression at Bus Fault Interruption in Low-Voltage DC Microgrid. *Liu, F.*, +, *TPEL April 2017 3007-3021*
- Power system restoration**
- A Comprehensive Analysis and Control Strategy for Nullifying Negative- and Zero-Sequence Currents in an Unbalanced Three-Phase Power System Using Electric Springs. *Mok, K.*, +, *TPEL Oct. 2017 7635-7650*
- Power system stability**
- Adaptive Estimation of Three-Phase Grid Voltage Parameters Under Unbalanced Faults and Harmonic Disturbances. *Dai, Z.*, +, *TPEL July 2017 5613-5627*
- Assessment and Performance Comparison of Positive Feedback Islanding Detection Methods in DC Distribution Systems. *Mohamad, A.M.I.*, +, *TPEL Aug. 2017 6577-6594*
- Bifurcation and Large-Signal Stability Analysis of Three-Phase Voltage Source Converter Under Grid Voltage Dips. *Huang, M.*, +, *TPEL Nov. 2017 8868-8879*
- Comparative Stability Analysis of Droop Control Approaches in Voltage-Source-Converter-Based DC Microgrids. *Gao, F.*, +, *TPEL March 2017 2395-2415*
- DC Electric Springs—A Technology for Stabilizing DC Power Distribution Systems. *Mok, K.*, +, *TPEL Feb. 2017 1088-1105*
- Design and Analysis of Robust Active Damping for LCL Filters Using Digital Notch Filters. *Yao, W.*, +, *TPEL March 2017 2360-2375*
- Direct Current Tracking Using Boundary Control With Second-Order Switching Surface for Three-Phase Three-Wire Grid-Connected Inverter. *He, Y.*, +, *TPEL July 2017 5723-5740*
- Discrete-Time Tool for Stability Analysis of DC Power Electronics-Based Cascaded Systems. *Zadeh, M.K.*, +, *TPEL Jan. 2017 652-667*
- Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M.*, +, *TPEL Oct. 2017 8204-8217*
- Low-Frequency Power Decoupling in Single-Phase Applications: A Comprehensive Overview. *Vitorino, M.A.*, +, *TPEL April 2017 2892-2912*
- Low-Voltage Ride-Through Operation of Power Converters in Grid-Interactive Microgrids by Using Negative-Sequence Droop Control. *Zhao, X.*, +, *TPEL April 2017 3128-3142*
- Model Predictive Control With Common-Mode Voltage Injection for Modular Multilevel Converter. *Dekka, A.*, +, *TPEL March 2017 1767-1778*
- Parameter Design of a Novel Series-Parallel-Resonant LCL Filter for Single-Phase Half-Bridge Active Power Filters. *Fang, J.*, +, *TPEL Jan. 2017 200-217*
- Sequence-Impedance-Based Harmonic Stability Analysis and Controller Parameter Design of Three-Phase Inverter-Based Multibus AC Power Systems. *Cao, W.*, +, *TPEL Oct. 2017 7674-7693*
- Stability Improvement of Transmission Efficiency Based on a Relay Resonator in a Wireless Power Transfer System. *Lee, J.*, +, *TPEL May 2017 3297-3300*
- Study of a Current Control Strategy Based on Multisampling for High-Power Grid-Connected Inverters With an LCL filter. *Zhang, X.*, +, *TPEL July 2017 5023-5034*
- Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation. *Yang, L.*, +, *TPEL Feb. 2017 1651-1665*
- Transmission Loss Optimization-Based Optimal Power Flow Strategy by Hierarchical Control for DC Microgrids. *Ma, J.*, +, *TPEL March 2017 1952-1963*
- Vehicle-Grid System Modeling and Stability Analysis With Forbidden Region-Based Criterion. *Liao, Y.*, +, *TPEL May 2017 3499-3512*
- Voltage and Frequency Grid Support Strategies Beyond Standards. *Serban, E.*, +, *TPEL Jan. 2017 298-309*
- Power system transients**
- Low-Capacitance Cascaded H-Bridge Multilevel StatCom. *Farivar, G.*, +, *TPEL March 2017 1744-1754*
- Principle and Application of the Contactless Load Detection Based on the Amplitude Decay Rate in a Transient Process. *Hu, S.*, +, *TPEL Nov. 2017 8936-8944*
- Power transformer testing**
- Design and Experimental Testing of a Resonant DC–DC Converter for Solid-State Transformers. *Ortiz, G.*, +, *TPEL Oct. 2017 7534-7542*
- Power transformers**
- A Fault-Tolerant Series-Resonant DC–DC Converter. *Costa, L.*, +, *TPEL Feb. 2017 900-905*
- A High-Switching-Frequency Flyback Converter in Resonant Mode. *Li, J.*, +, *TPEL Nov. 2017 8582-8592*
- A Hybrid ZVZCS Dual-Transformer-Based Full-Bridge Converter Operating in DCM for MVDC Grids. *Ning, G.*, +, *TPEL July 2017 5162-5170*
- A Line Impedance Conditioner for Saturation Mitigation of Zigzag Transformer in Hybrid AC/DC Transmission System Considering Line Unbalances. *Liu, B.*, +, *TPEL July 2017 5070-5086*
- A Medium-Frequency Transformer-Based Wind Energy Conversion System Used for Current-Source Converter-Based Offshore Wind Farm. *Wei, Q.*, +, *TPEL Jan. 2017 248-259*
- A Modified Gain Model and the Corresponding Design Method for an LLC Resonant Converter. *Liu, J.*, +, *TPEL Sept. 2017 6716-6727*
- A Quasi-Resonant Current-Fed Converter With Minimum Switching Losses. *Salehi Dobakhshari, S.*, +, *TPEL Jan. 2017 353-362*
- A Topology for Inductorless Actuation of Piezoelectric Transformer With Special Driving Waveform. *Ju, B.*, +, *TPEL Feb. 2017 1346-1354*
- Adaptive Current-Mode Control of a High Step-Up DC–DC Converter. *Chan, C.*, +, *TPEL Sept. 2017 7297-7305*
- An Integrated Battery Charger With High Power Density and Efficiency for Electric Vehicles. *Kim, D.*, +, *TPEL June 2017 4553-4565*
- An Isolated Bidirectional Single-Stage DC–AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification. *Wang, M.*, +, *TPEL March 2017 1832-1843*
- Analysis and Arm Voltage Control of Isolated Modular Multilevel DC–DC Converter with Asymmetric Branch Impedance. *Sun, C.*, +, *TPEL Aug. 2017 5978-5990*
- Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control. *Alonso, J.M.*, +, *TPEL Dec. 2017 9179-9190*
- Analysis of Bidirectional Piezoelectric-Based Converters for Zero-Voltage Switching Operation. *Ekhtiari, M.*, +, *TPEL Jan. 2017 866-877*
- Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier. *Ries, L.K.*, +, *TPEL Aug. 2017 6005-6017*
- Design and Steady-State Analysis of Parallel Resonant DC–DC Converter for High-Voltage Power Generator. *Hsu, W.*, +, *TPEL Feb. 2017 957-966*
- Dyna-C: A Minimal Topology for Bidirectional Solid-State Transformers. *Chen, H.*, +, *TPEL Feb. 2017 995-1005*
- Dynamic Optimum Dead Time in Piezoelectric Transformer-Based Switch-Mode Power Supplies. *Ekhtiari, M.*, +, *TPEL Jan. 2017 783-793*
- Five-Level Active-Neutral-Point-Clamped DC/DC Converter for Medium-Voltage DC Grids. *Liu, D.*, +, *TPEL May 2017 3402-3412*
- Full-Process Operation, Control, and Experiments of Modular High-Frequency-Link DC Transformer Based on Dual Active Bridge for Flexible MVDC Distribution: A Practical Tutorial. *Zhao, B.*, +, *TPEL Sept. 2017 6751-6766*
- Isolated Double Step-Down DC–DC Converter With Improved ZVS Range and No Transformer Saturation Problem. *Kim, S.*, +, *TPEL March 2017 1792-1804*
- LLC Converters With Planar Transformers: Issues and Mitigation. *Saket, M.A.*, +, *TPEL June 2017 4524-4542*
- New Tunable Piezoelectric Transformers and Their Application in DC–DC Converters. *Khanna, M.*, +, *TPEL Dec. 2017 8974-8978*
- Reactive Power Compensation and Negative-Sequence Current Suppression System for Electrical Railways With YNvd-Connected Balance Transformer—Part II: Implementation and Verification. *Xie, B.*, +, *TPEL Dec. 2017 9031-9042*

Suppression of Time-Varying Interharmonics Produced by Medium-Frequency Induction Melting Furnaces by a HAPF System. *Durna, E., +, TPEL Feb. 2017 1030-1043*

Thermal Stress Analysis of Medium-Voltage Converters for Smart Transformers. *Andresen, M., +, TPEL June 2017 4753-4765*

Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation. *Yang, L., +, TPEL Feb. 2017 1651-1665*

Power transmission

A Line Impedance Conditioner for Saturation Mitigation of Zigzag Transformer in Hybrid AC/DC Transmission System Considering Line Unbalances. *Liu, B., +, TPEL July 2017 5070-5086*

Power transmission (mechanical)

A Switched Predictive Controller for an Electrical Powertrain System With Backlash. *Formentini, A., +, TPEL May 2017 4036-4047*

An Adaptive Power-Split Strategy for Battery-Supercapacitor Powertrain—Design, Simulation, and Experiment. *Sun, L., +, TPEL Dec. 2017 9364-9375*

Electrified Automotive Powertrain Architecture Using Composite DC–DC Converters. *Chen, H., +, TPEL Jan. 2017 98-116*

Power transmission control

A Line Impedance Conditioner for Saturation Mitigation of Zigzag Transformer in Hybrid AC/DC Transmission System Considering Line Unbalances. *Liu, B., +, TPEL July 2017 5070-5086*

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X., +, TPEL Sept. 2017 6924-6935*

Development, Demonstration, and Control of a Testbed for Multiterminal HVDC System. *Li, Y., +, TPEL Aug. 2017 6069-6078*

Low-Voltage-Ride-Through (LVRT) Control of an HVDC Transmission System Using Two Modular Multilevel DSCC Converters. *Oguma, K., +, TPEL Aug. 2017 5931-5942*

Model Predictive Control With Common-Mode Voltage Injection for Modular Multilevel Converter. *Dekka, A., +, TPEL March 2017 1767-1778*

Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X., +, TPEL Sept. 2017 7306-7324*

Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation. *Yang, L., +, TPEL Feb. 2017 1651-1665*

Power transmission faults

Assembly HVDC Breaker for HVDC Grids With Modular Multilevel Converters. *Liu, G., +, TPEL Feb. 2017 931-941*

Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X., +, TPEL Sept. 2017 7306-7324*

Power transmission lines

Development, Demonstration, and Control of a Testbed for Multiterminal HVDC System. *Li, Y., +, TPEL Aug. 2017 6069-6078*

Power Control With Z-Source Converter Based Unified Power Flow Controller. *Thirumalaivasan, R., +, TPEL Dec. 2017 9413-9423*

Power transmission reliability

Active and Reactive Currents Decomposition-Based Control of Angle and Magnitude of Current for a Parallel Multiinverter IPT System. *Li, Y., +, TPEL Feb. 2017 1602-1614*

Predictive control

A Predictive Hybrid Pulse-Width-Modulation Technique for Active-Front-End Rectifiers. *Gendrin, M., +, TPEL July 2017 5487-5496*

A Switched Predictive Controller for an Electrical Powertrain System With Backlash. *Formentini, A., +, TPEL May 2017 4036-4047*

An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D., +, TPEL May 2017 3731-3740*

Common Model Predictive Control for Permanent-Magnet Synchronous Machine Drives Considering Single-Phase Open-Circuit Fault. *Wang, W., +, TPEL July 2017 5862-5872*

Common-Mode-Voltage-Reduced Model-Predictive Control Scheme for Current-Source-Converter-Fed Induction Motor Drives. *Gao, H., +, TPEL June 2017 4891-4904*

Computationally Efficient DMPC for Three-Level NPC Back-to-Back Converters in Wind Turbine Systems With PMSG. *Zhang, Z., +, TPEL Oct. 2017 8018-8034*

Deadbeat Predictive Current Control of Permanent-Magnet Synchronous Motors with Stator Current and Disturbance Observer. *Zhang, X., +, TPEL May 2017 3818-3834*

Deadtime Compensation for Model Predictive Control of Power Inverters. *Townsend, C.D., +, TPEL Sept. 2017 7325-7337*

Direct Model Predictive Current Control Strategy of Quasi-Z-Source Inverters. *Ayad, A., +, TPEL July 2017 5786-5801*

Errors of a Linear Current Approximation in High-Speed PMSM Drives. *Jarzewowicz, L., TPEL Nov. 2017 8254-8257*

Finite-State Predictive Torque Control of Induction Motor Supplied From a Three-Level NPC Voltage Source Inverter. *Habibullah, M., +, TPEL Jan. 2017 479-489*

Flux Immunity Robust Predictive Current Control With Incremental Model and Extended State Observer for PMSM Drive. *Yang, M., +, TPEL Dec. 2017 9267-9279*

High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B., +, TPEL May 2017 4007-4020*

Minimization of DC-Bus Current Ripple in Modular Multilevel Converter Under Unbalanced Conditions. *Dekka, A., +, TPEL June 2017 4125-4131*

Model Predictive Control of Capacitor Voltage Balancing for Cascaded Modular DC–DC Converters. *Wei, Q., +, TPEL Jan. 2017 752-761*

Model Predictive Control With Common-Mode Voltage Injection for Modular Multilevel Converter. *Dekka, A., +, TPEL March 2017 1767-1778*

Model Predictive Direct Slope Control for Power Converters. *Riar, B.S., +, TPEL March 2017 2278-2289*

Model Predictive Switching Pattern Control for Current-Source Converters With Space-Vector-Based Selective Harmonic Elimination. *Gao, H., +, TPEL Aug. 2017 6558-6569*

Multiobjective Fuzzy-Decision-Making Predictive Torque Control for an Induction Motor Drive. *Rojas, C.A., +, TPEL Aug. 2017 6245-6260*

Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. *Errouissi, R., +, TPEL March 2017 2265-2277*

Review of Active and Reactive Power Sharing Strategies in Hierarchical Controlled Microgrids. *Han, Y., +, TPEL March 2017 2427-2451*

Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B., +, TPEL June 2017 4663-4674*

Selective Harmonic Elimination Model Predictive Control for Multilevel Power Converters. *Aguilera, R.P., +, TPEL March 2017 2416-2426*

Three-Vector-Based Low-Complexity Model Predictive Direct Power Control Strategy for Doubly Fed Induction Generators. *Wang, X., +, TPEL Jan. 2017 773-782*

Predictor-corrector methods

A Modeling and Analysis Method for Fractional-Order DC–DC Converters. *Chen, X., +, TPEL Sept. 2017 7034-7044*

Primary cells

A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings. *Shang, Y., +, TPEL Oct. 2017 7694-7706*

Principal component analysis

A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B., +, TPEL July 2017 5590-5600*

Printed circuit design

A New Output Current Measurement Method With Tiny PCB Sensors Capable of Being Embedded in an IGBT Module. *Hasegawa, K., +, TPEL March 2017 1707-1712*

Printed circuit layout

Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC–DC Converters. *Hariya, A., +, TPEL Aug. 2017 5953-5963*

Printed circuit manufacture

Thermal Management and Electromagnetic Analysis for GaN Devices Packaging on DBC Substrate. *Yu, C., +, TPEL Feb. 2017 906-910*

Printed circuits

A Digital Adaptive Driving Scheme for eGaN HEMTs in VHF Converters. *Zhang, Z., +, TPEL Aug. 2017 6197-6205*

A Novel Soft Switching Bidirectional DC–DC Converter Using Magnetic and Capacitive Hybrid Power Transfer. *Ishigaki, M., +, TPEL Sept. 2017 6961-6970*

New Current Measurement Procedure Using a Conventional Rogowski Transducer for the Analysis of Switching Transients in Transistors. *Oyarbide, E.*, +, *TPEL April 2017 2490-2492*

Probability

A Speed and Flux Observer of Induction Motor Based on Extended Kalman Filter and Markov Chain. *Yin, Z.*, +, *TPEL Sept. 2017 7096-7117*

An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D.*, +, *TPEL May 2017 3731-3740*

Figure of Merit for the Optimization of Wireless Power Transfer System Against Misalignment Tolerance. *Sampath, J.P.K.*, +, *TPEL June 2017 4359-4369*

Programmable circuits

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

Proportional control

A Method for the Suppression of Fluctuations in the Neutral-Point Potential of a Three-Level NPC Inverter With a Capacitor-Voltage Loop. *Zhang, Y.*, +, *TPEL Jan. 2017 825-836*

An Improved Proportional Load-Sharing Strategy for Meshed Parallel Inverters System With Complex Impedances. *Lin, L.*, +, *TPEL Sept. 2017 7338-7351*

Prosthetic power supplies

Intermediate Range Wireless Power Transfer With Segmented Coil Transmitters for Implantable Heart Pumps. *Tang, S.C.*, +, *TPEL May 2017 3844-3857*

Pulse amplitude modulation

A Novel Method of Reducing Commutation Torque Ripple for Brushless DC Motor Based on Cuk Converter. *Chen, W.*, +, *TPEL July 2017 5497-5508*

Pulse frequency modulation

A Sensitivity-Improved PFM LLC Resonant Full-Bridge DC–DC Converter With LC Antiresonant Circuitry. *Mishima, T.*, +, *TPEL Jan. 2017 310-324*

Pulse generators

A Boost-Inverter-Based Bipolar High-Voltage Pulse Generator. *Elserougi, A.*, +, *TPEL April 2017 2846-2855*

A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electroporation Applications. *Elgenedy, M.A.*, +, *TPEL Dec. 2017 8979-8991*

Pulse width modulation

A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings. *Shang, Y.*, +, *TPEL Oct. 2017 7694-7706*

Analytical Investigation of Sideband Electromagnetic Vibration in Integral-Slot PMSM Drive With SVPWM Technique. *Liang, W.*, +, *TPEL June 2017 4785-4795*

Dynamic Response Improvements of Parallel-Connected Bidirectional DC–DC Converters for Electrical Drive Powered by Low-Voltage Battery Employing Optimized Feedforward Control. *Sha, D.*, +, *TPEL Oct. 2017 7783-7794*

Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor. *Xu, Y.*, +, *TPEL May 2017 3797-3807*

Pulsed power supplies

A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electroporation Applications. *Elgenedy, M.A.*, +, *TPEL Dec. 2017 8979-8991*

Pumps

Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V.*, +, *TPEL July 2017 5398-5410*

PWM inverters

A Carrier-Based Phase-Shift Space Vector Modulation Strategy for a Nine-Switch Inverter. *Jarutus, N.*, +, *TPEL May 2017 3425-3441*

A Family of Neutral-Point-Clamped Circuits of Single-Phase PV Inverters: Generalized Principle and Implementation. *Zhou, L.*, +, *TPEL June 2017 4307-4319*

A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*

A Flexible Nonorthogonal-Reference-Frame-Based SVPWM Framework for Multilevel Inverters. *Ovalle, A.*, +, *TPEL June 2017 4925-4938*

A Harmonic Suppression Scheme for Full Speed Range of a Two-Level Inverter Fed Induction Motor Drive Using Switched Capacitive Filter. *Pramanick, S.*, +, *TPEL March 2017 2064-2071*

A Highly Reliable and High-Efficiency Quasi Single-Stage Buck–Boost Inverter. *Khan, A.A.*, +, *TPEL June 2017 4185-4198*

A Method for the Suppression of Fluctuations in the Neutral-Point Potential of a Three-Level NPC Inverter With a Capacitor-Voltage Loop. *Zhang, Y.*, +, *TPEL Jan. 2017 825-836*

A Novel Method of Reducing Commutation Torque Ripple for Brushless DC Motor Based on Cuk Converter. *Chen, W.*, +, *TPEL July 2017 5497-5508*

A Three-Phase Multioptimal PWM Implemented on 2-Gbit Flash Memory Integrated Circuits. *Neacsu, D.O.*, +, *TPEL July 2017 5813-5826*

A Unified Space Vector Pulse Width Modulation for Dual Two-level Inverter System. *Chen, M.*, +, *TPEL Feb. 2017 889-893*

An Optimized Hybrid SVPWM Strategy Based on Multiple Division of Active Vector Time (MDAVT). *Biswas, J.*, +, *TPEL June 2017 4607-4618*

Analysis and Compensation of Inverter Nonlinearity for Three-Level T-Type Inverters. *Kim, H.*, +, *TPEL June 2017 4970-4980*

Analysis and Design of Current Control Schemes for LCL-Type Grid-Connected Inverter Based on a General Mathematical Model. *Pan, D.*, +, *TPEL June 2017 4395-4410*

Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control. *Alonso, J.M.*, +, *TPEL Dec. 2017 9179-9190*

Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier. *Ries, L.K.*, +, *TPEL Aug. 2017 6005-6017*

Analysis of the Modulation Strategy for the Minimization of the Leakage Current in the PV Grid-Connected Cascaded Multilevel Inverter. *Sonti, V.*, +, *TPEL Feb. 2017 1156-1169*

Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based D- Σ Digital Control. *Wu, T.*, +, *TPEL Feb. 2017 1591-1601*

Comprehensive Analysis and Reduction of Torque Ripples in Three-Phase Four-Switch Inverter-Fed PMSM Drives Using Space Vector Pulse-Width Modulation. *Zhu, C.*, +, *TPEL July 2017 5411-5424*

Confined Band Variable Switching Frequency Pulse Width Modulation (CB-VSF PWM) for a Single-Phase Inverter With an LCL Filter. *Attia, H.A.*, +, *TPEL Nov. 2017 8593-8605*

Decoupled PWM Control of a Dual-Inverter Four-Level Five-Phase Drive. *Darjjevic, M.*, +, *TPEL May 2017 3719-3730*

Design and Analysis of Robust Active Damping for LCL Filters Using Digital Notch Filters. *Yao, W.*, +, *TPEL March 2017 2360-2375*

Design and Implementation of a Sensorless Multilevel Inverter With Reduced Part Count. *Sandeep, N.*, +, *TPEL Sept. 2017 6677-6683*

Direct Current Tracking Using Boundary Control With Second-Order Switching Surface for Three-Phase Three-Wire Grid-Connected Inverter. *He, Y.*, +, *TPEL July 2017 5723-5740*

Discontinuous Space Vector PWM Strategy of Neutral-Point-Clamped Three-Level Inverters for Output Current Ripple Reduction. *Xia, C.*, +, *TPEL July 2017 5109-5121*

Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*

Extending the Linear Modulation Range to the Full Base Speed Using a Single DC-Link Multilevel Inverter With Capacitor-Fed H-Bridges for IM Drives. *S, A.R.*, +, *TPEL July 2017 5450-5458*

Fifth- and Seventh-Order Harmonic Elimination With Multilevel Dodecagonal Voltage Space Vector Structure for IM Drive Using a Single DC Source for the Full Speed Range. *Boby, M.*, +, *TPEL Jan. 2017 60-68*

Fixed Switching Frequency Generalized Peak Current Control (GPCC) of DC–AC Converters. *Ebrahimi, M.*, +, *TPEL Aug. 2017 6605-6616*

Flux-Balancing Scheme for PD-Modulated Parallel-Interleaved Inverters. *Gohil, G.*, +, *TPEL May 2017 3442-3457*

- Generalized Minimum Common-Mode Voltage PWM for Two-Level Multiphase VSIs Considering Reference Order. *Chen, K.*, +, *TPEL Aug. 2017 6493-6509*
- Generalized Synchronous Optimal Pulse Width Modulation for Multilevel Inverters. *Lago, J.*, +, *TPEL Aug. 2017 6297-6307*
- Hybrid Dual and NPC Six-Phase Drive Systems. *Melo, V.F.M.B.*, +, *TPEL Nov. 2017 8606-8617*
- Improved Power Decoupling Scheme for a Single-Phase Grid-Connected Differential Inverter With Realistic Mismatch in Storage Capacitances. *Yao, W.*, +, *TPEL Jan. 2017 186-199*
- Low-Frequency Current Oscillation Reduction for Six-Step Operation of Three-Phase Inverters. *Ke, Z.*, +, *TPEL April 2017 2948-2956*
- Maximum Boost Control of Diode-Assisted Buck-Boost Voltage-Source Inverter With Minimum Switching Frequency. *Zhang, Y.*, +, *TPEL Feb. 2017 1533-1547*
- Modified Synchronous Pulsewidth Modulation of Current-Fed Five-Level Inverter for Solar Integration. *Gnanasambandam, K.*, +, *TPEL May 2017 3370-3381*
- New Passive Filter Design Method for Overvoltage Suppression and Bearing Currents Mitigation in a Long Cable Based PWM Inverter-Fed Motor Drive System. *Jiang, Y.*, +, *TPEL Oct. 2017 7882-7893*
- Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current. *Chen, D.*, +, *TPEL April 2017 2717-2727*
- Novel Eliminated Common-Mode Voltage PWM Sequences and an Online Algorithm to Reduce Current Ripple for a Three-Level Inverter. *Nguyen, T.T.*, +, *TPEL Oct. 2017 7482-7493*
- Passive Islanding Detection Using Inverter Nonlinear Effects. *Reigosa, D.D.*, +, *TPEL Nov. 2017 8434-8445*
- PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking. *Leuenberger, D.*, +, *TPEL Aug. 2017 6105-6118*
- PWM Strategy for the Cancellation of Common-Mode Voltage Generated by Three-Phase Back-to-Back Inverters. *Videt, A.*, +, *TPEL April 2017 2675-2686*
- Reducing Harmonics Distortion in Five-Phase VSI Using Space-Vector-Based Optimal Hybrid PWM. *Chen, K.*, +, *TPEL March 2017 2098-2113*
- Reduction of Common Mode Voltage and Conducted EMI Through Three-Phase Inverter Topology. *Morris, C.T.*, +, *TPEL March 2017 1720-1724*
- Reliability Improvement Approach Based on Flatness Control of Parallel-Connected Inverters. *Shahin, A.*, +, *TPEL Jan. 2017 681-692*
- Single-Phase Inverter With Energy Buffer and DC-DC Conversion Circuits. *Matsumoto, H.*, +, *TPEL Oct. 2017 7615-7625*
- Single-Stage Three-Phase Current-Source Photovoltaic Grid-Connected Inverter High Voltage Transmission Ratio. *Chen, D.*, +, *TPEL Oct. 2017 7591-7601*
- SVM Strategies for Common-Mode Current Reduction in Transformerless Current-Source Drives at Low Modulation Index. *Lian, Y.*, +, *TPEL Feb. 2017 1312-1323*
- Thermal Stresses Relief Carrier-Based PWM Strategy for Single-Phase Multilevel Inverters. *Aly, M.*, +, *TPEL Dec. 2017 9376-9388*
- Three-Phase VSI Optimal Switching Loss Reduction Using Variable Switching Frequency. *Onederra, O.*, +, *TPEL Aug. 2017 6570-6576*
- PWM power converters**
- A Design of a 92.4% Efficiency Triple Mode Control DC-DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. *Park, Y.*, +, *TPEL Sept. 2017 6946-6960*
- A Dual Series-Resonant DC-DC Converter. *Tahavorgar, A.*, +, *TPEL May 2017 3708-3718*
- A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*
- A High Step-up PWM DC-DC Converter With Coupled-Inductor and Resonant Switched-Capacitor. *Ye, Y.*, +, *TPEL Oct. 2017 7739-7749*
- A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part I: Mathematical Derivations. *Aroudi, A.E.*, *TPEL July 2017 5651-5665*
- A Novel Flexible Capacitor Voltage Control Strategy for Variable-Speed Drives With Modular Multilevel Converters. *Tai, B.*, +, *TPEL Jan. 2017 128-141*
- A Space Vector Pulse Width Modulation for Five-Level Nested Neutral Point Piloted Converter. *Li, J.*, +, *TPEL Aug. 2017 5991-6004*
- A T-Type Isolated Zero Voltage Switching DC-DC Converter With Capacitive Output. *Bandeira, D.G.*, +, *TPEL June 2017 4210-4218*
- A Time Delay Compensation Method Based on Area Equivalence For Active Damping of an LCL-Type Converter. *Chen, C.*, +, *TPEL Jan. 2017 762-772*
- An LLC Converter Family With Auxiliary Switch for Hold-Up Mode Operation. *Wang, H.*, +, *TPEL June 2017 4291-4306*
- An Improved Phase-Shifted Carrier Modulation Scheme for a Hybrid Modular Multilevel Converter. *Lu, S.*, +, *TPEL Jan. 2017 81-97*
- An Isolated Bidirectional Single-Stage DC-AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification. *Wang, M.*, +, *TPEL March 2017 1832-1843*
- An Optimal Digital Pulse-Width-Modulated Dither Technique to Enhance the Resolution of High-Frequency Power Converters. *Fang, J.*, +, *TPEL Sept. 2017 7222-7232*
- Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier. *Ries, L.K.*, +, *TPEL Aug. 2017 6005-6017*
- Analysis, Design, and Implementation of an APWM ZVZCS Full-Bridge DC-DC Converter for Battery Charging in Electric Vehicles. *Kanamarlapudi, V.R.K.*, +, *TPEL Aug. 2017 6145-6160*
- Analysis, Design, Modeling, and Control of an Interleaved-Boost Full-Bridge Three-Port Converter for Hybrid Renewable Energy Systems. *Mira, M.C.*, +, *TPEL Feb. 2017 1138-1155*
- Control of Active Power Exchange With Auxiliary Power Loop in a Single-Phase Cascaded Multilevel Converter-Based Energy Storage System. *Jiang, W.*, +, *TPEL Feb. 2017 1518-1532*
- Control of Parallel Three-Phase PWM Converters Under Generalized Unbalanced Operating Conditions. *Zhang, X.*, +, *TPEL April 2017 3206-3215*
- Dual-Bridge LLC Resonant Converter With Fixed-Frequency PWM Control for Wide Input Applications. *Sun, X.*, +, *TPEL Jan. 2017 69-80*
- Dynamic Voltage Restorer Using Switching Cell Structured Multilevel AC-AC Converter. *Kim, S.*, +, *TPEL Nov. 2017 8406-8418*
- Elimination of Low-Frequency Ripples and Regulation of Neutral-Point Voltage in Stacked Multicell Converters. *Ghiasi, A.M.Y.M.*, +, *TPEL Jan. 2017 164-175*
- EMI Filter Volume Minimization of a Three-Phase, Three-Level T-Type PWM Converter System. *Boillat, D.O.*, +, *TPEL April 2017 2473-2480*
- Fixed Switching Frequency Generalized Peak Current Control (GPCC) of DC-AC Converters. *Ebrahimi, M.*, +, *TPEL Aug. 2017 6605-6616*
- Generalized PWM-Based Method for Multiphase Neutral-Point-Clamped Converters With Capacitor Voltage Balance Capability. *Lopez, I.*, +, *TPEL June 2017 4878-4890*
- Generalized Theory and Analysis of Scalar Modulation Techniques for a $m \times n$ Matrix Converter. *Ali, M.*, +, *TPEL June 2017 4864-4877*
- High-Performance Quasi-Z-Source Series Resonant DC-DC Converter for Photovoltaic Module-Level Power Electronics Applications. *Vinnikov, D.*, +, *TPEL May 2017 3634-3650*
- Hybrid Dual and NPC Six-Phase Drive Systems. *Melo, V.F.M.B.*, +, *TPEL Nov. 2017 8606-8617*
- Hybrid Modulation Concept for Five-Level Active-Neutral-Point-Clamped Converter. *Li, C.*, +, *TPEL Dec. 2017 8958-8962*
- Impact of PWM Duty Cycle Jitter on Switching-Mode Power Converter Efficiency. *Wu, F.*, +, *TPEL Nov. 2017 8751-8762*
- Impact of Switching Harmonics on Capacitor Cells Balancing in Phase-Shifted PWM-Based Cascaded H-Bridge STATCOM. *Behrouzian, E.*, +, *TPEL Jan. 2017 815-824*
- Instantaneous Power Control for Suppressing the Second-Harmonic DC-Bus Voltage Under Generic Unbalanced Operating Conditions. *Hu, Y.*, +, *TPEL May 2017 3998-4006*

Low-Switching-Frequency Operation of a Modular Multilevel DSCC Converter With Phase-Shifted Rotating-Carrier PWM. *Sasongko, F.*, +, *TPEL July 2017 5058-5069*

Model Predictive Switching Pattern Control for Current-Source Converters With Space-Vector-Based Selective Harmonic Elimination. *Gao, H.*, +, *TPEL Aug. 2017 6558-6569*

Modeling of VSC-Based Power Systems in the Extended Harmonic Domain. *Esparza, M.*, +, *TPEL Aug. 2017 5907-5916*

Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles. *Haga, H.*, +, *TPEL April 2017 2498-2507*

Modulation Techniques for Enhanced Reduction in Common-Mode Voltage and Output Voltage Distortion in Indirect Matrix Converters. *Padhee, V.*, +, *TPEL Nov. 2017 8655-8670*

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Multiple String LED Driver With Flexible and High-Performance PWM Dimming Control. *Tahan, M.*, +, *TPEL Dec. 2017 9293-9306*

Performance Analysis of the Zero-Voltage Vector Distribution in Three-Phase Four-Switch Converter Using a Space Vector Approach. *Zeng, Z.*, +, *TPEL Jan. 2017 260-273*

PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers. *Uno, M.*, +, *TPEL Nov. 2017 8500-8513*

Single-Phase Inverter With Energy Buffer and DC–DC Conversion Circuits. *Matsumoto, H.*, +, *TPEL Oct. 2017 7615-7625*

Steady-State Analysis of Inductor Conduction Modes in the Quadratic Boost Converter. *Lopez-Santos, O.*, +, *TPEL March 2017 2253-2264*

Synchronous Double-Pumping Technique for Integrated Current-Mode PWM DC–DC Converters Demand on Fast-Transient Response. *Wu, K.*, +, *TPEL Jan. 2017 849-865*

Tan-Sun Coordinate Transformation System Theory and Applications for Three-Phase Unbalanced Power Systems. *Tan, G.*, +, *TPEL Sept. 2017 7352-7380*

Three-Phase VSI Optimal Switching Loss Reduction Using Variable Switching Frequency. *Onederra, O.*, +, *TPEL Aug. 2017 6570-6576*

PWM rectifiers

A Predictive Hybrid Pulse-Width-Modulation Technique for Active-Front-End Rectifiers. *Gendrin, M.*, +, *TPEL July 2017 5487-5496*

Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier. *Ries, L.K.*, +, *TPEL Aug. 2017 6005-6017*

Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based $D-\Sigma$ Digital Control. *Wu, T.*, +, *TPEL Feb. 2017 1591-1601*

Current Similarity Analysis-Based Open-Circuit Fault Diagnosis for Two-Level Three-Phase PWM Rectifier. *Wu, F.*, +, *TPEL May 2017 3935-3945*

EMI Filter Volume Minimization of a Three-Phase, Three-Level T-Type PWM Converter System. *Boillat, D.O.*, +, *TPEL April 2017 2473-2480*

Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles. *Haga, H.*, +, *TPEL April 2017 2498-2507*

Novel SWISS Rectifier Modulation Scheme Preventing Input Current Distortions at Sector Boundaries. *Schrittwieser, L.*, +, *TPEL July 2017 5771-5785*

Performance Improvement of Direct Power Control of PWM Rectifier Under Unbalanced Network. *Zhang, Y.*, +, *TPEL March 2017 2319-2328*

Relationship Between Two Direct Power Control Methods for PWM Rectifiers Under Unbalanced Network. *Zhang, Y.*, +, *TPEL May 2017 4084-4094*

Three-Level TAIPEI Rectifier—Analysis of Operation, Design Considerations, and Performance Evaluation. *Jang, Y.*, +, *TPEL Feb. 2017 942-956*

Vehicle-Grid System Modeling and Stability Analysis With Forbidden Region-Based Criterion. *Liao, Y.*, +, *TPEL May 2017 3499-3512*

Q

Q factor

Q Controllable Antenna as a Potential Means for Wide-Area Sensing and Communication in Wireless Charging via Coupled Magnetic Resonances. *Nakamura, S.*, +, *TPEL Jan. 2017 218-232*

Analysis and Optimization of Switched Capacitor Power Conversion Circuits With Parasitic Resistances and Inductances. *Ye, Y.*, +, *TPEL March 2017 2018-2028*

Autonomous Wideband Piezoelectric Energy Harvesting Utilizing a Resonant Inverter. *Stein, A.L.F.*, +, *TPEL Aug. 2017 6178-6187*

SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H.*, +, *TPEL Nov. 2017 8813-8822*

Use of Transmitter-Side Electrical Information to Estimate System Parameters of Wireless Inductive Links. *Chow, J.P.*, +, *TPEL Sept. 2017 7169-7186*

R

Radio transceivers

A Design of a 92.4% Efficiency Triple Mode Control DC–DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. *Park, Y.*, +, *TPEL Sept. 2017 6946-6960*

Radio transmitters

Q Controllable Antenna as a Potential Means for Wide-Area Sensing and Communication in Wireless Charging via Coupled Magnetic Resonances. *Nakamura, S.*, +, *TPEL Jan. 2017 218-232*

Radiofrequency interference

Full-Duplex Communication on the Shared Channel of a Capacitively Coupled Power Transfer System. *Su, Y.*, +, *TPEL April 2017 3229-3239*

Radiofrequency power transmission

A DC-Voltage-Controlled Variable Capacitor for Stabilizing the ZVS Frequency of a Resonant Converter for Wireless Power Transfer. *Tian, J.*, +, *TPEL March 2017 2312-2318*

A Dual-Output Wireless Power Transfer System With Active Rectifier and Three-Level Operation. *Lu, Y.*, +, *TPEL Feb. 2017 927-930*

Design Consideration and Comparison of Wireless Power Transfer via Harmonic Current for PHEV and EV Wireless Charging. *Zeng, H.*, +, *TPEL Aug. 2017 5943-5952*

Design of Maximum Efficiency Tracking Control Scheme for Closed-Loop Wireless Power Charging System Employing Series Resonant Tank. *Yeo, T.*, +, *TPEL Jan. 2017 471-478*

Figure of Merit for the Optimization of Wireless Power Transfer System Against Misalignment Tolerance. *Sampath, J.P.K.*, +, *TPEL June 2017 4359-4369*

Full-Duplex Communication on the Shared Channel of a Capacitively Coupled Power Transfer System. *Su, Y.*, +, *TPEL April 2017 3229-3239*

Low-Harmonic-Contents and High-Efficiency Class E Full-Wave Current-Driven Rectifier for Megahertz Wireless Power Transfer Systems. *Liu, M.*, +, *TPEL Feb. 2017 1198-1209*

Mathematical Analysis of Omnidirectional Wireless Power Transfer—Part-I: Two-Dimensional Systems. *Lin, D.*, +, *TPEL Jan. 2017 625-633*

Stability Improvement of Transmission Efficiency Based on a Relay Resonator in a Wireless Power Transfer System. *Lee, J.*, +, *TPEL May 2017 3297-3300*

The Recognition and Control of Nonideal Soft-Switching Frequency for Wireless Power Transfer System Based on Waveform Identification. *Sun, Y.*, +, *TPEL Aug. 2017 6617-6627*

Wireless Power Transmitter and Receiver Supporting 200-kHz and 6.78-MHz Dual-Band Operation without Magnetic Field Canceling. *Ahn, D.*, +, *TPEL Sept. 2017 7068-7082*

Railway electrification

Analysis and Comparison of Modular Railway Power Conditioner for High-Speed Railway Traction System. *Xu, Q.*, +, *TPEL Aug. 2017 6031-6048*

Analysis in the Effect of Co-phase Traction Railway HPQC Coupled Impedance on Its Compensation Capability and Impedance-Mapping Design

Technique Based on Required Compensation Capability for Reduction in Operation Voltage. *Lao, K.*, +, *TPEL April 2017 2631-2646*

Railways

Reactive Power Compensation and Negative-Sequence Current Suppression System for Electrical Railways With YNvd-Connected Balance Transformer—Part II: Implementation and Verification. *Xie, B.*, +, *TPEL Dec. 2017 9031-9042*

RC circuits

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*

An Improved Variable On-Time Control Strategy for a CRM Flyback PFC Converter. *Zhao, C.*, +, *TPEL Feb. 2017 915-919*

Reactive power

A New Six-Switch Five-Level Active Neutral Point Clamped Inverter for PV Applications. *Wang, H.*, +, *TPEL Sept. 2017 6700-6715*

A Novel ZVS Range Enhancement Technique of a High-Voltage Dual Active Bridge Converter Using Series Injection. *Tripathi, A.K.*, +, *TPEL June 2017 4231-4245*

Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction. *Lam, C.*, +, *TPEL Oct. 2017 7577-7590*

Low-Capacitance Cascaded H-Bridge Multilevel StatCom. *Farivar, G.*, +, *TPEL March 2017 1744-1754*

Modulation Methods for Indirect Matrix Converter Extending the Input Reactive Power Range. *Li, X.*, +, *TPEL June 2017 4852-4863*

Reactive Power Compensation Capabilities of V2G-Enabled Electric Vehicles. *Buja, G.*, +, *TPEL Dec. 2017 9447-9459*

Selective Compensation of Distortion, Unbalanced and Reactive Power of a Thyristor-Controlled LC-Coupling Hybrid Active Power Filter (TCLC-HAPF). *Wang, L.*, +, *TPEL Dec. 2017 9065-9077*

Single-Stage Three-Phase Grid-Tied PV System With Universal Filtering Capability Applied to DG Systems and AC Microgrids. *Campanhol, L.B.G.*, +, *TPEL Dec. 2017 9131-9142*

Reactive power control

A Bidirectional Battery Charger With Modular Integrated Charge Equalization Circuit. *Tashakor, N.*, +, *TPEL March 2017 2133-2145*

A Multifunctional and Wireless Droop Control for Distributed Energy Storage Units in Islanded AC Microgrid Applications. *Sun, X.*, +, *TPEL Jan. 2017 736-751*

A Review of Hybrid Topologies Combining Line-Commutated and Cascaded Full-Bridge Converters. *Bakas, P.*, +, *TPEL Oct. 2017 7435-7448*

Distributed Coordination Control for Multiple Bidirectional Power Converters in a Hybrid AC/DC Microgrid. *Xia, Y.*, +, *TPEL June 2017 4949-4959*

Extending the Operating Range of Electric Spring Using Back-To-Back Converter: Hardware Implementation and Control. *Yan, S.*, +, *TPEL July 2017 5171-5179*

Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. *Errouissi, R.*, +, *TPEL March 2017 2265-2277*

Performance Improvement of Direct Power Control of PWM Rectifier Under Unbalanced Network. *Zhang, Y.*, +, *TPEL March 2017 2319-2328*

Power Control With Z-Source Converter Based Unified Power Flow Controller. *Thirumalaivasan, R.*, +, *TPEL Dec. 2017 9413-9423*

Reactive Power Compensation and Negative-Sequence Current Suppression System for Electrical Railways With YNvd-Connected Balance Transformer—Part II: Implementation and Verification. *Xie, B.*, +, *TPEL Dec. 2017 9031-9042*

Relationship Between Two Direct Power Control Methods for PWM Rectifiers Under Unbalanced Network. *Zhang, Y.*, +, *TPEL May 2017 4084-4094*

Review of Active and Reactive Power Sharing Strategies in Hierarchical Controlled Microgrids. *Han, Y.*, +, *TPEL March 2017 2427-2451*

Unbalanced Control Strategy for a Thyristor-Controlled LC-Coupling Hybrid Active Power Filter in Three-Phase Three-Wire Systems. *Wang, L.*, +, *TPEL Feb. 2017 1056-1069*

Voltage and Frequency Grid Support Strategies Beyond Standards. *Serban, E.*, +, *TPEL Jan. 2017 298-309*

Reactors (electric)

Passive Reactor Compensated Cascaded H-Bridge Multilevel LC-StatCom. *Farivar, G.*, +, *TPEL Nov. 2017 8338-8348*

Rectification

A Discontinuous Conduction Mode Single-Stage Step-Up Rectifier for Low-Voltage Energy Harvesting Applications. *Yu, L.*, +, *TPEL Aug. 2017 6161-6169*

Wide Input-Voltage Range Boost Three-Level DC-DC Converter With Quasi-Z Source for Fuel Cell Vehicles. *Zhang, Y.*, +, *TPEL Sept. 2017 6728-6738*

Rectifiers

A Family of Single-Phase Voltage-Doubler High-Power-Factor SEPIC Rectifiers Operating in DCM. *Costa, P.J.S.*, +, *TPEL June 2017 4279-4290*

A Fault-Tolerant Series-Resonant DC-DC Converter. *Costa, L.*, +, *TPEL Feb. 2017 900-905*

A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology. *Fiore, V.*, +, *TPEL March 2017 1984-1995*

A High-Efficiency Asymmetrical Half-Bridge Converter With Integrated Boost Converter in Secondary Rectifier. *Han, J.*, +, *TPEL Nov. 2017 8237-8242*

A Novel 24-Pulse Diode Rectifier with an Auxiliary Single-Phase Full-Wave Rectifier at DC Side. *Yang, S.*, +, *TPEL March 2017 1885-1893*

A Novel Control Scheme of Three-Phase Single-Switch Quasi-CRM Boost Rectifier. *Yao, K.*, +, *TPEL Aug. 2017 6236-6244*

A Single-Stage Two-Switch PFC Rectifier With Wide Output Voltage Range and Automatic AC Ripple Power Decoupling. *Li, S.*, +, *TPEL Sept. 2017 6971-6982*

A Soft-Switching Bridgeless AC-DC Power Factor Correction Converter. *Alam, M.*, +, *TPEL Oct. 2017 7716-7726*

An Efficient FPGA Implementation of a Quadrature Signal-Generation Subsystem in SRF PLLs in Single-Phase PFCs. *Lamo, P.*, +, *TPEL May 2017 3959-3969*

An Enhanced Dual Droop Control Scheme for Resilient Active Power Sharing Among Paralleled Two-Stage Converters. *Liu, H.*, +, *TPEL Aug. 2017 6091-6104*

An Online Transformerless Uninterruptible Power Supply (UPS) System With a Smaller Battery Bank for Low-Power Applications. *Aamir, M.*, +, *TPEL Jan. 2017 233-247*

Analysis and Design of SQR-Based High-Voltage LLC Resonant DC-DC Converter. *Singh, A.K.*, +, *TPEL June 2017 4466-4481*

Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control. *Alonso, J.M.*, +, *TPEL Dec. 2017 9179-9190*

Autonomous Wideband Piezoelectric Energy Harvesting Utilizing a Resonant Inverter. *Stein, A.L.F.*, +, *TPEL Aug. 2017 6178-6187*

Cascaded Multilevel Active Rectifier Fed Three-Phase Smart Pump Load on Single-Phase Rural Feeder. *Verma, V.*, +, *TPEL July 2017 5398-5410*

Characterization of Input Current Interharmonics in Adjustable Speed Drives. *Soltani, H.*, +, *TPEL Nov. 2017 8632-8643*

Class DE Voltage Driven Low dv/dt Rectifier. *Minami, Y.*, +, *TPEL Feb. 2017 1255-1267*

Class-E Half-Wave Zero dv/dt Rectifiers for Inductive Power Transfer. *Kkellis, G.*, +, *TPEL Nov. 2017 8322-8337*

Common-Mode-Voltage-Reduced Model-Predictive Control Scheme for Current-Source-Converter-Fed Induction Motor Drives. *Gao, H.*, +, *TPEL June 2017 4891-4904*

Control Concepts for Hybrid Rectifiers Utilizing a Flying Converter Cell Active Current Injection Unit. *Makoschitz, M.*, +, *TPEL April 2017 2584-2595*

Direct Resonant Control Strategy for Torque Ripple Mitigation of DFIG Connected to DC Link through Diode Rectifier on Stator. *Nian, H.*, +, *TPEL Sept. 2017 6936-6945*

Electric Vehicle Charging Station With an Energy Storage Stage for Split-DC Bus Voltage Balancing. *Rivera, S.*, +, *TPEL March 2017 2376-2386*

Fault Diagnosis and Fault-Tolerant Control Scheme for Open-Circuit Faults in Three-Stepped Bridge Converters. *Shu, C.*, +, *TPEL March 2017 2203-2214*

- Flexible Mode Bridgeless Boost PFC Rectifier With High Efficiency Over a Wide Range of Input Voltage. *Huang, L.*, +, *TPEL May 2017 3513-3524*
- High-Efficiency Asymmetric Forward-Flyback Converter for Wide Output Power Range. *Lee, H.*, +, *TPEL Jan. 2017 433-440*
- Interleaved LLC Resonant Converter With Hybrid Rectifier and Variable-Frequency Plus Phase-Shift Control for Wide Output Voltage Range Applications. *Wu, H.*, +, *TPEL June 2017 4246-4257*
- Load and Source Battery Simulator Based on Z-Source Rectifier. *Choi, S.*, +, *TPEL Aug. 2017 6119-6134*
- Model-Based Fault Detection and Identification for Switching Power Converters. *Poon, J.*, +, *TPEL Feb. 2017 1419-1430*
- Natural Sampling SVM-Based Common-Mode Voltage Reduction in Medium-Voltage Current Source Rectifier. *Wei, Q.*, +, *TPEL Oct. 2017 7553-7560*
- Reduced Active Switch Front-End Multipulse Rectifier With Medium-Frequency Transformer Isolation. *Sandoval, J.J.*, +, *TPEL Oct. 2017 7458-7468*
- Reducing the Inductors of Rectifiers Having Two Outputs to Improve Power Density. *Zhong, Q.*, +, *TPEL Oct. 2017 8150-8162*
- Reduction of Input Current Harmonic Distortions and Balancing of Output Voltages of the Vienna Rectifier Under Supply Voltage Disturbances. *Adhikari, J.*, +, *TPEL July 2017 5802-5812*
- Sinusoidal Input Current Discontinuous Conduction Mode Control of the VIENNA Rectifier. *Leibl, M.*, +, *TPEL Nov. 2017 8800-8812*
- Small-Signal Model of the Five-Level Unidirectional T-Rectifier. *Benedetto, M.D.*, +, *TPEL July 2017 5741-5751*
- Suppression of Time-Varying Interharmonics Produced by Medium-Frequency Induction Melting Furnaces by a HAPF System. *Durna, E.*, +, *TPEL Feb. 2017 1030-1043*
- Three-Level Gate Drivers for eGaN HEMTs in Resonant Converters. *Zhang, Z.*, +, *TPEL July 2017 5527-5538*
- Time-Domain Analysis of Voltage-Driven Series-Series Compensated Inductive Power Transfer Topology. *Safaei, A.*, +, *TPEL July 2017 4981-5003*
- Wireless Power Transmitter and Receiver Supporting 200-kHz and 6.78-MHz Dual-Band Operation without Magnetic Field Canceling. *Ahn, D.*, +, *TPEL Sept. 2017 7068-7082*
- Rectifying circuits**
- A Dual-Output Wireless Power Transfer System With Active Rectifier and Three-Level Operation. *Lu, Y.*, +, *TPEL Feb. 2017 927-930*
- A Matrix-Based Nonisolated Three-Phase AC-DC Rectifier With Large Step-Down Voltage Gain. *Singh, A.K.*, +, *TPEL June 2017 4796-4811*
- A Single-Stage High-Frequency Resonant AC/AC Converter. *Luo, Q.*, +, *TPEL March 2017 2155-2166*
- Discontinuous Grid Current Control of Motor Drive System With Single-Phase Diode Rectifier and Small DC-Link Capacitor. *Son, Y.*, +, *TPEL Feb. 2017 1324-1334*
- Grid Current Shaping Method with DC-Link Shunt Compensator for Three-Phase Diode Rectifier-Fed Motor Drive System. *Shin, H.*, +, *TPEL Feb. 2017 1279-1288*
- Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M.*, +, *TPEL Oct. 2017 8204-8217*
- Low-Harmonic-Contents and High-Efficiency Class E Full-Wave Current-Driven Rectifier for Megahertz Wireless Power Transfer Systems. *Liu, M.*, +, *TPEL Feb. 2017 1198-1209*
- Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles. *Haga, H.*, +, *TPEL April 2017 2498-2507*
- Opposite Vector Based Phase Shift Carrier Space Vector Pulse Width Modulation for Extending the Voltage Balance Region in Single-Phase 3L NPC Cascaded Rectifier. *Peng, X.*, +, *TPEL Sept. 2017 7381-7393*
- Virtual-Torque-Based Control of Three-Phase Rectifier Under Grid Imbalance and Harmonics. *Iwanski, G.*, +, *TPEL Sept. 2017 6836-6852*
- Reduced order systems**
- Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor. *Tian, B.*, +, *TPEL July 2017 5459-5472*
- Large- and Small-Signal Average-Value Modeling of Dual-Active-Bridge DC-DC Converter Considering Power Losses. *Zhang, K.*, +, *TPEL March 2017 1964-1974*
- Reduced-Order Models of Series Resonant Inverters in Induction Heating Applications. *Dominguez, A.*, +, *TPEL March 2017 2300-2311*
- Redundancy**
- A Comparison of Grid-Connected Battery Energy Storage System Designs. *Chatzinikolaou, E.*, +, *TPEL Sept. 2017 6913-6923*
- A Fault-Tolerant Series-Resonant DC-DC Converter. *Costa, L.*, +, *TPEL Feb. 2017 900-905*
- Distributed Control and Redundant Technique to Achieve Superior Reliability for Fully Modular Input-Series-Output-Parallel Inverter System. *Fang, T.*, +, *TPEL Jan. 2017 723-735*
- Reference circuits**
- A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*
- An Active Trap Filter for Switching Harmonic Attenuation of Low-Pulse-Ratio Inverters. *Bai, H.*, +, *TPEL Dec. 2017 9078-9092*
- Performance Enhancement of Shunt Active Power Filter Using a Kalman Filter-Based H_∞ Control Strategy. *Panigrahi, R.*, +, *TPEL April 2017 2622-2630*
- Self-Compensating OCP Control Scheme for Primary-Side Controlled Flyback AC/DC Converters. *Zhu, Z.*, +, *TPEL May 2017 3673-3682*
- Regenerative braking**
- Fault-Tolerant Control of Six-Phase Induction Motor Drives With Variable Current Injection. *Gonzalez-Prieto, I.*, +, *TPEL Oct. 2017 7894-7903*
- Regression analysis**
- A Review of Prognostic Techniques for High-Power White LEDs. *Sun, B.*, +, *TPEL Aug. 2017 6338-6362*
- Relay control**
- Fault-Tolerant and Reliable Structure for a Cascaded Quasi-Z-Source DC-DC Converter. *Haji-Esmaili, M.M.*, +, *TPEL Aug. 2017 6455-6467*
- Relay protection**
- Analytical Method for DFIG Transients During Voltage Dips. *Yang, S.*, +, *TPEL Sept. 2017 6863-6881*
- Relays**
- Power Stabilization Based on Efficiency Optimization for WPT Systems With Single Relay by Frequency Configuration and Distribution Design of Receivers. *Wang, W.*, +, *TPEL Sept. 2017 7011-7024*
- Reliability**
- A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B.*, +, *TPEL July 2017 5590-5600*
- A Single-Phase Buck-Boost Matrix Converter With Only Six Switches and Without Commutation Problem. *Ahmed, H.F.*, +, *TPEL Feb. 2017 1232-1244*
- Fault Diagnosis and Fault-Tolerant Control Scheme for Open-Circuit Faults in Three-Stepped Bridge Converters. *Shu, C.*, +, *TPEL March 2017 2203-2214*
- Fault-Tolerant and Reliable Structure for a Cascaded Quasi-Z-Source DC-DC Converter. *Haji-Esmaili, M.M.*, +, *TPEL Aug. 2017 6455-6467*
- Five-Level Active-Neutral-Point-Clamped DC/DC Converter for Medium-Voltage DC Grids. *Liu, D.*, +, *TPEL May 2017 3402-3412*
- Full-Process Operation, Control, and Experiments of Modular High-Frequency-Link DC Transformer Based on Dual Active Bridge for Flexible MVDC Distribution: A Practical Tutorial. *Zhao, B.*, +, *TPEL Sept. 2017 6751-6766*
- Reliability-Oriented Optimization of the LC Filter in a Buck DC-DC Converter. *Liu, Y.*, +, *TPEL Aug. 2017 6323-6337*
- Smart Electrical Grid Interface Using Floating H-Bridges to Improve the Performance of Induction Motors. *Ul Haque, A.R.N.M.R.*, +, *TPEL Oct. 2017 7851-7861*
- Thermal Stresses Relief Carrier-Based PWM Strategy for Single-Phase Multilevel Inverters. *Aly, M.*, +, *TPEL Dec. 2017 9376-9388*
- Voltage Vector Error Fault Diagnosis for Open-Circuit Faults of Three-Phase Four-Wire Active Power Filters. *Zhang, H.*, +, *TPEL March 2017 2215-2226*

Voltage-Balancing Approach With Improved Harmonic Performance for Modular Multilevel Converters. *Dekka, A.*, +, *TPEL Aug. 2017 5878-5884*

Reluctance generators

An Approach for Switched Reluctance Generator in a Wind Generation System With a Wide Range of Operation Speed. *Barros, T.A.d.S.*, +, *TPEL Nov. 2017 8277-8292*

Reluctance motor drives

An Asymmetric Three-Level Neutral Point Diode Clamped Converter for Switched Reluctance Motor Drives. *Peng, F.*, +, *TPEL Nov. 2017 8618-8631*

New Integrated Multilevel Converter for Switched Reluctance Motor Drives in Plug-in Hybrid Electric Vehicles With Flexible Energy Conversion. *Gan, C.*, +, *TPEL May 2017 3754-3766*

Robust Direct Torque Control of Synchronous Reluctance Motor Drives in the Field-Weakening Region. *Foo, G.H.B.*, +, *TPEL Feb. 2017 1289-1298*

Renewable energy sources

A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. *Iyer, K.V.*, +, *TPEL July 2017 5087-5108*

A New-Coupled-Inductor Circuit Breaker for DC Applications. *Corzine, K.A.*, *TPEL Feb. 2017 1411-1418*

A Three-Phase Hybrid Cascaded Modular Multilevel Inverter for Renewable Energy Environment. *Karasani, R.R.*, +, *TPEL Feb. 2017 1070-1087*

An Enhanced Dual Droop Control Scheme for Resilient Active Power Sharing Among Paralleled Two-Stage Converters. *Liu, H.*, +, *TPEL Aug. 2017 6091-6104*

Analysis and Dynamic Performance Improvement of Grid-Connected Voltage-Source Converters Under Unbalanced Network Conditions. *Mortazavian, S.*, +, *TPEL Oct. 2017 8134-8149*

Analysis, Design, Modeling, and Control of an Interleaved-Boost Full-Bridge Three-Port Converter for Hybrid Renewable Energy Systems. *Mira, M.C.*, +, *TPEL Feb. 2017 1138-1155*

Centralized Control Architecture for Coordination of Distributed Renewable Generation and Energy Storage in Islanded AC Microgrids. *Diaz, N.L.*, +, *TPEL July 2017 5202-5213*

Extending the Operating Range of Electric Spring Using Back-To-Back Converter: Hardware Implementation and Control. *Yan, S.*, +, *TPEL July 2017 5171-5179*

Generation of the Large DC Gain Step-Up Nonisolated Converters in Conjunction With Renewable Energy Sources Starting From a Proposed Geometric Structure. *Li, K.*, +, *TPEL July 2017 5323-5340*

Multi-topology-Mode Grid-Connected Inverter to Improve Comprehensive Performance of Renewable Energy Source Generation System. *Wu, F.*, +, *TPEL May 2017 3623-3633*

Resistors

A Novel Self-Power SSHI Circuit for Piezoelectric Energy Harvester. *Eltamaly, A.M.*, +, *TPEL Oct. 2017 7663-7673*

Industrial Inverter Current Sensing With Three Shunt Resistors: Limitations and Solutions. *Zhang, Z.*, +, *TPEL June 2017 4577-4586*

Resonance

Modeling and Resonance Analysis of Multiparallel Inverters System Under Asynchronous Carriers Conditions. *Yu, C.*, +, *TPEL April 2017 3192-3205*

Resonant inverters

Active and Reactive Currents Decomposition-Based Control of Angle and Magnitude of Current for a Parallel Multiinverter IPT System. *Li, Y.*, +, *TPEL Feb. 2017 1602-1614*

Autonomous Wideband Piezoelectric Energy Harvesting Utilizing a Resonant Inverter. *Stein, A.L.F.*, +, *TPEL Aug. 2017 6178-6187*

Interleaved Resonant Boost Inverter Featuring SiC Module for High-Performance Induction Heating. *Sarnago, H.*, +, *TPEL Feb. 2017 1018-1029*

Reduced-Order Models of Series Resonant Inverters in Induction Heating Applications. *Dominguez, A.*, +, *TPEL March 2017 2300-2311*

Resonant power converters

A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics. *Guan, Y.*, +, *TPEL April 2017 2876-2891*

A 10-MHz eGaN Isolated Class- Φ_2 DCX. *Zhang, Z.*, +, *TPEL March 2017 2029-2040*

A DC-Voltage-Controlled Variable Capacitor for Stabilizing the ZVS Frequency of a Resonant Converter for Wireless Power Transfer. *Tian, J.*, +, *TPEL March 2017 2312-2318*

A Family of High-Frequency Single-Switch DC-DC Converters With Low Switch Voltage Stress Based on Impedance Networks. *Lee, K.*, +, *TPEL April 2017 2913-2924*

A Fault-Tolerant Series-Resonant DC-DC Converter. *Costa, L.*, +, *TPEL Feb. 2017 900-905*

A Frequency Adaptive Phase Shift Modulation Control Based LLC Series Resonant Converter for Wide Input Voltage Applications. *Shakib, S.M.S.I.*, +, *TPEL Nov. 2017 8360-8370*

A Generic and Unified Global-Gyrator Model of Switched-Resonator Converters. *Cervera, A.*, +, *TPEL Dec. 2017 8945-8952*

A High-Switching-Frequency Flyback Converter in Resonant Mode. *Li, J.*, +, *TPEL Nov. 2017 8582-8592*

A Matrix Converter-Based Bidirectional Contactless Grid Interface. *Weerasinghe, S.*, +, *TPEL March 2017 1755-1766*

A Modified Gain Model and the Corresponding Design Method for an LLC Resonant Converter. *Liu, J.*, +, *TPEL Sept. 2017 6716-6727*

A Novel Soft Switching Bidirectional DC-DC Converter Using Magnetic and Capacitive Hybrid Power Transfer. *Ishigaki, M.*, +, *TPEL Sept. 2017 6961-6970*

A Passive Current Sharing Method With Common Inductor Multiphase LLC Resonant Converter. *Wang, H.*, +, *TPEL Sept. 2017 6994-7010*

A Passive-Impedance-Matching Technology to Achieve Automatic Current Sharing for a Multiphase Resonant Converter. *Wang, H.*, +, *TPEL Dec. 2017 9191-9209*

A Series Resonant Filament Power Supply with Variable Structure and Oscillation-Free Switching Strategy for High-Voltage Accelerator Application. *Chen, Y.*, +, *TPEL Nov. 2017 8229-8236*

A Single-Stage High-Frequency Resonant AC/AC Converter. *Luo, Q.*, +, *TPEL March 2017 2155-2166*

A Synchronous Buck DC-DC Converter Using a Novel Dual-Mode Control Scheme to Improve Efficiency. *Wang, J.*, +, *TPEL Sept. 2017 6983-6993*

Accurate Capacitive Current Balancing in Multistring LED Lighting Systems Based on Switched-Capacitor-Controlled L+C+C Resonant Network. *Wong, C.S.*, +, *TPEL March 2017 2167-2179*

Accurate ZVS Analysis for Magnetic Design and Efficiency Improvement of Full-Bridge LLC Resonant Converter. *Kundu, U.*, +, *TPEL March 2017 1703-1706*

An LLC Converter Family With Auxiliary Switch for Hold-Up Mode Operation. *Wang, H.*, +, *TPEL June 2017 4291-4306*

An Average Input Current Sensing Method of LLC Resonant Converters for Automatic Burst Mode Control. *Chen, J.*, +, *TPEL April 2017 3263-3272*

An Electrolytic Capacitorless Bidirectional EV Charger for V2G and V2H Applications. *Kwon, M.*, +, *TPEL Sept. 2017 6792-6799*

An Integrated Battery Charger With High Power Density and Efficiency for Electric Vehicles. *Kim, D.*, +, *TPEL June 2017 4553-4565*

Analysis and Design of SQR-Based High-Voltage LLC Resonant DC-DC Converter. *Singh, A.K.*, +, *TPEL June 2017 4466-4481*

Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC-DC Converters. *Hariya, A.*, +, *TPEL Aug. 2017 5953-5963*

Comprehensive Analysis of Three-Phase Three-Level LC-Type Resonant DC/DC Converter With Variable Frequency Control—Series Resonant Converter. *Liu, F.*, +, *TPEL July 2017 5122-5131*

Design and Experimental Testing of a Resonant DC-DC Converter for Solid-State Transformers. *Ortiz, G.*, +, *TPEL Oct. 2017 7534-7542*

Design and Steady-State Analysis of Parallel Resonant DC-DC Converter for High-Voltage Power Generator. *Hsu, W.*, +, *TPEL Feb. 2017 957-966*

Design Consideration and Comparison of Wireless Power Transfer via Harmonic Current for PHEV and EV Wireless Charging. *Zeng, H.*, +, *TPEL Aug. 2017 5943-5952*

Dual-Bridge LLC Resonant Converter With Fixed-Frequency PWM Control for Wide Input Applications. *Sun, X.*, +, *TPEL Jan. 2017 69-80*

Dynamic Modeling and Control of Self-Oscillating Parallel Resonant Converters Based on a Variable Structure Systems Approach. *Bonache-Samaniego, R.*, +, *TPEL Feb. 2017 1469-1480*

Extension of Soft-Switching Region of Dual-Active-Bridge Converter by a Tunable Resonant Tank. *Yaqoob, M.*, +, *TPEL Dec. 2017 9093-9104*

Fast Tracking Electrosurgical Generator Using Two-Rail Multiphase Buck Converter With GaN Switches. *Jensen, S.*, +, *TPEL Jan. 2017 634-641*

Implementation of a 3.3-kW DC–DC Converter for EV On-Board Charger Employing the Series-Resonant Converter With Reduced-Frequency-Range Control. *Liu, G.*, +, *TPEL June 2017 4168-4184*

Improving the Light-Load Regulation Capability of LLC Series Resonant Converter Using Impedance Analysis. *Yeon, C.*, +, *TPEL Sept. 2017 7056-7067*

Interleaved LLC Resonant Converter With Hybrid Rectifier and Variable-Frequency Plus Phase-Shift Control for Wide Output Voltage Range Applications. *Wu, H.*, +, *TPEL June 2017 4246-4257*

Isolated Bidirectional Grid-Tied Three-Phase AC–DC Power Conversion Using Series-Resonant Converter Modules and a Three-Phase Unfolder. *Chen, W.W.*, +, *TPEL Dec. 2017 9001-9012*

LLC Converters With Planar Transformers: Issues and Mitigation. *Saket, M.A.*, +, *TPEL June 2017 4524-4542*

Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles. *Haga, H.*, +, *TPEL April 2017 2498-2507*

Power Stage and Feedback Loop Design for LLC Resonant Converter in High-Switching-Frequency Operation. *Park, H.*, +, *TPEL Oct. 2017 7770-7782*

Self-Oscillating Resonant Converter With Contactless Power Transfer and Integrated Current Sensing Transformer. *Xu, L.*, +, *TPEL June 2017 4839-4851*

SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H.*, +, *TPEL Nov. 2017 8813-8822*

Single-Switch Quasi-Resonant DC–DC Converter for a Pulsed Plasma Thruster of Satellites. *Kang, B.*, +, *TPEL June 2017 4503-4513*

Three-Level Gate Drivers for eGaN HEMTs in Resonant Converters. *Zhang, Z.*, +, *TPEL July 2017 5527-5538*

Resonators

Wireless Power Transmitter and Receiver Supporting 200-kHz and 6.78-MHz Dual-Band Operation without Magnetic Field Canceling. *Ahn, D.*, +, *TPEL Sept. 2017 7068-7082*

Response surface methodology

A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics. *Guan, Y.*, +, *TPEL April 2017 2876-2891*

Riccati equations

Steady-State Simulation of LCI-Fed Synchronous Motor Drives Through a Computationally Efficient Algebraic Method. *Mohamadian, S.*, +, *TPEL Jan. 2017 452-470*

RLC circuits

Analysis and Optimization of Switched Capacitor Power Conversion Circuits With Parasitic Resistances and Inductances. *Ye, Y.*, +, *TPEL March 2017 2018-2028*

Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X.*, +, *TPEL Sept. 2017 7306-7324*

Robust control

Direct Stator Current Vector Control Strategy of DFIG Without Phase-Locked Loop During Network Unbalance. *Cheng, P.*, +, *TPEL Jan. 2017 284-297*

Fault-Tolerant and Reliable Structure for a Cascaded Quasi-Z-Source DC–DC Converter. *Haji-Esmaili, M.M.*, +, *TPEL Aug. 2017 6455-6467*

Flux Immunity Robust Predictive Current Control With Incremental Model and Extended State Observer for PMSM Drive. *Yang, M.*, +, *TPEL Dec. 2017 9267-9279*

Improvement of Power Quality Using a Robust Hybrid Series Active Power Filter. *Swain, S.D.*, +, *TPEL May 2017 3490-3498*

Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter. *Guzman, R.*, +, *TPEL July 2017 5637-5650*

Parameter-Insensitive Mixed-Signal Hysteresis-Band Current Control for Point-of-Load Converters With Fixed Frequency and Robust Stability. *Kapat, S.*, *TPEL July 2017 5760-5770*

Robust DC-Link Voltage Control of a Full-Scale PMSG Wind Turbine for Effective Integration in DC Grids. *Davari, M.*, +, *TPEL May 2017 4021-4035*

Robust Direct Torque Control of Synchronous Reluctance Motor Drives in the Field-Weakening Region. *Foo, G.H.B.*, +, *TPEL Feb. 2017 1289-1298*

Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B.*, +, *TPEL June 2017 4663-4674*

Robust Vector Control of a Very Weak-Grid-Connected Voltage-Source Converter Considering the Phase-Locked Loop Dynamics. *Davari, M.*, +, *TPEL Feb. 2017 977-994*

Root loci

A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected Converters in Wind Turbines. *Freijedo, F.D.*, +, *TPEL Oct. 2017 8218-8228*

Principle and Application of the Contactless Load Detection Based on the Amplitude Decay Rate in a Transient Process. *Hu, S.*, +, *TPEL Nov. 2017 8936-8944*

Rotors

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X.*, +, *TPEL Sept. 2017 6924-6935*

A Rotor-Current-Based Slip Angle Estimator for Grid-Connected Doubly Fed Induction Generator Requiring the Stator Inductance Only. *Ataji, A.B.*, +, *TPEL June 2017 4827-4838*

An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. *Koc, M.*, +, *TPEL Jan. 2017 490-502*

Analytical Method for DFIG Transients During Voltage Dips. *Yang, S.*, +, *TPEL Sept. 2017 6863-6881*

Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor. *Tian, B.*, +, *TPEL July 2017 5459-5472*

Flux Immunity Robust Predictive Current Control With Incremental Model and Extended State Observer for PMSM Drive. *Yang, M.*, +, *TPEL Dec. 2017 9267-9279*

High-Frequency Resonance Damping of DFIG-Based Wind Power System Under Weak Network. *Song, Y.*, +, *TPEL March 2017 1927-1940*

Impedance-Based High-Frequency Resonance Analysis of DFIG System in Weak Grids. *Song, Y.*, +, *TPEL May 2017 3536-3548*

Inductance-Emulating Control for DFIG-Based Wind Turbine to Ride-Through Grid Faults. *Zhu, D.*, +, *TPEL Nov. 2017 8514-8525*

Low-Frequency Current Oscillation Reduction for Six-Step Operation of Three-Phase Inverters. *Ke, Z.*, +, *TPEL April 2017 2948-2956*

Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. *Errouissi, R.*, +, *TPEL March 2017 2265-2277*

Online Decoupled Stator and Rotor Resistances Adaptation for Speed Sensorless Induction Motor Drives by a Time-Division Approach. *Chen, J.*, +, *TPEL June 2017 4587-4599*

PMSM Sensorless Control by Injecting HF Pulsating Carrier Signal Into ABC Frame. *Tang, Q.*, +, *TPEL May 2017 3767-3776*

Robust Adaptive Sensorless Control for Permanent-Magnet Synchronous Motors. *Choi, J.*, +, *TPEL May 2017 3989-3997*

Rotor Temperature Detection in Permanent Magnet Synchronous Machine-Based Automotive Electric Traction Drives. *Carpiuc, S.*, *TPEL March 2017 2090-2097*

Switching Frequency Dynamic Control for DFIG Wind Turbine Performance Improvement Around Synchronous Speed. *Xiang, D.*, +, *TPEL Sept. 2017 7271-7283*

S

Sample and hold circuits

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*

Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*

Self-Compensating OCP Control Scheme for Primary-Side Controlled Flyback AC/DC Converters. *Zhu, Z.*, +, *TPEL May 2017 3673-3682*

Sampling methods

Dielectric Loss Factor Measurement in Power Systems Based on Sampling Sequence Reconstruction Approach. *Li, J.*, +, *TPEL June 2017 4766-4775*

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Scanning electron microscopes

Short-Circuit Degradation of 10-kV 10-A SiC MOSFET. *Eni, E.*, +, *TPEL Dec. 2017 9342-9354*

Schottky diodes

Performance Evaluation of Split Output Converters With SiC MOSFETs and SiC Schottky Diodes. *Yan, Q.*, +, *TPEL Jan. 2017 406-422*

Search problems

A Novel Flower Pollination Based Global Maximum Power Point Method for Solar Maximum Power Point Tracking. *Prasanth Ram, J.*, +, *TPEL Nov. 2017 8486-8499*

A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected Converters in Wind Turbines. *Freijedo, F.D.*, +, *TPEL Oct. 2017 8218-8228*

A Simplified Space-Vector Modulation Algorithm for Four-Leg NPC Converters. *Rojas, F.*, +, *TPEL Nov. 2017 8371-8380*

Maximum Torque per Ampere Control for Buried Magnet PMSM Based on DC-Link Power Measurement. *Ahmed, A.*, +, *TPEL Feb. 2017 1299-1311*

Multiobjective Fuzzy-Decision-Making Predictive Torque Control for an Induction Motor Drive. *Rojas, C.A.*, +, *TPEL Aug. 2017 6245-6260*

Optimal Photovoltaic Array Configuration Under Gaussian Laser Beam Condition for Wireless Power Transmission. *Zhou, W.*, +, *TPEL May 2017 3662-3672*

Secondary cells

A Comparison of Grid-Connected Battery Energy Storage System Designs. *Chatzinikolaou, E.*, +, *TPEL Sept. 2017 6913-6923*

A Fast-Charging Switching-Based Charger With Adaptive Hybrid Duty Cycle Control for Multiple Batteries. *Liu, P.*, +, *TPEL March 2017 1975-1983*

A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*

A Hierarchical Active Balancing Architecture for Lithium-Ion Batteries. *Zhang, Z.*, +, *TPEL April 2017 2757-2768*

A Load-Sharing Strategy for the State of Charge Balancing Between the Battery Modules of Integrated Reconfigurable Converter. *Momayyezani, M.*, +, *TPEL May 2017 4056-4063*

A Scalable Active Battery Management System With Embedded Real-Time Electrochemical Impedance Spectroscopy. *Din, E.*, +, *TPEL July 2017 5688-5698*

An Adaptive Power-Split Strategy for Battery-Supercapacitor Powertrain—Design, Simulation, and Experiment. *Sun, L.*, +, *TPEL Dec. 2017 9364-9375*

Analysis, Design, and Implementation of an APWM ZVZCS Full-Bridge DC-DC Converter for Battery Charging in Electric Vehicles. *Kanamarlappudi, V.R.K.*, +, *TPEL Aug. 2017 6145-6160*

Control of Modular Multilevel Converter With Parallel Connectivity—Application to Battery Systems. *Goetz, S.M.*, +, *TPEL Nov. 2017 8381-8392*

Decentralized Method for Load Sharing and Power Management in a Hybrid Single/Three-Phase-Islanded Microgrid Consisting of Hybrid Source PV/Battery Units. *Karimi, Y.*, +, *TPEL Aug. 2017 6135-6144*

Lithium-Ion Battery Pack State of Charge and State of Energy Estimation Algorithms Using a Hardware-in-the-Loop Validation. *Zhang, Y.*, +, *TPEL June 2017 4421-4431*

Load and Source Battery Simulator Based on Z-Source Rectifier. *Choi, S.*, +, *TPEL Aug. 2017 6119-6134*

Reactive Power Compensation Capabilities of V2G-Enabled Electric Vehicles. *Buja, G.*, +, *TPEL Dec. 2017 9447-9459*

Real-Time Model-Based Estimation of SOC and SOH for Energy Storage Systems. *Cacciato, M.*, +, *TPEL Jan. 2017 794-803*

SOC Estimation of Lithium-Ion Batteries With AEKF and Wavelet Transform Matrix. *Zhang, Z.*, +, *TPEL Oct. 2017 7626-7634*

Topology, Modeling, and Design of Switched-Capacitor-Based Cell Balancing Systems and Their Balancing Exploration. *Ye, Y.*, +, *TPEL June 2017 4444-4454*

Semiconductor device breakdown

Single-Pulse Avalanche Mode Robustness of Commercial 1200 V/80 mΩ SiC MOSFETs. *Kelley, M.D.*, +, *TPEL Aug. 2017 6405-6415*

Semiconductor device measurement

Measurement of IGBT High-Frequency Input Impedance in Short Circuit. *Abbate, C.*, +, *TPEL Jan. 2017 584-592*

Ultrafast Reverse Recovery Time Measurement for Wide-Bandgap Diodes. *Mauch, D.L.*, +, *TPEL Dec. 2017 9333-9341*

Semiconductor device metallization

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Short-Circuit Degradation of 10-kV 10-A SiC MOSFET. *Eni, E.*, +, *TPEL Dec. 2017 9342-9354*

Semiconductor device models

A Voltage Model of p-i-n Diodes at Reverse Recovery Under Short-Time Freewheeling. *Luo, Y.*, +, *TPEL Jan. 2017 142-149*

Accurate SPICE Modeling of Reverse-Conducting IGBTs Including Self-Heating Effects. *Riccio, M.*, +, *TPEL April 2017 3088-3098*

An Analytical Model for False Turn-On Evaluation of High-Voltage Enhancement-Mode GaN Transistor in Bridge-Leg Configuration. *Xie, R.*, +, *TPEL Aug. 2017 6416-6433*

Dynamic Electrothermal Model of Paralleled IGBT Modules With Unbalanced Stray Parameters. *Tang, Y.*, +, *TPEL Feb. 2017 1385-1399*

Maximizing the Performance of 650-V p-GaN Gate HEMTs: Dynamic RON Characterization and Circuit Design Considerations. *Wang, H.*, +, *TPEL July 2017 5539-5549*

Modeling Inductive Switching Characteristics of High-Speed Buffer Layer IGBT. *Xue, P.*, +, *TPEL April 2017 3075-3087*

Physics-Based Analytical Model for Input, Output, and Reverse Capacitance of a GaN HEMT With the Field-Plate Structure. *Cucak, D.*, +, *TPEL March 2017 2189-2202*

Short-Circuit Degradation of 10-kV 10-A SiC MOSFET. *Eni, E.*, +, *TPEL Dec. 2017 9342-9354*

Semiconductor device packaging

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

Effects of Auxiliary-Source Connections in Multichip Power Module. *Li, H.*, +, *TPEL Oct. 2017 7816-7823*

Evaluation of V_{ce} at Inflection Point for Monitoring Bond Wire Degradation in Discrete Packaged IGBTs. *Singh, A.*, +, *TPEL April 2017 2481-2484*

In-Service Diagnostics for Wire-Bond Lift-off and Solder Fatigue of Power Semiconductor Packages. *Eleffendi, M.A.*, +, *TPEL Sept. 2017 7187-7198*

Semiconductor device reliability

Experimental Investigation on the Effects of Narrow Junction Temperature Cycles on Die-Attach Solder Layer in an IGBT Module. *Lai, W.*, +, *TPEL Feb. 2017 1431-1441*

Finite-Element Analysis of Coupled Electro-Thermal Problems With Strong Scale Separation. *Eiser, S.*, +, *TPEL Jan. 2017 561-570*

Forced Current Balancing of Parallel-Connected SiC JFETs During Forward and Reverse Conduction Mode. *Kokosis, S.G.*, +, *TPEL Feb. 2017 1400-1410*

Modified High-Power Nanosecond Marx Generator Prevents Destructive Current Filamentation. *Duan, G.*, +, *TPEL Oct. 2017 7845-7850*

Reliability Evaluation of Multichip Phase-Leg IGBT Modules Using Pressureless Sintering of Nanosilver Paste by Power Cycling Tests. *Fu, S.*, +, *TPEL Aug. 2017 6049-6058*

Reliability Improvement of Power Converters by Means of Condition Monitoring of IGBT Modules. *Choi, U.*, +, *TPEL Oct. 2017 7990-7997*

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Single-Pulse Avalanche Mode Robustness of Commercial 1200 V/80 mΩ SiC MOSFETs. *Kelley, M.D.*, +, *TPEL Aug. 2017 6405-6415*

Study on Effect of Junction Temperature Swing Duration on Lifetime of Transfer Molded Power IGBT Modules. *Choi, U.*, +, *TPEL Aug. 2017 6434-6443*

Semiconductor device testing

Experimental Investigation on the Effects of Narrow Junction Temperature Cycles on Die-Attach Solder Layer in an IGBT Module. *Lai, W.*, +, *TPEL Feb. 2017 1431-1441*

Reliability Evaluation of Multichip Phase-Leg IGBT Modules Using Pressureless Sintering of Nanosilver Paste by Power Cycling Tests. *Fu, S.*, +, *TPEL Aug. 2017 6049-6058*

Study on Effect of Junction Temperature Swing Duration on Lifetime of Transfer Molded Power IGBT Modules. *Choi, U.*, +, *TPEL Aug. 2017 6434-6443*

Semiconductor devices

A Gallium-Nitride-Device-Based Switched Capacitor Multiport Multilevel Converter for UPS Applications. *Alsolami, M.*, +, *TPEL Sept. 2017 6853-6862*

Active-Forced-Commutated Bridge Using Hybrid Devices for High Efficiency Voltage Source Converters. *Li, P.*, +, *TPEL April 2017 2485-2489*

Semiconductor junctions

Online High-Power p-i-n Diode Junction Temperature Extraction With Reverse Recovery Fall Storage Charge. *Luo, H.*, +, *TPEL April 2017 2558-2567*

Semiconductor switches

A Magnetic Integrated LLCL Filter for Grid-Connected Voltage-Source Converters. *Fang, J.*, +, *TPEL March 2017 1725-1730*

An Optimal Digital Pulse-Width-Modulated Dither Technique to Enhance the Resolution of High-Frequency Power Converters. *Fang, J.*, +, *TPEL Sept. 2017 7222-7232*

Reduced Active Switch Front-End Multipulse Rectifier With Medium-Frequency Transformer Isolation. *Sandoval, J.J.*, +, *TPEL Oct. 2017 7458-7468*

Ultrafast Reverse Recovery Time Measurement for Wide-Bandgap Diodes. *Mauch, D.L.*, +, *TPEL Dec. 2017 9333-9341*

Sensitivity analysis

Analysis of the Robustness of Transformerless PV Inverter Topologies to the Choice of Power Devices. *Jedberg, H.*, +, *TPEL July 2017 5248-5257*

Sensor placement

Online Advanced Angle Adjustment Method for Sinusoidal BLDC Motors with Misaligned Hall Sensors. *Park, J.S.*, +, *TPEL Nov. 2017 8247-8253*

Sensorless machine control

Comparative Investigation of Pseudorandom High-Frequency Signal Injection Schemes for Sensorless IPMSM Drives. *Wang, G.*, +, *TPEL March 2017 2123-2132*

Fast Commutation Instant Shift Correction Method for Sensorless Coreless BLDC Motor Based on Terminal Voltage Information. *Zhou, X.*, +, *TPEL Dec. 2017 9460-9472*

Online Parameter Identification for Model-Based Sensorless Control of Interior Permanent Magnet Synchronous Machine. *Rafaq, M.S.*, +, *TPEL June 2017 4631-4643*

PMSM Sensorless Control by Injecting HF Pulsating Carrier Signal Into ABC Frame. *Tang, Q.*, +, *TPEL May 2017 3767-3776*

Reduction of Injection Voltage in Signal Injection Sensorless Drives Using a Capacitor-Integrated Inverter. *Kwon, Y.*, +, *TPEL Aug. 2017 6261-6274*

Robust Adaptive Sensorless Control for Permanent-Magnet Synchronous Motors. *Choi, J.*, +, *TPEL May 2017 3989-3997*

Self-Correction of Commutation Point for High-Speed Sensorless BLDC Motor With Low Inductance and Nonideal Back EMF. *Li, H.*, +, *TPEL Jan. 2017 642-651*

Sensorless Control of BLDCM Drive for a High-Speed Maglev Blower Using Low-Pass Filter. *Chen, S.*, +, *TPEL Nov. 2017 8845-8856*

Sensorless Control of IM for Limp-Home Mode EV Applications. *Dehghan-Azad, E.*, +, *TPEL Sept. 2017 7140-7150*

Square-Wave Voltage Injection Algorithm for PMSM Position Sensorless Control With High Robustness to Voltage Errors. *Ni, R.*, +, *TPEL July 2017 5425-5437*

Sensors

A High-Efficiency Helical Core for Magnetic Field Energy Harvesting. *Yuan, S.*, +, *TPEL July 2017 5365-5376*

A New Output Current Measurement Method With Tiny PCB Sensors Capable of Being Embedded in an IGBT Module. *Hasegawa, K.*, +, *TPEL March 2017 1707-1712*

A New Proportional Base Drive Technique for SiC Bipolar Junction Transistor. *Liao, L.*, +, *TPEL June 2017 4600-4606*

Application of an Efficient Rogowski Coil Sensor for Switch Fault Diagnosis and Capacitor ESR Monitoring in Nonisolated Single-Switch DC-DC Converters. *Farjah, E.*, +, *TPEL Feb. 2017 1442-1456*

Capacitor Voltages Measurement and Balancing in Flying Capacitor Multilevel Converters Utilizing a Single Voltage Sensor. *Farivar, G.*, +, *TPEL Oct. 2017 8115-8123*

Industrial Inverter Current Sensing With Three Shunt Resistors: Limitations and Solutions. *Zhang, Z.*, +, *TPEL June 2017 4577-4586*

Shear strength

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Shells (structures)

Cu@Sn Core-Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding. *Chen, H.*, +, *TPEL Jan. 2017 441-451*

Short-circuit currents

Condition Monitoring IGBT Module Bond Wires Fatigue Using Short-Circuit Current Identification. *Sun, P.*, +, *TPEL May 2017 3777-3786*

Digital Implementation of Soft Start-Up and Short-Circuit Protection for High-Frequency LLC Converters With Optimal Trajectory Control (OTC). *Fei, C.*, +, *TPEL Oct. 2017 8008-8017*

Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*

Measurement of IGBT High-Frequency Input Impedance in Short Circuit. *Abbate, C.*, +, *TPEL Jan. 2017 584-592*

Short-Circuit Degradation of 10-kV 10-A SiC MOSFET. *Eni, E.*, +, *TPEL Dec. 2017 9342-9354*

Solid-State Circuit Breaker Snubber Design for Transient Overvoltage Suppression at Bus Fault Interruption in Low-Voltage DC Microgrid. *Liu, F.*, +, *TPEL April 2017 3007-3021*

Signal denoising

SOC Estimation of Lithium-Ion Batteries With AEKF and Wavelet Transform Matrix. *Zhang, Z.*, +, *TPEL Oct. 2017 7626-7634*

Signal generators

A Critical Examination of Frequency-Fixed Second-Order Generalized Integrator-Based Phase-Locked Loops. *Golestan, S.*, +, *TPEL Sept. 2017 6666-6672*

Single-Phase Phase-Locked Loop Based on Derivative Elements. *Guan, Q.*, +, *TPEL June 2017 4411-4420*

Signal processing

PMSM Sensorless Control by Injecting HF Pulsating Carrier Signal Into ABC Frame. *Tang, Q.*, +, *TPEL May 2017 3767-3776*

Signal sampling

Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor. *Xu, Y.*, +, *TPEL May 2017 3797-3807*

Silicon

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology. *Fiore, V.*, +, *TPEL March 2017 1984-1995*

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC-DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*

Avoiding Divergent Oscillation of a Cascode GaN Device Under High-Current Turn-Off Condition. *Huang, X.*, +, *TPEL Jan. 2017 593-601*
 Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices. *Kim, T.*, +, *TPEL March 2017 1917-1926*
 Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*
 Sinusoidal Input Current Discontinuous Conduction Mode Control of the VIENNA Rectifier. *Leibl, M.*, +, *TPEL Nov. 2017 8800-8812*

Silicon compounds

A Capacitance-Minimized, Doubly Grounded Transformer less Photovoltaic Inverter With Inherent Active-Power Decoupling. *Xia, Y.*, +, *TPEL July 2017 5188-5201*
 A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology. *Fiore, V.*, +, *TPEL March 2017 1984-1995*
 A New Proportional Base Drive Technique for SiC Bipolar Junction Transistor. *Liao, L.*, +, *TPEL June 2017 4600-4606*
 A Novel ZVS Range Enhancement Technique of a High-Voltage Dual Active Bridge Converter Using Series Injection. *Tripathi, A.K.*, +, *TPEL June 2017 4231-4245*
 Accurate Calorimetric Switching Loss Measurement for 900 V 10 mΩ SiC mosfets. *Anderson, J.A.*, +, *TPEL Dec. 2017 8963-8968*
 An Investigation of Temperature-Sensitive Electrical Parameters for SiC Power MOSFETs. *Gonzalez, J.O.*, +, *TPEL Oct. 2017 7954-7966*
 An Isolated Bidirectional Single-Stage DC-AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification. *Wang, M.*, +, *TPEL March 2017 1832-1843*
 Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices. *Kim, T.*, +, *TPEL March 2017 1917-1926*
 Comparative Life Cycle Cost Analysis of Si and SiC PV Converter Systems Based on Advanced η - ρ - σ Multiobjective Optimization Techniques. *Burkart, R.M.*, +, *TPEL June 2017 4344-4358*
 Forced Current Balancing of Parallel-Connected SiC JFETs During Forward and Reverse Conduction Mode. *Kokosis, S.G.*, +, *TPEL Feb. 2017 1400-1410*
 Intelligent Gate Drive for Fast Switching and Crosstalk Suppression of SiC Devices. *Zhang, Z.*, +, *TPEL Dec. 2017 9319-9332*
 Interleaved Resonant Boost Inverter Featuring SiC Module for High-Performance Induction Heating. *Sarnago, H.*, +, *TPEL Feb. 2017 1018-1029*
 Methodology for Wide Band-Gap Device Dynamic Characterization. *Zhang, Z.*, +, *TPEL Dec. 2017 9307-9318*
 Model-Based Dead Time Optimization for Voltage-Source Converters Utilizing Silicon Carbide Semiconductors. *Zhang, Z.*, +, *TPEL Nov. 2017 8833-8844*
 Passive Balancing of Peak Currents Between Paralleled MOSFETs With Unequal Threshold Voltages. *Mao, Y.*, +, *TPEL May 2017 3273-3277*
 Performance Evaluation of Split Output Converters With SiC MOSFETs and SiC Schottky Diodes. *Yan, Q.*, +, *TPEL Jan. 2017 406-422*
 Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*
 Short-Circuit Degradation of 10-kV 10-A SiC MOSFET. *Eni, E.*, +, *TPEL Dec. 2017 9342-9354*
 SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H.*, +, *TPEL Nov. 2017 8813-8822*
 Single-Pulse Avalanche Mode Robustness of Commercial 1200 V/80 mΩ SiC MOSFETs. *Kelley, M.D.*, +, *TPEL Aug. 2017 6405-6415*
 The Benefits of SiC mosfets in a T-Type Inverter for Grid-Tie Applications. *Anthon, A.*, +, *TPEL April 2017 2808-2821*
 Theoretical and Experimental Study of 22 kV SiC Emitter Turn-OFF (ETO) Thyristor. *Song, X.*, +, *TPEL Aug. 2017 6381-6393*

Silicon-on-insulator

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*

Modeling and Pareto Optimization of On-Chip Switched Capacitor Converters. *Andersen, T.M.*, +, *TPEL Jan. 2017 363-377*

Silver

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Sintering

Reliability Evaluation of Multichip Phase-Leg IGBT Modules Using Pressureless Sintering of Nanosilver Paste by Power Cycling Tests. *Fu, S.*, +, *TPEL Aug. 2017 6049-6058*

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Smart power grids

A Fast-Convergent Modulation Integral Observer for Online Detection of the Fundamental and Harmonics in Grid-Connected Power Electronics Systems. *Chen, B.*, +, *TPEL April 2017 2596-2607*

A High-Efficiency Helical Core for Magnetic Field Energy Harvesting. *Yuan, S.*, +, *TPEL July 2017 5365-5376*

Lifetime-Based Power Routing of a Quadruple Active Bridge DC/DC Converter. *Buticchi, G.*, +, *TPEL Nov. 2017 8892-8903*

Smart Electrical Grid Interface Using Floating H-Bridges to Improve the Performance of Induction Motors. *Ul Haque, A.R.N.M.R.*, +, *TPEL Oct. 2017 7851-7861*

Snubbers

A High-Switching-Frequency Flyback Converter in Resonant Mode. *Li, J.*, +, *TPEL Nov. 2017 8582-8592*

A Hybrid Active Gate Drive for Switching Loss Reduction and Voltage Balancing of Series-Connected IGBTs. *Zhang, F.*, +, *TPEL Oct. 2017 7469-7481*

A Single-Switch AC-DC LED Driver Based on a Boost-Flyback PFC Converter With Lossless Snubber. *Lee, S.*, +, *TPEL Feb. 2017 1375-1384*

Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation. *Reichl, J.*, +, *TPEL Jan. 2017 503-514*

Passive Regenerative and Dissipative Snubber Cells for Isolated SEPIC Converters: Analysis, Design, and Comparison. *Tibola, G.*, +, *TPEL Dec. 2017 9210-9222*

Single-Switch Coupled-Inductor-Based Two-Channel LED Driver With a Passive Regenerative Snubber. *Hwu, K.I.*, +, *TPEL June 2017 4482-4490*

Solid-State Circuit Breaker Snubber Design for Transient Overvoltage Suppression at Bus Fault Interruption in Low-Voltage DC Microgrid. *Liu, F.*, +, *TPEL April 2017 3007-3021*

Solar cell arrays

A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL Nov. 2017 8559-8569*
 PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking. *Leuenberger, D.*, +, *TPEL Aug. 2017 6105-6118*

PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers. *Uno, M.*, +, *TPEL Nov. 2017 8500-8513*

Solar cells

A New PV System Configuration Based on Submodule Integrated Converters. *Khan, O.*, +, *TPEL May 2017 3278-3284*

Single-Stage Three-Phase Current-Source Photovoltaic Grid-Connected Inverter High Voltage Transmission Ratio. *Chen, D.*, +, *TPEL Oct. 2017 7591-7601*

Solar power stations

Efficiency Improvement of Nonuniformly Aged PV Arrays. *Hu, Y.*, +, *TPEL Feb. 2017 1124-1137*

Modified Synchronous Pulsewidth Modulation of Current-Fed Five-Level Inverter for Solar Integration. *Gnanasambandam, K.*, +, *TPEL May 2017 3370-3381*

Space vehicle power plants

A Novel Coupling Method of Power Supplies With High Power Density, Efficiency, and Fast Dynamic Response for Spacecraft Hollow Cathode Power Supply Applications. *Fu, M.*, +, *TPEL July 2017 5377-5387*

PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers. *Uno, M.*, +, *TPEL Nov. 2017 8500-8513*

SPICE

Accurate SPICE Modeling of Reverse-Conducting IGBTs Including Self-Heating Effects. *Riccio, M.*, +, *TPEL April 2017 3088-3098*

Splines (mathematics)

Dielectric Loss Factor Measurement in Power Systems Based on Sampling Sequence Reconstruction Approach. *Li, J.*, +, *TPEL June 2017 4766-4775*

Spread spectrum communication

Direct Sequence Spread Spectrum-Based PWM Strategy for Harmonic Reduction and Communication. *Wang, R.*, +, *TPEL June 2017 4455-4465*

Sputter etching

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC-DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*

Stability

A Frequency-Fixed SOGI-Based PLL for Single-Phase Grid-Connected Converters. *Xiao, F.*, +, *TPEL March 2017 1713-1719*

A Novel Grid-Connected PV System Based on MMC to Get the Maximum Power Under Partial Shading Conditions. *Rong, F.*, +, *TPEL June 2017 4320-4333*

Active and Reactive Currents Decomposition-Based Control of Angle and Magnitude of Current for a Parallel Multiinverter IPT System. *Li, Y.*, +, *TPEL Feb. 2017 1602-1614*

Active Damping Stabilization for High-Speed BLDCM Drive System Based on Band-Pass Filter. *Song, X.*, +, *TPEL July 2017 5438-5449*

Adaptive Current-Mode Control of a High Step-Up DC-DC Converter. *Chan, C.*, +, *TPEL Sept. 2017 7297-7305*

Analysis and Design of Current Control Schemes for LCL-Type Grid-Connected Inverter Based on a General Mathematical Model. *Pan, D.*, +, *TPEL June 2017 4395-4410*

Bilinear Discrete-Time Modeling and Stability Analysis of the Digitally Controlled Dual Active Bridge Converter. *Shi, L.*, +, *TPEL Nov. 2017 8787-8799*

Control of a Three-Phase Boost PFC Converter Using a Single DC-Link Voltage Sensor. *Mallik, A.*, +, *TPEL Aug. 2017 6481-6492*

Direct Stator Current Vector Control Strategy of DFIG Without Phase-Locked Loop During Network Unbalance. *Cheng, P.*, +, *TPEL Jan. 2017 284-297*

Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*

Distributed Coordination Control for Multiple Bidirectional Power Converters in a Hybrid AC/DC Microgrid. *Xia, Y.*, +, *TPEL June 2017 4949-4959*

Online Decoupled Stator and Rotor Resistances Adaptation for Speed Sensorless Induction Motor Drives by a Time-Division Approach. *Chen, J.*, +, *TPEL June 2017 4587-4599*

Online Lifetime Estimation of Supercapacitors. *Chaoui, H.*, +, *TPEL Sept. 2017 7199-7206*

Positive- and Negative-Sequence Current Controller With Direct Discrete-Time Pole Placement for Grid-Tied Converters With LCL Filter. *Perez-Estevez, D.*, +, *TPEL Sept. 2017 7207-7221*

Self-Tuning Adaptive Speed Controller for Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2017 1493-1506*

Single-Step Current Control for Voltage Source Inverters With Fast Transient Response and High Convergence Speed. *Zhang, L.*, +, *TPEL Nov. 2017 8823-8832*

Stability Analysis and Controller Synthesis for Single-Loop Voltage-Controlled VSIs. *Wang, X.*, +, *TPEL Sept. 2017 7394-7404*

Switching Frequency Regulation in Sliding Mode Control by a Hysteresis Band Controller. *Repecho, V.*, +, *TPEL Feb. 2017 1557-1569*

Variable Frequency Controller for Inductive Power Transfer in Dynamic Conditions. *Gati, E.*, +, *TPEL Feb. 2017 1684-1696*

Standardization

New High-Frequency Core Loss Measurement Method With Partial Cancellation Concept. *Hou, D.*, +, *TPEL April 2017 2987-2994*

State feedback

Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*

State-space methods

Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter. *Guzman, R.*, +, *TPEL July 2017 5637-5650*

Static VAR compensators

A Novel STATCOM Based on Diode-Clamped Modular Multilevel Converters. *Liu, X.*, +, *TPEL Aug. 2017 5964-5977*

Impact of Switching Harmonics on Capacitor Cells Balancing in Phase-Shifted PWM-Based Cascaded H-Bridge STATCOM. *Behrouzian, E.*, +, *TPEL Jan. 2017 815-824*

Investigation of Negative-Sequence Injection Capability of Cascaded H-Bridge Converters in Star and Delta Configuration. *Behrouzian, E.*, +, *TPEL Feb. 2017 1675-1683*

Low-Capacitance Cascaded H-Bridge Multilevel StatCom. *Farivar, G.*, +, *TPEL March 2017 1744-1754*

Passive Reactor Compensated Cascaded H-Bridge Multilevel LC-StatCom. *Farivar, G.*, +, *TPEL Nov. 2017 8338-8348*

Statistical analysis

A Modeling and Analysis Method for Fractional-Order DC-DC Converters. *Chen, X.*, +, *TPEL Sept. 2017 7034-7044*

Analysis of the Robustness of Transformerless PV Inverter Topologies to the Choice of Power Devices. *Jedtberg, H.*, +, *TPEL July 2017 5248-5257*

Stators

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X.*, +, *TPEL Sept. 2017 6924-6935*

A Rotor-Current-Based Slip Angle Estimator for Grid-Connected Doubly Fed Induction Generator Requiring the Stator Inductance Only. *Ataji, A.B.*, +, *TPEL June 2017 4827-4838*

An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. *Koc, M.*, +, *TPEL Jan. 2017 490-502*

Analytical Method for DFIG Transients During Voltage Dips. *Yang, S.*, +, *TPEL Sept. 2017 6863-6881*

Comparison of Postfault Strategies for Current Reference Generation for Dual Three-Phase Machines in Terms of Converter Losses. *Baneira, F.*, +, *TPEL Nov. 2017 8243-8246*

Control Strategy for Multiphase Drives With Minimum Losses in the Full Torque Operation Range Under Single Open-Phase Fault. *Baneira, F.*, +, *TPEL Aug. 2017 6275-6285*

Deadbeat Predictive Current Control of Permanent-Magnet Synchronous Motors with Stator Current and Disturbance Observer. *Zhang, X.*, +, *TPEL May 2017 3818-3834*

Direct Resonant Control Strategy for Torque Ripple Mitigation of DFIG Connected to DC Link through Diode Rectifier on Stator. *Nian, H.*, +, *TPEL Sept. 2017 6936-6945*

Direct Stator Current Vector Control Strategy of DFIG Without Phase-Locked Loop During Network Unbalance. *Cheng, P.*, +, *TPEL Jan. 2017 284-297*

Direct Torque Control Scheme for a Six-Phase Induction Motor With Reduced Torque Ripple. *Pandit, J.K.*, +, *TPEL Sept. 2017 7118-7129*

Direct Torque Control With Feedback Linearization for Induction Motor Drives. *Lascu, C.*, +, *TPEL March 2017 2072-2080*

Flux Immunity Robust Predictive Current Control With Incremental Model and Extended State Observer for PMSM Drive. *Yang, M.*, +, *TPEL Dec. 2017 9267-9279*

Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. *Errouissi, R.*, +, *TPEL March 2017 2265-2277*

On Accuracy of Virtual Signal Injection based MTPA Operation of Interior Permanent Magnet Synchronous Machine Drives. *Sun, T.*, +, *TPEL Sept. 2017 7405-7408*

Online Decoupled Stator and Rotor Resistances Adaptation for Speed Sensorless Induction Motor Drives by a Time-Division Approach. *Chen, J.*, +, *TPEL June 2017 4587-4599*

Reducing Harmonics Distortion in Five-Phase VSI Using Space-Vector-Based Optimal Hybrid PWM. *Chen, K.*, +, *TPEL March 2017 2098-2113*

Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine. *Abosh, A.H.*, +, *TPEL April 2017 2976-2986*

Robust Predictive Current Control With Online Disturbance Estimation for Induction Machine Drives. *Wang, B.*, +, *TPEL June 2017 4663-4674*

Rotor Temperature Detection in Permanent Magnet Synchronous Machine-Based Automotive Electric Traction Drives. *Carpiuc, S.*, *TPEL March 2017 2090-2097*

Switching Frequency Dynamic Control for DFIG Wind Turbine Performance Improvement Around Synchronous Speed. *Xiang, D.*, +, *TPEL Sept. 2017 7271-7283*

Torque Ripple Reduction of Predictive Torque Control for PMSM Drives With Parameter Mismatch. *Siami, M.*, +, *TPEL Sept. 2017 7160-7168*

Transient Control of the Reactive Current for the Line-Side Converter of the Brushless Doubly-Fed Induction Generator in Stand-Alone Operation. *Wang, X.*, +, *TPEL Oct. 2017 8193-8203*

Stepping motors

An Advanced Closed-Loop Control to Improve the Performance of Hybrid Stepper Motors. *Le, K.M.*, +, *TPEL Sept. 2017 7244-7255*

Street lighting

A Lifetime Prediction Method for LEDs Considering Real Mission Profiles. *Qu, X.*, +, *TPEL Nov. 2017 8718-8727*

Structural engineering

An Efficient Inductorless Dynamically Configured Interface Circuit for Piezoelectric Vibration Energy Harvesting. *Du, S.*, +, *TPEL May 2017 3595-3609*

Subsynchronous resonance

Analysis of the Behavior of Undamped and Unstable High-Frequency Resonance in a DFIG System. *Song, Y.*, +, *TPEL Dec. 2017 9105-9116*

Sunlight

A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL Nov. 2017 8559-8569*

Supercapacitors

A 3-kW Wireless Power Transfer System for Sightseeing Car Supercapacitor Charge. *Li, Z.*, +, *TPEL May 2017 3301-3316*

A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*

An Adaptive Power-Split Strategy for Battery-Supercapacitor Powertrain—Design, Simulation, and Experiment. *Sun, L.*, +, *TPEL Dec. 2017 9364-9375*

Average Modeling and Performance Analysis of Voltage Sensorless Active Supercapacitor Balancer With Peak Current Protection. *Yuhimenko, V.*, +, *TPEL Feb. 2017 1570-1578*

Balancing Circuit New Control for Supercapacitor Storage System Lifetime Maximization. *Shili, S.*, +, *TPEL June 2017 4939-4948*

Energy Management Strategy for Supercapacitor in Droop-Controlled DC Microgrid Using Virtual Impedance. *Zhang, Y.*, +, *TPEL April 2017 2704-2716*

Energy-Limited Transient-Mode Fast Supercapacitor Charger Topology. *Gurusinghe, N.*, +, *TPEL Feb. 2017 911-914*

Extension of Soft-Switching Region of Dual-Active-Bridge Converter by a Tunable Resonant Tank. *Yaqoob, M.*, +, *TPEL Dec. 2017 9093-9104*

Fast Diagnostic Method of Open Circuit Fault for Modular Multilevel DC/DC Converter Applied in Energy Storage System. *Bi, K.*, +, *TPEL May 2017 3292-3296*

Methodology to Obtain the Voltage-Dependent Parameters of a Fourth-Order Supercapacitor Model With the Transient Response to Current Pulses. *Quintans, C.*, +, *TPEL May 2017 3868-3878*

Online Lifetime Estimation of Supercapacitors. *Chaoui, H.*, +, *TPEL Sept. 2017 7199-7206*

Online Parameter Identification for Supercapacitor State-of-Health Diagnosis for Vehicular Applications. *El Mejdoubi, A.*, +, *TPEL Dec. 2017 9355-9363*

Supercapacitor Sizing Method for Energy-Controlled Filter-Based Hybrid Energy Storage Systems. *Abeywardana, D.B.W.*, +, *TPEL Feb. 2017 1626-1637*

Supercapacitor-Based Energy Recovery System With Improved Power Control and Energy Management for Elevator Applications. *Jabbour, N.*, +, *TPEL Dec. 2017 9389-9399*

Topology, Modeling, and Design of Switched-Capacitor-Based Cell Balancing Systems and Their Balancing Exploration. *Ye, Y.*, +, *TPEL June 2017 4444-4454*

Superconducting fault current limiters

Multilevel Nonsuperconducting Fault Current Limiter: Analysis and Practical Feasibility. *Nazari-Heris, M.*, +, *TPEL Aug. 2017 6059-6068*

Support vector machines

Optimal Space Vector Sequence Investigation Based on Natural Sampling SVM for Medium-Voltage Current-Source Converter. *Wei, Q.*, +, *TPEL Jan. 2017 176-185*

Surface finishing

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Switched capacitor filters

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*

Dynamic Model of Switched-Capacitor DC-DC Converters in the Slow-Switching Limit Including Charge Reusing. *Ferro, E.*, +, *TPEL July 2017 5293-5311*

Switched capacitor networks

A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*

A Discontinuous Conduction Mode Single-Stage Step-Up Rectifier for Low-Voltage Energy Harvesting Applications. *Yu, L.*, +, *TPEL Aug. 2017 6161-6169*

A High-Voltage-Compliant Current-to-Digital Sensor for DC-DC Converters in Standard CMOS Technology. *Marti-Arbona, E.*, +, *TPEL March 2017 2180-2188*

A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings. *Shang, Y.*, +, *TPEL Oct. 2017 7694-7706*

A Variable (m/m)X Switched Capacitor DC-DC Converter. *Gunasekaran, D.*, +, *TPEL Aug. 2017 6219-6235*

Accurate Capacitive Current Balancing in Multistring LED Lighting Systems Based on Switched-Capacitor-Controlled L+C+C Resonant Network. *Wong, C.S.*, +, *TPEL March 2017 2167-2179*

Analysis and Optimization of Switched Capacitor Power Conversion Circuits With Parasitic Resistances and Inductances. *Ye, Y.*, +, *TPEL March 2017 2018-2028*

Analysis, Design, and Experimentation of a Dimmable Resonant-Switched-Capacitor LED Driver With Variable Inductor Control. *Martins, M.*, +, *TPEL April 2017 3051-3062*

Cascaded High-Voltage-Gain Bidirectional Switched-Capacitor DC-DC Converters for Distributed Energy Resources Applications. *Xiong, S.*, +, *TPEL Feb. 2017 1220-1231*

Comparative Analysis of Steady-State Models for a Switched Capacitor Converter. *Wu, B.*, +, *TPEL Feb. 2017 1186-1197*

Energy Density Enhancement of Stacked Switched Capacitor Energy Buffers Through Capacitance Ratio Optimization. *Ni, Y.*, +, *TPEL Aug. 2017 6363-6380*

Generalization of the Fundamental Limit Theory in a Switched-Capacitor Converter. *Mahnashi, Y.*, +, *TPEL Sept. 2017 6673-6676*

Generation of the Large DC Gain Step-Up Nonisolated Converters in Conjunction With Renewable Energy Sources Starting From a Proposed Geometric Structure. *Li, K.*, +, *TPEL July 2017 5323-5340*

Improving Loading and Unloading Transient Response of a Voltage Regulator Module Using a Load-Side Auxiliary Gyrator Circuit. *Kirshenboim, O.*, +, *TPEL March 2017 1996-2007*

Maximum Boost Control of Diode-Assisted Buck-Boost Voltage-Source Inverter With Minimum Switching Frequency. *Zhang, Y.*, +, *TPEL Feb. 2017 1533-1547*

Multitrack Power Conversion Architecture. *Chen, M.*, +, *TPEL Jan. 2017* 325-340

Sensor-Less Current Sharing Over Wide Operating Range for Extended-Duty-Ratio Boost Converter. *Roy, J.*, +, *TPEL Nov. 2017* 8763-8777

Topology, Modeling, and Design of Switched-Capacitor-Based Cell Balancing Systems and Their Balancing Exploration. *Ye, Y.*, +, *TPEL June 2017* 4444-4454

Switched mode power supplies

0.6- μm CMOS-Switched-Inductor Dual-Supply Hysteretic Current-Mode Buck Converter. *Solis, C.J.*, +, *TPEL March 2017* 2387-2394

A Noise Source Impedance Extraction Method for Operating SMPS Using Modified LISN and Simplified Calibration Procedure. *Shang, X.*, +, *TPEL June 2017* 4132-4139

A Series Resonant Filament Power Supply with Variable Structure and Oscillation-Free Switching Strategy for High-Voltage Accelerator Application. *Chen, Y.*, +, *TPEL Nov. 2017* 8229-8236

A Three-Winding Common Mode Inductor. *Lee, C.K.*, +, *TPEL July 2017* 5180-5187

An Improved Empirical Formulation for Magnetic Core Losses Estimation Under Nonsinusoidal Induction. *Barg, S.*, +, *TPEL March 2017* 2146-2154

Analysis of Bidirectional Piezoelectric-Based Converters for Zero-Voltage Switching Operation. *Ekhtiari, M.*, +, *TPEL Jan. 2017* 866-877

Bifurcation Phenomena and Stabilization With Compensation Ramp in Converter With Power Semiconductor Filter. *Fan, J.W.*, +, *TPEL Dec. 2017* 9424-9434

Conducted EMI Mitigation Schemes in Isolated Switching-Mode Power Supply Without the Need of a Y-Capacitor. *Bai, Y.*, +, *TPEL April 2017* 2687-2703

Direct Sequence Spread Spectrum-Based PWM Strategy for Harmonic Reduction and Communication. *Wang, R.*, +, *TPEL June 2017* 4455-4465

Dynamic Optimum Dead Time in Piezoelectric Transformer-Based Switch-Mode Power Supplies. *Ekhtiari, M.*, +, *TPEL Jan. 2017* 783-793

Impact of PWM Duty Cycle Jitter on Switching-Mode Power Converter Efficiency. *Wu, F.*, +, *TPEL Nov. 2017* 8751-8762

Online Condition Monitoring of Power MOSFET Gate Oxide Degradation Based on Miller Platform Voltage. *Ye, X.*, +, *TPEL June 2017* 4776-4784

PWM Converter Integrating Switched Capacitor Converter and Series-Resonant Voltage Multiplier as Equalizers for Photovoltaic Modules and Series-Connected Energy Storage Cells for Exploration Rovers. *Uno, M.*, +, *TPEL Nov. 2017* 8500-8513

Switches

A Family of Single-Phase Voltage-Doubler High-Power-Factor SEPIC Rectifiers Operating in DCM. *Costa, P.J.S.*, +, *TPEL June 2017* 4279-4290

A Seven-Switch Five-Level Active-Neutral-Point-Clamped Converter and Its Optimal Modulation Strategy. *Wang, H.*, +, *TPEL July 2017* 5146-5161

A Single-Stage Two-Switch PFC Rectifier With Wide Output Voltage Range and Automatic AC Ripple Power Decoupling. *Li, S.*, +, *TPEL Sept. 2017* 6971-6982

Plug-In Repetitive Control Strategy for High-Order Wide-Output Range Impedance-Source Converters. *Wang, Y.*, +, *TPEL Aug. 2017* 6510-6522

Variable-Switching-Frequency State-Feedback Control of a Phase-Shifted Full-Bridge DC/DC Converter. *Mallik, A.*, +, *TPEL Aug. 2017* 6523-6531

Switchgear

Novel SWISS Rectifier Modulation Scheme Preventing Input Current Distortions at Sector Boundaries. *Schrittwieser, L.*, +, *TPEL July 2017* 5771-5785

Switching converters

98.1%-Efficiency Hysteretic-Current-Mode Noninverting Buck-Boost DC-DC Converter With Smooth Mode Transition. *Hong, X.*, +, *TPEL March 2017* 2008-2017

A Current-Fed Isolated Bidirectional DC-DC Converter. *Sun, X.*, +, *TPEL Sept. 2017* 6882-6895

A DC-Voltage-Controlled Variable Capacitor for Stabilizing the ZVS Frequency of a Resonant Converter for Wireless Power Transfer. *Tian, J.*, +, *TPEL March 2017* 2312-2318

A Design of a 92.4% Efficiency Triple Mode Control DC-DC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. *Park, Y.*, +, *TPEL Sept. 2017* 6946-6960

A Digital Adaptive Driving Scheme for eGaN HEMTs in VHF Converters. *Zhang, Z.*, +, *TPEL Aug. 2017* 6197-6205

A Dual-Level Hysteresis Current Control for One Five-Leg VSI to Control Two PMSMs. *Wang, W.*, +, *TPEL Jan. 2017* 804-814

A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017* 423-432

A Dual-Output Wireless Power Transfer System With Active Rectifier and Three-Level Operation. *Lu, Y.*, +, *TPEL Feb. 2017* 927-930

A Family of High-Frequency Single-Switch DC-DC Converters With Low Switch Voltage Stress Based on Impedance Networks. *Lee, K.*, +, *TPEL April 2017* 2913-2924

A General Control Method for Multilevel Converters Based on Knapsack Problem. *Amini, J.*, +, *TPEL Jan. 2017* 2-10

A High-Switching-Frequency Flyback Converter in Resonant Mode. *Li, J.*, +, *TPEL Nov. 2017* 8582-8592

A New Approach for Accurate Prediction of Subharmonic Oscillation in Switching Regulators—Part I: Mathematical Derivations. *Aroudi, A.E.*, *TPEL July 2017* 5651-5665

A Predictive Hybrid Pulse-Width-Modulation Technique for Active-Front-End Rectifiers. *Gendrin, M.*, +, *TPEL July 2017* 5487-5496

A Sensitivity-Improved PFM LLC Resonant Full-Bridge DC-DC Converter With LC Antiresonant Circuitry. *Mishima, T.*, +, *TPEL Jan. 2017* 310-324

A Series Resonant Filament Power Supply with Variable Structure and Oscillation-Free Switching Strategy for High-Voltage Accelerator Application. *Chen, Y.*, +, *TPEL Nov. 2017* 8229-8236

A Simplified Space-Vector Modulation Algorithm for Four-Leg NPC Converters. *Rojas, F.*, +, *TPEL Nov. 2017* 8371-8380

A Single-Phase Buck-Boost Matrix Converter With Only Six Switches and Without Commutation Problem. *Ahmed, H.F.*, +, *TPEL Feb. 2017* 1232-1244

A Single-Switch AC-DC LED Driver Based on a Boost-Flyback PFC Converter With Lossless Snubber. *Lee, S.*, +, *TPEL Feb. 2017* 1375-1384

A Space Vector Pulse Width Modulation for Five-Level Nested Neutral Point Piloted Converter. *Li, J.*, +, *TPEL Aug. 2017* 5991-6004

A Synchronous Buck DC-DC Converter Using a Novel Dual-Mode Control Scheme to Improve Efficiency. *Wang, J.*, +, *TPEL Sept. 2017* 6983-6993

A Three-Level Space Vector Modulation Scheme for Paralleled Converters to Reduce Circulating Current and Common-Mode Voltage. *Quan, Z.*, +, *TPEL Jan. 2017* 703-714

A Variable (n/m)X Switched Capacitor DC-DC Converter. *Gunasekaran, D.*, +, *TPEL Aug. 2017* 6219-6235

A Voltage Model of p-i-n Diodes at Reverse Recovery Under Short-Time Freewheeling. *Luo, Y.*, +, *TPEL Jan. 2017* 142-149

A Wide Load Range ZVS Push-Pull DC/DC Converter With Active Clamped. *Wu, Q.*, +, *TPEL April 2017* 2865-2875

Active Suppression of Selected DC Bus Harmonics for Dual Active Bridge DC-DC Converters. *Riedel, J.*, +, *TPEL Nov. 2017* 8857-8867

An Electrolytic Capacitorless Bidirectional EV Charger for V2G and V2H Applications. *Kwon, M.*, +, *TPEL Sept. 2017* 6792-6799

An Optimal Digital Pulse-Width-Modulated Dither Technique to Enhance the Resolution of High-Frequency Power Converters. *Fang, J.*, +, *TPEL Sept. 2017* 7222-7232

Analysis and Arm Voltage Control of Isolated Modular Multilevel DC-DC Converter with Asymmetric Branch Impedance. *Sun, C.*, +, *TPEL Aug. 2017* 5978-5990

Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier. *Ries, L.K.*, +, *TPEL Aug. 2017* 6005-6017

Analysis, Design, and Implementation of an APWM ZVZCS Full-Bridge DC-DC Converter for Battery Charging in Electric Vehicles. *Kanamarlapudi, V.R.K.*, +, *TPEL Aug. 2017* 6145-6160

Bi-switching Status Modeling Method for DC-DC Converters in CCM and DCM Operations. *Han, J.*, +, *TPEL March 2017* 2464-2472

Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C.*, +, *TPEL July 2017* 5227-5247

- Comparative η - ρ - σ Pareto Optimization of Si and SiC Multilevel Dual-Active-Bridge Topologies With Wide Input Voltage Range. *Burkart, R.M.*, +, *TPEL July 2017 5258-5270*
- Comparative Analysis of Steady-State Models for a Switched Capacitor Converter. *Wu, B.*, +, *TPEL Feb. 2017 1186-1197*
- Control of Modular Multilevel Converter With Parallel Connectivity—Application to Battery Systems. *Goetz, S.M.*, +, *TPEL Nov. 2017 8381-8392*
- Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. *He, J.*, +, *TPEL April 2017 2661-2674*
- Deadtime Compensation for Model Predictive Control of Power Inverters. *Townsend, C.D.*, +, *TPEL Sept. 2017 7325-7337*
- Design and Implementation of a Sensorless Multilevel Inverter With Reduced Part Count. *Sandeep, N.*, +, *TPEL Sept. 2017 6677-6683*
- Design and Steady-State Analysis of Parallel Resonant DC–DC Converter for High-Voltage Power Generator. *Hsu, W.*, +, *TPEL Feb. 2017 957-966*
- Design Considerations for Output Capacitance Under Inductance Mismatches in Multiphase Buck Converters. *Liu, H.*, +, *TPEL July 2017 5004-5015*
- Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation. *Reichl, J.*, +, *TPEL Jan. 2017 503-514*
- Discrete-Time Tool for Stability Analysis of DC Power Electronics-Based Cascaded Systems. *Zadeh, M.K.*, +, *TPEL Jan. 2017 652-667*
- Dynamic Optimum Dead Time in Piezoelectric Transformer-Based Switch-Mode Power Supplies. *Ekhtiari, M.*, +, *TPEL Jan. 2017 783-793*
- Dynamic Voltage Restorer Using Switching Cell Structured Multilevel AC–AC Converter. *Kim, S.*, +, *TPEL Nov. 2017 8406-8418*
- Efficiency Assessment of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL March 2017 2041-2051*
- EMI Filter Volume Minimization of a Three-Phase, Three-Level T-Type PWM Converter System. *Boillat, D.O.*, +, *TPEL April 2017 2473-2480*
- Extension of Soft-Switching Region of Dual-Active-Bridge Converter by a Tunable Resonant Tank. *Yaqoob, M.*, +, *TPEL Dec. 2017 9093-9104*
- Generation of the Large DC Gain Step-Up Nonisolated Converters in Conjunction With Renewable Energy Sources Starting From a Proposed Geometric Structure. *Li, K.*, +, *TPEL July 2017 5323-5340*
- Higher Order Compensation for Inductive-Power-Transfer Converters With Constant-Voltage or Constant-Current Output Combating Transformer Parameter Constraints. *Qu, X.*, +, *TPEL Jan. 2017 394-405*
- Improving the Light-Load Regulation Capability of LLC Series Resonant Converter Using Impedance Analysis. *Yeon, C.*, +, *TPEL Sept. 2017 7056-7067*
- Investigation of Gallium Nitride Devices in High-Frequency LLC Resonant Converters. *Zhang, W.*, +, *TPEL Jan. 2017 571-583*
- Maximum Boost Control of Diode-Assisted Buck–Boost Voltage-Source Inverter With Minimum Switching Frequency. *Zhang, Y.*, +, *TPEL Feb. 2017 1533-1547*
- Model Predictive Control of Capacitor Voltage Balancing for Cascaded Modular DC–DC Converters. *Wei, Q.*, +, *TPEL Jan. 2017 752-761*
- Model Predictive Switching Pattern Control for Current-Source Converters With Space-Vector-Based Selective Harmonic Elimination. *Gao, H.*, +, *TPEL Aug. 2017 6558-6569*
- Model-Based Fault Detection and Identification for Switching Power Converters. *Poon, J.*, +, *TPEL Feb. 2017 1419-1430*
- Modeling and Pareto Optimization of On-Chip Switched Capacitor Converters. *Andersen, T.M.*, +, *TPEL Jan. 2017 363-377*
- Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*
- Nonlinear PWM-Controlled Single-Phase Boost Mode Grid-Connected Photovoltaic Inverter With Limited Storage Inductance Current. *Chen, D.*, +, *TPEL April 2017 2717-2727*
- Optimal Inductor Current in Boost DC/DC Converters Regulating the Input Voltage Applied to Low-Power Photovoltaic Modules. *Reverter, F.*, +, *TPEL Aug. 2017 6188-6196*
- Passive Islanding Detection Using Inverter Nonlinear Effects. *Reigosa, D.D.*, +, *TPEL Nov. 2017 8434-8445*
- Positive- and Negative-Sequence Current Controller With Direct Discrete-Time Pole Placement for Grid-Tied Converters With LCL Filter. *Perez-Estevez, D.*, +, *TPEL Sept. 2017 7207-7221*
- Power Stage and Feedback Loop Design for LLC Resonant Converter in High-Switching-Frequency Operation. *Park, H.*, +, *TPEL Oct. 2017 7770-7782*
- Quad-Active-Bridge Single-Stage Bidirectional Three-Phase AC–DC Converter With Isolation: Introduction and Optimized Modulation. *Vermulst, B.J.D.*, +, *TPEL April 2017 2546-2557*
- Reduction of Common Mode Voltage and Conducted EMI Through Three-Phase Inverter Topology. *Morris, C.T.*, +, *TPEL March 2017 1720-1724*
- Selective Harmonic Elimination Model Predictive Control for Multilevel Power Converters. *Aguilera, R.P.*, +, *TPEL March 2017 2416-2426*
- Single Switch Nonisolated Ultra-Step-Up DC–DC Converter With an Integrated Coupled Inductor for High Boost Applications. *Siwakoti, Y.P.*, +, *TPEL Nov. 2017 8544-8558*
- Step-Up DC–DC Converters: A Comprehensive Review of Voltage-Boosting Techniques, Topologies, and Applications. *Forouzes, M.*, +, *TPEL Dec. 2017 9143-9178*
- Switching Frequency Regulation in Sliding Mode Control by a Hysteresis Band Controller. *Repecho, V.*, +, *TPEL Feb. 2017 1557-1569*
- Three-Phase VSI Optimal Switching Loss Reduction Using Variable Switching Frequency. *Onederra, O.*, +, *TPEL Aug. 2017 6570-6576*
- Two-Stage 48 V-12 V/6 V-1.8 V Voltage Regulator Module With Dynamic Bus Voltage Control for Light-Load Efficiency Improvement. *Fei, C.*, +, *TPEL July 2017 5628-5636*
- Two-Switch Forward Converter With Reset Winding and an Auxiliary Active-Clamp Circuit for a Wide Input Voltage Range. *Jang, P.*, +, *TPEL June 2017 4491-4502*
- Variable-On-Time Control to Achieve High Input Power Factor for a CRM-Integrated Buck–Flyback PFC Converter. *Memon, A.H.*, +, *TPEL July 2017 5312-5322*
- Variable-Switching-Frequency State-Feedback Control of a Phase-Shifted Full-Bridge DC/DC Converter. *Mallik, A.*, +, *TPEL Aug. 2017 6523-6531*
- Wide Input-Voltage Range Boost Three-Level DC–DC Converter With Quasi-Z Source for Fuel Cell Vehicles. *Zhang, Y.*, +, *TPEL Sept. 2017 6728-6738*
- Zero-Voltage-Transition Interleaved Boost Converter With an Auxiliary Coupled Inductor. *Yi, J.*, +, *TPEL Aug. 2017 5917-5930*
- ZVS Soft Switching Boundaries for Dual Active Bridge DC–DC Converters Using Frequency Domain Analysis. *Riedel, J.*, +, *TPEL April 2017 3166-3179*
- Switching systems (control)**
- A PV Power Conditioning System Using Nonregenerative Single-Sourced Tertiary Asymmetric Multilevel Inverter With Hybrid Control Scheme and Reduced Leakage Current. *Manoharan, M.S.*, +, *TPEL Oct. 2017 7602-7614*
- Single-Step Current Control for Voltage Source Inverters With Fast Transient Response and High Convergence Speed. *Zhang, L.*, +, *TPEL Nov. 2017 8823-8832*
- Small-Signal Model of Voltage Source Inverter (VSI) and Voltage Source Converter (VSC) Considering the DeadTime Effect and Space Vector Modulation Types. *Ahmed, S.*, +, *TPEL June 2017 4145-4156*
- The Recognition and Control of Nonideal Soft-Switching Frequency for Wireless Power Transfer System Based on Waveform Identification. *Sun, Y.*, +, *TPEL Aug. 2017 6617-6627*
- Switching transients**
- Intelligent Gate Drive for Fast Switching and Crosstalk Suppression of SiC Devices. *Zhang, Z.*, +, *TPEL Dec. 2017 9319-9332*
- Synchronization**
- A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link. *Rudraraju, V.R.R.*, +, *TPEL June 2017 4334-4343*
- A Frequency-Fixed SOGI-Based PLL for Single-Phase Grid-Connected Converters. *Xiao, F.*, +, *TPEL March 2017 1713-1719*

A GPS-Based Control Framework for Accurate Current Sharing and Power Quality Improvement in Microgrids. *Golsorkhi, M.S.*, +, *TPEL July 2017 5675-5687*

Direct Stator Current Vector Control Strategy of DFIG Without Phase-Locked Loop During Network Unbalance. *Cheng, P.*, +, *TPEL Jan. 2017 284-297*

Impedance Analysis of SOGI-FLL-Based Grid Synchronization. *Yi, H.*, +, *TPEL Oct. 2017 7409-7413*

Synchronization of the carrier wave of parallel three-phase inverters with virtual oscillator control. *Hu, J.*, +, *TPEL Oct. 2017 7998-8007*

Synchronous generators

A Control Approach for a Small-Scale PMSG-Based WECS in the Whole Wind Speed Range. *Shafiei, A.*, +, *TPEL Dec. 2017 9117-9130*

A Medium-Frequency Transformer-Based Wind Energy Conversion System Used for Current-Source Converter-Based Offshore Wind Farm. *Wei, Q.*, +, *TPEL Jan. 2017 248-259*

Computationally Efficient DMPC for Three-Level NPC Back-to-Back Converters in Wind Turbine Systems With PMSG. *Zhang, Z.*, +, *TPEL Oct. 2017 8018-8034*

DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R.*, +, *TPEL June 2017 4812-4826*

Instantaneous Power Control for Suppressing the Second-Harmonic DC-Bus Voltage Under Generic Unbalanced Operating Conditions. *Hu, Y.*, +, *TPEL May 2017 3998-4006*

Investigation and Suppression of Current Zero Crossing Phenomenon for a Semicontrolled Open-Winding PMSG System. *Nian, H.*, +, *TPEL Jan. 2017 602-612*

Robust DC-Link Voltage Control of a Full-Scale PMSG Wind Turbine for Effective Integration in DC Grids. *Davari, M.*, +, *TPEL May 2017 4021-4035*

Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation. *Yang, L.*, +, *TPEL Feb. 2017 1651-1665*

Synchronous machines

A Dual-Level Hysteresis Current Control for One Five-Leg VSI to Control Two PMSMs. *Wang, W.*, +, *TPEL Jan. 2017 804-814*

Comparative Analysis of BEMF and Pulsating High-Frequency Current Injection Methods for PM Temperature Estimation in PMSMs. *Reigosa, D.*, +, *TPEL May 2017 3691-3699*

Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines. *Kim, Y.*, +, *TPEL Feb. 2017 1335-1345*

Fault-Tolerant Control of Dual Three-Phase Permanent-Magnet Synchronous Machine Drives Under Open-Phase Faults. *Wang, W.*, +, *TPEL March 2017 2052-2063*

Low-Frequency Current Oscillation Reduction for Six-Step Operation of Three-Phase Inverters. *Ke, Z.*, +, *TPEL April 2017 2948-2956*

Nonparametric Sensorless Drive Method for Open-Winding PMSM Based on Zero-Sequence Back EMF With Circulating Current Suppression. *Zhan, H.*, +, *TPEL May 2017 3808-3817*

On Accuracy of Virtual Signal Injection based MTPA Operation of Interior Permanent Magnet Synchronous Machine Drives. *Sun, T.*, +, *TPEL Sept. 2017 7405-7408*

PMSM Sensorless Control by Injecting HF Pulsating Carrier Signal Into ABC Frame. *Tang, Q.*, +, *TPEL May 2017 3767-3776*

Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine. *Abosh, A.H.*, +, *TPEL April 2017 2976-2986*

Square-Wave Voltage Injection Algorithm for PMSM Position Sensorless Control With High Robustness to Voltage Errors. *Ni, R.*, +, *TPEL July 2017 5425-5437*

Synchronous motor drives

A Data-Driven Fault Diagnosis Methodology in Three-Phase Inverters for PMSM Drive Systems. *Cai, B.*, +, *TPEL July 2017 5590-5600*

Analytical Investigation of Sideband Electromagnetic Vibration in Integral-Slot PMSM Drive With SVPWM Technique. *Liang, W.*, +, *TPEL June 2017 4785-4795*

Common Model Predictive Control for Permanent-Magnet Synchronous Machine Drives Considering Single-Phase Open-Circuit Fault. *Wang, W.*, +, *TPEL July 2017 5862-5872*

Comparative Investigation of Pseudorandom High-Frequency Signal Injection Schemes for Sensorless IPMSM Drives. *Wang, G.*, +, *TPEL March 2017 2123-2132*

Comprehensive Analysis and Reduction of Torque Ripples in Three-Phase Four-Switch Inverter-Fed PMSM Drives Using Space Vector Pulse-Width Modulation. *Zhu, C.*, +, *TPEL July 2017 5411-5424*

Deadbeat Predictive Current Control of Permanent-Magnet Synchronous Motors with Stator Current and Disturbance Observer. *Zhang, X.*, +, *TPEL May 2017 3818-3834*

Direct Calculation Method of Reference Flux Linkage for Maximum Torque per Ampere Control in DTC-Based IPMSM Drives. *Shinohara, A.*, +, *TPEL March 2017 2114-2122*

Errors of a Linear Current Approximation in High-Speed PMSM Drives. *Jarzebowicz, L.*, *TPEL Nov. 2017 8254-8257*

Flux Immunity Robust Predictive Current Control With Incremental Model and Extended State Observer for PMSM Drive. *Yang, M.*, +, *TPEL Dec. 2017 9267-9279*

Online Parameter Identification for Model-Based Sensorless Control of Interior Permanent Magnet Synchronous Machine. *Rafaq, M.S.*, +, *TPEL June 2017 4631-4643*

Rotor Temperature Detection in Permanent Magnet Synchronous Machine-Based Automotive Electric Traction Drives. *Carpiuc, S.*, *TPEL March 2017 2090-2097*

Speed Range Extended Maximum Torque Per Ampere Control for PM Drives Considering Inverter and Motor Nonlinearities. *Ge, H.*, +, *TPEL Sept. 2017 7151-7159*

Steady-State Simulation of LCI-Fed Synchronous Motor Drives Through a Computationally Efficient Algebraic Method. *Mohamadian, S.*, +, *TPEL Jan. 2017 452-470*

Torque Ripple Reduction of Predictive Torque Control for PMSM Drives With Parameter Mismatch. *Siami, M.*, +, *TPEL Sept. 2017 7160-7168*

Uncertainty-and-Disturbance-Estimator-Based Current Control Scheme for PMSM Drives With a Simple Parameter Tuning Algorithm. *Ren, J.*, +, *TPEL July 2017 5712-5722*

Unified Wide-Speed Sensorless Scheme Using Nonlinear Optimization for IPMSM Drives. *Sun, Y.*, +, *TPEL Aug. 2017 6308-6322*

Synchronous motors

A Switched Predictive Controller for an Electrical Powertrain System With Backlash. *Formentini, A.*, +, *TPEL May 2017 4036-4047*

Generalized Synchronous Optimal Pulse Width Modulation for Multilevel Inverters. *Lago, J.*, +, *TPEL Aug. 2017 6297-6307*

Improving the Steady-State and Transient-State Performances of PMSM Through an Advanced Deadbeat Direct Torque and Flux Control System. *Vafaie, M.H.*, +, *TPEL April 2017 2964-2975*

Maximum Torque per Ampere Control for Buried Magnet PMSM Based on DC-Link Power Measurement. *Ahmed, A.*, +, *TPEL Feb. 2017 1299-1311*

Online Diagnosis and Localization of High-Resistance Connection in PMSM With Improved Fault Indicator. *Zhang, J.*, +, *TPEL May 2017 3585-3594*

Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *Liu, Z.*, +, *TPEL April 2017 3154-3165*

Robust Adaptive Sensorless Control for Permanent-Magnet Synchronous Motors. *Choi, J.*, +, *TPEL May 2017 3989-3997*

Self-Tuning Adaptive Speed Controller for Permanent Magnet Synchronous Motor. *Kim, S.*, +, *TPEL Feb. 2017 1493-1506*

Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor. *Xu, Y.*, +, *TPEL May 2017 3797-3807*

System-on-chip

A Dual Series-Resonant DC-DC Converter. *Tahavorgar, A.*, +, *TPEL May 2017 3708-3718*

T

Table lookup

A Fast Electro-Thermal Model of Traction Inverters for Electrified Vehicles. *Ye, J.*, +, *TPEL May 2017 3920-3934*

Tariffs

Voltage and Frequency Grid Support Strategies Beyond Standards. *Serban, E.*, +, *TPEL Jan. 2017 298-309*

Telecommunication links

DC Power-Line Communication Based on Power/Signal Dual Modulation in Phase Shift Full-Bridge Converters. *Du, J.*, +, *TPEL Jan. 2017 693-702*

Telecommunication power supplies

Design of a Highly Efficient (97.7%) and Very Compact (2.2 kW/dm³) Isolated AC-DC Telecom Power Supply Module Based on the Multicell ISOP Converter Approach. *Kasper, M.*, +, *TPEL Oct. 2017 7750-7769*

Direct Sequence Spread Spectrum-Based PWM Strategy for Harmonic Reduction and Communication. *Wang, R.*, +, *TPEL June 2017 4455-4465*

Temperature distribution

Dynamic Electrothermal Model of Paralleled IGBT Modules With Unbalanced Stray Parameters. *Tang, Y.*, +, *TPEL Feb. 2017 1385-1399*

Finite-Element Analysis of Coupled Electro-Thermal Problems With Strong Scale Separation. *Eiser, S.*, +, *TPEL Jan. 2017 561-570*

IR Camera Validation of IGBT Junction Temperature Measurement via Peak Gate Current. *Baker, N.*, +, *TPEL April 2017 3099-3111*

Temperature measurement

A Sensorless Power Reserve Control Strategy for Two-Stage Grid-Connected PV Systems. *Sangwongwanich, A.*, +, *TPEL Nov. 2017 8559-8569*

Comparative Analysis of BEMF and Pulsating High-Frequency Current Injection Methods for PM Temperature Estimation in PMSMs. *Reigosa, D.*, +, *TPEL May 2017 3691-3699*

IR Camera Validation of IGBT Junction Temperature Measurement via Peak Gate Current. *Baker, N.*, +, *TPEL April 2017 3099-3111*

Rotor Temperature Detection in Permanent Magnet Synchronous Machine-Based Automotive Electric Traction Drives. *Carpiuc, S.*, *TPEL March 2017 2090-2097*

Thermal Stress Analysis of Medium-Voltage Converters for Smart Transformers. *Andresen, M.*, +, *TPEL June 2017 4753-4765*

Thermal conductivity

A Fast Electro-Thermal Model of Traction Inverters for Electrified Vehicles. *Ye, J.*, +, *TPEL May 2017 3920-3934*

Cu@Sn Core-Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding. *Chen, H.*, +, *TPEL Jan. 2017 441-451*

Thermal Management and Electromagnetic Analysis for GaN Devices Packaging on DBC Substrate. *Yu, C.*, +, *TPEL Feb. 2017 906-910*

Thermal management (packaging)

Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation. *Reichl, J.*, +, *TPEL Jan. 2017 503-514*

Efficient Measurement of Thermal Coupling Effects on Multichip Light-Emitting Diodes. *Lu, H.*, +, *TPEL Dec. 2017 9280-9292*

Reduction of Die-Bonding Interface Thermal Resistance for High-Power LEDs Through Embedding Packaging Structure. *Lei, X.*, +, *TPEL July 2017 5520-5526*

Thermal Management and Electromagnetic Analysis for GaN Devices Packaging on DBC Substrate. *Yu, C.*, +, *TPEL Feb. 2017 906-910*

Thermal noise

A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*

Thermal resistance

A Temperature Gradient-Based Potential Defects Identification Method for IGBT Module. *Gao, B.*, +, *TPEL March 2017 2227-2242*

In-Service Diagnostics for Wire-Bond Lift-off and Solder Fatigue of Power Semiconductor Packages. *Eleffendi, M.A.*, +, *TPEL Sept. 2017 7187-7198*

Reduction of Die-Bonding Interface Thermal Resistance for High-Power LEDs Through Embedding Packaging Structure. *Lei, X.*, +, *TPEL July 2017 5520-5526*

Thermal stresses

Lifetime-Based Power Routing of a Quadruple Active Bridge DC/DC Converter. *Buticchi, G.*, +, *TPEL Nov. 2017 8892-8903*

Reliability-Oriented Optimization of the LC Filter in a Buck DC-DC Converter. *Liu, Y.*, +, *TPEL Aug. 2017 6323-6337*

Thermal Stress Analysis of Medium-Voltage Converters for Smart Transformers. *Andresen, M.*, +, *TPEL June 2017 4753-4765*

Thermal Stresses Relief Carrier-Based PWM Strategy for Single-Phase Multilevel Inverters. *Aly, M.*, +, *TPEL Dec. 2017 9376-9388*

Thermal variables measurement

Efficient Measurement of Thermal Coupling Effects on Multichip Light-Emitting Diodes. *Lu, H.*, +, *TPEL Dec. 2017 9280-9292*

Thin film capacitors

Applied Integrated Active Filter Auxiliary Power Module for Electrified Vehicles With Single-Phase Onboard Chargers. *Hou, R.*, +, *TPEL March 2017 1860-1871*

Three-term control

Control of Parallel Three-Phase PWM Converters Under Generalized Unbalanced Operating Conditions. *Zhang, X.*, +, *TPEL April 2017 3206-3215*

Thyristor applications

Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction. *Lam, C.*, +, *TPEL Oct. 2017 7577-7590*

Selective Compensation of Distortion, Unbalanced and Reactive Power of a Thyristor-Controlled LC-Coupling Hybrid Active Power Filter (TCLC-HAPF). *Wang, L.*, +, *TPEL Dec. 2017 9065-9077*

Unbalanced Control Strategy for A Thyristor-Controlled LC-Coupling Hybrid Active Power Filter in Three-Phase Three-Wire Systems. *Wang, L.*, +, *TPEL Feb. 2017 1056-1069*

Thyristor converters

An Evolutional Line-Commutated Converter Integrated With Thyristor-Based Full-Bridge Module to Mitigate the Commutation Failure. *Guo, C.*, +, *TPEL Feb. 2017 967-976*

Thyristors

Theoretical and Experimental Study of 22 kV SiC Emitter Turn-OFF (ETO) Thyristor. *Song, X.*, +, *TPEL Aug. 2017 6381-6393*

Time division multiplexing

Online Decoupled Stator and Rotor Resistances Adaptation for Speed Sensorless Induction Motor Drives by a Time-Division Approach. *Chen, J.*, +, *TPEL June 2017 4587-4599*

Time-domain analysis

A Closed-Loop Time-Domain Analysis Method for Modular Multilevel Converter. *Wang, J.*, +, *TPEL Oct. 2017 7494-7508*

A Digital Current Control Technique for Grid-Connected AC/DC Converters Used for Energy Storage Systems. *Eren, S.*, +, *TPEL May 2017 3970-3988*

A Modified Gain Model and the Corresponding Design Method for an LLC Resonant Converter. *Liu, J.*, +, *TPEL Sept. 2017 6716-6727*

A Modular Multilevel Converter With DC Fault Handling Capability and Enhanced Efficiency for HVdc System Applications. *Oliveira, R.*, +, *TPEL Jan. 2017 11-22*

Measurement of IGBT High-Frequency Input Impedance in Short Circuit. *Abbate, C.*, +, *TPEL Jan. 2017 584-592*

PWM Strategy for the Cancellation of Common-Mode Voltage Generated by Three-Phase Back-to-Back Inverters. *Videt, A.*, +, *TPEL April 2017 2675-2686*

Single-Phase Phase-Locked Loop Based on Derivative Elements. *Guan, Q.*, +, *TPEL June 2017 4411-4420*

Time-Domain Analysis of Voltage-Driven Series-Series Compensated Inductive Power Transfer Topology. *Safaei, A.*, +, *TPEL July 2017 4981-5003*

Time-frequency analysis

Active Output-Voltage-Sharing Control Scheme for Input Series Output Series Connected DC-DC Converters Based on a Master Slave Structure. *Qu, L.*, +, *TPEL Aug. 2017 6638-6651*

Harmonic Interaction Analysis in a Grid-Connected Converter Using Harmonic State-Space (HSS) Modeling. *Kwon, J.*, +, *TPEL Sept. 2017 6823-6835*

Time-varying systems

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Tin

Cu@Sn Core-Shell Structure Powder Preform for High-Temperature Applications Based on Transient Liquid Phase Bonding. *Chen, H.*, +, *TPEL Jan. 2017 441-451*

Torque

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X.*, +, *TPEL Sept. 2017 6924-6935*

A Novel Method of Reducing Commutation Torque Ripple for Brushless DC Motor Based on Cuk Converter. *Chen, W.*, +, *TPEL July 2017 5497-5508*

Comprehensive Analysis and Reduction of Torque Ripples in Three-Phase Four-Switch Inverter-Fed PMSM Drives Using Space Vector Pulse-Width Modulation. *Zhu, C.*, +, *TPEL July 2017 5411-5424*

Direct Torque Control With Feedback Linearization for Induction Motor Drives. *Lascu, C.*, +, *TPEL March 2017 2072-2080*

Fault-Tolerant Control of Six-Phase Induction Motor Drives With Variable Current Injection. *Gonzalez-Prieto, I.*, +, *TPEL Oct. 2017 7894-7903*

Fifth- and Seventh-Order Harmonic Elimination With Multilevel Dodecagonal Voltage Space Vector Structure for IM Drive Using a Single DC Source for the Full Speed Range. *Boby, M.*, +, *TPEL Jan. 2017 60-68*

Hybrid Dual and NPC Six-Phase Drive Systems. *Melo, V.F.M.B.*, +, *TPEL Nov. 2017 8606-8617*

Pole-Phase Modulated Multiphase Induction Motor Drive With Reduced Torque Ripple and Improved DC Link Utilization. *Umesh, B.S.*, +, *TPEL Oct. 2017 7862-7869*

Steady-State Simulation of LCI-Fed Synchronous Motor Drives Through a Computationally Efficient Algebraic Method. *Mohamadian, S.*, +, *TPEL Jan. 2017 452-470*

Torque control

A Control Approach for a Small-Scale PMSG-Based WECS in the Whole Wind Speed Range. *Shafiei, A.*, +, *TPEL Dec. 2017 9117-9130*

An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D.*, +, *TPEL May 2017 3731-3740*

An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. *Koc, M.*, +, *TPEL Jan. 2017 490-502*

Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor. *Tian, B.*, +, *TPEL July 2017 5459-5472*

Computationally Efficient DMPC for Three-Level NPC Back-to-Back Converters in Wind Turbine Systems With PMSG. *Zhang, Z.*, +, *TPEL Oct. 2017 8018-8034*

Copper-Loss-Minimizing Field Current Control Scheme for Wound Synchronous Machines. *Kim, Y.*, +, *TPEL Feb. 2017 1335-1345*

Direct Calculation Method of Reference Flux Linkage for Maximum Torque per Ampere Control in DTC-Based IPMSM Drives. *Shinohara, A.*, +, *TPEL March 2017 2114-2122*

Direct Resonant Control Strategy for Torque Ripple Mitigation of DFIG Connected to DC Link through Diode Rectifier on Stator. *Nian, H.*, +, *TPEL Sept. 2017 6936-6945*

Direct Torque Control of Five-Phase Induction Motor With Common-Mode Voltage and Current Harmonics Reduction. *Tatte, Y.N.*, +, *TPEL Nov. 2017 8644-8654*

Direct Torque Control Scheme for a Six-Phase Induction Motor With Reduced Torque Ripple. *Pandit, J.K.*, +, *TPEL Sept. 2017 7118-7129*

Direct Torque Control With Feedback Linearization for Induction Motor Drives. *Lascu, C.*, +, *TPEL March 2017 2072-2080*

Finite-State Predictive Torque Control of Induction Motor Supplied From a Three-Level NPC Voltage Source Inverter. *Habibullah, M.*, +, *TPEL Jan. 2017 479-489*

Improving the Steady-State and Transient-State Performances of PMSM Through an Advanced Deadbeat Direct Torque and Flux Control System. *Vafaie, M.H.*, +, *TPEL April 2017 2964-2975*

Instantaneous Torque Control Method With Rated Torque-Sharing Ratio for Cascaded DFIMs. *Esfandiari, G.*, +, *TPEL Nov. 2017 8671-8680*

Maximum Torque per Ampere Control for Buried Magnet PMSM Based on DC-Link Power Measurement. *Ahmed, A.*, +, *TPEL Feb. 2017 1299-1311*

Multiobjective Fuzzy-Decision-Making Predictive Torque Control for an Induction Motor Drive. *Rojas, C.A.*, +, *TPEL Aug. 2017 6245-6260*

Power Consumption Reduction for Magnetic Bearing Systems During Torque Output of Control Moment Gyros. *Zheng, S.*, +, *TPEL July 2017 5752-5759*

Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine. *Abosh, A.H.*, +, *TPEL April 2017 2976-2986*

Robust Direct Torque Control of Synchronous Reluctance Motor Drives in the Field-Weakening Region. *Foo, G.H.B.*, +, *TPEL Feb. 2017 1289-1298*

Sensorless Control of IM for Limp-Home Mode EV Applications. *Dehghan-Azad, E.*, +, *TPEL Sept. 2017 7140-7150*

Speed Range Extended Maximum Torque Per Ampere Control for PM Drives Considering Inverter and Motor Nonlinearities. *Ge, H.*, +, *TPEL Sept. 2017 7151-7159*

Torque Ripple Reduction of Predictive Torque Control for PMSM Drives With Parameter Mismatch. *Siami, M.*, +, *TPEL Sept. 2017 7160-7168*

Virtual-Torque-Based Control of Three-Phase Rectifier Under Grid Imbalance and Harmonics. *Iwanski, G.*, +, *TPEL Sept. 2017 6836-6852*

Tracking

High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B.*, +, *TPEL May 2017 4007-4020*

Traction

A Fast Electro-Thermal Model of Traction Inverters for Electrified Vehicles. *Ye, J.*, +, *TPEL May 2017 3920-3934*

Analysis and Comparison of Modular Railway Power Conditioner for High-Speed Railway Traction System. *Xu, Q.*, +, *TPEL Aug. 2017 6031-6048*

Analysis in the Effect of Co-phase Traction Railway HPQC Coupled Impedance on Its Compensation Capability and Impedance-Mapping Design Technique Based on Required Compensation Capability for Reduction in Operation Voltage. *Lao, K.*, +, *TPEL April 2017 2631-2646*

Fault Diagnosis and Fault-Tolerant Control Scheme for Open-Circuit Faults in Three-Stepped Bridge Converters. *Shu, C.*, +, *TPEL March 2017 2203-2214*

Pole-Phase Modulated Multiphase Induction Motor Drive With Reduced Torque Ripple and Improved DC Link Utilization. *Umesh, B.S.*, +, *TPEL Oct. 2017 7862-7869*

Traction motor drives

An Inverter Nonlinearity-Independent Flux Observer for Direct Torque-Controlled High-Performance Interior Permanent Magnet Brushless AC Drives. *Koc, M.*, +, *TPEL Jan. 2017 490-502*

Efficiency Assessment of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL March 2017 2041-2051*

Rotor Temperature Detection in Permanent Magnet Synchronous Machine-Based Automotive Electric Traction Drives. *Carpiuc, S.*, *TPEL March 2017 2090-2097*

Traction power supplies

A Modified Gain Model and the Corresponding Design Method for an LLC Resonant Converter. *Liu, J.*, +, *TPEL Sept. 2017 6716-6727*

Windowed SHE-PWM of Interleaved Four-Quadrant Converters for Resonance Suppression in Traction Power Supply Systems. *Song, K.*, +, *TPEL Oct. 2017 7870-7881*

Trajectory control

Digital Implementation of Soft Start-Up and Short-Circuit Protection for High-Frequency LLC Converters With Optimal Trajectory Control (OTC). *Fei, C.*, +, *TPEL Oct. 2017 8008-8017*

Two-Stage 48 V-12 V/6 V-1.8 V Voltage Regulator Module With Dynamic Bus Voltage Control for Light-Load Efficiency Improvement. *Fei, C.*, +, *TPEL July 2017 5628-5636*

Transducers

A Gain Boosting Array Technique for Weakly-Coupled Wireless Power Transfer. *Zhao, B.*, +, *TPEL Sept. 2017 7130-7139*

New Current Measurement Procedure Using a Conventional Rogowski Transducer for the Analysis of Switching Transients in Transistors. *Oyarbide, E.*, +, *TPEL April 2017 2490-2492*

Nonparametric Sensorless Drive Method for Open-Winding PMSM Based on Zero-Sequence Back EMF With Circulating Current Suppression. *Zhan, H.*, +, *TPEL May 2017 3808-3817*

Transfer functions

A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected Converters in Wind Turbines. *Freijedo, F.D.*, +, *TPEL Oct. 2017 8218-8228*

Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control. *Alonso, J.M.*, +, *TPEL Dec. 2017 9179-9190*

Analysis and Implementation of a High-Performance-Integrated KY Converter. *Zhang, Y.*, +, *TPEL Dec. 2017 9051-9064*

Dynamic Modeling and Control of Self-Oscillating Parallel Resonant Converters Based on a Variable Structure Systems Approach. *Bonache-Samaniego, R.*, +, *TPEL Feb. 2017 1469-1480*

Dynamic Performance Improvement of Diode-capacitor-Based High Step-up DC-DC Converter Through Right-Half-Plane Zero Elimination. *Zhang, Y.*, +, *TPEL Aug. 2017 6532-6543*

Iterative Learning Controller With Multiple Phase-Lead Compensation for Dual-Mode Flyback Inverter. *Kim, H.*, +, *TPEL Aug. 2017 6468-6480*

Large- and Small-Signal Average-Value Modeling of Dual-Active-Bridge DC-DC Converter Considering Power Losses. *Zhang, K.*, +, *TPEL March 2017 1964-1974*

Low-Harmonic-Contents and High-Efficiency Class E Full-Wave Current-Driven Rectifier for Megahertz Wireless Power Transfer Systems. *Liu, M.*, +, *TPEL Feb. 2017 1198-1209*

Reduced-Order Models of Series Resonant Inverters in Induction Heating Applications. *Dominguez, A.*, +, *TPEL March 2017 2300-2311*

Small-Signal Equivalent Circuit Model of Quasi-Square-Wave Flyback Converter. *Zhang, Z.*, +, *TPEL Aug. 2017 5885-5888*

Small-Signal Model of the Five-Level Unidirectional T-Rectifier. *Benedetto, M.D.*, +, *TPEL July 2017 5741-5751*

Transformer cores

A Digital Adaptive Driving Scheme for eGaN HEMTs in VHF Converters. *Zhang, Z.*, +, *TPEL Aug. 2017 6197-6205*

Influence of Material Properties and Geometric Shape of Magnetic Cores on Acoustic Noise Emission of Medium-Frequency Transformers. *Shuai, P.*, +, *TPEL Oct. 2017 7916-7931*

Transformer windings

A Fully Integrated Watt-Level Power Transfer System With On-Chip Galvanic Isolation in Silicon Technology. *Fiore, V.*, +, *TPEL March 2017 1984-1995*

A High-Frequency AC-Link Single-Stage Asymmetrical Multilevel Converter for Grid Integration of Renewable Energy Systems. *Iyer, K.V.*, +, *TPEL July 2017 5087-5108*

A Single-Stage Primary-Side-Controlled Off-line Flyback LED Driver With Ripple Cancellation. *Fang, P.*, +, *TPEL June 2017 4700-4715*

Conducted EMI Mitigation Schemes in Isolated Switching-Mode Power Supply Without the Need of a Y-Capacitor. *Bai, Y.*, +, *TPEL April 2017 2687-2703*

Influence of Material Properties and Geometric Shape of Magnetic Cores on Acoustic Noise Emission of Medium-Frequency Transformers. *Shuai, P.*, +, *TPEL Oct. 2017 7916-7931*

Investigation of Gallium Nitride Devices in High-Frequency LLC Resonant Converters. *Zhang, W.*, +, *TPEL Jan. 2017 571-583*

LLC Converters With Planar Transformers: Issues and Mitigation. *Saket, M.A.*, +, *TPEL June 2017 4524-4542*

Optimized Integrated Harmonic Filter Inductor for Dual-Converter-Fed Open-End Transformer Topology. *Gohil, G.*, +, *TPEL March 2017 1818-1831*

Two-Capacitor Transformer Winding Capacitance Models for Common-Mode EMI Noise Analysis in Isolated DC-DC Converters. *Zhang, H.*, +, *TPEL Nov. 2017 8458-8469*

Transformers

A Dual Series-Resonant DC-DC Converter. *Tahavvogar, A.*, +, *TPEL May 2017 3708-3718*

High-Frequency-Link Modulation Methodology of DC-DC Transformer Based on Modular Multilevel Converter for HVDC Application: Comprehensive Analysis and Experimental Verification. *Zhao, B.*, +, *TPEL May 2017 3413-3424*

Higher Order Compensation for Inductive-Power-Transfer Converters With Constant-Voltage or Constant-Current Output Combating Transformer Parameter Constraints. *Qu, X.*, +, *TPEL Jan. 2017 394-405*

Minimum-RMS-Current Operation of Asymmetric Dual Active Half-Bridge Converters With and Without ZVS. *Chakraborty, S.*, +, *TPEL July 2017 5132-5145*

Multiojective Optimization of Medium-Frequency Transformers for Isolated Soft-Switching Converters Using a Genetic Algorithm. *Garcia-Bediga, A.*, +, *TPEL April 2017 2995-3006*

Passive Regenerative and Dissipative Snubber Cells for Isolated SEPIC Converters: Analysis, Design, and Comparison. *Tibola, G.*, +, *TPEL Dec. 2017 9210-9222*

Reduced Active Switch Front-End Multipulse Rectifier With Medium-Frequency Transformer Isolation. *Sandoval, J.J.*, +, *TPEL Oct. 2017 7458-7468*

Two-Stage 48 V-12 V/6 V-1.8 V Voltage Regulator Module With Dynamic Bus Voltage Control for Light-Load Efficiency Improvement. *Fei, C.*, +, *TPEL July 2017 5628-5636*

Transient analysis

An Investigation of Temperature-Sensitive Electrical Parameters for SiC Power MOSFETs. *Gonzalez, J.O.*, +, *TPEL Oct. 2017 7954-7966*

Comparative Analysis of Steady-State Models for a Switched Capacitor Converter. *Wu, B.*, +, *TPEL Feb. 2017 1186-1197*

Dynamic Electrothermal Model of Paralleled IGBT Modules With Unbalanced Stray Parameters. *Tang, Y.*, +, *TPEL Feb. 2017 1385-1399*

Dynamic Performance Improvement of Diode-capacitor-Based High Step-up DC-DC Converter Through Right-Half-Plane Zero Elimination. *Zhang, Y.*, +, *TPEL Aug. 2017 6532-6543*

Small-Signal Equivalent Circuit Model of Quasi-Square-Wave Flyback Converter. *Zhang, Z.*, +, *TPEL Aug. 2017 5885-5888*

Transient response

A Novel Adaptive Quasi-Constant On-Time Current-Mode Buck Converter. *Nien, C.*, +, *TPEL Oct. 2017 8124-8133*

Analysis and Implementation of a High-Performance-Integrated KY Converter. *Zhang, Y.*, +, *TPEL Dec. 2017 9051-9064*

Bifurcation and Large-Signal Stability Analysis of Three-Phase Voltage Source Converter Under Grid Voltage Dips. *Huang, M.*, +, *TPEL Nov. 2017 8868-8879*

Controlled Transition Full-Bridge Hybrid Multilevel Converter With Chain-Links of Full-Bridge Cells. *Li, P.*, +, *TPEL Jan. 2017 23-38*

Design Considerations for Output Capacitance Under Inductance Mismatches in Multiphase Buck Converters. *Liu, H.*, +, *TPEL July 2017 5004-5015*

Energy Balancing Improvement of Modular Multilevel Converters Under Unbalanced Grid Conditions. *Leon, A.E.*, +, *TPEL Aug. 2017 6628-6637*

Fully Integrated Buck Converter With Fourth-Order Low-Pass Filter. *Tang, N.*, +, *TPEL May 2017 3700-3707*

Improving Loading and Unloading Transient Response of a Voltage Regulator Module Using a Load-Side Auxiliary Gyrator Circuit. *Kirshenboim, O.*, +, *TPEL March 2017 1996-2007*

Methodology to Obtain the Voltage-Dependent Parameters of a Fourth-Order Supercapacitor Model With the Transient Response to Current Pulses. *Quintans, C.*, +, *TPEL May 2017 3868-3878*

Model Predictive Switching Pattern Control for Current-Source Converters With Space-Vector-Based Selective Harmonic Elimination. *Gao, H.*, +, *TPEL Aug. 2017 6558-6569*

Multiloop Minimum Switching Cycle Control Based on Nonaveraged Current Discrete-Time Model for Buck Converter. *Min, R.*, +, *TPEL April 2017 3143-3153*

Single-Step Current Control for Voltage Source Inverters With Fast Transient Response and High Convergence Speed. *Zhang, L.*, +, *TPEL Nov. 2017 8823-8832*

Synchronous Double-Pumping Technique for Integrated Current-Mode PWM DC–DC Converters Demand on Fast-Transient Response. *Wu, K.*, +, *TPEL Jan. 2017 849-865*

Transistors

High-Efficiency Nonisolated Converter With Very High Step-Down Conversion Ratio. *Kirshenboim, O.*, +, *TPEL May 2017 3683-3690*

New Current Measurement Procedure Using a Conventional Rogowski Transducer for the Analysis of Switching Transients in Transistors. *Oyarbide, E.*, +, *TPEL April 2017 2490-2492*

Transmitting antennas

Q Controllable Antenna as a Potential Means for Wide-Area Sensing and Communication in Wireless Charging via Coupled Magnetic Resonances. *Nakamura, S.*, +, *TPEL Jan. 2017 218-232*

Tree searching

Direct Model Predictive Current Control Strategy of Quasi-Z-Source Inverters. *Ayad, A.*, +, *TPEL July 2017 5786-5801*

Two-term control

An Online Transformerless Uninterruptible Power Supply (UPS) System With a Smaller Battery Bank for Low-Power Applications. *Aamir, M.*, +, *TPEL Jan. 2017 233-247*

U

Ubiquitous computing

Six Degrees of Freedom Wide-Range Ubiquitous IPT for IoT by DQ Magnetic Field. *Lee, E.S.*, +, *TPEL Nov. 2017 8258-8276*

Uncertain systems

Torque Ripple Reduction of Predictive Torque Control for PMSM Drives With Parameter Mismatch. *Siami, M.*, +, *TPEL Sept. 2017 7160-7168*

Uninterruptible power supplies

A Gallium-Nitride-Device-Based Switched Capacitor Multiport Multilevel Converter for UPS Applications. *Alsolami, M.*, +, *TPEL Sept. 2017 6853-6862*

An Online Transformerless Uninterruptible Power Supply (UPS) System With a Smaller Battery Bank for Low-Power Applications. *Aamir, M.*, +, *TPEL Jan. 2017 233-247*

Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based $D-\Sigma$ Digital Control. *Wu, T.*, +, *TPEL Feb. 2017 1591-1601*

Extended Bandwidth Instantaneous Current Sharing Scheme for Parallel UPS Systems. *Tolani, S.*, +, *TPEL June 2017 4960-4969*

V

Varactors

Varactor-Based Passive Ripple Filter With Automatic Tuning for Low-Noise Power-Supply Systems. *Meehan, P.J.*, +, *TPEL June 2017 4741-4752*

Variable speed drives

A Hybrid Modular Multilevel Converter for Medium-Voltage Variable-Speed Motor Drives. *Li, B.*, +, *TPEL June 2017 4619-4630*

Characterization of Input Current Interharmonics in Adjustable Speed Drives. *Soltani, H.*, +, *TPEL Nov. 2017 8632-8643*

Decoupled PWM Control of a Dual-Inverter Four-Level Five-Phase Drive. *Darijevic, M.*, +, *TPEL May 2017 3719-3730*

High-Speed Finite Control Set Model Predictive Control for Power Electronics. *Stellato, B.*, +, *TPEL May 2017 4007-4020*

Industrial Inverter Current Sensing With Three Shunt Resistors: Limitations and Solutions. *Zhang, Z.*, +, *TPEL June 2017 4577-4586*

Variable structure systems

A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*

An Approach for Switched Reluctance Generator in a Wind Generation System With a Wide Range of Operation Speed. *Barros, T.A.d.S.*, +, *TPEL Nov. 2017 8277-8292*

An Online Transformerless Uninterruptible Power Supply (UPS) System With a Smaller Battery Bank for Low-Power Applications. *Aamir, M.*, +, *TPEL Jan. 2017 233-247*

Cancellation of Torque Ripples With FOC Strategy Under Two-Phase Failures of the Five-Phase PM Motor. *Tian, B.*, +, *TPEL July 2017 5459-5472*

Decoupled Modeling and Nonlinear Speed Control for Five-Phase PM Motor Under Single-Phase Open Fault. *Tian, B.*, +, *TPEL July 2017 5473-5486*

Direct Torque Control With Feedback Linearization for Induction Motor Drives. *Lascu, C.*, +, *TPEL March 2017 2072-2080*

Dynamic Modeling and Control of Self-Oscillating Parallel Resonant Converters Based on a Variable Structure Systems Approach. *Bonache-Samaniego, R.*, +, *TPEL Feb. 2017 1469-1480*

Improvement of Power Quality Using a Robust Hybrid Series Active Power Filter. *Swain, S.D.*, +, *TPEL May 2017 3490-3498*

Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter. *Guzman, R.*, +, *TPEL July 2017 5637-5650*

Online Parameter Identification for Supercapacitor State-of-Health Diagnosis for Vehicular Applications. *El Mejdoubi, A.*, +, *TPEL Dec. 2017 9355-9363*

Switching Frequency Regulation in Sliding Mode Control by a Hysteresis Band Controller. *Repecho, V.*, +, *TPEL Feb. 2017 1557-1569*

Vectors

A Flexible Nonorthogonal-Reference-Frame-Based SVPWM Framework for Multilevel Inverters. *Ovalle, A.*, +, *TPEL June 2017 4925-4938*

A Harmonic Suppression Scheme for Full Speed Range of a Two-Level Inverter Fed Induction Motor Drive Using Switched Capacitive Filter. *Pramanick, S.*, +, *TPEL March 2017 2064-2071*

An Optimal Digital Pulse-Width-Modulated Dither Technique to Enhance the Resolution of High-Frequency Power Converters. *Fang, J.*, +, *TPEL Sept. 2017 7222-7232*

An Optimized Hybrid SVPWM Strategy Based on Multiple Division of Active Vector Time (MDAVT). *Biswas, J.*, +, *TPEL June 2017 4607-4618*

Generalized PWM-Based Method for Multiphase Neutral-Point-Clamped Converters With Capacitor Voltage Balance Capability. *Lopez, J.*, +, *TPEL June 2017 4878-4890*

Modulation Methods for Indirect Matrix Converter Extending the Input Reactive Power Range. *Li, X.*, +, *TPEL June 2017 4852-4863*

Opposite Vector Based Phase Shift Carrier Space Vector Pulse Width Modulation for Extending the Voltage Balance Region in Single-Phase 3LNPC Cascaded Rectifier. *Peng, X.*, +, *TPEL Sept. 2017 7381-7393*

Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor. *Xu, Y.*, +, *TPEL May 2017 3797-3807*

Vehicle-to-grid

A Matrix Converter-Based Bidirectional Contactless Grid Interface. *Weerasinghe, S.*, +, *TPEL March 2017 1755-1766*

Reactive Power Compensation Capabilities of V2G-Enabled Electric Vehicles. *Buja, G.*, +, *TPEL Dec. 2017 9447-9459*

Velocity control

Instantaneous Torque Control Method With Rated Torque-Sharing Ratio for Cascaded DFIMs. *Esfandiari, G.*, +, *TPEL Nov. 2017 8671-8680*

Velocity measurement

Sensorless Control of IM for Limp-Home Mode EV Applications. *Dehghan-Azad, E.*, +, *TPEL Sept. 2017 7140-7150*

Vibrations

Analytical Investigation of Sideband Electromagnetic Vibration in Integral-Slot PMSM Drive With SVPWM Technique. *Liang, W.*, +, *TPEL June 2017 4785-4795*

Voltage control

A 10-MHz eGaN Isolated Class- Φ_2 DCX. *Zhang, Z.*, +, *TPEL March 2017 2029-2040*

A DC-Voltage-Controlled Variable Capacitor for Stabilizing the ZVS Frequency of a Resonant Converter for Wireless Power Transfer. *Tian, J.*, +, *TPEL March 2017 2312-2318*

A Frequency Adaptive Phase Shift Modulation Control Based LLC Series Resonant Converter for Wide Input Voltage Applications. *Shakib, S.M.S.I.*, +, *TPEL Nov. 2017 8360-8370*

- A GPS-Based Decentralized Control Method for Islanded Microgrids. *Gol-sorkhi, M.S.*, +, *TPEL Feb. 2017 1615-1625*
- A Novel Flexible Capacitor Voltage Control Strategy for Variable-Speed Drives With Modular Multilevel Converters. *Tai, B.*, +, *TPEL Jan. 2017 128-141*
- A Novel Grid-Connected PV System Based on MMC to Get the Maximum Power Under Partial Shading Conditions. *Rong, F.*, +, *TPEL June 2017 4320-4333*
- A Novel STATCOM Based on Diode-Clamped Modular Multilevel Converters. *Liu, X.*, +, *TPEL Aug. 2017 5964-5977*
- A Sensitivity-Improved PFM LLC Resonant Full-Bridge DC–DC Converter With LC Antiresonant Circuitry. *Mishima, T.*, +, *TPEL Jan. 2017 310-324*
- A Simplified Space-Vector Modulation Algorithm for Four-Leg NPC Converters. *Rojas, F.*, +, *TPEL Nov. 2017 8371-8380*
- A Space Vector Pulse Width Modulation for Five-Level Nested Neutral Point Piloted Converter. *Li, J.*, +, *TPEL Aug. 2017 5991-6004*
- A Space Virtual-Vector Modulation With Voltage Balance Control for Nested Neutral-Point Clamped Converter Under Low Output Frequency Conditions. *Tan, L.*, +, *TPEL May 2017 3458-3466*
- A Three-Vector Modulation Strategy for Indirect Matrix Converter Fed Open-End Load to Reduce Common-Mode Voltage With Improved Output Performance. *Tran, Q.*, +, *TPEL Oct. 2017 7904-7915*
- A Transformerless Bipolar Multistring DC–DC Converter Based on Series-Connected Modules. *Du, S.*, +, *TPEL Feb. 2017 1006-1017*
- Accurate Capacitive Current Balancing in Multistring LED Lighting Systems Based on Switched-Capacitor-Controlled L+C+C Resonant Network. *Wong, C.S.*, +, *TPEL March 2017 2167-2179*
- Active Output-Voltage-Sharing Control Scheme for Input Series Output Series Connected DC–DC Converters Based on a Master Slave Structure. *Qu, L.*, +, *TPEL Aug. 2017 6638-6651*
- Adaptive Thyristor-Controlled LC-Hybrid Active Power Filter for Reactive Power and Current Harmonics Compensation With Switching Loss Reduction. *Lam, C.*, +, *TPEL Oct. 2017 7577-7590*
- An Enhanced Dual Droop Control Scheme for Resilient Active Power Sharing Among Paralleled Two-Stage Converters. *Liu, H.*, +, *TPEL Aug. 2017 6091-6104*
- Analysis and Arm Voltage Control of Isolated Modular Multilevel DC–DC Converter with Asymmetric Branch Impedance. *Sun, C.*, +, *TPEL Aug. 2017 5978-5990*
- Analysis and Control of Neutral-Point Voltage for Transformerless Three-Level PV Inverter in LVRT Operation. *Shao, Z.*, +, *TPEL March 2017 2347-2359*
- Bus Voltage Control of Cascaded Buck–Boost Power Amplifier Driving Inductive Load With 2.3-kW Peak Power. *Shin, J.*, +, *TPEL May 2017 4107-4114*
- Cascaded Dual-Buck AC–AC Converter With Reduced Number of Inductors. *Khan, A.A.*, +, *TPEL Oct. 2017 7509-7520*
- Cascaded High-Voltage-Gain Bidirectional Switched-Capacitor DC–DC Converters for Distributed Energy Resources Applications. *Xiong, S.*, +, *TPEL Feb. 2017 1220-1231*
- Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C.*, +, *TPEL July 2017 5227-5247*
- Circulating Current Reduction for Three-Phase Back-to-Back Transformerless Inverter With SPWM-Based D- Σ Digital Control. *Wu, T.*, +, *TPEL Feb. 2017 1591-1601*
- Class-E Half-Wave Zero dv/dt Rectifiers for Inductive Power Transfer. *Kkellis, G.*, +, *TPEL Nov. 2017 8322-8337*
- Continuous Phase-Shifted Selective Harmonic Elimination and DC-Link Voltage Balance Solution for H-bridge Multilevel Configurations, Applied to 5L HNPC. *Sanchez-Ruiz, A.*, +, *TPEL April 2017 2533-2545*
- Control Concepts for Hybrid Rectifiers Utilizing a Flying Converter Cell Active Current Injection Unit. *Makoschitz, M.*, +, *TPEL April 2017 2584-2595*
- Control of a Single-Phase Standalone Inverter Without an Output Voltage Sensor. *Mukherjee, S.*, +, *TPEL July 2017 5601-5612*
- Control of Modular Multilevel Converter With Parallel Connectivity—Application to Battery Systems. *Goetz, S.M.*, +, *TPEL Nov. 2017 8381-8392*
- DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R.*, +, *TPEL June 2017 4812-4826*
- DC-Link Stability Analysis and Controller Design for the Stacked Polyphase Bridges Converter. *Nikouie, M.*, +, *TPEL Feb. 2017 1666-1674*
- Design and Analysis of a Conductance Compensator for Keeping Constant Bandwidth and Output Impedance in Average Current Mode Control. *Fu, M.*, +, *TPEL Jan. 2017 837-848*
- Design and Implementation of a Sensorless Multilevel Inverter With Reduced Part Count. *Sandeep, N.*, +, *TPEL Sept. 2017 6677-6683*
- Dynamic Modeling and Control of Self-Oscillating Parallel Resonant Converters Based on a Variable Structure Systems Approach. *Bonache-Samaniego, R.*, +, *TPEL Feb. 2017 1469-1480*
- Dynamic Performance Improvement of Diode-capacitor-Based High Step-up DC–DC Converter Through Right-Half-Plane Zero Elimination. *Zhang, Y.*, +, *TPEL Aug. 2017 6532-6543*
- Elimination of Low-Frequency Ripples and Regulation of Neutral-Point Voltage in Stacked Multicell Converters. *Ghias, A.M.Y.M.*, +, *TPEL Jan. 2017 164-175*
- Energy Balancing Improvement of Modular Multilevel Converters Under Unbalanced Grid Conditions. *Leon, A.E.*, +, *TPEL Aug. 2017 6628-6637*
- Enhanced Instantaneous Power Theory for Control of Grid Connected Voltage Sourced Converters Under Unbalanced Conditions. *Montanari, A.A.*, +, *TPEL Aug. 2017 6652-6660*
- Experimental Evaluation of Internal Model Control Scheme on a DC–DC Boost Converter Exhibiting Nonminimum Phase Behavior. *Kobaku, T.*, +, *TPEL Nov. 2017 8880-8891*
- Fine Tuning of an Inductive Link Through a Voltage-Controlled Capacitance. *Porto, R.W.*, +, *TPEL May 2017 4115-4124*
- Five-Level Active-Neutral-Point-Clamped DC/DC Converter for Medium-Voltage DC Grids. *Liu, D.*, +, *TPEL May 2017 3402-3412*
- Full-Process Operation, Control, and Experiments of Modular High-Frequency-Link DC Transformer Based on Dual Active Bridge for Flexible MVDC Distribution: A Practical Tutorial. *Zhao, B.*, +, *TPEL Sept. 2017 6751-6766*
- Harmonic Burst Control Strategy for Full-Bridge Series-Resonant Converter-Based EV Charging. *Zeng, H.*, +, *TPEL May 2017 4064-4073*
- High-Performance Predictive Control of Quasi-Impedance Source Inverter. *Mosa, M.*, +, *TPEL April 2017 3251-3262*
- Hybrid Modulation Concept for Five-Level Active-Neutral-Point-Clamped Converter. *Li, C.*, +, *TPEL Dec. 2017 8958-8962*
- Implementation of a 3.3-kW DC–DC Converter for EV On-Board Charger Employing the Series-Resonant Converter With Reduced-Frequency-Range Control. *Liu, G.*, +, *TPEL June 2017 4168-4184*
- Interleaved LLC Resonant Converter With Hybrid Rectifier and Variable-Frequency Plus Phase-Shift Control for Wide Output Voltage Range Applications. *Wu, H.*, +, *TPEL June 2017 4246-4257*
- Investigation of Negative-Sequence Injection Capability of Cascaded H-Bridge Converters in Star and Delta Configuration. *Behrouzian, E.*, +, *TPEL Feb. 2017 1675-1683*
- LLC Converters With Planar Transformers: Issues and Mitigation. *Saket, M.A.*, +, *TPEL June 2017 4524-4542*
- Load and Source Battery Simulator Based on Z-Source Rectifier. *Choi, S.*, +, *TPEL Aug. 2017 6119-6134*
- Low-Capacitance Cascaded H-Bridge Multilevel StatCom. *Farivar, G.*, +, *TPEL March 2017 1744-1754*
- Maximum Boost Control of Diode-Assisted Buck–Boost Voltage-Source Inverter With Minimum Switching Frequency. *Zhang, Y.*, +, *TPEL Feb. 2017 1533-1547*
- New Tunable Piezoelectric Transformers and Their Application in DC–DC Converters. *Khanna, M.*, +, *TPEL Dec. 2017 8974-8978*
- Optimal Inductor Current in Boost DC/DC Converters Regulating the Input Voltage Applied to Low-Power Photovoltaic Modules. *Reverter, F.*, +, *TPEL Aug. 2017 6188-6196*

- Performance Improvement of Direct Power Control of PWM Rectifier Under Unbalanced Network. *Zhang, Y.*, +, *TPEL March 2017 2319-2328*
- Power Control With Z-Source Converter Based Unified Power Flow Controller. *Thirumalaivasan, R.*, +, *TPEL Dec. 2017 9413-9423*
- Robust DC-Link Voltage Control of a Full-Scale PMSG Wind Turbine for Effective Integration in DC Grids. *Davari, M.*, +, *TPEL May 2017 4021-4035*
- Robust Vector Control of a Very Weak-Grid-Connected Voltage-Source Converter Considering the Phase-Locked Loop Dynamics. *Davari, M.*, +, *TPEL Feb. 2017 977-994*
- SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H.*, +, *TPEL Nov. 2017 8813-8822*
- Small-Signal Model of Voltage Source Inverter (VSI) and Voltage Source Converter (VSC) Considering the DeadTime Effect and Space Vector Modulation Types. *Ahmed, S.*, +, *TPEL June 2017 4145-4156*
- Smart Electrical Grid Interface Using Floating H-Bridges to Improve the Performance of Induction Motors. *Ul Haque, A.R.N.M.R.*, +, *TPEL Oct. 2017 7851-7861*
- Square-Wave Voltage Injection Algorithm for PMSM Position Sensorless Control With High Robustness to Voltage Errors. *Ni, R.*, +, *TPEL July 2017 5425-5437*
- Stability Analysis and Controller Synthesis for Single-Loop Voltage-Controlled VSIs. *Wang, X.*, +, *TPEL Sept. 2017 7394-7404*
- Synchronverter-Enabled DC Power Sharing Approach for LVDC Microgrids. *Peyghami, S.*, +, *TPEL Oct. 2017 8089-8099*
- Three-Phase Power Converter-Based Real-Time Synchronous Generator Emulation. *Yang, L.*, +, *TPEL Feb. 2017 1651-1665*
- Transmission Loss Optimization-Based Optimal Power Flow Strategy by Hierarchical Control for DC Microgrids. *Ma, J.*, +, *TPEL March 2017 1952-1963*
- Triple Phase Shift Control of an LLL Tank Based Bidirectional Dual Active Bridge Converter. *Muthuraj, S.S.*, +, *TPEL Oct. 2017 8035-8053*
- Two-Stage 48 V-12 V/6 V-1.8 V Voltage Regulator Module With Dynamic Bus Voltage Control for Light-Load Efficiency Improvement. *Fei, C.*, +, *TPEL July 2017 5628-5636*
- Unifying Distributed Dynamic Optimization and Control of Islanded DC Microgrids. *Moayedi, S.*, +, *TPEL March 2017 2329-2346*
- Voltage and Frequency Grid Support Strategies Beyond Standards. *Serban, E.*, +, *TPEL Jan. 2017 298-309*

Voltage measurement

- A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. *Wickramasinghe Abeywardana, D.B.*, +, *TPEL Jan. 2017 668-680*
- Capacitor Voltages Measurement and Balancing in Flying Capacitor Multilevel Converters Utilizing a Single Voltage Sensor. *Farivar, G.*, +, *TPEL Oct. 2017 8115-8123*
- Energy-Limited Transient-Mode Fast Supercapacitor Charger Topology. *Gurusinghe, N.*, +, *TPEL Feb. 2017 911-914*
- Improving Loading and Unloading Transient Response of a Voltage Regulator Module Using a Load-Side Auxiliary Gyrator Circuit. *Kirshenboim, O.*, +, *TPEL March 2017 1996-2007*

Voltage multipliers

- A high-voltage-gain dc-dc converter based on modified dickson charge pump voltage multiplier. *Baddipadiga, B.P.*, +, *TPEL Oct. 2017 7707-7715*
- Design and Steady-State Analysis of Parallel Resonant DC-DC Converter for High-Voltage Power Generator. *Hsu, W.*, +, *TPEL Feb. 2017 957-966*
- Single-Switch Quasi-Resonant DC-DC Converter for a Pulsed Plasma Thruster of Satellites. *Kang, B.*, +, *TPEL June 2017 4503-4513*
- Step-Up DC-DC Converters: A Comprehensive Review of Voltage-Boosting Techniques, Topologies, and Applications. *Forouzes, M.*, +, *TPEL Dec. 2017 9143-9178*
- Ultralarge Gain Step-Up Coupled-Inductor DC-DC Converter With an Asymmetric Voltage Multiplier Network for a Sustainable Energy System. *Ai, J.*, +, *TPEL Sept. 2017 6896-6903*

Voltage regulators

- A 10 W On-Chip Switched Capacitor Voltage Regulator With Feedforward Regulation Capability for Granular Microprocessor Power Delivery. *Andersen, T.M.*, +, *TPEL Jan. 2017 378-393*
- A Low-Noise Output Capacitorless Low-Dropout Regulator With a Switched-RC Bandgap Reference. *Magod, R.*, +, *TPEL April 2017 2856-2864*
- DC Electric Springs—A Technology for Stabilizing DC Power Distribution Systems. *Mok, K.*, +, *TPEL Feb. 2017 1088-1105*
- Design and Analysis of a Conductance Compensator for Keeping Constant Bandwidth and Output Impedance in Average Current Mode Control. *Fu, M.*, +, *TPEL Jan. 2017 837-848*
- Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*
- Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. *Choi, H.*, +, *TPEL June 2017 4140-4144*
- Improving Loading and Unloading Transient Response of a Voltage Regulator Module Using a Load-Side Auxiliary Gyrator Circuit. *Kirshenboim, O.*, +, *TPEL March 2017 1996-2007*
- Output Current-Differential Control Scheme for Input-Series-Output-Parallel-Connected Modular DC-DC Converters. *Qu, L.*, +, *TPEL July 2017 5699-5711*
- Quasi-Parallel Voltage Regulator Topology for Powering Laptop Processors. *Vangalapudi, T.B.G.*, +, *TPEL Oct. 2017 7805-7815*
- Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters. *He, J.*, +, *TPEL April 2017 2647-2660*
- Stability Analysis and Controller Synthesis for Single-Loop Voltage-Controlled VSIs. *Wang, X.*, +, *TPEL Sept. 2017 7394-7404*
- Two-Stage 48 V-12 V/6 V-1.8 V Voltage Regulator Module With Dynamic Bus Voltage Control for Light-Load Efficiency Improvement. *Fei, C.*, +, *TPEL July 2017 5628-5636*
- Very High Frequency IVR for Small Portable Electronics With High-Current Multiphase 3-D Integrated Magnetics. *Hou, D.*, +, *TPEL Nov. 2017 8705-8717*

Voltage-source converters

- A Hybrid Modular Multilevel Converter for Medium-Voltage Variable-Speed Motor Drives. *Li, B.*, +, *TPEL June 2017 4619-4630*
- A Novel Nine-Level Inverter Employing One Voltage Source and Reduced Components as High-Frequency AC Power Source. *Liu, J.*, +, *TPEL April 2017 2939-2947*
- A Review of Hybrid Topologies Combining Line-Commutated and Cascaded Full-Bridge Converters. *Bakas, P.*, +, *TPEL Oct. 2017 7435-7448*
- A Transition Arm Modular Multilevel Universal Pulse-Waveform Generator for Electroporation Applications. *Elgedeny, M.A.*, +, *TPEL Dec. 2017 8979-8991*
- An Approach for Switched Reluctance Generator in a Wind Generation System With a Wide Range of Operation Speed. *Barros, T.A.d.S.*, +, *TPEL Nov. 2017 8277-8292*
- An Embedded Closed-Loop Fault-Tolerant Control Scheme for Nonredundant VSI-Fed Induction Motor Drives. *Zhou, D.*, +, *TPEL May 2017 3731-3740*
- Analysis and Arm Voltage Control of Isolated Modular Multilevel DC-DC Converter with Asymmetric Branch Impedance. *Sun, C.*, +, *TPEL Aug. 2017 5978-5990*
- Analysis and Dynamic Performance Improvement of Grid-Connected Voltage-Source Converters Under Unbalanced Network Conditions. *Mortazavian, S.*, +, *TPEL Oct. 2017 8134-8149*
- Analysis of Carrier-Based PWM Patterns for a Three-Phase Five-Level Bidirectional Buck+Boost-Type Rectifier. *Ries, L.K.*, +, *TPEL Aug. 2017 6005-6017*
- Bifurcation and Large-Signal Stability Analysis of Three-Phase Voltage Source Converter Under Grid Voltage Dips. *Huang, M.*, +, *TPEL Nov. 2017 8868-8879*

- Characterization of Input Current Interharmonics in Adjustable Speed Drives. *Soltani, H.*, +, *TPEL Nov. 2017 8632-8643*
- Comparative Stability Analysis of Droop Control Approaches in Voltage-Source-Converter-Based DC Microgrids. *Gao, F.*, +, *TPEL March 2017 2395-2415*
- Continuous Phase-Shifted Selective Harmonic Elimination and DC-Link Voltage Balance Solution for H-bridge Multilevel Configurations, Applied to 5L HNPC. *Sanchez-Ruiz, A.*, +, *TPEL April 2017 2533-2545*
- Control of Modular Multilevel Converter With Parallel Connectivity—Application to Battery Systems. *Goetz, S.M.*, +, *TPEL Nov. 2017 8381-8392*
- Discrete-Time Domain Modeling of Voltage Source Inverters in Standalone Applications: Enhancement of Regulators Performance by Means of Smith Predictor. *de Bosio, F.*, +, *TPEL Oct. 2017 8100-8114*
- DQ Current Control of Voltage Source Converters With a Decoupling Method Based on Preprocessed Reference Current Feed-forward. *Zhou, S.*, +, *TPEL Nov. 2017 8904-8921*
- Efficiency Assessment of Modular Multilevel Converters for Battery Electric Vehicles. *Quraan, M.*, +, *TPEL March 2017 2041-2051*
- Enhanced Instantaneous Power Theory for Control of Grid Connected Voltage Sourced Converters Under Unbalanced Conditions. *Montanari, A.A.*, +, *TPEL Aug. 2017 6652-6660*
- Enhancing the Reliability of Modular Multilevel Converters Using Neutral Shift. *Kucka, J.*, +, *TPEL Dec. 2017 8953-8957*
- Flux-Balancing Scheme for PD-Modulated Parallel-Interleaved Inverters. *Gohil, G.*, +, *TPEL May 2017 3442-3457*
- Impact of Power Flow Direction on the Stability of VSC-HVDC Seen From the Impedance Nyquist Plot. *Amin, M.*, +, *TPEL Oct. 2017 8204-8217*
- Low-Switching-Frequency Operation of a Modular Multilevel DSCC Converter With Phase-Shifted Rotating-Carrier PWM. *Sasongko, F.*, +, *TPEL July 2017 5058-5069*
- Minimization of DC-Bus Current Ripple in Modular Multilevel Converter Under Unbalanced Conditions. *Dekka, A.*, +, *TPEL June 2017 4125-4131*
- Model Predictive Control With Common-Mode Voltage Injection for Modular Multilevel Converter. *Dekka, A.*, +, *TPEL March 2017 1767-1778*
- Model-Based Active Damping Control for Three-Phase Voltage Source Inverters With LCL Filter. *Guzman, R.*, +, *TPEL July 2017 5637-5650*
- Model-Based Dead Time Optimization for Voltage-Source Converters Utilizing Silicon Carbide Semiconductors. *Zhang, Z.*, +, *TPEL Nov. 2017 8833-8844*
- Modeling of VSC-Based Power Systems in the Extended Harmonic Domain. *Esparza, M.*, +, *TPEL Aug. 2017 5907-5916*
- Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *Liu, Z.*, +, *TPEL April 2017 3154-3165*
- Passive Islanding Detection Using Inverter Nonlinear Effects. *Reigosa, D.D.*, +, *TPEL Nov. 2017 8434-8445*
- Passivity-Based Stability Analysis and Damping Injection for Multiparalleled VSCs with LCL Filters. *Wang, X.*, +, *TPEL Nov. 2017 8922-8935*
- Power Routing for Cascaded H-Bridge Converters. *Ko, Y.*, +, *TPEL Dec. 2017 9435-9446*
- Repetitive Controller for VSIs in Droop-Based AC-Microgrid. *Trivedi, A.*, +, *TPEL Aug. 2017 6595-6604*
- Stability Analysis and Controller Synthesis for Single-Loop Voltage-Controlled VSIs. *Wang, X.*, +, *TPEL Sept. 2017 7394-7404*
- Steady-State Modeling of Modular Multilevel Converter Under Unbalanced Grid Conditions. *Shi, X.*, +, *TPEL Sept. 2017 7306-7324*
- Thermal Stress Analysis of Medium-Voltage Converters for Smart Transformers. *Andresen, M.*, +, *TPEL June 2017 4753-4765*
- Three-Phase VSI Optimal Switching Loss Reduction Using Variable Switching Frequency. *Onederra, O.*, +, *TPEL Aug. 2017 6570-6576*
- Voltage-Balancing Approach With Improved Harmonic Performance for Modular Multilevel Converters. *Dekka, A.*, +, *TPEL Aug. 2017 5878-5884*
- Volume control**
- Zero Voltage Vector Sampling Method for PMSM Three-Phase Current Reconstruction Using Single Current Sensor. *Xu, Y.*, +, *TPEL May 2017 3797-3807*

W

Wave power generation

- Active Phase Control for Maximum Power Point Tracking of a Linear Wave Generator. *Park, J.S.*, +, *TPEL Oct. 2017 7651-7662*

Wavelet transforms

- On the Experimental Performance of a Coordinated Antiislanding Protection for Systems With Multiple DGUs. *Saleh, S.A.*, +, *TPEL Feb. 2017 1106-1123*
- SOC Estimation of Lithium-Ion Batteries With AEKF and Wavelet Transform Matrix. *Zhang, Z.*, +, *TPEL Oct. 2017 7626-7634*

Wide band gap semiconductors

- A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics. *Guan, Y.*, +, *TPEL April 2017 2876-2891*
- A 10-MHz eGaN Isolated Class- Φ_2 DCX. *Zhang, Z.*, +, *TPEL March 2017 2029-2040*
- A 2-kW Single-Phase Seven-Level Flying Capacitor Multilevel Inverter With an Active Energy Buffer. *Lei, Y.*, +, *TPEL Nov. 2017 8570-8581*
- A Capacitance-Minimized, Doubly Grounded Transformer less Photovoltaic Inverter With Inherent Active-Power Decoupling. *Xia, Y.*, +, *TPEL July 2017 5188-5201*
- A Digital Adaptive Driving Scheme for eGaN HEMTs in VHF Converters. *Zhang, Z.*, +, *TPEL Aug. 2017 6197-6205*
- A Dual-Mode Driver IC With Monolithic Negative Drive-Voltage Capability and Digital Current-Mode Controller for Depletion-Mode GaN HEMT. *Wen, Y.*, +, *TPEL Jan. 2017 423-432*
- A Family of High-Frequency Single-Switch DC-DC Converters With Low Switch Voltage Stress Based on Impedance Networks. *Lee, K.*, +, *TPEL April 2017 2913-2924*
- A High Power Density Series-Stacked Energy Buffer for Power Pulsation Decoupling in Single-Phase Converters. *Qin, S.*, +, *TPEL June 2017 4905-4924*
- Accurate Calorimetric Switching Loss Measurement for 900 V 10 m Ω SiC mosfets. *Anderson, J.A.*, +, *TPEL Dec. 2017 8963-8968*
- All-GaN-Integrated Cascode Heterojunction Field Effect Transistors. *Jiang, S.*, +, *TPEL Nov. 2017 8743-8750*
- An Analytical Model for False Turn-On Evaluation of High-Voltage Enhancement-Mode GaN Transistor in Bridge-Leg Configuration. *Xie, R.*, +, *TPEL Aug. 2017 6416-6433*
- An Isolated Bidirectional Single-Stage DC-AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification. *Wang, M.*, +, *TPEL March 2017 1832-1843*
- An Optimal Digital Pulse-Width-Modulated Dither Technique to Enhance the Resolution of High-Frequency Power Converters. *Fang, J.*, +, *TPEL Sept. 2017 7222-7232*
- Circuit Design Techniques for Reducing the Effects of Magnetic Flux on GaN-HEMTs in 5-MHz 100-W High Power-Density LLC Resonant DC-DC Converters. *Hariya, A.*, +, *TPEL Aug. 2017 5953-5963*
- Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices. *Kim, T.*, +, *TPEL March 2017 1917-1926*
- Forced Current Balancing of Parallel-Connected SiC JFETs During Forward and Reverse Conduction Mode. *Kokosis, S.G.*, +, *TPEL Feb. 2017 1400-1410*
- Intelligent Gate Drive for Fast Switching and Crosstalk Suppression of SiC Devices. *Zhang, Z.*, +, *TPEL Dec. 2017 9319-9332*
- Interleaved Resonant Boost Inverter Featuring SiC Module for High-Performance Induction Heating. *Sarnago, H.*, +, *TPEL Feb. 2017 1018-1029*
- Investigation of Gallium Nitride Devices in High-Frequency LLC Resonant Converters. *Zhang, W.*, +, *TPEL Jan. 2017 571-583*
- Methodology for Wide Band-Gap Device Dynamic Characterization. *Zhang, Z.*, +, *TPEL Dec. 2017 9307-9318*
- Model-Based Dead Time Optimization for Voltage-Source Converters Utilizing Silicon Carbide Semiconductors. *Zhang, Z.*, +, *TPEL Nov. 2017 8833-8844*
- Performance Evaluation of Split Output Converters With SiC MOSFETs and SiC Schottky Diodes. *Yan, Q.*, +, *TPEL Jan. 2017 406-422*

Physics-Based Analytical Model for Input, Output, and Reverse Capacitance of a GaN HEMT With the Field-Plate Structure. *Cucak, D.*, +, *TPEL March 2017 2189-2202*

PV-Module-Integrated AC Inverters (AC Modules) With Subpanel MPP Tracking. *Leuenerberger, D.*, +, *TPEL Aug. 2017 6105-6118*

Reliability of Ag Sintering for Power Semiconductor Die Attach in High-Temperature Applications. *Yu, F.*, +, *TPEL Sept. 2017 7083-7095*

Short-Circuit Degradation of 10-kV 10-A SiC MOSFET. *Eni, E.*, +, *TPEL Dec. 2017 9342-9354*

SiC-Based Z-Source Resonant Converter With Constant Frequency and Load Regulation for EV Wireless Charger. *Zeng, H.*, +, *TPEL Nov. 2017 8813-8822*

Single-Pulse Avalanche Mode Robustness of Commercial 1200 V/80 mΩ SiC MOSFETs. *Kelley, M.D.*, +, *TPEL Aug. 2017 6405-6415*

The Benefits of SiC mosfets in a T-Type Inverter for Grid-Tie Applications. *Anthony, A.*, +, *TPEL April 2017 2808-2821*

Theoretical and Experimental Study of 22 kV SiC Emitter Turn-OFF (ETO) Thyristor. *Song, X.*, +, *TPEL Aug. 2017 6381-6393*

Thermal Management and Electromagnetic Analysis for GaN Devices Packaging on DBC Substrate. *Yu, C.*, +, *TPEL Feb. 2017 906-910*

Ultrafast Reverse Recovery Time Measurement for Wide-Bandgap Diodes. *Mauch, D.L.*, +, *TPEL Dec. 2017 9333-9341*

Wind power

A Control Approach for a Small-Scale PMSG-Based WECS in the Whole Wind Speed Range. *Shafiei, A.*, +, *TPEL Dec. 2017 9117-9130*

An Approach for Switched Reluctance Generator in a Wind Generation System With a Wide Range of Operation Speed. *Barros, T.A.d.S.*, +, *TPEL Nov. 2017 8277-8292*

Offset-Free Direct Power Control of DFIG Under Continuous-Time Model Predictive Control. *Errouissi, R.*, +, *TPEL March 2017 2265-2277*

Wind power plants

A Control Approach for a Small-Scale PMSG-Based WECS in the Whole Wind Speed Range. *Shafiei, A.*, +, *TPEL Dec. 2017 9117-9130*

A Medium-Frequency Transformer-Based Wind Energy Conversion System Used for Current-Source Converter-Based Offshore Wind Farm. *Wei, Q.*, +, *TPEL Jan. 2017 248-259*

A Novel Contra-Rotating Power Split Transmission System for Wind Power Generation and Its Dual MPPT Control Strategy. *Luo, X.*, +, *TPEL Sept. 2017 6924-6935*

An Approach for Switched Reluctance Generator in a Wind Generation System With a Wide Range of Operation Speed. *Barros, T.A.d.S.*, +, *TPEL Nov. 2017 8277-8292*

Analysis of the Behavior of Undamped and Unstable High-Frequency Resonance in a DFIG System. *Song, Y.*, +, *TPEL Dec. 2017 9105-9116*

Analytical Method for DFIG Transients During Voltage Dips. *Yang, S.*, +, *TPEL Sept. 2017 6863-6881*

Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C.*, +, *TPEL July 2017 5227-5247*

Compensation of Magnetizing Current for Enhanced Operation of DFIG Under Grid Unbalance. *Asha Rani, M.A.*, +, *TPEL July 2017 5214-5226*

High-Frequency Resonance Damping of DFIG-Based Wind Power System Under Weak Network. *Song, Y.*, +, *TPEL March 2017 1927-1940*

Mixed-Integer-Linear-Programming-Based Energy Management System for Hybrid PV-Wind-Battery Microgrids: Modeling, Design, and Experimental Verification. *Luna, A.C.*, +, *TPEL April 2017 2769-2783*

Overview of DFIG-Based Wind Power System Resonances Under Weak Networks. *Song, Y.*, +, *TPEL June 2017 4370-4394*

Three-Vector-Based Low-Complexity Model Predictive Direct Power Control Strategy for Doubly Fed Induction Generators. *Wang, X.*, +, *TPEL Jan. 2017 773-782*

Wind turbines

A Control Strategy for Reliable Power Output From a Stand-alone WRIG With Battery-Supported DC Link. *Rudraraju, V.R.R.*, +, *TPEL June 2017 4334-4343*

A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected

Converters in Wind Turbines. *Freijedo, F.D.*, +, *TPEL Oct. 2017 8218-8228*

Analytical Method for DFIG Transients During Voltage Dips. *Yang, S.*, +, *TPEL Sept. 2017 6863-6881*

Computationally Efficient DMPC for Three-Level NPC Back-to-Back Converters in Wind Turbine Systems With PMSG. *Zhang, Z.*, +, *TPEL Oct. 2017 8018-8034*

DC-Link Control Filtering Options for Torque Ripple Reduction in Low-Power Wind Turbines. *Pena-Alzola, R.*, +, *TPEL June 2017 4812-4826*

Inductance-Emulating Control for DFIG-Based Wind Turbine to Ride-Through Grid Faults. *Zhu, D.*, +, *TPEL Nov. 2017 8514-8525*

Robust DC-Link Voltage Control of a Full-Scale PMSG Wind Turbine for Effective Integration in DC Grids. *Davari, M.*, +, *TPEL May 2017 4021-4035*

Switching Frequency Dynamic Control for DFIG Wind Turbine Performance Improvement Around Synchronous Speed. *Xiang, D.*, +, *TPEL Sept. 2017 7271-7283*

Windings

A High-Q In-Silicon Power Inductor Designed for Wafer-Level Integration of Compact DC–DC Converters. *Li, J.*, +, *TPEL May 2017 3858-3867*

Two-Dimensional Gapping to Reduce Light-Load Loss of Point-of-Load Inductor. *Ge, T.*, +, *TPEL Jan. 2017 540-550*

Wireless channels

Full-Duplex Communication on the Shared Channel of a Capacitively Coupled Power Transfer System. *Su, Y.*, +, *TPEL April 2017 3229-3239*

Wireless sensor networks

Autonomous Wideband Piezoelectric Energy Harvesting Utilizing a Resonant Inverter. *Stein, A.L.F.*, +, *TPEL Aug. 2017 6178-6187*

Wires (electric)

Enhanced Instantaneous Power Theory for Control of Grid Connected Voltage Sourced Converters Under Unbalanced Conditions. *Montanari, A.A.*, +, *TPEL Aug. 2017 6652-6660*

Z

Zero current switching

A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics. *Guan, Y.*, +, *TPEL April 2017 2876-2891*

A Boost PFC Stage Utilized as Half-Bridge Converter for High-Efficiency DC–DC Stage in Power Supply Unit. *Baek, J.*, +, *TPEL Oct. 2017 7449-7457*

A Dual Series-Resonant DC–DC Converter. *Tahavorgar, A.*, +, *TPEL May 2017 3708-3718*

A Family of DC Transformer (DCX) Topologies Based on New ZVZCS Cells With DC Resonant Capacitance. *Qin, W.*, +, *TPEL April 2017 2822-2834*

A Hybrid ZVZCS Dual-Transformer-Based Full-Bridge Converter Operating in DCM for MVDC Grids. *Ning, G.*, +, *TPEL July 2017 5162-5170*

A Novel Soft Switching Bidirectional DC–DC Converter Using Magnetic and Capacitive Hybrid Power Transfer. *Ishigaki, M.*, +, *TPEL Sept. 2017 6961-6970*

A Quasi-Resonant Current-Fed Converter With Minimum Switching Losses. *Salehi Dobakhshari, S.*, +, *TPEL Jan. 2017 353-362*

A Sensitivity-Improved PFM LLC Resonant Full-Bridge DC–DC Converter With LC Antiresonant Circuitry. *Mishima, T.*, +, *TPEL Jan. 2017 310-324*

A Single-Stage High-Frequency Resonant AC/AC Converter. *Luo, Q.*, +, *TPEL March 2017 2155-2166*

An LLC Converter Family With Auxiliary Switch for Hold-Up Mode Operation. *Wang, H.*, +, *TPEL June 2017 4291-4306*

An Average Input Current Sensing Method of LLC Resonant Converters for Automatic Burst Mode Control. *Chen, J.*, +, *TPEL April 2017 3263-3272*

An Electrolytic Capacitorless Bidirectional EV Charger for V2G and V2H Applications. *Kwon, M.*, +, *TPEL Sept. 2017 6792-6799*

An Isolated Bidirectional Single-Stage DC–AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification. *Wang, M.*, +, *TPEL March 2017 1832-1843*

- Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control. *Alonso, J.M.*, +, *TPEL Dec. 2017 9179-9190*
- Analysis and Optimization of Switched Capacitor Power Conversion Circuits With Parasitic Resistances and Inductances. *Ye, Y.*, +, *TPEL March 2017 2018-2028*
- Analysis, Design, and Implementation of an APWM ZVZCS Full-Bridge DC–DC Converter for Battery Charging in Electric Vehicles. *Kanamarlapudi, V.R.K.*, +, *TPEL Aug. 2017 6145-6160*
- Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C.*, +, *TPEL July 2017 5227-5247*
- Comprehensive Analysis of Three-Phase Three-Level LC-Type Resonant DC/DC Converter With Variable Frequency Control—Series Resonant Converter. *Liu, F.*, +, *TPEL July 2017 5122-5131*
- Design and Analysis of a Novel ZVZCT Boost Converter With Coupling Effect. *Zhang, X.*, +, *TPEL Dec. 2017 8992-9000*
- Design and Experimental Testing of a Resonant DC–DC Converter for Solid-State Transformers. *Ortiz, G.*, +, *TPEL Oct. 2017 7534-7542*
- Design and Implementation of a High-Efficiency Multiple Output Charger Based on the Time-Division Multiple Control Technique. *Tran, V.*, +, *TPEL Feb. 2017 1210-1219*
- Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation. *Reichl, J.*, +, *TPEL Jan. 2017 503-514*
- Dual-Bridge LLC Resonant Converter With Fixed-Frequency PWM Control for Wide Input Applications. *Sun, X.*, +, *TPEL Jan. 2017 69-80*
- Extension of Soft-Switching Region of Dual-Active-Bridge Converter by a Tunable Resonant Tank. *Yaqoob, M.*, +, *TPEL Dec. 2017 9093-9104*
- Higher Order Compensation for Inductive-Power-Transfer Converters With Constant-Voltage or Constant-Current Output Combating Transformer Parameter Constraints. *Qu, X.*, +, *TPEL Jan. 2017 394-405*
- Modulation Method of a Full-Bridge Three-Level LLC Resonant Converter for Battery Charger of Electrical Vehicles. *Haga, H.*, +, *TPEL April 2017 2498-2507*
- Multiobjective Optimization of Medium-Frequency Transformers for Isolated Soft-Switching Converters Using a Genetic Algorithm. *Garcia-Bediga, A.*, +, *TPEL April 2017 2995-3006*
- Single-Phase Single-Stage Isolated ZCS Current-Fed Full-Bridge Converter for High-Power AC/DC Applications. *Li, C.*, +, *TPEL Sept. 2017 6800-6812*
- Single-Stage Single-Switch Four-Output Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL June 2017 4566-4576*
- Single-Switch Quasi-Resonant DC–DC Converter for a Pulsed Plasma Thruster of Satellites. *Kang, B.*, +, *TPEL June 2017 4503-4513*
- Zero voltage switching**
- A 1 MHz Half-Bridge Resonant DC/DC Converter Based on GaN FETs and Planar Magnetics. *Guan, Y.*, +, *TPEL April 2017 2876-2891*
- A Boost PFC Stage Utilized as Half-Bridge Converter for High-Efficiency DC–DC Stage in Power Supply Unit. *Baek, J.*, +, *TPEL Oct. 2017 7449-7457*
- A Current-Fed Isolated Bidirectional DC–DC Converter. *Sun, X.*, +, *TPEL Sept. 2017 6882-6895*
- A DC-Voltage-Controlled Variable Capacitor for Stabilizing the ZVS Frequency of a Resonant Converter for Wireless Power Transfer. *Tian, J.*, +, *TPEL March 2017 2312-2318*
- A Dual Series-Resonant DC–DC Converter. *Tahavorgar, A.*, +, *TPEL May 2017 3708-3718*
- A Family of DC Transformer (DCX) Topologies Based on New ZVZCS Cells With DC Resonant Capacitance. *Qin, W.*, +, *TPEL April 2017 2822-2834*
- A Family of High-Frequency Single-Switch DC–DC Converters With Low Switch Voltage Stress Based on Impedance Networks. *Lee, K.*, +, *TPEL April 2017 2913-2924*
- A Frequency Adaptive Phase Shift Modulation Control Based LLC Series Resonant Converter for Wide Input Voltage Applications. *Shakib, S.M.S.I.*, +, *TPEL Nov. 2017 8360-8370*
- A High-Efficiency Asymmetrical Half-Bridge Converter With Integrated Boost Converter in Secondary Rectifier. *Han, J.*, +, *TPEL Nov. 2017 8237-8242*
- A Hybrid ZVZCS Dual-Transformer-Based Full-Bridge Converter Operating in DCM for MVDC Grids. *Ning, G.*, +, *TPEL July 2017 5162-5170*
- A Novel Soft Switching Bidirectional DC–DC Converter Using Magnetic and Capacitive Hybrid Power Transfer. *Ishigaki, M.*, +, *TPEL Sept. 2017 6961-6970*
- A Novel ZVS Range Enhancement Technique of a High-Voltage Dual Active Bridge Converter Using Series Injection. *Tripathi, A.K.*, +, *TPEL June 2017 4231-4245*
- A Power Supply Achieving Titanium Level Efficiency for a Wide Range of Input Voltages. *Konrad, W.*, +, *TPEL Jan. 2017 117-127*
- A Quasi-Resonant Current-Fed Converter With Minimum Switching Losses. *Salehi Dobakhshari, S.*, +, *TPEL Jan. 2017 353-362*
- A Sensitivity-Improved PFM LLC Resonant Full-Bridge DC–DC Converter With LC Antiresonant Circuitry. *Mishima, T.*, +, *TPEL Jan. 2017 310-324*
- A Series Resonant Filament Power Supply with Variable Structure and Oscillation-Free Switching Strategy for High-Voltage Accelerator Application. *Chen, Y.*, +, *TPEL Nov. 2017 8229-8236*
- A Single-Stage High-Frequency Resonant AC/AC Converter. *Luo, Q.*, +, *TPEL March 2017 2155-2166*
- A Soft-Switching Bridgeless AC–DC Power Factor Correction Converter. *Alam, M.*, +, *TPEL Oct. 2017 7716-7726*
- A Synchronous Buck DC–DC Converter Using a Novel Dual-Mode Control Scheme to Improve Efficiency. *Wang, J.*, +, *TPEL Sept. 2017 6983-6993*
- A T-Type Isolated Zero Voltage Switching DC–DC Converter With Capacitive Output. *Bandeira, D.G.*, +, *TPEL June 2017 4210-4218*
- A Wide Load Range ZVS Push–Pull DC/DC Converter With Active Clamped. *Wu, Q.*, +, *TPEL April 2017 2865-2875*
- Accurate ZVS Analysis for Magnetic Design and Efficiency Improvement of Full-Bridge LLC Resonant Converter. *Kundu, U.*, +, *TPEL March 2017 1703-1706*
- An LLC Converter Family With Auxiliary Switch for Hold-Up Mode Operation. *Wang, H.*, +, *TPEL June 2017 4291-4306*
- An Isolated Bidirectional Single-Stage DC–AC Converter Using Wide-Band-Gap Devices With a Novel Carrier-Based Unipolar Modulation Technique Under Synchronous Rectification. *Wang, M.*, +, *TPEL March 2017 1832-1843*
- Analysis and Arm Voltage Control of Isolated Modular Multilevel DC–DC Converter with Asymmetric Branch Impedance. *Sun, C.*, +, *TPEL Aug. 2017 5978-5990*
- Analysis and Design of SQR-Based High-Voltage LLC Resonant DC–DC Converter. *Singh, A.K.*, +, *TPEL June 2017 4466-4481*
- Analysis and Experiments on a Single-Inductor Half-Bridge LED Driver With Magnetic Control. *Alonso, J.M.*, +, *TPEL Dec. 2017 9179-9190*
- Analysis and Optimization of Switched Capacitor Power Conversion Circuits With Parasitic Resistances and Inductances. *Ye, Y.*, +, *TPEL March 2017 2018-2028*
- Analysis of Bidirectional Piezoelectric-Based Converters for Zero-Voltage Switching Operation. *Ekhtiari, M.*, +, *TPEL Jan. 2017 866-877*
- Analysis, Design, and Implementation of an APWM ZVZCS Full-Bridge DC–DC Converter for Battery Charging in Electric Vehicles. *Kanamarlapudi, V.R.K.*, +, *TPEL Aug. 2017 6145-6160*
- Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. *Wang, C.*, +, *TPEL July 2017 5227-5247*
- Closed-Form Solution for Efficient ZVS Modulation of DAB Converters. *Everts, J.*, *TPEL Oct. 2017 7561-7576*
- Comparative η – ρ – σ Pareto Optimization of Si and SiC Multilevel Dual-Active-Bridge Topologies With Wide Input Voltage Range. *Burkart, R.M.*, +, *TPEL July 2017 5258-5270*
- Comprehensive Analysis of Three-Phase Three-Level LC-Type Resonant DC/DC Converter With Variable Frequency Control—Series Resonant Converter. *Liu, F.*, +, *TPEL July 2017 5122-5131*
- Design and Analysis of a Novel ZVZCT Boost Converter With Coupling Effect. *Zhang, X.*, +, *TPEL Dec. 2017 8992-9000*

- Design and Implementation of a High-Efficiency Multiple Output Charger Based on the Time-Division Multiple Control Technique. *Tran, V.*, +, *TPEL Feb. 2017 1210-1219*
- Design and Steady-State Analysis of Parallel Resonant DC–DC Converter for High-Voltage Power Generator. *Hsu, W.*, +, *TPEL Feb. 2017 957-966*
- Design Optimization of Hybrid-Switch Soft-Switching Inverters Using Multiscale Electrothermal Simulation. *Reichl, J.*, +, *TPEL Jan. 2017 503-514*
- Dual-Bridge LLC Resonant Converter With Fixed-Frequency PWM Control for Wide Input Applications. *Sun, X.*, +, *TPEL Jan. 2017 69-80*
- Dynamic Optimum Dead Time in Piezoelectric Transformer-Based Switch-Mode Power Supplies. *Ekhtiari, M.*, +, *TPEL Jan. 2017 783-793*
- Extension of Soft-Switching Region of Dual-Active-Bridge Converter by a Tunable Resonant Tank. *Yaqoob, M.*, +, *TPEL Dec. 2017 9093-9104*
- Higher Order Compensation for Inductive-Power-Transfer Converters With Constant-Voltage or Constant-Current Output Combating Transformer Parameter Constraints. *Qu, X.*, +, *TPEL Jan. 2017 394-405*
- Interleaved LLC Resonant Converter With Hybrid Rectifier and Variable-Frequency Plus Phase-Shift Control for Wide Output Voltage Range Applications. *Wu, H.*, +, *TPEL June 2017 4246-4257*
- Isolated Double Step-Down DC–DC Converter With Improved ZVS Range and No Transformer Saturation Problem. *Kim, S.*, +, *TPEL March 2017 1792-1804*
- Load-Dependent Soft-Switching Method of Half-Bridge Current Doubler for High-Voltage Point-of-Load Converter in Data Center Power Supplies. *Cui, Y.*, +, *TPEL April 2017 2925-2938*
- Minimum-RMS-Current Operation of Asymmetric Dual Active Half-Bridge Converters With and Without ZVS. *Chakraborty, S.*, +, *TPEL July 2017 5132-5145*
- Modeling and Optimization of a Zero-Voltage Switching Inverter for High Efficiency and Miniaturization. *Du, C.*, +, *TPEL Jan. 2017 150-163*
- Multiobjective Optimization of Medium-Frequency Transformers for Isolated Soft-Switching Converters Using a Genetic Algorithm. *Garcia-Bediga, A.*, +, *TPEL April 2017 2995-3006*
- Performance Analysis of the Zero-Voltage Vector Distribution in Three-Phase Four-Switch Converter Using a Space Vector Approach. *Zeng, Z.*, +, *TPEL Jan. 2017 260-273*
- Self-Tuning Power Supply for Inductive Charging. *Kamineni, A.*, +, *TPEL May 2017 3467-3479*
- Single-Stage Single-Switch Four-Output Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL June 2017 4566-4576*
- Single-Switch High-Frequency DC–DC Converter Using Parasitic Components. *Chung, E.*, +, *TPEL May 2017 3651-3661*
- Six Degrees of Freedom Wide-Range Ubiquitous IPT for IoT by DQ Magnetic Field. *Lee, E.S.*, +, *TPEL Nov. 2017 8258-8276*
- Three-Level TAIPEI Rectifier—Analysis of Operation, Design Considerations, and Performance Evaluation. *Jang, Y.*, +, *TPEL Feb. 2017 942-956*
- Triple Phase Shift Control of an LLL Tank Based Bidirectional Dual Active Bridge Converter. *Muthuraj, S.S.*, +, *TPEL Oct. 2017 8035-8053*
- Two-Switch Forward Converter With Reset Winding and an Auxiliary Active-Clamp Circuit for a Wide Input Voltage Range. *Jang, P.*, +, *TPEL June 2017 4491-4502*
- Unified Boundary Trapezoidal Modulation Control Utilizing Fixed Duty Cycle Compensation and Magnetizing Current Design for Dual Active Bridge DC–DC Converter. *Xu, G.*, +, *TPEL March 2017 2243-2252*
- Variable-Switching-Frequency State-Feedback Control of a Phase-Shifted Full-Bridge DC/DC Converter. *Mallik, A.*, +, *TPEL Aug. 2017 6523-6531*
- Zero-Voltage-Transition Interleaved Boost Converter With an Auxiliary Coupled Inductor. *Yi, J.*, +, *TPEL Aug. 2017 5917-5930*
- ZVS Soft Switching Boundaries for Dual Active Bridge DC–DC Converters Using Frequency Domain Analysis. *Riedel, J.*, +, *TPEL April 2017 3166-3179*