2020 Index
IEEE Transactions on Power Electroincs
Vol. 35

This index covers all technical items—papers, correspondence, reviews, etc.—that appeared in this periodical during 2020, and items from previous years that were commented upon or corrected in 2020. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

Author Index

A

Aaen, P.H., *see* Matei, C., *TPEL Aug. 2020 8303-8310*

Abbas, S., *see* Wang, Q., *TPEL May 2020 4741-4755*

Abbasi, M., and Lam, J., A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications; *TPEL Oct. 2020 10323-10337*

Abbou, A., *see* Mousmi, A., *TPEL April 2020 3859-3868*

Abdelhakim, A., *see* Hassan, M.S., *TPEL Sept. 2020 9824-9838*

Abdelhamid, E., Corradini, L., Mattavelli, P., Bonanno, G., and Agostinelli, M., Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters; *TPEL March 2020 3208-3220*

Abdelmessih, G.Z., Alonso, J.M., Dalla Costa, M.A., Chen, Y., and Tsai, W., Fully Integrated Buck and Boost Converter as a High Efficiency, High-Power-Density Off-Line LED Driver; *TPEL Nov. 2020 12238-12251*

Abdollahi, M., Candela, J.I., Rocabert, J., Elsaharty, M.A., and Rodriguez, P., Novel Analytical Method for Dynamic Design of Renewable SSG SPC Unit to Mitigate Low-Frequency Electromechanical Oscillations; *TPEL July 2020 7532-7544*

Abdullah, Y., *see* Lyu, X., *TPEL Sept. 2020 8926-8933*

Abido, M.A., *see* Salem, A., *TPEL March 2020 2871-2881*

Abootorabi Zarchi, H., *see* Ayaz Khoshhava, M., *TPEL July 2020 6658-6662*

Abuelnaga, A., *see* Ni, Z., *TPEL Nov. 2020 11533-11543*

Abuogo, J., *see* Ke, J., *TPEL April 2020 3963-3972*

Abusorrah, A., *see* Matas, J., *TPEL June 2020 5797-5811*

Abusorrah, A.M., *see* Golestan, S., *TPEL April 2020 3558-3572*

Achary, R.K., Durgaprasanth, S., Nagamani, C., and Ilango, G.S., A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor; *TPEL March 2020 2809-2818*

Acharya, S., and Mishra, S.K., Interleaved Current-Fed Switched Inverter; *TPEL July 2020 7015-7030*

Adda, R., *see* Nandi, P., *TPEL Nov. 2020 11965-11975*

Afridi, K.K., *see* Khatua, M., *TPEL Oct. 2020 10396-10412*

Afshar, M., Tabesh, A., Ebrahimi, M., and Khajehoddin, S.A., Stator Short-Circuit Fault Detection and Location Methods for Brushless DFIMs Using Nested-Loop Rotor Slot Harmonics; *TPEL Aug. 2020 8559-8568*

Agamy, M., *see* Khan, A.A., *TPEL Feb. 2020 1269-1281*

Agamy, M., *see* Khan, A.A., *TPEL Aug. 2020 7933-7946*

Agarwal, V., *see* Aquib, M., *TPEL Jan. 2020 393-402*

Agarwal, V., *see* Kurm, S., *TPEL Nov. 2020 12133-12142*

Agelidis, V.G., *see* Song, K., *TPEL March 2020 2501-2518*

Aghaei, M., Mohsenzade, S., and Kaboli, S., On the Calculation of the Leakage Inductance in Transformers With Nonideal Windings; *TPEL Aug. 2020 8460-8471*

Agostinelli, M., *see* Abdelhamid, E., *TPEL March 2020 3208-3220*

Ahmad, A., *see* Quraan, M., *TPEL July 2020 7160-7174*

Ahmad, A., *see* Shiluveru, K., *TPEL July 2020 7246-7260*

Ahmed, M.R., *see* Zhao, H., *TPEL July 2020 7545-7562*

Ahmed, M.R., *see* Shahjalal, M., *TPEL Sept. 2020 9082-9094*

Ahmed, M.S., and Fayed, A.A., A Current-Mode Delay-Based Hysteretic Buck Regulator With Enhanced Efficiency at Ultra-Light Loads for Low-Power Microcontrollers; *TPEL Jan. 2020 471-483*

Ahmed, R., *see* Xiao, D., *TPEL Nov. 2020 12332-12346*

Ahmed, S., *see* Murphree, R.C., *TPEL Jan. 2020 913-923*

Ahn, D., *see* Kim, D., *TPEL Aug. 2020 7853-7862*

Ahn, D., *see* Kim, D., *TPEL Nov. 2020 11391-11400*

Ai, J., Lin, M., and Yin, M., A Family of High Step-Up Cascade DC–DC Converters With Clamped Circuits; *TPEL May 2020 4819-4834*

Ai, Y., *see* Liu, J., *TPEL May 2020 4791-4803*

Ai, Y., *see* Zhao, N., *TPEL June 2020 6559-6571*

Akagi, H., *see* Haneda, R., *TPEL Oct. 2020 10013-10025*

Akbar, F., *see* Khan, A.A., *TPEL Aug. 2020 7933-7946*

Akhavan, A., Mohammadi, H.R., Vasquez, J.C., and Guerrero, J.M., Passivity-Based Design of Plug-and-Play Current-Controlled Grid-Connected Inverters; *TPEL Feb. 2020 2135-2150*

Akhavan, A., Vasquez, J.C., and Guerrero, J.M., A Simple Method for Passivity Enhancement of Current Controlled Grid-Connected Inverters; *TPEL Aug. 2020 7735-7741*

Akhtar, M.A., and Saha, S., An Adaptive Frequency-Fixed Second-Order Generalized Integrator-Quadrature Signal Generator Using Fractional-Order Conformal Mapping Based Approach; *TPEL June 2020 5548-5552*

Akin, B., *see* Yang, F., *TPEL June 2020 6315-6331*

Al Sabbagh, M., *see* Pan, J., *TPEL Oct. 2020 10137-10149*

Al-Emadi, N., *see* Meraj, M., *TPEL Dec. 2020 12816-12833*

Al-Greer, M., *see* Chen, C., *TPEL Aug. 2020 7804-7815*

Al-Turki, Y., *see* Golestan, S., *TPEL April 2020 3558-3572*

Al-Turki, Y., *see* Matas, J., *TPEL June 2020 5797-5811*

Alavi, P., *see* Marzang, V., *TPEL Oct. 2020 10489-10500*

Alavi, S.M.M., *see* Sadeghi, E., *TPEL Sept. 2020 9933-9942*

Albahrani, S.A., *see* Mahajan, D.D., *TPEL June 2020 6332-6339*

Albatran, S., Khalaileh, A.R.A., and Allabadi, A.S., Minimizing Total Harmonic Distortion of a Two-Level Voltage Source Inverter Using Optimal Third Harmonic Injection; *TPEL March 2020 3287-3297*

Albatran, S., *see* Koran, A., *TPEL July 2020 6830-6841*

Alenius, H., *see* Luhtala, R., *TPEL April 2020 3343-3347*

Alhaifi, K., *see* R, E., *TPEL June 2020 6397-6404*

Alharbi, M., *see* Hussein, A.A., *TPEL May 2020 4780-4790*

Ali, K., Dube, S.K., Das, P., Peng, J.C., and Rogers, D.J., Improvement of ZVS Range and Current Quality of the Nine-Switch Single-Stage AC–DC Converter; *TPEL May 2020 4658-4668*

Aliaskari, A., Zarei, B., Davari, S.A., Wang, F., and Kennel, R.M., A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor; *TPEL Jan. 2020 630-639*

Allabadi, A.S., *see* Albatran, S., *TPEL March 2020 3287-3297*

Allu, A., *see* Thakur, S.S., *TPEL Sept. 2020 9291-9305*

Almanza, M., *see* Pniak, L., *TPEL Dec. 2020 13172-13181*

Alonso, J.M., *see* Wei, Y., *TPEL Feb. 2020 2196-2207*

Alonso, J.M., *see* Wei, Y., *TPEL Sept. 2020 8872-8877*

Alonso, J.M., *see* Abdelmessih, G.Z., *TPEL Nov. 2020 12238-12251*

Alou, P., *see* Borovic, U., *TPEL Jan. 2020 33-47*

Alou, P., *see* Serrano, D., *TPEL May 2020 5319-5330*

Alou, P., *see* Delgado, A., *TPEL Aug. 2020 7884-7893*

Alou, P., *see* Delgado, A., *TPEL Nov. 2020 11453-11462*

Alshaeikh, H., *see* Matas, J., *TPEL June 2020 5797-5811*

Alsofyani, I.M., and Lee, K., Improved Transient-Based Overmodulation Method for Increased Torque Capability of Direct Torque Control With Constant Torque-Switching Regulator of Induction Machines; *TPEL April 2020 3928-3938*

Altin, N., *see* Wei, Y., *TPEL Feb. 2020 2196-2207*

AlZawaideh, A., and Boiko, I., Analysis of a Sliding Mode DC–DC Boost Converter Through LPRS of a Nonlinear Plant; *TPEL Nov. 2020 12321-12331*

Amin, I.K., *see* Uddin, M.N., *TPEL Feb. 2020 1742-1752*

Amin, I.K., and Uddin, M.N., Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme; *TPEL July 2020 7031-7044*

Amirabadi, M., *see* Mozaffari, K., *TPEL Aug. 2020 7972-7990*

Amiri, A., *see* Heydari, R., *TPEL Nov. 2020 12486-12496*

An, J., *see* Chen, L., *TPEL June 2020 5850-5859*

An, S., *see* Zhang, Q., *TPEL July 2020 7001-7014*

Andalibi, M., *see* Hajihosseini, M., *TPEL Oct. 2020 9971-9977*

Andersen, M.A.E., *see* Dou, Y., *TPEL May 2020 4472-4476*

Andersen, M.A.E., *see* Xiao, Y., *TPEL Nov. 2020 11988-12002*

Andresen, M., *see* Ko, Y., *TPEL Jan. 2020 220-231*

Andresen, M., *see* Ko, Y., *TPEL March 2020 2445-2457*

Andresen, M., *see* Raveendran, V., *TPEL April 2020 4205-4215*

Andresen, M., *see* Pugliese, S., *TPEL Oct. 2020 11039-11052*

Andreu, J., *see* Aretxabaleta, I., *TPEL Aug. 2020 8025-8033*

Annamalai, K., *see* Kuncham, S.K., *TPEL Sept. 2020 9510-9521*

Apte, A., Joshi, V.A., Mehta, H., and Walambe, R., Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller; *TPEL June 2020 6082-6090*

Aqil, M., and Hur, J., A Direct Redundancy Approach to Fault-Tolerant Control of BLDC Motor With a Damaged Hall-Effect Sensor; *TPEL Feb. 2020 1732-1741*

Aquib, M., Jain, S., and Agarwal, V., A Time-Based Global Maximum Power Point Tracking Technique for PV System; *TPEL Jan. 2020 393-402*

Arab Markadeh, G.R., *see* Ayaz Khoshhava, M., *TPEL July 2020 6658-6662*

Aretxabaleta, I., de Alegria, I.M., Garate, J.I., Matallana, A., and Andreu, J., Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter; *TPEL Aug. 2020 8025-8033*

Argeseanu, A., *see* Lascu, C., *TPEL May 2020 5057-5065*

Arghir, C., and Dorfler, F., The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques; *TPEL April 2020 4398-4410*

Arias, M., *see* Vazquez, A., *TPEL March 2020 3195-3207*

Armbruster, C., *see* Helmers, H., *TPEL Aug. 2020 7904-7909*

Arribas, J.R., *see* Zarei, M.E., *TPEL Jan. 2020 289-302*

Arya, S.R., *see* Gupta, J., *TPEL Oct. 2020 10810-10820*

Arza, J., *see* Garrido, D., *TPEL March 2020 2933-2942*

Ashok, S., *see* Jayaprakasan, S., *TPEL Oct. 2020 10690-10699*

Ashourloo, M., Namburi, V.R., Pique, G.V., Pigott, J., Bergveld, H.J., Sherif, A.E., and Trescases, O., Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications; *TPEL July 2020 7653-7663*

Assadi, S.A., Matsumoto, H., Moshirvaziri, M., Nasr, M., Zaman, M.S., and Trescases, O., Active Saturation Mitigation in High-Density Dual-Active-Bridge DC–DC Converter for On-Board EV Charger Applications; *TPEL April 2020 4376-4387*

Atallah, K., *see* Thakur, S.S., *TPEL Sept. 2020 9291-9305*

Avenas, Y., *see* Samavatian, V., *TPEL April 2020 4024-4032*

Avenas, Y., *see* Samavatian, V., *TPEL Sept. 2020 8956-8964*

Avestruz, A., *see* Zan, X., *TPEL Dec. 2020 12678-12685*

Avino-Salvado, O., *see* Fernandez, M., *TPEL May 2020 5221-5237*

Awal, M.A., Yu, H., Tu, H., Lukic, S.M., and Husain, I., Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids; *TPEL Jan. 2020 988-1001*

Awal, M.A., Yu, H., Husain, I., Yu, W., and Lukic, S.M., Selective Harmonic Current Rejection for Virtual Oscillator Controlled Grid-Forming Voltage Source Converters; *TPEL Aug. 2020 8805-8818*

Awal, M.A., Bipu, M.R.H., Montes, O.A., Feng, H., Husain, I., Yu, W., and Lukic, S., Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters; *TPEL Oct. 2020 11267-11276*

Aware, M.V., *see* Bhowate, A., *TPEL July 2020 7282-7294*

Ayala, M., *see* Kali, Y., *TPEL Nov. 2020 12570-12580*

Ayaz Khoshhava, M., Abootorabi Zarchi, H., and Arab Markadeh, G.R., Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines; *TPEL July 2020 6658-6662*

Ayyanar, R., *see* Wu, D., *TPEL Dec. 2020 13295-13307*

Azeem, S.W., *see* Zhang, K., *TPEL April 2020 3951-3962*

Azizkandi, M.E., Sedaghati, F., Shayeghi, H., and Blaabjerg, F., A High Voltage Gain DC–DC Converter Based on Three Winding Coupled Inductor and Voltage Multiplier Cell; *TPEL May 2020 4558-4567*

Azofeifa, O., *see* Barth, C.B., *TPEL Nov. 2020 12040-12052*

Azzopardi, S., *see* Weckbrodt, J., *TPEL Aug. 2020 8540-8549*

B

Babaei, E., *see* Jalilzadeh, T., *TPEL Nov. 2020 11902-11915*

Babaki, A., *see* Zakerian, A., *TPEL July 2020 6732-6740*

Bae, J., *see* Oh, H., *TPEL June 2020 5907-5917*

Baek, J., Kim, C., and Lee, J., Semiresonant Half-Bridge Zeta Converter With Reduced Turn-OFF Currents for High-Efficiency Power Supply; *TPEL May 2020 4547-4557*

Baghramian, A., *see* Hasanpour, S., *TPEL Aug. 2020 8088-8101*

Bahman, A.S., *see* Chang, Y., *TPEL March 2020 2237-2241*

Bahrami, A., Narimani, M., Norambuena, M., and Rodriguez, J., Current Control of a Seven-Level Voltage Source Inverter; *TPEL March 2020 2308-2316*

Bahrami, A., Norambuena, M., Narimani, M., and Rodriguez, J., Model Predictive Current Control of a Seven-Level Inverter With Reduced Computational Burden; *TPEL June 2020 5729-5740*

Bai, C., Han, B., Kwon, B., and Kim, M., Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages; *TPEL April 2020 3636-3650*

Bai, H., Luo, H., Liu, C., Paire, D., and Gao, F., A Device-Level Transient Modeling Approach for the FPGA-Based Real-Time Simulation of Power Converters; *TPEL Feb. 2020 1282-1292*

Bai, H., *see* Yan, Y., *TPEL July 2020 7506-7519*

Bai, J., *see* Shao, S., *TPEL Oct. 2020 10930-10944*

Bai, S., *see* Deng, X., *TPEL Aug. 2020 8524-8531*

Bai, Z., *see* Wang, B., *TPEL Jan. 2020 924-939*

Bai, Z., *see* Li, Z., *TPEL May 2020 5267-5278*

Bai, Z., *see* Wang, B., *TPEL Sept. 2020 8944-8955*

Bailey, C., *see* Shahjalal, M., *TPEL Sept. 2020 9082-9094*

Bajpai, P., *see* Shao, W., *TPEL Oct. 2020 10567-10579*

Bakas, P., Ilves, K., Okazaki, Y., Harnefors, L., Norrga, S., and Nee, H., Hybrid Alternate-Common Arm Converter With High Power Capability: Potential and Limitations; *TPEL Dec. 2020 12909-12928*

Bakhshai, A., *see* Kaviri, S.M., *TPEL Feb. 2020 1406-1424*

Bakhshai, A., *see* Hajebrahimi, H., *TPEL Nov. 2020 11612-11624*

Bakhshai, A., *see* Salari, O., *TPEL Dec. 2020 12846-12860*

Bakkaloglu, B., *see* Joshi, K., *TPEL Oct. 2020 10249-10259*

Bakkar, M., *see* Perise, J.S., *TPEL Oct. 2020 10906-10916*

Bakran, M., *see* Hofstetter, P., *TPEL June 2020 5692-5701*

Bala, S., *see* Lyu, X., *TPEL Sept. 2020 8926-8933*

Baliga, B.J., *see* Kanale, A., *TPEL June 2020 6350-6361*

Ban, Y., *see* Zhu, J., *TPEL May 2020 4847-4858*

Baneira, F., Doval-Gandoy, J., Yepes, A.G., and Lopez, O., DC-Current Injection With Minimum Torque Ripple in Interior Permanent-Magnet Synchronous Motors; *TPEL Feb. 2020 1176-1181*

Banerjee, A., *see* Huynh, P.T., *TPEL May 2020 4767-4779*

Bao, J., *see* Chu, E., *TPEL Feb. 2020 1392-1405*

Bao, J., *see* Chu, E., *TPEL May 2020 4859-4876*

Bao, Y., *see* Xu, Z., *TPEL Jan. 2020 733-743*

Bao, Z., *see* Song, Z., *TPEL June 2020 6185-6197*

Baraia-Etxaburu, I., *see* Garrido, D., *TPEL March 2020 2933-2942*

Barbi, I., *see* Schramm Dall'Asta, M., *TPEL Dec. 2020 13115-13125*

Barlow, M., *see* Murphree, R.C., *TPEL Jan. 2020 913-923*
Barrado, A., *see* Rodriguez-Lorente, A., *TPEL Nov. 2020 11942-11954*
Barrenetxea, M., *see* Garrido, D., *TPEL March 2020 2933-2942*
Barros, T.A.d.S., *see* Neto, P.J.d.S., *TPEL Nov. 2020 12472-12485*
Barth, C.B., Foulkes, T., Azofeifa, O., Colmenares, J., Coulson, K., Miljkovic, N., and Pilawa-Podgurski, R.C.N., Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures; *TPEL Nov. 2020 12040-12052*
Barth, C.B., *see* Modeer, T., *TPEL Nov. 2020 12153-12165*
Barzegarkhoo, R., Siwakoti, Y.P., and Blaabjerg, F., A New Switched-Capacitor Five-Level Inverter Suitable for Transformerless Grid-Connected Applications; *TPEL Aug. 2020 8140-8153*
Basu, K., *see* Pal, A., *TPEL April 2020 3601-3615*
Basu, K., *see* Mazumdar, S., *TPEL Sept. 2020 9267-9280*
Basu, K., *see* Pal, A., *TPEL Nov. 2020 11758-11769*
Batard, C., *see* Weckbrodt, J., *TPEL Aug. 2020 8540-8549*
Batarseh, I., *see* Hussein, A.A., *TPEL May 2020 4780-4790*
Batarseh, I., *see* Bhattacharjee, A.K., *TPEL May 2020 4804-4818*
Bau, P., Cousineau, M., Cougo, B., Richardeau, F., and Rouger, N., CMOS Active Gate Driver for Closed-Loop d*v*/d*t* Control of GaN Transistors; *TPEL Dec. 2020 13322-13332*
Bauer, E., *see* Potty, K.A., *TPEL Jan. 2020 957-967*
Baumler, C., *see* Liu, X., *TPEL Oct. 2020 10789-10798*
Bazzi, A.M., *see* Chen, W., *TPEL April 2020 4048-4062*
Beck, Y., *see* Singer, S., *TPEL Feb. 2020 1425-1439*
Benigni, A., *see* Milton, M., *TPEL Sept. 2020 9850-9864*
Beniwal, N., Pou, J., Ceballos, S., Townsend, C.D., Konstantinou, G., Tafti, H.D., and Farivar, G.G., Feedforward Modulation for the Neutral-Point-Clamped Converter With Confined Capacitor Voltage Ripples and Reduced Switching Power Losses; *TPEL April 2020 4426-4438*
Beniwal, N., *see* Rodriguez, E., *TPEL Aug. 2020 8819-8832*
Beniwal, N., Townsend, C.D., Farivar, G.G., Pou, J., Ceballos, S., and Tafti, H.D., Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters; *TPEL Sept. 2020 9737-9752*
Benjelloun, K., *see* Kali, Y., *TPEL Nov. 2020 12570-12580*
Berger, M., Kocar, I., Fortin-Blanchette, H., and Lavertu, C., Open-Phase Fault-Tolerant Operation of the Three-Phase Dual Active Bridge Converter; *TPEL April 2020 3651-3662*
Bergveld, H.J., *see* Ashourloo, M., *TPEL July 2020 7653-7663*
Bernardoni, M., *see* Pribahsnik, F.P., *TPEL Oct. 2020 10873-10878*
Bertoni, N., *see* Pareschi, F., *TPEL May 2020 5304-5318*
Bessegato, L., Ilves, K., Harnefors, L., Norrga, S., and Ostlund, S., Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies; *TPEL March 2020 2411-2423*
Bevilacqua, A., *see* Marconi, S., *TPEL March 2020 2764-2775*
Bevrani, H., *see* Karimi, A., *TPEL April 2020 4321-4331*
Bevrani, H., *see* Naderi, M., *TPEL May 2020 4728-4740*
Bevrani, H., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Bevrani, H., *see* Naderi, M., *TPEL Nov. 2020 11801-11812*
Beyragh, D.S., *see* Falconar, N., *TPEL Dec. 2020 13554-13562*
Bhaskar, M.S., *see* Meraj, M., *TPEL Dec. 2020 12816-12833*
Bhat, A.H., *see* Mir, T.N., *TPEL Jan. 2020 968-976*
Bhattacharjee, A.K., and Batarseh, I., Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter; *TPEL May 2020 4804-4818*
Bhowate, A., Aware, M.V., and Sharma, S., Predictive Torque Control Algorithm for a Five-Phase Induction Motor Drive for Reduced Torque Ripple With Switching Frequency Control; *TPEL July 2020 7282-7294*
Bi, G., Wang, G., Zhang, G., Zhao, N., and Xu, D., Low-Noise Initial Position Detection Method for Sensorless Permanent Magnet Synchronous Motor Drives; *TPEL Dec. 2020 13333-13344*
Bi, T., *see* Yang, Z., *TPEL Oct. 2020 10352-10362*
Bian, S., *see* Qian, Q., *TPEL May 2020 5479-5495*
Bian, Z., *see* Dang, K., *TPEL March 2020 2247-2252*
Bian, Z., Zhang, Z., and Yu, L., Synchronous Commutation Control of Doubly Salient Motor Drive With Adaptive Angle Optimization; *TPEL June 2020 6070-6081*
Biel, D., *see* Repecho, V., *TPEL Feb. 2020 2222-2232*
Biela, J., *see* Burkard, J., *TPEL April 2020 3543-3557*
Bien, F., *see* Seo, S., *TPEL May 2020 4518-4532*
Bipu, M.R.H., *see* Awal, M.A., *TPEL Oct. 2020 11267-11276*
Birth, A., Geyer, T., Mouton, H.d.T., and Dorfling, M., Generalized Three-Level Optimal Pulse Patterns With Lower Harmonic Distortion; *TPEL June 2020 5741-5752*
Bisogno, F.E., *see* Menke, M.F., *TPEL Dec. 2020 12686-12701*
Biswas, R., and Routray, A., Application of EMR Signature in Health Assessment and Monitoring of IGBT-Based Converters; *TPEL Feb. 2020 1899-1906*
Bizzarri, F., Nora, P., and Brambilla, A., Load Transient Response Analysis of Constant On-Time DC–DC Converters Using a State-Variables Approach; *TPEL May 2020 4489-4499*
Blaabjerg, F., *see* Wang, H., *TPEL Jan. 2020 6-9*
Blaabjerg, F., *see* Zheng, C., *TPEL Jan. 2020 1086-1095*
Blaabjerg, F., *see* Shen, Y., *TPEL Jan. 2020 882-900*
Blaabjerg, F., *see* Liu, Y., *TPEL Jan. 2020 775-788*
Blaabjerg, F., *see* Ma, J., *TPEL Jan. 2020 977-987*
Blaabjerg, F., *see* Zheng, C., *TPEL Feb. 2020 1967-1977*
Blaabjerg, F., *see* Yang, D., *TPEL Feb. 2020 1473-1483*
Blaabjerg, F., *see* Wang, H., *TPEL Feb. 2020 1805-1829*
Blaabjerg, F., *see* Dragicevic, T., *TPEL Feb. 2020 1934-1946*
Blaabjerg, F., *see* Zeng, Z., *TPEL Feb. 2020 1866-1881*
Blaabjerg, F., *see* Chang, Y., *TPEL March 2020 2237-2241*
Blaabjerg, F., *see* Han, Y., *TPEL March 2020 3221-3241*
Blaabjerg, F., *see* Zhao, R., *TPEL March 2020 2263-2267*
Blaabjerg, F., *see* Tang, Z., *TPEL March 2020 2571-2584*
Blaabjerg, F., *see* Yao, W., *TPEL March 2020 3114-3126*
Blaabjerg, F., *see* Zeng, Z., *TPEL April 2020 3973-3988*
Blaabjerg, F., *see* Chou, S., *TPEL April 2020 3519-3529*
Blaabjerg, F., *see* Duan, Y., *TPEL April 2020 3989-3996*
Blaabjerg, F., *see* Karimi, A., *TPEL April 2020 4321-4331*
Blaabjerg, F., *see* Lascu, C., *TPEL May 2020 5057-5065*
Blaabjerg, F., *see* Naderi, M., *TPEL May 2020 4728-4740*
Blaabjerg, F., *see* Xu, Q., *TPEL May 2020 5331-5342*
Blaabjerg, F., *see* Azizkandi, M.E., *TPEL May 2020 4558-4567*
Blaabjerg, F., *see* Xu, Q., *TPEL May 2020 5397-5407*
Blaabjerg, F., *see* Wu, W., *TPEL May 2020 5381-5396*
Blaabjerg, F., *see* Sundararajan, P., *TPEL June 2020 6386-6396*
Blaabjerg, F., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Blaabjerg, F., *see* Wang, Z., *TPEL June 2020 5589-5593*
Blaabjerg, F., *see* Ghasemi, M.A., *TPEL June 2020 5860-5872*
Blaabjerg, F., *see* Wu, C., *TPEL June 2020 5562-5566*
Blaabjerg, F., *see* Guo, X., *TPEL June 2020 5918-5927*
Blaabjerg, F., *see* Hu, K., *TPEL July 2020 6773-6784*
Blaabjerg, F., *see* Wang, H., *TPEL July 2020 6746-6760*
Blaabjerg, F., *see* Zhang, Y., *TPEL July 2020 6916-6930*
Blaabjerg, F., *see* Wang, Z., *TPEL July 2020 6691-6696*
Blaabjerg, F., *see* Yuan, J., *TPEL Aug. 2020 7716-7720*
Blaabjerg, F., *see* Barzegarkhoo, R., *TPEL Aug. 2020 8140-8153*
Blaabjerg, F., *see* Khan, M.N.H., *TPEL Aug. 2020 8248-8260*
Blaabjerg, F., *see* Zhao, J., *TPEL Aug. 2020 8102-8115*
Blaabjerg, F., *see* Tafti, H.D., *TPEL Sept. 2020 9342-9356*
Blaabjerg, F., *see* Zhang, Y., *TPEL Oct. 2020 9998-10002*
Blaabjerg, F., *see* Pan, Y., *TPEL Oct. 2020 10994-11012*
Blaabjerg, F., *see* Pang, B., *TPEL Oct. 2020 10260-10270*
Blaabjerg, F., *see* Guo, X., *TPEL Oct. 2020 10285-10305*
Blaabjerg, F., *see* Peyghami, S., *TPEL Oct. 2020 10958-10968*
Blaabjerg, F., *see* Heydari, R., *TPEL Nov. 2020 12486-12496*
Blaabjerg, F., *see* Xu, T., *TPEL Nov. 2020 11843-11854*
Blaabjerg, F., *see* Xu, T., *TPEL Nov. 2020 11281-11286*
Blaabjerg, F., *see* Nian, H., *TPEL Nov. 2020 11720-11730*
Blaabjerg, F., *see* Naderi, M., *TPEL Nov. 2020 11801-11812*
Blaabjerg, F., *see* Shi, Y., *TPEL Nov. 2020 12207-12222*
Blaabjerg, F., *see* Shen, Z., *TPEL Nov. 2020 12194-12206*
Blaabjerg, F., *see* Sahoo, S., *TPEL Dec. 2020 12601-12605*

Blaabjerg, F., *see* Sahoo, S., *TPEL Dec. 2020 13714-13724*
Blaabjerg, F., *see* Wu, C., *TPEL Dec. 2020 12663-12667*
Blaabjerg, F., *see* Li, H., *TPEL Dec. 2020 12773-12786*
Blaabjerg, F., *see* Leng, M., *TPEL Dec. 2020 13475-13487*
Blaabjerg, F., *see* Wang, H., *TPEL Dec. 2020 12834-12845*
Blalock, B.J., *see* Chen, R., *TPEL April 2020 4411-4425*
Blalock, B.J., *see* Gui, H., *TPEL May 2020 5144-5156*
Blalock, B.J., *see* Gui, H., *TPEL June 2020 5670-5682*
Blalock, B.J., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Boggarapu, P.K., Manickam, C., Lehman, B., Ganesan, S.I., and Chilakapati, N., Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter; *TPEL Nov. 2020 11865-11878*
Boiko, I., *see* AlZawaideh, A., *TPEL Nov. 2020 12321-12331*
Bonanno, G., *see* Abdelhamid, E., *TPEL March 2020 3208-3220*
Borovic, U., Zhao, S., Oliver, J.A., Alou, P., Cobos, J.A., and Pejovic, P., Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test; *TPEL Jan. 2020 33-47*
Boroyevich, D., *see* Wang, S., *TPEL Jan. 2020 1045-1063*
Boroyevich, D., *see* Ohn, S., *TPEL Jan. 2020 853-866*
Boroyevich, D., *see* Li, C., *TPEL March 2020 2268-2283*
Boroyevich, D., *see* Sun, K., *TPEL March 2020 3054-3068*
Boroyevich, D., *see* DiMarino, C.M., *TPEL June 2020 6050-6060*
Boroyevich, D., *see* Ohn, S., *TPEL Aug. 2020 8638-8651*
Boroyevich, D., *see* Rashidi, N., *TPEL Oct. 2020 10168-10179*
Boroyevich, D., *see* Wang, J., *TPEL Oct. 2020 10180-10199*
Boroyevich, D., *see* Zhang, C., *TPEL Dec. 2020 12887-12897*
Bortis, D., *see* Schafer, J., *TPEL Sept. 2020 9617-9631*
Bortis, D., *see* Menzi, D., *TPEL Dec. 2020 13367-13383*
Boudjadar, J., *see* Khooban, M.H., *TPEL June 2020 5832-5841*
Brambilla, A., *see* Bizzarri, F., *TPEL May 2020 4489-4499*
Brando, G., *see* Cervone, A., *TPEL Dec. 2020 13528-13539*
Braun, W.D., *see* Tong, Z., *TPEL Aug. 2020 8472-8489*
Breglio, G., *see* Xue, P., *TPEL June 2020 6292-6300*
Briff, P., Series Bridge Converter: Energy Rating Optimality for VSC-HVDC Applications; *TPEL Oct. 2020 9987-9991*
Briff, P., Chivite-Zabalza, J., Nicholls, J., and Vershinin, K., Turn-Off Delay Compensation of Series-Connected IGBTs for HVDC Applications; *TPEL Nov. 2020 11294-11298*
Briz, F., *see* Guerrero, J.M., *TPEL Jan. 2020 373-381*
Broadmeadow, M.A.H., *see* Jovanovic, D.P., *TPEL April 2020 4286-4295*
Broeck, G.V.d., Martinez, W., Dalla Vecchia, M., Ravyts, S., and Driesen, J., Conversion Efficiency of the Buck Three-Level DC–DC Converter in Unbalanced Bipolar DC Microgrids; *TPEL Sept. 2020 9306-9319*
Broeck, G.V.d., *see* Ravyts, S., *TPEL Nov. 2020 11694-11706*
Brovont, A.D., Lemmon, A.N., New, C., Nelson, B.W., and DeBoi, B.T., Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance; *TPEL May 2020 4678-4688*
Brovont, A.D., *see* Lemmon, A.N., *TPEL Aug. 2020 8034-8049*
Brown, B., *see* Zheng, Y., *TPEL Sept. 2020 9416-9429*
Bu, T., *see* Jiang, D., *TPEL Jan. 2020 25-32*
Burcea, F., Tannir, D., and Graeb, H.E., Fast SPICE-Compatible Simulation of Low-Power On-Chip PWM DC–DC Converters With Improved Ripple Accuracy; *TPEL Aug. 2020 8173-8185*
Burgos, R., *see* Wang, S., *TPEL Jan. 2020 1045-1063*
Burgos, R., *see* Li, C., *TPEL March 2020 2268-2283*
Burgos, R., *see* Sun, K., *TPEL March 2020 3054-3068*
Burgos, R., *see* DiMarino, C.M., *TPEL June 2020 6050-6060*
Burgos, R., *see* Ohn, S., *TPEL Aug. 2020 8638-8651*
Burgos, R., *see* Rashidi, N., *TPEL Oct. 2020 10168-10179*
Burgos, R., *see* Wang, J., *TPEL Oct. 2020 10180-10199*
Burgos, R., *see* Zhang, C., *TPEL Dec. 2020 12887-12897*
Burgos-Mellado, C., *see* Espina, E., *TPEL Feb. 2020 1978-1992*
Burkard, J., and Biela, J., Design of a Protection Concept for a 100-kVA Hybrid Transformer; *TPEL April 2020 3543-3557*
Burkes, K., *see* Nazir, M., *TPEL July 2020 6701-6704*
Busada, C.A., Jorge, S.G., and Solsona, J.A., A Synchronous Reference Frame PI Current Controller With Dead Beat Response; *TPEL March 2020 3097-3105*
Buso, S., *see* Liu, Q., *TPEL July 2020 7624-7639*
Buticchi, G., *see* Raveendran, V., *TPEL April 2020 4205-4215*
Buticchi, G., *see* Yuan, X., *TPEL May 2020 4996-5006*
Buticchi, G., *see* Pugliese, S., *TPEL Oct. 2020 11039-11052*
Buticchi, G., *see* Wang, X., *TPEL Dec. 2020 13255-13269*

C

C., K., M. G., U., Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications; *TPEL Feb. 2020 2100-2118*
Cai, C., Wu, S., Jiang, L., Zhang, Z., and Yang, S., A 500-W Wireless Charging System With Lightweight Pick-Up for Unmanned Aerial Vehicles; *TPEL Aug. 2020 7721-7724*
Cai, G., *see* Liu, C., *TPEL Feb. 2020 1576-1588*
Cai, H., *see* Pan, J., *TPEL July 2020 7563-7573*
Cai, H., *see* Zhang, X., *TPEL Sept. 2020 9471-9481*
Cai, L., Meng, J., Stroe, D., Peng, J., Luo, G., and Teodorescu, R., Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature; *TPEL Nov. 2020 11855-11864*
Cai, T., *see* Hu, H., *TPEL May 2020 5517-5530*
Cai, X., *see* Li, X., *TPEL Feb. 2020 1622-1636*
Cai, X., *see* Li, X., *TPEL Feb. 2020 1182-1188*
Cai, X., *see* Deng, F., *TPEL March 2020 3310-3324*
Cai, X., *see* Zhong, X., *TPEL April 2020 3530-3542*
Cai, X., *see* Deng, F., *TPEL April 2020 4063-4075*
Cai, X., *see* Liu, C., *TPEL June 2020 6609-6624*
Cai, X., *see* Jiang, S., *TPEL Aug. 2020 7795-7803*
Cai, X., *see* Sun, C., *TPEL Nov. 2020 11321-11327*
Cai, X., *see* Zhong, X., *TPEL Nov. 2020 11707-11719*
Cai, X., *see* Sun, C., *TPEL Dec. 2020 13017-13030*
Cai, X., *see* Hou, C., *TPEL Dec. 2020 12651-12656*
Cai, Y., *see* Sun, X., *TPEL Dec. 2020 13631-13640*
Calderon, C., *see* Rodriguez-Lorente, A., *TPEL Nov. 2020 11942-11954*
Caldognetto, T., *see* Liu, Q., *TPEL July 2020 7624-7639*
Camacho, A., *see* Velasco, M., *TPEL April 2020 4342-4352*
Camblong, H., *see* Iruretagoyena, U., *TPEL Jan. 2020 208-219*
Campanhol, L.B.G., *see* da Silva, S.A.O., *TPEL Nov. 2020 11652-11665*
Canales, F., *see* Park, K., *TPEL March 2020 2317-2333*
Candela, J.I., *see* Abdollahi, M., *TPEL July 2020 7532-7544*
Cao, D., *see* Ni, Z., *TPEL June 2020 5770-5784*
Cao, D., *see* Ni, Z., *TPEL Aug. 2020 7765-7794*
Cao, J., *see* Guo, G., *TPEL Sept. 2020 9357-9367*
Cao, L., *see* Hou, F., *TPEL Oct. 2020 10592-10600*
Cao, L., *see* Wong, C.S., *TPEL Oct. 2020 10121-10136*
Cao, S., Niu, F., Huang, X., Huang, S., Wang, Y., Li, K., and Fang, Y., Time–Frequency Characteristics Research of Common Mode Current in PWM Motor System; *TPEL Feb. 2020 1450-1458*
Cao, X., *see* Zhang, K., *TPEL April 2020 3951-3962*
Cao, Y., *see* Yang, F., *TPEL Jan. 2020 169-184*
Cao, Y., Shi, T., Yan, Y., Li, X., and Xia, C., Braking Torque Control Strategy for Brushless DC Motor With a Noninductive Hybrid Energy Storage Topology; *TPEL Aug. 2020 8417-8428*
Cao, Y., *see* Xiong, Y., *TPEL Dec. 2020 13641-13651*
Capua, G.D., *see* Femia, N., *TPEL Oct. 2020 10969-10981*
Carati, E.G., *see* Moraes, C.F., *TPEL July 2020 7100-7109*
Cardenas-Dobson, R., *see* Espina, E., *TPEL Feb. 2020 1978-1992*
Cardoso, R., *see* Moraes, C.F., *TPEL July 2020 7100-7109*
Castilla, M., *see* Velasco, M., *TPEL April 2020 4342-4352*
Cavalcanti, M.C., *see* Giacomini, J.C., *TPEL Aug. 2020 8063-8073*
Ceballos, S., *see* Beniwal, N., *TPEL April 2020 4426-4438*
Ceballos, S., *see* Perez-Basante, A., *TPEL Aug. 2020 8712-8725*
Ceballos, S., *see* Beniwal, N., *TPEL Sept. 2020 9737-9752*
Ceccarelli, L., *see* Hu, K., *TPEL July 2020 6773-6784*

Cerda, C., *see* Pineda, C., *TPEL July 2020 6906-6915*
Cervone, A., Brando, G., and Dordevic, O., Hybrid Modulation Technique With DC-Bus Voltage Control for Multiphase NPC Converters; *TPEL Dec. 2020 13528-13539*
Cha, H., *see* Khan, A.A., *TPEL Jan. 2020 107-120*
Cha, H., *see* Khan, A.A., *TPEL Feb. 2020 1269-1281*
Cha, H., *see* Seok, H., *TPEL April 2020 3740-3753*
Cha, H., *see* Nguyen, T., *TPEL April 2020 3365-3376*
Chae, S.H., *see* Lee, K., *TPEL May 2020 5122-5131*
Chai, J., *see* Wang, X., *TPEL Feb. 2020 2170-2183*
Chai, J., *see* Xiang, X., *TPEL Sept. 2020 9586-9596*
Chai, M., Gorla, N.B.Y., and Panda, S.K., Fault Detection and Localization for Cascaded H-Bridge Multilevel Converter With Model Predictive Control; *TPEL Oct. 2020 10109-10120*
Chakraborty, S., and Chattopadhyay, S., A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance; *TPEL March 2020 2615-2628*
Chakraborty, S., *see* Gu, L., *TPEL Oct. 2020 10515-10531*
Chamanian, S., Muhtaroglu, A., and Kulah, H., A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters; *TPEL Jan. 2020 901-912*
Chan, H.W., *see* Ye, C., *TPEL June 2020 6280-6291*
Chan, W., *see* Fan, J.W., *TPEL March 2020 2519-2533*
Chan, W., *see* Tung, C., *TPEL July 2020 7596-7611*
Chan, Y.P., *see* Yaqoob, M., *TPEL Jan. 2020 70-82*
Chan, Y.P., Wong, C.S., and Loo, K.H., Dual-Mode Modulation Scheme With Seamless Transition for a Tunable Immittance-Based DAB Converter Featuring High-Efficiency Performance Over Whole Output Power Range; *TPEL Sept. 2020 9184-9201*
Chan, Y.P., *see* Wong, C.S., *TPEL Oct. 2020 10121-10136*
Chang, C., *see* He, L., *TPEL Aug. 2020 8165-8172*
Chang, F., Roemer, F., and Lienkamp, M., Influence of Current Ripples in Cascaded Multilevel Topologies on the Aging of Lithium Batteries; *TPEL Nov. 2020 11879-11890*
Chang, G., *see* Li, D., *TPEL Dec. 2020 13429-13440*
Chang, J.S., *see* Ge, T., *TPEL Jan. 2020 789-799*
Chang, J.S., *see* Qu, Y., *TPEL March 2020 2705-2713*
Chang, J.S., *see* He, H., *TPEL Sept. 2020 9430-9442*
Chang, Y., Luo, H., Iannuzzo, F., Bahman, A.S., Li, W., He, X., and Blaabjerg, F., Compact Sandwiched Press-Pack SiC Power Module With Low Stray Inductance and Balanced Thermal Stress; *TPEL March 2020 2237-2241*
Chao, H., *see* Guo, Y., *TPEL Jan. 2020 1111-1123*
Chao, M., *see* Tsai, M., *TPEL March 2020 2334-2341*
Chao, Z., *see* Wang, T., *TPEL May 2020 4568-4578*
Chao, Z., *see* Liu, P., *TPEL Dec. 2020 12590-12594*
Charro, C.B., *see* Guerrero, J.M., *TPEL Jan. 2020 373-381*
Chatterjee, D., and Mazumder, S.K., Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load; *TPEL Jan. 2020 1096-1110*
Chattopadhyay, S., *see* Kummari, N., *TPEL Feb. 2020 1306-1321*
Chattopadhyay, S., *see* Chakraborty, S., *TPEL March 2020 2615-2628*
Chau, K., *see* Liu, W., *TPEL Sept. 2020 9057-9069*
Chau, K.T., *see* Han, W., *TPEL June 2020 6269-6279*
Chau, K.T., *see* Liu, W., *TPEL June 2020 6533-6547*
Chaudhury, T., and Kastha, D., A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid; *TPEL Oct. 2020 10501-10514*
Chauhan, S.K., *see* Shah, M.T., *TPEL Oct. 2020 11082-11095*
Chavan, P.G., *see* Pandit, B., *TPEL Nov. 2020 11344-11351*
Chekuri, V.C.K., *see* Singh, A., *TPEL March 2020 3242-3253*
Chen, A., *see* Chen, J., *TPEL July 2020 7492-7505*
Chen, A., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*
Chen, B., Liang, X., and Wan, N., Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer; *TPEL Nov. 2020 11557-11573*
Chen, C., *see* Li, Y., *TPEL April 2020 3754-3765*
Chen, C., *see* Liu, W., *TPEL April 2020 3729-3739*
Chen, C., *see* Wang, T., *TPEL May 2020 4568-4578*
Chen, C., *see* Wu, X., *TPEL May 2020 5205-5220*
Chen, C., *see* Yeh, C., *TPEL June 2020 5785-5796*
Chen, C., *see* Liu, Y., *TPEL Aug. 2020 7729-7734*
Chen, C., Pickert, V., Al-Greer, M., Jia, C., and Ng, C., Localization and Detection of Bond Wire Faults in Multichip IGBT Power Modules; *TPEL Aug. 2020 7804-7815*
Chen, C., *see* He, L., *TPEL Aug. 2020 8165-8172*
Chen, C., *see* Yan, Z., *TPEL Sept. 2020 9011-9023*
Chen, C., *see* Narayanasamy, B., *TPEL Oct. 2020 10629-10642*
Chen, D., *see* Li, G., *TPEL Jan. 2020 415-429*
Chen, D., Sha, D., and Sun, T., Three Phase Current-Fed Semi Dual Active Bridge DC–DC Converter With Hybrid Operating Mode Control; *TPEL Feb. 2020 1649-1658*
Chen, D., *see* Tang, Q., *TPEL Aug. 2020 8374-8383*
Chen, F., Garnier, H., Deng, Q., Kazimierczuk, M.K., and Zhuan, X., Control-Oriented Modeling of Wireless Power Transfer Systems With Phase-Shift Control; *TPEL Feb. 2020 2119-2134*
Chen, F., *see* Huang, W., *TPEL May 2020 5531-5540*
Chen, F., *see* Chen, J., *TPEL Oct. 2020 9959-9964*
Chen, F., Padilla, A., Young, P.C., and Garnier, H., Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters; *TPEL Nov. 2020 12442-12456*
Chen, F., Young, P.C., Garnier, H., Deng, Q., and Kazimierczuk, M.K., Data-Driven Modeling of Wireless Power Transfer Systems With Multiple Transmitters; *TPEL Nov. 2020 11363-11379*
Chen, G., *see* Lu, M., *TPEL March 2020 3085-3096*
Chen, G., *see* Zhang, L., *TPEL May 2020 4835-4846*
Chen, G., *see* Zhang, L., *TPEL Aug. 2020 8224-8236*
Chen, H., *see* Yang, W., *TPEL March 2020 2969-2978*
Chen, H., *see* Zeng, Z., *TPEL April 2020 3973-3988*
Chen, H., *see* Liu, W., *TPEL April 2020 3729-3739*
Chen, H., *see* Wang, Q., *TPEL May 2020 4741-4755*
Chen, H., *see* Wang, H., *TPEL Dec. 2020 12834-12845*
Chen, H., *see* Lyu, J., *TPEL Dec. 2020 12612-12616*
Chen, J., *see* Ye, D., *TPEL Jan. 2020 640-651*
Chen, J., Luo, Q., Huang, J., He, Q., Sun, P., and Du, X., Analysis and Design of an *RC* Snubber Circuit to Suppress False Triggering Oscillation for GaN Devices in Half-Bridge Circuits; *TPEL March 2020 2690-2704*
Chen, J., *see* Yan, S., *TPEL May 2020 5427-5436*
Chen, J., *see* Ye, D., *TPEL May 2020 4984-4995*
Chen, J., *see* Xu, W., *TPEL May 2020 4959-4970*
Chen, J., *see* Ouyang, Q., *TPEL June 2020 5820-5831*
Chen, J., *see* Chen, L., *TPEL June 2020 5850-5859*
Chen, J., and Wang, C., Dual T-Type Four-Level Converter; *TPEL June 2020 5594-5600*
Chen, J., Zhang, C., Xing, X., and Chen, A., A Fault-Tolerant Control Strategy for T-Type Three-Level Rectifier With Neutral Point Voltage Balance and Loss Reduction; *TPEL July 2020 7492-7505*
Chen, J., *see* Lv, Y., *TPEL July 2020 7379-7391*
Chen, J., *see* Wu, D., *TPEL Sept. 2020 9541-9552*
Chen, J., Zhou, H., Deng, Q., Chen, F., Zhu, A., Liu, J., and Gao, X., Free-Positioning Wireless Power Transfer System Based on One-to-Multiple Topology; *TPEL Oct. 2020 9959-9964*
Chen, J., *see* Liu, H., *TPEL Oct. 2020 10554-10566*
Chen, J., *see* Xiao, L., *TPEL Nov. 2020 12457-12471*
Chen, J., Du, X., Luo, Q., Zhang, X., Sun, P., and Zhou, L., A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices; *TPEL Dec. 2020 13182-13199*
Chen, J., *see* Zhao, L., *TPEL Dec. 2020 12949-12958*
Chen, K., *see* Yao, K., *TPEL Jan. 2020 443-454*
Chen, K., *see* Yang, W., *TPEL March 2020 2969-2978*
Chen, K., *see* Lin, J., *TPEL April 2020 3997-4008*
Chen, K., *see* Chen, W., *TPEL Aug. 2020 8726-8736*
Chen, K.J., *see* Lyu, G., *TPEL Sept. 2020 9669-9679*

Chen, L., Shao, S., Xiao, Q., Tarisciotti, L., Wheeler, P.W., and Dragicevic, T., Model Predictive Control for Dual-Active-Bridge Converters Supplying Pulsed Power Loads in Naval DC Micro-Grids; *TPEL Feb. 2020 1957-1966*
Chen, L., Chen, J., Wang, H., Wang, Y., An, J., Yang, R., and Pan, H., Remaining Useful Life Prediction of Battery Using a Novel Indicator and Framework With Fractional Grey Model and Unscented Particle Filter; *TPEL June 2020 5850-5859*
Chen, L., Lin, L., Shao, S., Gao, F., Wang, Z., Wheeler, P.W., and Dragicevic, T., Moving Discretized Control Set Model-Predictive Control for Dual-Active Bridge With the Triple-Phase Shift; *TPEL Aug. 2020 8624-8637*
Chen, L., *see* Nian, H., *TPEL Nov. 2020 11720-11730*
Chen, L., *see* Sun, X., *TPEL Dec. 2020 13631-13640*
Chen, M., *see* Tang, Q., *TPEL Jan. 2020 699-708*
Chen, M., *see* Liu, M., *TPEL Jan. 2020 496-507*
Chen, M., *see* Zhou, Z., *TPEL March 2020 2959-2968*
Chen, M., *see* Sheng, J., *TPEL April 2020 4242-4255*
Chen, M., *see* Gao, M., *TPEL June 2020 6419-6435*
Chen, M., *see* Jia, G., *TPEL Nov. 2020 11401-11417*
Chen, M., *see* Wang, X., *TPEL Dec. 2020 13602-13620*
Chen, M., *see* Chen, Y., *TPEL Dec. 2020 13210-13224*
Chen, N., *see* Wang, X., *TPEL Dec. 2020 13602-13620*
Chen, Q., *see* Wang, F., *TPEL Feb. 2020 1779-1788*
Chen, Q., *see* Liu, G., *TPEL March 2020 2882-2894*
Chen, Q., *see* Ji, J., *TPEL April 2020 3869-3877*
Chen, Q., *see* Ke, G., *TPEL April 2020 3697-3712*
Chen, Q., *see* Ren, X., *TPEL July 2020 7480-7491*
Chen, Q., *see* Zhou, Z., *TPEL Sept. 2020 8985-8997*
Chen, Q., *see* Zhang, Y., *TPEL Nov. 2020 11745-11757*
Chen, Q., *see* Yang, Q., *TPEL Dec. 2020 13053-13067*
Chen, R., Niu, J., Gui, H., Zhang, Z., Wang, F., Tolbert, L.M., Costinett, D.J., Blalock, B.J., and Choi, B.B., Modeling, Analysis, and Reduction of Harmonics in Paralleled and Interleaved Three-Level Neutral Point Clamped Inverters With Space Vector Modulation; *TPEL April 2020 4411-4425*
Chen, R., *see* Gui, H., *TPEL May 2020 5144-5156*
Chen, R., *see* Gui, H., *TPEL June 2020 5670-5682*
Chen, R., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Chen, S., *see* Chen, Y., *TPEL Feb. 2020 1672-1684*
Chen, S., *see* Lin, F., *TPEL July 2020 7465-7479*
Chen, S., *see* Ye, Y., *TPEL Aug. 2020 8237-8247*
Chen, S., *see* Zhang, G., *TPEL Aug. 2020 8846-8856*
Chen, S., Zhao, Y., Qiu, H., and Ren, X., High-Precision Rotor Position Correction Strategy for High-Speed Permanent Magnet Synchronous Motor Based on Resolver; *TPEL Sept. 2020 9716-9726*
Chen, S., *see* Zhang, X., *TPEL Oct. 2020 11143-11154*
Chen, S., Chen, Y., Li, H., Dung, N.A., Mai, R., Tang, Y., and Lai, J., An Operation Mode Selection Method of Dual-Side Bridge Converters for Efficiency Optimization in Inductive Power Transfer; *TPEL Oct. 2020 9992-9997*
Chen, S., *see* Wang, Y., *TPEL Nov. 2020 11502-11517*
Chen, T., *see* Wu, X., *TPEL May 2020 5205-5220*
Chen, T., *see* Zhao, L., *TPEL Dec. 2020 12949-12958*
Chen, W., *see* Huang, X., *TPEL Jan. 2020 565-577*
Chen, W., *see* Lei, J., *TPEL March 2020 2458-2466*
Chen, W., *see* Zhang, K., *TPEL April 2020 3951-3962*
Chen, W., *see* Pan, P., *TPEL April 2020 4033-4047*
Chen, W., *see* Deng, F., *TPEL April 2020 4063-4075*
Chen, W., Zhang, L., Pattipati, K., Bazzi, A.M., Joshi, S., and Dede, E.M., Data-Driven Approach for Fault Prognosis of SiC MOSFETs; *TPEL April 2020 4048-4062*
Chen, W., *see* Liu, C., *TPEL May 2020 5190-5204*
Chen, W., *see* Deng, X., *TPEL Aug. 2020 8524-8531*
Chen, W., Yang, C., Lin, C., Xu, M., and Chen, K., Voltage Modulation and Current Control of Boost Inverters for Stand-Alone or Grid-Tied Operation; *TPEL Aug. 2020 8726-8736*
Chen, W., *see* Cheng, Y., *TPEL Sept. 2020 9597-9607*
Chen, W., *see* Zhang, F., *TPEL Oct. 2020 10200-10212*
Chen, W., *see* Liu, T., *TPEL Nov. 2020 11770-11782*
Chen, W., *see* Shu, L., *TPEL Nov. 2020 11574-11588*
Chen, W., *see* Ma, D., *TPEL Nov. 2020 12383-12400*
Chen, W., *see* Xu, X., *TPEL Nov. 2020 11682-11693*
Chen, W., *see* Yao, J., *TPEL Nov. 2020 11442-11452*
Chen, W., *see* Zhang, X., *TPEL Dec. 2020 13488-13499*
Chen, W., *see* Qi, J., *TPEL Dec. 2020 13384-13399*
Chen, X., *see* Zhang, Y., *TPEL Jan. 2020 334-346*
Chen, X., *see* Hussein, A.A., *TPEL May 2020 4780-4790*
Chen, X., *see* Song, S., *TPEL Sept. 2020 9215-9225*
Chen, X., Liu, J., Song, S., and Ouyang, S., Circulating Harmonic Currents Suppression of Level-Increased NLM Based Modular Multilevel Converter With Deadbeat Control; *TPEL Nov. 2020 11418-11429*
Chen, Y., and Li, Y., Editorial 2020: A Year of Changes With More to Come! *TPEL Jan. 2020 5*
Chen, Y., *see* Mai, R., *TPEL Jan. 2020 1124-1135*
Chen, Y., Li, M., Yang, B., Chen, S., Li, Q., He, Z., and Mai, R., Variable-Parameter T-Circuit-Based IPT System Charging Battery With Constant Current or Constant Voltage Output; *TPEL Feb. 2020 1672-1684*
Chen, Y., *see* Li, C., *TPEL March 2020 2999-3011*
Chen, Y., *see* Huang, Y., *TPEL May 2020 4613-4621*
Chen, Y., Yang, B., Li, Q., Feng, H., Zhou, X., He, Z., and Mai, R., Reconfigurable Topology for IPT System Maintaining Stable Transmission Power Over Large Coupling Variation; *TPEL May 2020 4915-4924*
Chen, Y., Yang, B., Zhou, X., Li, Q., He, Z., Mai, R., and Lai, J., A Hybrid Inductive Power Transfer System With Misalignment Tolerance Using Quadruple-D Quadrature Pads; *TPEL June 2020 6039-6049*
Chen, Y., *see* Wang, R., *TPEL June 2020 6362-6372*
Chen, Y., *see* Fei, J., *TPEL Sept. 2020 9904-9922*
Chen, Y., *see* Li, G., *TPEL Oct. 2020 11096-11107*
Chen, Y., *see* Yu, Z., *TPEL Oct. 2020 10614-10628*
Chen, Y., *see* Chen, S., *TPEL Oct. 2020 9992-9997*
Chen, Y., *see* Su, J., *TPEL Oct. 2020 9953-9958*
Chen, Y., *see* Abdelmessih, G.Z., *TPEL Nov. 2020 12238-12251*
Chen, Y., Zhang, H., Shin, C., Jo, C., Park, S., and Kim, D., An Efficiency Optimization-Based Asymmetric Tuning Method of Double-Sided *LCC* Compensated WPT System for Electric Vehicles; *TPEL Nov. 2020 11475-11487*
Chen, Y., *see* Liu, Y., *TPEL Dec. 2020 13031-13041*
Chen, Y., Wang, P., Elasser, Y., and Chen, M., Multicell Reconfigurable Multi-Input Multi-Output Energy Router Architecture; *TPEL Dec. 2020 13210-13224*
Chen, Z., *see* Mao, S., *TPEL Jan. 2020 800-815*
Chen, Z., *see* Chu, E., *TPEL Feb. 2020 1392-1405*
Chen, Z., *see* Zhang, X., *TPEL Feb. 2020 1165-1170*
Chen, Z., *see* Liu, D., *TPEL Feb. 2020 2008-2022*
Chen, Z., *see* Deng, F., *TPEL March 2020 3310-3324*
Chen, Z., *see* Yang, C., *TPEL March 2020 3012-3028*
Chen, Z., *see* Deng, F., *TPEL April 2020 4063-4075*
Chen, Z., *see* Sun, Y., *TPEL April 2020 3434-3449*
Chen, Z., *see* Xu, C., *TPEL May 2020 4483-4488*
Chen, Z., *see* Wang, L., *TPEL June 2020 5897-5906*
Chen, Z., *see* Mao, S., *TPEL Aug. 2020 8347-8360*
Chen, Z., Davari, P., and Wang, H., Single-Phase Bridgeless PFC Topology Derivation and Performance Benchmarking; *TPEL Sept. 2020 9238-9250*
Chen, Z., *see* Liu, D., *TPEL Oct. 2020 9965-9970*
Chen, Z., *see* Xu, C., *TPEL Dec. 2020 12668-12672*
Cheng, C., Li, W., Zhou, Z., Deng, Z., and Mi, C., A Load-Independent Wireless Power Transfer System With Multiple Constant Voltage Outputs; *TPEL April 2020 3328-3331*
Cheng, C., *see* Liu, W., *TPEL April 2020 3729-3739*
Cheng, C., Zhihao, Y., Jing, H., Yanjuan, Y., Yihui, X., JianXin, G., and Hong, Z., Affine Nonlinear Control of a Multivariate Inductive Power Transfer System With Exact Linearization; *TPEL Dec. 2020 12728-12740*
Cheng, F., *see* Lu, P., *TPEL Aug. 2020 7749-7754*
Cheng, H., *see* Wang, Q., *TPEL May 2020 4741-4755*
Cheng, H., Shuai, Z., Shen, C., Liu, X., Li, Z., and Shen, Z.J., Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids; *TPEL Aug. 2020 8751-8765*
Cheng, K.W.E., *see* Zeng, J., *TPEL Aug. 2020 8490-8500*

Cheng, L., *see* Tu, Y., *TPEL Nov. 2020 11666-11681*
Cheng, M., *see* Wang, W., *TPEL Feb. 2020 1365-1376*
Cheng, M., *see* Zhang, Y., *TPEL Feb. 2020 1160-1164*
Cheng, M., *see* Wang, Z., *TPEL May 2020 5066-5077*
Cheng, M., *see* Liu, P., *TPEL June 2020 6153-6164*
Cheng, M., *see* Wang, W., *TPEL Dec. 2020 13673-13686*
Cheng, P., *see* Tsai, M., *TPEL March 2020 2334-2341*
Cheng, P., *see* Su, Y., *TPEL March 2020 3139-3147*
Cheng, P., *see* Wu, C., *TPEL Dec. 2020 12663-12667*
Cheng, Q.S., *see* Lyu, J., *TPEL Dec. 2020 12612-12616*
Cheng, S., *see* Wang, J., *TPEL Jan. 2020 1147-1155*
Cheng, S., *see* Wu, X., *TPEL May 2020 5205-5220*
Cheng, S., *see* Lv, Y., *TPEL July 2020 7379-7391*
Cheng, X., Liu, J., and Liu, Z., A Generalized Multifrequency Small-Signal Model for High-Bandwidth Buck Converters Under Constant-Frequency Voltage-Mode Control; *TPEL Aug. 2020 8186-8199*
Cheng, Y., *see* Tao, T., *TPEL April 2020 3850-3858*
Cheng, Y., *see* Zhang, X., *TPEL Aug. 2020 8361-8373*
Cheng, Y., Sun, D., Chen, W., and Nian, H., Model Predictive Current Control for an Open-Winding PMSM System With a Common DC Bus in 3-D Space; *TPEL Sept. 2020 9597-9607*
Chi, Y., *see* Zhong, X., *TPEL April 2020 3530-3542*
Chilakapati, N., *see* Boggarapu, P.K., *TPEL Nov. 2020 11865-11878*
Chiu, S., *see* Yang, W., *TPEL March 2020 2969-2978*
Chivite-Zabalza, J., *see* Briff, P., *TPEL Nov. 2020 11294-11298*
Cho, G., *see* Park, S., *TPEL March 2020 3266-3275*
Cho, G., *see* Shin, S., *TPEL June 2020 6025-6038*
Cho, I., *see* Kim, D., *TPEL Aug. 2020 7853-7862*
Cho, J., *see* Sun, J., *TPEL Aug. 2020 7840-7852*
Cho, Y., and Lee, K.C., Noninverting Buck–Boost DC–DC Converter Using a Duobinary-Encoded Single-Bit Delta-Sigma Modulator; *TPEL Jan. 2020 484-495*
Choi, B.B., *see* Chen, R., *TPEL April 2020 4411-4425*
Choi, B.B., *see* Gui, H., *TPEL May 2020 5144-5156*
Choi, B.B., *see* Gui, H., *TPEL June 2020 5670-5682*
Choi, B.B., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Choi, B.G., *see* Kim, J.H., *TPEL June 2020 6165-6174*
Choi, B.G., Kim, J.H., Lee, E.S., Kim, H.R., and Rim, C.T., Optimal Dipole-Coil Ampere-Turns Design for Maximum Power Efficiency of IPT; *TPEL July 2020 7317-7327*
Choi, B.G., *see* Choi, J.S., *TPEL Aug. 2020 7863-7872*
Choi, D., *see* Park, M., *TPEL Oct. 2020 9949-9952*
Choi, H., Lee, K., and Ha, J., Design and Control Method for a Surface-Mounted Permanent Magnet Motor Drive System With Passive Output Power Network; *TPEL April 2020 3891-3905*
Choi, H.H., *see* Kim, J., *TPEL Jan. 2020 1002-1013*
Choi, J.S., Jeong, S.Y., Choi, B.G., Ryu, S., Rim, C.T., and Kim, Y., Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates; *TPEL Aug. 2020 7863-7872*
Choi, S., *see* Tran, H.N., *TPEL Jan. 2020 59-69*
Choi, S., *see* Lee, Y., *TPEL Dec. 2020 13148-13156*
Choi, W., *see* Park, J., *TPEL May 2020 4477-4482*
Chok You, C., *see* He, J., *TPEL Sept. 2020 8886-8891*
Chong, E., *see* Hu, R., *TPEL Feb. 2020 1922-1933*
Choo, K., and Won, C., Design and Analysis of Electrical Braking Torque Limit Trajectory for Regenerative Braking in Electric Vehicles With PMSM Drive Systems; *TPEL Dec. 2020 13308-13321*
Chou, D., Lei, Y., and Pilawa-Podgurski, R.C.N., A Zero-Voltage-Switching, Physically Flexible Multilevel GaN DC–DC Converter; *TPEL Jan. 2020 1064-1073*
Chou, S., Wang, X., and Blaabjerg, F., Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs; *TPEL April 2020 3519-3529*
Chou, S., *see* Hans, F., *TPEL Dec. 2020 13573-13589*
Choudhury, K.R., and Rogers, D.J., Transient Thermal Modeling of a Power Module: An N-Layer Fourier Approach; *TPEL Oct. 2020 10580-10591*
Chow, J.P., *see* Fan, J.W., *TPEL March 2020 2519-2533*
Chow, J.P., *see* Tung, C., *TPEL July 2020 7596-7611*
Chrzan, P.J., *see* Turzynski, M., *TPEL Sept. 2020 9553-9562*
Chu, E., Xie, H., Bao, J., Chen, Z., and Kang, Y., Resonant Inductance Design and Loss Analysis of a Novel Resonant DC Link Inverter; *TPEL Feb. 2020 1392-1405*
Chu, E., Bao, J., Xie, H., and Hui, G., A Zero-Voltage and Zero-Current Switching Interleaved Two-Switch Forward Converter With Passive Auxiliary Resonant Circuit; *TPEL May 2020 4859-4876*
Chu, G., Wen, H., Hu, Y., Jiang, L., Yang, Y., and Wang, Y., Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing; *TPEL Oct. 2020 10306-10322*
Chu, P.K., *see* Li, D., *TPEL Dec. 2020 12646-12650*
Chu, X., *see* Wen, F., *TPEL Sept. 2020 9070-9081*
Chu, Y., *see* Fei, J., *TPEL March 2020 3069-3084*
Chu, Y., *see* Zhang, Y., *TPEL Aug. 2020 8050-8062*
Chuai, G., *see* Na, T., *TPEL May 2020 4602-4612*
Chung, H.S., *see* Fan, J.W., *TPEL March 2020 2519-2533*
Chung, H.S., *see* Tung, C., *TPEL July 2020 7596-7611*
Chung, H.S., *see* Tse, K.H., *TPEL July 2020 7110-7122*
Chung, H.S., *see* Zhao, J., *TPEL Aug. 2020 8102-8115*
Civet, Y., *see* Pniak, L., *TPEL Dec. 2020 13172-13181*
Clare, J., *see* Diez, C.M., *TPEL March 2020 2389-2401*
Clare, J., *see* Tardelli, F., *TPEL June 2020 5714-5728*
Cobos, J.A., *see* Borovic, U., *TPEL Jan. 2020 33-47*
Cobos, J.A., *see* Serrano, D., *TPEL May 2020 5319-5330*
Cobos, J.A., *see* Delgado, A., *TPEL June 2020 6221-6230*
Cobos, J.A., *see* Delgado, A., *TPEL Aug. 2020 8452-8459*
Cobos, J.A., *see* Delgado, A., *TPEL Aug. 2020 7884-7893*
Cobos, J.A., *see* Delgado, A., *TPEL Nov. 2020 11453-11462*
Coelho, E.A.A., *see* Han, Y., *TPEL March 2020 3221-3241*
Coelho, R.F., *see* de Andrade, J.M., *TPEL Dec. 2020 13239-13254*
Colmenares, J., *see* Barth, C.B., *TPEL Nov. 2020 12040-12052*
Contreras-Ordaz, M.A., *see* Marquez, R., *TPEL Aug. 2020 7725-7728*
Coombs, T., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Corradini, L., *see* Abdelhamid, E., *TPEL March 2020 3208-3220*
Costabeber, A., *see* Lambert, G., *TPEL March 2020 2363-2371*
Costabeber, A., *see* Diez, C.M., *TPEL March 2020 2389-2401*
Costabeber, A., *see* Li, Z., *TPEL May 2020 5267-5278*
Costabeber, A., *see* Tardelli, F., *TPEL June 2020 5714-5728*
Costinett, D., *see* Liu, B., *TPEL March 2020 2534-2547*
Costinett, D., *see* Gui, H., *TPEL May 2020 5144-5156*
Costinett, D., *see* Gui, H., *TPEL June 2020 5670-5682*
Costinett, D., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Costinett, D.J., *see* Chen, R., *TPEL April 2020 4411-4425*
Coteus, P., *see* Zhang, X., *TPEL Feb. 2020 1721-1731*
Cougo, B., *see* Bau, P., *TPEL Dec. 2020 13322-13332*
Coulinge, E., Pittet, S., and Dujic, D., Design Optimization of Two-Quadrant High-Current Low-Voltage Power Supply; *TPEL Nov. 2020 11602-11611*
Coulson, K., *see* Barth, C.B., *TPEL Nov. 2020 12040-12052*
Cousineau, M., *see* Bau, P., *TPEL Dec. 2020 13322-13332*
Crebier, J., *see* Lamorelle, T., *TPEL June 2020 5812-5819*
Crovetti, P.S., Usmonov, M., Musolino, F., and Gregoretti, F., Limit-Cycle-Free Digitally Controlled DC–DC Converters Based on Dyadic Digital PWM; *TPEL Oct. 2020 11155-11166*
Cui, C., *see* Tang, J., *TPEL March 2020 3173-3182*
Cui, N., *see* Shang, Y., *TPEL July 2020 7134-7144*
Cui, S., Hu, J., and De Doncker, R., Fault-Tolerant Operation of a TLC-MMC Hybrid DC-DC Converter for Interconnection of MVDC and HVdc Grids; *TPEL Jan. 2020 83-93*
Cui, S., *see* Hu, J., *TPEL Feb. 2020 2184-2195*
Cui, S., Hu, J., and De Doncker, R.W., Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids; *TPEL March 2020 2353-2362*
Cui, S., *see* Qu, J., *TPEL Oct. 2020 10879-10891*
Cui, S., *see* Song, B., *TPEL Oct. 2020 10338-10351*
Cui, X., *see* Ke, J., *TPEL April 2020 3963-3972*
Czarkowski, D., *see* Janabi, A., *TPEL May 2020 5437-5446*

D

D'Arco, S., *see* Rodriguez-Cabero, A., *TPEL June 2020 6548-6558*

D'Arco, S., *see* De Simone, D., *TPEL Sept. 2020 9727-9736*

da Costa, A.E.L., Rocha, N., Jacobina, C.B., and Fabricio, E.L.L., Single-Phase AC–DC–AC Three-Level Three-Leg Converter With Reduced Switch Count; *TPEL March 2020 2295-2307*

da Costa, J.P., *see* Moraes, C.F., *TPEL July 2020 7100-7109*

da Silva, S.A.O., Campanhol, L.B.G., Pelz, G.M., and de Souza, V., Comparative Performance Analysis Involving a Three-Phase UPQC Operating With Conventional and Dual/Inverted Power-Line Conditioning Strategies; *TPEL Nov. 2020 11652-11665*

da Silva, W.W.A.G., Oliveira, T.R., and Donoso-Garcia, P.F., Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids; *TPEL June 2020 6458-6469*

Dah-Chuan Lu, D., *see* Hassan, W., *TPEL Nov. 2020 11827-11842*

Dahidah, M.S.A., *see* Ma, J., *TPEL March 2020 2424-2435*

Dai, L., *see* Jia, L., *TPEL March 2020 3106-3113*

Dai, N., *see* Hu, M., *TPEL Oct. 2020 11119-11128*

Dai, S., *see* Lee, T., *TPEL Sept. 2020 9024-9033*

Dai, X., *see* Li, X., *TPEL July 2020 6741-6745*

Dai, X., *see* Li, D., *TPEL Dec. 2020 13429-13440*

Dalla Costa, M.A., *see* Abdelmessih, G.Z., *TPEL Nov. 2020 12238-12251*

Dalla Vecchia, M., *see* Broeck, G.V.d., *TPEL Sept. 2020 9306-9319*

Dam, S.K., and John, V., A Modular Fast Cell-to-Cell Battery Voltage Equalizer; *TPEL Sept. 2020 9443-9461*

Dan, H., *see* Tang, Z., *TPEL March 2020 2571-2584*

Dang, K., Zhang, J., Zhou, H., Huang, S., Zhang, T., Bian, Z., Zhang, Y., Wang, X., Zhao, S., Wei, K., and Hao, Y., A 5.8-GHz High-Power and High-Efficiency Rectifier Circuit With Lateral GaN Schottky Diode for Wireless Power Transfer; *TPEL March 2020 2247-2252*

Dao, N.D., *see* Ta, L.A.D., *TPEL Aug. 2020 8324-8334*

Dao, N.D., Lee, D., and Phan, Q.D., High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations; *TPEL Oct. 2020 10455-10465*

Dao, N.D., and Lee, D., Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure; *TPEL Dec. 2020 12657-12662*

Das, A., *see* Sharma, R., *TPEL June 2020 5683-5691*

Das, P., *see* Ali, K., *TPEL May 2020 4658-4668*

Das, P., *see* Ye, C., *TPEL June 2020 6280-6291*

Das, S., *see* Kiran, K., *TPEL Aug. 2020 8396-8404*

Davari, P., *see* Chen, Z., *TPEL Sept. 2020 9238-9250*

Davari, P., *see* Guo, B., *TPEL Dec. 2020 13000-13016*

Davari, S.A., *see* Aliaskari, A., *TPEL Jan. 2020 630-639*

Davari, S.A., *see* Wang, F., *TPEL Feb. 2020 1779-1788*

Davari, S.A., *see* Eftekhari, S.R., *TPEL May 2020 5417-5426*

Davidson, J.N., *see* Yang, Z., *TPEL Oct. 2020 10466-10476*

De, V., *see* Singh, A., *TPEL March 2020 3242-3253*

de Alegria, I.M., *see* Aretxabaleta, I., *TPEL Aug. 2020 8025-8033*

de Alegria, I.M., *see* Perez-Basante, A., *TPEL Aug. 2020 8712-8725*

de Andrade, J.M., Salvador, M.A., Coelho, R.F., and Lazzarin, T.B., General Method for Synthesizing High Gain Step-Up DC–DC Converters Based on Differential Connections; *TPEL Dec. 2020 13239-13254*

De Doncker, R., *see* Cui, S., *TPEL Jan. 2020 83-93*

De Doncker, R.W., *see* Hu, J., *TPEL Feb. 2020 2184-2195*

De Doncker, R.W., *see* Voss, J., *TPEL Feb. 2020 1256-1268*

De Doncker, R.W., *see* Ge, L., *TPEL March 2020 2787-2798*

De Doncker, R.W., *see* Cui, S., *TPEL March 2020 2353-2362*

De Doncker, R.W., *see* Voss, J., *TPEL April 2020 4332-4341*

De Doncker, R.W., *see* Shen, Z., *TPEL Nov. 2020 12194-12206*

de la Hoz, J., *see* Matas, J., *TPEL June 2020 5797-5811*

De La O, C., *see* Milton, M., *TPEL Sept. 2020 9850-9864*

De Novaes, Y.R., *see* Lambert, G., *TPEL March 2020 2363-2371*

de Novaes, Y.R., *see* Fischer, G.d.S., *TPEL May 2020 5447-5460*

De Simone, D., Tricoli, P., D'Arco, S., and Piegari, L., Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives; *TPEL Sept. 2020 9727-9736*

de Sousa, A.D., Vieira, L.F.M., and Vieira, M.A.M., Optimal Transmission Range and Charging Time for Qi-Compliant Systems; *TPEL Dec. 2020 12765-12772*

de Souza, V., *see* da Silva, S.A.O., *TPEL Nov. 2020 11652-11665*

Dearien, A., *see* Zhao, S., *TPEL Feb. 2020 1882-1898*

Dearien, A.M., *see* Seal, S., *TPEL Sept. 2020 9690-9699*

DeBoi, B.T., *see* Brovont, A.D., *TPEL May 2020 4678-4688*

DeBoi, B.T., *see* Lemmon, A.N., *TPEL Aug. 2020 8034-8049*

DeBoi, B.T., *see* Sellers, A.J., *TPEL Nov. 2020 12252-12263*

DeBoi, B.T., Lemmon, A.N., Nelson, B.W., New, C.D., and Hudson, D.M., Improved Methodology for Parasitic Characterization of High-Performance Power Modules; *TPEL Dec. 2020 13400-13408*

Dede, E.M., *see* Chen, W., *TPEL April 2020 4048-4062*

Degano, M., *see* Yuan, X., *TPEL May 2020 4996-5006*

Degioanni, F., *see* Mohammadi, M., *TPEL April 2020 4076-4093*

Dehghani Tafti, H., *see* Jeon, Y., *TPEL March 2020 2488-2500*

Dehghanian, P., *see* Tarzamni, H., *TPEL May 2020 5254-5266*

Delgado, A., Salinas, G., Oliver, J.A., Cobos, J.A., and Rodriguez-Moreno, J., Equivalent Conductor Layer for Fast 3-D Finite Element Simulations of Inductive Power Transfer Coils; *TPEL June 2020 6221-6230*

Delgado, A., Oliver, J.A., Cobos, J.A., and Rodriguez-Moreno, J., Macroscopic Modeling of Magnetic Microwires for Finite Element Simulations of Inductive Components; *TPEL Aug. 2020 8452-8459*

Delgado, A., Schoenberger, D., Oliver, J.A., Alou, P., and Cobos, J.A., Design Guidelines of Inductive Coils Using a Polymer Bonded Magnetic Composite for Inductive Power Transfer Systems in Electric Vehicles; *TPEL Aug. 2020 7884-7893*

Delgado, A., Requena, N.A., Ramos, R., Oliver, J.A., Alou, P., and Cobos, J.A., Design of Inductive Power Transfer System With a Behavior of Voltage Source in Open-Loop Considering Wide Mutual Inductance Variation; *TPEL Nov. 2020 11453-11462*

Delhommais, M., *see* Kyaw, P.A., *TPEL Jan. 2020 867-881*

Deng, F., *see* Liu, D., *TPEL Feb. 2020 2008-2022*

Deng, F., Yu, Q., Wang, Q., Zhu, R., Cai, X., and Chen, Z., Suppression of DC-Link Current Ripple for Modular Multilevel Converters Under Phase-Disposition PWM; *TPEL March 2020 3310-3324*

Deng, F., *see* Zhang, K., *TPEL April 2020 3951-3962*

Deng, F., *see* Pan, P., *TPEL April 2020 4033-4047*

Deng, F., Heng, Q., Liu, C., Cai, X., Zhu, R., Chen, Z., and Chen, W., Capacitor ESR and *C* Monitoring in Modular Multilevel Converters; *TPEL April 2020 4063-4075*

Deng, F., *see* Liu, C., *TPEL May 2020 5190-5204*

Deng, F., *see* Zhang, J., *TPEL June 2020 6091-6101*

Deng, F., *see* Zhang, Q., *TPEL July 2020 7001-7014*

Deng, F., *see* Shu, L., *TPEL Nov. 2020 11574-11588*

Deng, J., *see* Zhang, H., *TPEL Aug. 2020 8335-8346*

Deng, L., *see* Li, Z., *TPEL May 2020 5354-5365*

Deng, Q., *see* Chen, F., *TPEL Feb. 2020 2119-2134*

Deng, Q., *see* Chen, J., *TPEL Oct. 2020 9959-9964*

Deng, Q., *see* Chen, F., *TPEL Nov. 2020 11363-11379*

Deng, Q., *see* Gou, B., *TPEL Dec. 2020 13281-13294*

Deng, T., Tang, P., Su, Z., and Luo, Y., Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph; *TPEL Dec. 2020 13465-13474*

Deng, X., Zhu, H., Li, X., Tong, X., Gao, S., Wen, Y., Bai, S., Chen, W., Zhou, K., and Zhang, B., Investigation and Failure Mode of Asymmetric and Double Trench SiC mosfets Under Avalanche Conditions; *TPEL Aug. 2020 8524-8531*

Deng, Y., *see* Wang, K., *TPEL July 2020 6678-6681*

Deng, Z., *see* Cheng, C., *TPEL April 2020 3328-3331*

Derix, D., *see* Helmers, H., *TPEL Aug. 2020 7904-7909*

Devanshu, A., Singh, M., and Kumar, N., An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control; *TPEL Jan. 2020 652-666*

DeVoto, D., *see* Hanif, A., *TPEL July 2020 6761-6772*
Dhople, S.V., *see* Poon, J., *TPEL Oct. 2020 11013-11025*
Di, J., *see* Murphree, R.C., *TPEL Jan. 2020 913-923*
Diab, M.S., and Yuan, X., A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives; *TPEL Dec. 2020 12639-12645*
Diao, K., *see* Sun, X., *TPEL April 2020 3841-3849*
Dienot, J., *see* Vine, G., *TPEL Feb. 2020 1440-1449*
Diez, C.M., Costabeber, A., Tardelli, F., Trainer, D., and Clare, J., Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications; *TPEL March 2020 2389-2401*
DiMarino, C.M., Mouawad, B., Johnson, C.M., Boroyevich, D., and Burgos, R., 10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field; *TPEL June 2020 6050-6060*
Dimitrijev, S., *see* Jadli, U., *TPEL Dec. 2020 12629-12632*
Dinavahi, V., *see* Zhu, R., *TPEL May 2020 4689-4702*
Ding, D., Zhang, G., Wang, G., and Xu, D., Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation; *TPEL March 2020 2895-2907*
Ding, D., *see* Wang, G., *TPEL Sept. 2020 9574-9585*
Ding, F., *see* Zhu, B., *TPEL April 2020 3679-3687*
Ding, J., *see* Wang, H., *TPEL March 2020 3043-3053*
Ding, L., *see* Xue, C., *TPEL May 2020 4588-4601*
Ding, S., *see* Hang, J., *TPEL Feb. 2020 2023-2033*
Ding, S., *see* Hang, J., *TPEL March 2020 3029-3042*
Ding, S., *see* Hang, J., *TPEL June 2020 6405-6418*
Ding, S., *see* Hang, J., *TPEL Oct. 2020 10917-10929*
Ding, S.X., *see* Yang, C., *TPEL March 2020 3012-3028*
Ding, T., *see* Zhang, S., *TPEL March 2020 2436-2444*
Ding, W., *see* Yan, J., *TPEL Feb. 2020 1353-1364*
Ding, X., Liu, Y., Zhao, D., and Wu, W., Generalized Cockcroft-Walton Multiplier Voltage Z-Source Inverters; *TPEL July 2020 7175-7190*
Ding, Z., *see* Liu, F., *TPEL Jan. 2020 1036-1044*
Ding, Z., *see* Zhang, X., *TPEL Aug. 2020 8532-8539*
Dobakhshari, S.S., Fathi, S.H., and Milimonfared, J., A New Soft-Switched Three-Port DC/DC Converter With High Voltage Gain and Reduced Number of Semiconductors for Hybrid Energy Applications; *TPEL April 2020 3590-3600*
Dominguez, J.R., Duenas, I., and Ortega-Cisneros, S., Discrete-Time Modeling and Control Based on Field Orientation for Induction Motors; *TPEL Aug. 2020 8779-8793*
Dong, D., *see* Lin, X., *TPEL April 2020 4216-4232*
Dong, F., *see* Song, X., *TPEL Aug. 2020 7816-7825*
Dong, H., Xie, X., and Zhang, L., A New Primary PWM Control Strategy for CCM Synchronous Rectification Flyback Converter; *TPEL May 2020 4457-4461*
Dong, H., Xie, X., Mao, F., Zhang, L., and He, Y., A Novel Primary-Side Regulation Control Scheme for CCM and DCM *LLC* LED Driver Based on "Magnetizing Current Cancellation Method"; *TPEL Nov. 2020 12223-12237*
Dong, J., *see* Yao, Y., *TPEL July 2020 7341-7355*
Dong, J., *see* Zhang, X., *TPEL Sept. 2020 8860-8866*
Dong, L., Zhao, X., and Wang, Y., Design of an Adaptively Biased Low-Dropout Regulator With a Current Reusing Current-Mode OTA Using an Intuitive Analysis Method; *TPEL Oct. 2020 10477-10488*
Dong, M., *see* Wang, B., *TPEL Sept. 2020 8944-8955*
Dong, M., *see* Zhang, C., *TPEL Dec. 2020 12887-12897*
Dong, S., *see* Tang, J., *TPEL March 2020 3173-3182*
Dong, S., *see* Na, T., *TPEL May 2020 4602-4612*
Dong, S., *see* Zeng, W., *TPEL Aug. 2020 8002-8012*
Dong, S., *see* Song, K., *TPEL Sept. 2020 9034-9045*
Dong, S., *see* Song, B., *TPEL Oct. 2020 10338-10351*
Dong, S., *see* Zeng, W., *TPEL Dec. 2020 12861-12870*
Dong, X., Griffo, A., and Wang, J., Multiparameter Model Order Reduction for Thermal Modeling of Power Electronics; *TPEL Aug. 2020 8550-8558*
Dong, Z., *see* Li, X.L., *TPEL April 2020 3713-3728*
Dong, Z., *see* Liu, X., *TPEL May 2020 5132-5143*
Dong, Z., *see* Gui, H., *TPEL June 2020 5670-5682*
Dong, Z., *see* He, J., *TPEL Aug. 2020 8581-8592*
Dong, Z., Li, X.L., Tse, C.K., and Zhang, Z., Derivation of Single-Input Dual-Output Converters With Simple Control and No Cross Regulation; *TPEL Nov. 2020 11930-11941*
Dong, Z., Wu, X., Xu, H., Ren, N., and Sheng, K., Accurate Analytical Switching-On Loss Model of SiC MOSFET Considering Dynamic Transfer Characteristic and Q_{gd}; *TPEL Nov. 2020 12264-12273*
Dong, Z., *see* Li, X.L., *TPEL Dec. 2020 13104-13114*
Donoso-Garcia, P.F., *see* da Silva, W.W.A.G., *TPEL June 2020 6458-6469*
Dordevic, O., *see* Vujacic, M., *TPEL April 2020 3478-3490*
Dordevic, O., *see* Cervone, A., *TPEL Dec. 2020 13528-13539*
Dorfler, F., *see* Arghir, C., *TPEL April 2020 4398-4410*
Dorfler, F., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Dorfling, M., *see* Birth, A., *TPEL June 2020 5741-5752*
Dorfling, T., du Toit Mouton, H., Geyer, T., and Karamanakos, P., Long-Horizon Finite-Control-Set Model Predictive Control With Nonrecursive Sphere Decoding on an FPGA; *TPEL July 2020 7520-7531*
Doshi, M., *see* Khatua, M., *TPEL Oct. 2020 10396-10412*
Dou, M., *see* Zhang, H., *TPEL March 2020 2831-2842*
Dou, M., *see* Zhang, H., *TPEL Aug. 2020 8335-8346*
Dou, Y., Ouyang, Z., and Andersen, M.A.E., Integrated Coupled Inductors With Functionality of Current Balancing Transformer for Two-Phase Synchronous DC–DC Converters; *TPEL May 2020 4472-4476*
Dousoky, G.M., *see* Hassan, M.S., *TPEL Sept. 2020 9824-9838*
Doval-Gandoy, J., *see* Baneira, F., *TPEL Feb. 2020 1176-1181*
Doval-Gandoy, J., *see* Kali, Y., *TPEL Nov. 2020 12570-12580*
Doval-Gandoy, J., *see* Yepes, A.G., *TPEL Dec. 2020 13697-13713*
Dove, A., Naude, J., and Hofsajer, I., An Argument for the Relationship Between Spectral Spreading and Probability Spreading for EMI-Reduction in DC–DC Converter; *TPEL Feb. 2020 1459-1472*
Dragicevic, T., *see* Zheng, C., *TPEL Jan. 2020 1086-1095*
Dragicevic, T., *see* Chen, L., *TPEL Feb. 2020 1957-1966*
Dragicevic, T., *see* Zheng, C., *TPEL Feb. 2020 1967-1977*
Dragicevic, T., Zheng, C., Rodriguez, J., and Blaabjerg, F., Robust Quasi-Predictive Control of *L*+*C*+*L*-Filtered Grid Converters; *TPEL Feb. 2020 1934-1946*
Dragicevic, T., *see* Karimi, A., *TPEL April 2020 4321-4331*
Dragicevic, T., *see* Naderi, M., *TPEL May 2020 4728-4740*
Dragicevic, T., *see* Xu, Q., *TPEL May 2020 5331-5342*
Dragicevic, T., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Dragicevic, T., *see* Sahoo, S., *TPEL July 2020 7574-7582*
Dragicevic, T., *see* Chen, L., *TPEL Aug. 2020 8624-8637*
Dragicevic, T., *see* Heydari, R., *TPEL Nov. 2020 12486-12496*
Dragicevic, T., *see* Naderi, M., *TPEL Nov. 2020 11801-11812*
Dragicevic, T., *see* Sahoo, S., *TPEL Dec. 2020 12601-12605*
Dragicevic, T., *see* Sahoo, S., *TPEL Dec. 2020 13714-13724*
Driesen, J., *see* Broeck, G.V.d., *TPEL Sept. 2020 9306-9319*
Driesen, J., *see* Ravyts, S., *TPEL Nov. 2020 11694-11706*
Drofenik, U., *see* Park, K., *TPEL March 2020 2317-2333*
Du, C., Yin, Z., Liu, J., Zhang, Y., and Sun, X., A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer; *TPEL Aug. 2020 8429-8442*
Du, H., *see* Li, Y., *TPEL Jan. 2020 1022-1035*
Du, H., *see* Hu, K., *TPEL July 2020 6773-6784*
Du, L., Li, M., Tang, Z., Xiong, L., Ma, X., and Tang, G., A Fast Positive Sequence Components Extraction Method With Noise Immunity in Unbalanced Grids; *TPEL July 2020 6682-6685*
Du, S., *see* Yin, H., *TPEL Aug. 2020 8311-8323*
Du, S., *see* Song, S., *TPEL Sept. 2020 9215-9225*
Du, X., *see* Wei, Y., *TPEL Feb. 2020 2196-2207*
Du, X., *see* Zou, X., *TPEL Feb. 2020 1484-1498*
Du, X., *see* Chen, J., *TPEL March 2020 2690-2704*
Du, X., *see* Lu, W., *TPEL Aug. 2020 7755-7764*
Du, X., *see* Zhu, K., *TPEL Aug. 2020 8116-8129*
Du, X., *see* Liu, J., *TPEL Sept. 2020 9390-9401*
Du, X., *see* Chen, J., *TPEL Dec. 2020 13182-13199*
Du, Y., *see* Tao, T., *TPEL April 2020 3850-3858*

Du, Y., *see* Zhao, W., *TPEL July 2020 7261-7270*
Du, Y., *see* Lyu, J., *TPEL Dec. 2020 12612-12616*
du Toit Mouton, H., *see* Dorfling, T., *TPEL July 2020 7520-7531*
Duan, F., *see* Wang, J., *TPEL Jan. 2020 1147-1155*
Duan, J., Zhang, D., Wang, L., Zhou, Z., and Gu, Y., Active Voltage Sharing Module for Input-Series Connected Modular DC/DC Converters; *TPEL June 2020 5987-6000*
Duan, R., *see* Nie, J., *TPEL April 2020 4256-4271*
Duan, R., *see* Sun, J., *TPEL April 2020 3491-3505*
Duan, R., *see* Nie, J., *TPEL Nov. 2020 11304-11309*
Duan, S., *see* Liu, P., *TPEL April 2020 4309-4320*
Duan, S., *see* Wang, T., *TPEL May 2020 4568-4578*
Duan, S., *see* Hu, H., *TPEL May 2020 5517-5530*
Duan, S., *see* Liu, P., *TPEL July 2020 6686-6690*
Duan, S., *see* Liu, P., *TPEL Dec. 2020 12590-12594*
Duan, X., *see* Xiao, H., *TPEL May 2020 5238-5253*
Duan, Y., Iannuzzo, F., and Blaabjerg, F., A New Lumped-Charge Modeling Method for Power Semiconductor Devices; *TPEL April 2020 3989-3996*
Duarte, J.L., *see* Settels, S.J., *TPEL April 2020 3450-3465*
Dube, S.K., *see* Ali, K., *TPEL May 2020 4658-4668*
Duenas, I., *see* Dominguez, J.R., *TPEL Aug. 2020 8779-8793*
Duggal, B., *see* Mudaliyar, S., *TPEL Oct. 2020 11250-11266*
Dujic, D., *see* Mogorovic, M., *TPEL Oct. 2020 10863-10872*
Dujic, D., *see* Coulinge, E., *TPEL Nov. 2020 11602-11611*
Dujic, D., *see* Milovanovic, S., *TPEL Dec. 2020 12898-12908*
Dung, N.A., *see* Chen, S., *TPEL Oct. 2020 9992-9997*
Duranti, J.P., *see* Menke, M.F., *TPEL Dec. 2020 12686-12701*
Durgaprasanth, S., *see* Achary, R.K., *TPEL March 2020 2809-2818*

E

E. Gaona, D., Ghosh, S., and Long, T., Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads; *TPEL July 2020 6799-6809*
Eberle, W., *see* Khan, A.A., *TPEL Jan. 2020 107-120*
Eberle, W., *see* Khan, A.A., *TPEL Feb. 2020 1269-1281*
Eberle, W., *see* Khan, A.A., *TPEL Aug. 2020 7933-7946*
Ebraheem, A.K., *see* Xu, W., *TPEL July 2020 7271-7281*
Ebrahimi, M., *see* Afshar, M., *TPEL Aug. 2020 8559-8568*
Eftekhari, S.R., Davari, S.A., Naderi, P., Garcia, C., and Rodriguez, J., Robust Loss Minimization for Predictive Direct Torque and Flux Control of an Induction Motor With Electrical Circuit Model; *TPEL May 2020 5417-5426*
Eguchi, T., *see* Mahajan, D.D., *TPEL June 2020 6332-6339*
El Houm, Y., *see* Mousmi, A., *TPEL April 2020 3859-3868*
Elasser, Y., *see* Chen, Y., *TPEL Dec. 2020 13210-13224*
Elbabo Mohammed, O.M., *see* Xu, W., *TPEL Jan. 2020 667-680*
Elbabo Mohammed, O.M., *see* Xu, W., *TPEL July 2020 7271-7281*
Elmorshedy, M.F., *see* Xu, W., *TPEL July 2020 7366-7378*
Elsaharty, M.A., *see* Abdollahi, M., *TPEL July 2020 7532-7544*
Emadi, A., *see* Gareau, J., *TPEL July 2020 7405-7418*
Emadi, A., *see* Xia, Z., *TPEL Sept. 2020 9753-9769*
Emadi, A., *see* Tarvirdilu-Asl, R., *TPEL Oct. 2020 10654-10672*
Emadi, A., *see* Xiao, D., *TPEL Nov. 2020 12332-12346*
Emadi, A., *see* Wang, X., *TPEL Nov. 2020 12053-12071*
Emamalipour, R., and Lam, J., A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter; *TPEL Aug. 2020 8200-8214*
Emamalipour, R., *see* Kanathipan, K., *TPEL Sept. 2020 9530-9540*
Emaneini, M., *see* Pourhadi Abkenar, P., *TPEL Aug. 2020 8215-8223*
Engel, S.P., *see* Voss, J., *TPEL April 2020 4332-4341*
Enslin, J.H.R., *see* Nazir, M., *TPEL July 2020 6701-6704*
Eren, S., *see* Hajebrahimi, H., *TPEL Nov. 2020 11612-11624*
Escobar, G., Puerto-Flores, D.d., Mayo-Maldonado, J.C., Valdez-Resendiz, J.E., and Micheloud-Vernackt, O.M., A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion; *TPEL May 2020 4647-4657*
Escudero, M., Meneses, D., Rodriguez, N., and Morales, D.P., Modulation Scheme for the Bidirectional Operation of the Phase-Shift Full-Bridge Power Converter; *TPEL Feb. 2020 1377-1391*
Escudero, M., Kutschak, M., Meneses, D., Morales, D.P., and Rodriguez, N., Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters; *TPEL July 2020 7419-7433*
Esmaeelnia, F.P., *see* Tarzamni, H., *TPEL May 2020 5254-5266*
Espina, E., Cardenas-Dobson, R., Espinoza-B., M., Burgos-Mellado, C., and Saez, D., Cooperative Regulation of Imbalances in Three-Phase Four-Wire Microgrids Using Single-Phase Droop Control and Secondary Control Algorithms; *TPEL Feb. 2020 1978-1992*
Espinoza-B., M., *see* Espina, E., *TPEL Feb. 2020 1978-1992*
Esteki, M., *see* Heidari, M., *TPEL July 2020 7226-7234*
Evans, P.L., *see* Li, K., *TPEL Sept. 2020 9650-9660*
Evans, T.M., *see* Nakamura, Y., *TPEL March 2020 2950-2958*
Exposito, A.D., *see* Salinas Lopez, G., *TPEL Feb. 2020 1830-1844*

F

Fabricio, E.L.L., *see* da Costa, A.E.L., *TPEL March 2020 2295-2307*
Fahimi, B., *see* Xiao, Y., *TPEL May 2020 4971-4983*
Falconar, N., Beyragh, D.S., and Pahlevani, M., An Adaptive Sensorless Control Technique for a Flyback-Type Solar Tile Microinverter; *TPEL Dec. 2020 13554-13562*
Fan, J., *see* Sun, J., *TPEL Aug. 2020 7840-7852*
Fan, J., *see* Hou, F., *TPEL Oct. 2020 10592-10600*
Fan, J.W., Chow, J.P., Chan, W., Zhang, K., Relekar, A., Ho, K., Tung, C., Wang, K., and Chung, H.S., Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters; *TPEL March 2020 2519-2533*
Fan, J.W., *see* Tung, C., *TPEL July 2020 7596-7611*
Fan, S., *see* Wu, F., *TPEL May 2020 5506-5516*
Fan, X., *see* Hou, F., *TPEL Oct. 2020 10592-10600*
Fan, X., *see* Tian, Q., *TPEL Nov. 2020 11731-11744*
Fan, Z., *see* Zhao, L., *TPEL May 2020 4579-4587*
Fan, Z., *see* Zhao, L., *TPEL Dec. 2020 12949-12958*
Fang, G., *see* Liu, L., *TPEL Feb. 2020 1711-1720*
Fang, G., *see* Song, S., *TPEL Sept. 2020 9608-9616*
Fang, G., *see* Xiao, D., *TPEL Nov. 2020 12332-12346*
Fang, J., *see* Zhang, Y., *TPEL April 2020 3616-3626*
Fang, J., *see* Jiang, Y., *TPEL Oct. 2020 11064-11081*
Fang, M., *see* Qi, X., *TPEL Nov. 2020 12003-12021*
Fang, T., Shen, S., Jin, Y., Zhang, X., Han, Z., and Ruan, X., Multiple-Objective Control Scheme for Input-Series–Output-Series *LCL*-Filtered Grid-Connected Inverter System; *TPEL Aug. 2020 8689-8700*
Fang, X., *see* Han, Y., *TPEL March 2020 3221-3241*
Fang, X., *see* Talesara, V., *TPEL Sept. 2020 9680-9689*
Fang, Y., *see* Cao, S., *TPEL Feb. 2020 1450-1458*
Fang, Y., Pong, B.M.H., and Hui, R.S.Y., An Enhanced Multiple Harmonics Analysis Method for Wireless Power Transfer Systems; *TPEL Feb. 2020 1205-1216*
Fang, Y., *see* Li, C., *TPEL April 2020 3390-3401*
Fang, Y., *see* Liu, X., *TPEL May 2020 4462-4466*
Fang, Y., *see* Yang, Z., *TPEL Oct. 2020 10352-10362*
Fang, Y., *see* Zhao, S., *TPEL Oct. 2020 10982-10993*
Faradjizadeh, F., Vilathgamuwa, D.M., Jayathurathnage, P.K.S., and Ledwich, G., Graph Sets Method (GSM) for Multicoil Wireless Power Transfer Systems—Part II: Simulated and Experimental Results; *TPEL Oct. 2020 10757-10769*
Farajizadeh, F., Vilathgamuwa, D.M., Jovanovic, D., Jayathurathnage, P., Ledwich, G., and Madawala, U., Expandable N-Legged Converter to Drive Closely Spaced Multitransmitter Wireless Power Transfer Systems for Dynamic Charging; *TPEL April 2020 3794-3806*
Farajizadeh, F., Vilathgamuwa, D.M., Jayathurathnage, P., and Ledwich, G., Graph Sets Method for Multicoil Wireless Power Transfer Systems—Part I: Principles; *TPEL Oct. 2020 10741-10756*

Fardahar, S.M., and Sabahi, M., New Expandable Switched-Capacitor/ Switched-Inductor High-Voltage Conversion Ratio Bidirectional DC–DC Converter; *TPEL March 2020 2480-2487*
Farivar, G.G., *see* Jeon, Y., *TPEL March 2020 2488-2500*
Farivar, G.G., *see* Beniwal, N., *TPEL April 2020 4426-4438*
Farivar, G.G., *see* Rodriguez, E., *TPEL Aug. 2020 8819-8832*
Farivar, G.G., *see* Tafti, H.D., *TPEL Sept. 2020 9342-9356*
Farivar, G.G., *see* Beniwal, N., *TPEL Sept. 2020 9737-9752*
Farivar, G.G., *see* Townsend, C.D., *TPEL Dec. 2020 13540-13553*
Farnell, C., *see* Zhao, S., *TPEL Feb. 2020 1882-1898*
Farnell, C., *see* Seal, S., *TPEL Sept. 2020 9690-9699*
Farr, E.M., Trainer, D.R., Idehen, O.E., and Vershinin, K., The Series Bridge Converter (SBC): AC Faults; *TPEL May 2020 4467-4471*
Farsizadeh, H., *see* Khooban, M.H., *TPEL June 2020 5832-5841*
Farsizadeh, H., *see* Hajihosseini, M., *TPEL Oct. 2020 9971-9977*
Farzanehfard, H., *see* Heidari, M., *TPEL July 2020 7226-7234*
Fathi, M., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Fathi, S.H., *see* Dobakhshari, S.S., *TPEL April 2020 3590-3600*
Fayed, A.A., *see* Ahmed, M.S., *TPEL Jan. 2020 471-483*
Fei, J., and Chu, Y., Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter; *TPEL March 2020 3069-3084*
Fei, J., *see* Hou, S., *TPEL July 2020 7640-7652*
Fei, J., and Chen, Y., Dynamic Terminal Sliding-Mode Control for Single-Phase Active Power Filter Using New Feedback Recurrent Neural Network; *TPEL Sept. 2020 9904-9922*
Femia, N., Stoyka, K., and Capua, G.D., Impact of Inductors Saturation on Peak-Current Mode Control Operation; *TPEL Oct. 2020 10969-10981*
Feng, F., *see* Xie, Y., *TPEL March 2020 2595-2614*
Feng, G., Lai, C., Li, W., Li, Z., and Kar, N.C., Efficient Permanent Magnet Temperature Modeling and Estimation for Dual Three-Phase PMSM Considering Inverter Nonlinearity; *TPEL July 2020 7328-7340*
Feng, G., *see* Lai, C., *TPEL Oct. 2020 10729-10740*
Feng, H., *see* Hu, H., *TPEL May 2020 5517-5530*
Feng, H., *see* Chen, Y., *TPEL May 2020 4915-4924*
Feng, H., *see* Awal, M.A., *TPEL Oct. 2020 11267-11276*
Feng, J., *see* Wei, G., *TPEL June 2020 6114-6126*
Feng, J., *see* Wang, C., *TPEL July 2020 6854-6866*
Feng, S., *see* Lei, J., *TPEL March 2020 3183-3194*
Feng, S., *see* Lei, J., *TPEL March 2020 2458-2466*
Feng, X., *see* Wu, X., *TPEL April 2020 4192-4204*
Feng, X., *see* Wang, H., *TPEL Dec. 2020 12834-12845*
Feng, Y., *see* Wang, W., *TPEL Feb. 2020 1365-1376*
Feng, Y., *see* Wang, Y., *TPEL April 2020 4117-4126*
Ferencz, A., *see* Zhang, X., *TPEL Feb. 2020 1721-1731*
Fernandez, C., *see* Rodriguez-Lorente, A., *TPEL Nov. 2020 11942-11954*
Fernandez, D., *see* Guerrero, J.M., *TPEL Jan. 2020 373-381*
Fernandez, M., Perpina, X., Vellvehi, M., Avino-Salvado, O., Llorente, S., and Jorda, X., Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load; *TPEL May 2020 5221-5237*
Fernando, T., *see* Xu, Q., *TPEL May 2020 5397-5407*
Fernando, T., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*
Fernando, T., *see* Yu, D., *TPEL Nov. 2020 12370-12382*
Ferreira, B., *see* Hou, F., *TPEL Oct. 2020 10592-10600*
Figueredo, R.S., and Matakas, L., Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters; *TPEL July 2020 7058-7072*
Filho, E.R., *see* Neto, P.J.d.S., *TPEL Nov. 2020 12472-12485*
Fischer, G.d.S., Rech, C., and de Novaes, Y.R., Extensions of Leading-Edge Modulated One-Cycle Control for Totem-Pole Bridgeless Rectifiers; *TPEL May 2020 5447-5460*
Fischer, P., *see* Lambert, W.J., *TPEL June 2020 6208-6220*
Foote, A., *see* Yan, Y., *TPEL July 2020 7506-7519*
Foroushani, H.M., *see* Ghasemi, M.A., *TPEL June 2020 5860-5872*
Forouzesh, M., *see* Khan, M.N.H., *TPEL Aug. 2020 8248-8260*
Forrester, J., *see* Yang, Z., *TPEL Oct. 2020 10466-10476*
Forstner, G., Kugi, A., and Kemmetmuller, W., A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit; *TPEL Nov. 2020 12285-12295*
Forsyth, A.J., *see* Shahjalal, M., *TPEL Sept. 2020 9082-9094*
Fortin-Blanchette, H., *see* Berger, M., *TPEL April 2020 3651-3662*
Foster, M.P., *see* Yang, Z., *TPEL Oct. 2020 10466-10476*
Fotuhi-Firuzabad, M., *see* Tarzamni, H., *TPEL May 2020 5254-5266*
Foulkes, T., *see* Barth, C.B., *TPEL Nov. 2020 12040-12052*
Foulkes, T., *see* Modeer, T., *TPEL Nov. 2020 12153-12165*
Foyen, S., *see* Zhang, C., *TPEL Sept. 2020 9770-9783*
Francis, A.M., *see* Murphree, R.C., *TPEL Jan. 2020 913-923*
Frattini, G., *see* Pareschi, F., *TPEL May 2020 5304-5318*
Frechter, Y., and Kuperman, A., Output Voltage Range of a Power-Loaded Series–Series Compensated Inductive Wireless Power Transfer Link Operating in Load-Independent Regime; *TPEL June 2020 6586-6593*
Freire, M.J., *see* Mendez, J.B., *TPEL Jan. 2020 15-19*
Fu, C., *see* Sun, Y., *TPEL April 2020 3434-3449*
Fu, C., *see* Joshi, K., *TPEL Oct. 2020 10249-10259*
Fu, L., *see* Talesara, V., *TPEL Sept. 2020 9680-9689*
Fu, M., *see* Wang, S., *TPEL Oct. 2020 10532-10541*
Fu, Q., *see* Li, B., *TPEL April 2020 3377-3389*
Fu, S., *see* Zhang, X., *TPEL Dec. 2020 13488-13499*
Fu, X., *see* Liu, F., *TPEL Jan. 2020 1036-1044*
Fu, Y., *see* Shang, Y., *TPEL Feb. 2020 1637-1648*
Fulwani, D., *see* Gautam, A.R., *TPEL April 2020 4353-4364*

G

G. Farivar, G., *see* Ramos, E.R., *TPEL Aug. 2020 8766-8778*
Gaafar, M.A., *see* Ibrahim, E.A.D., *TPEL May 2020 4703-4714*
Gaillard, A., *see* Zhuo, S., *TPEL Sept. 2020 9923-9932*
Galassini, A., *see* Yuan, X., *TPEL May 2020 4996-5006*
Galigekere, V.P.N., *see* Pries, J., *TPEL May 2020 4500-4517*
Galvano, M., *see* Marconi, S., *TPEL March 2020 2764-2775*
Gan, C., *see* Yu, Z., *TPEL Oct. 2020 10614-10628*
Gan, C., Meng, F., Yu, Z., Qu, R., Liu, Z., and Si, J., Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties; *TPEL Nov. 2020 12307-12320*
Ganesan, S.I., *see* Boggarapu, P.K., *TPEL Nov. 2020 11865-11878*
Gao, D., *see* Zhu, G., *TPEL Nov. 2020 11352-11362*
Gao, F., *see* Tang, X., *TPEL Feb. 2020 1499-1512*
Gao, F., *see* Zhang, Y., *TPEL Feb. 2020 1536-1547*
Gao, F., *see* Niu, D., *TPEL Feb. 2020 1171-1175*
Gao, F., *see* Bai, H., *TPEL Feb. 2020 1282-1292*
Gao, F., Gu, X., Ma, Z., and Zhang, C., Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition; *TPEL March 2020 2284-2294*
Gao, F., *see* Qin, F., *TPEL April 2020 3416-3433*
Gao, F., *see* Zhang, Y., *TPEL April 2020 3616-3626*
Gao, F., *see* Chen, L., *TPEL Aug. 2020 8624-8637*
Gao, F., *see* Mao, S., *TPEL Aug. 2020 8347-8360*
Gao, F., *see* Zhuo, S., *TPEL Sept. 2020 9923-9932*
Gao, F., *see* Xu, T., *TPEL Nov. 2020 11843-11854*
Gao, F., *see* Xu, T., *TPEL Nov. 2020 11281-11286*
Gao, F., *see* Ma, Z., *TPEL Dec. 2020 13514-13527*
Gao, G., Lei, W., Tang, Q., Xiao, Z., Hu, X., and Wang, Y., Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter; *TPEL Sept. 2020 9133-9150*
Gao, H., *see* Xiao, L., *TPEL Nov. 2020 12457-12471*
Gao, J., *see* Gong, C., *TPEL Jan. 2020 20-24*
Gao, M., Chen, M., Zhao, B., Li, B., and Qian, Z., Design of Control System for Smooth Mode-Transfer of Grid-Tied Mode and Islanding Mode in Microgrid; *TPEL June 2020 6419-6435*
Gao, N., *see* Liu, C., *TPEL June 2020 6609-6624*
Gao, Q., *see* Kou, J., *TPEL July 2020 7356-7365*
Gao, S., *see* Zhang, Y., *TPEL Feb. 2020 1536-1547*
Gao, S., *see* Zhang, Y., *TPEL April 2020 3616-3626*

Gao, S., *see* Deng, X., *TPEL Aug. 2020 8524-8531*
Gao, S., Wang, Y., Liu, Y., Guan, Y., and Xu, D., A Novel DCM Soft-Switched SEPIC-Based High-Frequency Converter With High Step-Up Capacity; *TPEL Oct. 2020 10444-10454*
Gao, W., *see* Ke, G., *TPEL April 2020 3697-3712*
Gao, W., *see* Zhang, K., *TPEL Oct. 2020 11108-11118*
Gao, X., *see* Liu, X., *TPEL Oct. 2020 10778-10788*
Gao, X., *see* Chen, J., *TPEL Oct. 2020 9959-9964*
Gao, X., *see* Wang, J., *TPEL Dec. 2020 12617-12622*
Gao, Z., *see* Sun, Y., *TPEL April 2020 3434-3449*
Garate, J.I., *see* Aretxabaleta, I., *TPEL Aug. 2020 8025-8033*
Garcia, C., *see* Eftekhari, S.R., *TPEL May 2020 5417-5426*
Garcia, C., *see* Xu, W., *TPEL July 2020 7366-7378*
Garcia-Bediaga, A., *see* Iruretagoyena, U., *TPEL Jan. 2020 208-219*
Gareau, J., Hou, R., and Emadi, A., Review of Loss Distribution, Analysis, and Measurement Techniques for GaN HEMTs; *TPEL July 2020 7405-7418*
Garman, P.D., *see* Talesara, V., *TPEL Jan. 2020 578-590*
Garnier, H., *see* Chen, F., *TPEL Feb. 2020 2119-2134*
Garnier, H., *see* Chen, F., *TPEL Nov. 2020 12442-12456*
Garnier, H., *see* Chen, F., *TPEL Nov. 2020 11363-11379*
Garrido, D., Baraia-Etxaburu, I., Arza, J., and Barrenetxea, M., Simple and Affordable Method for Fast Transient Measurements of SiC Devices; *TPEL March 2020 2933-2942*
Gautam, A.R., Fulwani, D., Makineni, R.R., and Rathore, N., ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance; *TPEL April 2020 4353-4364*
Ge, C., *see* Liu, S., *TPEL Nov. 2020 11328-11331*
Ge, L., Ralev, I., Klein-Hessling, A., Song, S., and De Doncker, R.W., A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines; *TPEL March 2020 2787-2798*
Ge, T., He, H., Guo, L., and Chang, J.S., A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise; *TPEL Jan. 2020 789-799*
Ge, T., *see* He, H., *TPEL Sept. 2020 9430-9442*
Ge, X., *see* Gou, B., *TPEL Dec. 2020 13281-13294*
Geng, C., *see* Zhang, X., *TPEL Oct. 2020 11143-11154*
Geng, Y., Yang, Z., and Lin, F., Design and Control for Catenary Charged Light Rail Vehicle Based on Wireless Power Transfer and Hybrid Energy Storage System; *TPEL Aug. 2020 7894-7903*
Geng, Z., *see* Liu, L., *TPEL Feb. 2020 1711-1720*
Gerada, C., *see* Xu, Z., *TPEL Jan. 2020 733-743*
Gerada, C., *see* Sala, G., *TPEL April 2020 4168-4177*
Gerada, D., *see* Sala, G., *TPEL April 2020 4168-4177*
Geyer, T., *see* Birth, A., *TPEL June 2020 5741-5752*
Geyer, T., *see* Dorfling, T., *TPEL July 2020 7520-7531*
Geyer, T., *see* Karamanakos, P., *TPEL July 2020 7434-7450*
Ghasemi, M.A., Foroushani, H.M., and Blaabjerg, F., Marginal Power-Based Maximum Power Point Tracking Control of Photovoltaic System Under Partially Shaded Condition; *TPEL June 2020 5860-5872*
Gheisarnejad, M., *see* Khooban, M.H., *TPEL June 2020 5832-5841*
Gheisarnejad, M., *see* Hajihosseini, M., *TPEL Oct. 2020 9971-9977*
Gheisarnejad, M., and Khooban, M.H., IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation; *TPEL Dec. 2020 13621-13630*
Ghias, A.M.Y.M., *see* Pillai, D.S., *TPEL June 2020 6594-6608*
Ghosh, A., *see* Xu, Y., *TPEL March 2020 2979-2989*
Ghosh, S., *see* E. Gaona, D., *TPEL July 2020 6799-6809*
Ghosh, S.S., *see* Zhao, H., *TPEL July 2020 7545-7562*
Ghosh, S.S., *see* Jiang, C., *TPEL Oct. 2020 10821-10830*
Ghovanloo, M., *see* Lim, J., *TPEL March 2020 2680-2689*
Giacomini, J.C., Michels, L., Cavalcanti, M.C., and Rech, C., Modified Discontinuous PWM Strategy for Three-Phase Grid-Connected PV Inverters With Hybrid Active–Passive Damping Scheme; *TPEL Aug. 2020 8063-8073*
Ginn, H.L., *see* Milton, M., *TPEL Sept. 2020 9850-9864*
Ginot, N., *see* Weckbrodt, J., *TPEL Aug. 2020 8540-8549*
Goetz, S.M., *see* Zeng, Z., *TPEL July 2020 6931-6943*
Goetz, S.M., *see* Zeng, Z., *TPEL Dec. 2020 13042-13052*
Goetz, S.M., *see* Li, Z., *TPEL Dec. 2020 12977-12987*
Gole, A.M., *see* Xiao, H., *TPEL May 2020 5238-5253*
Golestan, S., Guerrero, J.M., Vasquez, J.C., Abusorrah, A.M., and Al-Turki, Y., All-Pass-Filter-Based PLL Systems: Linear Modeling, Analysis, and Comparative Evaluation; *TPEL April 2020 3558-3572*
Gong, C., Hu, Y., Ni, K., Liu, J., and Gao, J., SM Load Torque Observer-Based FCS-MPDSC With Single Prediction Horizon for High Dynamics of Surface-Mounted PMSM; *TPEL Jan. 2020 20-24*
Gong, C., Hu, Y., Ma, M., Yan, L., Liu, J., and Wen, H., Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency; *TPEL June 2020 5567-5572*
Gong, C., *see* Han, Y., *TPEL Oct. 2020 11193-11204*
Gong, L., *see* Yu, Z., *TPEL April 2020 4094-4104*
Gong, Z., Huang, D., Jadoon, H.U.K., Ma, L., and Song, W., Sensor-Fault-Estimation-Based Tolerant Control for Single-Phase Two-Level PWM Rectifier in Electric Traction System; *TPEL Nov. 2020 12274-12284*
Gopakumar, K., *see* R, R., *TPEL March 2020 2402-2410*
Gorecki, K., and Gorecki, P., Nonlinear Compact Thermal Model of the IGBT Dedicated to SPICE; *TPEL Dec. 2020 13420-13428*
Gorecki, P., *see* Gorecki, K., *TPEL Dec. 2020 13420-13428*
Gorla, N.B.Y., *see* Kolluri, S., *TPEL Sept. 2020 9839-9849*
Gorla, N.B.Y., *see* Chai, M., *TPEL Oct. 2020 10109-10120*
Gou, B., Xu, Y., Xia, Y., Deng, Q., and Ge, X., An Online Data-Driven Method for Simultaneous Diagnosis of IGBT and Current Sensor Fault of Three-Phase PWM Inverter in Induction Motor Drives; *TPEL Dec. 2020 13281-13294*
Gou, L., Wang, C., Zhou, M., and You, X., Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition; *TPEL April 2020 4105-4116*
Graeb, H.E., *see* Burcea, F., *TPEL Aug. 2020 8173-8185*
Grandi, G., *see* Vujacic, M., *TPEL April 2020 3478-3490*
Gray, P.A., and Lehn, P.W., The Current Shaping Modular Multilevel DC–DC Converter; *TPEL Oct. 2020 10050-10063*
Green, T.C., *see* Qiao, Y., *TPEL April 2020 3402-3415*
Green, T.C., *see* Xiang, X., *TPEL June 2020 5573-5580*
Green, T.C., *see* Leterme, W., *TPEL June 2020 5753-5769*
Green, T.C., *see* Sang, Y., *TPEL Aug. 2020 8737-8750*
Green, T.C., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Gregor, R., *see* Kali, Y., *TPEL Nov. 2020 12570-12580*
Gregoretti, F., *see* Crovetti, P.S., *TPEL Oct. 2020 11155-11166*
Griffo, A., *see* Xiao, S., *TPEL June 2020 6061-6069*
Griffo, A., *see* Dong, X., *TPEL Aug. 2020 8550-8558*
Grossner, U., *see* Tsibizov, A., *TPEL Feb. 2020 1855-1865*
Gu, B., *see* Im, S., *TPEL Nov. 2020 12143-12152*
Gu, C., *see* Wang, X., *TPEL Dec. 2020 13255-13269*
Gu, L., *see* Xu, J., *TPEL June 2020 6340-6349*
Gu, L., and Peng, K., A Single-Stage Fault-Tolerant Three-Phase Bidirectional AC/DC Converter With Symmetric High-Frequency Y-Δ Connected Transformers; *TPEL Sept. 2020 9226-9237*
Gu, L., Zulauf, G., Zhang, Z., Chakraborty, S., and Rivas-Davila, J., Push–Pull Class Φ_2 RF Power Amplifier; *TPEL Oct. 2020 10515-10531*
Gu, M., *see* Wang, X., *TPEL Nov. 2020 12053-12071*
Gu, Q., *see* Sun, J., *TPEL April 2020 3491-3505*
Gu, X., *see* Gao, F., *TPEL March 2020 2284-2294*
Gu, X., *see* Li, C., *TPEL April 2020 3390-3401*
Gu, X., *see* Xiao, S., *TPEL April 2020 3878-3890*
Gu, X., *see* Sheng, J., *TPEL April 2020 4242-4255*
Gu, X., *see* Ma, Z., *TPEL Dec. 2020 13514-13527*
Gu, Y., *see* Zhang, L., *TPEL May 2020 4835-4846*
Gu, Y., *see* Xiang, X., *TPEL June 2020 5573-5580*
Gu, Y., *see* Duan, J., *TPEL June 2020 5987-6000*
Gu, Y., *see* Zhang, L., *TPEL Aug. 2020 8224-8236*
Gu, Z., *see* Yang, Q., *TPEL Dec. 2020 13053-13067*
Guacci, M., *see* Zulauf, G., *TPEL June 2020 5581-5588*
Guan, Y., *see* Zhang, X., *TPEL Sept. 2020 9471-9481*
Guan, Y., *see* Gao, S., *TPEL Oct. 2020 10444-10454*

Guan, Y., *see* Hu, W., *TPEL Nov. 2020 11518-11532*
Guan, Y., *see* Wang, Y., *TPEL Nov. 2020 11502-11517*
Gucin, T.N., and Ovacik, L., Online Impedance Measurement of Batteries Using the Cross-Correlation Technique; *TPEL April 2020 4365-4375*
Guerrero, J.M., Lumbreras, C., Reigosa, D., Fernandez, D., Briz, F., and Charro, C.B., Accurate Rotor Speed Estimation for Low-Power Wind Turbines; *TPEL Jan. 2020 373-381*
Guerrero, J.M., *see* Shan, Y., *TPEL Feb. 2020 1227-1238*
Guerrero, J.M., *see* Guo, P., *TPEL Feb. 2020 1239-1255*
Guerrero, J.M., *see* Hou, X., *TPEL Feb. 2020 1589-1602*
Guerrero, J.M., *see* Akhavan, A., *TPEL Feb. 2020 2135-2150*
Guerrero, J.M., *see* Golestan, S., *TPEL April 2020 3558-3572*
Guerrero, J.M., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Guerrero, J.M., *see* Xie, C., *TPEL June 2020 6636-6648*
Guerrero, J.M., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*
Guerrero, J.M., *see* Akhavan, A., *TPEL Aug. 2020 7735-7741*
Guerrero, J.M., *see* Xiao, Z., *TPEL Aug. 2020 8673-8688*
Guerrero, J.M., *see* Xie, C., *TPEL Sept. 2020 9813-9823*
Guerrero, J.M., *see* Wu, X., *TPEL Sept. 2020 9865-9885*
Guerrero, J.M., *see* Neto, P.J.d.S., *TPEL Nov. 2020 12472-12485*
Gui, H., *see* Chen, R., *TPEL April 2020 4411-4425*
Gui, H., Chen, R., Niu, J., Zhang, Z., Tolbert, L.M., Wang, F.F., Blalock, B.J., Costinett, D., and Choi, B.B., Review of Power Electronics Components at Cryogenic Temperatures; *TPEL May 2020 5144-5156*
Gui, H., Zhang, Z., Chen, R., Ren, R., Niu, J., Li, H., Dong, Z., Timms, C., Wang, F., Tolbert, L.M., Blalock, B.J., Costinett, D., and Choi, B.B., Development of High-Power High Switching Frequency Cryogenically Cooled Inverter for Aircraft Applications; *TPEL June 2020 5670-5682*
Gui, H., Chen, R., Zhang, Z., Niu, J., Ren, R., Liu, B., Tolbert, L.M., Wang, F.F., Costinett, D., Blalock, B.J., and Choi, B.B., Modeling and Mitigation of Multiloops Related Device Overvoltage in Three-Level Active Neutral Point Clamped Converter; *TPEL Aug. 2020 7947-7959*
Gui, H., Sun, J., and Tolbert, L.M., Charge Pump Gate Drive to Reduce Turn-ON Switching Loss of SiC MOSFETs; *TPEL Dec. 2020 13136-13147*
Gui, W., *see* Yang, C., *TPEL March 2020 3012-3028*
Guillod, T., Rothmund, D., and Kolar, J.W., Active Magnetizing Current Splitting ZVS Modulation of a 7 kV/400 V DC Transformer; *TPEL Feb. 2020 1293-1305*
Guo, B., Su, M., Sun, Y., Wang, H., Liu, B., Zhang, X., Pou, J., Yang, Y., and Davari, P., Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement; *TPEL Dec. 2020 13000-13016*
Guo, D., *see* He, L., *TPEL July 2020 7123-7133*
Guo, G., Wang, H., Song, Q., Zhang, J., Wang, T., Ren, B., and Wang, Z., HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm; *TPEL March 2020 2646-2658*
Guo, G., Zha, K., Zhang, J., Wang, Z., Zhang, F., and Cao, J., Grounding Fault in Series-Connection-Based Offshore Wind Farms: Fault Clearance; *TPEL Sept. 2020 9357-9367*
Guo, H., Impedance and Stability Analysis of Voltage-Source Converter Interconnection Based on a Universal Admittance Model; *TPEL Oct. 2020 10064-10077*
Guo, J., *see* Li, G., *TPEL Jan. 2020 415-429*
Guo, J., *see* Zheng, Y., *TPEL Nov. 2020 12022-12039*
Guo, K., *see* Qian, T., *TPEL Oct. 2020 10413-10422*
Guo, L., *see* Lu, W., *TPEL Jan. 2020 1156*
Guo, L., *see* Ge, T., *TPEL Jan. 2020 789-799*
Guo, L., *see* Lu, W., *TPEL May 2020 5544*
Guo, L., *see* He, H., *TPEL Sept. 2020 9430-9442*
Guo, P., Xu, Q., Yue, Y., Ma, F., He, Z., Luo, A., and Guerrero, J.M., Analysis and Control of Modular Multilevel Converter With Split Energy Storage for Railway Traction Power Conditioner; *TPEL Feb. 2020 1239-1255*
Guo, R., *see* Wu, G., *TPEL Feb. 2020 1845-1854*
Guo, S., *see* Yu, X., *TPEL April 2020 3807-3827*
Guo, S., *see* Yu, X., *TPEL June 2020 6231-6250*
Guo, S., *see* Qi, J., *TPEL Dec. 2020 13384-13399*
Guo, X., Wang, N., Wang, B., Lu, Z., and Blaabjerg, F., Evaluation of Three-Phase Transformerless DC-Bypass PV Inverters for Leakage Current Reduction; *TPEL June 2020 5918-5927*
Guo, X., Zheng, D., and Blaabjerg, F., Power Electronic Pulse Generators for Water Treatment Application: A Review; *TPEL Oct. 2020 10285-10305*
Guo, Y., *see* Sun, X., *TPEL Jan. 2020 1136-1146*
Guo, Y., Wang, G., Zeng, D., Li, H., and Chao, H., A Thyristor Full-Bridge-Based DC Circuit Breaker; *TPEL Jan. 2020 1111-1123*
Guo, Y., *see* Sun, X., *TPEL April 2020 3841-3849*
Guo, Y., *see* Song, K., *TPEL Sept. 2020 9034-9045*
Guo, Y., Zhang, Y., Li, S., Tao, C., and Wang, L., Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle; *TPEL Oct. 2020 10542-10553*
Guo, Z., *see* Ren, X., *TPEL July 2020 7480-7491*
Guo, Z., *see* He, J., *TPEL Oct. 2020 10227-10237*
Guo, Z., *see* Hu, R., *TPEL Dec. 2020 13200-13209*
Gupta, A.K., *see* Sundararajan, P., *TPEL June 2020 6386-6396*
Gupta, J., Maurya, R., and Arya, S.R., Improved Power Quality On-Board Integrated Charger With Reduced Switching Stress; *TPEL Oct. 2020 10810-10820*
Gupta, R.B., *see* Pandit, B., *TPEL Nov. 2020 11344-11351*
Gyselinck, J.J.C., *see* Niyomsatian, K., *TPEL July 2020 7583-7595*

H

Ha, J., *see* Choi, H., *TPEL April 2020 3891-3905*
Habibi, M., *see* Jafari, H., *TPEL May 2020 5461-5478*
Habibi, S., *see* Xiao, D., *TPEL Nov. 2020 12332-12346*
Hackl, C.M., and Landerer, M., Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals; *TPEL March 2020 3298-3309*
Hadizade, A., *see* Zarghani, M., *TPEL Aug. 2020 7991-8001*
Hajebrahimi, H., Kaviri, S.M., Eren, S., and Bakhshai, A., A New Energy Management Control Method for Energy Storage Systems in Microgrids; *TPEL Nov. 2020 11612-11624*
Hajihosseini, M., Andalibi, M., Gheisarnejad, M., Farsizadeh, H., and Khooban, M., DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation; *TPEL Oct. 2020 9971-9977*
Hallemans, L., *see* Ravyts, S., *TPEL Nov. 2020 11694-11706*
Hamzeh, M., *see* Sadeghi, E., *TPEL Sept. 2020 9933-9942*
Hamzeh, M., *see* Sarikhani, A., *TPEL Sept. 2020 8902-8909*
Han, B., *see* Shang, Y., *TPEL Feb. 2020 1637-1648*
Han, B., Lai, J., and Kim, M., Bridgeless Cuk-Derived Single Power Conversion Inverter With Reactive-Power Capability; *TPEL March 2020 2629-2645*
Han, B., *see* Bai, C., *TPEL April 2020 3636-3650*
Han, J., *see* Kim, J., *TPEL Jan. 2020 508-521*
Han, J., *see* Kim, K., *TPEL March 2020 2668-2679*
Han, J., *see* Lu, W., *TPEL Aug. 2020 7755-7764*
Han, L., *see* Wang, R., *TPEL June 2020 6362-6372*
Han, L., *see* Li, B., *TPEL Nov. 2020 11430-11441*
Han, L., *see* Xu, Z., *TPEL Dec. 2020 12929-12948*
Han, S., *see* Zhang, X., *TPEL Sept. 2020 9471-9481*
Han, S.H., *see* Kim, J.H., *TPEL June 2020 6165-6174*
Han, W., Chau, K.T., Jiang, C., Liu, W., and Lam, W.H., High-Order Compensated Wireless Power Transfer for Dimmable Metal Halide Lamps; *TPEL June 2020 6269-6279*
Han, W., *see* Liu, W., *TPEL June 2020 6533-6547*
Han, W., *see* Liu, W., *TPEL Sept. 2020 9057-9069*
Han, X., *see* Zhang, S., *TPEL March 2020 2436-2444*
Han, X., *see* Meng, T., *TPEL Aug. 2020 8405-8416*
Han, Y., Lin, X., Fang, X., Xu, L., Yang, P., Hu, W., Coelho, E.A.A., and Blaabjerg, F., Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control; *TPEL March 2020 3221-3241*

Han, Y., Wu, X., He, G., Hu, Y., and Ni, K., Nonlinear Magnetic Field Vector Control With Dynamic-Variant Parameters for High-Power Electrically Excited Synchronous Motor; *TPEL Oct. 2020 11053-11063*

Han, Y., Gong, C., Yan, L., Wen, H., Wang, Y., and Shen, K., Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM; *TPEL Oct. 2020 11193-11204*

Han, Y., Wu, Q., Li, Y., and Zhu, Z., Average Inductor Current Measure and Control Strategy for Multimode Primary-Side Flyback Converters; *TPEL Dec. 2020 13096-13103*

Han, Z., *see* Xu, C., *TPEL May 2020 5018-5030*

Han, Z., *see* Fang, T., *TPEL Aug. 2020 8689-8700*

Haneda, R., and Akagi, H., Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC–DC Converter Using SiC-MOSFET/SBD H-Bridge Modules; *TPEL Oct. 2020 10013-10025*

Hang, J., Xia, M., Ding, S., Li, Y., Sun, L., and Wang, Q., Research on Vector Control Strategy of Surface-Mounted Permanent Magnet Synchronous Machine Drive System With High-Resistance Connection; *TPEL Feb. 2020 2023-2033*

Hang, J., Wu, H., Ding, S., Hua, W., and Wang, Q., A DC-Flux-Injection Method for Fault Diagnosis of High-Resistance Connection in Direct-Torque-Controlled PMSM Drive System; *TPEL March 2020 3029-3042*

Hang, J., Zhang, J., Xia, M., Ding, S., and Hua, W., Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform; *TPEL June 2020 6405-6418*

Hang, J., Zhang, J., Ding, S., Huang, Y., and Wang, Q., A Model-Based Strategy With Robust Parameter Mismatch for Online HRC Diagnosis and Location in PMSM Drive System; *TPEL Oct. 2020 10917-10929*

Hanif, A., DeVoto, D., and Khan, F., Bond Wire Damage Detection and SOH Estimation of a Dual-Pack IGBT Power Module Using Active Power Cycling and Reflectometry; *TPEL July 2020 6761-6772*

Hans, F., Schumacher, W., Chou, S., and Wang, X., Design of Multifrequency Proportional–Resonant Current Controllers for Voltage-Source Converters; *TPEL Dec. 2020 13573-13589*

Hao, R., *see* Wei, X., *TPEL June 2020 6572-6585*

Hao, X., *see* Liu, T., *TPEL Nov. 2020 11770-11782*

Hao, Y., *see* Dang, K., *TPEL March 2020 2247-2252*

Harasimczuk, M., A QR-ZCS Boost Converter With Tapped Inductor and Active Edge-Resonant Cell; *TPEL Dec. 2020 13085-13095*

Harnefors, L., *see* Bessegato, L., *TPEL March 2020 2411-2423*

Harnefors, L., Rahman, F.M.M., Hinkkanen, M., and Routimo, M., Reference-Feedforward Power-Synchronization Control; *TPEL Sept. 2020 8878-8881*

Harnefors, L., *see* Bakas, P., *TPEL Dec. 2020 12909-12928*

Hasan, K., *see* Meraj, S.T., *TPEL April 2020 3688-3696*

Hasan, R., and Scott, J., Comments on "State of Charge-Dependent Polynomial Equivalent Circuit Modeling for Electrochemical Impedance Spectroscopy of Lithium-Ion Batteries" *TPEL April 2020 4448*

Hasanpour, S., Baghramian, A., and Mojallali, H., Analysis and Modeling of a New Coupled-Inductor Buck–Boost DC–DC Converter for Renewable Energy Applications; *TPEL Aug. 2020 8088-8101*

Hasegawa, K., *see* Uno, M., *TPEL Oct. 2020 10271-10284*

Hashemzadeh, S.M., *see* Marzang, V., *TPEL Oct. 2020 10489-10500*

Hassan, M.S., Abdelhakim, A., Shoyama, M., Imaoka, J., and Dousoky, G.M., Three-Phase Split-Source Inverter-Fed PV Systems: Analysis and Mitigation of Common-Mode Voltage; *TPEL Sept. 2020 9824-9838*

Hassan, W., Soon, J.L., Dah-Chuan Lu, D., and Xiao, W., A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress; *TPEL Nov. 2020 11827-11842*

Hatua, K., *see* Titus, J., *TPEL May 2020 5047-5056*

Hava, A.M., *see* Ozkan, Z., *TPEL Feb. 2020 1993-2007*

He, G., *see* Han, Y., *TPEL Oct. 2020 11053-11063*

He, H., *see* Ge, T., *TPEL Jan. 2020 789-799*

He, H., Ge, T., Kang, Y., Guo, L., and Chang, J.S., A 40 MHz Bandwidth, 91% Peak Efficiency, 2.5 W Output Power Supply Modulator With Dual-Mode Sigma–Delta Control and Adaptive Biasing Amplifier for Multistandard Communications; *TPEL Sept. 2020 9430-9442*

He, J., *see* Li, B., *TPEL Jan. 2020 591-606*

He, J., Liu, X., Mu, C., and Wang, C., Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System; *TPEL Jan. 2020 359-372*

He, J., *see* Wang, X., *TPEL Feb. 2020 1753-1769*

He, J., Dong, Z., Li, Y., and Wang, C., Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach; *TPEL Aug. 2020 8581-8592*

He, J., Liu, X., Lei, M., and Wang, C., A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter; *TPEL Sept. 2020 9251-9266*

He, J., Chok You, C., Zhang, X., Li, Z., and Liu, Z., An Adaptive Dual-Loop Lyapunov-Based Control Scheme for a Single-Phase UPS Inverter; *TPEL Sept. 2020 8886-8891*

He, J., *see* Wu, X., *TPEL Sept. 2020 9865-9885*

He, J., *see* Pan, Y., *TPEL Oct. 2020 10994-11012*

He, J., Guo, Z., and Li, X., Mechanism Model and Prediction Method of Common Mode Radiation for a Nonisolated Very-High-Frequency DC–DC Converter With Cables; *TPEL Oct. 2020 10227-10237*

He, J., Tao, S., and Wu, H., A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components; *TPEL Oct. 2020 10852-10862*

He, J., *see* Wang, X., *TPEL Nov. 2020 12053-12071*

He, L., Wang, F., Wang, J., and Rodriguez, J., Zynq Implemented Luenberger Disturbance Observer Based Predictive Control Scheme for PMSM Drives; *TPEL Feb. 2020 1770-1778*

He, L., and Guo, D., Compound Voltage Clamped Class-E Converter With ZVS and Flexible Power Transfer for WPT System; *TPEL July 2020 7123-7133*

He, L., Chang, C., Chen, C., and Wang, L., Design of a High Accuracy PSR CC/CV AC–DC Converter Without Auxiliary Winding; *TPEL Aug. 2020 8165-8172*

He, L., *see* Qu, J., *TPEL Nov. 2020 11380-11390*

He, L., and Xu, X., Novel High-Efficiency Frequency-Variable Buck–Boost AC–AC Converter With Safe-Commutation and Continuous Current; *TPEL Dec. 2020 13225-13238*

He, L., *see* Wang, F., *TPEL Dec. 2020 13455-13464*

He, M., *see* Liu, X., *TPEL May 2020 5132-5143*

He, M., *see* Yang, Q., *TPEL Dec. 2020 13053-13067*

He, Q., *see* Chen, J., *TPEL March 2020 2690-2704*

He, X., *see* Tang, Q., *TPEL Jan. 2020 699-708*

He, X., *see* Chang, Y., *TPEL March 2020 2237-2241*

He, X., *see* Li, C., *TPEL March 2020 2999-3011*

He, X., *see* Lin, H., *TPEL April 2020 3506-3518*

He, X., *see* Li, C., *TPEL April 2020 3390-3401*

He, X., *see* Sheng, J., *TPEL April 2020 4242-4255*

He, X., *see* Wang, K., *TPEL July 2020 6678-6681*

He, X., *see* Shao, S., *TPEL Aug. 2020 7921-7932*

He, X., *see* Tang, Q., *TPEL Aug. 2020 8374-8383*

He, Y., and Perreault, D.J., Diode Evaluation and Series Diode Balancing for High-Voltage High-Frequency Power Converters; *TPEL June 2020 6301-6314*

He, Y., *see* Zeng, W., *TPEL Aug. 2020 8002-8012*

He, Y., *see* Zhang, X., *TPEL Aug. 2020 8361-8373*

He, Y., *see* Dong, H., *TPEL Nov. 2020 12223-12237*

He, Y., *see* Zeng, W., *TPEL Dec. 2020 12861-12870*

He, Z., *see* Li, Y., *TPEL Jan. 2020 1022-1035*

He, Z., *see* Li, Y., *TPEL Jan. 2020 1074-1085*

He, Z., *see* Mai, R., *TPEL Jan. 2020 1124-1135*

He, Z., *see* Guo, P., *TPEL Feb. 2020 1239-1255*

He, Z., *see* Chen, Y., *TPEL Feb. 2020 1672-1684*

He, Z., *see* Liu, Y., *TPEL May 2020 5343-5353*

He, Z., *see* Chen, Y., *TPEL May 2020 4915-4924*

He, Z., *see* Li, Z., *TPEL May 2020 5354-5365*

He, Z., *see* Chen, Y., *TPEL June 2020 6039-6049*

He, Z., *see* Mai, R., *TPEL July 2020 6652-6657*

He, Z., *see* Xiao, Z., *TPEL Aug. 2020 8673-8688*

He, Z., *see* Yan, Z., *TPEL Sept. 2020 9011-9023*

He, Z., *see* Liu, Y., *TPEL Sept. 2020 8998-9010*

He, Z., *see* Shu, J., *TPEL Oct. 2020 10003-10007*
He, Z., *see* Li, G., *TPEL Oct. 2020 11096-11107*
He, Z., *see* Song, S., *TPEL Oct. 2020 11205-11212*
He, Z., *see* Liu, S., *TPEL Dec. 2020 12752-12764*
Hei, R., *see* Song, S., *TPEL Sept. 2020 9608-9616*
Heidari, M., Farzanehfard, H., and Esteki, M., A Single-Switch Single-Magnetic Core High Conversion Ratio Converter With Low Input Current Ripple and Wide Soft-Switching Range for Photovoltaic Applications; *TPEL July 2020 7226-7234*
Heldwein, M.L., *see* Ries, L.K., *TPEL Oct. 2020 10213-10226*
Heller, M., *see* Menzi, D., *TPEL Dec. 2020 13367-13383*
Helmers, H., Armbruster, C., von Ravenstein, M., Derix, D., and Schoner, C., 6-W Optical Power Link With Integrated Optical Data Transmission; *TPEL Aug. 2020 7904-7909*
Heng, Q., *see* Deng, F., *TPEL April 2020 4063-4075*
Heng, Q., *see* Liu, C., *TPEL May 2020 5190-5204*
Herrmann, C., *see* Liu, X., *TPEL Oct. 2020 10789-10798*
Herzallah, A., *see* Quraan, M., *TPEL July 2020 7160-7174*
Heydari, R., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Heydari, R., Khayat, Y., Amiri, A., Dragicevic, T., Shafiee, Q., Popovski, P., and Blaabjerg, F., Robust High-Rate Secondary Control of Microgrids With Mitigation of Communication Impairments; *TPEL Nov. 2020 12486-12496*
Hill, M.J., *see* Lambert, W.J., *TPEL June 2020 6208-6220*
Hinkkanen, M., *see* Harnefors, L., *TPEL Sept. 2020 8878-8881*
Hiraki, E., *see* Noah, M., *TPEL Jan. 2020 835-852*
Hiraki, E., *see* Ishihara, M., *TPEL July 2020 6785-6798*
Ho, C.N.M., *see* Siu, K.K.M., *TPEL Jan. 2020 403-414*
Ho, C.N.M., *see* Xu, Y., *TPEL March 2020 2979-2989*
Ho, K., *see* Fan, J.W., *TPEL March 2020 2519-2533*
Ho, K., *see* Tung, C., *TPEL July 2020 7596-7611*
Hoffmann, F., *see* Zhu, R., *TPEL July 2020 6895-6905*
Hofmann, H.F., *see* Song, Z., *TPEL April 2020 4439-4447*
Hofsajer, I., *see* Dove, A., *TPEL Feb. 2020 1459-1472*
Hofstetter, P., and Bakran, M., The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application; *TPEL June 2020 5692-5701*
Holmes, D.G., *see* Zhang, Y., *TPEL Feb. 2020 1659-1671*
Holmes, J., *see* Murphree, R.C., *TPEL Jan. 2020 913-923*
Homoth, J., *see* Winkler, J., *TPEL March 2020 2990-2998*
Hong, S., *see* Park, J., *TPEL May 2020 4477-4482*
Hong, S., *see* Shin, S., *TPEL June 2020 6025-6038*
Hong, S., *see* Jung, J., *TPEL Aug. 2020 8261-8275*
Hong, Z., *see* Cheng, C., *TPEL Dec. 2020 12728-12740*
Hontz, M.R., *see* Sellers, A.J., *TPEL Nov. 2020 12252-12263*
Hosseini, S.H., *see* Marzang, V., *TPEL Oct. 2020 10489-10500*
Hosseini, S.H., *see* Jalilzadeh, T., *TPEL Nov. 2020 11902-11915*
Hou, C., Zhu, M., Li, Z., Li, Y., and Cai, X., Inter Harmonic THD Amplification of Voltage Source Converter: Concept and Case Study; *TPEL Dec. 2020 12651-12656*
Hou, D., *see* Sato, Y., *TPEL Sept. 2020 9661-9668*
Hou, F., Zhang, H., Huang, D., Fan, J., Liu, F., Lin, T., Cao, L., Fan, X., Ferreira, B., and Zhang, G., Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation; *TPEL Oct. 2020 10592-10600*
Hou, J., *see* Song, Z., *TPEL April 2020 4439-4447*
Hou, N., *see* Zhang, Y., *TPEL Feb. 2020 1160-1164*
Hou, N., and Li, Y.W., Overview and Comparison of Modulation and Control Strategies for a Nonresonant Single-Phase Dual-Active-Bridge DC–DC Converter; *TPEL March 2020 3148-3172*
Hou, R., *see* Gareau, J., *TPEL July 2020 7405-7418*
Hou, S., and Fei, J., A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter; *TPEL July 2020 7640-7652*
Hou, X., Sun, Y., Zhang, X., Lu, J., Wang, P., and Guerrero, J.M., Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia; *TPEL Feb. 2020 1589-1602*
Hsieh, M., *see* Hwu, K., *TPEL Feb. 2020 1603-1621*
Hsu, C., *see* Lin, F., *TPEL July 2020 7465-7479*
Hu, A.P., *see* Zhao, L., *TPEL March 2020 2659-2667*
Hu, A.P., *see* Zhang, K., *TPEL Oct. 2020 11108-11118*
Hu, B., *see* Lyu, X., *TPEL Sept. 2020 8926-8933*
Hu, B., *see* Nian, H., *TPEL Nov. 2020 11720-11730*
Hu, C., *see* Sun, X., *TPEL Jan. 2020 1136-1146*
Hu, C., *see* Zhang, Y., *TPEL Feb. 2020 1659-1671*
Hu, H., Cai, T., Duan, S., Zhang, X., Niu, J., and Feng, H., An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems; *TPEL May 2020 5517-5530*
Hu, H., *see* Yin, H., *TPEL Aug. 2020 8311-8323*
Hu, H., *see* Wang, G., *TPEL Sept. 2020 9574-9585*
Hu, J., *see* Liu, R., *TPEL Jan. 2020 303-318*
Hu, J., *see* Li, Y., *TPEL Jan. 2020 1074-1085*
Hu, J., *see* Cui, S., *TPEL Jan. 2020 83-93*
Hu, J., *see* Shan, Y., *TPEL Feb. 2020 1227-1238*
Hu, J., *see* Xu, C., *TPEL Feb. 2020 1340-1352*
Hu, J., Cui, S., Wang, S., and De Doncker, R.W., Instantaneous Flux and Current Control for a Three-Phase Dual-Active Bridge DC–DC Converter; *TPEL Feb. 2020 2184-2195*
Hu, J., *see* Cui, S., *TPEL March 2020 2353-2362*
Hu, J., *see* Zhang, H., *TPEL May 2020 5157-5179*
Hu, J., *see* Li, X., *TPEL July 2020 6741-6745*
Hu, J., *see* Zhu, J., *TPEL Sept. 2020 8892-8896*
Hu, J., *see* Shen, Z., *TPEL Nov. 2020 12194-12206*
Hu, J., *see* Xu, Z., *TPEL Dec. 2020 12929-12948*
Hu, J., *see* Liu, S., *TPEL Dec. 2020 12752-12764*
Hu, K., Liu, Z., Du, H., Ceccarelli, L., Iannuzzo, F., Blaabjerg, F., and Tasiu, I.A., Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing; *TPEL July 2020 6773-6784*
Hu, L., *see* Hu, X., *TPEL Jan. 2020 382-392*
Hu, M., *see* Huang, W., *TPEL May 2020 5531-5540*
Hu, M., Hua, W., Wu, Z., Dai, N., Xiao, H., and Wang, W., Compensation of Current Measurement Offset Error for Permanent Magnet Synchronous Machines; *TPEL Oct. 2020 11119-11128*
Hu, P., *see* Shang, Y., *TPEL Feb. 2020 1637-1648*
Hu, R., Wang, J., Mills, A.R., Chong, E., and Sun, Z., Detection and Classification of Turn Fault and High Resistance Connection Fault in Permanent Magnet Machines Based on Zero Sequence Voltage; *TPEL Feb. 2020 1922-1933*
Hu, R., Zeng, J., Liu, J., Guo, Z., and Yang, N., An Ultrahigh Step-Up Quadratic Boost Converter Based on Coupled-Inductor; *TPEL Dec. 2020 13200-13209*
Hu, S., *see* Song, Z., *TPEL June 2020 6185-6197*
Hu, W., Ruan, C., Nian, H., and Sun, D., Simplified Modulation Scheme for Open-End Winding PMSM System With Common DC Bus Under Open-Phase Fault Based on Circulating Current Suppression; *TPEL Jan. 2020 10-14*
Hu, W., *see* Han, Y., *TPEL March 2020 3221-3241*
Hu, W., Xie, Y., Guan, Y., Wang, Z., Zhang, Z., and Xu, J., A Novel Volt-Second Self-Balancing SVPWM Scheme to Eliminate Steady-State DC Bias for a Three-Phase Isolated AC–DC Matrix Converter; *TPEL Nov. 2020 11518-11532*
Hu, X., Zou, C., Tang, X., Liu, T., and Hu, L., Cost-Optimal Energy Management of Hybrid Electric Vehicles Using Fuel Cell/Battery Health-Aware Predictive Control; *TPEL Jan. 2020 382-392*
Hu, X., *see* Xie, Y., *TPEL March 2020 2595-2614*
Hu, X., *see* Gao, G., *TPEL Sept. 2020 9133-9150*
Hu, X., Liu, X., Ma, P., and Jiang, S., An Ultrahigh Voltage Gain Hybrid-Connected Boost Converter With Ultralow Distributed Voltage Stress; *TPEL Oct. 2020 10385-10395*
Hu, Y., *see* Shi, K., *TPEL Jan. 2020 319-333*
Hu, Y., *see* Gong, C., *TPEL Jan. 2020 20-24*
Hu, Y., *see* Wu, X., *TPEL Jan. 2020 681-698*
Hu, Y., *see* Gong, C., *TPEL June 2020 5567-5572*
Hu, Y., *see* Shi, H., *TPEL Sept. 2020 9886-9903*
Hu, Y., Xiao, L., Pan, C., Li, J., and Wang, C., Multidomain Analysis and *n*th-Order Synchronous Reference Vector Adaptive Control of the Doubly Salient Motor; *TPEL Sept. 2020 9563-9573*
Hu, Y., *see* Han, Y., *TPEL Oct. 2020 11053-11063*

Hu, Y., *see* Chu, G., *TPEL Oct. 2020 10306-10322*
Hua, W., *see* Wang, W., *TPEL Feb. 2020 1365-1376*
Hua, W., *see* Hang, J., *TPEL March 2020 3029-3042*
Hua, W., *see* Huang, W., *TPEL May 2020 5531-5540*
Hua, W., *see* Hang, J., *TPEL June 2020 6405-6418*
Hua, W., *see* Hu, M., *TPEL Oct. 2020 11119-11128*
Hua, W., *see* Wang, W., *TPEL Dec. 2020 13673-13686*
Hua, Y., *see* Yu, D., *TPEL Nov. 2020 12370-12382*
Huang, A., *see* Sun, J., *TPEL Aug. 2020 7840-7852*
Huang, A.Q., *see* Song, X., *TPEL Sept. 2020 8867-8871*
Huang, A.Q., *see* Huang, Q., *TPEL Oct. 2020 9982-9986*
Huang, A.Q., *see* Wei, J., *TPEL Nov. 2020 11299-11303*
Huang, C., *see* Jiang, J., *TPEL Feb. 2020 1200-1204*
Huang, C., *see* Lin, J., *TPEL April 2020 3997-4008*
Huang, D., *see* Hou, F., *TPEL Oct. 2020 10592-10600*
Huang, D., *see* Gong, Z., *TPEL Nov. 2020 12274-12284*
Huang, H., *see* Zhang, W., *TPEL Jan. 2020 607-618*
Huang, H., *see* Ke, J., *TPEL April 2020 3963-3972*
Huang, J., Zhang, X., and Zhao, B., Simplified Resonant Parameter Design of the Asymmetrical *CLLC*-Type DC Transformer in the Renewable Energy System via Semi-Artificial Intelligent Optimal Scheme; *TPEL Feb. 2020 1548-1562*
Huang, J., *see* Chen, J., *TPEL March 2020 2690-2704*
Huang, J., Wai, R., and Yang, G., Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact; *TPEL July 2020 7086-7099*
Huang, J., Zhang, X., Zhang, A., and Wang, P., Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids; *TPEL Oct. 2020 10374-10384*
Huang, J., *see* Sun, C., *TPEL Nov. 2020 11321-11327*
Huang, J., *see* Yang, S., *TPEL Dec. 2020 13735-13747*
Huang, K., *see* Lu, P., *TPEL Aug. 2020 7749-7754*
Huang, K.M., *see* Lu, P., *TPEL July 2020 6705-6710*
Huang, L., *see* Ji, J., *TPEL Oct. 2020 10681-10689*
Huang, L., *see* Liu, T., *TPEL Nov. 2020 11770-11782*
Huang, M., *see* Liu, Y., *TPEL May 2020 4452-4456*
Huang, M., *see* Lin, F., *TPEL July 2020 7465-7479*
Huang, M., *see* Li, H., *TPEL Dec. 2020 12773-12786*
Huang, Q., and Huang, A.Q., Hybrid Low-Frequency Switch for Bridgeless PFC; *TPEL Oct. 2020 9982-9986*
Huang, S., *see* Wu, X., *TPEL Jan. 2020 681-698*
Huang, S., *see* Cao, S., *TPEL Feb. 2020 1450-1458*
Huang, S., *see* Dang, K., *TPEL March 2020 2247-2252*
Huang, S., *see* Li, M., *TPEL June 2020 6102-6113*
Huang, S., *see* Wu, T., *TPEL July 2020 7664-7673*
Huang, S., *see* Lee, T., *TPEL Sept. 2020 9024-9033*
Huang, S., *see* Wu, G., *TPEL Oct. 2020 10799-10809*
Huang, W., *see* Shuai, Z., *TPEL April 2020 4127-4142*
Huang, W., *see* Lin, X., *TPEL April 2020 4216-4232*
Huang, W., Hua, W., Chen, F., Hu, M., and Zhu, J., Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition; *TPEL May 2020 5531-5540*
Huang, W., *see* Lin, X., *TPEL May 2020 5078-5092*
Huang, W., *see* Lin, X., *TPEL June 2020 6140-6152*
Huang, X., Kong, Y., Ouyang, Z., Chen, W., and Lin, S., Analysis and Comparison of Push–Pull Class-E Inverters With Magnetic Integration for Megahertz Wireless Power Transfer; *TPEL Jan. 2020 565-577*
Huang, X., *see* Cao, S., *TPEL Feb. 2020 1450-1458*
Huang, X., *see* Lu, Y., *TPEL April 2020 4233-4241*
Huang, X., *see* Zhao, S., *TPEL Oct. 2020 10982-10993*
Huang, X., *see* Ji, S., *TPEL Nov. 2020 12533-12543*
Huang, Y., *see* Lu, Y., *TPEL April 2020 4233-4241*
Huang, Y., Li, C., and Chen, Y., A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications; *TPEL May 2020 4613-4621*
Huang, Y., *see* Luo, Y., *TPEL June 2020 5660-5669*
Huang, Y., *see* Yao, Y., *TPEL July 2020 7341-7355*
Huang, Y., Liu, C., Xiao, Y., and Liu, S., Separate Power Allocation and Control Method Based on Multiple Power Channels for Wireless Power Transfer; *TPEL Sept. 2020 9046-9056*
Huang, Y., *see* Hang, J., *TPEL Oct. 2020 10917-10929*
Huang, Y., Xu, Y., Zhang, W., and Zou, J., Modified Single-Edge SVPWM Technique to Reduce the Switching Losses and Increase PWM Harmonics Frequency for Three-Phase VSIs; *TPEL Oct. 2020 10643-10653*
Huang, Z., Wong, S., and Tse, C.K., Comparison of Basic Inductive Power Transfer Systems With Linear Control Achieving Optimized Efficiency; *TPEL March 2020 3276-3286*
Huang, Z., Li, Q., and Lee, F.C., Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability; *TPEL June 2020 5702-5713*
Huang, Z., Lam, C., Mak, P., Martins, R.P.d.S., Wong, S., and Tse, C.K., A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging; *TPEL Sept. 2020 8973-8984*
Hudson, D.M., *see* DeBoi, B.T., *TPEL Dec. 2020 13400-13408*
Hui, G., *see* Chu, E., *TPEL May 2020 4859-4876*
Hui, R.S.Y., *see* Fang, Y., *TPEL Feb. 2020 1205-1216*
Hui, R.S.Y., *see* Li, K., *TPEL July 2020 6820-6829*
Hui, R.S.Y., *see* Li, K., *TPEL Dec. 2020 12741-12751*
Hui, S.Y., *see* Wang, M., *TPEL May 2020 4634-4646*
Hui, S.Y.R., *see* Yuan, H., *TPEL Feb. 2020 2160-2169*
Hui, S.Y.R., *see* Yan, S., *TPEL May 2020 5427-5436*
Hui, S.Y.R., *see* Yang, Y., *TPEL Oct. 2020 11026-11038*
Hui, S.Y.R., *see* Jin, W., *TPEL Oct. 2020 11222-11234*
Hung, S., *see* Lallart, M., *TPEL March 2020 2585-2594*
Huo, Z., *see* Wang, B., *TPEL Nov. 2020 12522-12532*
Hur, J., *see* Aqil, M., *TPEL Feb. 2020 1732-1741*
Husain, I., *see* Awal, M.A., *TPEL Jan. 2020 988-1001*
Husain, I., *see* Awal, M.A., *TPEL Aug. 2020 8805-8818*
Husain, I., *see* Awal, M.A., *TPEL Oct. 2020 11267-11276*
Hussein, A.A., Chen, X., Alharbi, M., Pise, A.A., and Batarseh, I., Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking; *TPEL May 2020 4780-4790*
Hussien, M.G., *see* Xu, W., *TPEL July 2020 7271-7281*
Huynh, P.T., Wang, P.J., and Banerjee, A., An Integrated Permanent-Magnet-Synchronous Generator–Rectifier Architecture for Limited-Speed-Range Applications; *TPEL May 2020 4767-4779*
Hwang, K.C., *see* Oh, H., *TPEL June 2020 5907-5917*
Hwu, K., Yau, Y., and Hsieh, M., Thermoelectric Energy Conversion System With Multiple Inputs; *TPEL Feb. 2020 1603-1621*

I

Iannuzzo, F., *see* Chang, Y., *TPEL March 2020 2237-2241*
Iannuzzo, F., *see* Duan, Y., *TPEL April 2020 3989-3996*
Iannuzzo, F., *see* Hu, K., *TPEL July 2020 6773-6784*
Ibrahim, E.A.D., Gaafar, M.A., Orabi, M., Sheir, A., and Youssef, M.Z., A Novel Dual-Input High-Gain Transformerless Multilevel Single-Phase Microinverter for PV Systems; *TPEL May 2020 4703-4714*
Idehen, O.E., *see* Farr, E.M., *TPEL May 2020 4467-4471*
Idir, N., *see* Li, K., *TPEL Sept. 2020 9650-9660*
Igarashi, H., *see* Sato, Y., *TPEL Sept. 2020 9661-9668*
Ilango, G.S., *see* Achary, R.K., *TPEL March 2020 2809-2818*
Ilves, K., *see* Bessegato, L., *TPEL March 2020 2411-2423*
Ilves, K., *see* Bakas, P., *TPEL Dec. 2020 12909-12928*
Im, S., and Gu, B., A Snubberless Solid-State Tap Changer for Permanent Magnet Synchronous Motors; *TPEL Nov. 2020 12143-12152*
Im, W., *see* Jung, J., *TPEL March 2020 2843-2860*
Iman-Eini, H., *see* Samavatian, V., *TPEL April 2020 4024-4032*
Iman-Eini, H., *see* Pourhadi Abkenar, P., *TPEL Aug. 2020 8215-8223*
Iman-Eini, H., *see* Samavatian, V., *TPEL Sept. 2020 8956-8964*
Imaoka, J., *see* Noah, M., *TPEL Jan. 2020 835-852*
Imaoka, J., *see* Hassan, M.S., *TPEL Sept. 2020 9824-9838*
Iqbal, A., *see* Meraj, M., *TPEL Dec. 2020 12816-12833*
Irace, A., *see* Xue, P., *TPEL June 2020 6292-6300*

Iruretagoyena, U., Garcia-Bediaga, A., Mir, L., Camblong, H., and Villar, I., Bifurcation Limits and Non-Idealities Effects in a Three-Phase Dynamic IPT System; *TPEL Jan. 2020 208-219*

Ishihara, M., Umetani, K., and Hiraki, E., Strategy of Topology Selection Based on Quasi-Duality Between Series–Series and Series–Parallel Topologies of Resonant Inductive Coupling Wireless Power Transfer Systems; *TPEL July 2020 6785-6798*

Islam, M.R., *see* Xu, W., *TPEL Jan. 2020 667-680*

Ismail, M.M., *see* Junejo, A.K., *TPEL Nov. 2020 12110-12121*

Isobe, T., *see* Zhang, C., *TPEL Sept. 2020 9770-9783*

Isobe, T., *see* Zhang, J., *TPEL Oct. 2020 11167-11180*

Iu, H.H.C., *see* Yu, D., *TPEL Nov. 2020 12370-12382*

J

J. Watson, A., *see* Pineda, C., *TPEL July 2020 6906-6915*

Jabbour, N., *see* Tsioumas, E., *TPEL Feb. 2020 1513-1524*

Jabbour, N., *see* Koseoglou, M., *TPEL Feb. 2020 2088-2099*

Jabbour, N., Tsioumas, E., Mademlis, C., and Solomin, E., A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator; *TPEL Aug. 2020 8154-8164*

Jacobina, C.B., *see* da Costa, A.E.L., *TPEL March 2020 2295-2307*

Jadhav, C.D., *see* Pandit, B., *TPEL Nov. 2020 11344-11351*

Jadli, U., Mohd-Yasin, F., Moghadam, H.A., Nicholls, J.R., Pande, P., and Dimitrijev, S., A Simple Equation for the Energy Stored by Voltage-Dependent Capacitances; *TPEL Dec. 2020 12629-12632*

Jadoon, H.U.K., *see* Gong, Z., *TPEL Nov. 2020 12274-12284*

Jafari, A., *see* Samizadeh Nikoo, M., *TPEL March 2020 2242-2246*

Jafari, A., *see* Nikoo, M.S., *TPEL July 2020 6663-6667*

Jafari, A., Nikoo, M.S., Karakaya, F., and Matioli, E., Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer; *TPEL July 2020 6673-6677*

Jafari, A., *see* Nikoo, M.S., *TPEL Oct. 2020 9978-9981*

Jafari, A., *see* Samizadeh Nikoo, M., *TPEL Nov. 2020 11287-11293*

Jafari, A., *see* Perera, N., *TPEL Dec. 2020 12585-12589*

Jafari, A., Nikoo, M.S., Perera, N., Yildirim, H.K., Karakaya, F., Soleimanzadeh, R., and Matioli, E., Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies; *TPEL Dec. 2020 12595-12600*

Jafari, H., and Habibi, M., High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode; *TPEL May 2020 5461-5478*

Jain, P., Poon, J., Singh, J.P., Spanos, C., Sanders, S.R., and Panda, S.K., A Digital Twin Approach for Fault Diagnosis in Distributed Photovoltaic Systems; *TPEL Jan. 2020 940-956*

Jain, P., *see* Salari, O., *TPEL Dec. 2020 12846-12860*

Jain, P.K., *see* Kaviri, S.M., *TPEL Feb. 2020 1406-1424*

Jain, S., *see* Aquib, M., *TPEL Jan. 2020 393-402*

Jalilzadeh, T., Rostami, N., Babaei, E., and Hosseini, S.H., Multiport DC–DC Converter With Step-Up Capability and Reduced Voltage Stress on Switches/Diodes; *TPEL Nov. 2020 11902-11915*

Janabi, A., Wang, B., and Czarkowski, D., Generalized Chudnovsky Algorithm for Real-Time PWM Selective Harmonic Elimination/Modulation: Two-Level VSI Example; *TPEL May 2020 5437-5446*

Janabi, A., and Wang, B., Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives; *TPEL June 2020 5615-5624*

Janabi, A., *see* Liu, Y., *TPEL Aug. 2020 7729-7734*

Jang, G.C., *see* Thai, V.X., *TPEL April 2020 3466-3477*

Jatskevich, J., *see* Yaqoob, M., *TPEL Jan. 2020 70-82*

Jawalikar, P., Patle, N., and Sahoo, B.D., Time-Domain Modeling and Analysis of Switched-Capacitor Converters; *TPEL Aug. 2020 8276-8286*

Jayaprakasan, S., Ashok, S., and Ramchand, R., Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive; *TPEL Oct. 2020 10690-10699*

Jayaraman, K., and Kumar, M., Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique; *TPEL March 2020 2861-2870*

Jayathurathnage, P., *see* Farajizadeh, F., *TPEL April 2020 3794-3806*

Jayathurathnage, P., *see* Farajizadeh, F., *TPEL Oct. 2020 10741-10756*

Jayathurathnage, P.K.S., *see* Faradjizadeh, F., *TPEL Oct. 2020 10757-10769*

Jayaweera, H.M.P.C., *see* Tabrizi, H.O., *TPEL May 2020 4905-4914*

Jeon, Y., Townsend, C.D., Dehghani Tafti, H., Rodriguez Ramos, E., Farivar, G.G., Park, J., and Pou, J., An Enhanced Static Compensator With DC-Link Voltage Shaping Method; *TPEL March 2020 2488-2500*

Jeong, J., Shim, M., Maeng, J., Park, I., and Kim, C., A High-Efficiency Charger With Adaptive Input Ripple MPPT for Low-Power Thermoelectric Energy Harvesting Achieving 21% Efficiency Improvement; *TPEL Jan. 2020 347-358*

Jeong, J., Shim, M., Maeng, J., Park, I., and Kim, C., An Efficiency-Aware Cooperative Multicharger System for Photovoltaic Energy Harvesting Achieving 14% Efficiency Improvement; *TPEL March 2020 2253-2256*

Jeong, S.Y., *see* Thai, V.X., *TPEL April 2020 3466-3477*

Jeong, S.Y., *see* Kim, J.H., *TPEL June 2020 6165-6174*

Jeong, S.Y., *see* Choi, J.S., *TPEL Aug. 2020 7863-7872*

Jeong, Y., Park, J., and Moon, G., An Interleaved Active-Clamp Forward Converter Modified for Reduced Primary Conduction Loss Without Additional Components; *TPEL Jan. 2020 121-130*

Jeong, Y., *see* Lim, C., *TPEL May 2020 4934-4945*

Jeong, Y., *see* Park, M., *TPEL Oct. 2020 9949-9952*

Jeong, Y., Lee, M., Park, J., Kim, J., and Rorrer, R.A.L., Hold-Up Time Compensation Circuit of Half-Bridge LLC Resonant Converter for High Light-Load Efficiency; *TPEL Dec. 2020 13126-13135*

Ji, B., *see* Li, Z., *TPEL May 2020 5354-5365*

Ji, B., *see* Li, Z., *TPEL Aug. 2020 8512-8523*

Ji, J., Jiang, Y., Zhao, W., Chen, Q., and Yang, A., Sensorless Control of Linear Vernier Permanent-Magnet Motor Based on Improved Mover Flux Observer; *TPEL April 2020 3869-3877*

Ji, J., Xue, R., Zhao, W., Tao, T., and Huang, L., Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor; *TPEL Oct. 2020 10681-10689*

Ji, K., *see* Lu, W., *TPEL Jan. 2020 1156*

Ji, K., *see* Lu, W., *TPEL May 2020 5544*

Ji, S., Zhang, L., Huang, X., Palmer, J., Wang, F., and Tolbert, L.M., A Novel Voltage Balancing Control With *dv/dt* Reduction for 10-kV SiC MOSFET-Based Medium Voltage Modular Multilevel Converter; *TPEL Nov. 2020 12533-12543*

Ji, S., *see* Yao, P., *TPEL Nov. 2020 11463-11474*

Ji, Y., *see* Xie, W., *TPEL March 2020 2724-2736*

Ji, Y., *see* Xie, W., *TPEL May 2020 4891-4904*

Ji, Z., *see* Lv, Y., *TPEL July 2020 7379-7391*

Jia, C., *see* Chen, C., *TPEL Aug. 2020 7804-7815*

Jia, G., Chen, M., Tang, S., Zhang, C., and Zhao, B., A Modular Multilevel Converter With Active Power Filter for Submodule Capacitor Voltage Ripples and Power Losses Reduction; *TPEL Nov. 2020 11401-11417*

Jia, K., *see* Yang, Z., *TPEL Oct. 2020 10352-10362*

Jia, L., *see* Rizzolatti, R., *TPEL Jan. 2020 430-442*

Jia, L., Sun, X., Zheng, Z., Ma, X., and Dai, L., Multimode Smooth Switching Strategy for Eliminating the Operational Dead Zone in Noninverting Buck–Boost Converter; *TPEL March 2020 3106-3113*

Jia, R., *see* Zhang, H., *TPEL May 2020 5157-5179*

Jia, Y., Wu, H., Zhang, Y., Liu, Y., and Xing, Y., Single-Phase AC–DC Converter With Dual-Output Rectifier, Dual-Input DC Transformer, and Voltage-Split/Sigma Principle; *TPEL Jan. 2020 158-168*

Jiang, C., *see* Han, W., *TPEL June 2020 6269-6279*

Jiang, C., *see* Zhao, H., *TPEL Aug. 2020 7742-7748*

Jiang, C., *see* Liu, W., *TPEL Sept. 2020 9057-9069*

Jiang, C., Li, X., Ghosh, S.S., Zhao, H., Shen, Y., and Long, T., Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications; *TPEL Oct. 2020 10821-10830*

Jiang, D., Liu, G., Li, W., Bu, T., Wang, Y., Zhang, Z., Pang, Y., Xu, S., Yang, H., and Zhang, C., A Leaf-Shaped Triboelectric Nanogenerator for Multiple Ambient Mechanical Energy Harvesting; *TPEL Jan. 2020 25-32*

Jiang, D., *see* Shen, Z., *TPEL April 2020 3828-3840*

Jiang, D., *see* Ye, D., *TPEL May 2020 4984-4995*

Jiang, D., *see* Li, Q., *TPEL May 2020 5366-5380*
Jiang, D., *see* Liu, Z., *TPEL May 2020 5290-5303*
Jiang, D., *see* Zhang, Y., *TPEL Oct. 2020 10238-10248*
Jiang, H., *see* Wang, C., *TPEL Sept. 2020 9119-9132*
Jiang, H., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Jiang, J., *see* Wang, J., *TPEL Jan. 2020 1147-1155*
Jiang, J., *see* Ye, S., *TPEL Feb. 2020 1907-1921*
Jiang, J., Liu, X., Huang, C., Ki, W., Mok, P.K.T., and Lu, Y., Subtraction-Mode Switched-Capacitor Converters With Parasitic Loss Reduction; *TPEL Feb. 2020 1200-1204*
Jiang, J., *see* Zhou, Z., *TPEL March 2020 2959-2968*
Jiang, J., Liu, X., Ki, W., Mok, P.K.T., and Lu, Y., A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System; *TPEL June 2020 6001-6011*
Jiang, J., *see* Wang, C., *TPEL July 2020 6854-6866*
Jiang, J., *see* Song, K., *TPEL Sept. 2020 9034-9045*
Jiang, J., *see* Song, S., *TPEL Sept. 2020 9608-9616*
Jiang, L., *see* Shi, K., *TPEL Jan. 2020 319-333*
Jiang, L., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*
Jiang, L., *see* Cai, C., *TPEL Aug. 2020 7721-7724*
Jiang, L., *see* Wu, D., *TPEL Sept. 2020 9541-9552*
Jiang, L., *see* Chu, G., *TPEL Oct. 2020 10306-10322*
Jiang, S., *see* Liu, Y., *TPEL Jan. 2020 276-288*
Jiang, S., Ma, K., and Cai, X., Self-Circulating Testing Method for Both Rectifying and Inverting Submodules of Modular Multilevel Converter With Low DC Supply Voltage; *TPEL Aug. 2020 7795-7803*
Jiang, S., *see* Hu, X., *TPEL Oct. 2020 10385-10395*
Jiang, T., *see* Tang, Z., *TPEL March 2020 2571-2584*
Jiang, T., *see* Zhang, Y., *TPEL Aug. 2020 8130-8139*
Jiang, W., *see* Lin, X., *TPEL April 2020 4216-4232*
Jiang, W., *see* Lin, X., *TPEL May 2020 5078-5092*
Jiang, W., *see* Xu, Q., *TPEL May 2020 5397-5407*
Jiang, W., *see* Lin, X., *TPEL June 2020 6140-6152*
Jiang, W., *see* Li, X., *TPEL Oct. 2020 11181-11192*
Jiang, X., *see* Wu, G., *TPEL Feb. 2020 1845-1854*
Jiang, X., *see* Yao, P., *TPEL Nov. 2020 11463-11474*
Jiang, Y., Wang, L., Wang, Y., Wu, M., Zeng, Z., Liu, Y., and Sun, J., Phase-Locked Loop Combined With Chained Trigger Mode Used for Impedance Matching in Wireless High Power Transfer; *TPEL April 2020 4272-4285*
Jiang, Y., *see* Ji, J., *TPEL April 2020 3869-3877*
Jiang, Y., and Zhang, B., A Fractional-Order Wireless Power Transfer System Insensitive to Resonant Frequency; *TPEL May 2020 5496-5505*
Jiang, Y., *see* Meng, T., *TPEL Aug. 2020 8405-8416*
Jiang, Y., *see* Shen, Y., *TPEL Sept. 2020 9151-9170*
Jiang, Y., Yu, Y., and Peng, X., Online Anomaly Detection in DC/DC Converters by Statistical Feature Estimation Using GPR and GA; *TPEL Oct. 2020 10945-10957*
Jiang, Y., Wang, L., Fang, J., Zhao, C., Wang, K., and Wang, Y., A Joint Control With Variable ZVS Angles for Dynamic Efficiency Optimization in Wireless Power Transfer System; *TPEL Oct. 2020 11064-11081*
JianXin, G., *see* Cheng, C., *TPEL Dec. 2020 12728-12740*
Jiao, J., *see* Zhang, Y., *TPEL Aug. 2020 8130-8139*
Jiao, J., *see* Zhang, Y., *TPEL Aug. 2020 8663-8672*
Jiao, N., *see* Mao, S., *TPEL Jan. 2020 800-815*
Jiao, N., *see* Sun, C., *TPEL June 2020 6373-6385*
Jiao, N., *see* Wang, S., *TPEL July 2020 7702-7712*
Jiao, N., *see* Mao, S., *TPEL Aug. 2020 8347-8360*
Jiao, N., *see* Meng, T., *TPEL Aug. 2020 8405-8416*
Jiao, Y., *see* Wu, C., *TPEL June 2020 5562-5566*
Jin, L., *see* Wang, K., *TPEL July 2020 6678-6681*
Jin, L., *see* Nie, J., *TPEL Nov. 2020 11304-11309*
Jin, L., *see* Shen, Z., *TPEL Nov. 2020 12194-12206*
Jin, Q., *see* Wang, Y., *TPEL Feb. 2020 2053-2066*
Jin, W., Lee, A.T.L., Tan, S., and Hui, S.Y.R., Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation; *TPEL Oct. 2020 11222-11234*
Jin, X., *see* Wang, Y., *TPEL May 2020 4669-4677*
Jin, X., *see* Wei, G., *TPEL June 2020 6114-6126*
Jin, X., *see* Miao, Z., *TPEL July 2020 7612-7623*
Jin, Y., *see* Fang, T., *TPEL Aug. 2020 8689-8700*
Jin, Z., *see* Sun, X., *TPEL Dec. 2020 13631-13640*
Jing, F., *see* Wen, F., *TPEL Sept. 2020 9070-9081*
Jing, H., *see* Cheng, C., *TPEL Dec. 2020 12728-12740*
Jing, K., *see* Yin, T., *TPEL Dec. 2020 12623-12628*
Jo, C., *see* Chen, Y., *TPEL Nov. 2020 11475-11487*
Jo, H., *see* Seo, S., *TPEL May 2020 4518-4532*
John, V., *see* Dam, S.K., *TPEL Sept. 2020 9443-9461*
Johnson, B.B., *see* Poon, J., *TPEL Oct. 2020 11013-11025*
Johnson, C.M., *see* DiMarino, C.M., *TPEL June 2020 6050-6060*
Johnson, C.M., *see* Li, K., *TPEL Sept. 2020 9650-9660*
Jorda, X., *see* Fernandez, M., *TPEL May 2020 5221-5237*
Jorge, S.G., *see* Busada, C.A., *TPEL March 2020 3097-3105*
Jorgensen, A.B., Munk-Nielsen, S., and Uhrenfeldt, C., Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging; *TPEL Oct. 2020 10892-10905*
Joshi, A., *see* Panigrahi, R., *TPEL Dec. 2020 12633-12638*
Joshi, K., Yang, Z., Fu, C., Mandal, D., Waterfall, G., and Bakkaloglu, B., A Mixed-Signal Adaptive Ripple Canceler for Switching Regulators Providing 18 dB-24 dB of Ripple Rejection up to 1 MHz; *TPEL Oct. 2020 10249-10259*
Joshi, S., *see* Chen, W., *TPEL April 2020 4048-4062*
Joshi, V.A., *see* Apte, A., *TPEL June 2020 6082-6090*
Jovanovic, D., *see* Farajizadeh, F., *TPEL April 2020 3794-3806*
Jovanovic, D.P., Broadmeadow, M.A.H., Taylor, R.R., Walker, G.R., and Ledwich, G.F., Decoupling of Current Balancing and Reference Tracking Control in Parallel Interleaved Converters; *TPEL April 2020 4286-4295*
Ju, C., *see* Pan, X., *TPEL March 2020 2737-2763*
Ju, P., *see* Zhang, L., *TPEL May 2020 4835-4846*
Judge, P.D., *see* Leterme, W., *TPEL June 2020 5753-5769*
Junejo, A.K., Xu, W., Mu, C., Ismail, M.M., and Liu, Y., Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law; *TPEL Nov. 2020 12110-12121*
Jung, H., *see* Ohn, S., *TPEL Jan. 2020 853-866*
Jung, H., and Lee, B., Optimization of Magnetic Field Focusing and Null Steering for Selective Wireless Power Transfer; *TPEL May 2020 4622-4633*
Jung, J., *see* Kim, J., *TPEL Jan. 2020 1002-1013*
Jung, J., Ku, H., Im, W., and Kim, J., A Carrier-Based PWM Control Strategy for Three-Level NPC Inverter Based on Bootstrap Gate Drive Circuit; *TPEL March 2020 2843-2860*
Jung, J., Jung, Y., Hong, S., and Kwon, O., A High Peak Output Power and High Power Conversion Efficiency SIMIMO Converter Using Optimal on-Time Control and Hybrid Zero Current Switching for Energy Harvesting Systems in IoT Applications; *TPEL Aug. 2020 8261-8275*
Jung, J., *see* Kim, M., *TPEL Sept. 2020 8897-8901*
Jung, Y., *see* Jung, J., *TPEL Aug. 2020 8261-8275*
Junyent-Ferre, A., *see* Seok, H., *TPEL April 2020 3740-3753*
Junyent-Ferre, A., *see* Sang, Y., *TPEL Aug. 2020 8737-8750*
Jurkov, A.S., Radomski, A., and Perreault, D.J., Tunable Matching Networks Based on Phase-Switched Impedance Modulation[1]; *TPEL Oct. 2020 10150-10167*

K

Kaboli, S., *see* Aghaei, M., *TPEL Aug. 2020 8460-8471*
Kaboli, S., *see* Zarghani, M., *TPEL Aug. 2020 7991-8001*
Kakarla, B., *see* Tsibizov, A., *TPEL Feb. 2020 1855-1865*
Kali, Y., Ayala, M., Rodas, J., Saad, M., Doval-Gandoy, J., Gregor, R., and Benjelloun, K., Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor; *TPEL Nov. 2020 12570-12580*
Kallfass, I., *see* Winkler, J., *TPEL March 2020 2990-2998*
Kalra, G.R., Riar, B.S., and Thrimawithana, D.J., An Integrated Boost Active Bridge Based Secondary Inductive Power Transfer Converter; *TPEL Dec. 2020 12716-12727*

Kampitsis, G., *see* van Erp, R., *TPEL July 2020 7235-7245*
Kan, J., *see* Wu, D., *TPEL Sept. 2020 9541-9552*
Kan, J., *see* Tang, Y., *TPEL Nov. 2020 11955-11964*
Kanale, A., and Baliga, B.J., Enhancing Short Circuit Capability of 1.2-kV Si IGBT Using a Gate-Source Shorted Si Depletion Mode MOSFET in Series With the Emitter; *TPEL June 2020 6350-6361*
Kanathipan, K., Emamalipour, R., and Lam, J., A Single-Switch High-Gain PV Microconverter With Low-Switch-Voltage-to-High-Voltage-Bus Ratio; *TPEL Sept. 2020 9530-9540*
Kang, Y., *see* Chu, E., *TPEL Feb. 2020 1392-1405*
Kang, Y., *see* Zhu, D., *TPEL May 2020 4715-4727*
Kang, Y., *see* He, H., *TPEL Sept. 2020 9430-9442*
Kang, Y., *see* Su, J., *TPEL Oct. 2020 9953-9958*
Kapat, S., *see* Roy, R., *TPEL March 2020 3127-3138*
Kapat, S., *see* Khatua, S., *TPEL Nov. 2020 11976-11987*
Kar, M., *see* Singh, A., *TPEL March 2020 3242-3253*
Kar, N.C., *see* Feng, G., *TPEL July 2020 7328-7340*
Kar, N.C., *see* Lai, C., *TPEL Oct. 2020 10729-10740*
Karafil, A., Ozbay, H., and Oncu, S., Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter; *TPEL May 2020 4756-4766*
Karakaya, F., *see* Jafari, A., *TPEL July 2020 6673-6677*
Karakaya, F., *see* Jafari, A., *TPEL Dec. 2020 12595-12600*
Karamanakos, P., *see* Dorfling, T., *TPEL July 2020 7520-7531*
Karamanakos, P., and Geyer, T., Guidelines for the Design of Finite Control Set Model Predictive Controllers; *TPEL July 2020 7434-7450*
Kargarrazi, S., *see* Xu, J., *TPEL June 2020 6340-6349*
Karimi, A., Khayat, Y., Naderi, M., Dragicevic, T., Mirzaei, R., Blaabjerg, F., and Bevrani, H., Inertia Response Improvement in AC Microgrids: A Fuzzy-Based Virtual Synchronous Generator Control; *TPEL April 2020 4321-4331*
Karimi, H.R., *see* Yang, C., *TPEL March 2020 3012-3028*
Karthik, A., and Loganathan, U., A Reduced Component Count Five-Level Inverter Topology for High Reliability Electric Drives; *TPEL Jan. 2020 725-732*
Kastha, D., *see* Mukherjee, D., *TPEL June 2020 5601-5614*
Kastha, D., *see* Vangalapudi, B.G.T., *TPEL June 2020 5938-5951*
Kastha, D., *see* Chaudhury, T., *TPEL Oct. 2020 10501-10514*
Kastha, D., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Kastha, D., *see* Khatua, S., *TPEL Nov. 2020 11976-11987*
Katsura, K., *see* Yamaguchi, K., *TPEL Jan. 2020 619-629*
Kaviri, S.M., Pahlevani, M., Jain, P.K., and Bakhshai, A., A Harmonic Compensation System With Embedded Load Observer for Micro-Grids in the Islanded Mode of Operation; *TPEL Feb. 2020 1406-1424*
Kaviri, S.M., *see* Hajebrahimi, H., *TPEL Nov. 2020 11612-11624*
Kavithaa, G., *see* R, E., *TPEL June 2020 6397-6404*
Kawano, K., *see* Sato, Y., *TPEL Sept. 2020 9661-9668*
Kaymak, M., *see* Shen, Z., *TPEL Nov. 2020 12194-12206*
Kazimierczuk, M.K., *see* Chen, F., *TPEL Feb. 2020 2119-2134*
Kazimierczuk, M.K., *see* Chen, F., *TPEL Nov. 2020 11363-11379*
Ke, G., Chen, Q., Gao, W., Wong, S., Tse, C.K., and Zhang, Z., Research on IPT Resonant Converters With High Misalignment Tolerance Using Multicoil Receiver Set; *TPEL April 2020 3697-3712*
Ke, J., Zhao, Z., Sun, P., Huang, H., Abuogo, J., and Cui, X., Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs; *TPEL April 2020 3963-3972*
Ke, Z., *see* Yang, Y., *TPEL June 2020 6470-6481*
Ke, Z., *see* Pan, J., *TPEL Oct. 2020 10137-10149*
Ke, Z., Pan, J., Sabbagh, M.A., Na, R., Zhang, J., Wang, J., and Xu, L., Capacitor Voltage Ripple Estimation and Optimal Sizing of Modular Multi-Level Converters for Variable-Speed Drives; *TPEL Nov. 2020 12544-12554*
Kemmetmuller, W., *see* Forstner, G., *TPEL Nov. 2020 12285-12295*
Kendig, D., *see* Matei, C., *TPEL Aug. 2020 8303-8310*
Kennel, R., *see* Wang, F., *TPEL Feb. 2020 1779-1788*
Kennel, R.M., *see* Liu, F., *TPEL Jan. 2020 1036-1044*
Kennel, R.M., *see* Aliaskari, A., *TPEL Jan. 2020 630-639*
Khajehoddin, S.A., *see* Tavakoli, A., *TPEL June 2020 5952-5964*
Khajehoddin, S.A., *see* Afshar, M., *TPEL Aug. 2020 8559-8568*
Khalaileh, A.R.A., *see* Albatran, S., *TPEL March 2020 3287-3297*
Khan, A.A., Lu, Y.W., Eberle, W., Wang, L., Khan, U.A., and Cha, H., Single-Phase Split-Inductor Differential Boost Inverters; *TPEL Jan. 2020 107-120*
Khan, A.A., Lu, Y.W., Eberle, W., Wang, L., Khan, U.A., Agamy, M., and Cha, H., Single-Stage Bidirectional Buck–Boost Inverters Using a Single Inductor and Eliminating the Common-Mode Leakage Current; *TPEL Feb. 2020 1269-1281*
Khan, A.A., Eberle, W., Wang, L., Akbar, F., Khan, U.A., Lu, Y.W., and Agamy, M., Coupled-Inductor Buck–Boost Inverter With Reduced Current Ripple; *TPEL Aug. 2020 7933-7946*
Khan, A.Z., and Loo, K.H., A Three-Phase Dual-Active-Bridge DC–DC Converter With Reconfigurable Resonant Network for Efficient Wide Voltage Range Operation; *TPEL Feb. 2020 1322-1339*
Khan, F., *see* Hanif, A., *TPEL July 2020 6761-6772*
Khan, M.N.H., Forouzesh, M., Siwakoti, Y.P., Li, L., and Blaabjerg, F., Switched Capacitor Integrated ($2n$ + 1)-Level Step-Up Single-Phase Inverter; *TPEL Aug. 2020 8248-8260*
Khan, N., Matsumoto, H., and Trescases, O., Wireless Electric Vehicle Charger With Electromagnetic Coil-Based Position Correction Using Impedance and Resonant Frequency Detection; *TPEL Aug. 2020 7873-7883*
Khan, U.A., *see* Khan, A.A., *TPEL Jan. 2020 107-120*
Khan, U.A., *see* Khan, A.A., *TPEL Feb. 2020 1269-1281*
Khan, U.A., *see* Khan, A.A., *TPEL Aug. 2020 7933-7946*
Khan, W.A., *see* Zhang, Y., *TPEL Feb. 2020 2067-2076*
Khan, W.A., *see* Zhang, Y., *TPEL May 2020 5542*
Khandelwal, S., *see* Mahajan, D.D., *TPEL June 2020 6332-6339*
Khanna, R., *see* Sellers, A.J., *TPEL Nov. 2020 12252-12263*
Khatua, M., Kumar, A., Yousefzadeh, V., Sepahvand, A., Doshi, M., Maksimovic, D., and Afridi, K.K., High-Performance Megahertz-Frequency Resonant DC–DC Converter for Automotive LED Driver Applications; *TPEL Oct. 2020 10396-10412*
Khatua, S., Kastha, D., and Kapat, S., A New Single-Stage 48-V-Input VRM Topology Using an Isolated Stacked Half-Bridge Converter; *TPEL Nov. 2020 11976-11987*
Khayat, Y., *see* Karimi, A., *TPEL April 2020 4321-4331*
Khayat, Y., *see* Naderi, M., *TPEL May 2020 4728-4740*
Khayat, Y., Shafiee, Q., Heydari, R., Naderi, M., Dragicevic, T., Simpson-Porco, J.W., Dorfler, F., Fathi, M., Blaabjerg, F., Guerrero, J.M., and Bevrani, H., On the Secondary Control Architectures of AC Microgrids: An Overview; *TPEL June 2020 6482-6500*
Khayat, Y., *see* Heydari, R., *TPEL Nov. 2020 12486-12496*
Khayat, Y., *see* Naderi, M., *TPEL Nov. 2020 11801-11812*
Khazaee, A., Zarchi, H.A., and Markadeh, G.R.A., Real-Time Maximum Torque per Ampere Control of Brushless DC Motor Drive With Minimum Torque Ripple; *TPEL Feb. 2020 1194-1199*
Khodabakhsh, J., and Moschopoulos, G., A Four-Switch Three-Phase AC–DC Converter With Galvanic Isolation; *TPEL Feb. 2020 1699-1710*
Khodabakhsh, J., and Moschopoulos, G., A Study of T-Type and ZVS-PWM Full-Bridge Converters for Switch-Mode Power Supplies; *TPEL July 2020 7145-7159*
Khooban, M., *see* Hajihosseini, M., *TPEL Oct. 2020 9971-9977*
Khooban, M.H., Gheisarnejad, M., Farsizadeh, H., Masoudian, A., and Boudjadar, J., A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships; *TPEL June 2020 5832-5841*
Khooban, M.H., *see* Gheisarnejad, M., *TPEL Dec. 2020 13621-13630*
Ki, W., *see* Jiang, J., *TPEL Feb. 2020 1200-1204*
Ki, W., *see* Jiang, J., *TPEL June 2020 6001-6011*
Kieferndorf, F.D., *see* Park, K., *TPEL March 2020 2317-2333*
Kim, C., *see* Jeong, J., *TPEL Jan. 2020 347-358*
Kim, C., *see* Jeong, J., *TPEL March 2020 2253-2256*
Kim, C., *see* Baek, J., *TPEL May 2020 4547-4557*
Kim, C., *see* Lee, Y., *TPEL Dec. 2020 13148-13156*
Kim, D., Kim, S., Kim, S., Moon, J., Cho, I., and Ahn, D., Coupling Extraction and Maximum Efficiency Tracking for Multiple Concurrent Transmitters in Dynamic Wireless Charging; *TPEL Aug. 2020 7853-7862*

Kim, D., and Ahn, D., Maximum Efficiency Point Tracking for Multiple-Transmitter Wireless Power Transfer; *TPEL Nov. 2020 11391-11400*
Kim, D., *see* Chen, Y., *TPEL Nov. 2020 11475-11487*
Kim, D., *see* Lee, Y., *TPEL Dec. 2020 13148-13156*
Kim, D., Shin, S., and Kim, H., A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range; *TPEL Dec. 2020 13441-13454*
Kim, H., Sul, S., Yoo, H., and Oh, J., Distortion-Minimizing Flux Observer for IPMSM Based on Frequency-Adaptive Observers; *TPEL Feb. 2020 2077-2087*
Kim, H., *see* Nguyen, T., *TPEL April 2020 3365-3376*
Kim, H., *see* Sun, J., *TPEL Aug. 2020 7840-7852*
Kim, H., *see* Kim, D., *TPEL Dec. 2020 13441-13454*
Kim, H.R., *see* Kim, J.H., *TPEL June 2020 6165-6174*
Kim, H.R., *see* Choi, B.G., *TPEL July 2020 7317-7327*
Kim, J., Park, M., Han, J., Lee, M., and Lai, J., PWM Resonant Converter With Asymmetric Modulation for ZVS Active Voltage Doubler Rectifier and Forced Half Resonance in PV Application; *TPEL Jan. 2020 508-521*
Kim, J., Choi, H.H., and Jung, J., MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions; *TPEL Jan. 2020 1002-1013*
Kim, J., Park, M., Lee, B., and Lai, J., Analysis and Design of *LLC* Converter Considering Output Voltage Regulation Under No-Load Condition; *TPEL Jan. 2020 522-534*
Kim, J., *see* Jung, J., *TPEL March 2020 2843-2860*
Kim, J., *see* Lee, M., *TPEL July 2020 7689-7701*
Kim, J., *see* Lee, S., *TPEL Nov. 2020 11891-11901*
Kim, J., *see* Jeong, Y., *TPEL Dec. 2020 13126-13135*
Kim, J.H., Choi, B.G., Jeong, S.Y., Han, S.H., Kim, H.R., Rim, C.T., and Kim, Y., Plane-Type Receiving Coil With Minimum Number of Coils for Omnidirectional Wireless Power Transfer; *TPEL June 2020 6165-6174*
Kim, J.H., *see* Choi, B.G., *TPEL July 2020 7317-7327*
Kim, K., Han, J., Lee, B., and Moon, G., High-Efficiency Three-Level DC–DC Converter With Reduced Circulating Current and Rectifier Voltage Stress; *TPEL March 2020 2668-2679*
Kim, K., *see* Lai, N.B., *TPEL June 2020 5873-5882*
Kim, M., *see* Han, B., *TPEL March 2020 2629-2645*
Kim, M., *see* Seok, H., *TPEL April 2020 3740-3753*
Kim, M., *see* Bai, C., *TPEL April 2020 3636-3650*
Kim, M., Park, H., and Jung, J., Practical Design Methodology of IH and IPT Dual-Functional Apparatus; *TPEL Sept. 2020 8897-8901*
Kim, M., *see* Son, S., *TPEL Nov. 2020 11916-11929*
Kim, S., *see* Kim, D., *TPEL Aug. 2020 7853-7862*
Kim, S., *see* Kim, D., *TPEL Aug. 2020 7853-7862*
Kim, Y., *see* Thai, V.X., *TPEL April 2020 3466-3477*
Kim, Y., *see* Kim, J.H., *TPEL June 2020 6165-6174*
Kim, Y., *see* Choi, J.S., *TPEL Aug. 2020 7863-7872*
Kiran, K., and Das, S., Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique; *TPEL Aug. 2020 8396-8404*
Kish, G.J., *see* Perera, C., *TPEL July 2020 7305-7316*
Kish, G.J., *see* Li, Y., *TPEL Dec. 2020 12787-12800*
Klein-Hessling, A., *see* Ge, L., *TPEL March 2020 2787-2798*
Ko, Y., Raveendran, V., Andresen, M., and Liserre, M., Thermally Compensated Discontinuous Modulation for MVAC/LVDC Building Blocks of Modular Smart Transformers; *TPEL Jan. 2020 220-231*
Ko, Y., Raveendran, V., Andresen, M., and Liserre, M., Advanced Discontinuous Modulation for Thermally Compensated Modular Smart Transformers; *TPEL March 2020 2445-2457*
Kocar, I., *see* Berger, M., *TPEL April 2020 3651-3662*
Kodumur Meesala, R.E., and Thippiripati, V.K., An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table; *TPEL April 2020 3906-3917*
Kokabi, A., *see* R, E., *TPEL June 2020 6397-6404*
Kolar, J.W., *see* Schrittwieser, L., *TPEL Jan. 2020 138-157*
Kolar, J.W., *see* Guillod, T., *TPEL Feb. 2020 1293-1305*
Kolar, J.W., *see* Zulauf, G., *TPEL June 2020 5581-5588*
Kolar, J.W., *see* Schafer, J., *TPEL Sept. 2020 9617-9631*
Kolar, J.W., *see* Menzi, D., *TPEL Dec. 2020 13367-13383*
Kolluri, S., Gorla, N.B.Y., and Panda, S.K., Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller; *TPEL Sept. 2020 9839-9849*
Komathi, C., and Umamaheswari, M.G., Erratum to "Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications" *TPEL May 2020 5543*
Kong, X., Wong, C., and Lam, C., Effects of Parasitic Resistances on Magnetically Coupled Impedance-Source Networks; *TPEL Sept. 2020 9171-9183*
Kong, Y., *see* Huang, X., *TPEL Jan. 2020 565-577*
Konstantinou, G., *see* Song, K., *TPEL March 2020 2501-2518*
Konstantinou, G., *see* Beniwal, N., *TPEL April 2020 4426-4438*
Konstantinou, G., *see* Perez-Basante, A., *TPEL Aug. 2020 8712-8725*
Konstantinou, G., *see* Tafti, H.D., *TPEL Sept. 2020 9342-9356*
Konstantinou, G., *see* Wu, M., *TPEL Nov. 2020 11488-11501*
Koo, H., *see* Oh, H., *TPEL June 2020 5907-5917*
Koran, A., Albatran, S., and Lai, J., Analytical Factorized Model for Stability Analysis and Optimization of Shunt *RC* Damped *LCL* Filter for Grid-Connected Voltage Source Inverters; *TPEL July 2020 6830-6841*
Koseoglou, M., *see* Tsioumas, E., *TPEL Feb. 2020 1513-1524*
Koseoglou, M., Tsioumas, E., Jabbour, N., and Mademlis, C., Highly Effective Cell Equalization in a Lithium-Ion Battery Management System; *TPEL Feb. 2020 2088-2099*
Kou, B., *see* Zhang, H., *TPEL April 2020 3337-3342*
Kou, B., Wei, J., and Zhang, L., Switching and Conduction Loss Reduction of Dual-Buck Full-Bridge Inverter Through ZVT Soft-Switching Under Full-Cycle Modulation; *TPEL May 2020 5031-5046*
Kou, J., Gao, Q., Teng, Y., Ye, J., and Xu, D., An Envelope-Prediction-Based Sensorless Rotor Position Observation Scheme for LCI-Fed EESM at Zero and Low Speed; *TPEL July 2020 7356-7365*
Kou, X., *see* Xu, S., *TPEL Nov. 2020 12347-12358*
Kovacevic-Badstubner, I., *see* Tsibizov, A., *TPEL Feb. 2020 1855-1865*
Kowalsky, J., *see* Liu, X., *TPEL Oct. 2020 10789-10798*
Kozak, J.P., *see* Zhang, R., *TPEL Dec. 2020 13409-13419*
KP, M.S., *see* Peter, J., *TPEL April 2020 3939-3950*
Krein, P.T., *see* Wang, B., *TPEL Jan. 2020 924-939*
Krein, P.T., *see* Wang, B., *TPEL Sept. 2020 8944-8955*
Krein, P.T., *see* Zhang, Z., *TPEL Nov. 2020 11544-11556*
Ku, H., *see* Jung, J., *TPEL March 2020 2843-2860*
Kucka, J., and Mertens, A., Improved Current Control for a Quasi-Two-Level PWM-Operated Modular Multilevel Converter; *TPEL July 2020 6842-6853*
Kugi, A., *see* Forstner, G., *TPEL Nov. 2020 12285-12295*
Kulah, H., *see* Chamanian, S., *TPEL Jan. 2020 901-912*
Kumar, A., *see* Khatua, M., *TPEL Oct. 2020 10396-10412*
Kumar, M., *see* Jayaraman, K., *TPEL March 2020 2861-2870*
Kumar, N., *see* Devanshu, A., *TPEL Jan. 2020 652-666*
Kumar, N., Mohamadi, M., and Mazumder, S.K., Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier; *TPEL Oct. 2020 10008-10012*
Kumar, V.I., *see* Roy, R., *TPEL March 2020 3127-3138*
Kumar, Y.S., and Poddar, G., Balanced Submodule Operation of Modular Multilevel Converter-Based Induction Motor Drive for Wide-Speed Range; *TPEL April 2020 3918-3927*
Kummari, N., and Chattopadhyay, S., Three-Legged High-Gain Phase-Modulated DC–AC Converter for Mitigation of Device Capacitance Induced Ringing Voltage; *TPEL Feb. 2020 1306-1321*
Kuncham, S.K., Annamalai, K., and Subrahmanyam, N., A Two-Stage T-Type Hybrid Five-Level Transformerless Inverter for PV Applications; *TPEL Sept. 2020 9510-9521*
Kuo, C., *see* Yang, W., *TPEL March 2020 2969-2978*
Kuo, C., *see* Tan, K., *TPEL July 2020 7451-7464*
Kuperman, A., *see* Frechter, Y., *TPEL June 2020 6586-6593*
Kurm, S., and Agarwal, V., Hybrid Energy Storage System Based on a Novel Reduced Rating Multi-Input Converter; *TPEL Nov. 2020 12133-12142*

Kuroda, N., *see* Nakamura, Y., *TPEL March 2020 2950-2958*
Kutschak, M., *see* Escudero, M., *TPEL July 2020 7419-7433*
Kwon, B., *see* Bai, C., *TPEL April 2020 3636-3650*
Kwon, O., *see* Jung, J., *TPEL Aug. 2020 8261-8275*
Kwon, Y., *see* Lee, J., *TPEL Nov. 2020 12100-12109*
Kyaw, P.A., Delhommais, M., Qiu, J., Sullivan, C.R., Schanen, J., and Rigaud, C., Thermal Modeling of Inductor and Transformer Windings Including Litz Wire; *TPEL Jan. 2020 867-881*

L

Lai, C., *see* Feng, G., *TPEL July 2020 7328-7340*
Lai, C., Feng, G., Li, Z., and Kar, N.C., Computation-Efficient Decoupled Multiparameter Estimation of PMSMs From Massive Redundant Measurements; *TPEL Oct. 2020 10729-10740*
Lai, J., *see* Kim, J., *TPEL Jan. 2020 508-521*
Lai, J., *see* Kim, J., *TPEL Jan. 2020 522-534*
Lai, J., *see* Han, B., *TPEL March 2020 2629-2645*
Lai, J., *see* Yu, X., *TPEL April 2020 3807-3827*
Lai, J., *see* Yeh, C., *TPEL June 2020 5785-5796*
Lai, J., *see* Yu, X., *TPEL June 2020 6231-6250*
Lai, J., *see* Chen, Y., *TPEL June 2020 6039-6049*
Lai, J., *see* Lee, M., *TPEL July 2020 7689-7701*
Lai, J., *see* Koran, A., *TPEL July 2020 6830-6841*
Lai, J., *see* Chen, S., *TPEL Oct. 2020 9992-9997*
Lai, J., *see* Zhang, Y., *TPEL Nov. 2020 11745-11757*
Lai, N.B., Kim, K., and Rodriguez, P., Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter; *TPEL June 2020 5873-5882*
Lai, X., *see* Yuan, B., *TPEL July 2020 7295-7304*
Lai, Y., *see* Yang, W., *TPEL March 2020 2969-2978*
Lakhimsetty, S., and Somasekhar, V.T., An Efficient Predictive Current Control Strategy for a Four-Level Open-End Winding Induction Motor Drive; *TPEL June 2020 6198-6207*
Lakshmikanthan, S., *see* Li, Y., *TPEL July 2020 6963-6973*
Lakshminarasamma, N., *see* Ravi, V., *TPEL Jan. 2020 546-564*
Lakshminarasamma, N., *see* Ramaiah, S., *TPEL March 2020 2558-2570*
Lallart, M., Wu, W., Yan, L., and Hung, S., Inductorless Synchronized Switch Harvesting Using a Piezoelectric Oscillator; *TPEL March 2020 2585-2594*
Lam, C., *see* Kong, X., *TPEL Sept. 2020 9171-9183*
Lam, C., *see* Huang, Z., *TPEL Sept. 2020 8973-8984*
Lam, J., *see* Emamalipour, R., *TPEL Aug. 2020 8200-8214*
Lam, J., *see* Kanathipan, K., *TPEL Sept. 2020 9530-9540*
Lam, J., *see* Abbasi, M., *TPEL Oct. 2020 10323-10337*
Lam, W.H., *see* Han, W., *TPEL June 2020 6269-6279*
Lam, W.H., *see* Liu, W., *TPEL June 2020 6533-6547*
Lam, W.H., *see* Liu, W., *TPEL Sept. 2020 9057-9069*
Lambert, G., Costabeber, A., Wheeler, P., and De Novaes, Y.R., A Unidirectional Insulated AC–DC Converter Based on the Hexverter and Multipulse-Rectifier; *TPEL March 2020 2363-2371*
Lambert, W.J., Hill, M.J., O'Brien, K.P., Radhakrishnan, K., and Fischer, P., Study of Thin-Film Magnetic Inductors Applied to Integrated Voltage Regulators; *TPEL June 2020 6208-6220*
Lamorelle, T., Lembeye, Y., and Crebier, J., Handling Differential Mode Conducted EMC in Modular Converters; *TPEL June 2020 5812-5819*
Lan, D., *see* Ye, C., *TPEL June 2020 6280-6291*
Lan, Y., *see* Song, K., *TPEL Sept. 2020 9034-9045*
Lan, Z., *see* Wu, G., *TPEL Feb. 2020 1845-1854*
Landerer, M., *see* Hackl, C.M., *TPEL March 2020 3298-3309*
Lang, T., *see* Yin, H., *TPEL Aug. 2020 8311-8323*
Lascu, C., Argeseanu, A., and Blaabjerg, F., Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives; *TPEL May 2020 5057-5065*
Lavertu, C., *see* Berger, M., *TPEL April 2020 3651-3662*
Lazaro, A., *see* Rodriguez-Lorente, A., *TPEL Nov. 2020 11942-11954*
Lazzarin, T.B., *see* de Andrade, J.M., *TPEL Dec. 2020 13239-13254*
Lazzarin, T.B., *see* Schramm Dall'Asta, M., *TPEL Dec. 2020 13115-13125*
Le, T.L., *see* Weckbrodt, J., *TPEL Aug. 2020 8540-8549*
Le, V., Yao, X., Miller, C., and Tsao, B., Series DC Arc Fault Detection Based on Ensemble Machine Learning; *TPEL Aug. 2020 7826-7839*
Ledwich, G., *see* Farajizadeh, F., *TPEL April 2020 3794-3806*
Ledwich, G., *see* Faradjizadeh, F., *TPEL Oct. 2020 10757-10769*
Ledwich, G., *see* Farajizadeh, F., *TPEL Oct. 2020 10741-10756*
Ledwich, G.F., *see* Jovanovic, D.P., *TPEL April 2020 4286-4295*
Lee, A.T.L., *see* Jin, W., *TPEL Oct. 2020 11222-11234*
Lee, B., *see* Kim, J., *TPEL Jan. 2020 522-534*
Lee, B., *see* Kim, K., *TPEL March 2020 2668-2679*
Lee, B., *see* Lim, J., *TPEL March 2020 2680-2689*
Lee, B., *see* Jung, H., *TPEL May 2020 4622-4633*
Lee, C., *see* Qu, J., *TPEL Nov. 2020 11380-11390*
Lee, C.-K., *see* Liu, H., *TPEL Aug. 2020 8013-8024*
Lee, C.H., *see* Liu, W., *TPEL Sept. 2020 9057-9069*
Lee, C.H.T., *see* Liu, W., *TPEL June 2020 6533-6547*
Lee, D., *see* Ta, L.A.D., *TPEL Aug. 2020 8324-8334*
Lee, D., *see* Dao, N.D., *TPEL Oct. 2020 10455-10465*
Lee, D., *see* Dao, N.D., *TPEL Dec. 2020 12657-12662*
Lee, E.S., *see* Choi, B.G., *TPEL July 2020 7317-7327*
Lee, F.C., *see* Huang, Z., *TPEL June 2020 5702-5713*
Lee, F.C., *see* Tian, S., *TPEL Aug. 2020 8833-8845*
Lee, H., *see* Prakash, S., *TPEL April 2020 4178-4191*
Lee, H., *see* Park, J., *TPEL May 2020 4477-4482*
Lee, H., *see* Shin, S., *TPEL June 2020 6025-6038*
Lee, J., *see* Baek, J., *TPEL May 2020 4547-4557*
Lee, J., and Lee, K., Effects of Number of Relays on Achievable Efficiency of Magnetic Resonant Wireless Power Transfer; *TPEL July 2020 6697-6700*
Lee, J., Kwon, Y., and Sul, S., Signal-Injection Sensorless Control With Tilted Current Reference for Heavily Saturated IPMSMs; *TPEL Nov. 2020 12100-12109*
Lee, J.L., *see* Talesara, V., *TPEL Jan. 2020 578-590*
Lee, K., *see* Alsofyani, I.M., *TPEL April 2020 3928-3938*
Lee, K., *see* Choi, H., *TPEL April 2020 3891-3905*
Lee, K., and Chae, S.H., Comparative Analysis of Frequency-Selective Wireless Power Transfer for Multiple-Rx Systems; *TPEL May 2020 5122-5131*
Lee, K., *see* Oh, H., *TPEL June 2020 5907-5917*
Lee, K., *see* Lee, S.S., *TPEL June 2020 5978-5986*
Lee, K., *see* Lee, J., *TPEL July 2020 6697-6700*
Lee, K., *see* Lee, S.S., *TPEL Sept. 2020 9522-9529*
Lee, K.C., *see* Cho, Y., *TPEL Jan. 2020 484-495*
Lee, M., *see* Kim, J., *TPEL Jan. 2020 508-521*
Lee, M., *see* Lim, C., *TPEL May 2020 4934-4945*
Lee, M., *see* Yeh, C., *TPEL June 2020 5785-5796*
Lee, M., Kim, J., and Lai, J., Digital-Based Critical Conduction Mode Control for Three-Level Boost PFC Converter; *TPEL July 2020 7689-7701*
Lee, M., *see* Jeong, Y., *TPEL Dec. 2020 13126-13135*
Lee, S., and Kim, J., Two-Step HNN-Based Pattern Recognition Combining DWT-Based Multi-Resolution Analysis for Rechargeable Cells Distinction; *TPEL Nov. 2020 11891-11901*
Lee, S.S., Lim, C.S., and Lee, K., Novel Active-Neutral-Point-Clamped Inverters With Improved Voltage-Boosting Capability; *TPEL June 2020 5978-5986*
Lee, S.S., Lim, C.S., Siwakoti, Y.P., and Lee, K., Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain; *TPEL Sept. 2020 9522-9529*
Lee, T., Huang, S., Dai, S., and Su, J., Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control; *TPEL Sept. 2020 9024-9033*
Lee, W., *see* Oh, H., *TPEL June 2020 5907-5917*
Lee, Y., Kim, D., Choi, S., Moon, G., and Kim, C., New Bridgeless Power Factor Correction Converter With Simple Gate Driving Circuit and High Efficiency for Server Power Applications; *TPEL Dec. 2020 13148-13156*
Lefranc, P., *see* Spro, O.C., *TPEL Sept. 2020 9494-9509*
Lehman, B., *see* Boggarapu, P.K., *TPEL Nov. 2020 11865-11878*
Lehn, P.W., *see* Gray, P.A., *TPEL Oct. 2020 10050-10063*
Lehn, P.W., *see* Semsar, S., *TPEL Nov. 2020 12072-12084*

Lei, G., *see* Sun, X., *TPEL Jan. 2020 1136-1146*
Lei, G., *see* Sun, X., *TPEL April 2020 3841-3849*
Lei, J., Feng, S., Wheeler, P., Zhou, B., and Zhao, J., Steady-State Error Suppression and Simplified Implementation of Direct Source Current Control for Matrix Converter With Model Predictive Control; *TPEL March 2020 3183-3194*
Lei, J., Feng, S., Zhao, J., Chen, W., Wheeler, P., and Shi, M., An Improved Three-Phase Buck Rectifier Topology With Reduced Voltage Stress on Transistors; *TPEL March 2020 2458-2466*
Lei, M., *see* He, J., *TPEL Sept. 2020 9251-9266*
Lei, Q., *see* Zhang, Z., *TPEL Oct. 2020 10831-10851*
Lei, W., *see* Gao, G., *TPEL Sept. 2020 9133-9150*
Lei, W., *see* Li, Z., *TPEL Oct. 2020 10026-10049*
Lei, Y., *see* Chou, D., *TPEL Jan. 2020 1064-1073*
Lei, Y., *see* Ye, Z., *TPEL May 2020 4946-4958*
Lei, Y., *see* Ye, Z., *TPEL June 2020 5965-5977*
Leibl, M., *see* Schrittwieser, L., *TPEL Jan. 2020 138-157*
Lembeye, Y., *see* Lamorelle, T., *TPEL June 2020 5812-5819*
Lemmon, A.N., *see* Brovont, A.D., *TPEL May 2020 4678-4688*
Lemmon, A.N., Brovont, A.D., New, C.D., Nelson, B.W., and DeBoi, B.T., Modeling and Validation of Common-Mode Emissions in Wide Bandgap-Based Converter Structures; *TPEL Aug. 2020 8034-8049*
Lemmon, A.N., *see* Sellers, A.J., *TPEL Nov. 2020 12252-12263*
Lemmon, A.N., *see* DeBoi, B.T., *TPEL Dec. 2020 13400-13408*
Leng, M., *see* Tian, Q., *TPEL Nov. 2020 11731-11744*
Leng, M., Zhou, G., Tian, Q., Xu, G., and Blaabjerg, F., Small Signal Modeling and Design Analysis for Boost Converter With Valley V^2 Control; *TPEL Dec. 2020 13475-13487*
Leng, Y., *see* Wang, Y., *TPEL Feb. 2020 2053-2066*
Leterme, W., Judge, P.D., Wylie, J., and Green, T.C., Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies; *TPEL June 2020 5753-5769*
Leung, K.N., *see* Zheng, Y., *TPEL Nov. 2020 12022-12039*
Leyva, R., *see* Ramos, E.R., *TPEL Aug. 2020 8766-8778*
Li, B., He, J., Li, Y., and Wen, W., A Novel Current-Commutation-Based FCL for the Flexible DC Grid; *TPEL Jan. 2020 591-606*
Li, B., *see* Li, B., *TPEL Jan. 2020 591-606*
Li, B., Zhao, X., Zhang, S., Fu, Q., Wang, S., and Xu, D., A Hybrid Modular DC/DC Converter for HVDC Applications; *TPEL April 2020 3377-3389*
Li, B., *see* Wang, K., *TPEL May 2020 4925-4933*
Li, B., *see* Gao, M., *TPEL June 2020 6419-6435*
Li, B., Han, L., Mao, S., Zhou, S., Qu, Z., and Xu, D., Decoupled Modulation Scheme for Modular Multilevel Converters in Medium-Voltage Applications; *TPEL Nov. 2020 11430-11441*
Li, B., *see* Xu, Z., *TPEL Dec. 2020 12929-12948*
Li, B., *see* Wang, X., *TPEL Dec. 2020 13602-13620*
Li, C., *see* Yang, F., *TPEL Jan. 2020 169-184*
Li, C., Burgos, R., Wen, B., Tang, Y., and Boroyevich, D., Stability Analysis of Power Systems With Multiple STATCOMs in Close Proximity; *TPEL March 2020 2268-2283*
Li, C., Lu, Z., Chen, Y., Luo, H., Li, W., and He, X., High Off-State Impedance Gate Driver of SiC MOSFETs for Crosstalk Voltage Elimination Considering Common-Source Inductance; *TPEL March 2020 2999-3011*
Li, C., *see* Li, C., *TPEL March 2020 2999-3011*
Li, C., Lu, R., Li, W., Gu, X., Fang, Y., Ma, H., and He, X., Space Vector Modulation for SiC and Si Hybrid ANPC Converter in Medium-Voltage High-Speed Drive System; *TPEL April 2020 3390-3401*
Li, C., *see* Li, C., *TPEL April 2020 3390-3401*
Li, C., *see* Sheng, J., *TPEL April 2020 4242-4255*
Li, C., *see* Huang, Y., *TPEL May 2020 4613-4621*
Li, C., *see* Zhang, L., *TPEL May 2020 4835-4846*
Li, C., *see* Zhang, L., *TPEL Aug. 2020 8224-8236*
Li, C., *see* Shao, S., *TPEL Aug. 2020 7921-7932*
Li, C., *see* Wang, H., *TPEL Sept. 2020 8910-8925*
Li, D., Mei, Y., Xin, Y., Li, Z., Chu, P.K., Ma, C., and Lu, G., Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature; *TPEL Dec. 2020 12646-12650*
Li, D., Li, X., Chang, G., Qi, F., Packwood, M., Pottage, D., Wang, Y., Luo, H., Dai, X., and Liu, G., Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application; *TPEL Dec. 2020 13429-13440*
Li, G., Qian, H., Guo, J., Mo, B., Lu, Y., and Chen, D., Dual Active-Feedback Frequency Compensation for Output-Capacitorless LDO With Transient and Stability Enhancement in 65-nm CMOS; *TPEL Jan. 2020 415-429*
Li, G., *see* Zhang, Q., *TPEL Jan. 2020 1014-1021*
Li, G., and Wu, X., High Power Density 48–12 V DCX With 3-D PCB Winding Transformer; *TPEL Feb. 2020 1189-1193*
Li, G., *see* Wei, X., *TPEL June 2020 6572-6585*
Li, G., *see* Wang, K., *TPEL July 2020 6678-6681*
Li, G., Chen, Y., Luo, A., He, Z., Wang, H., Zhu, Z., Wu, W., and Zhou, L., Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator; *TPEL Oct. 2020 11096-11107*
Li, H., *see* Yao, C., *TPEL Jan. 2020 48-58*
Li, H., *see* Guo, Y., *TPEL Jan. 2020 1111-1123*
Li, H., *see* Potty, K.A., *TPEL Jan. 2020 957-967*
Li, H., *see* Zhou, X., *TPEL March 2020 2799-2808*
Li, H., *see* Pan, X., *TPEL March 2020 2737-2763*
Li, H., *see* Yang, Y., *TPEL May 2020 4877-4890*
Li, H., *see* Wang, K., *TPEL May 2020 4925-4933*
Li, H., *see* Gui, H., *TPEL June 2020 5670-5682*
Li, H., *see* Lyu, X., *TPEL Sept. 2020 8926-8933*
Li, H., *see* Sun, T., *TPEL Oct. 2020 11213-11221*
Li, H., *see* Song, S., *TPEL Oct. 2020 11205-11212*
Li, H., *see* Chen, S., *TPEL Oct. 2020 9992-9997*
Li, H., *see* Pan, J., *TPEL Oct. 2020 10137-10149*
Li, H., *see* Zhang, Y., *TPEL Nov. 2020 11745-11757*
Li, H., Wu, W., Huang, M., Shu-hung Chung, H., Liserre, M., and Blaabjerg, F., Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter; *TPEL Dec. 2020 12773-12786*
Li, J., *see* Ye, D., *TPEL Jan. 2020 640-651*
Li, J., *see* Ye, S., *TPEL Feb. 2020 1907-1921*
Li, J., *see* Zhang, Y., *TPEL Feb. 2020 1525-1535*
Li, J., *see* Shen, Z., *TPEL April 2020 3828-3840*
Li, J., *see* Ye, D., *TPEL May 2020 4984-4995*
Li, J., *see* Wang, R., *TPEL June 2020 6362-6372*
Li, J., *see* Zhang, Q., *TPEL July 2020 7001-7014*
Li, J., *see* Hu, Y., *TPEL Sept. 2020 9563-9573*
Li, J., *see* Xiao, L., *TPEL Nov. 2020 12457-12471*
Li, J., *see* Zhang, Y., *TPEL Nov. 2020 11745-11757*
Li, J., *see* Zhang, Y., *TPEL Nov. 2020 11813-11826*
Li, K., *see* Cao, S., *TPEL Feb. 2020 1450-1458*
Li, K., *see* Wu, X., *TPEL May 2020 5205-5220*
Li, K., *see* Xie, C., *TPEL June 2020 6636-6648*
Li, K., *see* Shang, Y., *TPEL July 2020 7134-7144*
Li, K., Tan, S.C., and Hui, R.S.Y., Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion; *TPEL July 2020 6820-6829*
Li, K., Videt, A., Idir, N., Evans, P.L., and Johnson, C.M., Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter; *TPEL Sept. 2020 9650-9660*
Li, K., *see* Xie, C., *TPEL Sept. 2020 9813-9823*
Li, K., Tan, S., and Hui, R.S.Y., On Beat Frequency Oscillation of Two-Stage Wireless Power Receivers; *TPEL Dec. 2020 12741-12751*
Li, L., *see* Yao, K., *TPEL Jan. 2020 443-454*
Li, L., *see* Yang, R., *TPEL Feb. 2020 2208-2221*
Li, L., *see* Wu, G., *TPEL Feb. 2020 1845-1854*
Li, L., *see* Khan, M.N.H., *TPEL Aug. 2020 8248-8260*
Li, L., *see* Lyu, D., *TPEL Nov. 2020 12359-12369*
Li, M., *see* Lu, Y., *TPEL Jan. 2020 94-106*
Li, M., *see* Chen, Y., *TPEL Feb. 2020 1672-1684*
Li, M., Huang, S., Wu, X., Liu, K., Peng, X., and Liang, G., A Virtual HF Signal Injection Based Maximum Efficiency per Ampere Tracking Control for IPMSM Drive; *TPEL June 2020 6102-6113*

Li, M., *see* Du, L., *TPEL July 2020 6682-6685*
Li, N., *see* Liu, S., *TPEL Nov. 2020 11328-11331*
Li, N., *see* Ma, Z., *TPEL Dec. 2020 13514-13527*
Li, Q., *see* Chen, Y., *TPEL Feb. 2020 1672-1684*
Li, Q., Jiang, D., Shen, Z., Zhang, Y., and Liu, Z., Variable Switching Frequency PWM Strategy for High-Frequency Circulating Current Control in Paralleled Inverters With Coupled Inductors; *TPEL May 2020 5366-5380*
Li, Q., *see* Chen, Y., *TPEL May 2020 4915-4924*
Li, Q., *see* Huang, Z., *TPEL June 2020 5702-5713*
Li, Q., *see* Chen, Y., *TPEL June 2020 6039-6049*
Li, Q., *see* Tian, S., *TPEL Aug. 2020 8833-8845*
Li, Q., *see* Wen, F., *TPEL Sept. 2020 9070-9081*
Li, Q., *see* Zhang, Y., *TPEL Oct. 2020 10238-10248*
Li, R., *see* Liu, C., *TPEL June 2020 6609-6624*
Li, R., *see* Wen, F., *TPEL Sept. 2020 9070-9081*
Li, R., *see* Shu, L., *TPEL Nov. 2020 11574-11588*
Li, S., *see* Zhang, Y., *TPEL Jan. 2020 131-137*
Li, S., Li, Z., Zheng, S., Xie, W., Zheng, Y., and Smedley, K.M., Multi-Resonance-Core-Based Dickson Resonant Switched-Capacitor Converters With Wide Regulation; *TPEL Feb. 2020 1685-1698*
Li, S., *see* Yuan, H., *TPEL Feb. 2020 2160-2169*
Li, S., *see* Xie, W., *TPEL March 2020 2724-2736*
Li, S., *see* Xie, W., *TPEL May 2020 4891-4904*
Li, S., *see* Zheng, Y., *TPEL Sept. 2020 9416-9429*
Li, S., *see* Guo, Y., *TPEL Oct. 2020 10542-10553*
Li, S., *see* Lyu, D., *TPEL Nov. 2020 12359-12369*
Li, S., *see* Liu, S., *TPEL Nov. 2020 11328-11331*
Li, W., *see* Jiang, D., *TPEL Jan. 2020 25-32*
Li, W., *see* Tang, Q., *TPEL Jan. 2020 699-708*
Li, W., *see* Chang, Y., *TPEL March 2020 2237-2241*
Li, W., *see* Xie, Y., *TPEL March 2020 2595-2614*
Li, W., *see* Li, C., *TPEL March 2020 2999-3011*
Li, W., *see* Cheng, C., *TPEL April 2020 3328-3331*
Li, W., *see* Li, C., *TPEL April 2020 3390-3401*
Li, W., *see* Sheng, J., *TPEL April 2020 4242-4255*
Li, W., *see* Feng, G., *TPEL July 2020 7328-7340*
Li, W., *see* Shao, S., *TPEL Aug. 2020 7921-7932*
Li, W., *see* Lin, Z., *TPEL Sept. 2020 9784-9793*
Li, W., Zhang, X., Zhuang, Y., Zhang, G., Wang, G., and Xu, D., A Five-Level Space Vector Modulation Scheme for Parallel Operated Three-Level Inverters With Reduced Line Current Distortion; *TPEL Oct. 2020 11235-11249*
Li, W., *see* Liu, J., *TPEL Dec. 2020 12801-12815*
Li, X., *see* Li, Y., *TPEL Jan. 2020 1074-1085*
Li, X., *see* Liu, J., *TPEL Jan. 2020 826-834*
Li, X., Zhu, M., Su, M., Ma, J., Li, Y., and Cai, X., Input-Independent and Output-Series Connected Modular DC–DC Converter With Intermodule Power Balancing Units for MVdc Integration of Distributed PV; *TPEL Feb. 2020 1622-1636*
Li, X., Zhu, M., Li, Y., and Cai, X., Cascaded MVDC Integration Interface for Multiple DERs With Enhanced Wide-Range Operation Capability: Concepts and Small-Signal Analysis; *TPEL Feb. 2020 1182-1188*
Li, X., *see* Lu, M., *TPEL March 2020 3085-3096*
Li, X., *see* Wu, F., *TPEL April 2020 4157-4167*
Li, X., Wu, F., Yang, G., and Liu, H., Improved Modulation Strategy for Single-Phase Isolated Quasi-Single-Stage AC–DC Converter to Improve Current Characteristics; *TPEL April 2020 4296-4308*
Li, X., and Sun, Y., An SSHI Rectifier for Triboelectric Energy Harvesting; *TPEL April 2020 3663-3678*
Li, X., *see* Wu, F., *TPEL May 2020 5506-5516*
Li, X., Wu, F., Yang, G., Liu, H., and Meng, T., Dual-Period-Decoupled Space Vector Phase-Shifted Modulation for DAB-Based Three-Phase Single-Stage AC–DC Converter; *TPEL June 2020 6447-6457*
Li, X., Hu, J., Wang, H., Dai, X., and Sun, Y., A New Coupling Structure and Position Detection Method for Segmented Control Dynamic Wireless Power Transfer Systems; *TPEL July 2020 6741-6745*
Li, X., *see* Deng, X., *TPEL Aug. 2020 8524-8531*
Li, X., *see* Cao, Y., *TPEL Aug. 2020 8417-8428*
Li, X., *see* Yin, H., *TPEL Aug. 2020 8311-8323*
Li, X., *see* Zhang, X., *TPEL Aug. 2020 8532-8539*
Li, X., *see* Liu, W., *TPEL Sept. 2020 9380-9389*
Li, X., *see* Jiang, C., *TPEL Oct. 2020 10821-10830*
Li, X., Zhang, X., Jiang, W., Wang, J., Wang, P., and Wu, X., A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid; *TPEL Oct. 2020 11181-11192*
Li, X., *see* He, J., *TPEL Oct. 2020 10227-10237*
Li, X., *see* Zhou, Z., *TPEL Nov. 2020 12555-12569*
Li, X., *see* Wu, F., *TPEL Dec. 2020 13725-13734*
Li, X., *see* Yang, Q., *TPEL Dec. 2020 13053-13067*
Li, X., *see* Li, D., *TPEL Dec. 2020 13429-13440*
Li, X., *see* Qi, J., *TPEL Dec. 2020 13384-13399*
Li, X., *see* Lin, Z., *TPEL Dec. 2020 13345-13355*
Li, X.L., Dong, Z., and Tse, C.K., Complete Family of Two-Stage Single-Input Multioutput Configurations of Interconnected Power Converters; *TPEL April 2020 3713-3728*
Li, X.L., *see* Dong, Z., *TPEL Nov. 2020 11930-11941*
Li, X.L., Dong, Z., Tse, C.K., and Lu, D.D., Single-Inductor Multi-Input Multi-Output DC–DC Converter With High Flexibility and Simple Control; *TPEL Dec. 2020 13104-13114*
Li, Y., *see* Li, B., *TPEL Jan. 2020 591-606*
Li, Y., *see* Chen, Y., *TPEL Jan. 2020 5*
Li, Y., Du, H., He, Z., and Zhou, W., Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints; *TPEL Jan. 2020 1022-1035*
Li, Y., Hu, J., Li, X., Mai, R., Li, Z., Liu, M., and He, Z., Efficiency Analysis and Optimization Control for Input-Parallel Output-Series Wireless Power Transfer Systems; *TPEL Jan. 2020 1074-1085*
Li, Y., *see* Li, X., *TPEL Feb. 2020 1622-1636*
Li, Y., *see* Wang, Y., *TPEL Feb. 2020 2053-2066*
Li, Y., *see* Hang, J., *TPEL Feb. 2020 2023-2033*
Li, Y., *see* Li, X., *TPEL Feb. 2020 1182-1188*
Li, Y., *see* Sun, J., *TPEL March 2020 2819-2830*
Li, Y., *see* Shi, H., *TPEL March 2020 3254-3265*
Li, Y., *see* Wang, K., *TPEL March 2020 2342-2352*
Li, Y., Chen, C., and Tsai, C., A Constant On-Time Buck Converter With Analog Time-Optimized On-Time Control; *TPEL April 2020 3754-3765*
Li, Y., *see* Xiao, Y., *TPEL May 2020 4971-4983*
Li, Y., *see* Xiao, H., *TPEL May 2020 5238-5253*
Li, Y., *see* Xue, C., *TPEL May 2020 4588-4601*
Li, Y., *see* Liu, Z., *TPEL May 2020 5290-5303*
Li, Y., Ruan, X., Zhang, L., and Lo, Y., Multipower-Level Hysteresis Control for the Class E DC–DC Converters; *TPEL May 2020 5279-5289*
Li, Y., *see* Wu, W., *TPEL May 2020 5381-5396*
Li, Y., *see* Ni, Z., *TPEL June 2020 5770-5784*
Li, Y., Li, Y.W., and Quan, Z., Systematic Synthesis and Derivation of Multilevel Converters Using Common Topological Structures With Unified Matrix Models; *TPEL June 2020 5639-5659*
Li, Y., Wang, S., Sheng, H., and Lakshmikanthan, S., Investigate and Reduce Capacitive Couplings in a Flyback Adapter With a DC-Bus Filter to Reduce EMI; *TPEL July 2020 6963-6973*
Li, Y., *see* Zhou, D., *TPEL Aug. 2020 8569-8580*
Li, Y., *see* Shao, S., *TPEL Aug. 2020 7921-7932*
Li, Y., *see* Xu, X., *TPEL Aug. 2020 7910-7920*
Li, Y., *see* He, J., *TPEL Aug. 2020 8581-8592*
Li, Y., *see* Wang, K., *TPEL Sept. 2020 9095-9106*
Li, Y., and Zhu, Z., A Constant Current Control Scheme for Primary-Side Controlled Flyback Controller Operating in DCM and CCM; *TPEL Sept. 2020 9462-9470*
Li, Y., and Zhu, Z., A Capacitor-Free Control Scheme for a Primary-Side Controlled Flyback Converter; *TPEL Sept. 2020 9482-9493*
Li, Y., *see* Liu, Q., *TPEL Sept. 2020 9281-9290*
Li, Y., *see* Song, B., *TPEL Oct. 2020 10338-10351*
Li, Y., *see* Liu, H., *TPEL Oct. 2020 10554-10566*
Li, Y., *see* Zhou, D., *TPEL Nov. 2020 12416-12428*
Li, Y., *see* Zhou, D., *TPEL Nov. 2020 12429-12441*

Li, Y., *see* Liu, T., *TPEL Nov. 2020 11770-11782*
Li, Y., *see* Zhong, X., *TPEL Nov. 2020 11707-11719*
Li, Y., *see* Wu, M., *TPEL Nov. 2020 11488-11501*
Li, Y., and Kish, G.J., The Modular Multilevel DC Converter With Inherent Minimization of Arm Current Stresses; *TPEL Dec. 2020 12787-12800*
Li, Y., *see* Han, Y., *TPEL Dec. 2020 13096-13103*
Li, Y., *see* Liu, S., *TPEL Dec. 2020 12752-12764*
Li, Y., Ruan, X., Wang, Y., and Zhang, C., Hysteresis Voltage Prediction Control for Multilevel Converter in the Series-Form Switch-Linear Hybrid Envelope Tracking Power Supply; *TPEL Dec. 2020 13663-13672*
Li, Y., *see* Hou, C., *TPEL Dec. 2020 12651-12656*
Li, Y.W., *see* Zhang, Y., *TPEL Feb. 2020 1160-1164*
Li, Y.W., *see* Tian, H., *TPEL March 2020 2372-2388*
Li, Y.W., *see* Hou, N., *TPEL March 2020 3148-3172*
Li, Y.W., *see* Tian, H., *TPEL April 2020 4143-4156*
Li, Y.W., *see* Li, Y., *TPEL June 2020 5639-5659*
Li, Y.W., *see* Wu, M., *TPEL Nov. 2020 11488-11501*
Li, Z., *see* Li, Y., *TPEL Jan. 2020 1074-1085*
Li, Z., *see* Wang, B., *TPEL Jan. 2020 924-939*
Li, Z., *see* Li, S., *TPEL Feb. 2020 1685-1698*
Li, Z., *see* Wang, C., *TPEL Feb. 2020 2044-2052*
Li, Z., Wheeler, P., Watson, A., Costabeber, A., Wang, B., Ren, Y., Bai, Z., and Ma, H., A Fast Diagnosis Method for Both IGBT Faults and Current Sensor Faults in Grid-Tied Three-Phase Inverters With Two Current Sensors; *TPEL May 2020 5267-5278*
Li, Z., Wang, J., Deng, L., He, Z., Yang, X., Ji, B., and Shen, Z.J., Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range; *TPEL May 2020 5354-5365*
Li, Z., *see* Zeng, Z., *TPEL July 2020 6931-6943*
Li, Z., *see* Feng, G., *TPEL July 2020 7328-7340*
Li, Z., *see* Cheng, H., *TPEL Aug. 2020 8751-8765*
Li, Z., Wang, J., Ji, B., and Shen, Z.J., Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches; *TPEL Aug. 2020 8512-8523*
Li, Z., *see* He, J., *TPEL Sept. 2020 8886-8891*
Li, Z., *see* Wang, B., *TPEL Sept. 2020 8944-8955*
Li, Z., *see* Liu, X., *TPEL Oct. 2020 10778-10788*
Li, Z., *see* Lai, C., *TPEL Oct. 2020 10729-10740*
Li, Z., Wang, Z., Wang, Y., Yin, T., Mei, N., Yue, B., and Lei, W., Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid; *TPEL Oct. 2020 10026-10049*
Li, Z., *see* Xu, X., *TPEL Nov. 2020 11682-11693*
Li, Z., *see* Zeng, Z., *TPEL Dec. 2020 13042-13052*
Li, Z., Lizana, R., Yu, Z., Sha, S., Peterchev, A.V., and Goetz, S.M., Modulation and Control of Series/Parallel Module for Ripple-Current Reduction in Star-Configured Split-Battery Applications; *TPEL Dec. 2020 12977-12987*
Li, Z., *see* Li, D., *TPEL Dec. 2020 12646-12650*
Li, Z., *see* Hou, C., *TPEL Dec. 2020 12651-12656*
Liang, C., *see* Lin, F., *TPEL July 2020 7465-7479*
Liang, G., *see* Zhu, R., *TPEL May 2020 4689-4702*
Liang, G., *see* Li, M., *TPEL June 2020 6102-6113*
Liang, H., *see* Ming, X., *TPEL Nov. 2020 12401-12415*
Liang, J., *see* Wang, Y., *TPEL April 2020 4117-4126*
Liang, J., *see* Wang, S., *TPEL Oct. 2020 10532-10541*
Liang, L., *see* Wang, R., *TPEL June 2020 6362-6372*
Liang, T., Lin, C., Tseng, W., and Lin, Y., Design and Implementation of Half-Bridge Resonant Converter With Novel Primary-Side Control; *TPEL May 2020 5408-5416*
Liang, W., *see* Liu, Y., *TPEL Jan. 2020 276-288*
Liang, X., *see* Tang, Z., *TPEL March 2020 2571-2584*
Liang, X., *see* Chen, B., *TPEL Nov. 2020 11557-11573*
Liang, Z., *see* Zhang, Y., *TPEL Jan. 2020 131-137*
Liao, W., *see* Wu, G., *TPEL Oct. 2020 10799-10809*
Liao, Y., and Wang, X., Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles; *TPEL April 2020 4388-4397*
Lienkamp, M., *see* Chang, F., *TPEL Nov. 2020 11879-11890*
Lim, C., Jeong, Y., Lee, M., Yi, K., and Moon, G., Half-Bridge Integrated Phase-Shifted Full-Bridge Converter With High Efficiency Using Center-Tapped Clamp Circuit for Battery Charging Systems in Electric Vehicles; *TPEL May 2020 4934-4945*
Lim, C.S., *see* Lee, S.S., *TPEL June 2020 5978-5986*
Lim, C.S., *see* Lee, S.S., *TPEL Sept. 2020 9522-9529*
Lim, J., Lee, B., and Ghovanloo, M., A Multiphase Resonance-Based Boosting Rectifier With Dual Outputs for Wireless Power Transmission; *TPEL March 2020 2680-2689*
Lin, C., *see* Liang, T., *TPEL May 2020 5408-5416*
Lin, C., *see* Chen, W., *TPEL Aug. 2020 8726-8736*
Lin, F., *see* Tan, K., *TPEL July 2020 7451-7464*
Lin, F., Huang, M., Chen, S., Hsu, C., and Liang, C., Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control; *TPEL July 2020 7465-7479*
Lin, F., *see* Geng, Y., *TPEL Aug. 2020 7894-7903*
Lin, F., *see* Zhu, F., *TPEL Sept. 2020 9368-9379*
Lin, H., Shu, Z., Yao, J., Yan, H., Zhu, L., Luo, D., and He, X., A Simplified 3-D NLM-Based SVPWM Technique With Voltage-Balancing Capability for 3LNPC Cascaded Multilevel Converter; *TPEL April 2020 3506-3518*
Lin, H., Zhu, L., Mehrabankhomartash, M., Saeedifard, M., and Shu, Z., A Simplified SVM-Based Fault-Tolerant Strategy for Cascaded H-Bridge Multilevel Converters; *TPEL Nov. 2020 11310-11315*
Lin, H., *see* Lyu, S., *TPEL Dec. 2020 13270-13280*
Lin, J., and Weiss, G., Plug-and-Play Control of the Virtual Infinite Capacitor; *TPEL Feb. 2020 1947-1956*
Lin, J., Yang, S., Muniandi, B., Ma, Y., Huang, C., Chen, K., Lin, Y., Lin, S., and Tsai, T., A High Efficiency and Fast Transient Digital Low-Dropout Regulator With the Burst Mode Corresponding to the Power-Saving Modes of DC–DC Switching Converters; *TPEL April 2020 3997-4008*
Lin, L., *see* Xu, C., *TPEL Feb. 2020 1340-1352*
Lin, L., *see* Chen, L., *TPEL Aug. 2020 8624-8637*
Lin, L., *see* Zhu, J., *TPEL Sept. 2020 8892-8896*
Lin, L., *see* Yin, T., *TPEL Dec. 2020 12623-12628*
Lin, M., *see* Ai, J., *TPEL May 2020 4819-4834*
Lin, N., *see* Zhu, R., *TPEL May 2020 4689-4702*
Lin, P., *see* Wang, J., *TPEL July 2020 6878-6894*
Lin, S., *see* Huang, X., *TPEL Jan. 2020 565-577*
Lin, S., *see* Yang, W., *TPEL March 2020 2969-2978*
Lin, S., *see* Lin, J., *TPEL April 2020 3997-4008*
Lin, T., *see* Hou, F., *TPEL Oct. 2020 10592-10600*
Lin, W., *see* Yan, Z., *TPEL July 2020 7191-7203*
Lin, W., *see* Song, S., *TPEL Sept. 2020 9215-9225*
Lin, X., *see* Han, Y., *TPEL March 2020 3221-3241*
Lin, X., Huang, W., Jiang, W., Zhao, Y., Dong, D., and Wu, X., Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation; *TPEL April 2020 4216-4232*
Lin, X., Huang, W., Jiang, W., Zhao, Y., and Zhu, S., Deadbeat Direct Torque and Flux Control for Permanent Magnet Synchronous Motor Based on Stator Flux Oriented; *TPEL May 2020 5078-5092*
Lin, X., Huang, W., Jiang, W., Zhao, Y., and Zhu, S., A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor; *TPEL June 2020 6140-6152*
Lin, Y., *see* Yang, W., *TPEL March 2020 2969-2978*
Lin, Y., *see* Yang, W., *TPEL March 2020 2969-2978*
Lin, Y., *see* Lin, J., *TPEL April 2020 3997-4008*
Lin, Y., *see* Liang, T., *TPEL May 2020 5408-5416*
Lin, Z., Ruan, X., Wu, L., Zhang, H., and Li, W., Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid; *TPEL Sept. 2020 9784-9793*
Lin, Z., Li, X., Wang, Z., Shi, T., and Xia, C., Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives; *TPEL Dec. 2020 13345-13355*
Lindemann, A., *see* Pribahsnik, F.P., *TPEL Oct. 2020 10873-10878*
Liserre, M., *see* Wang, H., *TPEL Jan. 2020 6-9*
Liserre, M., *see* Ko, Y., *TPEL Jan. 2020 220-231*

Liserre, M., *see* Zhu, R., *TPEL Feb. 2020 2034-2043*
Liserre, M., *see* Ko, Y., *TPEL March 2020 2445-2457*
Liserre, M., *see* Raveendran, V., *TPEL April 2020 4205-4215*
Liserre, M., *see* Liu, C., *TPEL May 2020 5190-5204*
Liserre, M., *see* Zhu, R., *TPEL July 2020 6895-6905*
Liserre, M., *see* Zhang, Q., *TPEL July 2020 7001-7014*
Liserre, M., *see* Pugliese, S., *TPEL Oct. 2020 11039-11052*
Liserre, M., *see* Li, H., *TPEL Dec. 2020 12773-12786*
Liu, B., Ren, R., Wang, F., Costinett, D., and Zhang, Z., Capacitive Coupling in EMI Filters Containing T-Shaped Joint: Mechanism, Effects, and Mitigation; *TPEL March 2020 2534-2547*
Liu, B., *see* Luo, Y., *TPEL June 2020 5660-5669*
Liu, B., *see* Wang, S., *TPEL July 2020 7702-7712*
Liu, B., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Liu, B., Wu, T., Liu, Z., and Liu, J., A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids; *TPEL Nov. 2020 11634-11651*
Liu, B., *see* Guo, B., *TPEL Dec. 2020 13000-13016*
Liu, C., *see* Ye, S., *TPEL Feb. 2020 1907-1921*
Liu, C., *see* Bai, H., *TPEL Feb. 2020 1282-1292*
Liu, C., Cai, G., Ying, H., Zhang, Z., Shan, R., Pei, Z., and Song, X., An Isolated Modular Multilevel Converter (I-M^{2}C) Topology Based on High-Frequency Link (HFL) Concept; *TPEL Feb. 2020 1576-1588*
Liu, C., *see* Liu, C., *TPEL Feb. 2020 1576-1588*
Liu, C., *see* Zhou, Z., *TPEL March 2020 2959-2968*
Liu, C., *see* Xiao, Y., *TPEL March 2020 2776-2786*
Liu, C., *see* Deng, F., *TPEL April 2020 4063-4075*
Liu, C., Deng, F., Heng, Q., Zhu, R., Liserre, M., Wang, Z., and Chen, W., Fault Localization Strategy for Modular Multilevel Converters Under Submodule Lower Switch Open-Circuit Fault; *TPEL May 2020 5190-5204*
Liu, C., *see* Wang, L., *TPEL June 2020 5897-5906*
Liu, C., *see* Ni, Z., *TPEL June 2020 5770-5784*
Liu, C., Gao, N., Cai, X., and Li, R., Differentiation Power Control of Modules in Second-Life Battery Energy Storage System Based on Cascaded H-Bridge Converter; *TPEL June 2020 6609-6624*
Liu, C., *see* Huang, Y., *TPEL Sept. 2020 9046-9056*
Liu, C., *see* Zhang, Z., *TPEL Oct. 2020 10831-10851*
Liu, C., *see* Xiao, Y., *TPEL Oct. 2020 10720-10728*
Liu, D., Wang, Y., Deng, F., and Chen, Z., Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter; *TPEL Feb. 2020 2008-2022*
Liu, D., *see* Lu, Y., *TPEL April 2020 4233-4241*
Liu, D., *see* Xie, C., *TPEL Sept. 2020 9813-9823*
Liu, D., Wang, Y., Zhang, Q., and Chen, Z., ZVZCS Full-Bridge Three-Level DC/DC Converter With Reduced Device Count; *TPEL Oct. 2020 9965-9970*
Liu, F., Ding, Z., Fu, X., and Kennel, R.M., Parametric Optimization of a Three-Phase MCR WPT System With Cylinder-Shaped Coils Oriented by Soft-Switching Range and Stable Output Power; *TPEL Jan. 2020 1036-1044*
Liu, F., *see* Yang, D., *TPEL Feb. 2020 1473-1483*
Liu, F., *see* Zeng, J., *TPEL Aug. 2020 8490-8500*
Liu, F., *see* Sun, X., *TPEL Aug. 2020 8701-8711*
Liu, F., *see* Hou, F., *TPEL Oct. 2020 10592-10600*
Liu, G., *see* Jiang, D., *TPEL Jan. 2020 25-32*
Liu, G., Song, C., and Chen, Q., FCS-MPC-Based Fault-Tolerant Control of Five-Phase IPMSM for MTPA Operation; *TPEL March 2020 2882-2894*
Liu, G., *see* Zhou, H., *TPEL May 2020 5007-5017*
Liu, G., Mattavelli, P., and Saggini, S., Resistive–Capacitive Output Impedance Shaping for Droop-Controlled Converters in DC Microgrids With Reduced Output Capacitance; *TPEL June 2020 6501-6511*
Liu, G., *see* Li, D., *TPEL Dec. 2020 13429-13440*
Liu, H., *see* Zhang, Y., *TPEL Feb. 2020 1525-1535*
Liu, H., *see* Li, X., *TPEL April 2020 4296-4308*
Liu, H., *see* Li, X., *TPEL June 2020 6447-6457*
Liu, H., Ng, W.M., Lee, C.-K., and Ron Hui, S.Y., Integration of Flexible Loads and Electric Spring Using a Three-Phase Inverter; *TPEL Aug. 2020 8013-8024*
Liu, H., *see* Song, S., *TPEL Sept. 2020 9215-9225*
Liu, H., *see* Yan, Z., *TPEL Sept. 2020 9011-9023*
Liu, H., Zhou, B., Li, Y., Chen, J., and Loh, P.C., High-Efficiency T-Source Inverter With Low Voltage Spikes Across the Switch Bridge; *TPEL Oct. 2020 10554-10566*
Liu, H., *see* Wu, F., *TPEL Dec. 2020 13725-13734*
Liu, J., *see* Wang, S., *TPEL Jan. 2020 1045-1063*
Liu, J., *see* Gong, C., *TPEL Jan. 2020 20-24*
Liu, J., Mei, Y., Lu, S., Li, X., and Lu, G., Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter; *TPEL Jan. 2020 826-834*
Liu, J., *see* Liu, T., *TPEL Jan. 2020 247-262*
Liu, J., Zhong, S., Zhang, J., Ai, Y., Zhao, N., and Yang, J., Auxiliary Power Supply for Medium-/High-Voltage and High-Power Solid-State Transformers; *TPEL May 2020 4791-4803*
Liu, J., *see* Wu, W., *TPEL May 2020 5381-5396*
Liu, J., *see* Xue, D., *TPEL June 2020 5883-5896*
Liu, J., *see* Gong, C., *TPEL June 2020 5567-5572*
Liu, J., *see* Zhao, N., *TPEL June 2020 6559-6571*
Liu, J., *see* Yan, Z., *TPEL July 2020 7191-7203*
Liu, J., *see* Zeng, J., *TPEL Aug. 2020 8490-8500*
Liu, J., *see* Zhang, Y., *TPEL Aug. 2020 8663-8672*
Liu, J., *see* Du, C., *TPEL Aug. 2020 8429-8442*
Liu, J., *see* Cheng, X., *TPEL Aug. 2020 8186-8199*
Liu, J., Du, X., Shi, Y., and Tai, H., Impedance Measurement of Three-Phase Inverter in the Stationary Frame Using Frequency Response Analyzer; *TPEL Sept. 2020 9390-9401*
Liu, J., *see* Song, S., *TPEL Sept. 2020 9215-9225*
Liu, J., *see* Lyu, X., *TPEL Sept. 2020 8926-8933*
Liu, J., *see* Meng, X., *TPEL Sept. 2020 9794-9812*
Liu, J., *see* Chen, J., *TPEL Oct. 2020 9959-9964*
Liu, J., *see* Liu, B., *TPEL Nov. 2020 11634-11651*
Liu, J., *see* Chen, X., *TPEL Nov. 2020 11418-11429*
Liu, J., *see* Tu, Y., *TPEL Nov. 2020 11666-11681*
Liu, J., *see* Hu, R., *TPEL Dec. 2020 13200-13209*
Liu, J., *see* Liu, Z., *TPEL Dec. 2020 12959-12976*
Liu, J., Yue, S., Yao, W., Li, W., and Lu, Z., DC Voltage Ripple Optimization of a Single-Stage Solid-State Transformer Based on the Modular Multilevel Matrix Converter; *TPEL Dec. 2020 12801-12815*
Liu, J., *see* Xu, C., *TPEL Dec. 2020 12668-12672*
Liu, J., *see* Zhang, R., *TPEL Dec. 2020 13409-13419*
Liu, K., *see* Wu, X., *TPEL Jan. 2020 681-698*
Liu, K., *see* Li, M., *TPEL June 2020 6102-6113*
Liu, K., *see* Sha, D., *TPEL June 2020 6012-6024*
Liu, K., *see* Shang, Y., *TPEL July 2020 7134-7144*
Liu, K., *see* Wu, T., *TPEL July 2020 7664-7673*
Liu, L., Qiao, L., Geng, Z., Shi, Z., and Fang, G., Applying Stray Inductance Model to Study Turn-off Current in Multi-Turn Loop of Shallow Transient Electromagnetic Systems; *TPEL Feb. 2020 1711-1720*
Liu, L., *see* Liu, L., *TPEL Feb. 2020 1711-1720*
Liu, L., *see* Wen, F., *TPEL Sept. 2020 9070-9081*
Liu, L., *see* Lyu, X., *TPEL Sept. 2020 8926-8933*
Liu, L., *see* Ren, N., *TPEL Nov. 2020 11316-11320*
Liu, M., and Chen, M., Dual-Band Wireless Power Transfer With Reactance Steering Network and Reconfigurable Receivers; *TPEL Jan. 2020 496-507*
Liu, M., *see* Li, Y., *TPEL Jan. 2020 1074-1085*
Liu, M., *see* Shan, Y., *TPEL Feb. 2020 1227-1238*
Liu, P., and Duan, S., A Hybrid Modulation Strategy Providing Lower Inductor Current for the DAB Converter With the Aid of DC Blocking Capacitors; *TPEL April 2020 4309-4320*
Liu, P., Wang, Z., Song, Q., Xu, Y., and Cheng, M., Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System; *TPEL June 2020 6153-6164*
Liu, P., Song, L., and Duan, S., A Synchronization Method for the Modular Series-Connected Inverters; *TPEL July 2020 6686-6690*
Liu, P., Chao, Z., and Duan, S., A Digital Interconnected Bus Providing Voltage Synchronization for the Modular Series-Connected Inverters; *TPEL Dec. 2020 12590-12594*

Liu, Q., *see* Song, K., *TPEL March 2020 2501-2518*
Liu, Q., Caldognetto, T., and Buso, S., Review and Comparison of Grid-Tied Inverter Controllers in Microgrids; *TPEL July 2020 7624-7639*
Liu, Q., and Li, Y., An Inductive Filtering-Based Parallel Operating Transformer With Shared Filter for Power Quality Improvement of Wind Farm; *TPEL Sept. 2020 9281-9290*
Liu, R., Yao, J., Wang, X., Sun, P., Pei, J., and Hu, J., Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid; *TPEL Jan. 2020 303-318*
Liu, S., *see* Mai, R., *TPEL Jan. 2020 1124-1135*
Liu, S., *see* Yao, W., *TPEL March 2020 3114-3126*
Liu, S., *see* Zhong, X., *TPEL April 2020 3530-3542*
Liu, S., Tong, X., Wei, J., and Sun, W., Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method; *TPEL May 2020 5180-5189*
Liu, S., *see* Mai, R., *TPEL July 2020 6652-6657*
Liu, S., *see* Huang, Y., *TPEL Sept. 2020 9046-9056*
Liu, S., *see* Xiao, D., *TPEL Nov. 2020 12332-12346*
Liu, S., *see* Wei, J., *TPEL Nov. 2020 11299-11303*
Liu, S., Li, S., Zhang, C., Li, N., Tao, X., Ge, C., Qian, L., Xin, S., and Sun, W., Single Pulse Unclamped-Inductive-Switching Induced Failure and Analysis for 650 V p-GaN HEMT; *TPEL Nov. 2020 11328-11331*
Liu, S., Mai, R., Zhou, L., Li, Y., Hu, J., He, Z., Yan, Z., and Wang, S., Dynamic Improvement of Inductive Power Transfer Systems With Maximum Energy Efficiency Tracking Using Model Predictive Control: Analysis and Experimental Verification; *TPEL Dec. 2020 12752-12764*
Liu, S., *see* Yang, S., *TPEL Dec. 2020 13735-13747*
Liu, T., *see* Hu, X., *TPEL Jan. 2020 382-392*
Liu, T., *see* Ma, J., *TPEL Jan. 2020 977-987*
Liu, T., Liu, J., Liu, Z., and Liu, Z., A Study of Virtual Resistor-Based Active Damping Alternatives for *LCL* Resonance in Grid-Connected Voltage Source Inverters; *TPEL Jan. 2020 247-262*
Liu, T., *see* Wang, T., *TPEL May 2020 4568-4578*
Liu, T., *see* Xue, D., *TPEL June 2020 5883-5896*
Liu, T., *see* Wang, S., *TPEL July 2020 7702-7712*
Liu, T., *see* Shu, J., *TPEL Oct. 2020 10003-10007*
Liu, T., Yang, X., Chen, W., Xuan, Y., Li, Y., Huang, L., and Hao, X., High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application; *TPEL Nov. 2020 11770-11782*
Liu, T., *see* Zhu, H., *TPEL Nov. 2020 12296-12306*
Liu, W., *see* Wang, J., *TPEL Jan. 2020 1147-1155*
Liu, W., *see* Mao, S., *TPEL Jan. 2020 800-815*
Liu, W., Chen, C., Cheng, C., and Chen, H., A Novel Accurate Adaptive Constant On-Time Buck Converter for a Wide-Range Operation; *TPEL April 2020 3729-3739*
Liu, W., *see* Zhao, Q., *TPEL June 2020 5625-5638*
Liu, W., *see* Han, W., *TPEL June 2020 6269-6279*
Liu, W., *see* Ye, Z., *TPEL June 2020 5965-5977*
Liu, W., Chau, K.T., Lee, C.H.T., Han, W., Tian, X., and Lam, W.H., Full-Range Soft-Switching Pulse Frequency Modulated Wireless Power Transfer; *TPEL June 2020 6533-6547*
Liu, W., *see* Sun, C., *TPEL June 2020 6373-6385*
Liu, W., *see* Mao, S., *TPEL Aug. 2020 8347-8360*
Liu, W., *see* Meng, T., *TPEL Aug. 2020 8405-8416*
Liu, W., Chau, K., Lee, C.H., Jiang, C., Han, W., and Lam, W.H., Wireless Energy-On-Demand Using Magnetic Quasi-Resonant Coupling; *TPEL Sept. 2020 9057-9069*
Liu, W., Xie, X., Shair, J., and Li, X., A Nearly Decoupled Admittance Model for Grid-Tied VSCs Under Variable Operating Conditions; *TPEL Sept. 2020 9380-9389*
Liu, W., *see* Song, S., *TPEL Sept. 2020 9608-9616*
Liu, X., *see* He, J., *TPEL Jan. 2020 359-372*
Liu, X., *see* Jiang, J., *TPEL Feb. 2020 1200-1204*
Liu, X., *see* Wang, J., *TPEL March 2020 2467-2479*
Liu, X., *see* Xiong, L., *TPEL April 2020 3332-3336*
Liu, X., Wan, Y., Dong, Z., He, M., Zhou, Q., and Tse, C.K., Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing; *TPEL May 2020 5132-5143*
Liu, X., Qiu, L., Fang, Y., Peng, Z., and Wang, D., Finite-Level-State Model Predictive Control for Sensorless Three-Phase Four-Arm Modular Multilevel Converter; *TPEL May 2020 4462-4466*
Liu, X., *see* Jiang, J., *TPEL June 2020 6001-6011*
Liu, X., *see* Wang, J., *TPEL July 2020 6974-6988*
Liu, X., *see* Wang, J., *TPEL July 2020 6878-6894*
Liu, X., *see* Cheng, H., *TPEL Aug. 2020 8751-8765*
Liu, X., *see* He, J., *TPEL Sept. 2020 9251-9266*
Liu, X., *see* Wang, J., *TPEL Sept. 2020 9107-9118*
Liu, X., Zhou, L., Wang, J., Gao, X., Li, Z., and Zhang, Z., Robust Predictive Current Control of Permanent-Magnet Synchronous Motors With Newly Designed Cost Function; *TPEL Oct. 2020 10778-10788*
Liu, X., *see* Hu, X., *TPEL Oct. 2020 10385-10395*
Liu, X., Kowalsky, J., Herrmann, C., Baumler, C., and Lutz, J., The Influence of the Gate Driver and Common-Source Inductance on the Short-Circuit Behavior of IGBT Modules and Protection; *TPEL Oct. 2020 10789-10798*
Liu, X., *see* Yang, C., *TPEL Dec. 2020 13356-13366*
Liu, Y., *see* Shi, K., *TPEL Jan. 2020 319-333*
Liu, Y., *see* Jia, Y., *TPEL Jan. 2020 158-168*
Liu, Y., Xu, W., Long, T., and Blaabjerg, F., An Improved Rotor Speed Observer for Standalone Brushless Doubly-Fed Induction Generator Under Unbalanced and Nonlinear Loads; *TPEL Jan. 2020 775-788*
Liu, Y., Jiang, S., Liang, W., Wang, H., and Peng, J., Modeling and Design of the Magnetic Integration of Single- and Multi-Stage EMI Filters; *TPEL Jan. 2020 276-288*
Liu, Y., *see* Xu, W., *TPEL Jan. 2020 667-680*
Liu, Y., *see* Ye, S., *TPEL Feb. 2020 1907-1921*
Liu, Y., *see* Yang, D., *TPEL Feb. 2020 1473-1483*
Liu, Y., *see* Wang, H., *TPEL March 2020 3043-3053*
Liu, Y., *see* Pan, X., *TPEL March 2020 2737-2763*
Liu, Y., *see* Jiang, Y., *TPEL April 2020 4272-4285*
Liu, Y., Wang, H., Huang, M., Zha, X., and Zhu, G., Simplified Power Loss Model for Aluminum Electrolytic Capacitors in Single-Phase Inverters; *TPEL May 2020 4452-4456*
Liu, Y., Madawala, U.K., Mai, R., and He, Z., Zero-Phase-Angle Controlled Bidirectional Wireless EV Charging Systems for Large Coil Misalignments; *TPEL May 2020 5343-5353*
Liu, Y., *see* Xu, W., *TPEL May 2020 4959-4970*
Liu, Y., *see* Xu, W., *TPEL July 2020 7271-7281*
Liu, Y., *see* Xu, W., *TPEL July 2020 7366-7378*
Liu, Y., *see* Ding, X., *TPEL July 2020 7175-7190*
Liu, Y., Wang, X., Qian, W., Janabi, A., Wang, B., Lu, X., Zou, K., Chen, C., and Peng, F.Z., A Simple Phase-Shift Modulation Using Parabolic Carrier for Dual Active Bridge DC–DC Converter; *TPEL Aug. 2020 7729-7734*
Liu, Y., Madawala, U.K., Mai, R., and He, Z., An Optimal Multivariable Control Strategy for Inductive Power Transfer Systems to Improve Efficiency; *TPEL Sept. 2020 8998-9010*
Liu, Y., *see* Wang, H., *TPEL Sept. 2020 8910-8925*
Liu, Y., *see* Gao, S., *TPEL Oct. 2020 10444-10454*
Liu, Y., *see* Zhang, Z., *TPEL Oct. 2020 10831-10851*
Liu, Y., *see* Pan, Y., *TPEL Oct. 2020 10994-11012*
Liu, Y., *see* Junejo, A.K., *TPEL Nov. 2020 12110-12121*
Liu, Y., *see* Zhou, Z., *TPEL Nov. 2020 12555-12569*
Liu, Y., Zhou, X., Chen, Y., Zhou, L., Wang, L., and Wu, W., Sequence Impedance Modeling and Stability Analysis for Load Converters With Inertial Support; *TPEL Dec. 2020 13031-13041*
Liu, Z., *see* Wang, S., *TPEL Jan. 2020 1045-1063*
Liu, Z., *see* Liu, T., *TPEL Jan. 2020 247-262*
Liu, Z., *see* Liu, T., *TPEL Jan. 2020 247-262*
Liu, Z., *see* Sun, J., *TPEL March 2020 2819-2830*
Liu, Z., *see* Shen, Z., *TPEL April 2020 3828-3840*
Liu, Z., *see* Li, Q., *TPEL May 2020 5366-5380*

Liu, Z., Sun, X., Zheng, Z., Jiang, D., and Li, Y., Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits; *TPEL May 2020 5290-5303*
Liu, Z., *see* Xue, D., *TPEL June 2020 5883-5896*
Liu, Z., *see* Hu, K., *TPEL July 2020 6773-6784*
Liu, Z., *see* Cheng, X., *TPEL Aug. 2020 8186-8199*
Liu, Z., *see* He, J., *TPEL Sept. 2020 8886-8891*
Liu, Z., *see* Zhou, Z., *TPEL Sept. 2020 8985-8997*
Liu, Z., *see* Meng, X., *TPEL Sept. 2020 9794-9812*
Liu, Z., *see* Liu, B., *TPEL Nov. 2020 11634-11651*
Liu, Z., *see* Tu, Y., *TPEL Nov. 2020 11666-11681*
Liu, Z., *see* Gan, C., *TPEL Nov. 2020 12307-12320*
Liu, Z., and Liu, J., Analysis, Design, and Implementation of Impulse-Injection-Based Online Grid Impedance Identification With Grid-Tied Converters; *TPEL Dec. 2020 12959-12976*
Liu, Z., *see* Liu, Z., *TPEL Dec. 2020 12959-12976*
Lizana, R., *see* Li, Z., *TPEL Dec. 2020 12977-12987*
Llorente, S., *see* Fernandez, M., *TPEL May 2020 5221-5237*
Lo, Y., *see* Li, Y., *TPEL May 2020 5279-5289*
Loganathan, U., *see* Karthik, A., *TPEL Jan. 2020 725-732*
Loganathan, U., *see* Reddy, S.R.P., *TPEL Oct. 2020 10711-10719*
Loh, P.C., *see* Zhao, R., *TPEL March 2020 2263-2267*
Loh, P.C., *see* Liu, H., *TPEL Oct. 2020 10554-10566*
Loh, P.C., *see* Shi, Y., *TPEL Nov. 2020 12207-12222*
Lomonova, E.A., *see* Settels, S.J., *TPEL April 2020 3450-3465*
Long, R., *see* Zhou, Z., *TPEL Sept. 2020 8985-8997*
Long, T., *see* Shen, Y., *TPEL Jan. 2020 882-900*
Long, T., *see* Liu, Y., *TPEL Jan. 2020 775-788*
Long, T., *see* Zhao, H., *TPEL July 2020 7545-7562*
Long, T., *see* E. Gaona, D., *TPEL July 2020 6799-6809*
Long, T., *see* Zhao, H., *TPEL Aug. 2020 7742-7748*
Long, T., *see* Shen, Y., *TPEL Sept. 2020 9151-9170*
Long, T., *see* Jiang, C., *TPEL Oct. 2020 10821-10830*
Loo, K., *see* Yaqoob, M., *TPEL Jan. 2020 70-82*
Loo, K.H., *see* Khan, A.Z., *TPEL Feb. 2020 1322-1339*
Loo, K.H., *see* Chan, Y.P., *TPEL Sept. 2020 9184-9201*
Loo, K.H., *see* Wong, C.S., *TPEL Oct. 2020 10121-10136*
Lopez, I., *see* Perez-Basante, A., *TPEL Aug. 2020 8712-8725*
Lopez, O., *see* Baneira, F., *TPEL Feb. 2020 1176-1181*
Lopez, R.P., *see* Salinas Lopez, G., *TPEL Feb. 2020 1830-1844*
Lopez-Alcolea, F.J., Real, J.V.d., Roncero-Sanchez, P., and Torres, A.P., Modeling of a Magnetic Coupler Based on Single- and Double-Layered Rectangular Planar Coils With In-Plane Misalignment for Wireless Power Transfer; *TPEL May 2020 5102-5121*
Lou, X., *see* Zhang, L., *TPEL Aug. 2020 8224-8236*
Lu, D.D., *see* Soon, J.L., *TPEL Sept. 2020 8934-8943*
Lu, D.D., *see* Li, X.L., *TPEL Dec. 2020 13104-13114*
Lu, G., *see* Liu, J., *TPEL Jan. 2020 826-834*
Lu, G., *see* Zhang, Y., *TPEL Feb. 2020 2067-2076*
Lu, G., *see* Zhang, Y., *TPEL May 2020 5542*
Lu, G., *see* Zhang, X., *TPEL Aug. 2020 8532-8539*
Lu, G., *see* Li, D., *TPEL Dec. 2020 12646-12650*
Lu, H., *see* Wei, J., *TPEL Aug. 2020 8384-8395*
Lu, H., *see* Shahjalal, M., *TPEL Sept. 2020 9082-9094*
Lu, H., *see* Xiang, X., *TPEL Sept. 2020 9586-9596*
Lu, J., *see* Hou, X., *TPEL Feb. 2020 1589-1602*
Lu, K., *see* Lu, W., *TPEL Jan. 2020 1156*
Lu, K., *see* Wu, X., *TPEL Jan. 2020 681-698*
Lu, K., *see* Lu, W., *TPEL May 2020 5544*
Lu, K., *see* Wu, T., *TPEL July 2020 7664-7673*
Lu, M., *see* Zhou, X., *TPEL March 2020 2799-2808*
Lu, M., Li, X., and Chen, G., A Hybrid Control of a Semidual-Active-Bridge DC–DC Converter With Minimum Current Stress; *TPEL March 2020 3085-3096*
Lu, P., Song, C., and Huang, K.M., A Compact Rectenna Design With Wide Input Power Range for Wireless Power Transfer; *TPEL July 2020 6705-6710*
Lu, P., Song, C., Cheng, F., Zhang, B., and Huang, K., A Self-Biased Adaptive Reconfigurable Rectenna for Microwave Power Transmission; *TPEL Aug. 2020 7749-7754*
Lu, R., *see* Li, C., *TPEL April 2020 3390-3401*
Lu, R., *see* Wang, C., *TPEL July 2020 6854-6866*
Lu, S., *see* Liu, J., *TPEL Jan. 2020 826-834*
Lu, S., *see* Wang, H., *TPEL March 2020 3043-3053*
Lu, S., *see* Xu, C., *TPEL May 2020 5018-5030*
Lu, S., *see* Yao, Z., *TPEL Oct. 2020 10078-10087*
Lu, W., Zhang, Z., Wang, D., Lu, K., Wu, D., Ji, K., and Guo, L., Corrections to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System" [Aug 19 7852-7862]; *TPEL Jan. 2020 1156*
Lu, W., *see* Talesara, V., *TPEL Jan. 2020 578-590*
Lu, W., Zhang, Z., Wang, D., Lu, K., Wu, D., Ji, K., and Guo, L., Erratum to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System" *TPEL May 2020 5544*
Lu, W., Lu, X., Han, J., Zhao, Z., and Du, X., Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method; *TPEL Aug. 2020 7755-7764*
Lu, W., *see* Talesara, V., *TPEL Sept. 2020 9680-9689*
Lu, X., *see* Liu, Y., *TPEL Aug. 2020 7729-7734*
Lu, X., *see* Lu, W., *TPEL Aug. 2020 7755-7764*
Lu, X., *see* Wang, Z., *TPEL Nov. 2020 11783-11800*
Lu, Y., *see* Li, G., *TPEL Jan. 2020 415-429*
Lu, Y., Wu, H., Tu, B., Li, M., Xia, Y., and Xing, Y., Ultra-Wide Output Voltage Range Power Supply Based on Modular Switched-Converter Principle; *TPEL Jan. 2020 94-106*
Lu, Y., *see* Jiang, J., *TPEL Feb. 2020 1200-1204*
Lu, Y., Huang, X., Huang, Y., and Liu, D., Sigmoid Function Model for a PFM Power Electronic Converter; *TPEL April 2020 4233-4241*
Lu, Y., *see* Ye, D., *TPEL May 2020 4984-4995*
Lu, Y., *see* Jiang, J., *TPEL June 2020 6001-6011*
Lu, Y., *see* Zhou, Z., *TPEL Nov. 2020 12555-12569*
Lu, Y.W., *see* Khan, A.A., *TPEL Jan. 2020 107-120*
Lu, Y.W., *see* Khan, A.A., *TPEL Feb. 2020 1269-1281*
Lu, Y.W., *see* Khan, A.A., *TPEL Aug. 2020 7933-7946*
Lu, Z., *see* Li, C., *TPEL March 2020 2999-3011*
Lu, Z., *see* Sun, J., *TPEL April 2020 3491-3505*
Lu, Z., *see* Guo, X., *TPEL June 2020 5918-5927*
Lu, Z., *see* Miao, Z., *TPEL July 2020 7612-7623*
Lu, Z., *see* Wang, W., *TPEL Dec. 2020 13673-13686*
Lu, Z., *see* Liu, J., *TPEL Dec. 2020 12801-12815*
Luhtala, R., Alenius, H., Messo, T., and Roinila, T., Online Frequency Response Measurements of Grid-Connected Systems in Presence of Grid Harmonics and Unbalance; *TPEL April 2020 3343-3347*
Lukic, S., *see* Awal, M.A., *TPEL Oct. 2020 11267-11276*
Lukic, S.M., *see* Awal, M.A., *TPEL Jan. 2020 988-1001*
Lukic, S.M., *see* Awal, M.A., *TPEL Aug. 2020 8805-8818*
Lumbreras, C., *see* Guerrero, J.M., *TPEL Jan. 2020 373-381*
Luo, A., *see* Guo, P., *TPEL Feb. 2020 1239-1255*
Luo, A., *see* Shuai, Z., *TPEL April 2020 4127-4142*
Luo, A., *see* Wei, X., *TPEL June 2020 6572-6585*
Luo, A., *see* Zhao, J., *TPEL Aug. 2020 8102-8115*
Luo, A., *see* Xiao, Z., *TPEL Aug. 2020 8673-8688*
Luo, A., *see* Li, G., *TPEL Oct. 2020 11096-11107*
Luo, C., *see* Wang, B., *TPEL Nov. 2020 12522-12532*
Luo, D., *see* Lin, H., *TPEL April 2020 3506-3518*
Luo, D., *see* Wu, T., *TPEL July 2020 7664-7673*
Luo, F., *see* Zhao, S., *TPEL Feb. 2020 1882-1898*
Luo, F., *see* Narayanasamy, B., *TPEL Oct. 2020 10629-10642*
Luo, G., *see* Cai, L., *TPEL Nov. 2020 11855-11864*
Luo, H., *see* Bai, H., *TPEL Feb. 2020 1282-1292*
Luo, H., *see* Chang, Y., *TPEL March 2020 2237-2241*
Luo, H., *see* Li, C., *TPEL March 2020 2999-3011*
Luo, H., *see* Li, D., *TPEL Dec. 2020 13429-13440*
Luo, J., *see* Wang, Y., *TPEL May 2020 4669-4677*

Luo, P., *see* Tang, Q., *TPEL Jan. 2020 699-708*
Luo, Q., *see* Wei, Y., *TPEL Feb. 2020 2196-2207*
Luo, Q., *see* Chen, J., *TPEL March 2020 2690-2704*
Luo, Q., *see* Zhu, K., *TPEL Aug. 2020 8116-8129*
Luo, Q., *see* Wei, Y., *TPEL Sept. 2020 8872-8877*
Luo, Q., *see* Wei, Y., *TPEL Oct. 2020 10423-10443*
Luo, Q., *see* Wang, Z., *TPEL Nov. 2020 11783-11800*
Luo, Q., *see* Chen, J., *TPEL Dec. 2020 13182-13199*
Luo, S., *see* Wu, F., *TPEL April 2020 4157-4167*
Luo, S., *see* Wu, F., *TPEL May 2020 5506-5516*
Luo, Y., Xiao, F., Liu, B., and Huang, Y., A Physics-Based Transient Electro-thermal Model of High-Voltage Press-Pack IGBTs Under HVdc Interruption; *TPEL June 2020 5660-5669*
Luo, Y., *see* Mai, R., *TPEL July 2020 6652-6657*
Luo, Y., *see* Deng, T., *TPEL Dec. 2020 13465-13474*
Luo, Z., *see* Zhao, L., *TPEL May 2020 4579-4587*
Lutz, J., *see* Liu, X., *TPEL Oct. 2020 10789-10798*
Lv, Y., Cheng, S., Ji, Z., Wang, D., and Chen, J., Permeance Distribution Function: A Powerful Tool to Analyze Electromagnetic Forces Induced by PWM Current Harmonics in Multiphase Surface Permanent-Magnet Motors; *TPEL July 2020 7379-7391*
Lyu, D., Li, L., Li, S., Min, R., Wang, Y., Zhang, D., and Tong, Q., Sensorless Ripple Current Mode Control to Achieve Inductor-Deviation-Tolerant BCM Operation for Boost Converter; *TPEL Nov. 2020 12359-12369*
Lyu, G., Wang, Y., Wei, J., Zheng, Z., Sun, J., Zhang, L., and Chen, K.J., A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications; *TPEL Sept. 2020 9669-9679*
Lyu, J., Chen, H., Zhang, Y., Du, Y., and Cheng, Q.S., Fast Simulation of Litz Wire Using Multilevel PEEC Method; *TPEL Dec. 2020 12612-12616*
Lyu, S., Yang, H., and Lin, H., Magnetization State Selection Method for Uncontrolled Generator Fault Prevention on Variable Flux Memory Machines; *TPEL Dec. 2020 13270-13280*
Lyu, X., *see* Ni, Z., *TPEL Aug. 2020 7765-7794*
Lyu, X., Li, H., Abdullah, Y., Wang, K., Hu, B., Yang, Z., Liu, J., Wang, J., Liu, L., and Bala, S., A Reliable Ultrafast Short-Circuit Protection Method for E-Mode GaN HEMT; *TPEL Sept. 2020 8926-8933*

M

M. G., U., *see* C., K., *TPEL Feb. 2020 2100-2118*
Ma, C., *see* Zhang, X., *TPEL Aug. 2020 8532-8539*
Ma, C., *see* Li, D., *TPEL Dec. 2020 12646-12650*
Ma, D., Chen, W., and Ruan, X., A Review of Voltage/Current Sharing Techniques for Series–Parallel-Connected Modular Power Conversion Systems; *TPEL Nov. 2020 12383-12400*
Ma, F., *see* Guo, P., *TPEL Feb. 2020 1239-1255*
Ma, F., *see* Wei, X., *TPEL June 2020 6572-6585*
Ma, H., *see* Wang, B., *TPEL Jan. 2020 924-939*
Ma, H., *see* Li, C., *TPEL April 2020 3390-3401*
Ma, H., *see* Li, Z., *TPEL May 2020 5267-5278*
Ma, H., *see* Wang, B., *TPEL Sept. 2020 8944-8955*
Ma, H., *see* Zhang, Z., *TPEL Nov. 2020 11544-11556*
Ma, H., *see* Wang, X., *TPEL Dec. 2020 12606-12611*
Ma, J., Wang, X., Blaabjerg, F., Song, W., Wang, S., and Liu, T., Real-Time Calculation Method for Single-Phase Cascaded H-Bridge Inverters Based on Phase-Shifted Carrier Pulsewidth Modulation; *TPEL Jan. 2020 977-987*
Ma, J., *see* Li, X., *TPEL Feb. 2020 1622-1636*
Ma, J., Dahidah, M.S.A., Pickert, V., and Yu, J., A Hierarchical Energy Balance Control Method for M^3C Based on Injecting Output Frequency Circulating Currents; *TPEL March 2020 2424-2435*
Ma, J., *see* Shen, Y., *TPEL April 2020 3348-3364*
Ma, J., *see* Wang, S., *TPEL July 2020 7702-7712*
Ma, J., and Shen, Y., Stability Assessment of DFIG Subsynchronous Oscillation Based on Energy Dissipation Intensity Analysis; *TPEL Aug. 2020 8074-8087*
Ma, J., *see* Zeng, W., *TPEL Aug. 2020 8002-8012*
Ma, J., *see* Shu, J., *TPEL Oct. 2020 10003-10007*
Ma, J., *see* Zeng, W., *TPEL Dec. 2020 12861-12870*
Ma, K., *see* Jiang, S., *TPEL Aug. 2020 7795-7803*
Ma, K., and Song, Y., Power-Electronic-Based Electric Machine Emulator Using Direct Impedance Regulation; *TPEL Oct. 2020 10673-10680*
Ma, L., *see* Gong, Z., *TPEL Nov. 2020 12274-12284*
Ma, M., *see* Gong, C., *TPEL June 2020 5567-5572*
Ma, P., *see* Hu, X., *TPEL Oct. 2020 10385-10395*
Ma, R., *see* Song, S., *TPEL Sept. 2020 9608-9616*
Ma, X., *see* Jia, L., *TPEL March 2020 3106-3113*
Ma, X., *see* Song, Z., *TPEL June 2020 6127-6139*
Ma, X., *see* Du, L., *TPEL July 2020 6682-6685*
Ma, Y., *see* Yang, W., *TPEL March 2020 2969-2978*
Ma, Y., *see* Lin, J., *TPEL April 2020 3997-4008*
Ma, Z., *see* Niu, D., *TPEL Feb. 2020 1171-1175*
Ma, Z., *see* Gao, F., *TPEL March 2020 2284-2294*
Ma, Z., *see* Miao, Z., *TPEL July 2020 7612-7623*
Ma, Z., Gao, F., Gu, X., Li, N., Wu, Q., Wang, X., and Wang, X., Multilayer SOH Equalization Scheme for MMC Battery Energy Storage System; *TPEL Dec. 2020 13514-13527*
Madawala, U., *see* Farajizadeh, F., *TPEL April 2020 3794-3806*
Madawala, U.K., *see* Zhao, L., *TPEL March 2020 2659-2667*
Madawala, U.K., *see* Liu, Y., *TPEL May 2020 5343-5353*
Madawala, U.K., *see* Ruddell, S., *TPEL Sept. 2020 8965-8972*
Madawala, U.K., *see* Liu, Y., *TPEL Sept. 2020 8998-9010*
Mademlis, C., *see* Tsioumas, E., *TPEL Feb. 2020 1513-1524*
Mademlis, C., *see* Koseoglou, M., *TPEL Feb. 2020 2088-2099*
Mademlis, C., *see* Jabbour, N., *TPEL Aug. 2020 8154-8164*
Maeng, J., *see* Jeong, J., *TPEL Jan. 2020 347-358*
Maeng, J., *see* Jeong, J., *TPEL March 2020 2253-2256*
Mahajan, D.D., Albahrani, S.A., Sodhi, R., Eguchi, T., and Khandelwal, S., Physics-Oriented Device Model for Packaged GaN Devices; *TPEL June 2020 6332-6339*
Maharjan, L., Tajyuta, T., Maruyama, K., Suzuki, A., and Toba, A., Development and Verification Test of the 6.6-kV 200-kVA Transformerless SDBC-Based STATCOM Using SiC-MOSFET Modules; *TPEL Dec. 2020 13687-13696*
Mahdavi, M., *see* Valipour, H., *TPEL Jan. 2020 232-246*
Mahdavi, M., *see* Mohammadi, M., *TPEL April 2020 4076-4093*
Mahmud, M.A., *see* Pillai, D.S., *TPEL June 2020 6594-6608*
Mai, R., *see* Li, Y., *TPEL Jan. 2020 1074-1085*
Mai, R., Yan, Z., Chen, Y., Liu, S., and He, Z., A Hybrid Transmitter-Based Efficiency Improvement Controller With Full-Bridge Dual Resonant Tank for Misalignment Condition; *TPEL Jan. 2020 1124-1135*
Mai, R., *see* Chen, Y., *TPEL Feb. 2020 1672-1684*
Mai, R., *see* Liu, Y., *TPEL May 2020 5343-5353*
Mai, R., *see* Chen, Y., *TPEL May 2020 4915-4924*
Mai, R., *see* Chen, Y., *TPEL June 2020 6039-6049*
Mai, R., Luo, Y., Yang, B., Song, Y., Liu, S., and He, Z., Decoupling Circuit for Automated Guided Vehicles IPT Charging Systems With Dual Receivers; *TPEL July 2020 6652-6657*
Mai, R., *see* Yan, Z., *TPEL Sept. 2020 9011-9023*
Mai, R., *see* Liu, Y., *TPEL Sept. 2020 8998-9010*
Mai, R., *see* Chen, S., *TPEL Oct. 2020 9992-9997*
Mai, R., *see* Liu, S., *TPEL Dec. 2020 12752-12764*
Majmunovic, B., *see* Zheng, C., *TPEL Feb. 2020 1967-1977*
Mak, P., *see* Huang, Z., *TPEL Sept. 2020 8973-8984*
Makineni, R.R., *see* Gautam, A.R., *TPEL April 2020 4353-4364*
Maksimovic, D., *see* Khatua, M., *TPEL Oct. 2020 10396-10412*
Malinowski, M., *see* Rolak, M., *TPEL June 2020 6523-6532*
Mamdouh, M., *see* Salem, A., *TPEL March 2020 2871-2881*
Mandal, D., *see* Joshi, K., *TPEL Oct. 2020 10249-10259*
Mangia, M., *see* Pareschi, F., *TPEL May 2020 5304-5318*
Manickam, C., *see* Boggarapu, P.K., *TPEL Nov. 2020 11865-11878*
Mantooth, A., *see* Wei, Y., *TPEL Sept. 2020 8872-8877*
Mantooth, A., *see* Wei, Y., *TPEL Oct. 2020 10423-10443*
Mantooth, H.A., *see* Murphree, R.C., *TPEL Jan. 2020 913-923*

Mantooth, H.A., *see* Zhao, S., *TPEL Feb. 2020 1882-1898*
Mantooth, H.A., *see* Seal, S., *TPEL Sept. 2020 9690-9699*
Mantooth, H.A., *see* Mhiesan, H., *TPEL Dec. 2020 12702-12715*
Mao, C., *see* Yao, K., *TPEL Jan. 2020 443-454*
Mao, F., *see* Dong, H., *TPEL Nov. 2020 12223-12237*
Mao, S., Liu, W., Chen, Z., Jiao, N., and Peng, J., Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor; *TPEL Jan. 2020 800-815*
Mao, S., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*
Mao, S., Liu, W., Jiao, N., Gao, F., and Chen, Z., Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range; *TPEL Aug. 2020 8347-8360*
Mao, S., *see* Li, B., *TPEL Nov. 2020 11430-11441*
Mao, Z., *see* Wu, X., *TPEL May 2020 5205-5220*
Marconi, S., Spiazzi, G., Bevilacqua, A., and Galvano, M., A Novel Integrated Step-Up Hybrid Converter With Wide Conversion Ratio; *TPEL March 2020 2764-2775*
Maresca, L., *see* Xue, P., *TPEL June 2020 6292-6300*
Markadeh, G.R.A., *see* Khazaee, A., *TPEL Feb. 2020 1194-1199*
Marquez, R., and Contreras-Ordaz, M.A., The Three-Terminal Converter Cell, Graphs, and Generation of DC-to-DC Converter Families; *TPEL Aug. 2020 7725-7728*
Marti, P., *see* Velasco, M., *TPEL April 2020 4342-4352*
Martin, H., *see* Matas, J., *TPEL June 2020 5797-5811*
Martin, K., *see* Vazquez, A., *TPEL March 2020 3195-3207*
Martinez, W., *see* Broeck, G.V.d., *TPEL Sept. 2020 9306-9319*
Martinez-Garcia, H., *see* Prakash, S., *TPEL April 2020 4178-4191*
Martinez-Salamero, L., *see* Singer, S., *TPEL Feb. 2020 1425-1439*
Martins, R.P.d.S., *see* Huang, Z., *TPEL Sept. 2020 8973-8984*
Martynov, K., *see* Zhang, H., *TPEL Sept. 2020 9320-9331*
Maruyama, K., *see* Maharjan, L., *TPEL Dec. 2020 13687-13696*
Marzang, V., Hosseini, S.H., Rostami, N., Alavi, P., Mohseni, P., and Hashemzadeh, S.M., A High Step-Up Nonisolated DC–DC Converter With Flexible Voltage Gain; *TPEL Oct. 2020 10489-10500*
Marzband, M., *see* Sangrody, R., *TPEL Dec. 2020 13068-13076*
Masaoud, A., *see* Meraj, S.T., *TPEL April 2020 3688-3696*
Mashhadi, I.A., and Pahlevani, M., A Dual-Switch Discontinuous Current-Source Gate Driver Overcoming the Current Diversion Problem for a Buck VRM; *TPEL April 2020 3778-3793*
Masoudian, A., *see* Khooban, M.H., *TPEL June 2020 5832-5841*
Massolini, R.G., *see* Pareschi, F., *TPEL May 2020 5304-5318*
Mastromauro, R.A., *see* Pugliese, S., *TPEL Oct. 2020 11039-11052*
Matakas, L., *see* Figueredo, R.S., *TPEL July 2020 7058-7072*
Matallana, A., *see* Aretxabaleta, I., *TPEL Aug. 2020 8025-8033*
Mataln, M., *see* Pribahsnik, F.P., *TPEL Oct. 2020 10873-10878*
Matas, J., Martin, H., de la Hoz, J., Abusorrah, A., Al-Turki, Y., and Alshaeikh, H., A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System; *TPEL June 2020 5797-5811*
Matei, C., Urbonas, J., Votsi, H., Kendig, D., and Aaen, P.H., Dynamic Temperature Measurements of a GaN DC–DC Boost Converter at MHz Frequencies; *TPEL Aug. 2020 8303-8310*
Mathew, S.K., *see* Singh, A., *TPEL March 2020 3242-3253*
Matioli, E., *see* Samizadeh Nikoo, M., *TPEL March 2020 2242-2246*
Matioli, E., *see* van Erp, R., *TPEL July 2020 7235-7245*
Matioli, E., *see* Nikoo, M.S., *TPEL July 2020 6663-6667*
Matioli, E., *see* Jafari, A., *TPEL July 2020 6673-6677*
Matioli, E., *see* Nikoo, M.S., *TPEL Oct. 2020 9978-9981*
Matioli, E., *see* Samizadeh Nikoo, M., *TPEL Nov. 2020 11287-11293*
Matioli, E., *see* Perera, N., *TPEL Dec. 2020 12585-12589*
Matioli, E., *see* Jafari, A., *TPEL Dec. 2020 12595-12600*
Matsumoto, H., *see* Assadi, S.A., *TPEL April 2020 4376-4387*
Matsumoto, H., *see* Khan, N., *TPEL Aug. 2020 7873-7883*
Matsuse, K., *see* R, R., *TPEL March 2020 2402-2410*
Mattavelli, P., *see* Abdelhamid, E., *TPEL March 2020 3208-3220*
Mattavelli, P., *see* Liu, G., *TPEL June 2020 6501-6511*
Matveevich, M.I., *see* Wei, G., *TPEL June 2020 6114-6126*
Maurya, R., *see* Gupta, J., *TPEL Oct. 2020 10810-10820*
Mawby, P.A., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Mayo-Maldonado, J.C., *see* Escobar, G., *TPEL May 2020 4647-4657*
Mazumdar, S., and Basu, K., Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter; *TPEL Sept. 2020 9267-9280*
Mazumder, S.K., *see* Chatterjee, D., *TPEL Jan. 2020 1096-1110*
Mazumder, S.K., *see* Kumar, N., *TPEL Oct. 2020 10008-10012*
Mehrabankhomartash, M., *see* Lin, H., *TPEL Nov. 2020 11310-11315*
Mehta, H., *see* Apte, A., *TPEL June 2020 6082-6090*
Mei, N., *see* Li, Z., *TPEL Oct. 2020 10026-10049*
Mei, Y., *see* Liu, J., *TPEL Jan. 2020 826-834*
Mei, Y., *see* Zhang, X., *TPEL Aug. 2020 8532-8539*
Mei, Y., *see* Li, D., *TPEL Dec. 2020 12646-12650*
Mendez, J.B., Freire, M.J., and Prats, M.A.M., Overcoming the Effect of Test Fixtures on the Measurement of Parasitics of Capacitors and Inductors; *TPEL Jan. 2020 15-19*
Meneses, D., *see* Escudero, M., *TPEL Feb. 2020 1377-1391*
Meneses, D., *see* Escudero, M., *TPEL July 2020 7419-7433*
Meng, F., *see* Gan, C., *TPEL Nov. 2020 12307-12320*
Meng, J., *see* Xu, S., *TPEL July 2020 6668-6672*
Meng, J., *see* Cai, L., *TPEL Nov. 2020 11855-11864*
Meng, T., *see* Li, X., *TPEL June 2020 6447-6457*
Meng, T., Liu, W., Jiao, N., Han, X., Wang, R., and Jiang, Y., Rotor Position Estimation for Aviation Three-Stage Starter/Generators in the Low-Speed Region Without High-Frequency Signal Injection; *TPEL Aug. 2020 8405-8416*
Meng, T., *see* Wu, F., *TPEL Dec. 2020 13725-13734*
Meng, X., Liu, Z., Zheng, H., and Liu, J., A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability; *TPEL Sept. 2020 9794-9812*
Meng, X., *see* Xu, T., *TPEL Nov. 2020 11281-11286*
Menke, M.F., Duranti, J.P., Roggia, L., Bisogno, F.E., Tambara, R.V., and Seidel, A.R., Analysis and Design of the LLC LED Driver Based on State-Space Representation Direct Time-Domain Solution; *TPEL Dec. 2020 12686-12701*
Menzi, D., Bortis, D., Zulauf, G., Heller, M., and Kolar, J.W., Novel iGSE-C Loss Modeling of X7R Ceramic Capacitors; *TPEL Dec. 2020 13367-13383*
Meraj, M., Bhaskar, M.S., Iqbal, A., Al-Emadi, N., and Rahman, S., Interleaved Multilevel Boost Converter With Minimal Voltage Multiplier Components for High-Voltage Step-Up Applications; *TPEL Dec. 2020 12816-12833*
Meraj, S.T., Hasan, K., and Masaoud, A., A Novel Configuration of Cross-Switched T-Type (CT-Type) Multilevel Inverter; *TPEL April 2020 3688-3696*
Mertens, A., *see* Kucka, J., *TPEL July 2020 6842-6853*
Messo, T., *see* Sihvo, J., *TPEL March 2020 2548-2557*
Messo, T., *see* Luhtala, R., *TPEL April 2020 3343-3347*
Mhiesan, H., Wei, Y., Siwakoti, Y.P., and Mantooth, H.A., A Fault-Tolerant Hybrid Cascaded H-Bridge Multilevel Inverter; *TPEL Dec. 2020 12702-12715*
Mi, C., *see* Cheng, C., *TPEL April 2020 3328-3331*
Mi, C.C., *see* Zhang, Y., *TPEL Jan. 2020 131-137*
Mi, C.C., *see* Shang, Y., *TPEL Feb. 2020 1637-1648*
Mi, C.C., *see* Zhu, J., *TPEL May 2020 4847-4858*
Miao, L., *see* Zeng, Z., *TPEL Feb. 2020 1866-1881*
Miao, Z., Tong, H., Jin, X., Yao, W., Lu, Z., and Ma, Z., DQ-Frame Zero-Crossing Effect Modeling and Current Distortion Compensation Method for Vienna Rectifier; *TPEL July 2020 7612-7623*
Micheloud-Vernackt, O.M., *see* Escobar, G., *TPEL May 2020 4647-4657*
Michels, L., *see* Giacomini, J.C., *TPEL Aug. 2020 8063-8073*
Midtgard, O., *see* Spro, O.C., *TPEL Sept. 2020 9494-9509*
Milimonfared, J., *see* Dobakhshari, S.S., *TPEL April 2020 3590-3600*
Miljkovic, N., *see* Barth, C.B., *TPEL Nov. 2020 12040-12052*
Miller, C., *see* Le, V., *TPEL Aug. 2020 7826-7839*
Mills, A.R., *see* Hu, R., *TPEL Feb. 2020 1922-1933*
Milovanovic, S., and Dujic, D., Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations; *TPEL Dec. 2020 12898-12908*

Milton, M., De La O, C., Ginn, H.L., and Benigni, A., Controller-Embeddable Probabilistic Real-Time Digital Twins for Power Electronic Converter Diagnostics; *TPEL Sept. 2020 9850-9864*
Min, R., *see* Lyu, D., *TPEL Nov. 2020 12359-12369*
Ming, X., Liang, H., Zhang, Z., Xin, Y., Qin, Y., and Wang, Z., A High-Efficiency and Fast-Transient Low-Dropout Regulator With Adaptive Pole Tracking Frequency Compensation Technique; *TPEL Nov. 2020 12401-12415*
Mingli, W., *see* Song, K., *TPEL March 2020 2501-2518*
Mir, L., *see* Iruretagoyena, U., *TPEL Jan. 2020 208-219*
Mir, T.N., Singh, B., and Bhat, A.H., Predictive Delta Sigma Modulation for Three-Phase to Three-Phase Matrix Converters; *TPEL Jan. 2020 968-976*
Miret, J., *see* Velasco, M., *TPEL April 2020 4342-4352*
Mirzaee, A., and Moghani, J.S., Coupled Inductor-Based High Voltage Gain DC–DC Converter For Renewable Energy Applications; *TPEL July 2020 7045-7057*
Mirzaei, R., *see* Karimi, A., *TPEL April 2020 4321-4331*
Mishra, J., Pattnaik, M., and Samanta, S., Drift-Free Perturb and Observe MPPT Algorithm With Improved Performance for SEIG-Based Stand-Alone Wind Energy Generation System; *TPEL June 2020 5842-5849*
Mishra, M.K., *see* Ramaiah, S., *TPEL March 2020 2558-2570*
Mishra, S., *see* Sahoo, S., *TPEL July 2020 7574-7582*
Mishra, S., *see* Mudaliyar, S., *TPEL Oct. 2020 11250-11266*
Mishra, S.K., *see* Acharya, S., *TPEL July 2020 7015-7030*
Mishra, S.K., *see* Panigrahi, R., *TPEL Dec. 2020 12633-12638*
Mo, B., *see* Li, G., *TPEL Jan. 2020 415-429*
Moayedi, H., *see* R, E., *TPEL June 2020 6397-6404*
Mocevic, S., *see* Wang, J., *TPEL Oct. 2020 10180-10199*
Modeer, T., Pallo, N., Foulkes, T., Barth, C.B., and Pilawa-Podgurski, R.C.N., Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications; *TPEL Nov. 2020 12153-12165*
Moghadam, H.A., *see* Jadli, U., *TPEL Dec. 2020 12629-12632*
Moghani, J.S., *see* Mirzaee, A., *TPEL July 2020 7045-7057*
Mogorovic, M., and Dujic, D., FEM-Based Statistical Data-Driven Modeling Approach for MFT Design Optimization; *TPEL Oct. 2020 10863-10872*
Mohamadi, M., *see* Kumar, N., *TPEL Oct. 2020 10008-10012*
Mohammadi, H.R., *see* Akhavan, A., *TPEL Feb. 2020 2135-2150*
Mohammadi, M., Degioanni, F., Mahdavi, M., and Ordonez, M., Small-Signal Modeling of *LLC* Converters Using Homopolarity Cycle; *TPEL April 2020 4076-4093*
Mohammed, M.S., and Vural, R.A., Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems; *TPEL Nov. 2020 11332-11343*
Mohd-Yasin, F., *see* Jadli, U., *TPEL Dec. 2020 12629-12632*
Mohseni, P., *see* Marzang, V., *TPEL Oct. 2020 10489-10500*
Mohsenzade, S., *see* Aghaei, M., *TPEL Aug. 2020 8460-8471*
Mohsenzade, S., *see* Zarghani, M., *TPEL Aug. 2020 7991-8001*
Mojallali, H., *see* Hasanpour, S., *TPEL Aug. 2020 8088-8101*
Mok, P.K.T., *see* Jiang, J., *TPEL Feb. 2020 1200-1204*
Mok, P.K.T., *see* Jiang, J., *TPEL June 2020 6001-6011*
Molinas, M., *see* Zhang, C., *TPEL Sept. 2020 9770-9783*
Montes, O.A., *see* Awal, M.A., *TPEL Oct. 2020 11267-11276*
Moon, G., *see* Jeong, Y., *TPEL Jan. 2020 121-130*
Moon, G., *see* Kim, K., *TPEL March 2020 2668-2679*
Moon, G., *see* Lim, C., *TPEL May 2020 4934-4945*
Moon, G., *see* Park, M., *TPEL Oct. 2020 9949-9952*
Moon, G., *see* Lee, Y., *TPEL Dec. 2020 13148-13156*
Moon, J., *see* Kim, D., *TPEL Aug. 2020 7853-7862*
Moraes, C.F., Carati, E.G., da Costa, J.P., Cardoso, R., Oliveira Stein, C.M.d., Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter; *TPEL July 2020 7100-7109*
Morales, D.P., *see* Escudero, M., *TPEL Feb. 2020 1377-1391*
Morales, D.P., *see* Escudero, M., *TPEL July 2020 7419-7433*
Morroni, J., *see* Sato, Y., *TPEL Sept. 2020 9661-9668*
Moschopoulos, G., *see* Khodabakhsh, J., *TPEL Feb. 2020 1699-1710*
Moschopoulos, G., *see* Khodabakhsh, J., *TPEL July 2020 7145-7159*
Moshirvaziri, M., *see* Assadi, S.A., *TPEL April 2020 4376-4387*
Mostaan, A., *see* Yuan, J., *TPEL Aug. 2020 7716-7720*
Mou, D., *see* Wang, Z., *TPEL Nov. 2020 11783-11800*
Mouawad, B., *see* DiMarino, C.M., *TPEL June 2020 6050-6060*
Mousmi, A., Abbou, A., and El Houm, Y., Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives; *TPEL April 2020 3859-3868*
Mouton, H.d.T., *see* Birth, A., *TPEL June 2020 5741-5752*
Mozaffari, K., and Amirabadi, M., A Reduced-Switch-Count Family of Soft-Switched High-Frequency Inductive AC-Link Converters; *TPEL Aug. 2020 7972-7990*
Mu, C., *see* He, J., *TPEL Jan. 2020 359-372*
Mu, C., *see* Junejo, A.K., *TPEL Nov. 2020 12110-12121*
Mu, H., *see* Pan, P., *TPEL April 2020 4033-4047*
Mudaliyar, S., Duggal, B., and Mishra, S., Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters; *TPEL Oct. 2020 11250-11266*
Muhtaroglu, A., *see* Chamanian, S., *TPEL Jan. 2020 901-912*
Muhtaroglu, A., *see* Tabrizi, H.O., *TPEL May 2020 4905-4914*
Mukherjee, D., and Kastha, D., Carrier-Based Discontinuous PWM for a Five-Level Unidirectional Rectifier; *TPEL June 2020 5601-5614*
Mukhopadhyay, S., *see* Singh, A., *TPEL March 2020 3242-3253*
Mulla, M.A., *see* Patel, P.P., *TPEL Nov. 2020 11589-11601*
Muniandi, B., *see* Lin, J., *TPEL April 2020 3997-4008*
Munk-Nielsen, S., *see* Song, S., *TPEL July 2020 6711-6718*
Munk-Nielsen, S., *see* Jorgensen, A.B., *TPEL Oct. 2020 10892-10905*
Munoz-Anton, J., *see* Salinas Lopez, G., *TPEL Feb. 2020 1830-1844*
Murphree, R.C., Roy, S., Ahmed, S., Barlow, M., Rahman, A., Francis, A.M., Holmes, J., Mantooth, H.A., and Di, J., A SiC CMOS Linear Voltage Regulator for High-Temperature Applications; *TPEL Jan. 2020 913-923*
Musolino, F., *see* Crovetti, P.S., *TPEL Oct. 2020 11155-11166*
Muthumuni, D., *see* Xu, Y., *TPEL March 2020 2979-2989*

N

Na, R., *see* Yang, Y., *TPEL June 2020 6470-6481*
Na, R., *see* Pan, J., *TPEL Oct. 2020 10137-10149*
Na, R., *see* Ke, Z., *TPEL Nov. 2020 12544-12554*
Na, T., Zhang, Q., Dong, S., Raherimihaja, H.J., Chuai, G., and Wang, J., A Soft-Switched Modulation for a Single-Phase Quasi-Z-Source-Integrated Charger in Electric Vehicle Application; *TPEL May 2020 4602-4612*
Na, T., *see* Raherimihaja, H.J., *TPEL Nov. 2020 12122-12132*
Naderi, M., *see* Karimi, A., *TPEL April 2020 4321-4331*
Naderi, M., Khayat, Y., Shafiee, Q., Dragicevic, T., Bevrani, H., and Blaabjerg, F., Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling; *TPEL May 2020 4728-4740*
Naderi, M., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Naderi, M., Khayat, Y., Shafiee, Q., Dragicevic, T., Bevrani, H., and Blaabjerg, F., Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis; *TPEL Nov. 2020 11801-11812*
Naderi, M.H., *see* Prakash, S., *TPEL April 2020 4178-4191*
Naderi, P., *see* Eftekhari, S.R., *TPEL May 2020 5417-5426*
Nagamani, C., *see* Achary, R.K., *TPEL March 2020 2809-2818*
Nagata, H., *see* Sato, Y., *TPEL Jan. 2020 455-470*
Naik N, V., Singh, S.P., and Panda, A.K., An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control; *TPEL Aug. 2020 8443-8451*
Nakahara, K., *see* Nakamura, Y., *TPEL March 2020 2950-2958*
Nakakohara, Y., *see* Nakamura, Y., *TPEL March 2020 2950-2958*
Nakamura, Y., Evans, T.M., Kuroda, N., Sakairi, H., Nakakohara, Y., Otake, H., and Nakahara, K., Electrothermal Cosimulation for Predicting the Power Loss and Temperature of SiC MOSFET Dies Assembled in a Power Module; *TPEL March 2020 2950-2958*
Nalakath, S., *see* Xia, Z., *TPEL Sept. 2020 9753-9769*
Nalakath, S., *see* Tarvirdilu-Asl, R., *TPEL Oct. 2020 10654-10672*
Namburi, V.R., *see* Ashourloo, M., *TPEL July 2020 7653-7663*
Nandi, P., and Adda, R., Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter; *TPEL Nov. 2020 11965-11975*

Narayanasamy, B., Sathyanarayanan, A.S., Luo, F., and Chen, C., Reflected Wave Phenomenon in SiC Motor Drives: Consequences, Boundaries, and Mitigation; *TPEL Oct. 2020 10629-10642*
Narimani, M., *see* Bahrami, A., *TPEL March 2020 2308-2316*
Narimani, M., *see* Bahrami, A., *TPEL June 2020 5729-5740*
Narimani, M., *see* Ni, Z., *TPEL Nov. 2020 11533-11543*
Nasiri, A., *see* Wei, Y., *TPEL Feb. 2020 2196-2207*
Nasr, M., *see* Assadi, S.A., *TPEL April 2020 4376-4387*
Nath, S., *see* Nupur, ., *TPEL Feb. 2020 1217-1226*
Naude, J., *see* Dove, A., *TPEL Feb. 2020 1459-1472*
Nazir, M., Burkes, K., and Enslin, J.H.R., Converter-Based Power System Protection Against DC in Transmission and Distribution Networks; *TPEL July 2020 6701-6704*
Nee, H., *see* Bakas, P., *TPEL Dec. 2020 12909-12928*
Neira, S., Pereda, J., and Rojas, F., Three-Port Full-Bridge Bidirectional Converter for Hybrid DC/DC/AC Systems; *TPEL Dec. 2020 13077-13084*
Nela, L., *see* Perera, N., *TPEL Dec. 2020 12585-12589*
Nelhiebel, M., *see* Pribahsnik, F.P., *TPEL Oct. 2020 10873-10878*
Nelson, B.W., *see* Brovont, A.D., *TPEL May 2020 4678-4688*
Nelson, B.W., *see* Lemmon, A.N., *TPEL Aug. 2020 8034-8049*
Nelson, B.W., *see* DeBoi, B.T., *TPEL Dec. 2020 13400-13408*
Neto, P.J.d.S., Barros, T.A.d.S., Silveira, J.P.C., Filho, E.R., Vasquez, J.C., and Guerrero, J.M., Power Management Strategy Based on Virtual Inertia for DC Microgrids; *TPEL Nov. 2020 12472-12485*
New, C., *see* Brovont, A.D., *TPEL May 2020 4678-4688*
New, C.D., *see* Lemmon, A.N., *TPEL Aug. 2020 8034-8049*
New, C.D., *see* DeBoi, B.T., *TPEL Dec. 2020 13400-13408*
Ng, C., *see* Chen, C., *TPEL Aug. 2020 7804-7815*
Ng, W.M., *see* Liu, H., *TPEL Aug. 2020 8013-8024*
Ng, W.T., *see* Yuan, B., *TPEL July 2020 7295-7304*
Ngo, K.D.T., *see* Panigrahi, R., *TPEL Dec. 2020 12633-12638*
Ngoumtsa, E.F.B., *see* Wallscheid, O., *TPEL Dec. 2020 13563-13572*
Nguyen, B., *see* Zhang, X., *TPEL Feb. 2020 1721-1731*
Nguyen, B.L., *see* Nguyen, T., *TPEL April 2020 3365-3376*
Nguyen, N.V., *see* Pham, K.D., *TPEL July 2020 6944-6962*
Nguyen, T., Cha, H., Nguyen, B.L., and Kim, H., A Novel Single-Phase Three-Level Dual-Buck Inverter; *TPEL April 2020 3365-3376*
Ni, K., *see* Gong, C., *TPEL Jan. 2020 20-24*
Ni, K., *see* Han, Y., *TPEL Oct. 2020 11053-11063*
Ni, Z., Li, Y., Liu, C., Wei, M., and Cao, D., A 100-kW SiC Switched Tank Converter for Transportation Electrification; *TPEL June 2020 5770-5784*
Ni, Z., Lyu, X., Yadav, O.P., Singh, B.N., Zheng, S., and Cao, D., Overview of Real-Time Lifetime Prediction and Extension for SiC Power Converters; *TPEL Aug. 2020 7765-7794*
Ni, Z., Abuelnaga, A., and Narimani, M., A Novel High-Performance Predictive Control Formulation for Multilevel Inverters; *TPEL Nov. 2020 11533-11543*
Nian, H., *see* Hu, W., *TPEL Jan. 2020 10-14*
Nian, H., *see* Wu, C., *TPEL June 2020 5562-5566*
Nian, H., *see* Cheng, Y., *TPEL Sept. 2020 9597-9607*
Nian, H., *see* Pang, B., *TPEL Oct. 2020 10260-10270*
Nian, H., Hu, B., Xu, Y., Wu, C., Chen, L., and Blaabjerg, F., Analysis and Reshaping on Impedance Characteristic of DFIG System Based on Symmetrical PLL; *TPEL Nov. 2020 11720-11730*
Nicholls, J., *see* Briff, P., *TPEL Nov. 2020 11294-11298*
Nicholls, J.R., *see* Jadli, U., *TPEL Dec. 2020 12629-12632*
Nicolas, C.V., *see* Zarei, M.E., *TPEL Jan. 2020 289-302*
Nie, J., Yuan, L., Wen, W., Duan, R., Shi, B., and Zhao, Z., Communication-Independent Power Balance Control for Solid State Transformer Interfaced Multiple Power Conversion Systems; *TPEL April 2020 4256-4271*
Nie, J., Zhao, Z., Yuan, L., Duan, R., Shi, B., and Jin, L., An Energy Balance Active Disturbance Rejection Control for Improving Converter Stability While Maintaining Fast Dynamic Performance; *TPEL Nov. 2020 11304-11309*
Nikoo, M.S., Jafari, A., Perera, N., and Matioli, E., New Insights on Output Capacitance Losses in Wide-Band-Gap Transistors; *TPEL July 2020 6663-6667*
Nikoo, M.S., *see* Jafari, A., *TPEL July 2020 6673-6677*
Nikoo, M.S., Jafari, A., Perera, N., and Matioli, E., Negative Resistance in Cascode Transistors; *TPEL Oct. 2020 9978-9981*
Nikoo, M.S., *see* Perera, N., *TPEL Dec. 2020 12585-12589*
Nikoo, M.S., *see* Jafari, A., *TPEL Dec. 2020 12595-12600*
Niu, D., Gao, F., Wang, P., Zhou, K., Qin, F., and Ma, Z., A Nine-Level T-Type Packed U-Cell Inverter; *TPEL Feb. 2020 1171-1175*
Niu, F., *see* Cao, S., *TPEL Feb. 2020 1450-1458*
Niu, J., *see* Chen, R., *TPEL April 2020 4411-4425*
Niu, J., *see* Hu, H., *TPEL May 2020 5517-5530*
Niu, J., *see* Gui, H., *TPEL May 2020 5144-5156*
Niu, J., *see* Gui, H., *TPEL June 2020 5670-5682*
Niu, J., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Niyomsatian, K., Vanassche, P., Gyselinck, J.J.C., and Sabariego, R.V., Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters; *TPEL July 2020 7583-7595*
Noah, M., Shirakawa, T., Umetani, K., Imaoka, J., Yamamoto, M., and Hiraki, E., Effects of Secondary Leakage Inductance on the *LLC* Resonant Converter; *TPEL Jan. 2020 835-852*
Nora, P., *see* Bizzarri, F., *TPEL May 2020 4489-4499*
Norambuena, M., *see* Bahrami, A., *TPEL March 2020 2308-2316*
Norambuena, M., *see* Bahrami, A., *TPEL June 2020 5729-5740*
Norrga, S., *see* Bessegato, L., *TPEL March 2020 2411-2423*
Norrga, S., *see* Bakas, P., *TPEL Dec. 2020 12909-12928*
Nouri, T., Vosoughi Kurdkandi, N., and Shaneh, M., A Novel ZVS High-Step-Up Converter With Built-In Transformer Voltage Multiplier Cell; *TPEL Dec. 2020 12871-12886*
Nupur, and Nath, S., Minimizing Ripples of Inductor Currents in Coupled SIDO Boost Converter by Shift of Gate Pulses; *TPEL Feb. 2020 1217-1226*

O

O'Brien, K.P., *see* Lambert, W.J., *TPEL June 2020 6208-6220*
Odavic, M., *see* Thakur, S.S., *TPEL Sept. 2020 9291-9305*
Oh, H., Lee, W., Koo, H., Bae, J., Hwang, K.C., Lee, K., and Yang, Y., 6.78 MHz Wireless Power Transmitter Based on a Reconfigurable Class–E Power Amplifier for Multiple Device Charging; *TPEL June 2020 5907-5917*
Oh, J., *see* Kim, H., *TPEL Feb. 2020 2077-2087*
Ohn, S., Jung, H., Boroyevich, D., and Sul, S., A Novel Filter Structure to Suppress Circulating Currents Based on the Sequence of Sideband Harmonics for High-Power Interleaved Motor-Drive Systems; *TPEL Jan. 2020 853-866*
Ohn, S., Yu, J., Burgos, R., Boroyevich, D., and Suryanarayana, H., Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors; *TPEL Aug. 2020 8638-8651*
Okazaki, Y., *see* Bakas, P., *TPEL Dec. 2020 12909-12928*
Oliveira, T.R., *see* da Silva, W.W.A.G., *TPEL June 2020 6458-6469*
Oliveira Stein, C.M.d., *see* Moraes, C.F., *TPEL July 2020 7100-7109*
Oliver, J.A., *see* Borovic, U., *TPEL Jan. 2020 33-47*
Oliver, J.A., *see* Serrano, D., *TPEL May 2020 5319-5330*
Oliver, J.A., *see* Delgado, A., *TPEL June 2020 6221-6230*
Oliver, J.A., *see* Delgado, A., *TPEL Aug. 2020 8452-8459*
Oliver, J.A., *see* Delgado, A., *TPEL Aug. 2020 7884-7893*
Oliver, J.A., *see* Delgado, A., *TPEL Nov. 2020 11453-11462*
Onar, O.C., *see* Pries, J., *TPEL May 2020 4500-4517*
Oncu, S., *see* Karafil, A., *TPEL May 2020 4756-4766*
Orabi, M., *see* Ibrahim, E.A.D., *TPEL May 2020 4703-4714*
Ordonez, M., *see* Valipour, H., *TPEL Jan. 2020 232-246*
Ordonez, M., *see* Mohammadi, M., *TPEL April 2020 4076-4093*
Ordonez, M., *see* Shafaei, R., *TPEL Sept. 2020 9632-9649*
Ortega-Cisneros, S., *see* Dominguez, J.R., *TPEL Aug. 2020 8779-8793*
Ostlund, S., *see* Bessegato, L., *TPEL March 2020 2411-2423*
Otake, H., *see* Nakamura, Y., *TPEL March 2020 2950-2958*
Ouyang, Q., Chen, J., and Zheng, J., State-of-Charge Observer Design for Batteries With Online Model Parameter Identification: A Robust Approach; *TPEL June 2020 5820-5831*
Ouyang, S., *see* Chen, X., *TPEL Nov. 2020 11418-11429*

Ouyang, Z., *see* Huang, X., *TPEL Jan. 2020 565-577*
Ouyang, Z., *see* Dou, Y., *TPEL May 2020 4472-4476*
Ovacik, L., *see* Gucin, T.N., *TPEL April 2020 4365-4375*
Oyama, S., *see* Uno, M., *TPEL Feb. 2020 1563-1575*
Ozbay, H., *see* Karafil, A., *TPEL May 2020 4756-4766*
Ozkan, Z., and Hava, A.M., Inductor Saturation Compensation With Resistive Decoupling for Single-Phase Controlled VSC Systems; *TPEL Feb. 2020 1993-2007*

P

Packwood, M., *see* Li, D., *TPEL Dec. 2020 13429-13440*
Padilla, A., *see* Chen, F., *TPEL Nov. 2020 12442-12456*
Pahlevani, M., *see* Kaviri, S.M., *TPEL Feb. 2020 1406-1424*
Pahlevani, M., *see* Mashhadi, I.A., *TPEL April 2020 3778-3793*
Pahlevani, M., *see* Falconar, N., *TPEL Dec. 2020 13554-13562*
Paire, D., *see* Bai, H., *TPEL Feb. 2020 1282-1292*
Paire, D., *see* Zhuo, S., *TPEL Sept. 2020 9923-9932*
Pal, A., and Basu, K., A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder; *TPEL April 2020 3601-3615*
Pal, A., and Basu, K., A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding; *TPEL Nov. 2020 11758-11769*
Pallo, N., *see* Modeer, T., *TPEL Nov. 2020 12153-12165*
Palmer, J., *see* Ji, S., *TPEL Nov. 2020 12533-12543*
Pan, C., *see* Hu, Y., *TPEL Sept. 2020 9563-9573*
Pan, H., *see* Chen, L., *TPEL June 2020 5850-5859*
Pan, J., *see* Yang, Y., *TPEL June 2020 6470-6481*
Pan, J., Yang, Y., Cai, H., and Xu, L., Capacitor Voltage Fluctuation Minimization for Four-Level Hybrid Clamped Converter Using Improved Common-Mode Voltage Injection; *TPEL July 2020 7563-7573*
Pan, J., Ke, Z., Al Sabbagh, M., Li, H., Potty, K.A., Perdikakis, W., Na, R., Zhang, J., Wang, J., and Xu, L., 7-kV 1-MVA SiC-Based Modular Multilevel Converter Prototype for Medium-Voltage Electric Machine Drives; *TPEL Oct. 2020 10137-10149*
Pan, J., *see* Ke, Z., *TPEL Nov. 2020 12544-12554*
Pan, L., Zhang, J., Zhang, J., Pang, Y., Wang, B., Wang, K., and Xu, D., A Novel Space-Vector Modulation Method for Nine-Switch Converter; *TPEL Feb. 2020 1789-1804*
Pan, L., *see* Wang, K., *TPEL July 2020 7674-7688*
Pan, P., *see* Zhang, K., *TPEL April 2020 3951-3962*
Pan, P., Chen, W., Shu, L., Mu, H., Zhang, K., Zhu, M., and Deng, F., An Impedance-Based Stability Assessment Methodology for DC Distribution Power System With Multivoltage Levels; *TPEL April 2020 4033-4047*
Pan, W., *see* Wu, X., *TPEL Jan. 2020 681-698*
Pan, X., Li, H., Liu, Y., Zhao, T., Ju, C., and Rathore, A.K., An Overview and Comprehensive Comparative Evaluation of Current-Fed-Isolated-Bidirectional DC/DC Converter; *TPEL March 2020 2737-2763*
Pan, Y., *see* Wang, R., *TPEL June 2020 6362-6372*
Pan, Y., Yang, Y., He, J., Sangwongwanich, A., Zhang, C., Liu, Y., and Blaabjerg, F., A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters; *TPEL Oct. 2020 10994-11012*
Panda, A.K., *see* Naik N, V., *TPEL Aug. 2020 8443-8451*
Panda, S.K., *see* Jain, P., *TPEL Jan. 2020 940-956*
Panda, S.K., *see* Kolluri, S., *TPEL Sept. 2020 9839-9849*
Panda, S.K., *see* Chai, M., *TPEL Oct. 2020 10109-10120*
Pande, P., *see* Jadli, U., *TPEL Dec. 2020 12629-12632*
Pandit, B., Jadhav, C.D., Chavan, P.G., Tarkas, H.S., Sali, J.V., Gupta, R.B., and Sankapal, B.R., Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors; *TPEL Nov. 2020 11344-11351*
Pang, B., Wu, C., Nian, H., and Blaabjerg, F., Damping Method of High-Frequency Resonance for Stator Current Controlled DFIG System Under Parallel Compensation Grid; *TPEL Oct. 2020 10260-10270*
Pang, J., *see* Sun, C., *TPEL June 2020 6373-6385*
Pang, Y., *see* Jiang, D., *TPEL Jan. 2020 25-32*
Pang, Y., *see* Pan, L., *TPEL Feb. 2020 1789-1804*
Pang, Y., *see* Wang, K., *TPEL July 2020 7674-7688*
Panigrahi, R., Mishra, S.K., Joshi, A., and Ngo, K.D.T., DC-DC Converter Synthesis: An Inverse Problem; *TPEL Dec. 2020 12633-12638*
Pareschi, F., Bertoni, N., Mangia, M., Massolini, R.G., Frattini, G., Rovatti, R., and Setti, G., Class-E Isolated DC–DC Converter With High-Rate and Cost-Effective Bidirectional Data Channel; *TPEL May 2020 5304-5318*
Park, H., *see* Kim, M., *TPEL Sept. 2020 8897-8901*
Park, I., *see* Jeong, J., *TPEL Jan. 2020 347-358*
Park, I., *see* Jeong, J., *TPEL March 2020 2253-2256*
Park, J., *see* Jeong, Y., *TPEL Jan. 2020 121-130*
Park, J., *see* Jeon, Y., *TPEL March 2020 2488-2500*
Park, J., Lee, H., Shin, S., Choi, W., and Hong, S., A 0.46 mm^2 On-Chip Compensated Type-III Buck Converter Using an Inner Feedback Loop With a Seamless CCM/DCM Transition Technique; *TPEL May 2020 4477-4482*
Park, J., *see* Jeong, Y., *TPEL Dec. 2020 13126-13135*
Park, J.H., *see* Thai, V.X., *TPEL April 2020 3466-3477*
Park, K., Kieferndorf, F.D., Drofenik, U., Pettersson, S., and Canales, F., Optimization of *LCL* Filter With Integrated Intercell Transformer for Two-Interleaved High-Power Grid-Tied Converters; *TPEL March 2020 2317-2333*
Park, M., *see* Kim, J., *TPEL Jan. 2020 508-521*
Park, M., *see* Kim, J., *TPEL Jan. 2020 522-534*
Park, M., Jeong, Y., Rorrer, R.A.L., Choi, D., and Moon, G., Hold-Up Time Extension Method for *LLC* Resonant Converter by Detecting Operation Region; *TPEL Oct. 2020 9949-9952*
Park, S., and Ryoo, H., Pulsed Power Modulator With Active Pull-Down Using Diode Reverse Recovery Time; *TPEL March 2020 2943-2949*
Park, S., Yang, J., and Rivas-Davila, J., A Hybrid Cockcroft–Walton/Dickson Multiplier for High Voltage Generation; *TPEL March 2020 2714-2723*
Park, S., Sohn, Y., and Cho, G., SiC-Based 4 MHz 10 kW ZVS Inverter With Fast Resonance Frequency Tracking Control for High-Density Plasma Generators; *TPEL March 2020 3266-3275*
Park, S., *see* Spro, O.C., *TPEL Sept. 2020 9494-9509*
Park, S., *see* Chen, Y., *TPEL Nov. 2020 11475-11487*
Patel, P.P., and Mulla, M.A., A Single Carrier-Based Pulsewidth Modulation Technique for Three-to-Three Phase Indirect Matrix Converter; *TPEL Nov. 2020 11589-11601*
Patle, N., *see* Jawalikar, P., *TPEL Aug. 2020 8276-8286*
Pattipati, K., *see* Chen, W., *TPEL April 2020 4048-4062*
Pattnaik, M., *see* Mishra, J., *TPEL June 2020 5842-5849*
Peftitsis, D., *see* Spro, O.C., *TPEL Sept. 2020 9494-9509*
Pei, H., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*
Pei, J., *see* Liu, R., *TPEL Jan. 2020 303-318*
Pei, Y., *see* Yang, C., *TPEL June 2020 6625-6635*
Pei, Y., *see* Yang, C., *TPEL Dec. 2020 13356-13366*
Pei, Z., *see* Liu, C., *TPEL Feb. 2020 1576-1588*
Pejovic, P., *see* Borovic, U., *TPEL Jan. 2020 33-47*
Pelz, G.M., *see* da Silva, S.A.O., *TPEL Nov. 2020 11652-11665*
Peng, C., *see* Wang, J., *TPEL Jan. 2020 1147-1155*
Peng, F., Wang, H., and Wei, Z., An *LLC*-Based Highly Efficient S2M and C2C Hybrid Hierarchical Battery Equalizer; *TPEL June 2020 5928-5937*
Peng, F., *see* Yao, Y., *TPEL July 2020 7341-7355*
Peng, F.Z., *see* Liu, Y., *TPEL Aug. 2020 7729-7734*
Peng, J., *see* Mao, S., *TPEL Jan. 2020 800-815*
Peng, J., *see* Liu, Y., *TPEL Jan. 2020 276-288*
Peng, J., *see* Cai, L., *TPEL Nov. 2020 11855-11864*
Peng, J.C., *see* Ali, K., *TPEL May 2020 4658-4668*
Peng, J.C., *see* Sahoo, S., *TPEL July 2020 7574-7582*
Peng, J.C., *see* Soon, J.L., *TPEL Sept. 2020 8934-8943*
Peng, K., *see* Gu, L., *TPEL Sept. 2020 9226-9237*
Peng, L., *see* Xiao, Y., *TPEL Aug. 2020 7960-7971*
Peng, T., *see* Yang, C., *TPEL March 2020 3012-3028*
Peng, X., *see* Wu, X., *TPEL Jan. 2020 681-698*
Peng, X., *see* Li, M., *TPEL June 2020 6102-6113*
Peng, X., *see* Wu, T., *TPEL July 2020 7664-7673*
Peng, X., *see* Jiang, Y., *TPEL Oct. 2020 10945-10957*
Peng, Y., *see* Wang, X., *TPEL Feb. 2020 2170-2183*
Peng, Y., *see* Wang, Y., *TPEL May 2020 4669-4677*
Peng, Z., *see* Liu, X., *TPEL May 2020 4462-4466*

Perdikakis, W., *see* Pan, J., *TPEL Oct. 2020 10137-10149*
Pereda, J., *see* Pineda, C., *TPEL July 2020 6906-6915*
Pereda, J., *see* Neira, S., *TPEL Dec. 2020 13077-13084*
Perera, C., Kish, G.J., and Salmon, J., Decoupled Floating Capacitor Voltage Control of a Dual Inverter Drive for an Open-Ended Winding Induction Motor; *TPEL July 2020 7305-7316*
Perera, N., *see* Samizadeh Nikoo, M., *TPEL March 2020 2242-2246*
Perera, N., *see* Nikoo, M.S., *TPEL July 2020 6663-6667*
Perera, N., *see* Nikoo, M.S., *TPEL Oct. 2020 9978-9981*
Perera, N., *see* Samizadeh Nikoo, M., *TPEL Nov. 2020 11287-11293*
Perera, N., Nikoo, M.S., Jafari, A., Nela, L., and Matioli, E., C_{oss} Loss Tangent of Field-Effect Transistors: Generalizing High-Frequency Soft-Switching Losses; *TPEL Dec. 2020 12585-12589*
Perera, N., *see* Jafari, A., *TPEL Dec. 2020 12595-12600*
Peretz, M.M., *see* Urkin, T., *TPEL Aug. 2020 8794-8804*
Perez, M.C.G., *see* Shafaei, R., *TPEL Sept. 2020 9632-9649*
Perez-Basante, A., Ceballos, S., Konstantinou, G., Pou, J., Sanchez-Ruiz, A., Lopez, I., and de Alegria, I.M., Circulating Current Control for Modular Multilevel Converters With (N+1) Selective Harmonic Elimination—PWM; *TPEL Aug. 2020 8712-8725*
Perise, J.S., Bakkar, M., and Rodriguez, S.B., Open-Circuit Fault Diagnosis and Maintenance in Multi-Pulse Parallel and Series TRU Topologies; *TPEL Oct. 2020 10906-10916*
Perpina, X., *see* Fernandez, M., *TPEL May 2020 5221-5237*
Perreault, D.J., *see* He, Y., *TPEL June 2020 6301-6314*
Perreault, D.J., *see* Zhang, H., *TPEL Sept. 2020 9320-9331*
Perreault, D.J., *see* Jurkov, A.S., *TPEL Oct. 2020 10150-10167*
Perriard, Y., *see* Pniak, L., *TPEL Dec. 2020 13172-13181*
Peter, J., KP, M.S., R, L., and Ramchand, R., Online Boundary Computation Using Sampled Voltage Reference for Bus Clamping PWM-Based Hysteresis-Controlled VSI-Fed IM Drive; *TPEL April 2020 3939-3950*
Peterchev, A.V., *see* Li, Z., *TPEL Dec. 2020 12977-12987*
Pettersson, S., *see* Park, K., *TPEL March 2020 2317-2333*
Peyghami, S., Wang, Z., and Blaabjerg, F., A Guideline for Reliability Prediction in Power Electronic Converters; *TPEL Oct. 2020 10958-10968*
Pham, K.D., and Nguyen, N.V., A Reduced Common-Mode-Voltage Pulsewidth Modulation Method With Output Harmonic Distortion Minimization for Three-Level Neutral-Point-Clamped Inverters; *TPEL July 2020 6944-6962*
Phan, Q.D., *see* Dao, N.D., *TPEL Oct. 2020 10455-10465*
Pickert, V., *see* Ma, J., *TPEL March 2020 2424-2435*
Pickert, V., *see* Chen, C., *TPEL Aug. 2020 7804-7815*
Piegari, L., *see* De Simone, D., *TPEL Sept. 2020 9727-9736*
Pigott, J., *see* Ashourloo, M., *TPEL July 2020 7653-7663*
Pilawa-Podgurski, R.C.N., *see* Chou, D., *TPEL Jan. 2020 1064-1073*
Pilawa-Podgurski, R.C.N., *see* Ye, Z., *TPEL May 2020 4946-4958*
Pilawa-Podgurski, R.C.N., *see* Ye, Z., *TPEL June 2020 5965-5977*
Pilawa-Podgurski, R.C.N., *see* Barth, C.B., *TPEL Nov. 2020 12040-12052*
Pilawa-Podgurski, R.C.N., *see* Modeer, T., *TPEL Nov. 2020 12153-12165*
Pillai, D.S., Ram, J.P., Ghias, A.M.Y.M., Mahmud, M.A., and Rajasekar, N., An Accurate, Shade Detection-Based Hybrid Maximum Power Point Tracking Approach for PV Systems; *TPEL June 2020 6594-6608*
Pineda, C., Pereda, J., Rojas, F., Cerda, C., Zhang, X., J. Watson, A., Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter; *TPEL July 2020 6906-6915*
Ping, X., *see* Zhang, X., *TPEL Oct. 2020 11143-11154*
Pique, G.V., *see* Ashourloo, M., *TPEL July 2020 7653-7663*
Pise, A.A., *see* Hussein, A.A., *TPEL May 2020 4780-4790*
Pittet, S., *see* Coulinge, E., *TPEL Nov. 2020 11602-11611*
Pniak, L., Almanza, M., Civet, Y., and Perriard, Y., Ultrahigh-Voltage Switch for Bidirectional DC–DC Converter Driving Dielectric Elastomer Actuator; *TPEL Dec. 2020 13172-13181*
Poddar, G., *see* Kumar, Y.S., *TPEL April 2020 3918-3927*
Pong, B.M.H., *see* Fang, Y., *TPEL Feb. 2020 1205-1216*
Poon, J., *see* Jain, P., *TPEL Jan. 2020 940-956*
Poon, J., Johnson, B.B., Dhople, S.V., and Sanders, S.R., Minimum Distortion Point Tracking; *TPEL Oct. 2020 11013-11025*
Popovski, P., *see* Heydari, R., *TPEL Nov. 2020 12486-12496*
Pottage, D., *see* Li, D., *TPEL Dec. 2020 13429-13440*
Potti, K.R.R., *see* Qi, Y., *TPEL Dec. 2020 13590-13601*
Potty, K.A., Bauer, E., Li, H., and Wang, J., Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage; *TPEL Jan. 2020 957-967*
Potty, K.A., *see* Pan, J., *TPEL Oct. 2020 10137-10149*
Pou, J., *see* Jeon, Y., *TPEL March 2020 2488-2500*
Pou, J., *see* Beniwal, N., *TPEL April 2020 4426-4438*
Pou, J., *see* Sundararajan, P., *TPEL June 2020 6386-6396*
Pou, J., *see* Wang, J., *TPEL July 2020 6878-6894*
Pou, J., *see* Ramos, E.R., *TPEL Aug. 2020 8766-8778*
Pou, J., *see* Perez-Basante, A., *TPEL Aug. 2020 8712-8725*
Pou, J., *see* Rodriguez, E., *TPEL Aug. 2020 8819-8832*
Pou, J., *see* Tafti, H.D., *TPEL Sept. 2020 9342-9356*
Pou, J., *see* Beniwal, N., *TPEL Sept. 2020 9737-9752*
Pou, J., *see* Guo, B., *TPEL Dec. 2020 13000-13016*
Pou, J., *see* Townsend, C.D., *TPEL Dec. 2020 13540-13553*
Pouresmaeil, E., *see* Sangrody, R., *TPEL Dec. 2020 13068-13076*
Pouresmaeil, M., *see* Sangrody, R., *TPEL Dec. 2020 13068-13076*
Pourhadi Abkenar, P., Iman-Eini, H., Samimi, M.H., and Emaneini, M., Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water; *TPEL Aug. 2020 8215-8223*
Prakash, S., Martinez-Garcia, H., Naderi, M.H., Lee, H., and Silva-Martinez, J., An Agile Supply Modulator With Improved Transient Performance for Power Efficient Linear Amplifier Employing Envelope Tracking Techniques; *TPEL April 2020 4178-4191*
Prats, M.A.M., *see* Mendez, J.B., *TPEL Jan. 2020 15-19*
Pribahsnik, F.P., Bernardoni, M., Nelhiebel, M., Mataln, M., and Lindemann, A., Piezoelectric Properties of GaN-on-Si Heterostructures and Their Implications on Lifetime During Switching Operation; *TPEL Oct. 2020 10873-10878*
Pries, J., Galigekere, V.P.N., Onar, O.C., and Su, G., A 50-kW Three-Phase Wireless Power Transfer System Using Bipolar Windings and Series Resonant Networks for Rotating Magnetic Fields; *TPEL May 2020 4500-4517*
Prodanovic, M., *see* Rodriguez-Cabero, A., *TPEL June 2020 6548-6558*
Puerto-Flores, D.d., *see* Escobar, G., *TPEL May 2020 4647-4657*
Pugliese, S., Buticchi, G., Mastromauro, R.A., Andresen, M., Liserre, M., and Stasi, S., Soft-Start Procedure for a Three-Stage Smart Transformer Based on Dual-Active Bridge and Cascaded H-Bridge Converters; *TPEL Oct. 2020 11039-11052*

Q

Qamar, H., *see* Wu, D., *TPEL Dec. 2020 13295-13307*
Qamar, H., *see* Wu, D., *TPEL Dec. 2020 13295-13307*
Qi, F., *see* Li, D., *TPEL Dec. 2020 13429-13440*
Qi, J., *see* Zhao, H., *TPEL Aug. 2020 7742-7748*
Qi, J., Yang, X., Li, X., Chen, W., Tian, K., Wang, M., Guo, S., and Yang, M., Comparative Temperature Dependent Evaluation and Analysis of 1.2-kV SiC Power Diodes for Extreme Temperature Applications; *TPEL Dec. 2020 13384-13399*
Qi, L., *see* Sun, X., *TPEL Aug. 2020 8701-8711*
Qi, X., Wang, Y., and Fang, M., An Integrated Cascade Structure-Based Isolated Bidirectional DC–DC Converter for Battery Charge Equalization; *TPEL Nov. 2020 12003-12021*
Qi, Y., Tang, Y., Potti, K.R.R., and Rajashekara, K., Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors; *TPEL Dec. 2020 13590-13601*
Qian, C., *see* Qian, T., *TPEL Oct. 2020 10413-10422*
Qian, G., *see* Wang, H., *TPEL March 2020 3043-3053*
Qian, H., *see* Li, G., *TPEL Jan. 2020 415-429*
Qian, L., *see* Liu, S., *TPEL Nov. 2020 11328-11331*
Qian, Q., Xie, S., Xu, J., Xu, K., Bian, S., and Zhong, N., Output Impedance Modeling of Single-Phase Grid-Tied Inverters With Capturing the Frequency-Coupling Effect of PLL; *TPEL May 2020 5479-5495*

Qian, T., Guo, K., and Qian, C., A Combined Three-Port LLC Structure for Adaptive Power Flow Adjustment of PV Systems; *TPEL Oct. 2020 10413-10422*
Qian, W., *see* Liu, Y., *TPEL Aug. 2020 7729-7734*
Qian, Z., *see* Gao, M., *TPEL June 2020 6419-6435*
Qiao, G., *see* Zhang, K., *TPEL April 2020 3951-3962*
Qiao, L., *see* Liu, L., *TPEL Feb. 2020 1711-1720*
Qiao, W., *see* Qu, L., *TPEL June 2020 6175-6184*
Qiao, Y., Zhang, X., Xiang, X., Yang, X., and Green, T.C., Trapezoidal Current Modulation for Bidirectional High-Step-Ratio Modular DC–DC Converters; *TPEL April 2020 3402-3415*
Qiao, Y., *see* Xiang, X., *TPEL June 2020 5573-5580*
Qin, F., *see* Niu, D., *TPEL Feb. 2020 1171-1175*
Qin, F., Gao, F., and Zhang, C., Operational Analyses and Control Scheme of Nine-Arm Modular Multilevel Converter; *TPEL April 2020 3416-3433*
Qin, Y., *see* Ming, X., *TPEL Nov. 2020 12401-12415*
Qiu, A., *see* Wang, K., *TPEL May 2020 4925-4933*
Qiu, D., *see* Zhang, G., *TPEL Aug. 2020 8846-8856*
Qiu, H., *see* Chen, S., *TPEL Sept. 2020 9716-9726*
Qiu, H., *see* Wang, J., *TPEL Sept. 2020 9107-9118*
Qiu, J., *see* Kyaw, P.A., *TPEL Jan. 2020 867-881*
Qiu, L., *see* Liu, X., *TPEL May 2020 4462-4466*
Qu, J., Zhang, Q., Yuan, X., and Cui, S., Design of a Paralleled SiC MOSFET Half-Bridge Unit With Distributed Arrangement of DC Capacitors; *TPEL Oct. 2020 10879-10891*
Qu, J., He, L., Tang, N., and Lee, C., Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment; *TPEL Nov. 2020 11380-11390*
Qu, L., and Qiao, W., An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors; *TPEL June 2020 6175-6184*
Qu, L., *see* Qu, L., *TPEL June 2020 6175-6184*
Qu, R., *see* Ye, D., *TPEL Jan. 2020 640-651*
Qu, R., *see* Ye, D., *TPEL May 2020 4984-4995*
Qu, R., *see* Yu, Z., *TPEL Oct. 2020 10614-10628*
Qu, R., *see* Gan, C., *TPEL Nov. 2020 12307-12320*
Qu, S., *see* Zhang, Y., *TPEL Aug. 2020 8501-8511*
Qu, X., *see* Wang, J., *TPEL Jan. 2020 1147-1155*
Qu, X., Yao, Y., Wang, D., Wong, S., and Tse, C.K., A Family of Hybrid IPT Topologies With Near Load-Independent Output and High Tolerance to Pad Misalignment; *TPEL July 2020 6867-6877*
Qu, Y., Shu, W., and Chang, J.S., A Fully Soft Switched Point-of-Load Converter for Resource Constraint Drone Applications; *TPEL March 2020 2705-2713*
Qu, Y., and Wang, Z., Soft-Switching Techniques for Single-Inductor Multiple-Output LED Drivers; *TPEL Dec. 2020 13748-13756*
Qu, Z., *see* Li, B., *TPEL Nov. 2020 11430-11441*
Quan, Z., *see* Li, Y., *TPEL June 2020 5639-5659*
Quan, Z., *see* Zhou, D., *TPEL Aug. 2020 8569-8580*
Quan, Z., *see* Zhou, D., *TPEL Nov. 2020 12416-12428*
Quan, Z., *see* Zhou, D., *TPEL Nov. 2020 12429-12441*
Quraan, M., Zahran, A., Herzallah, A., and Ahmad, A., Design and Model of Series-Connected High-Voltage DC Multipliers; *TPEL July 2020 7160-7174*

R

R, E., Kavithaa, G., Samavatian, V., Alhaifi, K., Kokabi, A., and Moayedi, H., Reliability Enhancement of a Power Semiconductor With Optimized Solder Layer Thickness; *TPEL June 2020 6397-6404*
R, L., *see* Peter, J., *TPEL April 2020 3939-3950*
R, R., Ramachandran, K.R., Yadav, A.K., Gopakumar, K., Umanand, L., and Matsuse, K., A Switched Capacitive Filter-Based Harmonic Elimination Technique by Generating a 30-Sided Voltage Space Vector Structure for IM Drive; *TPEL March 2020 2402-2410*
Radhakrishnan, K., *see* Lambert, W.J., *TPEL June 2020 6208-6220*
Radomski, A., *see* Jurkov, A.S., *TPEL Oct. 2020 10150-10167*
Raherimihaja, H.J., *see* Na, T., *TPEL May 2020 4602-4612*
Raherimihaja, H.J., Zhang, Q., Na, T., Shao, M., and Wang, J., A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine; *TPEL Nov. 2020 12122-12132*
Rahman, A., *see* Murphree, R.C., *TPEL Jan. 2020 913-923*
Rahman, F.M.M., *see* Harnefors, L., *TPEL Sept. 2020 8878-8881*
Rahman, S., *see* Meraj, M., *TPEL Dec. 2020 12816-12833*
Rajan, A., *see* Singh, A., *TPEL March 2020 3242-3253*
Rajasekar, N., *see* Pillai, D.S., *TPEL June 2020 6594-6608*
Rajashekara, K., *see* Qi, Y., *TPEL Dec. 2020 13590-13601*
Rajeevan, P.P., *see* Richu, S.C., *TPEL Jan. 2020 816-825*
Ralev, I., *see* Ge, L., *TPEL March 2020 2787-2798*
Ram, J.P., *see* Pillai, D.S., *TPEL June 2020 6594-6608*
Ramachandran, K.R., *see* R, R., *TPEL March 2020 2402-2410*
Ramaiah, S., Lakshminarasamma, N., and Mishra, M.K., Multisource Switched Capacitor Based Boost Multilevel Inverter for Photovoltaic-Based Systems; *TPEL March 2020 2558-2570*
Ramchand, R., *see* Peter, J., *TPEL April 2020 3939-3950*
Ramchand, R., *see* Jayaprakasan, S., *TPEL Oct. 2020 10690-10699*
Ramirez, D., *see* Zarei, M.E., *TPEL Jan. 2020 289-302*
Ramirez, D., *see* Zarei, M.E., *TPEL July 2020 6719-6731*
Ramirez, J.A.O., *see* Salinas Lopez, G., *TPEL Feb. 2020 1830-1844*
Ramos, E.R., Leyva, R., G. Farivar, G., Tafti, H.D., Townsend, C.D., and Pou, J., Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters; *TPEL Aug. 2020 8766-8778*
Ramos, R., *see* Serrano, D., *TPEL May 2020 5319-5330*
Ramos, R., *see* Delgado, A., *TPEL Nov. 2020 11453-11462*
Ramos-Lara, R., *see* Repecho, V., *TPEL Feb. 2020 2222-2232*
Ran, L., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Rashid, A.U., *see* Zhao, S., *TPEL Feb. 2020 1882-1898*
Rashidi, N., Burgos, R., Roy, C., and Boroyevich, D., On the Modeling and Design of Modular Multilevel Converters With Parametric and Model-Form Uncertainty Quantification; *TPEL Oct. 2020 10168-10179*
Rathore, A.K., *see* Pan, X., *TPEL March 2020 2737-2763*
Rathore, N., *see* Gautam, A.R., *TPEL April 2020 4353-4364*
Raveendran, V., *see* Ko, Y., *TPEL Jan. 2020 220-231*
Raveendran, V., *see* Ko, Y., *TPEL March 2020 2445-2457*
Raveendran, V., Andresen, M., Buticchi, G., and Liserre, M., Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters; *TPEL April 2020 4205-4215*
Ravi, V., Satpathy, S., and Lakshminarasamma, N., An Energy-Based Analysis for High Voltage Low Power Flyback Converter Feeding Capacitive Load; *TPEL Jan. 2020 546-564*
Ravyts, S., *see* Broeck, G.V.d., *TPEL Sept. 2020 9306-9319*
Ravyts, S., Broeck, G.V.d., Hallemans, L., Vecchia, M.D., and Driesen, J., Fuse-Based Short-Circuit Protection of Converter Controlled Low-Voltage DC Grids; *TPEL Nov. 2020 11694-11706*
Real, J.V.d., *see* Lopez-Alcolea, F.J., *TPEL May 2020 5102-5121*
Rech, C., *see* Fischer, G.d.S., *TPEL May 2020 5447-5460*
Rech, C., *see* Giacomini, J.C., *TPEL Aug. 2020 8063-8073*
Reddy, S.R.P., and Loganathan, U., Offline Recursive Identification of Electrical Parameters of VSI-Fed Induction Motor Drives; *TPEL Oct. 2020 10711-10719*
Reigosa, D., *see* Guerrero, J.M., *TPEL Jan. 2020 373-381*
Relekar, A., *see* Fan, J.W., *TPEL March 2020 2519-2533*
Relekar, A., *see* Tung, C., *TPEL July 2020 7596-7611*
Ren, B., *see* Guo, G., *TPEL March 2020 2646-2658*
Ren, M., *see* Zhang, C., *TPEL Dec. 2020 12887-12897*
Ren, N., *see* Dong, Z., *TPEL Nov. 2020 12264-12273*
Ren, N., Wu, J., Liu, L., and Sheng, K., Improving Surge Current Capability of SiC Merged PiN Schottky Diode by Adding Plasma Spreading Layers; *TPEL Nov. 2020 11316-11320*
Ren, R., *see* Liu, B., *TPEL March 2020 2534-2547*
Ren, R., *see* Gui, H., *TPEL June 2020 5670-5682*
Ren, R., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Ren, X., Zhou, Y., Guo, Z., Wu, Y., Zhang, Z., and Chen, Q., Analysis and Improvement of Capacitance Effects in 360–800 Hz Variable On-Time Controlled CRM Boost PFC Converters; *TPEL July 2020 7480-7491*

Ren, X., *see* Chen, S., *TPEL Sept. 2020 9716-9726*
Ren, X., *see* Yang, Q., *TPEL Dec. 2020 13053-13067*
Ren, Y., *see* Li, Z., *TPEL May 2020 5267-5278*
Repecho, V., Biel, D., and Ramos-Lara, R., Robust ZAD Sliding Mode Control for an 8-Phase Step-Down Converter; *TPEL Feb. 2020 2222-2232*
Requena, N.A., *see* Delgado, A., *TPEL Nov. 2020 11453-11462*
Rey, J.M., *see* Velasco, M., *TPEL April 2020 4342-4352*
Riar, B.S., *see* Kalra, G.R., *TPEL Dec. 2020 12716-12727*
Riccio, M., *see* Xue, P., *TPEL June 2020 6292-6300*
Richardeau, F., *see* Bau, P., *TPEL Dec. 2020 13322-13332*
Richu, S.C., and Rajeevan, P.P., A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability; *TPEL Jan. 2020 816-825*
Ries, L.K., and Heldwein, M.L., Current Balancing Control Methods Using Advanced Carrier-Based Modulation for Five-Level Current Source Rectifiers; *TPEL Oct. 2020 10213-10226*
Rigaud, C., *see* Kyaw, P.A., *TPEL Jan. 2020 867-881*
Rim, C.T., *see* Thai, V.X., *TPEL April 2020 3466-3477*
Rim, C.T., *see* Kim, J.H., *TPEL June 2020 6165-6174*
Rim, C.T., *see* Choi, B.G., *TPEL July 2020 7317-7327*
Rim, C.T., *see* Choi, J.S., *TPEL Aug. 2020 7863-7872*
Rivas-Davila, J., *see* Park, S., *TPEL March 2020 2714-2723*
Rivas-Davila, J., *see* Gu, L., *TPEL Oct. 2020 10515-10531*
Rivas-Davila, J.M., *see* Zulauf, G., *TPEL March 2020 2917-2932*
Rivas-Davila, J.M., *see* Surakitbovorn, K.N., *TPEL April 2020 4009-4023*
Rivas-Davila, J.M., *see* Xu, J., *TPEL June 2020 6340-6349*
Rivas-Davila, J.M., *see* Tong, Z., *TPEL Aug. 2020 8472-8489*
Rivas-Davila, J.M., *see* Spro, O.C., *TPEL Sept. 2020 9494-9509*
Rizzolatti, R., Saggini, S., Ursino, M., and Jia, L., An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications; *TPEL Jan. 2020 430-442*
Rocabert, J., *see* Abdollahi, M., *TPEL July 2020 7532-7544*
Rocha, N., *see* da Costa, A.E.L., *TPEL March 2020 2295-2307*
Rodas, J., *see* Kali, Y., *TPEL Nov. 2020 12570-12580*
Rodriguez, E., Farivar, G.G., Beniwal, N., Townsend, C.D., Tafti, H.D., Vazquez, S., and Pou, J., Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters; *TPEL Aug. 2020 8819-8832*
Rodriguez, J., *see* Dragicevic, T., *TPEL Feb. 2020 1934-1946*
Rodriguez, J., *see* Wang, F., *TPEL Feb. 2020 1779-1788*
Rodriguez, J., *see* He, L., *TPEL Feb. 2020 1770-1778*
Rodriguez, J., *see* Bahrami, A., *TPEL March 2020 2308-2316*
Rodriguez, J., *see* Eftekhari, S.R., *TPEL May 2020 5417-5426*
Rodriguez, J., *see* Bahrami, A., *TPEL June 2020 5729-5740*
Rodriguez, J., *see* Zarei, M.E., *TPEL July 2020 6719-6731*
Rodriguez, J., *see* Xu, W., *TPEL July 2020 7366-7378*
Rodriguez, J., *see* Wang, F., *TPEL Dec. 2020 13652-13662*
Rodriguez, J., *see* Wang, F., *TPEL Dec. 2020 13455-13464*
Rodriguez, N., *see* Escudero, M., *TPEL Feb. 2020 1377-1391*
Rodriguez, N., *see* Escudero, M., *TPEL July 2020 7419-7433*
Rodriguez, P., *see* Lai, N.B., *TPEL June 2020 5873-5882*
Rodriguez, P., *see* Abdollahi, M., *TPEL July 2020 7532-7544*
Rodriguez, S.B., *see* Perise, J.S., *TPEL Oct. 2020 10906-10916*
Rodriguez Ramos, E., *see* Jeon, Y., *TPEL March 2020 2488-2500*
Rodriguez-Cabero, A., Roldan-Perez, J., Prodanovic, M., Suul, J.A., and D'Arco, S., Coupling of AC Grids via VSC-HVDC Interconnections for Oscillation Damping Based on Differential and Common Power Control; *TPEL June 2020 6548-6558*
Rodriguez-Lorente, A., Barrado, A., Calderon, C., Fernandez, C., and Lazaro, A., Non-inverting and Non-isolated Magnetically Coupled Buck–Boost Bidirectional DC–DC Converter; *TPEL Nov. 2020 11942-11954*
Rodriguez-Moreno, J., *see* Delgado, A., *TPEL June 2020 6221-6230*
Rodriguez-Moreno, J., *see* Delgado, A., *TPEL Aug. 2020 8452-8459*
Roemer, F., *see* Chang, F., *TPEL Nov. 2020 11879-11890*
Rogers, D.J., *see* Zhang, Y., *TPEL Feb. 2020 1536-1547*
Rogers, D.J., *see* Zhang, Y., *TPEL April 2020 3616-3626*
Rogers, D.J., *see* Ali, K., *TPEL May 2020 4658-4668*
Rogers, D.J., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Rogers, D.J., *see* Choudhury, K.R., *TPEL Oct. 2020 10580-10591*
Roggia, L., *see* Menke, M.F., *TPEL Dec. 2020 12686-12701*
Roinila, T., *see* Sihvo, J., *TPEL March 2020 2548-2557*
Roinila, T., *see* Luhtala, R., *TPEL April 2020 3343-3347*
Rojas, F., *see* Pineda, C., *TPEL July 2020 6906-6915*
Rojas, F., *see* Neira, S., *TPEL Dec. 2020 13077-13084*
Rolak, M., Sobol, C., Malinowski, M., and Stynski, S., Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel; *TPEL June 2020 6523-6532*
Roldan-Perez, J., *see* Rodriguez-Cabero, A., *TPEL June 2020 6548-6558*
Ron Hui, S.Y., *see* Liu, H., *TPEL Aug. 2020 8013-8024*
Roncero-Sanchez, P., *see* Lopez-Alcolea, F.J., *TPEL May 2020 5102-5121*
Rong, F., *see* Wu, G., *TPEL Oct. 2020 10799-10809*
Rong, G., *see* Zhang, Y., *TPEL Aug. 2020 8501-8511*
Rorrer, R.A.L., *see* Park, M., *TPEL Oct. 2020 9949-9952*
Rorrer, R.A.L., *see* Jeong, Y., *TPEL Dec. 2020 13126-13135*
Rostami, N., *see* Marzang, V., *TPEL Oct. 2020 10489-10500*
Rostami, N., *see* Jalilzadeh, T., *TPEL Nov. 2020 11902-11915*
Rotea, M.A., *see* Xiao, Y., *TPEL May 2020 4971-4983*
Rothmund, D., *see* Guillod, T., *TPEL Feb. 2020 1293-1305*
Rouger, N., *see* Bau, P., *TPEL Dec. 2020 13322-13332*
Routimo, M., *see* Harnefors, L., *TPEL Sept. 2020 8878-8881*
Routray, A., *see* Biswas, R., *TPEL Feb. 2020 1899-1906*
Rovatti, R., *see* Pareschi, F., *TPEL May 2020 5304-5318*
Roy, C., *see* Rashidi, N., *TPEL Oct. 2020 10168-10179*
Roy, R., Kumar, V.I., and Kapat, S., Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures; *TPEL March 2020 3127-3138*
Roy, S., *see* Murphree, R.C., *TPEL Jan. 2020 913-923*
Ruan, C., *see* Hu, W., *TPEL Jan. 2020 10-14*
Ruan, X., *see* Wang, Y., *TPEL Feb. 2020 2053-2066*
Ruan, X., *see* Li, Y., *TPEL May 2020 5279-5289*
Ruan, X., *see* Fang, T., *TPEL Aug. 2020 8689-8700*
Ruan, X., *see* Lin, Z., *TPEL Sept. 2020 9784-9793*
Ruan, X., *see* Ma, D., *TPEL Nov. 2020 12383-12400*
Ruan, X., *see* Li, Y., *TPEL Dec. 2020 13663-13672*
Ruddell, S., Madawala, U.K., and Thrimawithana, D.J., A Wireless EV Charging Topology With Integrated Energy Storage; *TPEL Sept. 2020 8965-8972*
Ryoo, H., *see* Park, S., *TPEL March 2020 2943-2949*
Ryu, S., *see* Choi, J.S., *TPEL Aug. 2020 7863-7872*

S

Saad, M., *see* Kali, Y., *TPEL Nov. 2020 12570-12580*
Sabahi, M., *see* Fardahar, S.M., *TPEL March 2020 2480-2487*
Sabariego, R.V., *see* Niyomsatian, K., *TPEL July 2020 7583-7595*
Sabbagh, M.A., *see* Ke, Z., *TPEL Nov. 2020 12544-12554*
Sadeghi, E., Zand, M.H., Hamzeh, M., Saif, M., and Alavi, S.M.M., Controllable Electrochemical Impedance Spectroscopy: From Circuit Design to Control and Data Analysis; *TPEL Sept. 2020 9933-9942*
Saeed, M.S.R., Song, W., Yu, B., and Wu, X., Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives; *TPEL Nov. 2020 12085-12099*
Saeedifard, M., *see* Zhang, Y., *TPEL July 2020 6916-6930*
Saeedifard, M., *see* Lin, H., *TPEL Nov. 2020 11310-11315*
Saez, D., *see* Espina, E., *TPEL Feb. 2020 1978-1992*
Saggini, S., *see* Rizzolatti, R., *TPEL Jan. 2020 430-442*
Saggini, S., *see* Liu, G., *TPEL June 2020 6501-6511*
Saha, S., *see* Akhtar, M.A., *TPEL June 2020 5548-5552*
Sahoo, B.D., *see* Jawalikar, P., *TPEL Aug. 2020 8276-8286*
Sahoo, S., Peng, J.C., Mishra, S., and Dragicevic, T., Distributed Screening of Hijacking Attacks in DC Microgrids; *TPEL July 2020 7574-7582*
Sahoo, S., Dragicevic, T., and Blaabjerg, F., Resilient Operation of Heterogeneous Sources in Cooperative DC Microgrids; *TPEL Dec. 2020 12601-12605*

Sahoo, S., Dragicevic, T., and Blaabjerg, F., An Event-Driven Resilient Control Strategy for DC Microgrids; *TPEL Dec. 2020 13714-13724*
Sahoo, S.K., *see* Ye, C., *TPEL June 2020 6280-6291*
Saif, M., *see* Sadeghi, E., *TPEL Sept. 2020 9933-9942*
Sakairi, H., *see* Nakamura, Y., *TPEL March 2020 2950-2958*
Sala, G., Valente, G., Gerada, D., Zanchetta, P., and Gerada, C., Post-Fault Operation of Bearingless Multisector SPM Machines by Space Vector Control; *TPEL April 2020 4168-4177*
Sala, G., *see* Wang, X., *TPEL Dec. 2020 13255-13269*
Salari, O., Zaad, K.H., Bakhshai, A., and Jain, P., Reconfigurable Hybrid Energy Storage System for an Electric Vehicle DC–AC Inverter; *TPEL Dec. 2020 12846-12860*
Salem, A., Mamdouh, M., and Abido, M.A., Predictive Torque Control and Capacitor Balancing of a SiC-Based Dual T-Type Drive System; *TPEL March 2020 2871-2881*
Sali, J.V., *see* Pandit, B., *TPEL Nov. 2020 11344-11351*
Salinas, G., *see* Delgado, A., *TPEL June 2020 6221-6230*
Salinas Lopez, G., Exposito, A.D., Munoz-Anton, J., Ramirez, J.A.O., and Lopez, R.P., Fast and Accurate Thermal Modeling of Magnetic Components by FEA-Based Homogenization; *TPEL Feb. 2020 1830-1844*
Salmon, J., *see* Tavakoli, A., *TPEL June 2020 5952-5964*
Salmon, J., *see* Perera, C., *TPEL July 2020 7305-7316*
Salvador, M.A., *see* de Andrade, J.M., *TPEL Dec. 2020 13239-13254*
Samanta, S., *see* Mishra, J., *TPEL June 2020 5842-5849*
Samavatian, M., *see* Samavatian, V., *TPEL Sept. 2020 8956-8964*
Samavatian, V., Iman-Eini, H., and Avenas, Y., Reliability Assessment of Multistate Degraded Systems: An Application to Power Electronic Systems; *TPEL April 2020 4024-4032*
Samavatian, V., *see* R, E., *TPEL June 2020 6397-6404*
Samavatian, V., Iman-Eini, H., Avenas, Y., and Samavatian, M., Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors; *TPEL Sept. 2020 8956-8964*
Samimi, M.H., *see* Pourhadi Abkenar, P., *TPEL Aug. 2020 8215-8223*
Samizadeh Nikoo, M., Jafari, A., Perera, N., and Matioli, E., Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance; *TPEL March 2020 2242-2246*
Samizadeh Nikoo, M., Jafari, A., Perera, N., and Matioli, E., Efficient High Step-Up Operation in Boost Converters Based on Impulse Rectification; *TPEL Nov. 2020 11287-11293*
Sanchez-Ruiz, A., *see* Perez-Basante, A., *TPEL Aug. 2020 8712-8725*
Sanders, S.R., *see* Jain, P., *TPEL Jan. 2020 940-956*
Sanders, S.R., *see* Poon, J., *TPEL Oct. 2020 11013-11025*
Sang, Y., Junyent-Ferre, A., and Green, T.C., Operational Principles of Three-Phase Single Active Bridge DC/DC Converters Under Duty Cycle Control; *TPEL Aug. 2020 8737-8750*
Sangrody, R., Pouresmaeil, M., Marzband, M., and Pouresmaeil, E., Resonance-Based Optimized Buck LED Driver Using Unequal Turn Ratio Coupled Inductance; *TPEL Dec. 2020 13068-13076*
Sangwongwanich, A., *see* Tafti, H.D., *TPEL Sept. 2020 9342-9356*
Sangwongwanich, A., *see* Pan, Y., *TPEL Oct. 2020 10994-11012*
Sankapal, B.R., *see* Pandit, B., *TPEL Nov. 2020 11344-11351*
Sarikhani, A., Takantape, M.M., and Hamzeh, M., A Transformerless Common-Ground Three-Switch Single-Phase Inverter for Photovoltaic Systems; *TPEL Sept. 2020 8902-8909*
Sasongko, F., *see* Sundararajan, P., *TPEL June 2020 6386-6396*
Sathik, M.H.M., *see* Sundararajan, P., *TPEL June 2020 6386-6396*
Sathyanarayanan, A.S., *see* Narayanasamy, B., *TPEL Oct. 2020 10629-10642*
Sato, H., *see* Uno, M., *TPEL Feb. 2020 1563-1575*
Sato, Y., *see* Yamaguchi, K., *TPEL Jan. 2020 619-629*
Sato, Y., Uno, M., and Nagata, H., Nonisolated Multiport Converters Based on Integration of PWM Converter and Phase-Shift-Switched Capacitor Converter; *TPEL Jan. 2020 455-470*
Sato, Y., Kawano, K., Hou, D., Morroni, J., and Igarashi, H., Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation; *TPEL Sept. 2020 9661-9668*
Satpathy, S., *see* Ravi, V., *TPEL Jan. 2020 546-564*
Schafer, J., Bortis, D., and Kolar, J.W., Novel Highly Efficient/Compact Automotive PCB Winding Inductors Based on the Compensating Air-Gap Fringing Field Concept; *TPEL Sept. 2020 9617-9631*
Schanen, J., *see* Kyaw, P.A., *TPEL Jan. 2020 867-881*
Schoenberger, D., *see* Delgado, A., *TPEL Aug. 2020 7884-7893*
Schoner, C., *see* Helmers, H., *TPEL Aug. 2020 7904-7909*
Schramm Dall'Asta, M., Barbi, I., and Lazzarin, T.B., AC–AC Hybrid Boost Switched-Capacitor Converter; *TPEL Dec. 2020 13115-13125*
Schrittwieser, L., Leibl, M., and Kolar, J.W., 99% Efficient Isolated Three-Phase Matrix-Type DAB Buck–Boost PFC Rectifier; *TPEL Jan. 2020 138-157*
Schumacher, W., *see* Hans, F., *TPEL Dec. 2020 13573-13589*
Scott, J., *see* Hasan, R., *TPEL April 2020 4448*
Seal, S., Wallace, A.K., Dearien, A.M., Farnell, C., and Mantooth, H.A., A Wire Bondless SiC Switching Cell With a Vertically Integrated Gate Driver; *TPEL Sept. 2020 9690-9699*
Sebastian, J., *see* Vazquez, A., *TPEL March 2020 3195-3207*
Sedaghati, F., *see* Azizkandi, M.E., *TPEL May 2020 4558-4567*
Seidel, A.R., *see* Menke, M.F., *TPEL Dec. 2020 12686-12701*
Sellers, A.J., Hontz, M.R., Khanna, R., Lemmon, A.N., DeBoi, B.T., and Shahabi, A., An Automated Model Tuning Procedure for Optimizing Prediction of Transient and Dispersive Behavior in Wide Bandgap Semiconductor FETs; *TPEL Nov. 2020 12252-12263*
Semsar, S., Soong, T., and Lehn, P.W., On-Board Single-Phase Integrated Electric Vehicle Charger With V2G Functionality; *TPEL Nov. 2020 12072-12084*
Senger, R., *see* Zhang, X., *TPEL Feb. 2020 1721-1731*
Seo, S., Jo, H., and Bien, F., Free Arrangement Wireless Power Transfer System With a Ferrite Transmission Medium and Geometry-Based Performance Improvement; *TPEL May 2020 4518-4532*
Seok, H., Junyent-Ferre, A., Cha, H., and Kim, M., Reactive Power Elimination for High Conversion-Ratio Bidirectional Resonant Converter; *TPEL April 2020 3740-3753*
Seok, H., *see* Son, S., *TPEL Nov. 2020 11916-11929*
Sepahvand, A., *see* Khatua, M., *TPEL Oct. 2020 10396-10412*
Serrano, D., Ramos, R., Alou, P., Oliver, J.A., and Cobos, J.A., Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter; *TPEL May 2020 5319-5330*
Settels, S.J., Duarte, J.L., van Duivenbode, J., and Lomonova, E.A., A 2-kV Charge-Based ZVS Three-Level Inverter; *TPEL April 2020 3450-3465*
Setti, G., *see* Pareschi, F., *TPEL May 2020 5304-5318*
Sha, D., *see* Chen, D., *TPEL Feb. 2020 1649-1658*
Sha, D., Sun, T., and Zhang, J., Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers; *TPEL April 2020 3766-3777*
Sha, D., Zhang, J., and Liu, K., Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range; *TPEL June 2020 6012-6024*
Sha, S., *see* Li, Z., *TPEL Dec. 2020 12977-12987*
Shafaei, R., Perez, M.C.G., and Ordonez, M., Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling; *TPEL Sept. 2020 9632-9649*
Shafiee, Q., *see* Naderi, M., *TPEL May 2020 4728-4740*
Shafiee, Q., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Shafiee, Q., *see* Heydari, R., *TPEL Nov. 2020 12486-12496*
Shafiee, Q., *see* Naderi, M., *TPEL Nov. 2020 11801-11812*
Shah, M.T., Chauhan, S.K., and Tekwani, P.N., Fractal Approach Based Simplified and Generalized Sector Detection in Current Error Space Phasor Based Hysteresis Controller Applied to Multilevel Front-End Converters; *TPEL Oct. 2020 11082-11095*
Shah, P., and Singh, B., Adaptive Observer Based Control for Rooftop Solar PV System; *TPEL Sept. 2020 9402-9415*
Shahabi, A., *see* Sellers, A.J., *TPEL Nov. 2020 12252-12263*
Shahjalal, M., Ahmed, M.R., Lu, H., Bailey, C., and Forsyth, A.J., An Analysis of the Thermal Interaction Between Components in Power Converter Applications; *TPEL Sept. 2020 9082-9094*
Shair, J., *see* Liu, W., *TPEL Sept. 2020 9380-9389*
Shan, R., *see* Liu, C., *TPEL Feb. 2020 1576-1588*

Shan, Y., Hu, J., Liu, M., Zhu, J., and Guerrero, J.M., Model Predictive Voltage and Power Control of Islanded PV-Battery Microgrids With Washout-Filter-Based Power Sharing Strategy; *TPEL Feb. 2020 1227-1238*
Shaneh, M., *see* Nouri, T., *TPEL Dec. 2020 12871-12886*
Shang, Y., Zhao, S., Fu, Y., Han, B., Hu, P., and Mi, C.C., A Lithium-Ion Battery Balancing Circuit Based on Synchronous Rectification; *TPEL Feb. 2020 1637-1648*
Shang, Y., Liu, K., Cui, N., Wang, N., Li, K., and Zhang, C., A Compact Resonant Switched-Capacitor Heater for Lithium-Ion Battery Self-Heating at Low Temperatures; *TPEL July 2020 7134-7144*
Shao, M., *see* Raherimihaja, H.J., *TPEL Nov. 2020 12122-12132*
Shao, S., *see* Chen, L., *TPEL Feb. 2020 1957-1966*
Shao, S., Li, Y., Sheng, J., Li, C., Li, W., Zhang, J., and He, X., A Modular Multilevel Resonant DC–DC Converter; *TPEL Aug. 2020 7921-7932*
Shao, S., *see* Chen, L., *TPEL Aug. 2020 8624-8637*
Shao, S., Yu, N., Xu, X., Bai, J., Wu, X., and Zhang, J., Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module; *TPEL Oct. 2020 10930-10944*
Shao, W., Wu, R., Ran, L., Jiang, H., Mawby, P.A., Rogers, D.J., Green, T.C., Coombs, T., Yardley, K., Kastha, D., Bajpai, P., and Zhou, L., A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability; *TPEL Oct. 2020 10567-10579*
Shao, Y., *see* Talesara, V., *TPEL Sept. 2020 9680-9689*
Sharma, R., and Das, A., Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application; *TPEL June 2020 5683-5691*
Sharma, S., *see* Bhowate, A., *TPEL July 2020 7282-7294*
Shayeghi, H., *see* Azizkandi, M.E., *TPEL May 2020 4558-4567*
Sheir, A., *see* Ibrahim, E.A.D., *TPEL May 2020 4703-4714*
Shen, A., *see* Tang, Q., *TPEL Jan. 2020 699-708*
Shen, C., *see* Cheng, H., *TPEL Aug. 2020 8751-8765*
Shen, G., *see* Zhou, Z., *TPEL Nov. 2020 12555-12569*
Shen, K., *see* Han, Y., *TPEL Oct. 2020 11193-11204*
Shen, R., *see* Zhang, Q., *TPEL March 2020 2908-2916*
Shen, R., *see* Xu, C., *TPEL Oct. 2020 10770-10777*
Shen, S., *see* Yan, J., *TPEL Feb. 2020 1353-1364*
Shen, S., *see* Fang, T., *TPEL Aug. 2020 8689-8700*
Shen, W., *see* Zhang, Y., *TPEL Feb. 2020 1659-1671*
Shen, W., *see* Tian, J., *TPEL Oct. 2020 10363-10373*
Shen, Y., Wang, H., Blaabjerg, F., Zhao, H., and Long, T., Thermal Modeling and Design Optimization of PCB Vias and Pads; *TPEL Jan. 2020 882-900*
Shen, Y., Ma, J., and Wang, L., Study on DFIG Dissipation Energy Model and Low-Frequency Oscillation Mechanism Considering the Effect of PLL; *TPEL April 2020 3348-3364*
Shen, Y., *see* Zhao, H., *TPEL July 2020 7545-7562*
Shen, Y., *see* Ma, J., *TPEL Aug. 2020 8074-8087*
Shen, Y., *see* Zhao, H., *TPEL Aug. 2020 7742-7748*
Shen, Y., Shillaber, L., Zhao, H., Jiang, Y., and Long, T., Desynchronizing Paralleled GaN HEMTs to Reduce Light-Load Switching Loss; *TPEL Sept. 2020 9151-9170*
Shen, Y., *see* Jiang, C., *TPEL Oct. 2020 10821-10830*
Shen, Z., Jiang, D., Liu, Z., Ye, D., and Li, J., Common-Mode Voltage Elimination for Dual Two-Level Inverter-Fed Asymmetrical Six-Phase PMSM; *TPEL April 2020 3828-3840*
Shen, Z., *see* Li, Q., *TPEL May 2020 5366-5380*
Shen, Z., Kaymak, M., Wang, H., Hu, J., Jin, L., Blaabjerg, F., and De Doncker, R.W., The Faraday Shields Loss of Transformers; *TPEL Nov. 2020 12194-12206*
Shen, Z.J., *see* Shuai, Z., *TPEL April 2020 4127-4142*
Shen, Z.J., *see* Li, Z., *TPEL May 2020 5354-5365*
Shen, Z.J., *see* Cheng, H., *TPEL Aug. 2020 8751-8765*
Shen, Z.J., *see* Li, Z., *TPEL Aug. 2020 8512-8523*
Sheng, H., *see* Li, Y., *TPEL July 2020 6963-6973*
Sheng, J., Yang, H., Li, C., Chen, M., Li, W., He, X., and Gu, X., Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation; *TPEL April 2020 4242-4255*
Sheng, J., *see* Shao, S., *TPEL Aug. 2020 7921-7932*
Sheng, K., *see* Dong, Z., *TPEL Nov. 2020 12264-12273*
Sheng, K., *see* Ren, N., *TPEL Nov. 2020 11316-11320*
Sheng, X., and Shi, L., An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System; *TPEL July 2020 6810-6819*
Shenoy, P.S., *see* Ye, Z., *TPEL June 2020 5965-5977*
Sherif, A.E., *see* Ashourloo, M., *TPEL July 2020 7653-7663*
Shi, B., *see* Nie, J., *TPEL April 2020 4256-4271*
Shi, B., *see* Nie, J., *TPEL Nov. 2020 11304-11309*
Shi, H., Sun, K., Wu, H., and Li, Y., A Unified State-Space Modeling Method for a Phase-Shift Controlled Bidirectional Dual-Active Half-Bridge Converter; *TPEL March 2020 3254-3265*
Shi, H., Wen, H., and Hu, Y., Deadband Effect and Accurate ZVS Boundaries of GaN-Based Dual-Active-Bridge Converters With Multiple-Phase-Shift Control; *TPEL Sept. 2020 9886-9903*
Shi, K., Yin, X., Jiang, L., Liu, Y., Hu, Y., and Wen, H., Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine; *TPEL Jan. 2020 319-333*
Shi, L., *see* Sheng, X., *TPEL July 2020 6810-6819*
Shi, L., *see* Xu, S., *TPEL Nov. 2020 12347-12358*
Shi, M., *see* Lei, J., *TPEL March 2020 2458-2466*
Shi, R., *see* Zhang, K., *TPEL Oct. 2020 11108-11118*
Shi, T., *see* Song, Z., *TPEL Jan. 2020 760-774*
Shi, T., *see* Xiao, S., *TPEL April 2020 3878-3890*
Shi, T., Yan, Y., Zhou, Z., Xiao, M., and Xia, C., Linear Quadratic Regulator Control for PMSM Drive Systems Using Nonlinear Disturbance Observer; *TPEL May 2020 5093-5101*
Shi, T., *see* Cao, Y., *TPEL Aug. 2020 8417-8428*
Shi, T., *see* Lin, Z., *TPEL Dec. 2020 13345-13355*
Shi, Y., *see* Wang, W., *TPEL Feb. 2020 1365-1376*
Shi, Y., *see* Yu, X., *TPEL April 2020 3807-3827*
Shi, Y., *see* Zhao, L., *TPEL May 2020 4579-4587*
Shi, Y., *see* Liu, J., *TPEL Sept. 2020 9390-9401*
Shi, Y., Xin, Z., Loh, P.C., and Blaabjerg, F., A Review of Traditional Helical to Recent Miniaturized Printed Circuit Board Rogowski Coils for Power-Electronic Applications; *TPEL Nov. 2020 12207-12222*
Shi, Y., *see* Zhao, L., *TPEL Dec. 2020 12949-12958*
Shi, Z., *see* Liu, L., *TPEL Feb. 2020 1711-1720*
Shih, C., *see* Tan, K., *TPEL July 2020 7451-7464*
Shillaber, L., *see* Shen, Y., *TPEL Sept. 2020 9151-9170*
Shiluveru, K., Singh, A., Ahmad, A., and Singh, R.K., Hybrid Buck–Boost Multioutput Quasi-Z-Source Converter With Dual DC and Single AC Outputs; *TPEL July 2020 7246-7260*
Shim, M., *see* Jeong, J., *TPEL Jan. 2020 347-358*
Shim, M., *see* Jeong, J., *TPEL March 2020 2253-2256*
Shin, C., *see* Chen, Y., *TPEL Nov. 2020 11475-11487*
Shin, S., *see* Park, J., *TPEL May 2020 4477-4482*
Shin, S., Hong, S., Lee, H., and Cho, G., High-Efficiency Hybrid Dual-Path Step-Up DC–DC Converter With Continuous Output-Current Delivery for Low Output Voltage Ripple; *TPEL June 2020 6025-6038*
Shin, S., *see* Kim, D., *TPEL Dec. 2020 13441-13454*
Shirakawa, T., *see* Noah, M., *TPEL Jan. 2020 835-852*
Shoyama, M., *see* Hassan, M.S., *TPEL Sept. 2020 9824-9838*
Shu, J., Wang, S., Ma, J., Liu, T., and He, Z., An Active Z-Source DC Circuit Breaker Combined With SCR and IGBT; *TPEL Oct. 2020 10003-10007*
Shu, L., *see* Pan, P., *TPEL April 2020 4033-4047*
Shu, L., Chen, W., Li, R., Zhang, K., Deng, F., Yuan, Y., and Wang, T., A Three-Phase Triple-Voltage Dual-Active-Bridge Converter for Medium Voltage DC Transformer to Reduce the Number of Submodules; *TPEL Nov. 2020 11574-11588*
Shu, W., *see* Qu, Y., *TPEL March 2020 2705-2713*
Shu, Z., *see* Lin, H., *TPEL April 2020 3506-3518*
Shu, Z., *see* Lin, H., *TPEL Nov. 2020 11310-11315*
Shu-Hung Chung, H., *see* Tang, H., *TPEL July 2020 7204-7225*
Shu-hung Chung, H., *see* Li, H., *TPEL Dec. 2020 12773-12786*
Shuai, Z., Huang, W., Shen, Z.J., Luo, A., and Tian, Z., Active Power Oscillation and Suppression Techniques Between Two Parallel Synchronverters During Load Fluctuations; *TPEL April 2020 4127-4142*

Shuai, Z., *see* Cheng, H., *TPEL Aug. 2020 8751-8765*
Shuai, Z., *see* Zhao, J., *TPEL Aug. 2020 8102-8115*
Shuai, Z., *see* Xiao, Z., *TPEL Aug. 2020 8673-8688*
Shukla, S., and Singh, B., Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors; *TPEL Dec. 2020 12988-12999*
Shun-Cheung Yeung, R., *see* Tang, H., *TPEL July 2020 7204-7225*
Si, J., *see* Gan, C., *TPEL Nov. 2020 12307-12320*
Si, Y., *see* Zhang, Z., *TPEL Oct. 2020 10831-10851*
Sihvo, J., Stroe, D., Messo, T., and Roinila, T., Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals; *TPEL March 2020 2548-2557*
Silva-Martinez, J., *see* Prakash, S., *TPEL April 2020 4178-4191*
Silveira, J.P.C., *see* Neto, P.J.d.S., *TPEL Nov. 2020 12472-12485*
Simpson-Porco, J.W., *see* Khayat, Y., *TPEL June 2020 6482-6500*
Singer, S., Beck, Y., and Martinez-Salamero, L., Energy Storage and POPI Networks in Power Processing Systems; *TPEL Feb. 2020 1425-1439*
Singh, A., Kar, M., Chekuri, V.C.K., Mathew, S.K., Rajan, A., De, V., and Mukhopadhyay, S., A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging; *TPEL March 2020 3242-3253*
Singh, A., *see* Shiluveru, K., *TPEL July 2020 7246-7260*
Singh, B., *see* Mir, T.N., *TPEL Jan. 2020 968-976*
Singh, B., *see* Shah, P., *TPEL Sept. 2020 9402-9415*
Singh, B., *see* Shukla, S., *TPEL Dec. 2020 12988-12999*
Singh, B.N., *see* Ni, Z., *TPEL Aug. 2020 7765-7794*
Singh, J.P., *see* Jain, P., *TPEL Jan. 2020 940-956*
Singh, M., *see* Devanshu, A., *TPEL Jan. 2020 652-666*
Singh, R.K., *see* Shiluveru, K., *TPEL July 2020 7246-7260*
Singh, S.P., *see* Naik N, V., *TPEL Aug. 2020 8443-8451*
Siu, K.K.M., and Ho, C.N.M., Manitoba Rectifier—Bridgeless Buck–Boost PFC; *TPEL Jan. 2020 403-414*
Siwakoti, Y.P., *see* Yuan, J., *TPEL Aug. 2020 7716-7720*
Siwakoti, Y.P., *see* Barzegarkhoo, R., *TPEL Aug. 2020 8140-8153*
Siwakoti, Y.P., *see* Khan, M.N.H., *TPEL Aug. 2020 8248-8260*
Siwakoti, Y.P., *see* Lee, S.S., *TPEL Sept. 2020 9522-9529*
Siwakoti, Y.P., *see* Mhiesan, H., *TPEL Dec. 2020 12702-12715*
Smedley, K., *see* Zheng, Y., *TPEL Sept. 2020 9416-9429*
Smedley, K.M., *see* Zheng, Y., *TPEL Jan. 2020 535-545*
Smedley, K.M., *see* Li, S., *TPEL Feb. 2020 1685-1698*
Smedley, K.M., *see* Xie, W., *TPEL March 2020 2724-2736*
Smedley, K.M., *see* Xie, W., *TPEL May 2020 4891-4904*
Sobol, C., *see* Rolak, M., *TPEL June 2020 6523-6532*
Sodhi, R., *see* Mahajan, D.D., *TPEL June 2020 6332-6339*
Sohn, Y., *see* Park, S., *TPEL March 2020 3266-3275*
Soleimanzadeh, R., *see* Jafari, A., *TPEL Dec. 2020 12595-12600*
Solomin, E., *see* Jabbour, N., *TPEL Aug. 2020 8154-8164*
Solsona, J.A., *see* Busada, C.A., *TPEL March 2020 3097-3105*
Somasekhar, V.T., *see* Lakhimsetty, S., *TPEL June 2020 6198-6207*
Son, S., Seok, H., and Kim, M., Removal of Instantaneous Reactive Power From High-Conversion-Ratio Bidirectional Resonant Converter With Balanced Capacitor Voltage; *TPEL Nov. 2020 11916-11929*
Son, Y., and Sul, S., Analysis of Current Flowing Through Disabled Converters in Parallel AC/DC Power Conversion System; *TPEL Nov. 2020 11625-11633*
Song, B., *see* Zhang, K., *TPEL Oct. 2020 11108-11118*
Song, B., Dong, S., Li, Y., and Cui, S., A Dual-Layer Receiver With a Low Aspect Ratio and a Reduced Output Fluctuation for EV Dynamic Wireless Charging; *TPEL Oct. 2020 10338-10351*
Song, C., *see* Liu, G., *TPEL March 2020 2882-2894*
Song, C., *see* Lu, P., *TPEL July 2020 6705-6710*
Song, C., *see* Lu, P., *TPEL Aug. 2020 7749-7754*
Song, D., *see* Tang, W., *TPEL May 2020 4533-4546*
Song, J., *see* Song, X., *TPEL Aug. 2020 7816-7825*
Song, K., Mingli, W., Yang, S., Liu, Q., Agelidis, V.G., and Konstantinou, G., High-Order Harmonic Resonances in Traction Power Supplies: A Review Based on Railway Operational Data, Measurements, and Experience; *TPEL March 2020 2501-2518*
Song, K., Yang, G., Guo, Y., Lan, Y., Dong, S., Jiang, J., and Zhu, C., Design of DD Coil With High Misalignment Tolerance and Low EMF Emissions for Wireless Electric Vehicle Charging Systems; *TPEL Sept. 2020 9034-9045*
Song, L., *see* Liu, P., *TPEL July 2020 6686-6690*
Song, Q., *see* Guo, G., *TPEL March 2020 2646-2658*
Song, Q., *see* Liu, P., *TPEL June 2020 6153-6164*
Song, Q., *see* Xu, S., *TPEL July 2020 6668-6672*
Song, Q., *see* Zhang, Y., *TPEL Aug. 2020 8501-8511*
Song, Q., *see* Xu, C., *TPEL Dec. 2020 12668-12672*
Song, S., *see* Ge, L., *TPEL March 2020 2787-2798*
Song, S., Munk-Nielsen, S., and Uhrenfeldt, C., How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range? *TPEL July 2020 6711-6718*
Song, S., Liu, J., Du, S., Chen, X., Liu, H., and Lin, W., Effect of Averaging Voltage Regulation Control on Steady-State Analysis of Modular Multilevel Converters; *TPEL Sept. 2020 9215-9225*
Song, S., Fang, G., Hei, R., Jiang, J., Ma, R., and Liu, W., Torque Ripple and Efficiency Online Optimization of Switched Reluctance Machine Based on Torque per Ampere Characteristics; *TPEL Sept. 2020 9608-9616*
Song, S., Zhang, Q., He, Z., Li, H., and Zhang, X., Uniform Power Dynamic Wireless Charging System With I-Type Power Supply Rail and DQ-Phase-Receiver Employing Receiver-Side Control; *TPEL Oct. 2020 11205-11212*
Song, S., *see* Chen, X., *TPEL Nov. 2020 11418-11429*
Song, T., *see* Zhang, Y., *TPEL April 2020 3616-3626*
Song, W., *see* Ma, J., *TPEL Jan. 2020 977-987*
Song, W., *see* Saeed, M.S.R., *TPEL Nov. 2020 12085-12099*
Song, W., *see* Gong, Z., *TPEL Nov. 2020 12274-12284*
Song, X., *see* Liu, C., *TPEL Feb. 2020 1576-1588*
Song, X., *see* Yan, L., *TPEL March 2020 2257-2262*
Song, X., Zhao, J., Song, J., Dong, F., Xu, L., and Zhao, J., Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM; *TPEL Aug. 2020 7816-7825*
Song, X., Zhang, L., and Huang, A.Q., Three-Terminal Si/SiC Hybrid Switch; *TPEL Sept. 2020 8867-8871*
Song, Y., *see* Mai, R., *TPEL July 2020 6652-6657*
Song, Y., *see* Ma, K., *TPEL Oct. 2020 10673-10680*
Song, Z., Wang, Y., and Shi, T., A Dual-Loop Predictive Control Structure for Permanent Magnet Synchronous Machines With Enhanced Attenuation of Periodic Disturbances; *TPEL Jan. 2020 760-774*
Song, Z., Wang, H., Hou, J., Hofmann, H.F., and Sun, J., Combined State and Parameter Estimation of Lithium-Ion Battery With Active Current Injection; *TPEL April 2020 4439-4447*
Song, Z., Ma, X., and Yu, Y., Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors; *TPEL June 2020 6127-6139*
Song, Z., Hu, S., and Bao, Z., Variable Action Period Predictive Flux Control Strategy for Permanent Magnet Synchronous Machines; *TPEL June 2020 6185-6197*
Soon, J.L., Lu, D.D., Peng, J.C., and Xiao, W., Reconfigurable Nonisolated DC–DC Converter With Fault-Tolerant Capability; *TPEL Sept. 2020 8934-8943*
Soon, J.L., *see* Hassan, W., *TPEL Nov. 2020 11827-11842*
Soong, T., *see* Semsar, S., *TPEL Nov. 2020 12072-12084*
Spanos, C., *see* Jain, P., *TPEL Jan. 2020 940-956*
Spiazzi, G., *see* Marconi, S., *TPEL March 2020 2764-2775*
Spro, O.C., Lefranc, P., Park, S., Rivas-Davila, J.M., Peftitsis, D., Midtgard, O., and Undeland, T., Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters; *TPEL Sept. 2020 9494-9509*
Stasi, S., *see* Pugliese, S., *TPEL Oct. 2020 11039-11052*
Stone, D.A., *see* Yang, Z., *TPEL Oct. 2020 10466-10476*
Stoyka, K., *see* Femia, N., *TPEL Oct. 2020 10969-10981*
Stroe, D., *see* Sihvo, J., *TPEL March 2020 2548-2557*
Stroe, D., *see* Cai, L., *TPEL Nov. 2020 11855-11864*
Stynski, S., *see* Rolak, M., *TPEL June 2020 6523-6532*
Su, G., *see* Pries, J., *TPEL May 2020 4500-4517*

Su, H., *see* Zhou, Z., *TPEL Sept. 2020 8985-8997*
Su, H., *see* Yang, S., *TPEL Dec. 2020 13735-13747*
Su, J., *see* Yu, X., *TPEL April 2020 3807-3827*
Su, J., *see* Yu, X., *TPEL June 2020 6231-6250*
Su, J., *see* Lee, T., *TPEL Sept. 2020 9024-9033*
Su, J., Chen, Y., Zhang, D., and Kang, Y., Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator; *TPEL Oct. 2020 9953-9958*
Su, M., *see* Li, X., *TPEL Feb. 2020 1622-1636*
Su, M., *see* Tang, Z., *TPEL March 2020 2571-2584*
Su, M., *see* Tang, W., *TPEL May 2020 4533-4546*
Su, M., *see* Guo, B., *TPEL Dec. 2020 13000-13016*
Su, Y., Wu, P., and Cheng, P., Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications; *TPEL March 2020 3139-3147*
Su, Z., *see* Deng, T., *TPEL Dec. 2020 13465-13474*
Subrahmanyam, N., *see* Kuncham, S.K., *TPEL Sept. 2020 9510-9521*
Sul, S., *see* Ohn, S., *TPEL Jan. 2020 853-866*
Sul, S., *see* Kim, H., *TPEL Feb. 2020 2077-2087*
Sul, S., *see* Son, Y., *TPEL Nov. 2020 11625-11633*
Sul, S., *see* Lee, J., *TPEL Nov. 2020 12100-12109*
Sullivan, C.R., *see* Kyaw, P.A., *TPEL Jan. 2020 867-881*
Sumner, M., *see* Zhang, Y., *TPEL Feb. 2020 1525-1535*
Sun, C., Liu, W., Wei, Z., Jiao, N., and Pang, J., Open-Circuit Fault Diagnosis of Rotating Rectifier by Analyzing the Exciter Armature Current; *TPEL June 2020 6373-6385*
Sun, C., Zhu, M., Zhang, X., Huang, J., and Cai, X., Output-Series Modular DC–DC Converter With Self-Voltage Balancing for Integrating Variable Energy Sources; *TPEL Nov. 2020 11321-11327*
Sun, C., Zhang, X., and Cai, X., A Step-Up Nonisolated Modular Multilevel DC–DC Converter With Self-Voltage Balancing and Soft Switching; *TPEL Dec. 2020 13017-13030*
Sun, D., *see* Hu, W., *TPEL Jan. 2020 10-14*
Sun, D., *see* Zheng, Z., *TPEL Feb. 2020 2151-2159*
Sun, D., *see* Cheng, Y., *TPEL Sept. 2020 9597-9607*
Sun, J., *see* Zhang, Y., *TPEL Jan. 2020 334-346*
Sun, J., *see* Zhou, X., *TPEL March 2020 2799-2808*
Sun, J., Liu, Z., Zheng, Z., and Li, Y., An Online Global Fault-Tolerant Control Strategy for Symmetrical Multiphase Machines With Minimum Losses in Full Torque Production Range; *TPEL March 2020 2819-2830*
Sun, J., *see* Jiang, Y., *TPEL April 2020 4272-4285*
Sun, J., Yuan, L., Gu, Q., Duan, R., Lu, Z., and Zhao, Z., Design-Oriented Comprehensive Time-Domain Model for *CLLC* Class Isolated Bidirectional DC-DC Converter for Various Operation Modes; *TPEL April 2020 3491-3505*
Sun, J., *see* Song, Z., *TPEL April 2020 4439-4447*
Sun, J., *see* Zhang, H., *TPEL May 2020 5157-5179*
Sun, J., Cho, J., Huang, A., Kim, H., and Fan, J., Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems; *TPEL Aug. 2020 7840-7852*
Sun, J., *see* Lyu, G., *TPEL Sept. 2020 9669-9679*
Sun, J., *see* Gui, H., *TPEL Dec. 2020 13136-13147*
Sun, K., *see* Wu, G., *TPEL Feb. 2020 1845-1854*
Sun, K., *see* Shi, H., *TPEL March 2020 3254-3265*
Sun, K., Wang, J., Burgos, R., and Boroyevich, D., Design, Analysis, and Discussion of Short Circuit and Overload Gate-Driver Dual-Protection Scheme for 1.2-kV, 400-A SiC MOSFET Modules; *TPEL March 2020 3054-3068*
Sun, K., *see* Wang, J., *TPEL July 2020 7073-7085*
Sun, K., *see* Xiao, Y., *TPEL Nov. 2020 11988-12002*
Sun, L., *see* Hang, J., *TPEL Feb. 2020 2023-2033*
Sun, L., *see* Zhang, X., *TPEL Sept. 2020 9471-9481*
Sun, M., *see* Wu, C., *TPEL Oct. 2020 10700-10710*
Sun, P., *see* Liu, R., *TPEL Jan. 2020 303-318*
Sun, P., *see* Chen, J., *TPEL March 2020 2690-2704*
Sun, P., *see* Ke, J., *TPEL April 2020 3963-3972*
Sun, P., *see* Zhu, K., *TPEL Aug. 2020 8116-8129*
Sun, P., *see* Wang, Z., *TPEL Nov. 2020 11783-11800*
Sun, P., *see* Chen, J., *TPEL Dec. 2020 13182-13199*
Sun, T., *see* Chen, D., *TPEL Feb. 2020 1649-1658*
Sun, T., *see* Zeng, Z., *TPEL April 2020 3973-3988*
Sun, T., *see* Sha, D., *TPEL April 2020 3766-3777*
Sun, T., Yang, R., Li, H., Zhang, X., and Xu, T., Active Motor Rotor Temperature Management Based on One-Node Thermal Network Model Predictive Control; *TPEL Oct. 2020 11213-11221*
Sun, W., *see* Liu, S., *TPEL May 2020 5180-5189*
Sun, W., *see* Xu, S., *TPEL Nov. 2020 12347-12358*
Sun, W., *see* Wei, J., *TPEL Nov. 2020 11299-11303*
Sun, W., *see* Wang, B., *TPEL Nov. 2020 12522-12532*
Sun, W., *see* Liu, S., *TPEL Nov. 2020 11328-11331*
Sun, X., Hu, C., Lei, G., Guo, Y., and Zhu, J., State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm; *TPEL Jan. 2020 1136-1146*
Sun, X., *see* Jia, L., *TPEL March 2020 3106-3113*
Sun, X., Diao, K., Lei, G., Guo, Y., and Zhu, J., Real-Time HIL Emulation for a Segmented-Rotor Switched Reluctance Motor Using a New Magnetic Equivalent Circuit; *TPEL April 2020 3841-3849*
Sun, X., *see* Liu, Z., *TPEL May 2020 5290-5303*
Sun, X., *see* Zhang, Q., *TPEL July 2020 7001-7014*
Sun, X., *see* Du, C., *TPEL Aug. 2020 8429-8442*
Sun, X., Wang, H., Qi, L., and Liu, F., Research on Single-Stage High-Frequency-Link SST Topology and Its Optimization Control; *TPEL Aug. 2020 8701-8711*
Sun, X., *see* Wu, J., *TPEL Sept. 2020 9202-9214*
Sun, X., *see* Xiang, X., *TPEL Sept. 2020 9586-9596*
Sun, X., Jin, Z., Cai, Y., Yang, Z., and Chen, L., Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine; *TPEL Dec. 2020 13631-13640*
Sun, Y., *see* Hou, X., *TPEL Feb. 2020 1589-1602*
Sun, Y., Gao, Z., Fu, C., Wu, C., and Chen, Z., A Hybrid Modular DC Solid-State Transformer Combining High Efficiency and Control Flexibility; *TPEL April 2020 3434-3449*
Sun, Y., *see* Li, X., *TPEL April 2020 3663-3678*
Sun, Y., *see* Li, X., *TPEL July 2020 6741-6745*
Sun, Y., *see* Xia, Z., *TPEL Sept. 2020 9753-9769*
Sun, Y., *see* Tarvirdilu-Asl, R., *TPEL Oct. 2020 10654-10672*
Sun, Y., *see* Guo, B., *TPEL Dec. 2020 13000-13016*
Sun, Z., *see* Hu, R., *TPEL Feb. 2020 1922-1933*
Sundararajan, P., Sathik, M.H.M., Sasongko, F., Tan, C.S., Pou, J., Blaabjerg, F., and Gupta, A.K., Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation; *TPEL June 2020 6386-6396*
Suntio, T., Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control; *TPEL June 2020 6436-6446*
Surakitbovorn, K.N., and Rivas-Davila, J.M., On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation; *TPEL April 2020 4009-4023*
Suryanarayana, H., *see* Ohn, S., *TPEL Aug. 2020 8638-8651*
Suul, J.A., *see* Rodriguez-Cabero, A., *TPEL June 2020 6548-6558*
Suul, J.A., *see* Zhang, C., *TPEL Sept. 2020 9770-9783*
Suzuki, A., *see* Maharjan, L., *TPEL Dec. 2020 13687-13696*

T

Ta, L.A.D., Dao, N.D., and Lee, D., High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles; *TPEL Aug. 2020 8324-8334*
Tabesh, A., *see* Afshar, M., *TPEL Aug. 2020 8559-8568*
Tabrizi, H.O., Jayaweera, H.M.P.C., and Muhtaroglu, A., Fully Integrated Autonomous Interface With Maximum Power Point Tracking for Energy Harvesting TEGs With High Power Capacity; *TPEL May 2020 4905-4914*
Tadano, H., *see* Zhang, J., *TPEL Oct. 2020 11167-11180*
Tafti, H.D., *see* Beniwal, N., *TPEL April 2020 4426-4438*
Tafti, H.D., *see* Ramos, E.R., *TPEL Aug. 2020 8766-8778*

Tafti, H.D., *see* Rodriguez, E., *TPEL Aug. 2020 8819-8832*
Tafti, H.D., Konstantinou, G., Townsend, C.D., Farivar, G.G., Sangwongwanich, A., Yang, Y., Pou, J., and Blaabjerg, F., Extended Functionalities of Photovoltaic Systems With Flexible Power Point Tracking: Recent Advances; *TPEL Sept. 2020 9342-9356*
Tafti, H.D., *see* Beniwal, N., *TPEL Sept. 2020 9737-9752*
Tafti, H.D., *see* Townsend, C.D., *TPEL Dec. 2020 13540-13553*
Tahami, F., *see* Tarzamni, H., *TPEL May 2020 5254-5266*
Tai, H., *see* Zou, X., *TPEL Feb. 2020 1484-1498*
Tai, H., *see* Liu, J., *TPEL Sept. 2020 9390-9401*
Tajyuta, T., *see* Maharjan, L., *TPEL Dec. 2020 13687-13696*
Takantape, M.M., *see* Sarikhani, A., *TPEL Sept. 2020 8902-8909*
Takken, T., *see* Zhang, X., *TPEL Feb. 2020 1721-1731*
Talesara, V., Garman, P.D., Lee, J.L., and Lu, W., Thermal Management of High-Power Switching Transistors Using Thick CVD-Grown Graphene Nanomaterial; *TPEL Jan. 2020 578-590*
Talesara, V., Xing, D., Fang, X., Fu, L., Shao, Y., Wang, J., and Lu, W., Dynamic Switching of SiC Power MOSFETs Based on Analytical Subcircuit Model; *TPEL Sept. 2020 9680-9689*
Tambara, R.V., *see* Menke, M.F., *TPEL Dec. 2020 12686-12701*
Tan, C.S., *see* Sundararajan, P., *TPEL June 2020 6386-6396*
Tan, G., *see* Wang, R., *TPEL June 2020 6362-6372*
Tan, G., *see* Zhang, X., *TPEL Oct. 2020 10097-10108*
Tan, H., *see* Zhao, W., *TPEL July 2020 7261-7270*
Tan, K., Lin, F., Shih, C., and Kuo, C., Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network; *TPEL July 2020 7451-7464*
Tan, P., *see* Xu, T., *TPEL Nov. 2020 11281-11286*
Tan, S., *see* Yuan, H., *TPEL Feb. 2020 2160-2169*
Tan, S., *see* Yan, S., *TPEL May 2020 5427-5436*
Tan, S., *see* Wang, M., *TPEL May 2020 4634-4646*
Tan, S., *see* Jin, W., *TPEL Oct. 2020 11222-11234*
Tan, S., *see* Li, K., *TPEL Dec. 2020 12741-12751*
Tan, S.C., *see* Li, K., *TPEL July 2020 6820-6829*
Tan, S.C., *see* Yang, Y., *TPEL Oct. 2020 11026-11038*
Tang, G., *see* Du, L., *TPEL July 2020 6682-6685*
Tang, H., *see* Yao, K., *TPEL Jan. 2020 443-454*
Tang, H., Shu-Hung Chung, H., Wing-To Fan, J., Shun-Cheung Yeung, R., Wing-Hong Lau, R., Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs; *TPEL July 2020 7204-7225*
Tang, J., Dong, S., Cui, C., and Zhang, Q., Sampled-Data Modeling for Wireless Power Transfer Systems; *TPEL March 2020 3173-3182*
Tang, N., *see* Qu, J., *TPEL Nov. 2020 11380-11390*
Tang, P., *see* Deng, T., *TPEL Dec. 2020 13465-13474*
Tang, Q., Shen, A., Li, W., Luo, P., Chen, M., and He, X., Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor; *TPEL Jan. 2020 699-708*
Tang, Q., Chen, D., and He, X., Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives; *TPEL Aug. 2020 8374-8383*
Tang, Q., *see* Gao, G., *TPEL Sept. 2020 9133-9150*
Tang, S., *see* Jia, G., *TPEL Nov. 2020 11401-11417*
Tang, W., Zhu, Q., Yang, J., Song, D., Su, M., and Zou, R., Simultaneous 3-D Wireless Power Transfer to Multiple Moving Devices With Different Power Demands; *TPEL May 2020 4533-4546*
Tang, X., *see* Hu, X., *TPEL Jan. 2020 382-392*
Tang, X., Xing, Y., Wu, H., and Zhao, J., An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications; *TPEL Jan. 2020 185-197*
Tang, X., Zou, C., Wik, T., Yao, K., Xia, Y., Wang, Y., Yang, D., and Gao, F., Run-to-Run Control for Active Balancing of Lithium Iron Phosphate Battery Packs; *TPEL Feb. 2020 1499-1512*
Tang, X., *see* Xie, Y., *TPEL March 2020 2595-2614*
Tang, X., *see* Zhang, H., *TPEL May 2020 5157-5179*
Tang, X., *see* Zhang, Y., *TPEL Aug. 2020 8501-8511*
Tang, Y., *see* Li, C., *TPEL March 2020 2268-2283*
Tang, Y., *see* Wang, J., *TPEL March 2020 2467-2479*
Tang, Y., *see* Wang, J., *TPEL July 2020 6878-6894*
Tang, Y., *see* Wang, J., *TPEL Sept. 2020 9107-9118*
Tang, Y., *see* Wu, D., *TPEL Sept. 2020 9541-9552*
Tang, Y., *see* Chen, S., *TPEL Oct. 2020 9992-9997*
Tang, Y., Tong, H., Kan, J., Zhang, Y., and Xu, K., Symmetric Dual-Switch Converter; *TPEL Nov. 2020 11955-11964*
Tang, Y., *see* Qi, Y., *TPEL Dec. 2020 13590-13601*
Tang, Z., Yang, Y., Su, M., Jiang, T., Blaabjerg, F., Dan, H., and Liang, X., Modulation for the AVC-HERIC Inverter to Compensate for Deadtime and Minimum Pulsewidth Limitation Distortions; *TPEL March 2020 2571-2584*
Tang, Z., *see* Du, L., *TPEL July 2020 6682-6685*
Tannir, D., *see* Burcea, F., *TPEL Aug. 2020 8173-8185*
Tao, C., *see* Guo, Y., *TPEL Oct. 2020 10542-10553*
Tao, H., *see* Xu, X., *TPEL Nov. 2020 11682-11693*
Tao, P., *see* Wang, F., *TPEL Dec. 2020 13652-13662*
Tao, S., *see* He, J., *TPEL Oct. 2020 10852-10862*
Tao, T., Zhao, W., Du, Y., Cheng, Y., and Zhu, J., Simplified Fault-Tolerant Model Predictive Control for a Five-Phase Permanent-Magnet Motor With Reduced Computation Burden; *TPEL April 2020 3850-3858*
Tao, T., *see* Zhao, W., *TPEL July 2020 7261-7270*
Tao, T., *see* Ji, J., *TPEL Oct. 2020 10681-10689*
Tao, W., *see* Zhou, H., *TPEL May 2020 5007-5017*
Tao, X., *see* Liu, S., *TPEL Nov. 2020 11328-11331*
Tardelli, F., *see* Diez, C.M., *TPEL March 2020 2389-2401*
Tardelli, F., Costabeber, A., Trainer, D., and Clare, J., Series Chain-Link Modular Multilevel AC–DC Converter (SCC) for HVDC Applications; *TPEL June 2020 5714-5728*
Tarisciotti, L., *see* Chen, L., *TPEL Feb. 2020 1957-1966*
Tarkas, H.S., *see* Pandit, B., *TPEL Nov. 2020 11344-11351*
Tarvirdilu-Asl, R., *see* Xia, Z., *TPEL Sept. 2020 9753-9769*
Tarvirdilu-Asl, R., Nalakath, S., Xia, Z., Sun, Y., Wiseman, J., and Emadi, A., Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives; *TPEL Oct. 2020 10654-10672*
Tarzamni, H., Esmaeelnia, F.P., Fotuhi-Firuzabad, M., Tahami, F., Tohidi, S., and Dehghanian, P., Comprehensive Analytics for Reliability Evaluation of Conventional Isolated Multiswitch PWM DC–DC Converters; *TPEL May 2020 5254-5266*
Tasiu, I.A., *see* Hu, K., *TPEL July 2020 6773-6784*
Tatakis, E.C., *see* Zaoskoufis, K., *TPEL Aug. 2020 8287-8302*
Tavakoli, A., Khajehoddin, S.A., and Salmon, J., A Modular Battery Voltage-Balancing System Using a Series-Connected Topology; *TPEL June 2020 5952-5964*
Taylor, R.R., *see* Jovanovic, D.P., *TPEL April 2020 4286-4295*
Tekwani, P.N., *see* Shah, M.T., *TPEL Oct. 2020 11082-11095*
Teng, Y., *see* Kou, J., *TPEL July 2020 7356-7365*
Teodorescu, R., *see* Cai, L., *TPEL Nov. 2020 11855-11864*
Thai, V.X., Jang, G.C., Jeong, S.Y., Park, J.H., Kim, Y., and Rim, C.T., Symmetric Sensing Coil Design for the Blind-Zone Free Metal Object Detection of a Stationary Wireless Electric Vehicles Charger; *TPEL April 2020 3466-3477*
Thakur, S.S., Odavic, M., Allu, A., Zhu, Z.Q., and Atallah, K., Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter; *TPEL Sept. 2020 9291-9305*
Thippiripati, V.K., *see* Kodumur Meesala, R.E., *TPEL April 2020 3906-3917*
Thrimawithana, D.J., *see* Zhao, L., *TPEL March 2020 2659-2667*
Thrimawithana, D.J., *see* Ruddell, S., *TPEL Sept. 2020 8965-8972*
Thrimawithana, D.J., *see* Kalra, G.R., *TPEL Dec. 2020 12716-12727*
Tian, H., and Li, Y.W., An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives; *TPEL March 2020 2372-2388*
Tian, H., Li, Y.W., and Zhao, Q., Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis; *TPEL April 2020 4143-4156*

Tian, J., Xiong, R., and Shen, W., State-of-Health Estimation Based on Differential Temperature for Lithium Ion Batteries; *TPEL Oct. 2020 10363-10373*
Tian, K., *see* Qi, J., *TPEL Dec. 2020 13384-13399*
Tian, Q., Zhou, G., Leng, M., Xu, G., and Fan, X., A Nonisolated Symmetric Bipolar Output Four-Port Converter Interfacing PV-Battery System; *TPEL Nov. 2020 11731-11744*
Tian, Q., *see* Leng, M., *TPEL Dec. 2020 13475-13487*
Tian, S., Lee, F.C., and Li, Q., Equivalent Circuit Modeling of *LLC* Resonant Converter; *TPEL Aug. 2020 8833-8845*
Tian, X., *see* Liu, W., *TPEL June 2020 6533-6547*
Tian, Z., *see* Shuai, Z., *TPEL April 2020 4127-4142*
Timms, C., *see* Gui, H., *TPEL June 2020 5670-5682*
Titus, J., and Hatua, K., An Asymmetric Nine-Phase Induction Motor for LCI-Fed Medium Voltage Drive Applications; *TPEL May 2020 5047-5056*
Toba, A., *see* Maharjan, L., *TPEL Dec. 2020 13687-13696*
Tohidi, S., *see* Tarzamni, H., *TPEL May 2020 5254-5266*
Tolbert, L.M., *see* Chen, R., *TPEL April 2020 4411-4425*
Tolbert, L.M., *see* Gui, H., *TPEL May 2020 5144-5156*
Tolbert, L.M., *see* Gui, H., *TPEL June 2020 5670-5682*
Tolbert, L.M., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Tolbert, L.M., *see* Ji, S., *TPEL Nov. 2020 12533-12543*
Tolbert, L.M., *see* Gui, H., *TPEL Dec. 2020 13136-13147*
Tong, H., *see* Miao, Z., *TPEL July 2020 7612-7623*
Tong, H., *see* Tang, Y., *TPEL Nov. 2020 11955-11964*
Tong, Q., *see* Lyu, D., *TPEL Nov. 2020 12359-12369*
Tong, X., *see* Liu, S., *TPEL May 2020 5180-5189*
Tong, X., *see* Deng, X., *TPEL Aug. 2020 8524-8531*
Tong, Z., Braun, W.D., and Rivas-Davila, J.M., Design and Fabrication of Three-Dimensional Printed Air-Core Transformers for High-Frequency Power Applications; *TPEL Aug. 2020 8472-8489*
Torres, A.P., *see* Lopez-Alcolea, F.J., *TPEL May 2020 5102-5121*
Townsend, C.D., *see* Jeon, Y., *TPEL March 2020 2488-2500*
Townsend, C.D., *see* Beniwal, N., *TPEL April 2020 4426-4438*
Townsend, C.D., *see* Ramos, E.R., *TPEL Aug. 2020 8766-8778*
Townsend, C.D., *see* Rodriguez, E., *TPEL Aug. 2020 8819-8832*
Townsend, C.D., *see* Tafti, H.D., *TPEL Sept. 2020 9342-9356*
Townsend, C.D., *see* Beniwal, N., *TPEL Sept. 2020 9737-9752*
Townsend, C.D., Tafti, H.D., Farivar, G.G., and Pou, J., Analytic Spectral Analysis Technique for Converters Operating With Oscillatory DC-Link Voltage Components; *TPEL Dec. 2020 13540-13553*
Trainer, D., *see* Diez, C.M., *TPEL March 2020 2389-2401*
Trainer, D., *see* Tardelli, F., *TPEL June 2020 5714-5728*
Trainer, D.R., *see* Farr, E.M., *TPEL May 2020 4467-4471*
Tran, H.N., and Choi, S., A Family of ZVT DC–DC Converters With Low-Voltage Ringing; *TPEL Jan. 2020 59-69*
Trescases, O., *see* Assadi, S.A., *TPEL April 2020 4376-4387*
Trescases, O., *see* Ashourloo, M., *TPEL July 2020 7653-7663*
Trescases, O., *see* Khan, N., *TPEL Aug. 2020 7873-7883*
Tricoli, P., *see* De Simone, D., *TPEL Sept. 2020 9727-9736*
Tsai, C., *see* Li, Y., *TPEL April 2020 3754-3765*
Tsai, M., Chao, M., and Cheng, P., Control Techniques for the Back-to-Back Neutral-Point Clamped Converter in Asynchronous Operation; *TPEL March 2020 2334-2341*
Tsai, T., *see* Yang, W., *TPEL March 2020 2969-2978*
Tsai, T., *see* Lin, J., *TPEL April 2020 3997-4008*
Tsai, W., *see* Abdelmessih, G.Z., *TPEL Nov. 2020 12238-12251*
Tsao, B., *see* Le, V., *TPEL Aug. 2020 7826-7839*
Tse, C.K., *see* Huang, Z., *TPEL March 2020 3276-3286*
Tse, C.K., *see* Ke, G., *TPEL April 2020 3697-3712*
Tse, C.K., *see* Li, X.L., *TPEL April 2020 3713-3728*
Tse, C.K., *see* Liu, X., *TPEL May 2020 5132-5143*
Tse, C.K., *see* Qu, X., *TPEL July 2020 6867-6877*
Tse, C.K., *see* Huang, Z., *TPEL Sept. 2020 8973-8984*
Tse, C.K., *see* Dong, Z., *TPEL Nov. 2020 11930-11941*
Tse, C.K., *see* Li, X.L., *TPEL Dec. 2020 13104-13114*
Tse, K.H., and Chung, H.S., MPPT for Electromagnetic Energy Harvesters Having Nonnegligible Output Reactance Operating Under Slow-Varying Conditions; *TPEL July 2020 7110-7122*
Tseng, W., *see* Liang, T., *TPEL May 2020 5408-5416*
Tsibizov, A., Kovacevic-Badstubner, I., Kakarla, B., and Grossner, U., Accurate Temperature Estimation of SiC Power mosfets Under Extreme Operating Conditions; *TPEL Feb. 2020 1855-1865*
Tsioumas, E., Jabbour, N., Koseoglou, M., and Mademlis, C., A Novel Control Strategy for Improving the Performance of a Nearly Zero Energy Building; *TPEL Feb. 2020 1513-1524*
Tsioumas, E., *see* Koseoglou, M., *TPEL Feb. 2020 2088-2099*
Tsioumas, E., *see* Jabbour, N., *TPEL Aug. 2020 8154-8164*
Tu, B., *see* Lu, Y., *TPEL Jan. 2020 94-106*
Tu, H., *see* Awal, M.A., *TPEL Jan. 2020 988-1001*
Tu, Y., *see* Xue, D., *TPEL June 2020 5883-5896*
Tu, Y., Liu, J., Liu, Z., Xue, D., and Cheng, L., Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters; *TPEL Nov. 2020 11666-11681*
Tung, C., *see* Fan, J.W., *TPEL March 2020 2519-2533*
Tung, C., Fan, J.W., Chow, J.P., Relekar, A., Chan, W., Ho, K., Wang, K., and Chung, H.S., 1-kW Boost-type PFC Using a Low-Voltage Series Pass Module for Input Current Shaping; *TPEL July 2020 7596-7611*
Turzynski, M., and Chrzan, P.J., Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter; *TPEL Sept. 2020 9553-9562*

U

Uddin, M.N., Zhai, Z., and Amin, I.K., Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive; *TPEL Feb. 2020 1742-1752*
Uddin, M.N., *see* Amin, I.K., *TPEL July 2020 7031-7044*
Ugur, E., *see* Yang, F., *TPEL June 2020 6315-6331*
Uhrenfeldt, C., *see* Song, S., *TPEL July 2020 6711-6718*
Uhrenfeldt, C., *see* Jorgensen, A.B., *TPEL Oct. 2020 10892-10905*
Umamaheswari, M.G., *see* Komathi, C., *TPEL May 2020 5543*
Umanand, L., *see* R, R., *TPEL March 2020 2402-2410*
Umetani, K., *see* Noah, M., *TPEL Jan. 2020 835-852*
Umetani, K., *see* Ishihara, M., *TPEL July 2020 6785-6798*
Undeland, T., *see* Spro, O.C., *TPEL Sept. 2020 9494-9509*
Uno, M., *see* Sato, Y., *TPEL Jan. 2020 455-470*
Uno, M., Yamamoto, M., Sato, H., and Oyama, S., Modularized Differential Power Processing Architecture Based on Switched Capacitor Converter to Virtually Unify Mismatched Photovoltaic Panel Characteristics; *TPEL Feb. 2020 1563-1575*
Uno, M., and Hasegawa, K., Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Characteristics for Electric Double-Layer Capacitor Modules; *TPEL Oct. 2020 10271-10284*
Uno, M., and Yashiro, K., Tapped-Inductor-Based Single-Magnetic Bidirectional PWM Converter Integrating Cell Voltage Equalizer for Series-Connected Supercapacitors; *TPEL Dec. 2020 13157-13171*
Urbonas, J., *see* Matei, C., *TPEL Aug. 2020 8303-8310*
Urkin, T., and Peretz, M.M., Digital CPM Controller for a Non-Inverting Buck–Boost Converter With Unified Hardware for Steady-State and Optimized Transient Conditions; *TPEL Aug. 2020 8794-8804*
Ursino, M., *see* Rizzolatti, R., *TPEL Jan. 2020 430-442*
Usmonov, M., *see* Crovetti, P.S., *TPEL Oct. 2020 11155-11166*

V

Vaez-Zadeh, S., *see* Zakerian, A., *TPEL July 2020 6732-6740*
Valdez-Resendiz, J.E., *see* Escobar, G., *TPEL May 2020 4647-4657*
Valente, G., *see* Sala, G., *TPEL April 2020 4168-4177*
Valipour, H., Mahdavi, M., and Ordonez, M., Resonant Bridgeless AC/DC Rectifier With High Switching Frequency and Inherent PFC Capability; *TPEL Jan. 2020 232-246*
van Duivenbode, J., *see* Settels, S.J., *TPEL April 2020 3450-3465*

van Erp, R., Kampitsis, G., and Matioli, E., Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters; *TPEL July 2020 7235-7245*
Vanassche, P., *see* Niyomsatian, K., *TPEL July 2020 7583-7595*
Vangalapudi, B.G.T., and Kastha, D., Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors; *TPEL June 2020 5938-5951*
Vasquez, J.C., *see* Akhavan, A., *TPEL Feb. 2020 2135-2150*
Vasquez, J.C., *see* Golestan, S., *TPEL April 2020 3558-3572*
Vasquez, J.C., *see* Akhavan, A., *TPEL Aug. 2020 7735-7741*
Vasquez, J.C., *see* Wu, X., *TPEL Sept. 2020 9865-9885*
Vasquez, J.C., *see* Neto, P.J.d.S., *TPEL Nov. 2020 12472-12485*
Vazquez, A., Martin, K., Arias, M., and Sebastian, J., Variable-Width Hysteretic Analog Control for QSW-ZVS and TCM Source/Sink Converters; *TPEL March 2020 3195-3207*
Vazquez, N., *see* Zhu, R., *TPEL July 2020 6895-6905*
Vazquez, S., *see* Rodriguez, E., *TPEL Aug. 2020 8819-8832*
Vecchia, M.D., *see* Ravyts, S., *TPEL Nov. 2020 11694-11706*
Veganzones, C., *see* Zarei, M.E., *TPEL July 2020 6719-6731*
Velasco, M., Marti, P., Camacho, A., Rey, J.M., Miret, J., and Castilla, M., Enabling Grid-Feeding Converters With a Dissonant-Resonant Controller for Negative-Sequence Voltage Elimination; *TPEL April 2020 4342-4352*
Vellvehi, M., *see* Fernandez, M., *TPEL May 2020 5221-5237*
Vershinin, K., *see* Farr, E.M., *TPEL May 2020 4467-4471*
Vershinin, K., *see* Briff, P., *TPEL Nov. 2020 11294-11298*
Vidal, P., *see* Vine, G., *TPEL Feb. 2020 1440-1449*
Videt, A., *see* Li, K., *TPEL Sept. 2020 9650-9660*
Vieira, L.F.M., *see* de Sousa, A.D., *TPEL Dec. 2020 12765-12772*
Vieira, M.A.M., *see* de Sousa, A.D., *TPEL Dec. 2020 12765-12772*
Vilathgamuwa, D.M., *see* Farajizadeh, F., *TPEL April 2020 3794-3806*
Vilathgamuwa, D.M., *see* Zhu, B., *TPEL April 2020 3679-3687*
Vilathgamuwa, D.M., *see* Faradjizadeh, F., *TPEL Oct. 2020 10757-10769*
Vilathgamuwa, D.M., *see* Farajizadeh, F., *TPEL Oct. 2020 10741-10756*
Villar, I., *see* Iruretagoyena, U., *TPEL Jan. 2020 208-219*
Vine, G., Vidal, P., and Dienot, J., Characterization Method of Radiated Magnetic Field Based on Integrated Antenna Measurement Applied to Power Module Technologies; *TPEL Feb. 2020 1440-1449*
von Ravenstein, M., *see* Helmers, H., *TPEL Aug. 2020 7904-7909*
Vos, M.J., A Magnetic Core Permeance Model for Inductive Power Harvesting; *TPEL April 2020 3627-3635*
Vosoughi Kurdkandi, N., *see* Nouri, T., *TPEL Dec. 2020 12871-12886*
Voss, J., and De Doncker, R.W., Modified Auxiliary-Resonant Commutated Pole Applied in a Three-Phase Dual-Active Bridge DC/DC Converter; *TPEL Feb. 2020 1256-1268*
Voss, J., Engel, S.P., and De Doncker, R.W., Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters; *TPEL April 2020 4332-4341*
Votsi, H., *see* Matei, C., *TPEL Aug. 2020 8303-8310*
Vujacic, M., Dordevic, O., and Grandi, G., Evaluation of DC-Link Voltage Switching Ripple in Multiphase PWM Voltage Source Inverters; *TPEL April 2020 3478-3490*
Vural, R.A., *see* Mohammed, M.S., *TPEL Nov. 2020 11332-11343*

W

Wai, R., *see* Huang, J., *TPEL July 2020 7086-7099*
Wai, R., *see* Zhang, J., *TPEL Aug. 2020 8593-8606*
Walambe, R., *see* Apte, A., *TPEL June 2020 6082-6090*
Walker, G.R., *see* Jovanovic, D.P., *TPEL April 2020 4286-4295*
Wallace, A.K., *see* Seal, S., *TPEL Sept. 2020 9690-9699*
Wallscheid, O., and Ngoumtsa, E.F.B., Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives; *TPEL Dec. 2020 13563-13572*
Wan, N., *see* Chen, B., *TPEL Nov. 2020 11557-11573*
Wan, Y., *see* Liu, X., *TPEL May 2020 5132-5143*
Wang, B., Li, Z., Bai, Z., Krein, P.T., and Ma, H., A Redundant Unit to Form T-Type Three-Level Inverters Tolerant of IGBT Open-Circuit Faults in Multiple Legs; *TPEL Jan. 2020 924-939*
Wang, B., *see* Wu, G., *TPEL Feb. 2020 1845-1854*
Wang, B., *see* Pan, L., *TPEL Feb. 2020 1789-1804*
Wang, B., *see* Li, Z., *TPEL May 2020 5267-5278*
Wang, B., *see* Janabi, A., *TPEL May 2020 5437-5446*
Wang, B., *see* Janabi, A., *TPEL June 2020 5615-5624*
Wang, B., *see* Guo, X., *TPEL June 2020 5918-5927*
Wang, B., *see* Liu, Y., *TPEL Aug. 2020 7729-7734*
Wang, B., *see* Zhang, X., *TPEL Sept. 2020 8860-8866*
Wang, B., Li, Z., Dong, M., Bai, Z., Krein, P.T., and Ma, H., Recovering Partial Three-Level Operation in a T-Type Inverter With Fault Management Redundant Unit; *TPEL Sept. 2020 8944-8955*
Wang, B., Huo, Z., Yu, Y., Luo, C., Sun, W., and Xu, D., Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation; *TPEL Nov. 2020 12522-12532*
Wang, C., *see* He, J., *TPEL Jan. 2020 359-372*
Wang, C., Zhao, K., Li, Z., and Xiong, Q., Single-Inductor Dual-Input Triple-Output Buck–Boost Converter With Clockless Shortest Power Path Control Strategy for IoT Nodes; *TPEL Feb. 2020 2044-2052*
Wang, C., *see* Zhao, R., *TPEL March 2020 2263-2267*
Wang, C., *see* Gou, L., *TPEL April 2020 4105-4116*
Wang, C., *see* Wei, G., *TPEL June 2020 6114-6126*
Wang, C., *see* Chen, J., *TPEL June 2020 5594-5600*
Wang, C., Zhu, C., Wei, G., Feng, J., Jiang, J., and Lu, R., Design of Compact Three-Phase Receiver for Meander-Type Dynamic Wireless Power Transfer System; *TPEL July 2020 6854-6866*
Wang, C., *see* He, J., *TPEL Aug. 2020 8581-8592*
Wang, C., *see* He, J., *TPEL Sept. 2020 9251-9266*
Wang, C., Zhang, L., Xiao, L., Wu, F., Zheng, X., and Jiang, H., Analysis and Suppression of the Frequency-Decrease Effect in the Capacitor Voltage Related to the Low Modulation Frequency Ratio in an MMC System; *TPEL Sept. 2020 9119-9132*
Wang, C., *see* Hu, Y., *TPEL Sept. 2020 9563-9573*
Wang, C., *see* Zhang, Z., *TPEL Nov. 2020 12509-12521*
Wang, C., *see* Xu, S., *TPEL Nov. 2020 12347-12358*
Wang, D., *see* Lu, W., *TPEL Jan. 2020 1156*
Wang, D., *see* Liu, X., *TPEL May 2020 4462-4466*
Wang, D., *see* Lu, W., *TPEL May 2020 5544*
Wang, D., *see* Zhao, Q., *TPEL June 2020 5625-5638*
Wang, D., *see* Lv, Y., *TPEL July 2020 7379-7391*
Wang, D., *see* Qu, X., *TPEL July 2020 6867-6877*
Wang, F., *see* Aliaskari, A., *TPEL Jan. 2020 630-639*
Wang, F., Xie, H., Chen, Q., Davari, S.A., Rodriguez, J., and Kennel, R., Parallel Predictive Torque Control for Induction Machines Without Weighting Factors; *TPEL Feb. 2020 1779-1788*
Wang, F., *see* He, L., *TPEL Feb. 2020 1770-1778*
Wang, F., *see* Liu, B., *TPEL March 2020 2534-2547*
Wang, F., *see* Chen, R., *TPEL April 2020 4411-4425*
Wang, F., *see* Gui, H., *TPEL June 2020 5670-5682*
Wang, F., *see* Zhu, T., *TPEL Oct. 2020 11129-11142*
Wang, F., *see* Ji, S., *TPEL Nov. 2020 12533-12543*
Wang, F., *see* Yao, P., *TPEL Nov. 2020 11463-11474*
Wang, F., Zuo, K., Tao, P., and Rodriguez, J., High Performance Model Predictive Control for PMSM by Using Stator Current Mathematical Model Self-Regulation Technique; *TPEL Dec. 2020 13652-13662*
Wang, F., He, L., and Rodriguez, J., FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique; *TPEL Dec. 2020 13455-13464*
Wang, F.F., *see* Gui, H., *TPEL May 2020 5144-5156*
Wang, F.F., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Wang, G., *see* Guo, Y., *TPEL Jan. 2020 1111-1123*
Wang, G., *see* Yang, R., *TPEL Feb. 2020 2208-2221*
Wang, G., *see* Ding, D., *TPEL March 2020 2895-2907*

Wang, G., Hu, H., Ding, D., Zhao, N., Zou, Y., and Xu, D., Overmodulation Strategy for Electrolytic Capacitorless PMSM Drives: Voltage Distortion Analysis and Boundary Optimization; *TPEL Sept. 2020 9574-9585*
Wang, G., *see* Li, W., *TPEL Oct. 2020 11235-11249*
Wang, G., *see* Xu, Y., *TPEL Nov. 2020 12166-12180*
Wang, G., *see* Bi, G., *TPEL Dec. 2020 13333-13344*
Wang, G., *see* Zhang, X., *TPEL Dec. 2020 13488-13499*
Wang, H., Zhu, R., Liserre, M., and Blaabjerg, F., A Thermal Modeling Method Considering Ambient Temperature Dynamics; *TPEL Jan. 2020 6-9*
Wang, H., *see* Wang, H., *TPEL Jan. 2020 6-9*
Wang, H., *see* Shen, Y., *TPEL Jan. 2020 882-900*
Wang, H., *see* Liu, Y., *TPEL Jan. 2020 276-288*
Wang, H., Zhu, G., and Blaabjerg, F., An Overview of Capacitive DC-Links-Topology Derivation and Scalability Analysis; *TPEL Feb. 2020 1805-1829*
Wang, H., *see* Wang, H., *TPEL Feb. 2020 1805-1829*
Wang, H., Lu, S., Qian, G., Ding, J., Liu, Y., and Wang, Q., A Two-Step Strategy for Online Fault Detection of High-Resistance Connection in BLDC Motor; *TPEL March 2020 3043-3053*
Wang, H., *see* Guo, G., *TPEL March 2020 2646-2658*
Wang, H., *see* Song, Z., *TPEL April 2020 4439-4447*
Wang, H., *see* Liu, Y., *TPEL May 2020 4452-4456*
Wang, H., *see* Chen, L., *TPEL June 2020 5850-5859*
Wang, H., *see* Wei, X., *TPEL June 2020 6572-6585*
Wang, H., *see* Wang, Z., *TPEL June 2020 5589-5593*
Wang, H., *see* Peng, F., *TPEL June 2020 5928-5937*
Wang, H., *see* Yang, Y., *TPEL June 2020 6470-6481*
Wang, H., *see* Li, X., *TPEL July 2020 6741-6745*
Wang, H., and Blaabjerg, F., A Cost-Constrained Active Capacitor for a Single-Phase Inverter; *TPEL July 2020 6746-6760*
Wang, H., *see* Wang, H., *TPEL July 2020 6746-6760*
Wang, H., *see* Zhang, Y., *TPEL July 2020 6916-6930*
Wang, H., *see* Wang, Z., *TPEL July 2020 6691-6696*
Wang, H., *see* Xiao, Z., *TPEL Aug. 2020 8673-8688*
Wang, H., *see* Sun, X., *TPEL Aug. 2020 8701-8711*
Wang, H., *see* Chen, Z., *TPEL Sept. 2020 9238-9250*
Wang, H., Li, C., Zhu, G., and Liu, Y., Model-Based Design and Optimization of Hybrid DC-Link Capacitor Banks; *TPEL Sept. 2020 8910-8925*
Wang, H., *see* Wang, H., *TPEL Sept. 2020 8910-8925*
Wang, H., *see* Zhang, Y., *TPEL Oct. 2020 9998-10002*
Wang, H., *see* Li, G., *TPEL Oct. 2020 11096-11107*
Wang, H., *see* Zhong, X., *TPEL Nov. 2020 11707-11719*
Wang, H., *see* Shen, Z., *TPEL Nov. 2020 12194-12206*
Wang, H., *see* Guo, B., *TPEL Dec. 2020 13000-13016*
Wang, H., *see* Yang, S., *TPEL Dec. 2020 13735-13747*
Wang, H., Yang, S., Chen, H., Feng, X., and Blaabjerg, F., Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony; *TPEL Dec. 2020 12834-12845*
Wang, J., Jiang, J., Duan, F., Cheng, S., Peng, C., Liu, W., and Qu, X., A High-Tolerance Matching Method Against Load Fluctuation for Ultrasonic Transducers; *TPEL Jan. 2020 1147-1155*
Wang, J., *see* Yao, C., *TPEL Jan. 2020 48-58*
Wang, J., *see* Potty, K.A., *TPEL Jan. 2020 957-967*
Wang, J., *see* Hu, R., *TPEL Feb. 2020 1922-1933*
Wang, J., *see* He, L., *TPEL Feb. 2020 1770-1778*
Wang, J., *see* Xie, W., *TPEL March 2020 2724-2736*
Wang, J., *see* Sun, K., *TPEL March 2020 3054-3068*
Wang, J., Tang, Y., and Liu, X., Arm Current Balancing Control for Modular Multilevel Converters Under Unbalanced Grid Conditions; *TPEL March 2020 2467-2479*
Wang, J., *see* Na, T., *TPEL May 2020 4602-4612*
Wang, J., *see* Xie, W., *TPEL May 2020 4891-4904*
Wang, J., *see* Zhou, H., *TPEL May 2020 5007-5017*
Wang, J., *see* Li, Z., *TPEL May 2020 5354-5365*
Wang, J., Liu, X., Xun, Y., and Yu, S., Common Mode Noise Reduction of Three-Level Active Neutral Point Clamped Inverters With Uncertain Parasitic Capacitance of Photovoltaic Panels; *TPEL July 2020 6974-6988*
Wang, J., Sun, K., Wu, H., Zhang, L., Zhu, J., and Xing, Y., Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency; *TPEL July 2020 7073-7085*
Wang, J., Tang, Y., Lin, P., Liu, X., and Pou, J., Deadbeat Predictive Current Control for Modular Multilevel Converters With Enhanced Steady-State Performance and Stability; *TPEL July 2020 6878-6894*
Wang, J., *see* Dong, X., *TPEL Aug. 2020 8550-8558*
Wang, J., *see* Li, Z., *TPEL Aug. 2020 8512-8523*
Wang, J., *see* Lyu, X., *TPEL Sept. 2020 8926-8933*
Wang, J., *see* Talesara, V., *TPEL Sept. 2020 9680-9689*
Wang, J., Liu, X., Xiao, Q., Zhou, D., Qiu, H., and Tang, Y., Modulated Model Predictive Control for Modular Multilevel Converters With Easy Implementation and Enhanced Steady-State Performance; *TPEL Sept. 2020 9107-9118*
Wang, J., *see* Liu, X., *TPEL Oct. 2020 10778-10788*
Wang, J., *see* Li, X., *TPEL Oct. 2020 11181-11192*
Wang, J., *see* Pan, J., *TPEL Oct. 2020 10137-10149*
Wang, J., Mocevic, S., Burgos, R., and Boroyevich, D., High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns; *TPEL Oct. 2020 10180-10199*
Wang, J., *see* Zhang, Y., *TPEL Nov. 2020 11745-11757*
Wang, J., *see* Zhang, Y., *TPEL Nov. 2020 11745-11757*
Wang, J., *see* Ke, Z., *TPEL Nov. 2020 12544-12554*
Wang, J., *see* Raherimihaja, H.J., *TPEL Nov. 2020 12122-12132*
Wang, J., Yao, X., Gao, X., and Yang, S., Harmonic Reduction for 12-Pulse Rectifier Using Two Auxiliary Single-Phase Full-Wave Rectifiers; *TPEL Dec. 2020 12617-12622*
Wang, K., *see* Pan, L., *TPEL Feb. 2020 1789-1804*
Wang, K., *see* Fan, J.W., *TPEL March 2020 2519-2533*
Wang, K., Zheng, Z., and Li, Y., Topology and Control of a Four-Level ANPC Inverter; *TPEL March 2020 2342-2352*
Wang, K., Li, B., Li, H., Yang, X., and Qiu, A., Characterization and Modeling of Frequency-Dependent On-Resistance for GaN Devices at High Frequencies; *TPEL May 2020 4925-4933*
Wang, K., *see* Tung, C., *TPEL July 2020 7596-7611*
Wang, K., *see* Zhu, R., *TPEL July 2020 6895-6905*
Wang, K., Zhang, J., Pang, Y., Xu, D., and Pan, L., Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System; *TPEL July 2020 7674-7688*
Wang, K., Jin, L., Li, G., Deng, Y., and He, X., Online Capacitance Estimation of Submodule Capacitors for Modular Multilevel Converter With Nearest Level Modulation; *TPEL July 2020 6678-6681*
Wang, K., *see* Xu, X., *TPEL Aug. 2020 7910-7920*
Wang, K., Zheng, Z., Xu, L., and Li, Y., A Generalized Carrier-Overlapped PWM Method for Neutral-Point-Clamped Multilevel Converters; *TPEL Sept. 2020 9095-9106*
Wang, K., *see* Lyu, X., *TPEL Sept. 2020 8926-8933*
Wang, K., *see* Xu, C., *TPEL Oct. 2020 10770-10777*
Wang, K., *see* Jiang, Y., *TPEL Oct. 2020 11064-11081*
Wang, K., *see* Wu, M., *TPEL Nov. 2020 11488-11501*
Wang, L., *see* Khan, A.A., *TPEL Jan. 2020 107-120*
Wang, L., *see* Khan, A.A., *TPEL Feb. 2020 1269-1281*
Wang, L., *see* Jiang, Y., *TPEL April 2020 4272-4285*
Wang, L., *see* Shen, Y., *TPEL April 2020 3348-3364*
Wang, L., Wang, Y., Liu, C., Yang, D., and Chen, Z., A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control; *TPEL June 2020 5897-5906*
Wang, L., *see* Yang, C., *TPEL June 2020 6625-6635*
Wang, L., *see* Duan, J., *TPEL June 2020 5987-6000*
Wang, L., *see* Zhao, C., *TPEL July 2020 7392-7404*
Wang, L., *see* Khan, A.A., *TPEL Aug. 2020 7933-7946*
Wang, L., *see* He, L., *TPEL Aug. 2020 8165-8172*
Wang, L., *see* Zhang, F., *TPEL Oct. 2020 10200-10212*
Wang, L., *see* Guo, Y., *TPEL Oct. 2020 10542-10553*
Wang, L., *see* Wong, C.S., *TPEL Oct. 2020 10121-10136*
Wang, L., *see* Jiang, Y., *TPEL Oct. 2020 11064-11081*
Wang, L., *see* Yang, C., *TPEL Dec. 2020 13356-13366*
Wang, L., *see* Liu, Y., *TPEL Dec. 2020 13031-13041*

Wang, M., *see* Yang, R., *TPEL Feb. 2020 2208-2221*
Wang, M., Yan, S., Tan, S., Xu, Z., and Hui, S.Y., Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids; *TPEL May 2020 4634-4646*
Wang, M., *see* Wu, Q., *TPEL June 2020 5557-5561*
Wang, M., *see* Zhang, X., *TPEL Aug. 2020 8532-8539*
Wang, M., *see* Zhang, Z., *TPEL Oct. 2020 10831-10851*
Wang, M., *see* Qi, J., *TPEL Dec. 2020 13384-13399*
Wang, N., *see* Guo, X., *TPEL June 2020 5918-5927*
Wang, N., *see* Shang, Y., *TPEL July 2020 7134-7144*
Wang, P., *see* Niu, D., *TPEL Feb. 2020 1171-1175*
Wang, P., *see* Hou, X., *TPEL Feb. 2020 1589-1602*
Wang, P., *see* Huang, J., *TPEL Oct. 2020 10374-10384*
Wang, P., *see* Li, X., *TPEL Oct. 2020 11181-11192*
Wang, P., *see* Chen, Y., *TPEL Dec. 2020 13210-13224*
Wang, P.J., *see* Huynh, P.T., *TPEL May 2020 4767-4779*
Wang, Q., *see* Zhang, Y., *TPEL Feb. 2020 1659-1671*
Wang, Q., *see* Hang, J., *TPEL Feb. 2020 2023-2033*
Wang, Q., *see* Wang, H., *TPEL March 2020 3043-3053*
Wang, Q., *see* Deng, F., *TPEL March 2020 3310-3324*
Wang, Q., *see* Hang, J., *TPEL March 2020 3029-3042*
Wang, Q., Chen, H., Cheng, H., Yan, S., and Abbas, S., An Active Boost Power Converter for Improving the Performance of Switched Reluctance Generators in DC Generating Systems; *TPEL May 2020 4741-4755*
Wang, Q., *see* Hang, J., *TPEL Oct. 2020 10917-10929*
Wang, Q., *see* Zhang, X., *TPEL Oct. 2020 10097-10108*
Wang, R., Liang, L., Chen, Y., Pan, Y., Li, J., Han, L., and Tan, G., Self-Adaptive Active Gate Driver for IGBT Switching Performance Optimization Based on Status Monitoring; *TPEL June 2020 6362-6372*
Wang, R., *see* Meng, T., *TPEL Aug. 2020 8405-8416*
Wang, S., Liu, Z., Liu, J., Boroyevich, D., and Burgos, R., Small-Signal Modeling and Stability Prediction of Parallel Droop-Controlled Inverters Based on Terminal Characteristics of Individual Inverters; *TPEL Jan. 2020 1045-1063*
Wang, S., *see* Yang, L., *TPEL Jan. 2020 263-275*
Wang, S., *see* Ma, J., *TPEL Jan. 2020 977-987*
Wang, S., *see* Hu, J., *TPEL Feb. 2020 2184-2195*
Wang, S., *see* Li, B., *TPEL April 2020 3377-3389*
Wang, S., *see* Yang, L., *TPEL May 2020 5541*
Wang, S., *see* Zhang, B., *TPEL June 2020 6251-6268*
Wang, S., *see* Li, Y., *TPEL July 2020 6963-6973*
Wang, S., Ma, J., Liu, B., Jiao, N., Liu, T., and Wang, Y., Unified SVPWM Algorithm and Optimization for Single-Phase Three-Level NPC Converters; *TPEL July 2020 7702-7712*
Wang, S., *see* Yang, L., *TPEL July 2020 6989-7000*
Wang, S., *see* Zhang, Y., *TPEL Aug. 2020 8050-8062*
Wang, S., *see* Shu, J., *TPEL Oct. 2020 10003-10007*
Wang, S., Liang, J., and Fu, M., Analysis and Design of Capacitive Power Transfer Systems Based on Induced Voltage Source Model; *TPEL Oct. 2020 10532-10541*
Wang, S., *see* Zhong, X., *TPEL Nov. 2020 11707-11719*
Wang, S., *see* Xu, Z., *TPEL Dec. 2020 12929-12948*
Wang, S., *see* Liu, S., *TPEL Dec. 2020 12752-12764*
Wang, T., *see* Guo, G., *TPEL March 2020 2646-2658*
Wang, T., Chen, C., Liu, T., Chao, Z., and Duan, S., Current Ripple Analysis of Three-Phase Vienna Rectifier Considering Inductance Variation of Powder Core Inductor; *TPEL May 2020 4568-4578*
Wang, T., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*
Wang, T., *see* Shu, L., *TPEL Nov. 2020 11574-11588*
Wang, T., *see* Yao, J., *TPEL Nov. 2020 11442-11452*
Wang, W., Feng, Y., Shi, Y., Cheng, M., Hua, W., and Wang, Z., Direct Thrust Force Control of Primary Permanent-Magnet Linear Motors With Single DC-Link Current Sensor for Subway Applications; *TPEL Feb. 2020 1365-1376*
Wang, W., *see* Yan, Y., *TPEL July 2020 7506-7519*
Wang, W., *see* Hu, M., *TPEL Oct. 2020 11119-11128*
Wang, W., Lu, Z., Hua, W., Wang, Z., and Cheng, M., Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems; *TPEL Dec. 2020 13673-13686*
Wang, X., *see* Liu, R., *TPEL Jan. 2020 303-318*
Wang, X., *see* Ma, J., *TPEL Jan. 2020 977-987*
Wang, X., Wang, Z., Xu, Z., He, J., and Zhao, W., Diagnosis and Tolerance of Common Electrical Faults in T-Type Three-Level Inverters Fed Dual Three-Phase PMSM Drives; *TPEL Feb. 2020 1753-1769*
Wang, X., *see* Yang, D., *TPEL Feb. 2020 1473-1483*
Wang, X., Peng, Y., Chai, J., Xia, Y., Wei, W., and Yu, M., An Ideal DC Transformer for Active DC Distribution Networks Based on Constant-Transformation-Ratio DABC; *TPEL Feb. 2020 2170-2183*
Wang, X., *see* Dang, K., *TPEL March 2020 2247-2252*
Wang, X., *see* Chou, S., *TPEL April 2020 3519-3529*
Wang, X., *see* Wu, H., *TPEL April 2020 3573-3589*
Wang, X., *see* Liao, Y., *TPEL April 2020 4388-4397*
Wang, X., *see* Zhang, B., *TPEL June 2020 6512-6522*
Wang, X., *see* Wu, Q., *TPEL June 2020 5557-5561*
Wang, X., *see* Liu, Y., *TPEL Aug. 2020 7729-7734*
Wang, X., *see* Wu, X., *TPEL Sept. 2020 9865-9885*
Wang, X., *see* Yang, D., *TPEL Sept. 2020 9700-9715*
Wang, X., Wang, Z., Gu, M., Xiao, D., He, J., and Emadi, A., Diagnosis-Free Self-Healing Scheme for Open-Circuit Faults in Dual Three-Phase PMSM Drives; *TPEL Nov. 2020 12053-12071*
Wang, X., *see* Wu, H., *TPEL Dec. 2020 12673-12677*
Wang, X., Yan, H., Sala, G., Buticchi, G., Gu, C., Zhao, W., Xu, L., and Zhang, H., Selective Torque Harmonic Elimination for Dual Three-Phase PMSMs Based on PWM Carrier Phase Shift; *TPEL Dec. 2020 13255-13269*
Wang, X., *see* Ma, Z., *TPEL Dec. 2020 13514-13527*
Wang, X., *see* Ma, Z., *TPEL Dec. 2020 13514-13527*
Wang, X., Chen, M., Li, B., and Chen, N., Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function; *TPEL Dec. 2020 13602-13620*
Wang, X., *see* Zeng, W., *TPEL Dec. 2020 12861-12870*
Wang, X., Xu, J., Ma, H., and Zhang, Y., A Reconstructed S-LCC Topology With Dual-Type Outputs for Inductive Power Transfer Systems; *TPEL Dec. 2020 12606-12611*
Wang, X., *see* Hans, F., *TPEL Dec. 2020 13573-13589*
Wang, Y., *see* Zhang, R., *TPEL Jan. 2020 198-207*
Wang, Y., *see* Jiang, D., *TPEL Jan. 2020 25-32*
Wang, Y., *see* Song, Z., *TPEL Jan. 2020 760-774*
Wang, Y., *see* Cao, S., *TPEL Feb. 2020 1450-1458*
Wang, Y., *see* Tang, X., *TPEL Feb. 2020 1499-1512*
Wang, Y., Ruan, X., Jin, Q., Xi, H., Xiong, X., Leng, Y., and Li, Y., Elimination of the Interaction of the Converters in Switch-Linear Hybrid Envelope Tracking Power Supplies; *TPEL Feb. 2020 2053-2066*
Wang, Y., *see* Liu, D., *TPEL Feb. 2020 2008-2022*
Wang, Y., Feng, Y., Zhang, X., and Liang, J., A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System; *TPEL April 2020 4117-4126*
Wang, Y., *see* Jiang, Y., *TPEL April 2020 4272-4285*
Wang, Y., Jin, X., Peng, Y., Luo, J., and Yang, J., Design and Optimization of High-Failure-Current Dual-Direction SCR for Industrial-Level ESD Protection; *TPEL May 2020 4669-4677*
Wang, Y., *see* Wang, L., *TPEL June 2020 5897-5906*
Wang, Y., *see* Zhao, Q., *TPEL June 2020 5625-5638*
Wang, Y., *see* Chen, L., *TPEL June 2020 5850-5859*
Wang, Y., *see* Wang, S., *TPEL July 2020 7702-7712*
Wang, Y., *see* Zeng, W., *TPEL Aug. 2020 8002-8012*
Wang, Y., *see* Zhang, X., *TPEL Sept. 2020 9471-9481*
Wang, Y., *see* Zhu, J., *TPEL Sept. 2020 8892-8896*
Wang, Y., *see* Gao, G., *TPEL Sept. 2020 9133-9150*
Wang, Y., *see* Lyu, G., *TPEL Sept. 2020 9669-9679*
Wang, Y., *see* Dong, L., *TPEL Oct. 2020 10477-10488*
Wang, Y., *see* Gao, S., *TPEL Oct. 2020 10444-10454*
Wang, Y., *see* Han, Y., *TPEL Oct. 2020 11193-11204*
Wang, Y., *see* Liu, D., *TPEL Oct. 2020 9965-9970*

Wang, Y., Xu, Y., and Zou, J., Online Multiparameter Identification Method for Sensorless Control of SPMSM; *TPEL Oct. 2020 10601-10613*
Wang, Y., *see* Chu, G., *TPEL Oct. 2020 10306-10322*
Wang, Y., *see* Li, Z., *TPEL Oct. 2020 10026-10049*
Wang, Y., *see* Jiang, Y., *TPEL Oct. 2020 11064-11081*
Wang, Y., Chen, S., Zhu, L., Guan, Y., Zhang, G., Yang, L., and Zhang, Y., A Multiple Modular Isolated DC/DC Converter With Bidirectional Fault Handling and Efficient Energy Conversion for DC Distribution Network; *TPEL Nov. 2020 11502-11517*
Wang, Y., *see* Wang, Y., *TPEL Nov. 2020 11502-11517*
Wang, Y., *see* Lyu, D., *TPEL Nov. 2020 12359-12369*
Wang, Y., *see* Qi, X., *TPEL Nov. 2020 12003-12021*
Wang, Y., *see* Li, Y., *TPEL Dec. 2020 13663-13672*
Wang, Y., *see* Li, D., *TPEL Dec. 2020 13429-13440*
Wang, Y., *see* Zeng, W., *TPEL Dec. 2020 12861-12870*
Wang, Z., *see* Wang, W., *TPEL Feb. 2020 1365-1376*
Wang, Z., *see* Zhang, Y., *TPEL Feb. 2020 1160-1164*
Wang, Z., *see* Wang, X., *TPEL Feb. 2020 1753-1769*
Wang, Z., *see* Zhang, S., *TPEL March 2020 2436-2444*
Wang, Z., *see* Guo, G., *TPEL March 2020 2646-2658*
Wang, Z., *see* Xiao, S., *TPEL April 2020 3878-3890*
Wang, Z., Zhang, Y., You, S., Xiao, H., and Cheng, M., An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor; *TPEL May 2020 5066-5077*
Wang, Z., *see* Liu, C., *TPEL May 2020 5190-5204*
Wang, Z., *see* Liu, P., *TPEL June 2020 6153-6164*
Wang, Z., Zhang, Y., Wang, H., and Blaabjerg, F., Capacitor Condition Monitoring Based on the DC-Side Start-Up of Modular Multilevel Converters; *TPEL June 2020 5589-5593*
Wang, Z., *see* Zhang, Y., *TPEL July 2020 6916-6930*
Wang, Z., Zhang, Y., Wang, H., and Blaabjerg, F., A Reference Submodule Based Capacitor Condition Monitoring Method for Modular Multilevel Converters; *TPEL July 2020 6691-6696*
Wang, Z., *see* Chen, L., *TPEL Aug. 2020 8624-8637*
Wang, Z., *see* Zhang, Y., *TPEL Aug. 2020 8663-8672*
Wang, Z., *see* Guo, G., *TPEL Sept. 2020 9357-9367*
Wang, Z., *see* Zhang, Y., *TPEL Oct. 2020 9998-10002*
Wang, Z., *see* Li, Z., *TPEL Oct. 2020 10026-10049*
Wang, Z., *see* Peyghami, S., *TPEL Oct. 2020 10958-10968*
Wang, Z., *see* Ming, X., *TPEL Nov. 2020 12401-12415*
Wang, Z., *see* Wang, X., *TPEL Nov. 2020 12053-12071*
Wang, Z., *see* Hu, W., *TPEL Nov. 2020 11518-11532*
Wang, Z., Luo, Q., Wei, Y., Mou, D., Lu, X., and Sun, P., Topology Analysis and Review of Three-Port DC–DC Converters; *TPEL Nov. 2020 11783-11800*
Wang, Z., *see* Wang, W., *TPEL Dec. 2020 13673-13686*
Wang, Z., *see* Qu, Y., *TPEL Dec. 2020 13748-13756*
Wang, Z., *see* Lin, Z., *TPEL Dec. 2020 13345-13355*
Waqas, M., *see* Yan, Z., *TPEL Sept. 2020 9011-9023*
Waterfall, G., *see* Joshi, K., *TPEL Oct. 2020 10249-10259*
Watson, A., *see* Li, Z., *TPEL May 2020 5267-5278*
Weckbrodt, J., Ginot, N., Batard, C., Le, T.L., and Azzopardi, S., A Bidirectional Communicating Power Supply Circuit for Smart Gate Driver Boards; *TPEL Aug. 2020 8540-8549*
Wei, C., *see* Zhu, J., *TPEL Sept. 2020 8892-8896*
Wei, G., Jin, X., Wang, C., Feng, J., Zhu, C., and Matveevich, M.I., An Automatic Coil Design Method With Modified AC Resistance Evaluation for Achieving Maximum Coil–Coil Efficiency in WPT Systems; *TPEL June 2020 6114-6126*
Wei, G., *see* Wang, C., *TPEL July 2020 6854-6866*
Wei, J., *see* Zhang, H., *TPEL April 2020 3337-3342*
Wei, J., *see* Liu, S., *TPEL May 2020 5180-5189*
Wei, J., *see* Kou, B., *TPEL May 2020 5031-5046*
Wei, J., Lu, H., Xue, H., Zhang, Z., and Zhou, B., The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine; *TPEL Aug. 2020 8384-8395*
Wei, J., *see* Lyu, G., *TPEL Sept. 2020 9669-9679*
Wei, J., Liu, S., Zhang, X., Sun, W., and Huang, A.Q., Modeling Avalanche Induced Degradation for 4H-SiC Power MOSFETs; *TPEL Nov. 2020 11299-11303*
Wei, K., *see* Dang, K., *TPEL March 2020 2247-2252*
Wei, M., *see* Ni, Z., *TPEL June 2020 5770-5784*
Wei, Q., *see* Xing, L., *TPEL June 2020 5553-5556*
Wei, Q., *see* Xing, L., *TPEL Sept. 2020 8882-8885*
Wei, W., *see* Wang, X., *TPEL Feb. 2020 2170-2183*
Wei, X., Wang, H., Luo, A., Ma, F., Zhu, Z., Li, G., and Hao, R., Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System; *TPEL June 2020 6572-6585*
Wei, Y., Luo, Q., Du, X., Altin, N., Nasiri, A., and Alonso, J.M., A Dual Half-Bridge *LLC* Resonant Converter With Magnetic Control for Battery Charger Application; *TPEL Feb. 2020 2196-2207*
Wei, Y., Luo, Q., Alonso, J.M., and Mantooth, A., A Magnetically Controlled Single-Stage AC–DC Converter; *TPEL Sept. 2020 8872-8877*
Wei, Y., Luo, Q., and Mantooth, A., Overview of Modulation Strategies for *LLC* Resonant Converter; *TPEL Oct. 2020 10423-10443*
Wei, Y., *see* Wang, Z., *TPEL Nov. 2020 11783-11800*
Wei, Y., *see* Mhiesan, H., *TPEL Dec. 2020 12702-12715*
Wei, Z., *see* Sun, C., *TPEL June 2020 6373-6385*
Wei, Z., *see* Peng, F., *TPEL June 2020 5928-5937*
Weiss, G., *see* Lin, J., *TPEL Feb. 2020 1947-1956*
Wen, B., *see* Li, C., *TPEL March 2020 2268-2283*
Wen, F., Jing, F., Li, Q., Li, R., Liu, L., and Chu, X., Curvature Angle Splitting Suppression and Optimization on Nonplanar Coils Used in Wireless Charging System; *TPEL Sept. 2020 9070-9081*
Wen, H., *see* Shi, K., *TPEL Jan. 2020 319-333*
Wen, H., *see* Gong, C., *TPEL June 2020 5567-5572*
Wen, H., *see* Yang, Y., *TPEL June 2020 6470-6481*
Wen, H., *see* Shi, H., *TPEL Sept. 2020 9886-9903*
Wen, H., *see* Han, Y., *TPEL Oct. 2020 11193-11204*
Wen, H., *see* Chu, G., *TPEL Oct. 2020 10306-10322*
Wen, P., *see* Wu, J., *TPEL Sept. 2020 9202-9214*
Wen, W., *see* Li, B., *TPEL Jan. 2020 591-606*
Wen, W., *see* Nie, J., *TPEL April 2020 4256-4271*
Wen, Y., *see* Deng, X., *TPEL Aug. 2020 8524-8531*
Wheeler, P., *see* Lambert, G., *TPEL March 2020 2363-2371*
Wheeler, P., *see* Lei, J., *TPEL March 2020 3183-3194*
Wheeler, P., *see* Lei, J., *TPEL March 2020 2458-2466*
Wheeler, P., *see* Li, Z., *TPEL May 2020 5267-5278*
Wheeler, P.W., *see* Chen, L., *TPEL Feb. 2020 1957-1966*
Wheeler, P.W., *see* Chen, L., *TPEL Aug. 2020 8624-8637*
Wik, T., *see* Tang, X., *TPEL Feb. 2020 1499-1512*
Wilson, G., *see* Yao, W., *TPEL March 2020 3114-3126*
Wing-Hong Lau, R., *see* Tang, H., *TPEL July 2020 7204-7225*
Wing-To Fan, J., *see* Tang, H., *TPEL July 2020 7204-7225*
Winkler, J., Homoth, J., and Kallfass, I., Electroluminescence-Based Junction Temperature Measurement Approach for SiC Power MOSFETs; *TPEL March 2020 2990-2998*
Wiseman, J., *see* Xia, Z., *TPEL Sept. 2020 9753-9769*
Wiseman, J., *see* Tarvirdilu-Asl, R., *TPEL Oct. 2020 10654-10672*
Won, C., *see* Choo, K., *TPEL Dec. 2020 13308-13321*
Wong, C., *see* Kong, X., *TPEL Sept. 2020 9171-9183*
Wong, C.S., *see* Chan, Y.P., *TPEL Sept. 2020 9184-9201*
Wong, C.S., Chan, Y.P., Cao, L., Wang, L., Loo, K.H., and Wong, M.C., A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition; *TPEL Oct. 2020 10121-10136*
Wong, M.C., *see* Wong, C.S., *TPEL Oct. 2020 10121-10136*
Wong, S., *see* Huang, Z., *TPEL March 2020 3276-3286*
Wong, S., *see* Ke, G., *TPEL April 2020 3697-3712*
Wong, S., *see* Qu, X., *TPEL July 2020 6867-6877*
Wong, S., *see* Huang, Z., *TPEL Sept. 2020 8973-8984*
Wu, C., *see* Sun, Y., *TPEL April 2020 3434-3449*

Wu, C., Jiao, Y., Nian, H., and Blaabjerg, F., A Simplified Stator Frequency and Power Control Method of DFIG-DC System Without Stator Voltage and Current Sensors; *TPEL June 2020 5562-5566*
Wu, C., Zhao, Y., and Sun, M., Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification; *TPEL Oct. 2020 10700-10710*
Wu, C., *see* Pang, B., *TPEL Oct. 2020 10260-10270*
Wu, C., *see* Nian, H., *TPEL Nov. 2020 11720-11730*
Wu, C., Cheng, P., Ye, Y., and Blaabjerg, F., A Unified Power Control Method for Standalone and Grid-Connected DFIG-DC System; *TPEL Dec. 2020 12663-12667*
Wu, D., *see* Lu, W., *TPEL Jan. 2020 1156*
Wu, D., *see* Lu, W., *TPEL May 2020 5544*
Wu, D., Wu, Y., Kan, J., Tang, Y., Chen, J., and Jiang, L., Full-Bridge Current-Fed PV Microinverter With DLFCR Reduction Ability; *TPEL Sept. 2020 9541-9552*
Wu, D., Qamar, H., Qamar, H., and Ayyanar, R., Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link; *TPEL Dec. 2020 13295-13307*
Wu, F., Li, X., and Luo, S., Improved Modulation Strategy for Single-Phase Single-Stage Isolated AC–DC Converter Considering Power Reversion Zone; *TPEL April 2020 4157-4167*
Wu, F., *see* Li, X., *TPEL April 2020 4296-4308*
Wu, F., Fan, S., Li, X., and Luo, S., Bidirectional Buck–Boost Current-Fed Isolated DC–DC Converter and Its Modulation; *TPEL May 2020 5506-5516*
Wu, F., *see* Zhang, L., *TPEL May 2020 4835-4846*
Wu, F., *see* Li, X., *TPEL June 2020 6447-6457*
Wu, F., *see* Zhang, L., *TPEL Aug. 2020 8224-8236*
Wu, F., *see* Wang, C., *TPEL Sept. 2020 9119-9132*
Wu, F., Li, X., Yang, G., Liu, H., and Meng, T., Variable Switching Periods Based Space Vector Phase-Shifted Modulation for DAB Based Three-Phase Single-Stage Isolated AC–DC Converter; *TPEL Dec. 2020 13725-13734*
Wu, G., Yu, Z., Sun, K., Guo, R., Wang, B., Jiang, X., Li, L., and Lan, Z., Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites; *TPEL Feb. 2020 1845-1854*
Wu, G., Huang, S., Wu, Q., Rong, F., Zhang, C., and Liao, W., Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application; *TPEL Oct. 2020 10799-10809*
Wu, H., *see* Jia, Y., *TPEL Jan. 2020 158-168*
Wu, H., *see* Lu, Y., *TPEL Jan. 2020 94-106*
Wu, H., *see* Tang, X., *TPEL Jan. 2020 185-197*
Wu, H., *see* Shi, H., *TPEL March 2020 3254-3265*
Wu, H., *see* Hang, J., *TPEL March 2020 3029-3042*
Wu, H., and Wang, X., Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters; *TPEL April 2020 3573-3589*
Wu, H., *see* Wang, J., *TPEL July 2020 7073-7085*
Wu, H., *see* He, J., *TPEL Oct. 2020 10852-10862*
Wu, H., and Wang, X., Virtual-Flux-Based Passivation of Current Control for Grid-Connected VSCs; *TPEL Dec. 2020 12673-12677*
Wu, J., Wen, P., Sun, X., and Yan, X., Reactive Power Optimization Control for Bidirectional Dual-Tank Resonant DC–DC Converters for Fuel Cells Systems; *TPEL Sept. 2020 9202-9214*
Wu, J., *see* Ren, N., *TPEL Nov. 2020 11316-11320*
Wu, L., *see* Lin, Z., *TPEL Sept. 2020 9784-9793*
Wu, L., Zhang, B., and Zhou, J., Efficiency Improvement of the Parity-Time-Symmetric Wireless Power Transfer System for Electric Vehicle Charging; *TPEL Nov. 2020 12497-12508*
Wu, M., *see* Jiang, Y., *TPEL April 2020 4272-4285*
Wu, M., Wang, K., Yang, K., Konstantinou, G., Li, Y.W., and Li, Y., Unified Selective Harmonic Elimination Control for Four-Level Hybrid-Clamped Inverters; *TPEL Nov. 2020 11488-11501*
Wu, N., *see* Zhao, Q., *TPEL June 2020 5625-5638*
Wu, P., *see* Su, Y., *TPEL March 2020 3139-3147*
Wu, Q., Wang, M., Zhou, W., and Wang, X., Current Balancing of Paralleled SiC mosfets for a Resonant Pulsed Power Converter; *TPEL June 2020 5557-5561*
Wu, Q., *see* Wu, G., *TPEL Oct. 2020 10799-10809*
Wu, Q., *see* Han, Y., *TPEL Dec. 2020 13096-13103*
Wu, Q., *see* Ma, Z., *TPEL Dec. 2020 13514-13527*
Wu, R., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Wu, S., *see* Cai, C., *TPEL Aug. 2020 7721-7724*
Wu, T., Luo, D., Huang, S., Wu, X., Liu, K., Lu, K., and Peng, X., A Fast Estimation of Initial Rotor Position for Low-Speed Free-Running IPMSM; *TPEL July 2020 7664-7673*
Wu, T., *see* Liu, B., *TPEL Nov. 2020 11634-11651*
Wu, W., *see* Lallart, M., *TPEL March 2020 2585-2594*
Wu, W., Liu, J., Li, Y., and Blaabjerg, F., Individual Channel Design-Based Precise Analysis and Design for Three-Phase Grid-Tied Inverter With *LCL*-Filter Under Unbalanced Grid Impedance; *TPEL May 2020 5381-5396*
Wu, W., *see* Ding, X., *TPEL July 2020 7175-7190*
Wu, W., *see* Zhao, J., *TPEL Aug. 2020 8102-8115*
Wu, W., *see* Li, G., *TPEL Oct. 2020 11096-11107*
Wu, W., *see* Liu, Y., *TPEL Dec. 2020 13031-13041*
Wu, W., *see* Li, H., *TPEL Dec. 2020 12773-12786*
Wu, X., Huang, S., Liu, K., Lu, K., Hu, Y., Pan, W., and Peng, X., Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor; *TPEL Jan. 2020 681-698*
Wu, X., *see* Li, G., *TPEL Feb. 2020 1189-1193*
Wu, X., *see* Lin, X., *TPEL April 2020 4216-4232*
Wu, X., Xiong, C., Yang, S., Yang, H., and Feng, X., A Simplified Space Vector Pulsewidth Modulation Scheme for Three-Phase Cascaded H-Bridge Inverters; *TPEL April 2020 4192-4204*
Wu, X., Chen, C., Chen, T., Cheng, S., Mao, Z., Yu, T., and Li, K., A Fast and Robust Diagnostic Method for Multiple Open-Circuit Faults of Voltage-Source Inverters Through Line Voltage Magnitudes Analysis; *TPEL May 2020 5205-5220*
Wu, X., *see* Li, M., *TPEL June 2020 6102-6113*
Wu, X., *see* Wu, T., *TPEL July 2020 7664-7673*
Wu, X., Xu, Y., He, J., Wang, X., Vasquez, J.C., and Guerrero, J.M., Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters; *TPEL Sept. 2020 9865-9885*
Wu, X., *see* Han, Y., *TPEL Oct. 2020 11053-11063*
Wu, X., *see* Shao, S., *TPEL Oct. 2020 10930-10944*
Wu, X., *see* Zhang, X., *TPEL Oct. 2020 11143-11154*
Wu, X., *see* Li, X., *TPEL Oct. 2020 11181-11192*
Wu, X., *see* Zhang, X., *TPEL Oct. 2020 10097-10108*
Wu, X., *see* Saeed, M.S.R., *TPEL Nov. 2020 12085-12099*
Wu, X., *see* Dong, Z., *TPEL Nov. 2020 12264-12273*
Wu, X., *see* Zhou, Z., *TPEL Nov. 2020 12555-12569*
Wu, Y., *see* Zhao, S., *TPEL Feb. 2020 1882-1898*
Wu, Y., *see* Ren, X., *TPEL July 2020 7480-7491*
Wu, Y., *see* Wu, D., *TPEL Sept. 2020 9541-9552*
Wu, Y., *see* Xiong, Y., *TPEL Dec. 2020 13641-13651*
Wu, Z., *see* Zhao, F., *TPEL Jan. 2020 709-724*
Wu, Z., *see* Zhao, F., *TPEL Jan. 2020 744-759*
Wu, Z., *see* Hu, M., *TPEL Oct. 2020 11119-11128*
Wylie, J., *see* Leterme, W., *TPEL June 2020 5753-5769*

X

Xi, H., *see* Wang, Y., *TPEL Feb. 2020 2053-2066*
Xia, C., *see* Xiao, S., *TPEL April 2020 3878-3890*
Xia, C., *see* Shi, T., *TPEL May 2020 5093-5101*
Xia, C., *see* Cao, Y., *TPEL Aug. 2020 8417-8428*
Xia, C., *see* Lin, Z., *TPEL Dec. 2020 13345-13355*
Xia, M., *see* Hang, J., *TPEL Feb. 2020 2023-2033*
Xia, M., *see* Hang, J., *TPEL June 2020 6405-6418*
Xia, T., *see* Zhang, X., *TPEL Oct. 2020 10097-10108*
Xia, Y., *see* Lu, Y., *TPEL Jan. 2020 94-106*
Xia, Y., *see* Tang, X., *TPEL Feb. 2020 1499-1512*
Xia, Y., *see* Wang, X., *TPEL Feb. 2020 2170-2183*
Xia, Y., *see* Gou, B., *TPEL Dec. 2020 13281-13294*

Xia, Z., Nalakath, S., Tarvirdilu-Asl, R., Sun, Y., Wiseman, J., and Emadi, A., Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges; *TPEL Sept. 2020 9753-9769*

Xia, Z., *see* Tarvirdilu-Asl, R., *TPEL Oct. 2020 10654-10672*

Xiang, X., *see* Qiao, Y., *TPEL April 2020 3402-3415*

Xiang, X., Qiao, Y., Gu, Y., Zhang, X., and Green, T.C., Analysis and Criterion for Inherent Balance Capability in Modular Multilevel DC–AC–DC Converters; *TPEL June 2020 5573-5580*

Xiang, X., Chai, J., Sun, X., Lu, H., and Yang, H., An Arcless Theory of Mechanical–Electronic Hybrid Commutation; *TPEL Sept. 2020 9586-9596*

Xiao, D., Fang, G., Liu, S., Yuan, S., Ahmed, R., Habibi, S., and Emadi, A., Reduced-Coupling Coestimation of SOC and SOH for Lithium-Ion Batteries Based on Convex Optimization; *TPEL Nov. 2020 12332-12346*

Xiao, D., *see* Wang, X., *TPEL Nov. 2020 12053-12071*

Xiao, F., *see* Luo, Y., *TPEL June 2020 5660-5669*

Xiao, G., *see* Zhao, F., *TPEL Jan. 2020 709-724*

Xiao, G., *see* Zhao, F., *TPEL Jan. 2020 744-759*

Xiao, H., *see* Zhang, S., *TPEL March 2020 2436-2444*

Xiao, H., Li, Y., Gole, A.M., and Duan, X., Computationally Efficient and Accurate Approach for Commutation Failure Risk Areas Identification in Multi-Infeed LCC-HVdc Systems; *TPEL May 2020 5238-5253*

Xiao, H., *see* Wang, Z., *TPEL May 2020 5066-5077*

Xiao, H., *see* Hu, M., *TPEL Oct. 2020 11119-11128*

Xiao, H., A Modular Low Current Ripple Electrolysis Power Supply Based on Multiphase Half-Bridge High-Frequency Inverters; *TPEL Oct. 2020 10088-10096*

Xiao, L., *see* Ye, D., *TPEL Jan. 2020 640-651*

Xiao, L., *see* Ye, D., *TPEL May 2020 4984-4995*

Xiao, L., *see* Wang, C., *TPEL Sept. 2020 9119-9132*

Xiao, L., *see* Hu, Y., *TPEL Sept. 2020 9563-9573*

Xiao, L., Li, J., Xiong, Y., Chen, J., and Gao, H., Strategy and Implementation of Harmonic-Reduced Synchronized SVPWM for High-Power Traction Machine Drives; *TPEL Nov. 2020 12457-12471*

Xiao, M., *see* Shi, T., *TPEL May 2020 5093-5101*

Xiao, M., *see* Zhang, R., *TPEL Dec. 2020 13409-13419*

Xiao, Q., *see* Chen, L., *TPEL Feb. 2020 1957-1966*

Xiao, Q., *see* Wang, J., *TPEL Sept. 2020 9107-9118*

Xiao, S., Gu, X., Wang, Z., Shi, T., and Xia, C., A Novel Variable DC-Link Voltage Control Method for PMSM Driven by a Quasi-Z-Source Inverter; *TPEL April 2020 3878-3890*

Xiao, S., and Griffo, A., PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines; *TPEL June 2020 6061-6069*

Xiao, W., *see* Soon, J.L., *TPEL Sept. 2020 8934-8943*

Xiao, W., *see* Hassan, W., *TPEL Nov. 2020 11827-11842*

Xiao, Y., Liu, C., and Yu, F., An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers; *TPEL March 2020 2776-2786*

Xiao, Y., Fahimi, B., Rotea, M.A., and Li, Y., Multiple Reference Frame-Based Torque Ripple Reduction in DFIG-DC System; *TPEL May 2020 4971-4983*

Xiao, Y., and Peng, L., A Novel Fault Ride-Through Strategy Based on Capacitor Energy Storage Inside MMC; *TPEL Aug. 2020 7960-7971*

Xiao, Y., *see* Huang, Y., *TPEL Sept. 2020 9046-9056*

Xiao, Y., and Liu, C., A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger; *TPEL Oct. 2020 10720-10728*

Xiao, Y., Zhang, Z., Andersen, M.A.E., and Sun, K., Impact on ZVS Operation by Splitting Inductance to Both Sides of Transformer for 1-MHz GaN Based DAB Converter; *TPEL Nov. 2020 11988-12002*

Xiao, Z., He, Z., Wang, H., Luo, A., Shuai, Z., and Guerrero, J.M., General High-Frequency-Link Analysis and Application of Dual Active Bridge Converters; *TPEL Aug. 2020 8673-8688*

Xiao, Z., *see* Gao, G., *TPEL Sept. 2020 9133-9150*

Xie, C., Li, K., Zou, J., and Guerrero, J.M., Passivity-Based Stabilization of *LCL*-Type Grid-Connected Inverters via a General Admittance Model; *TPEL June 2020 6636-6648*

Xie, C., Li, K., Zou, J., Liu, D., and Guerrero, J.M., Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters; *TPEL Sept. 2020 9813-9823*

Xie, H., *see* Chu, E., *TPEL Feb. 2020 1392-1405*

Xie, H., *see* Wang, F., *TPEL Feb. 2020 1779-1788*

Xie, H., *see* Chu, E., *TPEL May 2020 4859-4876*

Xie, J., *see* Zhang, S., *TPEL March 2020 2436-2444*

Xie, S., *see* Qian, Q., *TPEL May 2020 5479-5495*

Xie, S., *see* Zhang, B., *TPEL June 2020 6512-6522*

Xie, W., *see* Li, S., *TPEL Feb. 2020 1685-1698*

Xie, W., Li, S., Zheng, Y., Smedley, K.M., Wang, J., Ji, Y., and Yu, J., A Family of Step-Up Series–Parallel Dual Resonant Switched-Capacitor Converters With Wide Regulation Range; *TPEL March 2020 2724-2736*

Xie, W., Li, S., Smedley, K.M., Wang, J., Ji, Y., and Yu, J., A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber; *TPEL May 2020 4891-4904*

Xie, W., *see* Zheng, Y., *TPEL Sept. 2020 9416-9429*

Xie, X., *see* Dong, H., *TPEL May 2020 4457-4461*

Xie, X., *see* Liu, W., *TPEL Sept. 2020 9380-9389*

Xie, X., *see* Dong, H., *TPEL Nov. 2020 12223-12237*

Xie, Y., Li, W., Hu, X., Zou, C., Feng, F., and Tang, X., Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries; *TPEL March 2020 2595-2614*

Xie, Y., *see* Hu, W., *TPEL Nov. 2020 11518-11532*

Xin, K., *see* Yang, D., *TPEL Feb. 2020 1473-1483*

Xin, S., *see* Liu, S., *TPEL Nov. 2020 11328-11331*

Xin, Y., *see* Zhu, F., *TPEL Sept. 2020 9368-9379*

Xin, Y., *see* Ming, X., *TPEL Nov. 2020 12401-12415*

Xin, Y., *see* Li, D., *TPEL Dec. 2020 12646-12650*

Xin, Z., *see* Shi, Y., *TPEL Nov. 2020 12207-12222*

Xing, D., *see* Talesara, V., *TPEL Sept. 2020 9680-9689*

Xing, L., and Wei, Q., Series-Connected Current Source Inverters With Less Switches; *TPEL June 2020 5553-5556*

Xing, L., and Wei, Q., Series-Connected Current-Source Inverters: f_{SW} = 60 Hz; *TPEL Sept. 2020 8882-8885*

Xing, X., *see* Chen, J., *TPEL July 2020 7492-7505*

Xing, Y., *see* Jia, Y., *TPEL Jan. 2020 158-168*

Xing, Y., *see* Lu, Y., *TPEL Jan. 2020 94-106*

Xing, Y., *see* Tang, X., *TPEL Jan. 2020 185-197*

Xing, Y., *see* Wang, J., *TPEL July 2020 7073-7085*

Xiong, C., *see* Wu, X., *TPEL April 2020 4192-4204*

Xiong, L., Liu, X., Zhao, C., and Zhuo, F., A Fast and Robust Real-Time Detection Algorithm of Decaying DC Transient and Harmonic Components in Three-Phase Systems; *TPEL April 2020 3332-3336*

Xiong, L., *see* Du, L., *TPEL July 2020 6682-6685*

Xiong, Q., *see* Wang, C., *TPEL Feb. 2020 2044-2052*

Xiong, R., *see* Tian, J., *TPEL Oct. 2020 10363-10373*

Xiong, X., *see* Wang, Y., *TPEL Feb. 2020 2053-2066*

Xiong, Y., *see* Xiao, L., *TPEL Nov. 2020 12457-12471*

Xiong, Y., Ye, Y., Cao, Y., and Wu, Y., Separate-Structure UDE-Based Current Resonant Control Strategy on *L*+*C*+*L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness; *TPEL Dec. 2020 13641-13651*

Xu, C., Lin, L., Yin, T., and Hu, J., An Improved Phase-Shifted-Carrier Technique for Hybrid Modular Multilevel Converter With Boosted Modulation Index; *TPEL Feb. 2020 1340-1352*

Xu, C., *see* Zhang, Q., *TPEL March 2020 2908-2916*

Xu, C., Han, Z., and Lu, S., Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation; *TPEL May 2020 5018-5030*

Xu, C., Zhang, X., Yu, Z., Zhao, B., Chen, Z., and Zeng, R., A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System; *TPEL May 2020 4483-4488*

Xu, C., Zhu, P., Zhang, Q., Yang, Z., Wang, K., and Shen, R., A Shock-Induced Pulsed Power Switch Utilizing Electro-Explosion of Exploding Bridge Wire; *TPEL Oct. 2020 10770-10777*

Xu, C., *see* Zhang, X., *TPEL Nov. 2020 12181-12193*
Xu, C., Zhao, B., Chen, Z., Liu, J., Song, Q., and Yu, Z., A Novel Converter-Breaker Integrated Voltage Source Converter Based on High-Surge IGCT and Fault Self-Clearing Strategy for DC Grid; *TPEL Dec. 2020 12668-12672*
Xu, C., *see* Yin, T., *TPEL Dec. 2020 12623-12628*
Xu, D., *see* Pan, L., *TPEL Feb. 2020 1789-1804*
Xu, D., *see* Ding, D., *TPEL March 2020 2895-2907*
Xu, D., *see* Li, B., *TPEL April 2020 3377-3389*
Xu, D., *see* Kou, J., *TPEL July 2020 7356-7365*
Xu, D., *see* Wang, K., *TPEL July 2020 7674-7688*
Xu, D., *see* Zhang, L., *TPEL Aug. 2020 8224-8236*
Xu, D., *see* Wang, G., *TPEL Sept. 2020 9574-9585*
Xu, D., *see* Zhang, X., *TPEL Sept. 2020 8860-8866*
Xu, D., *see* Zhang, X., *TPEL Sept. 2020 9471-9481*
Xu, D., *see* Gao, S., *TPEL Oct. 2020 10444-10454*
Xu, D., *see* Li, W., *TPEL Oct. 2020 11235-11249*
Xu, D., *see* Li, B., *TPEL Nov. 2020 11430-11441*
Xu, D., *see* Wang, B., *TPEL Nov. 2020 12522-12532*
Xu, D., *see* Zhang, Z., *TPEL Nov. 2020 11544-11556*
Xu, D., *see* Xu, Z., *TPEL Dec. 2020 12929-12948*
Xu, D., *see* Bi, G., *TPEL Dec. 2020 13333-13344*
Xu, D., *see* Zhang, X., *TPEL Dec. 2020 13488-13499*
Xu, G., *see* Tian, Q., *TPEL Nov. 2020 11731-11744*
Xu, G., *see* Leng, M., *TPEL Dec. 2020 13475-13487*
Xu, H., *see* Zhang, R., *TPEL Jan. 2020 198-207*
Xu, H., *see* Zhao, R., *TPEL March 2020 2263-2267*
Xu, H., *see* Dong, Z., *TPEL Nov. 2020 12264-12273*
Xu, J., *see* Qian, Q., *TPEL May 2020 5479-5495*
Xu, J., Gu, L., Ye, Z., Kargarrazi, S., and Rivas-Davila, J.M., Cascode GaN/SiC: A Wide-Bandgap Heterogenous Power Device for High-Frequency Applications; *TPEL June 2020 6340-6349*
Xu, J., *see* Zhang, B., *TPEL June 2020 6512-6522*
Xu, J., *see* Hu, W., *TPEL Nov. 2020 11518-11532*
Xu, J., *see* Yang, Q., *TPEL Dec. 2020 13053-13067*
Xu, J., *see* Wang, X., *TPEL Dec. 2020 12606-12611*
Xu, K., *see* Qian, Q., *TPEL May 2020 5479-5495*
Xu, K., *see* Tang, Y., *TPEL Nov. 2020 11955-11964*
Xu, L., *see* Han, Y., *TPEL March 2020 3221-3241*
Xu, L., *see* Yang, Y., *TPEL June 2020 6470-6481*
Xu, L., *see* Pan, J., *TPEL July 2020 7563-7573*
Xu, L., *see* Song, X., *TPEL Aug. 2020 7816-7825*
Xu, L., *see* Wang, K., *TPEL Sept. 2020 9095-9106*
Xu, L., *see* Zhuo, S., *TPEL Sept. 2020 9923-9932*
Xu, L., *see* Pan, J., *TPEL Oct. 2020 10137-10149*
Xu, L., *see* Ke, Z., *TPEL Nov. 2020 12544-12554*
Xu, L., *see* Wang, X., *TPEL Dec. 2020 13255-13269*
Xu, M., *see* Chen, W., *TPEL Aug. 2020 8726-8736*
Xu, Q., *see* Guo, P., *TPEL Feb. 2020 1239-1255*
Xu, Q., Yan, Y., Zhang, C., Dragicevic, T., and Blaabjerg, F., An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads; *TPEL May 2020 5331-5342*
Xu, Q., Jiang, W., Blaabjerg, F., Zhang, C., Zhang, X., and Fernando, T., Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads; *TPEL May 2020 5397-5407*
Xu, R., *see* Zhu, J., *TPEL May 2020 4847-4858*
Xu, S., *see* Jiang, D., *TPEL Jan. 2020 25-32*
Xu, S., Song, Q., Zhou, Y., Meng, J., Yang, W., Zhao, B., and Zeng, R., Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current; *TPEL July 2020 6668-6672*
Xu, S., Kou, X., Wang, C., Sun, W., and Shi, L., New Digital Control Method for Improving Dynamic Response of Synchronous Rectified PSR Flyback Converter With CCM and DCM Modes; *TPEL Nov. 2020 12347-12358*
Xu, T., *see* Sun, T., *TPEL Oct. 2020 11213-11221*
Xu, T., Gao, F., Zhou, K., and Blaabjerg, F., Optimized Design for AC Filter and Switching Frequency of Parallel-Connected Inverters With Global Synchronous Pulsewidth Modulation; *TPEL Nov. 2020 11843-11854*
Xu, T., Gao, F., Tan, P., Meng, X., and Blaabjerg, F., Parameters Uncertainty Immunization of Global Synchronous Pulsewidth Modulated VSIs With Round P&O Algorithm; *TPEL Nov. 2020 11281-11286*
Xu, W., *see* Liu, Y., *TPEL Jan. 2020 775-788*
Xu, W., Elbabo Mohammed, O.M., Liu, Y., and Islam, M.R., Negative Sequence Voltage Compensating for Unbalanced Standalone Brushless Doubly-Fed Induction Generator; *TPEL Jan. 2020 667-680*
Xu, W., Yu, K., Liu, Y., and Chen, J., Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters; *TPEL May 2020 4959-4970*
Xu, W., Ebraheem, A.K., Liu, Y., Zhu, J., Hussien, M.G., and Elbabo Mohammed, O.M., An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs; *TPEL July 2020 7271-7281*
Xu, W., Elmorshedy, M.F., Liu, Y., Rodriguez, J., and Garcia, C., Maximum Thrust per Ampere of Linear Induction Machine Based on Finite-Set Model Predictive Direct Thrust Control; *TPEL July 2020 7366-7378*
Xu, W., *see* Junejo, A.K., *TPEL Nov. 2020 12110-12121*
Xu, X., Zheng, Z., Wang, K., Yang, B., and Li, Y., A Comprehensive Study of Common Mode Voltage Reduction and Neutral Point Potential Balance for a Back-to-Back Three-Level NPC Converter; *TPEL Aug. 2020 7910-7920*
Xu, X., *see* Shao, S., *TPEL Oct. 2020 10930-10944*
Xu, X., Chen, W., Tao, H., Zhou, Q., Li, Z., and Zhang, B., Design and Experimental Verification of an Efficient SSCB Based on CS-MCT; *TPEL Nov. 2020 11682-11693*
Xu, X., *see* He, L., *TPEL Dec. 2020 13225-13238*
Xu, Y., *see* Zhang, W., *TPEL Jan. 2020 607-618*
Xu, Y., Ho, C.N.M., Ghosh, A., and Muthumuni, D., An Electrical Transient Model of IGBT-Diode Switching Cell for Power Semiconductor Loss Estimation in Electromagnetic Transient Simulation; *TPEL March 2020 2979-2989*
Xu, Y., *see* Yao, W., *TPEL March 2020 3114-3126*
Xu, Y., *see* Liu, P., *TPEL June 2020 6153-6164*
Xu, Y., *see* Yang, C., *TPEL June 2020 6625-6635*
Xu, Y., *see* Wu, X., *TPEL Sept. 2020 9865-9885*
Xu, Y., *see* Wang, Y., *TPEL Oct. 2020 10601-10613*
Xu, Y., *see* Huang, Y., *TPEL Oct. 2020 10643-10653*
Xu, Y., Zheng, B., Wang, G., Yan, H., and Zou, J., Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer; *TPEL Nov. 2020 12166-12180*
Xu, Y., *see* Nian, H., *TPEL Nov. 2020 11720-11730*
Xu, Y., *see* Zhang, C., *TPEL Dec. 2020 12887-12897*
Xu, Y., *see* Gou, B., *TPEL Dec. 2020 13281-13294*
Xu, Z., Zhang, T., Bao, Y., Zhang, H., and Gerada, C., A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives; *TPEL Jan. 2020 733-743*
Xu, Z., *see* Wang, X., *TPEL Feb. 2020 1753-1769*
Xu, Z., *see* Wang, M., *TPEL May 2020 4634-4646*
Xu, Z., Li, B., Han, L., Hu, J., Wang, S., Zhang, S., and Xu, D., A Complete HSS-Based Impedance Model of MMC Considering Grid Impedance Coupling; *TPEL Dec. 2020 12929-12948*
Xuan, Y., *see* Liu, T., *TPEL Nov. 2020 11770-11782*
Xue, C., Ding, L., Li, Y., and Zargari, N.R., Improved Model Predictive Control for High-Power Current-Source Rectifiers Under Normal and Distorted Grid Conditions; *TPEL May 2020 4588-4601*
Xue, C., *see* Yao, J., *TPEL Nov. 2020 11442-11452*
Xue, D., Liu, J., Liu, Z., Tu, Y., and Liu, T., Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes; *TPEL June 2020 5883-5896*
Xue, D., *see* Tu, Y., *TPEL Nov. 2020 11666-11681*
Xue, H., *see* Wei, J., *TPEL Aug. 2020 8384-8395*
Xue, P., Maresca, L., Riccio, M., Breglio, G., and Irace, A., Investigation on the Short-Circuit Oscillation of Cascode GaN HEMTs; *TPEL June 2020 6292-6300*

Xue, P., *see* Yao, P., *TPEL Nov. 2020 11463-11474*
Xue, R., *see* Ji, J., *TPEL Oct. 2020 10681-10689*
Xun, Y., *see* Wang, J., *TPEL July 2020 6974-6988*

Y

Yadav, A.K., *see* R, R., *TPEL March 2020 2402-2410*
Yadav, O.P., *see* Ni, Z., *TPEL Aug. 2020 7765-7794*
Yamada, T., *see* Yamaguchi, K., *TPEL Jan. 2020 619-629*
Yamaguchi, K., Katsura, K., Yamada, T., and Sato, Y., Criteria for Using Anti-parallel SiC SBDs With SiC mosfets for SiC-Based Inverters; *TPEL Jan. 2020 619-629*
Yamamoto, M., *see* Noah, M., *TPEL Jan. 2020 835-852*
Yamamoto, M., *see* Uno, M., *TPEL Feb. 2020 1563-1575*
Yan, H., *see* Lin, H., *TPEL April 2020 3506-3518*
Yan, H., *see* Xu, Y., *TPEL Nov. 2020 12166-12180*
Yan, H., *see* Wang, X., *TPEL Dec. 2020 13255-13269*
Yan, J., Shen, S., and Ding, W., High-Power Nanosecond Pulse Generators With Improved Reliability by Adopting Auxiliary Triggering Topology; *TPEL Feb. 2020 1353-1364*
Yan, L., *see* Zhang, H., *TPEL March 2020 2831-2842*
Yan, L., *see* Lallart, M., *TPEL March 2020 2585-2594*
Yan, L., and Song, X., Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement; *TPEL March 2020 2257-2262*
Yan, L., *see* Gong, C., *TPEL June 2020 5567-5572*
Yan, L., *see* Han, Y., *TPEL Oct. 2020 11193-11204*
Yan, Q., *see* Zhao, R., *TPEL March 2020 2263-2267*
Yan, Q., and Yuan, X., A Double-Modulation-Wave PWM for Dead-Time-Effect Elimination and Synchronous Rectification in SiC-Device-Based High-Switching-Frequency Converters; *TPEL Dec. 2020 13500-13513*
Yan, S., Chen, J., Tan, S., and Hui, S.Y.R., A New Geometric Vector Optimization of Predictive Direct Power Control; *TPEL May 2020 5427-5436*
Yan, S., *see* Wang, Q., *TPEL May 2020 4741-4755*
Yan, S., *see* Wang, M., *TPEL May 2020 4634-4646*
Yan, X., *see* Wu, J., *TPEL Sept. 2020 9202-9214*
Yan, Y., *see* Xu, Q., *TPEL May 2020 5331-5342*
Yan, Y., *see* Shi, T., *TPEL May 2020 5093-5101*
Yan, Y., Bai, H., Foote, A., and Wang, W., Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger; *TPEL July 2020 7506-7519*
Yan, Y., *see* Cao, Y., *TPEL Aug. 2020 8417-8428*
Yan, Z., *see* Zhang, Y., *TPEL Jan. 2020 131-137*
Yan, Z., *see* Mai, R., *TPEL Jan. 2020 1124-1135*
Yan, Z., *see* Zhu, J., *TPEL May 2020 4847-4858*
Yan, Z., Zeng, J., Lin, W., and Liu, J., A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS; *TPEL July 2020 7191-7203*
Yan, Z., Yang, B., Liu, H., Chen, C., Waqas, M., Mai, R., and He, Z., Efficiency Improvement of Wireless Power Transfer Based on Multitransmitter System; *TPEL Sept. 2020 9011-9023*
Yan, Z., *see* Zhang, K., *TPEL Oct. 2020 11108-11118*
Yan, Z., *see* Liu, S., *TPEL Dec. 2020 12752-12764*
Yang, A., *see* Ji, J., *TPEL April 2020 3869-3877*
Yang, B., *see* Chen, Y., *TPEL Feb. 2020 1672-1684*
Yang, B., *see* Chen, Y., *TPEL May 2020 4915-4924*
Yang, B., *see* Chen, Y., *TPEL June 2020 6039-6049*
Yang, B., *see* Mai, R., *TPEL July 2020 6652-6657*
Yang, B., *see* Xu, X., *TPEL Aug. 2020 7910-7920*
Yang, B., *see* Yan, Z., *TPEL Sept. 2020 9011-9023*
Yang, B., *see* Yang, Z., *TPEL Oct. 2020 10352-10362*
Yang, C., Gui, W., Chen, Z., Zhang, J., Peng, T., Karimi, H.R., and Ding, S.X., Voltage Difference Residual-Based Open-Circuit Fault Diagnosis Approach for Three-Level Converters in Electric Traction Systems; *TPEL March 2020 3012-3028*
Yang, C., *see* Yang, C., *TPEL March 2020 3012-3028*
Yang, C., Pei, Y., Xu, Y., Zhang, F., Wang, L., Zhu, M., and Yu, L., A Gate Drive Circuit and Dynamic Voltage Balancing Control Method Suitable for Series-Connected SiC mosfets; *TPEL June 2020 6625-6635*
Yang, C., *see* Chen, W., *TPEL Aug. 2020 8726-8736*
Yang, C., Pei, Y., Wang, L., Yu, L., Zhao, C., Zhu, M., and Liu, X., Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets; *TPEL Dec. 2020 13356-13366*
Yang, D., *see* Tang, X., *TPEL Feb. 2020 1499-1512*
Yang, D., Wang, X., Liu, F., Xin, K., Liu, Y., and Blaabjerg, F., Symmetrical PLL for SISO Impedance Modeling and Enhanced Stability in Weak Grids; *TPEL Feb. 2020 1473-1483*
Yang, D., *see* Wang, L., *TPEL June 2020 5897-5906*
Yang, D., and Wang, X., Unified Modular State-Space Modeling of Grid-Connected Voltage-Source Converters; *TPEL Sept. 2020 9700-9715*
Yang, F., Li, C., Cao, Y., and Yao, K., Two-Phase Interleaved Boost PFC Converter With Coupled Inductor Under Single-Phase Operation; *TPEL Jan. 2020 169-184*
Yang, F., Ugur, E., and Akin, B., Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets; *TPEL June 2020 6315-6331*
Yang, G., *see* Zhang, Q., *TPEL March 2020 2908-2916*
Yang, G., *see* Li, X., *TPEL April 2020 4296-4308*
Yang, G., *see* Li, X., *TPEL June 2020 6447-6457*
Yang, G., *see* Huang, J., *TPEL July 2020 7086-7099*
Yang, G., *see* Song, K., *TPEL Sept. 2020 9034-9045*
Yang, G., *see* Wu, F., *TPEL Dec. 2020 13725-13734*
Yang, H., *see* Jiang, D., *TPEL Jan. 2020 25-32*
Yang, H., *see* Wu, X., *TPEL April 2020 4192-4204*
Yang, H., *see* Sheng, J., *TPEL April 2020 4242-4255*
Yang, H., *see* Xiang, X., *TPEL Sept. 2020 9586-9596*
Yang, H., *see* Lyu, S., *TPEL Dec. 2020 13270-13280*
Yang, J., *see* Park, S., *TPEL March 2020 2714-2723*
Yang, J., *see* Liu, J., *TPEL May 2020 4791-4803*
Yang, J., *see* Wang, Y., *TPEL May 2020 4669-4677*
Yang, J., *see* Tang, W., *TPEL May 2020 4533-4546*
Yang, J., *see* Zhao, N., *TPEL June 2020 6559-6571*
Yang, K., *see* Wu, M., *TPEL Nov. 2020 11488-11501*
Yang, L., Wang, S., Zhao, H., and Zhi, Y., Prediction and Analysis of EMI Spectrum Based on the Operating Principle of EMC Spectrum Analyzers; *TPEL Jan. 2020 263-275*
Yang, L., Wang, S., Zhao, H., and Zhi, Y., Corrections to "Prediction and Analysis of EMI Spectrum Based on the Operating Principle of EMC Spectrum Analyzers" *TPEL May 2020 5541*
Yang, L., Zhao, H., Wang, S., and Zhi, Y., Common-Mode EMI Noise Analysis and Reduction for AC–DC–AC Systems With Paralleled Power Modules; *TPEL July 2020 6989-7000*
Yang, L., *see* Wang, Y., *TPEL Nov. 2020 11502-11517*
Yang, M., *see* Qi, J., *TPEL Dec. 2020 13384-13399*
Yang, N., *see* Hu, R., *TPEL Dec. 2020 13200-13209*
Yang, P., *see* Yao, C., *TPEL Jan. 2020 48-58*
Yang, P., *see* Han, Y., *TPEL March 2020 3221-3241*
Yang, Q., He, M., Xu, J., Li, X., Zhu, J., Zhang, Z., Gu, Z., Ren, X., and Chen, Q., Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling; *TPEL Dec. 2020 13053-13067*
Yang, R., Wang, M., Li, L., Wang, G., and Zhong, C., Robust Predictive Current Control of PMLSM With Extended State Modeling Based Kalman Filter: For Time-Varying Disturbance Rejection; *TPEL Feb. 2020 2208-2221*
Yang, R., *see* Chen, L., *TPEL June 2020 5850-5859*
Yang, R., *see* Sun, T., *TPEL Oct. 2020 11213-11221*
Yang, S., *see* Song, K., *TPEL March 2020 2501-2518*
Yang, S., *see* Lin, J., *TPEL April 2020 3997-4008*
Yang, S., *see* Wu, X., *TPEL April 2020 4192-4204*
Yang, S., *see* Cai, C., *TPEL Aug. 2020 7721-7724*
Yang, S., Liu, S., Huang, J., Su, H., and Wang, H., Control Conflict Suppressing and Stability Improving for an MMC Distributed Control System; *TPEL Dec. 2020 13735-13747*
Yang, S., *see* Wang, H., *TPEL Dec. 2020 12834-12845*

Yang, S., *see* Wang, J., *TPEL Dec. 2020 12617-12622*
Yang, W., Chiu, S., Kuo, C., Lin, Y., Lai, Y., Chen, H., Ma, Y., Chen, K., Lin, Y., Lin, S., and Tsai, T., A True-Random-Number-Based Pseudohysteresis Controller for Buck DC–DC Converter in High-Security Internet-of-Everything Devices; *TPEL March 2020 2969-2978*
Yang, W., *see* Xu, S., *TPEL July 2020 6668-6672*
Yang, X., *see* Qiao, Y., *TPEL April 2020 3402-3415*
Yang, X., *see* Wang, K., *TPEL May 2020 4925-4933*
Yang, X., *see* Li, Z., *TPEL May 2020 5354-5365*
Yang, X., *see* Zhang, F., *TPEL Oct. 2020 10200-10212*
Yang, X., *see* Liu, T., *TPEL Nov. 2020 11770-11782*
Yang, X., *see* Qi, J., *TPEL Dec. 2020 13384-13399*
Yang, Y., *see* Tang, Z., *TPEL March 2020 2571-2584*
Yang, Y., *see* Yao, W., *TPEL March 2020 3114-3126*
Yang, Y., Yao, J., Li, H., and Zhao, J., A Novel Current Sharing Method by Grouping Transformer's Secondary Windings for a Multiphase LLC Resonant Converter; *TPEL May 2020 4877-4890*
Yang, Y., *see* Oh, H., *TPEL June 2020 5907-5917*
Yang, Y., Pan, J., Wen, H., Na, R., Wang, H., Zhang, Z., Ke, Z., and Xu, L., An Optimized Model Predictive Control for Three-Phase Four-Level Hybrid-Clamped Converters; *TPEL June 2020 6470-6481*
Yang, Y., *see* Pan, J., *TPEL July 2020 7563-7573*
Yang, Y., *see* Yuan, J., *TPEL Aug. 2020 7716-7720*
Yang, Y., *see* Tafti, H.D., *TPEL Sept. 2020 9342-9356*
Yang, Y., *see* Pan, Y., *TPEL Oct. 2020 10994-11012*
Yang, Y., Tan, S.C., and Hui, S.Y.R., Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers; *TPEL Oct. 2020 11026-11038*
Yang, Y., *see* Chu, G., *TPEL Oct. 2020 10306-10322*
Yang, Y., *see* Guo, B., *TPEL Dec. 2020 13000-13016*
Yang, Z., *see* Zhang, Q., *TPEL March 2020 2908-2916*
Yang, Z., *see* Geng, Y., *TPEL Aug. 2020 7894-7903*
Yang, Z., *see* Zhu, F., *TPEL Sept. 2020 9368-9379*
Yang, Z., *see* Lyu, X., *TPEL Sept. 2020 8926-8933*
Yang, Z., *see* Xu, C., *TPEL Oct. 2020 10770-10777*
Yang, Z., Jia, K., Fang, Y., Zhu, Z., Yang, B., and Bi, T., High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants; *TPEL Oct. 2020 10352-10362*
Yang, Z., *see* Joshi, K., *TPEL Oct. 2020 10249-10259*
Yang, Z., Forrester, J., Davidson, J.N., Foster, M.P., and Stone, D.A., Resonant Current Estimation and Phase-Locked Loop Feedback Design for Piezoelectric Transformer-Based Power Supplies; *TPEL Oct. 2020 10466-10476*
Yang, Z., *see* Sun, X., *TPEL Dec. 2020 13631-13640*
Yanjuan, Y., *see* Cheng, C., *TPEL Dec. 2020 12728-12740*
Yao, C., Zhang, X., Zhang, Y., Yang, P., Li, H., and Wang, J., Semiconductor-Based Galvanic Isolation: Touch Current Suppression; *TPEL Jan. 2020 48-58*
Yao, C., *see* Zeng, W., *TPEL Aug. 2020 8002-8012*
Yao, C., *see* Zeng, W., *TPEL Dec. 2020 12861-12870*
Yao, J., *see* Liu, R., *TPEL Jan. 2020 303-318*
Yao, J., *see* Lin, H., *TPEL April 2020 3506-3518*
Yao, J., *see* Zhang, H., *TPEL April 2020 3337-3342*
Yao, J., *see* Yang, Y., *TPEL May 2020 4877-4890*
Yao, J., Chen, W., Xue, C., Yuan, Y., and Wang, T., An ISOP Hybrid DC Transformer Combining Multiple SRCs and DAB Converters to Interconnect MVDC and LVDC Distribution Networks; *TPEL Nov. 2020 11442-11452*
Yao, K., Li, L., Tang, H., Mao, C., and Chen, K., Optimum Boundary Inductance Control Concerning Limited PF for a DCM Boost PFC Converter; *TPEL Jan. 2020 443-454*
Yao, K., *see* Yang, F., *TPEL Jan. 2020 169-184*
Yao, K., *see* Tang, X., *TPEL Feb. 2020 1499-1512*
Yao, P., Jiang, X., Xue, P., Ji, S., and Wang, F., Flux Balancing Control of Ungapped Nanocrystalline Core-Based Transformer in Dual Active Bridge Converters; *TPEL Nov. 2020 11463-11474*
Yao, W., Yang, Y., Xu, Y., Blaabjerg, F., Liu, S., and Wilson, G., Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping; *TPEL March 2020 3114-3126*
Yao, W., *see* Miao, Z., *TPEL July 2020 7612-7623*
Yao, W., *see* Liu, J., *TPEL Dec. 2020 12801-12815*
Yao, X., *see* Le, V., *TPEL Aug. 2020 7826-7839*
Yao, X., *see* Ye, S., *TPEL Aug. 2020 8652-8662*
Yao, X., *see* Wang, J., *TPEL Dec. 2020 12617-12622*
Yao, Y., Huang, Y., Peng, F., and Dong, J., Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control; *TPEL July 2020 7341-7355*
Yao, Y., *see* Qu, X., *TPEL July 2020 6867-6877*
Yao, Z., and Lu, S., Voltage Self-Balance Mechanism Based on Zero-Voltage Switching for Three-Level DC–DC Converter; *TPEL Oct. 2020 10078-10087*
Yaqoob, M., Loo, K., Chan, Y.P., and Jatskevich, J., Optimal Modulation for a Fifth-Order Dual-Active-Bridge Resonant Immittance DC–DC Converter; *TPEL Jan. 2020 70-82*
Yardley, K., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Yashiro, K., *see* Uno, M., *TPEL Dec. 2020 13157-13171*
Yau, Y., *see* Hwu, K., *TPEL Feb. 2020 1603-1621*
Ye, C., Chan, H.W., Lan, D., Das, P., and Sahoo, S.K., Efficiency Improvement of Multichannel LED Driver With Selective Dimming; *TPEL June 2020 6280-6291*
Ye, D., Li, J., Chen, J., Qu, R., and Xiao, L., Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control; *TPEL Jan. 2020 640-651*
Ye, D., *see* Shen, Z., *TPEL April 2020 3828-3840*
Ye, D., Li, J., Qu, R., Jiang, D., Xiao, L., Lu, Y., and Chen, J., Variable Switching Sequence PWM Strategy of Dual Three-Phase Machine Drive for High-Frequency Current Harmonic Suppression; *TPEL May 2020 4984-4995*
Ye, J., *see* Kou, J., *TPEL July 2020 7356-7365*
Ye, S., Jiang, J., Li, J., Liu, Y., Zhou, Z., and Liu, C., Fault Diagnosis and Tolerance Control of Five-Level Nested NPP Converter Using Wavelet Packet and LSTM; *TPEL Feb. 2020 1907-1921*
Ye, S., *see* Zhou, Z., *TPEL March 2020 2959-2968*
Ye, S., and Yao, X., A Modified Flux Sliding-Mode Observer for the Sensorless Control of PMSMs With Online Stator Resistance and Inductance Estimation; *TPEL Aug. 2020 8652-8662*
Ye, Y., Chen, S., Zhang, X., and Yi, Y., Half-Bridge Modular Switched-Capacitor Multilevel Inverter With Hybrid Pulsewidth Modulation; *TPEL Aug. 2020 8237-8247*
Ye, Y., *see* Wu, C., *TPEL Dec. 2020 12663-12667*
Ye, Y., *see* Xiong, Y., *TPEL Dec. 2020 13641-13651*
Ye, Z., Lei, Y., and Pilawa-Podgurski, R.C.N., The Cascaded Resonant Converter: A Hybrid Switched-Capacitor Topology With High Power Density and Efficiency; *TPEL May 2020 4946-4958*
Ye, Z., *see* Xu, J., *TPEL June 2020 6340-6349*
Ye, Z., Lei, Y., Liu, W., Shenoy, P.S., and Pilawa-Podgurski, R.C.N., Improved Bootstrap Methods for Powering Floating Gate Drivers of Flying Capacitor Multilevel Converters and Hybrid Switched-Capacitor Converters; *TPEL June 2020 5965-5977*
Ye, Z., Zheng, Q., Pei, H., Guerrero, J.M., Mao, S., Wang, T., Chen, A., Zhang, Z., Jiang, L., Yu, D., and Fernando, T., New Inter- and Inner-Phase Power Control Method for Cascaded H-Bridge Based on Simplified PWM Strategy; *TPEL Aug. 2020 8607-8623*
Yeh, C., Chen, C., Lee, M., and Lai, J., A Hybrid Modulation Method for Single-Stage Soft-Switching Inverter Based on Series Resonant Converter; *TPEL June 2020 5785-5796*
Yepes, A.G., *see* Baneira, F., *TPEL Feb. 2020 1176-1181*
Yepes, A.G., and Doval-Gandoy, J., Effective Current Limitation for Multifrequency Current Control With Distortion-Free Voltage Saturation and Anti-windup; *TPEL Dec. 2020 13697-13713*
Yi, H., *see* Zhu, T., *TPEL Oct. 2020 11129-11142*
Yi, K., *see* Lim, C., *TPEL May 2020 4934-4945*
Yi, Y., *see* Ye, Y., *TPEL Aug. 2020 8237-8247*
Yihui, X., *see* Cheng, C., *TPEL Dec. 2020 12728-12740*
Yildirim, H.K., *see* Jafari, A., *TPEL Dec. 2020 12595-12600*
Yin, H., Lang, T., Li, X., Du, S., and Hu, H., A Hybrid Boundary Conduction Modulation for a Single-Phase H-bridge Inverter to Alleviate Zero-Crossing

Distortion and Enable Reactive Power Capability; *TPEL Aug. 2020 8311-8323*
Yin, M., *see* Ai, J., *TPEL May 2020 4819-4834*
Yin, T., *see* Xu, C., *TPEL Feb. 2020 1340-1352*
Yin, T., *see* Li, Z., *TPEL Oct. 2020 10026-10049*
Yin, T., Xu, C., Lin, L., and Jing, K., A SiC MOSFET and Si IGBT Hybrid Modular Multilevel Converter With Specialized Modulation Scheme; *TPEL Dec. 2020 12623-12628*
Yin, X., *see* Shi, K., *TPEL Jan. 2020 319-333*
Yin, Z., *see* Du, C., *TPEL Aug. 2020 8429-8442*
Ying, H., *see* Liu, C., *TPEL Feb. 2020 1576-1588*
Ying, J., *see* Yuan, B., *TPEL July 2020 7295-7304*
Ying, W., *see* Zhao, H., *TPEL July 2020 7545-7562*
Ying, W., *see* Zhao, H., *TPEL Aug. 2020 7742-7748*
Yoo, H., *see* Kim, H., *TPEL Feb. 2020 2077-2087*
You, S., *see* Wang, Z., *TPEL May 2020 5066-5077*
You, X., *see* Gou, L., *TPEL April 2020 4105-4116*
You, X., *see* Zhao, N., *TPEL June 2020 6559-6571*
You, X., *see* Zhang, Z., *TPEL Nov. 2020 12509-12521*
Young, P.C., *see* Chen, F., *TPEL Nov. 2020 12442-12456*
Young, P.C., *see* Chen, F., *TPEL Nov. 2020 11363-11379*
Yousefzadeh, V., *see* Khatua, M., *TPEL Oct. 2020 10396-10412*
Youssef, M.Z., *see* Ibrahim, E.A.D., *TPEL May 2020 4703-4714*
Yu, B., *see* Saeed, M.S.R., *TPEL Nov. 2020 12085-12099*
Yu, D., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*
Yu, D., Hua, Y., Yu, S., Zhang, P., Iu, H.H.C., and Fernando, T., A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid; *TPEL Nov. 2020 12370-12382*
Yu, F., *see* Xiao, Y., *TPEL March 2020 2776-2786*
Yu, H., *see* Awal, M.A., *TPEL Jan. 2020 988-1001*
Yu, H., *see* Awal, M.A., *TPEL Aug. 2020 8805-8818*
Yu, J., *see* Xie, W., *TPEL March 2020 2724-2736*
Yu, J., *see* Ma, J., *TPEL March 2020 2424-2435*
Yu, J., *see* Xie, W., *TPEL May 2020 4891-4904*
Yu, J., *see* Ohn, S., *TPEL Aug. 2020 8638-8651*
Yu, K., *see* Xu, W., *TPEL May 2020 4959-4970*
Yu, L., *see* Bian, Z., *TPEL June 2020 6070-6081*
Yu, L., *see* Yang, C., *TPEL June 2020 6625-6635*
Yu, L., *see* Zeng, W., *TPEL Aug. 2020 8002-8012*
Yu, L., *see* Yang, C., *TPEL Dec. 2020 13356-13366*
Yu, L., *see* Zeng, W., *TPEL Dec. 2020 12861-12870*
Yu, M., *see* Wang, X., *TPEL Feb. 2020 2170-2183*
Yu, N., *see* Shao, S., *TPEL Oct. 2020 10930-10944*
Yu, Q., *see* Deng, F., *TPEL March 2020 3310-3324*
Yu, S., *see* Wang, J., *TPEL July 2020 6974-6988*
Yu, S., *see* Yu, D., *TPEL Nov. 2020 12370-12382*
Yu, S.S., *see* Zhang, G., *TPEL Aug. 2020 8846-8856*
Yu, T., *see* Wu, X., *TPEL May 2020 5205-5220*
Yu, W., *see* Awal, M.A., *TPEL Aug. 2020 8805-8818*
Yu, W., *see* Awal, M.A., *TPEL Oct. 2020 11267-11276*
Yu, X., *see* Zhang, Y., *TPEL Feb. 2020 1659-1671*
Yu, X., Su, J., Guo, S., Zhong, S., Shi, Y., and Lai, J., Properties and Synthesis of Lossless Snubbers and Passive Soft-Switching PWM Converters; *TPEL April 2020 3807-3827*
Yu, X., Su, J., Lai, J., and Guo, S., Analytical Optimization of Nonsaturated Thermally Limited High-Frequency Transformer/Inductor Design Considering Discreteness of Design Variables; *TPEL June 2020 6231-6250*
Yu, Y., *see* Song, Z., *TPEL June 2020 6127-6139*
Yu, Y., *see* Zhang, X., *TPEL Sept. 2020 8860-8866*
Yu, Y., *see* Jiang, Y., *TPEL Oct. 2020 10945-10957*
Yu, Y., *see* Wang, B., *TPEL Nov. 2020 12522-12532*
Yu, Z., *see* Wu, G., *TPEL Feb. 2020 1845-1854*
Yu, Z., *see* Zhang, X., *TPEL Feb. 2020 1165-1170*
Yu, Z., Gong, L., and Zhu, C., Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers; *TPEL April 2020 4094-4104*
Yu, Z., *see* Xu, C., *TPEL May 2020 4483-4488*
Yu, Z., Gan, C., Chen, Y., and Qu, R., DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle; *TPEL Oct. 2020 10614-10628*
Yu, Z., *see* Gan, C., *TPEL Nov. 2020 12307-12320*
Yu, Z., *see* Li, Z., *TPEL Dec. 2020 12977-12987*
Yu, Z., *see* Xu, C., *TPEL Dec. 2020 12668-12672*
Yuan, B., Ying, J., Ng, W.T., Lai, X., and Zhang, L., A High-Voltage DC–DC Buck Converter With Dynamic Level Shifter for Bootstrapped High-Side Gate Driver and Diode Emulator; *TPEL July 2020 7295-7304*
Yuan, H., Li, S., Tan, S., and Hui, S.Y.R., Internal Dynamics Stabilization of Single-Phase Power Converters With Lyapunov-Based Automatic-Power-Decoupling Control; *TPEL Feb. 2020 2160-2169*
Yuan, J., Mostaan, A., Yang, Y., Siwakoti, Y.P., and Blaabjerg, F., A Modified Y-Source DC–DC Converter With High Voltage-Gains and Low Switch Stresses; *TPEL Aug. 2020 7716-7720*
Yuan, L., *see* Nie, J., *TPEL April 2020 4256-4271*
Yuan, L., *see* Sun, J., *TPEL April 2020 3491-3505*
Yuan, L., *see* Zhang, H., *TPEL May 2020 5157-5179*
Yuan, L., *see* Nie, J., *TPEL Nov. 2020 11304-11309*
Yuan, S., *see* Xiao, D., *TPEL Nov. 2020 12332-12346*
Yuan, X., Zhang, S., Zhang, C., Degano, M., Buticchi, G., and Galassini, A., Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives; *TPEL May 2020 4996-5006*
Yuan, X., Zhang, S., and Zhang, C., Nonparametric Predictive Current Control for PMSM; *TPEL Sept. 2020 9332-9341*
Yuan, X., *see* Qu, J., *TPEL Oct. 2020 10879-10891*
Yuan, X., *see* Diab, M.S., *TPEL Dec. 2020 12639-12645*
Yuan, X., *see* Yan, Q., *TPEL Dec. 2020 13500-13513*
Yuan, Y., *see* Shu, L., *TPEL Nov. 2020 11574-11588*
Yuan, Y., *see* Yao, J., *TPEL Nov. 2020 11442-11452*
Yue, B., *see* Li, Z., *TPEL Oct. 2020 10026-10049*
Yue, S., *see* Liu, J., *TPEL Dec. 2020 12801-12815*
Yue, Y., *see* Guo, P., *TPEL Feb. 2020 1239-1255*

Z

Zaad, K.H., *see* Salari, O., *TPEL Dec. 2020 12846-12860*
Zahran, A., *see* Quraan, M., *TPEL July 2020 7160-7174*
Zakerian, A., Vaez-Zadeh, S., and Babaki, A., A Dynamic WPT System With High Efficiency and High Power Factor for Electric Vehicles; *TPEL July 2020 6732-6740*
Zaman, M.S., *see* Assadi, S.A., *TPEL April 2020 4376-4387*
Zan, X., and Avestruz, A., Isolated Ultrafast Gate Driver with Variable Duty Cycle for Pulse and VHF Power Electronics; *TPEL Dec. 2020 12678-12685*
Zanchetta, P., *see* Sala, G., *TPEL April 2020 4168-4177*
Zand, M.H., *see* Sadeghi, E., *TPEL Sept. 2020 9933-9942*
Zaoskoufis, K., and Tatakis, E.C., A Thorough Analysis for the Impact of the Coupling Coefficient on the Behavior of the Coupled Inductor High Step-Up Converters; *TPEL Aug. 2020 8287-8302*
Zarchi, H.A., *see* Khazaee, A., *TPEL Feb. 2020 1194-1199*
Zarei, B., *see* Aliaskari, A., *TPEL Jan. 2020 630-639*
Zarei, M.E., Ramirez, D., Nicolas, C.V., and Arribas, J.R., Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications; *TPEL Jan. 2020 289-302*
Zarei, M.E., Ramirez, D., Veganzones, C., and Rodriguez, J., Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant; *TPEL July 2020 6719-6731*
Zargari, N.R., *see* Xue, C., *TPEL May 2020 4588-4601*
Zarghani, M., Mohsenzade, S., Hadizade, A., and Kaboli, S., An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications; *TPEL Aug. 2020 7991-8001*
Zeng, D., *see* Guo, Y., *TPEL Jan. 2020 1111-1123*
Zeng, F., *see* Zhou, X., *TPEL March 2020 2799-2808*
Zeng, J., *see* Yan, Z., *TPEL July 2020 7191-7203*

Zeng, J., Liu, F., Liu, J., and Cheng, K.W.E., A Flexible Mode Electrolytic Capacitor-Free LED Driver With High Efficiency Over a Wide Range of Input Voltage; *TPEL Aug. 2020 8490-8500*
Zeng, J., *see* Hu, R., *TPEL Dec. 2020 13200-13209*
Zeng, R., *see* Zhang, X., *TPEL Feb. 2020 1165-1170*
Zeng, R., *see* Xu, C., *TPEL May 2020 4483-4488*
Zeng, R., *see* Xu, S., *TPEL July 2020 6668-6672*
Zeng, W., Yao, C., Dong, S., Wang, Y., Ma, J., He, Y., and Yu, L., Self-Triggering High-Frequency Nanosecond Pulse Generator; *TPEL Aug. 2020 8002-8012*
Zeng, W., Yu, L., Dong, S., Ma, J., Wang, Y., He, Y., Wang, X., and Yao, C., A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications; *TPEL Dec. 2020 12861-12870*
Zeng, Z., Zhang, X., Blaabjerg, F., and Miao, L., Impedance-Oriented Transient Instability Modeling of SiC mosfet Intruded by Measurement Probes; *TPEL Feb. 2020 1866-1881*
Zeng, Z., *see* Jiang, Y., *TPEL April 2020 4272-4285*
Zeng, Z., Zhang, X., Blaabjerg, F., Chen, H., and Sun, T., Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle; *TPEL April 2020 3973-3988*
Zeng, Z., Li, Z., and Goetz, S.M., Line Current Ripple Minimization PWM Strategy With Reduced Zero-Sequence Circulating Current for Two Parallel Interleaved Three-Phase Converters; *TPEL July 2020 6931-6943*
Zeng, Z., Li, Z., and Goetz, S.M., A High Performance Interleaved Discontinuous PWM Strategy for Two Paralleled Three-Phase Inverter; *TPEL Dec. 2020 13042-13052*
Zha, K., *see* Guo, G., *TPEL Sept. 2020 9357-9367*
Zha, X., *see* Liu, Y., *TPEL May 2020 4452-4456*
Zhai, Z., *see* Uddin, M.N., *TPEL Feb. 2020 1742-1752*
Zhang, A., *see* Huang, J., *TPEL Oct. 2020 10374-10384*
Zhang, B., *see* Jiang, Y., *TPEL May 2020 5496-5505*
Zhang, B., and Wang, S., Analysis and Reduction of the Near Magnetic Field Emission From Toroidal Inductors; *TPEL June 2020 6251-6268*
Zhang, B., Xie, S., Wang, X., and Xu, J., Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current; *TPEL June 2020 6512-6522*
Zhang, B., *see* Deng, X., *TPEL Aug. 2020 8524-8531*
Zhang, B., *see* Zhang, G., *TPEL Aug. 2020 8846-8856*
Zhang, B., *see* Lu, P., *TPEL Aug. 2020 7749-7754*
Zhang, B., *see* Wu, L., *TPEL Nov. 2020 12497-12508*
Zhang, B., *see* Xu, X., *TPEL Nov. 2020 11682-11693*
Zhang, C., *see* Jiang, D., *TPEL Jan. 2020 25-32*
Zhang, C., *see* Gao, F., *TPEL March 2020 2284-2294*
Zhang, C., *see* Qin, F., *TPEL April 2020 3416-3433*
Zhang, C., *see* Yuan, X., *TPEL May 2020 4996-5006*
Zhang, C., *see* Xu, Q., *TPEL May 2020 5331-5342*
Zhang, C., *see* Xu, Q., *TPEL May 2020 5397-5407*
Zhang, C., *see* Shang, Y., *TPEL July 2020 7134-7144*
Zhang, C., *see* Chen, J., *TPEL July 2020 7492-7505*
Zhang, C., *see* Yuan, X., *TPEL Sept. 2020 9332-9341*
Zhang, C., Molinas, M., Foyen, S., Suul, J.A., and Isobe, T., Harmonic-Domain SISO Equivalent Impedance Modeling and Stability Analysis of a Single-Phase Grid-Connected VSC; *TPEL Sept. 2020 9770-9783*
Zhang, C., *see* Pan, Y., *TPEL Oct. 2020 10994-11012*
Zhang, C., *see* Wu, G., *TPEL Oct. 2020 10799-10809*
Zhang, C., *see* Jia, G., *TPEL Nov. 2020 11401-11417*
Zhang, C., *see* Liu, S., *TPEL Nov. 2020 11328-11331*
Zhang, C., *see* Li, Y., *TPEL Dec. 2020 13663-13672*
Zhang, C., Xu, Y., Dong, M., Burgos, R., Ren, M., and Boroyevich, D., Design and Assessment of External Insulation for Critical Components in a Medium Voltage SiC-Based Converter via Optical Method; *TPEL Dec. 2020 12887-12897*
Zhang, D., *see* Zhou, Z., *TPEL March 2020 2959-2968*
Zhang, D., *see* Duan, J., *TPEL June 2020 5987-6000*
Zhang, D., *see* Su, J., *TPEL Oct. 2020 9953-9958*
Zhang, D., *see* Lyu, D., *TPEL Nov. 2020 12359-12369*
Zhang, D., *see* Zhang, Y., *TPEL Nov. 2020 11813-11826*
Zhang, F., *see* Yang, C., *TPEL June 2020 6625-6635*
Zhang, F., *see* Zhao, C., *TPEL July 2020 7392-7404*
Zhang, F., *see* Guo, G., *TPEL Sept. 2020 9357-9367*
Zhang, F., Yang, X., Chen, W., and Wang, L., Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits; *TPEL Oct. 2020 10200-10212*
Zhang, G., *see* Ding, D., *TPEL March 2020 2895-2907*
Zhang, G., Zou, S., Yu, S.S., Chen, S., Zhang, B., Qiu, D., and Zhang, Y., Enhanced One-Cycle Control for Multicell Power Converters; *TPEL Aug. 2020 8846-8856*
Zhang, G., *see* Hou, F., *TPEL Oct. 2020 10592-10600*
Zhang, G., *see* Li, W., *TPEL Oct. 2020 11235-11249*
Zhang, G., *see* Wang, Y., *TPEL Nov. 2020 11502-11517*
Zhang, G., *see* Bi, G., *TPEL Dec. 2020 13333-13344*
Zhang, H., *see* Xu, Z., *TPEL Jan. 2020 733-743*
Zhang, H., Dou, M., and Yan, L., A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss; *TPEL March 2020 2831-2842*
Zhang, H., Yao, J., Kou, B., and Wei, J., High-Precision Control for ZVS Inverter to Reduce Nonlinear Distortion of Semiconductor Voltage Drop; *TPEL April 2020 3337-3342*
Zhang, H., Yuan, L., Tang, X., Hu, J., Sun, J., Zhang, Y., Zhang, Y., and Jia, R., Progress of Ultra-Wide Bandgap Ga_2O_3 Semiconductor Materials in Power MOSFETs; *TPEL May 2020 5157-5179*
Zhang, H., Dou, M., and Deng, J., Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames; *TPEL Aug. 2020 8335-8346*
Zhang, H., *see* Lin, Z., *TPEL Sept. 2020 9784-9793*
Zhang, H., Martynov, K., and Perreault, D.J., A CMOS-Based Energy Harvesting Approach for Laterally Arrayed Multibandgap Concentrated Photovoltaic Systems; *TPEL Sept. 2020 9320-9331*
Zhang, H., *see* Hou, F., *TPEL Oct. 2020 10592-10600*
Zhang, H., *see* Zhao, S., *TPEL Oct. 2020 10982-10993*
Zhang, H., *see* Zhang, X., *TPEL Oct. 2020 11143-11154*
Zhang, H., *see* Chen, Y., *TPEL Nov. 2020 11475-11487*
Zhang, H., *see* Wang, X., *TPEL Dec. 2020 13255-13269*
Zhang, J., *see* Pan, L., *TPEL Feb. 2020 1789-1804*
Zhang, J., *see* Pan, L., *TPEL Feb. 2020 1789-1804*
Zhang, J., *see* Dang, K., *TPEL March 2020 2247-2252*
Zhang, J., *see* Guo, G., *TPEL March 2020 2646-2658*
Zhang, J., *see* Yang, C., *TPEL March 2020 3012-3028*
Zhang, J., *see* Sha, D., *TPEL April 2020 3766-3777*
Zhang, J., *see* Liu, J., *TPEL May 2020 4791-4803*
Zhang, J., *see* Sha, D., *TPEL June 2020 6012-6024*
Zhang, J., Zhao, J., Zhang, Y., and Deng, F., A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization; *TPEL June 2020 6091-6101*
Zhang, J., *see* Zhao, N., *TPEL June 2020 6559-6571*
Zhang, J., *see* Hang, J., *TPEL June 2020 6405-6418*
Zhang, J., *see* Wang, K., *TPEL July 2020 7674-7688*
Zhang, J., *see* Shao, S., *TPEL Aug. 2020 7921-7932*
Zhang, J., and Wai, R., Design of New SVPWM Mechanism for Three-Level NPC ZSI via Line-Voltage Coordinate System; *TPEL Aug. 2020 8593-8606*
Zhang, J., *see* Zhang, X., *TPEL Sept. 2020 8860-8866*
Zhang, J., *see* Guo, G., *TPEL Sept. 2020 9357-9367*
Zhang, J., *see* Hang, J., *TPEL Oct. 2020 10917-10929*
Zhang, J., *see* Shao, S., *TPEL Oct. 2020 10930-10944*
Zhang, J., Isobe, T., and Tadano, H., Model-Based Control for Grid-Tied Inverters Operated in Discontinuous Current Mode With Low Harmonic Current Distortion; *TPEL Oct. 2020 11167-11180*
Zhang, J., *see* Pan, J., *TPEL Oct. 2020 10137-10149*
Zhang, J., *see* Ke, Z., *TPEL Nov. 2020 12544-12554*
Zhang, K., *see* Fan, J.W., *TPEL March 2020 2519-2533*
Zhang, K., Chen, W., Cao, X., Pan, P., Azeem, S.W., Qiao, G., and Deng, F., Accurate Calculation and Sensitivity Analysis of Leakage Inductance of

High-Frequency Transformer With Litz Wire Winding; *TPEL April 2020 3951-3962*

Zhang, K., *see* Pan, P., *TPEL April 2020 4033-4047*

Zhang, K., Gao, W., Shi, R., Yan, Z., Song, B., and Hu, A.P., An Impedance Matching Network Tuning Method for Constant Current Output Under Mutual Inductance and Load Variation of IPT System; *TPEL Oct. 2020 11108-11118*

Zhang, K., *see* Shu, L., *TPEL Nov. 2020 11574-11588*

Zhang, L., *see* Chen, W., *TPEL April 2020 4048-4062*

Zhang, L., *see* Dong, H., *TPEL May 2020 4457-4461*

Zhang, L., *see* Li, Y., *TPEL May 2020 5279-5289*

Zhang, L., *see* Kou, B., *TPEL May 2020 5031-5046*

Zhang, L., Zheng, Z., Li, C., Ju, P., Wu, F., Gu, Y., and Chen, G., A Si/SiC Hybrid Five-Level Active NPC Inverter With Improved Modulation Scheme; *TPEL May 2020 4835-4846*

Zhang, L., *see* Yuan, B., *TPEL July 2020 7295-7304*

Zhang, L., *see* Wang, J., *TPEL July 2020 7073-7085*

Zhang, L., Lou, X., Li, C., Wu, F., Gu, Y., Chen, G., and Xu, D., Evaluation of Different Si/SiC Hybrid Three-Level Active NPC Inverters for High Power Density; *TPEL Aug. 2020 8224-8236*

Zhang, L., *see* Zhou, Z., *TPEL Sept. 2020 8985-8997*

Zhang, L., *see* Wang, C., *TPEL Sept. 2020 9119-9132*

Zhang, L., *see* Song, X., *TPEL Sept. 2020 8867-8871*

Zhang, L., *see* Lyu, G., *TPEL Sept. 2020 9669-9679*

Zhang, L., *see* Ji, S., *TPEL Nov. 2020 12533-12543*

Zhang, L., *see* Dong, H., *TPEL Nov. 2020 12223-12237*

Zhang, P., *see* Yu, D., *TPEL Nov. 2020 12370-12382*

Zhang, Q., and Li, G., Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application; *TPEL Jan. 2020 1014-1021*

Zhang, Q., Xu, C., Zhu, P., Yang, G., Yang, Z., and Shen, R., Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic; *TPEL March 2020 2908-2916*

Zhang, Q., *see* Tang, J., *TPEL March 2020 3173-3182*

Zhang, Q., *see* Na, T., *TPEL May 2020 4602-4612*

Zhang, Q., Li, J., Zhu, R., Deng, F., Sun, X., An, S., and Liserre, M., Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids; *TPEL July 2020 7001-7014*

Zhang, Q., *see* Xu, C., *TPEL Oct. 2020 10770-10777*

Zhang, Q., *see* Liu, D., *TPEL Oct. 2020 9965-9970*

Zhang, Q., *see* Song, S., *TPEL Oct. 2020 11205-11212*

Zhang, Q., *see* Qu, J., *TPEL Oct. 2020 10879-10891*

Zhang, Q., *see* Raherimihaja, H.J., *TPEL Nov. 2020 12122-12132*

Zhang, R., Xu, H., and Wang, Y., A Dynamic Priority Factor Loop for Fast Voltage Equalization Applied to High Power Density DC–DC Converter System; *TPEL Jan. 2020 198-207*

Zhang, R., Kozak, J.P., Xiao, M., Liu, J., and Zhang, Y., Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs; *TPEL Dec. 2020 13409-13419*

Zhang, S., Wang, Z., Ding, T., Xiao, H., Xie, J., and Han, X., Realization of High-Stability Flat-Top Pulsed Magnetic Fields by a Bypass Circuit of IGBTs in the Active Region; *TPEL March 2020 2436-2444*

Zhang, S., *see* Li, B., *TPEL April 2020 3377-3389*

Zhang, S., *see* Yuan, X., *TPEL May 2020 4996-5006*

Zhang, S., *see* Yuan, X., *TPEL Sept. 2020 9332-9341*

Zhang, S., *see* Xu, Z., *TPEL Dec. 2020 12929-12948*

Zhang, T., *see* Xu, Z., *TPEL Jan. 2020 733-743*

Zhang, T., *see* Dang, K., *TPEL March 2020 2247-2252*

Zhang, W., Xu, Y., Huang, H., and Zou, J., Vibration Reduction for Dual-Branch Three-Phase Permanent Magnet Synchronous Motor With Carrier Phase-Shift Technique; *TPEL Jan. 2020 607-618*

Zhang, W., *see* Zhang, Y., *TPEL Feb. 2020 1536-1547*

Zhang, W., *see* Huang, Y., *TPEL Oct. 2020 10643-10653*

Zhang, X., *see* Yao, C., *TPEL Jan. 2020 48-58*

Zhang, X., *see* Huang, J., *TPEL Feb. 2020 1548-1562*

Zhang, X., Nguyen, B., Ferencz, A., Takken, T., Senger, R., and Coteus, P., A 12- or 48-V Input, 0.9-V Output Active-Clamp Forward Converter Power Block for Servers and Datacenters; *TPEL Feb. 2020 1721-1731*

Zhang, X., *see* Hou, X., *TPEL Feb. 2020 1589-1602*

Zhang, X., Yu, Z., Chen, Z., Zhao, B., and Zeng, R., Optimal Design of Diode-Bridge Bidirectional Solid-State Switch Using Standard Recovery Diodes for 500-kV High-Voltage DC Breaker; *TPEL Feb. 2020 1165-1170*

Zhang, X., *see* Zeng, Z., *TPEL Feb. 2020 1866-1881*

Zhang, X., *see* Qiao, Y., *TPEL April 2020 3402-3415*

Zhang, X., *see* Wang, Y., *TPEL April 2020 4117-4126*

Zhang, X., *see* Zeng, Z., *TPEL April 2020 3973-3988*

Zhang, X., *see* Hu, H., *TPEL May 2020 5517-5530*

Zhang, X., *see* Xu, C., *TPEL May 2020 4483-4488*

Zhang, X., *see* Xu, Q., *TPEL May 2020 5397-5407*

Zhang, X., *see* Xiang, X., *TPEL June 2020 5573-5580*

Zhang, X., *see* Pineda, C., *TPEL July 2020 6906-6915*

Zhang, X., *see* Ye, Y., *TPEL Aug. 2020 8237-8247*

Zhang, X., *see* Fang, T., *TPEL Aug. 2020 8689-8700*

Zhang, X., Wang, M., Li, X., Ding, Z., Ma, C., Lu, G., and Mei, Y., A Method for Improving the Thermal Shock Fatigue Failure Resistance of IGBT Modules; *TPEL Aug. 2020 8532-8539*

Zhang, X., Cheng, Y., Zhao, Z., and He, Y., Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer; *TPEL Aug. 2020 8361-8373*

Zhang, X., *see* He, J., *TPEL Sept. 2020 8886-8891*

Zhang, X., Wang, B., Yu, Y., Zhang, J., Dong, J., and Xu, D., Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region; *TPEL Sept. 2020 8860-8866*

Zhang, X., Sun, L., Guan, Y., Han, S., Cai, H., Wang, Y., and Xu, D., Novel High Step-Up Soft-Switching DC–DC Converter Based on Switched Capacitor and Coupled Inductor; *TPEL Sept. 2020 9471-9481*

Zhang, X., *see* Sun, T., *TPEL Oct. 2020 11213-11221*

Zhang, X., Wu, X., Geng, C., Ping, X., Chen, S., and Zhang, H., An Improved Simplified PWM for Three-Level Neutral Point Clamped Inverter Based on Two-Level Common-Mode Voltage Reduction PWM; *TPEL Oct. 2020 11143-11154*

Zhang, X., *see* Song, S., *TPEL Oct. 2020 11205-11212*

Zhang, X., *see* Huang, J., *TPEL Oct. 2020 10374-10384*

Zhang, X., *see* Li, X., *TPEL Oct. 2020 11181-11192*

Zhang, X., Tan, G., Xia, T., Wang, Q., and Wu, X., Optimized Switching Finite Control Set Model Predictive Control of NPC Single-Phase Three-Level Rectifiers; *TPEL Oct. 2020 10097-10108*

Zhang, X., *see* Li, W., *TPEL Oct. 2020 11235-11249*

Zhang, X., *see* Sun, C., *TPEL Nov. 2020 11321-11327*

Zhang, X., and Xu, C., Second-Time Fault-Tolerant Topology and Control Strategy for the Open-Winding PMSM System Based on Shared Bridge Arm; *TPEL Nov. 2020 12181-12193*

Zhang, X., *see* Wei, J., *TPEL Nov. 2020 11299-11303*

Zhang, X., *see* Guo, B., *TPEL Dec. 2020 13000-13016*

Zhang, X., *see* Chen, J., *TPEL Dec. 2020 13182-13199*

Zhang, X., *see* Sun, C., *TPEL Dec. 2020 13017-13030*

Zhang, X., Fu, S., Chen, W., Zhao, N., Wang, G., and Xu, D., A Symmetrical Control Method for Grid-Connected Converters to Suppress the Frequency Coupling Under Weak Grid Conditions; *TPEL Dec. 2020 13488-13499*

Zhang, Y., Chen, X., and Sun, J., Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration; *TPEL Jan. 2020 334-346*

Zhang, Y., *see* Jia, Y., *TPEL Jan. 2020 158-168*

Zhang, Y., *see* Yao, C., *TPEL Jan. 2020 48-58*

Zhang, Y., Yan, Z., Liang, Z., Li, S., and Mi, C.C., A High-Power Wireless Charging System Using *LCL*-N Topology to Achieve a Compact and Low-Cost Receiver; *TPEL Jan. 2020 131-137*

Zhang, Y., Wang, Z., Li, Y.W., Hou, N., and Cheng, M., A Leakage-Inductor Parameter Compensation Method for Paralleled Current-Fed Isolated DC/DC System; *TPEL Feb. 2020 1160-1164*

Zhang, Y., Lu, G., Khan, W.A., and Zhu, Q., Direct Power Flow Controller—A New Concept in Power Transmission; *TPEL Feb. 2020 2067-2076*

Zhang, Y., *see* Zhang, Y., *TPEL Feb. 2020 2067-2076*

Zhang, Y., Zhang, W., Gao, F., Gao, S., and Rogers, D.J., A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs; *TPEL Feb. 2020 1536-1547*
Zhang, Y., Liu, H., Li, J., and Sumner, M., A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC–DC Converter With Coupled Inductor; *TPEL Feb. 2020 1525-1535*
Zhang, Y., Wang, Q., Hu, C., Shen, W., Holmes, D.G., and Yu, X., A Nine-Level Inverter for Low-Voltage Applications; *TPEL Feb. 2020 1659-1671*
Zhang, Y., *see* Dang, K., *TPEL March 2020 2247-2252*
Zhang, Y., Fang, J., Gao, F., Song, T., Gao, S., and Rogers, D.J., Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs; *TPEL April 2020 3616-3626*
Zhang, Y., *see* Zhu, J., *TPEL May 2020 4847-4858*
Zhang, Y., Lu, G., Khan, W.A., and Zhu, Q., Corrections to "Direct Power Flow Controller—A New Concept in Power Transmission" *TPEL May 2020 5542*
Zhang, Y., *see* Zhang, Y., *TPEL May 2020 5542*
Zhang, Y., *see* Zhang, H., *TPEL May 2020 5157-5179*
Zhang, Y., *see* Zhang, H., *TPEL May 2020 5157-5179*
Zhang, Y., *see* Wang, Z., *TPEL May 2020 5066-5077*
Zhang, Y., *see* Li, Q., *TPEL May 2020 5366-5380*
Zhang, Y., *see* Zhang, J., *TPEL June 2020 6091-6101*
Zhang, Y., *see* Wang, Z., *TPEL June 2020 5589-5593*
Zhang, Y., Wang, H., Wang, Z., Blaabjerg, F., and Saeedifard, M., Mission Profile-Based System-Level Reliability Prediction Method for Modular Multilevel Converters; *TPEL July 2020 6916-6930*
Zhang, Y., *see* Wang, Z., *TPEL July 2020 6691-6696*
Zhang, Y., Jiang, T., and Jiao, J., Model-Free Predictive Current Control of DFIG Based on an Extended State Observer Under Unbalanced and Distorted Grid; *TPEL Aug. 2020 8130-8139*
Zhang, Y., *see* Zhang, G., *TPEL Aug. 2020 8846-8856*
Zhang, Y., Rong, G., Qu, S., Song, Q., and Tang, X., A High-Power LED Driver Based on Single Inductor-Multiple Output DC–DC Converter With High Dimming Frequency and Wide Dimming Range; *TPEL Aug. 2020 8501-8511*
Zhang, Y., *see* Zhang, Y., *TPEL Aug. 2020 8501-8511*
Zhang, Y., Wang, Z., Jiao, J., and Liu, J., Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages; *TPEL Aug. 2020 8663-8672*
Zhang, Y., *see* Du, C., *TPEL Aug. 2020 8429-8442*
Zhang, Y., Wang, S., and Chu, Y., Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs; *TPEL Aug. 2020 8050-8062*
Zhang, Y., Wang, Z., Wang, H., and Blaabjerg, F., Artificial Intelligence-Aided Thermal Model Considering Cross-Coupling Effects; *TPEL Oct. 2020 9998-10002*
Zhang, Y., Li, Q., and Jiang, D., A Motor CM Impedance Based Transformerless Active EMI Filter for DC-Side Common-Mode EMI Suppression in Motor Drive System; *TPEL Oct. 2020 10238-10248*
Zhang, Y., *see* Guo, Y., *TPEL Oct. 2020 10542-10553*
Zhang, Y., *see* Tang, Y., *TPEL Nov. 2020 11955-11964*
Zhang, Y., Wang, J., Li, H., Zheng, T.Q., Lai, J., Li, J., Wang, J., and Chen, Q., Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition; *TPEL Nov. 2020 11745-11757*
Zhang, Y., *see* Wang, Y., *TPEL Nov. 2020 11502-11517*
Zhang, Y., Zhang, D., Li, J., and Zhu, H., Bidirectional LCLL Resonant Converter With Wide Output Voltage Range; *TPEL Nov. 2020 11813-11826*
Zhang, Y., *see* Lyu, J., *TPEL Dec. 2020 12612-12616*
Zhang, Y., *see* Zhang, R., *TPEL Dec. 2020 13409-13419*
Zhang, Y., *see* Wang, X., *TPEL Dec. 2020 12606-12611*
Zhang, Z., *see* Jiang, D., *TPEL Jan. 2020 25-32*
Zhang, Z., *see* Lu, W., *TPEL Jan. 2020 1156*
Zhang, Z., *see* Liu, C., *TPEL Feb. 2020 1576-1588*
Zhang, Z., *see* Liu, B., *TPEL March 2020 2534-2547*
Zhang, Z., *see* Ke, G., *TPEL April 2020 3697-3712*
Zhang, Z., *see* Chen, R., *TPEL April 2020 4411-4425*
Zhang, Z., *see* Gui, H., *TPEL May 2020 5144-5156*
Zhang, Z., *see* Lu, W., *TPEL May 2020 5544*
Zhang, Z., *see* Bian, Z., *TPEL June 2020 6070-6081*
Zhang, Z., *see* Gui, H., *TPEL June 2020 5670-5682*
Zhang, Z., *see* Yang, Y., *TPEL June 2020 6470-6481*
Zhang, Z., *see* Ren, X., *TPEL July 2020 7480-7491*
Zhang, Z., *see* Gui, H., *TPEL Aug. 2020 7947-7959*
Zhang, Z., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*
Zhang, Z., *see* Cai, C., *TPEL Aug. 2020 7721-7724*
Zhang, Z., *see* Wei, J., *TPEL Aug. 2020 8384-8395*
Zhang, Z., *see* Liu, X., *TPEL Oct. 2020 10778-10788*
Zhang, Z., Liu, C., Wang, M., Si, Y., Liu, Y., and Lei, Q., High-Efficiency High-Power-Density *CLLC* Resonant Converter With Low-Stray-Capacitance and Well-Heat-Dissipated Planar Transformer for EV On-Board Charger; *TPEL Oct. 2020 10831-10851*
Zhang, Z., *see* Gu, L., *TPEL Oct. 2020 10515-10531*
Zhang, Z., *see* Ming, X., *TPEL Nov. 2020 12401-12415*
Zhang, Z., Wang, C., Zhou, M., and You, X., Parameters Compensation of Permanent Magnet Synchronous Motor in Flux-Weakening Region for Rail Transit; *TPEL Nov. 2020 12509-12521*
Zhang, Z., *see* Dong, Z., *TPEL Nov. 2020 11930-11941*
Zhang, Z., *see* Xiao, Y., *TPEL Nov. 2020 11988-12002*
Zhang, Z., *see* Hu, W., *TPEL Nov. 2020 11518-11532*
Zhang, Z., Zhu, F., Xu, D., Krein, P.T., and Ma, H., An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications; *TPEL Nov. 2020 11544-11556*
Zhang, Z., *see* Yang, Q., *TPEL Dec. 2020 13053-13067*
Zhao, B., *see* Huang, J., *TPEL Feb. 2020 1548-1562*
Zhao, B., *see* Zhang, X., *TPEL Feb. 2020 1165-1170*
Zhao, B., *see* Xu, C., *TPEL May 2020 4483-4488*
Zhao, B., *see* Gao, M., *TPEL June 2020 6419-6435*
Zhao, B., *see* Xu, S., *TPEL July 2020 6668-6672*
Zhao, B., *see* Jia, G., *TPEL Nov. 2020 11401-11417*
Zhao, B., *see* Xu, C., *TPEL Dec. 2020 12668-12672*
Zhao, C., *see* Xiong, L., *TPEL April 2020 3332-3336*
Zhao, C., Wang, L., and Zhang, F., Effect of Asymmetric Layout and Unequal Junction Temperature on Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection; *TPEL July 2020 7392-7404*
Zhao, C., *see* Jiang, Y., *TPEL Oct. 2020 11064-11081*
Zhao, C., *see* Yang, C., *TPEL Dec. 2020 13356-13366*
Zhao, D., *see* Ding, X., *TPEL July 2020 7175-7190*
Zhao, F., Xiao, G., Zhu, T., Zheng, X., Wu, Z., and Zhao, T., A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter; *TPEL Jan. 2020 709-724*
Zhao, F., Xiao, G., Zhu, T., Zhao, T., Zheng, X., and Wu, Z., Harmonic Analysis and Suppression Method of Output Current Distortion for Medium-Voltage Motor Drives With Modular Multilevel Converter; *TPEL Jan. 2020 744-759*
Zhao, F., *see* Zhu, T., *TPEL Oct. 2020 11129-11142*
Zhao, H., *see* Shen, Y., *TPEL Jan. 2020 882-900*
Zhao, H., *see* Yang, L., *TPEL Jan. 2020 263-275*
Zhao, H., *see* Yang, L., *TPEL May 2020 5541*
Zhao, H., Shen, Y., Ying, W., Ghosh, S.S., Ahmed, M.R., and Long, T., A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers; *TPEL July 2020 7545-7562*
Zhao, H., *see* Yang, L., *TPEL July 2020 6989-7000*
Zhao, H., Shen, Y., Ying, W., Qi, J., Jiang, C., and Long, T., Mixed Analog–Digital (MAD) Converters for High Power Density DC–DC Conversions; *TPEL Aug. 2020 7742-7748*
Zhao, H., *see* Shen, Y., *TPEL Sept. 2020 9151-9170*
Zhao, H., *see* Jiang, C., *TPEL Oct. 2020 10821-10830*
Zhao, J., *see* Tang, X., *TPEL Jan. 2020 185-197*
Zhao, J., *see* Lei, J., *TPEL March 2020 3183-3194*
Zhao, J., *see* Lei, J., *TPEL March 2020 2458-2466*
Zhao, J., *see* Yang, Y., *TPEL May 2020 4877-4890*
Zhao, J., *see* Zhang, J., *TPEL June 2020 6091-6101*
Zhao, J., *see* Song, X., *TPEL Aug. 2020 7816-7825*
Zhao, J., *see* Song, X., *TPEL Aug. 2020 7816-7825*

Zhao, J., Wu, W., Shuai, Z., Luo, A., Chung, H.S., and Blaabjerg, F., Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter; *TPEL Aug. 2020 8102-8115*

Zhao, K., *see* Wang, C., *TPEL Feb. 2020 2044-2052*

Zhao, L., Thrimawithana, D.J., Madawala, U.K., and Hu, A.P., A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System; *TPEL March 2020 2659-2667*

Zhao, L., Luo, Z., Fan, Z., and Shi, Y., A Dual Half-Bridge Converter With Hybrid Rectifier for DC Power Supply in Railway Systems; *TPEL May 2020 4579-4587*

Zhao, L., Chen, J., Chen, T., Shi, Y., Fan, Z., and Zhuang, Z., Zero-Voltage and Zero-Current Switching Dual-Transformer-Based Full-Bridge Converter With Current Doubler Rectifier; *TPEL Dec. 2020 12949-12958*

Zhao, N., *see* Liu, J., *TPEL May 2020 4791-4803*

Zhao, N., Liu, J., Ai, Y., Yang, J., Zhang, J., and You, X., Power-Linked Predictive Control Strategy for Power Electronic Traction Transformer; *TPEL June 2020 6559-6571*

Zhao, N., *see* Wang, G., *TPEL Sept. 2020 9574-9585*

Zhao, N., *see* Bi, G., *TPEL Dec. 2020 13333-13344*

Zhao, N., *see* Zhang, X., *TPEL Dec. 2020 13488-13499*

Zhao, Q., *see* Tian, H., *TPEL April 2020 4143-4156*

Zhao, Q., Liu, W., Wang, Y., Wang, D., and Wu, N., A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range; *TPEL June 2020 5625-5638*

Zhao, R., Wang, C., Loh, P.C., Yan, Q., Xu, H., and Blaabjerg, F., A Practical Core Loss Estimation Method for Three-Phase Three-Level Grid-Connected Inverters; *TPEL March 2020 2263-2267*

Zhao, S., *see* Borovic, U., *TPEL Jan. 2020 33-47*

Zhao, S., *see* Shang, Y., *TPEL Feb. 2020 1637-1648*

Zhao, S., Dearien, A., Wu, Y., Farnell, C., Rashid, A.U., Luo, F., and Mantooth, H.A., Adaptive Multi-Level Active Gate Drivers for SiC Power Devices; *TPEL Feb. 2020 1882-1898*

Zhao, S., *see* Dang, K., *TPEL March 2020 2247-2252*

Zhao, S., Huang, X., Fang, Y., and Zhang, H., DC-Link-Fluctuation-Resistant Predictive Torque Control for Railway Traction Permanent Magnet Synchronous Motor in the Six-Step Operation; *TPEL Oct. 2020 10982-10993*

Zhao, T., *see* Zhao, F., *TPEL Jan. 2020 709-724*

Zhao, T., *see* Zhao, F., *TPEL Jan. 2020 744-759*

Zhao, T., *see* Pan, X., *TPEL March 2020 2737-2763*

Zhao, T., *see* Zhu, T., *TPEL Oct. 2020 11129-11142*

Zhao, W., *see* Wang, X., *TPEL Feb. 2020 1753-1769*

Zhao, W., *see* Ji, J., *TPEL April 2020 3869-3877*

Zhao, W., *see* Tao, T., *TPEL April 2020 3850-3858*

Zhao, W., Tao, T., Zhu, J., Tan, H., and Du, Y., A Novel Finite-Control-Set Model Predictive Current Control for Five-Phase PM Motor With Continued Modulation; *TPEL July 2020 7261-7270*

Zhao, W., *see* Ji, J., *TPEL Oct. 2020 10681-10689*

Zhao, W., *see* Wang, X., *TPEL Dec. 2020 13255-13269*

Zhao, X., *see* Li, B., *TPEL April 2020 3377-3389*

Zhao, X., *see* Dong, L., *TPEL Oct. 2020 10477-10488*

Zhao, Y., *see* Lin, X., *TPEL April 2020 4216-4232*

Zhao, Y., *see* Lin, X., *TPEL May 2020 5078-5092*

Zhao, Y., *see* Lin, X., *TPEL June 2020 6140-6152*

Zhao, Y., *see* Chen, S., *TPEL Sept. 2020 9716-9726*

Zhao, Y., *see* Wu, C., *TPEL Oct. 2020 10700-10710*

Zhao, Z., *see* Nie, J., *TPEL April 2020 4256-4271*

Zhao, Z., *see* Ke, J., *TPEL April 2020 3963-3972*

Zhao, Z., *see* Sun, J., *TPEL April 2020 3491-3505*

Zhao, Z., *see* Zhang, X., *TPEL Aug. 2020 8361-8373*

Zhao, Z., *see* Lu, W., *TPEL Aug. 2020 7755-7764*

Zhao, Z., *see* Nie, J., *TPEL Nov. 2020 11304-11309*

Zheng, B., *see* Xu, Y., *TPEL Nov. 2020 12166-12180*

Zheng, C., Dragicevic, T., and Blaabjerg, F., Current-Sensorless Finite-Set Model Predictive Control for *LC*-Filtered Voltage Source Inverters; *TPEL Jan. 2020 1086-1095*

Zheng, C., Dragicevic, T., Majmunovic, B., and Blaabjerg, F., Constrained Modulated Model-Predictive Control of an *LC*-Filtered Voltage-Source Converter; *TPEL Feb. 2020 1967-1977*

Zheng, C., *see* Dragicevic, T., *TPEL Feb. 2020 1934-1946*

Zheng, D., *see* Guo, X., *TPEL Oct. 2020 10285-10305*

Zheng, H., *see* Meng, X., *TPEL Sept. 2020 9794-9812*

Zheng, J., *see* Ouyang, Q., *TPEL June 2020 5820-5831*

Zheng, Q., *see* Ye, Z., *TPEL Aug. 2020 8607-8623*

Zheng, S., *see* Li, S., *TPEL Feb. 2020 1685-1698*

Zheng, S., *see* Ni, Z., *TPEL Aug. 2020 7765-7794*

Zheng, T.Q., *see* Zhang, Y., *TPEL Nov. 2020 11745-11757*

Zheng, X., *see* Zhao, F., *TPEL Jan. 2020 709-724*

Zheng, X., *see* Zhao, F., *TPEL Jan. 2020 744-759*

Zheng, X., *see* Wang, C., *TPEL Sept. 2020 9119-9132*

Zheng, Y., and Smedley, K.M., Analysis and Design of a Single-Switch High Step-Up Coupled-Inductor Boost Converter; *TPEL Jan. 2020 535-545*

Zheng, Y., *see* Li, S., *TPEL Feb. 2020 1685-1698*

Zheng, Y., *see* Xie, W., *TPEL March 2020 2724-2736*

Zheng, Y., Brown, B., Xie, W., Li, S., and Smedley, K., High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple; *TPEL Sept. 2020 9416-9429*

Zheng, Y., Guo, J., and Leung, K.N., A Single-Inductor Multiple-Output Buck/Boost DC–DC Converter With Duty-Cycle and Control-Current Predictor; *TPEL Nov. 2020 12022-12039*

Zheng, Z., and Sun, D., Model Predictive Flux Control With Cost Function-Based Field Weakening Strategy for Permanent Magnet Synchronous Motor; *TPEL Feb. 2020 2151-2159*

Zheng, Z., *see* Sun, J., *TPEL March 2020 2819-2830*

Zheng, Z., *see* Jia, L., *TPEL March 2020 3106-3113*

Zheng, Z., *see* Wang, K., *TPEL March 2020 2342-2352*

Zheng, Z., *see* Liu, Z., *TPEL May 2020 5290-5303*

Zheng, Z., *see* Zhang, L., *TPEL May 2020 4835-4846*

Zheng, Z., *see* Xu, X., *TPEL Aug. 2020 7910-7920*

Zheng, Z., *see* Wang, K., *TPEL Sept. 2020 9095-9106*

Zheng, Z., *see* Lyu, G., *TPEL Sept. 2020 9669-9679*

Zhi, Y., *see* Yang, L., *TPEL Jan. 2020 263-275*

Zhi, Y., *see* Yang, L., *TPEL May 2020 5541*

Zhi, Y., *see* Yang, L., *TPEL July 2020 6989-7000*

Zhihao, Y., *see* Cheng, C., *TPEL Dec. 2020 12728-12740*

Zhong, C., *see* Yang, R., *TPEL Feb. 2020 2208-2221*

Zhong, N., *see* Qian, Q., *TPEL May 2020 5479-5495*

Zhong, S., *see* Yu, X., *TPEL April 2020 3807-3827*

Zhong, S., *see* Liu, J., *TPEL May 2020 4791-4803*

Zhong, X., Zhu, M., Chi, Y., Liu, S., and Cai, X., Composite DC Power Flow Controller; *TPEL April 2020 3530-3542*

Zhong, X., Zhu, M., Li, Y., Wang, S., Wang, H., and Cai, X., Modular Interline DC Power Flow Controller; *TPEL Nov. 2020 11707-11719*

Zhou, B., *see* Lei, J., *TPEL March 2020 3183-3194*

Zhou, B., *see* Wei, J., *TPEL Aug. 2020 8384-8395*

Zhou, B., *see* Liu, H., *TPEL Oct. 2020 10554-10566*

Zhou, C., *see* Zhou, H., *TPEL May 2020 5007-5017*

Zhou, D., Quan, Z., and Li, Y., Hybrid Model Predictive Control of ANPC Converters With Decoupled Low-Frequency and High-Frequency Cells; *TPEL Aug. 2020 8569-8580*

Zhou, D., *see* Wang, J., *TPEL Sept. 2020 9107-9118*

Zhou, D., Quan, Z., and Li, Y., Simplified Predictive Duty Cycle Control of Multilevel Converters With Internal Identical Structure; *TPEL Nov. 2020 12416-12428*

Zhou, D., Quan, Z., Li, Y., and Zou, J., A General Constant-Switching-Frequency Model-Predictive Control of Multilevel Converters With Quasi-PS-PWM/LS-PWM Output; *TPEL Nov. 2020 12429-12441*

Zhou, G., *see* Tian, Q., *TPEL Nov. 2020 11731-11744*

Zhou, G., *see* Leng, M., *TPEL Dec. 2020 13475-13487*

Zhou, H., *see* Dang, K., *TPEL March 2020 2247-2252*

Zhou, H., Zhou, C., Tao, W., Wang, J., and Liu, G., Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault; *TPEL May 2020 5007-5017*

Zhou, H., *see* Chen, J., *TPEL Oct. 2020 9959-9964*
Zhou, J., *see* Wu, L., *TPEL Nov. 2020 12497-12508*
Zhou, K., *see* Niu, D., *TPEL Feb. 2020 1171-1175*
Zhou, K., *see* Deng, X., *TPEL Aug. 2020 8524-8531*
Zhou, K., *see* Xu, T., *TPEL Nov. 2020 11843-11854*
Zhou, L., *see* Zhu, K., *TPEL Aug. 2020 8116-8129*
Zhou, L., *see* Liu, X., *TPEL Oct. 2020 10778-10788*
Zhou, L., *see* Shao, W., *TPEL Oct. 2020 10567-10579*
Zhou, L., *see* Li, G., *TPEL Oct. 2020 11096-11107*
Zhou, L., *see* Chen, J., *TPEL Dec. 2020 13182-13199*
Zhou, L., *see* Liu, S., *TPEL Dec. 2020 12752-12764*
Zhou, L., *see* Liu, Y., *TPEL Dec. 2020 13031-13041*
Zhou, M., *see* Gou, L., *TPEL April 2020 4105-4116*
Zhou, M., *see* Zhang, Z., *TPEL Nov. 2020 12509-12521*
Zhou, Q., *see* Liu, X., *TPEL May 2020 5132-5143*
Zhou, Q., *see* Xu, X., *TPEL Nov. 2020 11682-11693*
Zhou, S., *see* Zhu, D., *TPEL May 2020 4715-4727*
Zhou, S., *see* Li, B., *TPEL Nov. 2020 11430-11441*
Zhou, W., *see* Li, Y., *TPEL Jan. 2020 1022-1035*
Zhou, W., *see* Wu, Q., *TPEL June 2020 5557-5561*
Zhou, X., Sun, J., Li, H., Lu, M., and Zeng, F., PMSM Open-Phase Fault-Tolerant Control Strategy Based on Four-Leg Inverter; *TPEL March 2020 2799-2808*
Zhou, X., *see* Chen, Y., *TPEL May 2020 4915-4924*
Zhou, X., *see* Chen, Y., *TPEL June 2020 6039-6049*
Zhou, X., *see* Liu, Y., *TPEL Dec. 2020 13031-13041*
Zhou, Y., *see* Ren, X., *TPEL July 2020 7480-7491*
Zhou, Y., *see* Xu, S., *TPEL July 2020 6668-6672*
Zhou, Z., *see* Ye, S., *TPEL Feb. 2020 1907-1921*
Zhou, Z., Chen, M., Jiang, J., Zhang, D., Ye, S., and Liu, C., Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids; *TPEL March 2020 2959-2968*
Zhou, Z., *see* Cheng, C., *TPEL April 2020 3328-3331*
Zhou, Z., *see* Shi, T., *TPEL May 2020 5093-5101*
Zhou, Z., *see* Duan, J., *TPEL June 2020 5987-6000*
Zhou, Z., Zhang, L., Liu, Z., Chen, Q., Long, R., and Su, H., Model Predictive Control for the Receiving-Side DC–DC Converter of Dynamic Wireless Power Transfer; *TPEL Sept. 2020 8985-8997*
Zhou, Z., Li, X., Lu, Y., Liu, Y., Shen, G., and Wu, X., Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation; *TPEL Nov. 2020 12555-12569*
Zhu, A., *see* Chen, J., *TPEL Oct. 2020 9959-9964*
Zhu, B., Ding, F., and Vilathgamuwa, D.M., Coat Circuits for DC–DC Converters to Improve Voltage Conversion Ratio; *TPEL April 2020 3679-3687*
Zhu, C., *see* Yu, Z., *TPEL April 2020 4094-4104*
Zhu, C., *see* Wei, G., *TPEL June 2020 6114-6126*
Zhu, C., *see* Wang, C., *TPEL July 2020 6854-6866*
Zhu, C., *see* Song, K., *TPEL Sept. 2020 9034-9045*
Zhu, D., Zhou, S., Zou, X., and Kang, Y., Improved Design of PLL Controller for *LCL*-Type Grid-Connected Converter in Weak Grid; *TPEL May 2020 4715-4727*
Zhu, F., Yang, Z., Lin, F., and Xin, Y., Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning; *TPEL Sept. 2020 9368-9379*
Zhu, F., *see* Zhang, Z., *TPEL Nov. 2020 11544-11556*
Zhu, G., *see* Wang, H., *TPEL Feb. 2020 1805-1829*
Zhu, G., *see* Liu, Y., *TPEL May 2020 4452-4456*
Zhu, G., *see* Wang, H., *TPEL Sept. 2020 8910-8925*
Zhu, G., and Gao, D., High-Frequency Voltage and Current Sense Circuits for Inductive Power Transfer Systems; *TPEL Nov. 2020 11352-11362*
Zhu, H., *see* Deng, X., *TPEL Aug. 2020 8524-8531*
Zhu, H., and Liu, T., Rotor Displacement Self-Sensing Modeling of Six-Pole Radial Hybrid Magnetic Bearing Using Improved Particle Swarm Optimization Support Vector Machine; *TPEL Nov. 2020 12296-12306*
Zhu, H., *see* Zhang, Y., *TPEL Nov. 2020 11813-11826*
Zhu, J., *see* Sun, X., *TPEL Jan. 2020 1136-1146*
Zhu, J., *see* Shan, Y., *TPEL Feb. 2020 1227-1238*
Zhu, J., *see* Tao, T., *TPEL April 2020 3850-3858*
Zhu, J., *see* Sun, X., *TPEL April 2020 3841-3849*
Zhu, J., Ban, Y., Zhang, Y., Yan, Z., Xu, R., and Mi, C.C., Three-Coil Wireless Charging System for Metal-Cover Smartphone Applications; *TPEL May 2020 4847-4858*
Zhu, J., *see* Huang, W., *TPEL May 2020 5531-5540*
Zhu, J., *see* Xu, W., *TPEL July 2020 7271-7281*
Zhu, J., *see* Wang, J., *TPEL July 2020 7073-7085*
Zhu, J., *see* Zhao, W., *TPEL July 2020 7261-7270*
Zhu, J., Hu, J., Lin, L., Wang, Y., and Wei, C., High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC; *TPEL Sept. 2020 8892-8896*
Zhu, J., *see* Yang, Q., *TPEL Dec. 2020 13053-13067*
Zhu, K., Sun, P., Zhou, L., Du, X., and Luo, Q., Frequency-Division Virtual Impedance Shaping Control Method for Grid-Connected Inverters in a Weak and Distorted Grid; *TPEL Aug. 2020 8116-8129*
Zhu, L., *see* Lin, H., *TPEL April 2020 3506-3518*
Zhu, L., *see* Lin, H., *TPEL Nov. 2020 11310-11315*
Zhu, L., *see* Wang, Y., *TPEL Nov. 2020 11502-11517*
Zhu, M., *see* Li, X., *TPEL Feb. 2020 1622-1636*
Zhu, M., *see* Li, X., *TPEL Feb. 2020 1182-1188*
Zhu, M., *see* Zhong, X., *TPEL April 2020 3530-3542*
Zhu, M., *see* Pan, P., *TPEL April 2020 4033-4047*
Zhu, M., *see* Yang, C., *TPEL June 2020 6625-6635*
Zhu, M., *see* Sun, C., *TPEL Nov. 2020 11321-11327*
Zhu, M., *see* Zhong, X., *TPEL Nov. 2020 11707-11719*
Zhu, M., *see* Yang, C., *TPEL Dec. 2020 13356-13366*
Zhu, M., *see* Hou, C., *TPEL Dec. 2020 12651-12656*
Zhu, P., *see* Zhang, Q., *TPEL March 2020 2908-2916*
Zhu, P., *see* Xu, C., *TPEL Oct. 2020 10770-10777*
Zhu, Q., *see* Zhang, Y., *TPEL Feb. 2020 2067-2076*
Zhu, Q., *see* Zhang, Y., *TPEL May 2020 5542*
Zhu, Q., *see* Tang, W., *TPEL May 2020 4533-4546*
Zhu, R., *see* Wang, H., *TPEL Jan. 2020 6-9*
Zhu, R., and Liserre, M., Control of Smart Transformer Under Single-Phase to Ground Fault Condition; *TPEL Feb. 2020 2034-2043*
Zhu, R., *see* Deng, F., *TPEL March 2020 3310-3324*
Zhu, R., *see* Deng, F., *TPEL April 2020 4063-4075*
Zhu, R., *see* Liu, C., *TPEL May 2020 5190-5204*
Zhu, R., Lin, N., Dinavahi, V., and Liang, G., An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station; *TPEL May 2020 4689-4702*
Zhu, R., Hoffmann, F., Vazquez, N., Wang, K., and Liserre, M., Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer; *TPEL July 2020 6895-6905*
Zhu, R., *see* Zhang, Q., *TPEL July 2020 7001-7014*
Zhu, S., *see* Lin, X., *TPEL May 2020 5078-5092*
Zhu, S., *see* Lin, X., *TPEL June 2020 6140-6152*
Zhu, T., *see* Zhao, F., *TPEL Jan. 2020 709-724*
Zhu, T., *see* Zhao, F., *TPEL Jan. 2020 744-759*
Zhu, T., Zhuo, F., Zhao, F., Wang, F., Yi, H., and Zhao, T., Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency; *TPEL Oct. 2020 11129-11142*
Zhu, Z., *see* Wei, X., *TPEL June 2020 6572-6585*
Zhu, Z., *see* Li, Y., *TPEL Sept. 2020 9462-9470*
Zhu, Z., *see* Li, Y., *TPEL Sept. 2020 9482-9493*
Zhu, Z., *see* Yang, Z., *TPEL Oct. 2020 10352-10362*
Zhu, Z., *see* Li, G., *TPEL Oct. 2020 11096-11107*
Zhu, Z., *see* Han, Y., *TPEL Dec. 2020 13096-13103*
Zhu, Z.Q., *see* Thakur, S.S., *TPEL Sept. 2020 9291-9305*
Zhuan, X., *see* Chen, F., *TPEL Feb. 2020 2119-2134*
Zhuang, Y., *see* Li, W., *TPEL Oct. 2020 11235-11249*
Zhuang, Z., *see* Zhao, L., *TPEL Dec. 2020 12949-12958*
Zhuo, F., *see* Xiong, L., *TPEL April 2020 3332-3336*
Zhuo, F., *see* Zhu, T., *TPEL Oct. 2020 11129-11142*

Zhuo, S., Gaillard, A., Xu, L., Paire, D., and Gao, F., Extended State Observer-Based Control of DC–DC Converters for Fuel Cell Application; *TPEL Sept. 2020 9923-9932*
Zou, C., *see* Hu, X., *TPEL Jan. 2020 382-392*
Zou, C., *see* Tang, X., *TPEL Feb. 2020 1499-1512*
Zou, C., *see* Xie, Y., *TPEL March 2020 2595-2614*
Zou, J., *see* Zhang, W., *TPEL Jan. 2020 607-618*
Zou, J., *see* Xie, C., *TPEL June 2020 6636-6648*
Zou, J., *see* Xie, C., *TPEL Sept. 2020 9813-9823*
Zou, J., *see* Wang, Y., *TPEL Oct. 2020 10601-10613*
Zou, J., *see* Huang, Y., *TPEL Oct. 2020 10643-10653*
Zou, J., *see* Zhou, D., *TPEL Nov. 2020 12429-12441*
Zou, J., *see* Xu, Y., *TPEL Nov. 2020 12166-12180*
Zou, K., *see* Liu, Y., *TPEL Aug. 2020 7729-7734*
Zou, R., *see* Tang, W., *TPEL May 2020 4533-4546*
Zou, S., *see* Zhang, G., *TPEL Aug. 2020 8846-8856*
Zou, X., Du, X., and Tai, H., Two-Variable Admittance Model for D-PMSG-Based Wind Turbine and Stability Criterion Based on Magnitude and Phase Contour Plot; *TPEL Feb. 2020 1484-1498*
Zou, X., *see* Zhu, D., *TPEL May 2020 4715-4727*
Zou, Y., *see* Wang, G., *TPEL Sept. 2020 9574-9585*
Zulauf, G., and Rivas-Davila, J.M., Single-Turn Air-Core Coils for High-Frequency Inductive Wireless Power Transfer; *TPEL March 2020 2917-2932*
Zulauf, G., Guacci, M., and Kolar, J.W., Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks; *TPEL June 2020 5581-5588*
Zulauf, G., *see* Gu, L., *TPEL Oct. 2020 10515-10531*
Zulauf, G., *see* Menzi, D., *TPEL Dec. 2020 13367-13383*
Zuo, K., *see* Wang, F., *TPEL Dec. 2020 13652-13662*

Subject Index

Numeric

III-V semiconductors
6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*
A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*
A Reliable Ultrafast Short-Circuit Protection Method for E-Mode GaN HEMT. *Lyu, X.*, +, *TPEL Sept. 2020 8926-8933*
A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*
Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter. *Li, K.*, +, *TPEL Sept. 2020 9650-9660*
Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*
Cascode GaN/SiC: A Wide-Bandgap Heterogenous Power Device for High-Frequency Applications. *Xu, J.*, +, *TPEL June 2020 6340-6349*
Characterization and Modeling of Frequency-Dependent On-Resistance for GaN Devices at High Frequencies. *Wang, K.*, +, *TPEL May 2020 4925-4933*
CMOS Active Gate Driver for Closed-Loop dv/dt Control of GaN Transistors. *Bau, P.*, +, *TPEL Dec. 2020 13322-13332*
Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*
Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*
Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*
Desynchronizing Paralleled GaN HEMTs to Reduce Light-Load Switching Loss. *Shen, Y.*, +, *TPEL Sept. 2020 9151-9170*
Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks. *Zulauf, G.*, +, *TPEL June 2020 5581-5588*
Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*
Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*
High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles. *Ta, L.A.D.*, +, *TPEL Aug. 2020 8324-8334*
How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*
Impact on ZVS Operation by Splitting Inductance to Both Sides of Transformer for 1-MHz GaN Based DAB Converter. *Xiao, Y.*, +, *TPEL Nov. 2020 11988-12002*
Investigation on the Short-Circuit Oscillation of Cascode GaN HEMTs. *Xue, P.*, +, *TPEL June 2020 6292-6300*
Isolated Ultrafast Gate Driver with Variable Duty Cycle for Pulse and VHF Power Electronics. *Zan, X.*, +, *TPEL Dec. 2020 12678-12685*
Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*
Negative Resistance in Cascode Transistors. *Nikoo, M.S.*, +, *TPEL Oct. 2020 9978-9981*
New Insights on Output Capacitance Losses in Wide-Band-Gap Transistors. *Nikoo, M.S.*, +, *TPEL July 2020 6663-6667*
On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation. *Surakitbovorn, K.N.*, +, *TPEL April 2020 4009-4023*
Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*
Physics-Oriented Device Model for Packaged GaN Devices. *Mahajan, D.D.*, +, *TPEL June 2020 6332-6339*
Piezoelectric Properties of GaN-on-Si Heterostructures and Their Implications on Lifetime During Switching Operation. *Pribahsnik, F.P.*, +, *TPEL Oct. 2020 10873-10878*
Push–Pull Class Φ_2 RF Power Amplifier. *Gu, L.*, +, *TPEL Oct. 2020 10515-10531*
Review of Loss Distribution, Analysis, and Measurement Techniques for GaN HEMTs. *Gareau, J.*, +, *TPEL July 2020 7405-7418*
Single Pulse Unclamped-Inductive-Switching Induced Failure and Analysis for 650 V p-GaN HEMT. *Liu, S.*, +, *TPEL Nov. 2020 11328-11331*
Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*
IV-VI semiconductors
Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

A

AC motor drives
An Improved Simplified PWM for Three-Level Neutral Point Clamped Inverter Based on Two-Level Common-Mode Voltage Reduction PWM. *Zhang, X.*, +, *TPEL Oct. 2020 11143-11154*
Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault. *Zhou, H.*, +, *TPEL May 2020 5007-5017*
AC-AC power converters
AC–AC Hybrid Boost Switched-Capacitor Converter. *Schramm Dall'Asta, M.*, +, *TPEL Dec. 2020 13115-13125*
Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies. *Bessegato, L.*, +, *TPEL March 2020 2411-2423*

Novel High-Efficiency Frequency-Variable Buck–Boost AC–AC Converter With Safe-Commutation and Continuous Current. *He, L.*, +, *TPEL Dec. 2020 13225-13238*

Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*

Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*

AC-DC power converters

A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*

A Capacitor-Free Control Scheme for a Primary-Side Controlled Flyback Converter. *Li, Y.*, +, *TPEL Sept. 2020 9482-9493*

A Dual-Layer Receiver With a Low Aspect Ratio and a Reduced Output Fluctuation for EV Dynamic Wireless Charging. *Song, B.*, +, *TPEL Oct. 2020 10338-10351*

A Flexible Mode Electrolytic Capacitor-Free LED Driver With High Efficiency Over a Wide Range of Input Voltage. *Zeng, J.*, +, *TPEL Aug. 2020 8490-8500*

A Magnetically Controlled Single-Stage AC–DC Converter. *Wei, Y.*, +, *TPEL Sept. 2020 8872-8877*

A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications. *Huang, Y.*, +, *TPEL May 2020 4613-4621*

A Modular Low Current Ripple Electrolysis Power Supply Based on Multiphase Half-Bridge High-Frequency Inverters. *Xiao, H., TPEL Oct. 2020 10088-10096*

A Novel Filter Structure to Suppress Circulating Currents Based on the Sequence of Sideband Harmonics for High-Power Interleaved Motor-Drive Systems. *Ohn, S.*, +, *TPEL Jan. 2020 853-866*

A Novel Volt-Second Self-Balancing SVPWM Scheme to Eliminate Steady-State DC Bias for a Three-Phase Isolated AC–DC Matrix Converter. *Hu, W.*, +, *TPEL Nov. 2020 11518-11532*

A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*

A Single-Stage Fault-Tolerant Three-Phase Bidirectional AC/DC Converter With Symmetric High-Frequency Y-Δ Connected Transformers. *Gu, L.*, +, *TPEL Sept. 2020 9226-9237*

A Step-Up Nonisolated Modular Multilevel DC–DC Converter With Self-Voltage Balancing and Soft Switching. *Sun, C.*, +, *TPEL Dec. 2020 13017-13030*

A Unidirectional Insulated AC–DC Converter Based on the Hexverter and Multipulse-Rectifier. *Lambert, G.*, +, *TPEL March 2020 2363-2371*

An Integrated Permanent-Magnet-Synchronous Generator–Rectifier Architecture for Limited-Speed-Range Applications. *Huynh, P.T.*, +, *TPEL May 2020 4767-4779*

An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*

Analysis and Criterion for Inherent Balance Capability in Modular Multilevel DC–AC–DC Converters. *Xiang, X.*, +, *TPEL June 2020 5573-5580*

Common-Mode EMI Noise Analysis and Reduction for AC–DC–AC Systems With Paralleled Power Modules. *Yang, L.*, +, *TPEL July 2020 6989-7000*

Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*

Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*

Design of a High Accuracy PSR CC/CV AC–DC Converter Without Auxiliary Winding. *He, L.*, +, *TPEL Aug. 2020 8165-8172*

Dual-Period-Decoupled Space Vector Phase-Shifted Modulation for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Li, X.*, +, *TPEL June 2020 6447-6457*

Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*

Fully Integrated Buck and Boost Converter as a High Efficiency, High-Power-Density Off-Line LED Driver. *Abdelmessih, G.Z.*, +, *TPEL Nov. 2020 12238-12251*

Improved Modulation Strategy for Single-Phase Isolated Quasi-Single-Stage AC–DC Converter to Improve Current Characteristics. *Li, X.*, +, *TPEL April 2020 4296-4308*

Improved Modulation Strategy for Single-Phase Single-Stage Isolated AC–DC Converter Considering Power Reversion Zone. *Wu, F.*, +, *TPEL April 2020 4157-4167*

Improvement of ZVS Range and Current Quality of the Nine-Switch Single-Stage AC–DC Converter. *Ali, K.*, +, *TPEL May 2020 4658-4668*

Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies. *Leterme, W.*, +, *TPEL June 2020 5753-5769*

Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*

Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function. *Wang, X.*, +, *TPEL Dec. 2020 13602-13620*

On Beat Frequency Oscillation of Two-Stage Wireless Power Receivers. *Li, K.*, +, *TPEL Dec. 2020 12741-12751*

Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*

Resonant Bridgeless AC/DC Rectifier With High Switching Frequency and Inherent PFC Capability. *Valipour, H.*, +, *TPEL Jan. 2020 232-246*

Series Chain-Link Modular Multilevel AC–DC Converter (SCC) for HVDC Applications. *Tardelli, F.*, +, *TPEL June 2020 5714-5728*

Single-Phase AC–DC Converter With Dual-Output Rectifier, Dual-Input DC Transformer, and Voltage-Split/Sigma Principle. *Jia, Y.*, +, *TPEL Jan. 2020 158-168*

Single-Phase AC–DC–AC Three-Level Three-Leg Converter With Reduced Switch Count. *da Costa, A.E.L.*, +, *TPEL March 2020 2295-2307*

Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*

Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*

Variable Switching Periods Based Space Vector Phase-Shifted Modulation for DAB Based Three-Phase Single-Stage Isolated AC–DC Converter. *Wu, F.*, +, *TPEL Dec. 2020 13725-13734*

Acoustic emission

Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*

Acoustic resonance

High-Order Compensated Wireless Power Transfer for Dimmable Metal Halide Lamps. *Han, W.*, +, *TPEL June 2020 6269-6279*

Acoustic transducers

A High-Tolerance Matching Method Against Load Fluctuation for Ultrasonic Transducers. *Wang, J.*, +, *TPEL Jan. 2020 1147-1155*

Acoustoelectric transducers

Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*

Active disturbance rejection control

A Dual-Loop Predictive Control Structure for Permanent Magnet Synchronous Machines With Enhanced Attenuation of Periodic Disturbances. *Song, Z.*, +, *TPEL Jan. 2020 760-774*

An Energy Balance Active Disturbance Rejection Control for Improving Converter Stability While Maintaining Fast Dynamic Performance. *Nie, J.*, +, *TPEL Nov. 2020 11304-11309*

IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*

Active filters

A Fast and Robust Real-Time Detection Algorithm of Decaying DC Transient and Harmonic Components in Three-Phase Systems. *Xiong, L.*, +, *TPEL April 2020 3332-3336*

A Modular Multilevel Converter With Active Power Filter for Submodule Capacitor Voltage Ripples and Power Losses Reduction. *Jia, G.*, +, *TPEL Nov. 2020 11401-11417*

A Motor CM Impedance Based Transformerless Active EMI Filter for DC-Side Common-Mode EMI Suppression in Motor Drive System. *Zhang, Y.*, +, *TPEL Oct. 2020 10238-10248*

Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*

Dynamic Terminal Sliding-Mode Control for Single-Phase Active Power Filter Using New Feedback Recurrent Neural Network. *Fei, J.*, +, *TPEL Sept. 2020 9904-9922*

Adaptation models

Adaptive Multi-Level Active Gate Drivers for SiC Power Devices. *Zhao, S.*, +, *TPEL Feb. 2020 1882-1898*

Adaptive control

A New Energy Management Control Method for Energy Storage Systems in Microgrids. *Hajebrahimi, H.*, +, *TPEL Nov. 2020 11612-11624*

A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*

A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*

A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter. *Hou, S.*, +, *TPEL July 2020 7640-7652*

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*

An Adaptive Dual-Loop Lyapunov-Based Control Scheme for a Single-Phase UPS Inverter. *He, J.*, +, *TPEL Sept. 2020 8886-8891*

An Adaptive Sensorless Control Technique for a Flyback-Type Solar Tile Microinverter. *Falconar, N.*, +, *TPEL Dec. 2020 13554-13562*

Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller. *Kolluri, S.*, +, *TPEL Sept. 2020 9839-9849*

Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*

DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation. *Hajihosseini, M.*, +, *TPEL Oct. 2020 9971-9977*

Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*

High-Precision Rotor Position Correction Strategy for High-Speed Permanent Magnet Synchronous Motor Based on Resolver. *Chen, S.*, +, *TPEL Sept. 2020 9716-9726*

IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*

Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*

Multidomain Analysis and *n*th-Order Synchronous Reference Vector Adaptive Control of the Doubly Salient Motor. *Hu, Y.*, +, *TPEL Sept. 2020 9563-9573*

Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*

Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*

Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*

Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation. *Wang, B.*, +, *TPEL Nov. 2020 12522-12532*

Adaptive filters

Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*

Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*

Admittance

A Three-Phase Dual-Active-Bridge DC–DC Converter With Reconfigurable Resonant Network for Efficient Wide Voltage Range Operation. *Khan, A.Z.*, +, *TPEL Feb. 2020 1322-1339*

Passivity-Based Design of Plug-and-Play Current-Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Feb. 2020 2135-2150*

Two-Variable Admittance Model for D-PMSG-Based Wind Turbine and Stability Criterion Based on Magnitude and Phase Contour Plot. *Zou, X.*, +, *TPEL Feb. 2020 1484-1498*

Aerospace electronics

Diagnosis and Tolerance of Common Electrical Faults in T-Type Three-Level Inverters Fed Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Feb. 2020 1753-1769*

Aging

A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*

Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*

Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*

Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*

Influence of Current Ripples in Cascaded Multilevel Topologies on the Aging of Lithium Batteries. *Chang, F.*, +, *TPEL Nov. 2020 11879-11890*

Reliability Assessment of Multistate Degraded Systems: An Application to Power Electronic Systems. *Samavatian, V.*, +, *TPEL April 2020 4024-4032*

Remaining Useful Life Prediction of Battery Using a Novel Indicator and Framework With Fractional Grey Model and Unscented Particle Filter. *Chen, L.*, +, *TPEL June 2020 5850-5859*

State-of-Health Estimation Based on Differential Temperature for Lithium Ion Batteries. *Tian, J.*, +, *TPEL Oct. 2020 10363-10373*

Air gaps

A Hybrid Inductive Power Transfer System With Misalignment Tolerance Using Quadruple-D Quadrature Pads. *Chen, Y.*, +, *TPEL June 2020 6039-6049*

A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*

A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*

Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates. *Choi, J.S.*, +, *TPEL Aug. 2020 7863-7872*

An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications. *Zhang, Z.*, +, *TPEL Nov. 2020 11544-11556*

Design of Inductive Power Transfer System With a Behavior of Voltage Source in Open-Loop Considering Wide Mutual Inductance Variation. *Delgado, A.*, +, *TPEL Nov. 2020 11453-11462*

Effects of Secondary Leakage Inductance on the *LLC* Resonant Converter. *Noah, M.*, +, *TPEL Jan. 2020 835-852*

Efficiency Improvement of the Parity-Time-Symmetric Wireless Power Transfer System for Electric Vehicle Charging. *Wu, L.*, +, *TPEL Nov. 2020 12497-12508*

Modeling of a Magnetic Coupler Based on Single- and Double-Layered Rectangular Planar Coils With In-Plane Misalignment for Wireless Power Transfer. *Lopez-Alcolea, F.J.*, +, *TPEL May 2020 5102-5121*

Nonlinear Magnetic Field Vector Control With Dynamic-Variant Parameters for High-Power Electrically Excited Synchronous Motor. *Han, Y.*, +, *TPEL Oct. 2020 11053-11063*

Novel Highly Efficient/Compact Automotive PCB Winding Inductors Based on the Compensating Air-Gap Fringing Field Concept. *Schafer, J.*, +, *TPEL Sept. 2020 9617-9631*

Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines. *Ayaz Khoshhava, M.*, +, *TPEL July 2020 6658-6662*

Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling. *Shafaei, R.*, +, *TPEL Sept. 2020 9632-9649*

Real-Time HIL Emulation for a Segmented-Rotor Switched Reluctance Motor Using a New Magnetic Equivalent Circuit. *Sun, X.*, +, *TPEL April 2020 3841-3849*

Vibration Reduction for Dual-Branch Three-Phase Permanent Magnet Synchronous Motor With Carrier Phase-Shift Technique. *Zhang, W.*, +, *TPEL Jan. 2020 607-618*

Wireless Electric Vehicle Charger With Electromagnetic Coil-Based Position Correction Using Impedance and Resonant Frequency Detection. *Khan, N.*, +, *TPEL Aug. 2020 7873-7883*

Aircraft

Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

All-pass filters

All-Pass-Filter-Based PLL Systems: Linear Modeling, Analysis, and Comparative Evaluation. *Golestan, S.*, +, *TPEL April 2020 3558-3572*

Aluminum

Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*

Simplified Power Loss Model for Aluminum Electrolytic Capacitors in Single-Phase Inverters. *Liu, Y.*, +, *TPEL May 2020 4452-4456*

Aluminum compounds

How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*

Investigation on the Short-Circuit Oscillation of Cascode GaN HEMTs. *Xue, P.*, +, *TPEL June 2020 6292-6300*

Amplifiers

A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise. *Ge, T.*, +, *TPEL Jan. 2020 789-799*

A Mixed-Signal Adaptive Ripple Canceler for Switching Regulators Providing 18 dB-24 dB of Ripple Rejection up to 1 MHz. *Joshi, K.*, +, *TPEL Oct. 2020 10249-10259*

Dual Active-Feedback Frequency Compensation for Output-Capacitorless LDO With Transient and Stability Enhancement in 65-nm CMOS. *Li, G.*, +, *TPEL Jan. 2020 415-429*

Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*

Analog-digital conversion

An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

Analytical models

Control-Oriented Modeling of Wireless Power Transfer Systems With Phase-Shift Control. *Chen, F.*, +, *TPEL Feb. 2020 2119-2134*

Angular velocity control

A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*

A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System. *Wang, Y.*, +, *TPEL April 2020 4117-4126*

A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer. *Du, C.*, +, *TPEL Aug. 2020 8429-8442*

Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*

An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control. *Devanshu, A.*, +, *TPEL Jan. 2020 652-666*

An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs. *Xu, W.*, +, *TPEL July 2020 7271-7281*

Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*

Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*

Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*

Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*

Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*

Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*

Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*

Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range. *Mao, S.*, +, *TPEL Aug. 2020 8347-8360*

Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*

SM Load Torque Observer-Based FCS-MPDSC With Single Prediction Horizon for High Dynamics of Surface-Mounted PMSM. *Gong, C.*, +, *TPEL Jan. 2020 20-24*

Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation. *Wang, B.*, +, *TPEL Nov. 2020 12522-12532*

Antenna measurements

Characterization Method of Radiated Magnetic Field Based on Integrated Antenna Measurement Applied to Power Module Technologies. *Vine, G.*, +, *TPEL Feb. 2020 1440-1449*

Antenna radiation patterns

Mechanism Model and Prediction Method of Common Mode Radiation for a Nonisolated Very-High-Frequency DC–DC Converter With Cables. *He, J.*, +, *TPEL Oct. 2020 10227-10237*

Antennas

Characterization Method of Radiated Magnetic Field Based on Integrated Antenna Measurement Applied to Power Module Technologies. *Vine, G.*, +, *TPEL Feb. 2020 1440-1449*

Approximation theory

Fast Simulation of Litz Wire Using Multilevel PEEC Method. *Lyu, J.*, +, *TPEL Dec. 2020 12612-12616*

Output Voltage Range of a Power-Loaded Series–Series Compensated Inductive Wireless Power Transfer Link Operating in Load-Independent Regime. *Frechter, Y.*, +, *TPEL June 2020 6586-6593*

Arcs (electric)

An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*

Series DC Arc Fault Detection Based on Ensemble Machine Learning. *Le, V.*, +, *TPEL Aug. 2020 7826-7839*

Artificial bee colony algorithm

Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact. *Huang, J.*, +, *TPEL July 2020 7086-7099*

Artificial intelligence

Artificial Intelligence-Aided Thermal Model Considering Cross-Coupling Effects. *Zhang, Y.*, +, *TPEL Oct. 2020 9998-10002*

Asymptotic stability

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*

Asynchronous generators

A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*

A Simplified Stator Frequency and Power Control Method of DFIG-DC System Without Stator Voltage and Current Sensors. *Wu, C.*, +, *TPEL June 2020 5562-5566*

A Unified Power Control Method for Standalone and Grid-Connected DFIG-DC System. *Wu, C.*, +, *TPEL Dec. 2020 12663-12667*

An Improved Rotor Speed Observer for Standalone Brushless Doubly-Fed Induction Generator Under Unbalanced and Nonlinear Loads. *Liu, Y.*, +, *TPEL Jan. 2020 775-788*

An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs. *Xu, W.*, +, *TPEL July 2020 7271-7281*

Analysis and Reshaping on Impedance Characteristic of DFIG System Based on Symmetrical PLL. *Nian, H.*, +, *TPEL Nov. 2020 11720-11730*

Damping Method of High-Frequency Resonance for Stator Current Controlled DFIG System Under Parallel Compensation Grid. *Pang, B.*, +, *TPEL Oct. 2020 10260-10270*

Drift-Free Perturb and Observe MPPT Algorithm With Improved Performance for SEIG-Based Stand-Alone Wind Energy Generation System. *Mishra, J.*, +, *TPEL June 2020 5842-5849*

Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*

Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator. *Su, J.*, +, *TPEL Oct. 2020 9953-9958*

High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*

Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters. *Xu, W.*, +, *TPEL May 2020 4959-4970*

Model-Free Predictive Current Control of DFIG Based on an Extended State Observer Under Unbalanced and Distorted Grid. *Zhang, Y.*, +, *TPEL Aug. 2020 8130-8139*

Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*

Multiple Reference Frame-Based Torque Ripple Reduction in DFIG-DC System. *Xiao, Y.*, +, *TPEL May 2020 4971-4983*

Negative Sequence Voltage Compensating for Unbalanced Standalone Brushless Doubly-Fed Induction Generator. *Xu, W.*, +, *TPEL Jan. 2020 667-680*

Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*

Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*

Stability Assessment of DFIG Subsynchronous Oscillation Based on Energy Dissipation Intensity Analysis. *Ma, J.*, +, *TPEL Aug. 2020 8074-8087*

Study on DFIG Dissipation Energy Model and Low-Frequency Oscillation Mechanism Considering the Effect of PLL. *Shen, Y.*, +, *TPEL April 2020 3348-3364*

Asynchronous machines

An Integrated Permanent-Magnet-Synchronous Generator–Rectifier Architecture for Limited-Speed-Range Applications. *Huynh, P.T.*, +, *TPEL May 2020 4767-4779*

Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*

Guidelines for the Design of Finite Control Set Model Predictive Controllers. *Karamanakos, P.*, +, *TPEL July 2020 7434-7450*

Improved Transient-Based Overmodulation Method for Increased Torque Capability of Direct Torque Control With Constant Torque-Switching Regulator of Induction Machines. *Alsofyani, I.M.*, +, *TPEL April 2020 3928-3938*

Maximum Thrust per Ampere of Linear Induction Machine Based on Finite-Set Model Predictive Direct Thrust Control. *Xu, W.*, +, *TPEL July 2020 7366-7378*

Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits. *Liu, Z.*, +, *TPEL May 2020 5290-5303*

Stator Short-Circuit Fault Detection and Location Methods for Brushless DFIMs Using Nested-Loop Rotor Slot Harmonics. *Afshar, M.*, +, *TPEL Aug. 2020 8559-8568*

Attenuation

Time–Frequency Characteristics Research of Common Mode Current in PWM Motor System. *Cao, S.*, +, *TPEL Feb. 2020 1450-1458*

Automatic guided vehicles

Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates. *Choi, J.S.*, +, *TPEL Aug. 2020 7863-7872*

Decoupling Circuit for Automated Guided Vehicles IPT Charging Systems With Dual Receivers. *Mai, R.*, +, *TPEL July 2020 6652-6657*

Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control. *Lee, T.*, +, *TPEL Sept. 2020 9024-9033*

Automatic voltage control

Plug-and-Play Control of the Virtual Infinite Capacitor. *Lin, J.*, +, *TPEL Feb. 2020 1947-1956*

Automotive electronics

Novel Highly Efficient/Compact Automotive PCB Winding Inductors Based on the Compensating Air-Gap Fringing Field Concept. *Schafer, J.*, +, *TPEL Sept. 2020 9617-9631*

Automotive engineering

Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*

Design Guidelines of Inductive Coils Using a Polymer Bonded Magnetic Composite for Inductive Power Transfer Systems in Electric Vehicles. *Delgado, A.*, +, *TPEL Aug. 2020 7884-7893*

Autonomous aerial vehicles

A 500-W Wireless Charging System With Lightweight Pick-Up for Unmanned Aerial Vehicles. *Cai, C.*, +, *TPEL Aug. 2020 7721-7724*

A Compact Resonant Switched-Capacitor Heater for Lithium-Ion Battery Self-Heating at Low Temperatures. *Shang, Y.*, +, *TPEL July 2020 7134-7144*

Autotransformers

AC–AC Hybrid Boost Switched-Capacitor Converter. *Schramm Dall'Asta, M.*, +, *TPEL Dec. 2020 13115-13125*

The Current Shaping Modular Multilevel DC–DC Converter. *Gray, P.A.*, +, *TPEL Oct. 2020 10050-10063*

The Modular Multilevel DC Converter With Inherent Minimization of Arm Current Stresses. *Li, Y.*, +, *TPEL Dec. 2020 12787-12800*

Avalanche breakdown

Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*

Avalanche photodiodes
Internal Dynamics Stabilization of Single-Phase Power Converters With Lyapunov-Based Automatic-Power-Decoupling Control. *Yuan, H.*, +, *TPEL Feb. 2020 2160-2169*
Avionics
Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*
Development of High-Power High Switching Frequency Cryogenically Cooled Inverter for Aircraft Applications. *Gui, H.*, +, *TPEL June 2020 5670-5682*
Awards
Editorial 2020: A Year of Changes With More to Come!. *Chen, Y.*, +, *TPEL Jan. 2020 5*

B

Backpropagation
Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*
Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator. *Su, J.*, +, *TPEL Oct. 2020 9953-9958*
Band-pass filters
An Envelope-Prediction-Based Sensorless Rotor Position Observation Scheme for LCI-Fed EESM at Zero and Low Speed. *Kou, J.*, +, *TPEL July 2020 7356-7365*
High-Frequency Voltage and Current Sense Circuits for Inductive Power Transfer Systems. *Zhu, G.*, +, *TPEL Nov. 2020 11352-11362*
The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine. *Wei, J.*, +, *TPEL Aug. 2020 8384-8395*
Bandwidth
Elimination of the Interaction of the Converters in Switch-Linear Hybrid Envelope Tracking Power Supplies. *Wang, Y.*, +, *TPEL Feb. 2020 2053-2066*
Impedance-Oriented Transient Instability Modeling of SiC mosfet Intruded by Measurement Probes. *Zeng, Z.*, +, *TPEL Feb. 2020 1866-1881*
Inductor Saturation Compensation With Resistive Decoupling for Single-Phase Controlled VSC Systems. *Ozkan, Z.*, +, *TPEL Feb. 2020 1993-2007*
Batteries
A Lithium-Ion Battery Balancing Circuit Based on Synchronous Rectification. *Shang, Y.*, +, *TPEL Feb. 2020 1637-1648*
A Novel Control Strategy for Improving the Performance of a Nearly Zero Energy Building. *Tsioumas, E.*, +, *TPEL Feb. 2020 1513-1524*
Analysis and Control of Modular Multilevel Converter With Split Energy Storage for Railway Traction Power Conditioner. *Guo, P.*, +, *TPEL Feb. 2020 1239-1255*
Energy Storage and POPI Networks in Power Processing Systems. *Singer, S.*, +, *TPEL Feb. 2020 1425-1439*
Model Predictive Voltage and Power Control of Islanded PV-Battery Microgrids With Washout-Filter-Based Power Sharing Strategy. *Shan, Y.*, +, *TPEL Feb. 2020 1227-1238*
Modulation Scheme for the Bidirectional Operation of the Phase-Shift Full-Bridge Power Converter. *Escudero, M.*, +, *TPEL Feb. 2020 1377-1391*
Single-Inductor Dual-Input Triple-Output Buck–Boost Converter With Clockless Shortest Power Path Control Strategy for IoT Nodes. *Wang, C.*, +, *TPEL Feb. 2020 2044-2052*
Variable-Parameter T-Circuit-Based IPT System Charging Battery With Constant Current or Constant Voltage Output. *Chen, Y.*, +, *TPEL Feb. 2020 1672-1684*
Battery chargers
A High-Efficiency Charger With Adaptive Input Ripple MPPT for Low-Power Thermoelectric Energy Harvesting Achieving 21% Efficiency Improvement. *Jeong, J.*, +, *TPEL Jan. 2020 347-358*
A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*
A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*
A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*
A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*
A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine. *Raherimihaja, H.J.*, +, *TPEL Nov. 2020 12122-12132*
Active Saturation Mitigation in High-Density Dual-Active-Bridge DC–DC Converter for On-Board EV Charger Applications. *Assadi, S.A.*, +, *TPEL April 2020 4376-4387*
An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*
High-Efficiency High-Power-Density *CLLC* Resonant Converter With Low-Stray-Capacitance and Well-Heat-Dissipated Planar Transformer for EV On-Board Charger. *Zhang, Z.*, +, *TPEL Oct. 2020 10831-10851*
High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles. *Ta, L.A.D.*, +, *TPEL Aug. 2020 8324-8334*
Multilayer SOH Equalization Scheme for MMC Battery Energy Storage System. *Ma, Z.*, +, *TPEL Dec. 2020 13514-13527*
Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*
Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*
Semiconductor-Based Galvanic Isolation: Touch Current Suppression. *Yao, C.*, +, *TPEL Jan. 2020 48-58*
Wireless Electric Vehicle Charger With Electromagnetic Coil-Based Position Correction Using Impedance and Resonant Frequency Detection. *Khan, N.*, +, *TPEL Aug. 2020 7873-7883*
Zero-Phase-Angle Controlled Bidirectional Wireless EV Charging Systems for Large Coil Misalignments. *Liu, Y.*, +, *TPEL May 2020 5343-5353*
Battery management systems
A Compact Resonant Switched-Capacitor Heater for Lithium-Ion Battery Self-Heating at Low Temperatures. *Shang, Y.*, +, *TPEL July 2020 7134-7144*
A Modular Battery Voltage-Balancing System Using a Series-Connected Topology. *Tavakoli, A.*, +, *TPEL June 2020 5952-5964*
A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*
A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*
An *LLC*-Based Highly Efficient S2M and C2C Hybrid Hierarchical Battery Equalizer. *Peng, F.*, +, *TPEL June 2020 5928-5937*
Differentiation Power Control of Modules in Second-Life Battery Energy Storage System Based on Cascaded H-Bridge Converter. *Liu, C.*, +, *TPEL June 2020 6609-6624*
Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle. *Guo, Y.*, +, *TPEL Oct. 2020 10542-10553*
Multilayer SOH Equalization Scheme for MMC Battery Energy Storage System. *Ma, Z.*, +, *TPEL Dec. 2020 13514-13527*
Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*
Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries. *Xie, Y.*, +, *TPEL March 2020 2595-2614*
Reduced-Coupling Coestimation of SOC and SOH for Lithium-Ion Batteries Based on Convex Optimization. *Xiao, D.*, +, *TPEL Nov. 2020 12332-12346*

Remaining Useful Life Prediction of Battery Using a Novel Indicator and Framework With Fractional Grey Model and Unscented Particle Filter. *Chen, L.*, +, *TPEL June 2020 5850-5859*

State-of-Charge Observer Design for Batteries With Online Model Parameter Identification: A Robust Approach. *Ouyang, Q.*, +, *TPEL June 2020 5820-5831*

Battery powered vehicles

A 500-W Wireless Charging System With Lightweight Pick-Up for Unmanned Aerial Vehicles. *Cai, C.*, +, *TPEL Aug. 2020 7721-7724*

A Dynamic WPT System With High Efficiency and High Power Factor for Electric Vehicles. *Zakerian, A.*, +, *TPEL July 2020 6732-6740*

A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*

A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*

A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine. *Raherimihaja, H.J.*, +, *TPEL Nov. 2020 12122-12132*

A Wireless EV Charging Topology With Integrated Energy Storage. *Ruddell, S.*, +, *TPEL Sept. 2020 8965-8972*

Active Saturation Mitigation in High-Density Dual-Active-Bridge DC–DC Converter for On-Board EV Charger Applications. *Assadi, S.A.*, +, *TPEL April 2020 4376-4387*

An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*

An Integrated Boost Active Bridge Based Secondary Inductive Power Transfer Converter. *Kalra, G.R.*, +, *TPEL Dec. 2020 12716-12727*

An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications. *Zhang, Z.*, +, *TPEL Nov. 2020 11544-11556*

Cost-Optimal Energy Management of Hybrid Electric Vehicles Using Fuel Cell/Battery Health-Aware Predictive Control. *Hu, X.*, +, *TPEL Jan. 2020 382-392*

Decoupling Circuit for Automated Guided Vehicles IPT Charging Systems With Dual Receivers. *Mai, R.*, +, *TPEL July 2020 6652-6657*

Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*

Half-Bridge Integrated Phase-Shifted Full-Bridge Converter With High Efficiency Using Center-Tapped Clamp Circuit for Battery Charging Systems in Electric Vehicles. *Lim, C.*, +, *TPEL May 2020 4934-4945*

High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles. *Ta, L.A.D.*, +, *TPEL Aug. 2020 8324-8334*

Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages. *Bai, C.*, +, *TPEL April 2020 3636-3650*

Improved Power Quality On-Board Integrated Charger With Reduced Switching Stress. *Gupta, J.*, +, *TPEL Oct. 2020 10810-10820*

Influence of Current Ripples in Cascaded Multilevel Topologies on the Aging of Lithium Batteries. *Chang, F.*, +, *TPEL Nov. 2020 11879-11890*

Reconfigurable Hybrid Energy Storage System for an Electric Vehicle DC–AC Inverter. *Salari, O.*, +, *TPEL Dec. 2020 12846-12860*

Reduced-Coupling Coestimation of SOC and SOH for Lithium-Ion Batteries Based on Convex Optimization. *Xiao, D.*, +, *TPEL Nov. 2020 12332-12346*

Remaining Useful Life Prediction of Battery Using a Novel Indicator and Framework With Fractional Grey Model and Unscented Particle Filter. *Chen, L.*, +, *TPEL June 2020 5850-5859*

Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*

Semiconductor-Based Galvanic Isolation: Touch Current Suppression. *Yao, C.*, +, *TPEL Jan. 2020 48-58*

Wireless Electric Vehicle Charger With Electromagnetic Coil-Based Position Correction Using Impedance and Resonant Frequency Detection. *Khan, N.*, +, *TPEL Aug. 2020 7873-7883*

Battery storage plants

A Nonisolated Symmetric Bipolar Output Four-Port Converter Interfacing PV-Battery System. *Tian, Q.*, +, *TPEL Nov. 2020 11731-11744*

Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*

Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*

High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*

Influence of Current Ripples in Cascaded Multilevel Topologies on the Aging of Lithium Batteries. *Chang, F.*, +, *TPEL Nov. 2020 11879-11890*

Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*

Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*

Bibliometrics

Erratum to "Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications". *Komathi, C.*, +, *TPEL May 2020 5543*

Bifurcation

Bifurcation Limits and Non-Idealities Effects in a Three-Phase Dynamic IPT System. *Iruretagoyena, U.*, +, *TPEL Jan. 2020 208-219*

Binary sequences

Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*

Biological effects of radiation

Free Arrangement Wireless Power Transfer System With a Ferrite Transmission Medium and Geometry-Based Performance Improvement. *Seo, S.*, +, *TPEL May 2020 4518-4532*

Biological system modeling

Control-Oriented Modeling of Wireless Power Transfer Systems With Phase-Shift Control. *Chen, F.*, +, *TPEL Feb. 2020 2119-2134*

Boats

A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*

Bode diagrams

Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation. *Wang, B.*, +, *TPEL Nov. 2020 12522-12532*

Bootstrap circuits

A Carrier-Based PWM Control Strategy for Three-Level NPC Inverter Based on Bootstrap Gate Drive Circuit. *Jung, J.*, +, *TPEL March 2020 2843-2860*

A High-Voltage DC–DC Buck Converter With Dynamic Level Shifter for Bootstrapped High-Side Gate Driver and Diode Emulator. *Yuan, B.*, +, *TPEL July 2020 7295-7304*

Improved Bootstrap Methods for Powering Floating Gate Drivers of Flying Capacitor Multilevel Converters and Hybrid Switched-Capacitor Converters. *Ye, Z.*, +, *TPEL June 2020 5965-5977*

New Bridgeless Power Factor Correction Converter With Simple Gate Driving Circuit and High Efficiency for Server Power Applications. *Lee, Y.*, +, *TPEL Dec. 2020 13148-13156*

Boron alloys

Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Boron compounds

Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic. *Zhang, Q.*, +, *TPEL March 2020 2908-2916*

Brakes

Braking Torque Control Strategy for Brushless DC Motor With a Noninductive Hybrid Energy Storage Topology. *Cao, Y.*, +, *TPEL Aug. 2020 8417-8428*

Braking

Braking Torque Control Strategy for Brushless DC Motor With a Noninductive Hybrid Energy Storage Topology. *Cao, Y.*, +, *TPEL Aug. 2020 8417-8428*

Bridge circuits

A Dual Half-Bridge Converter With Hybrid Rectifier for DC Power Supply in Railway Systems. *Zhao, L.*, +, *TPEL May 2020 4579-4587*

A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance. *Chakraborty, S.*, +, *TPEL March 2020 2615-2628*

A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters. *Pan, Y.*, +, *TPEL Oct. 2020 10994-11012*

A Dynamic Priority Factor Loop for Fast Voltage Equalization Applied to High Power Density DC–DC Converter System. *Zhang, R.*, +, *TPEL Jan. 2020 198-207*

A Fault-Tolerant Control Strategy for T-Type Three-Level Rectifier With Neutral Point Voltage Balance and Loss Reduction. *Chen, J.*, +, *TPEL July 2020 7492-7505*

A Fault-Tolerant Hybrid Cascaded H-Bridge Multilevel Inverter. *Mhiesan, H.*, +, *TPEL Dec. 2020 12702-12715*

A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*

A Hybrid Modular DC Solid-State Transformer Combining High Efficiency and Control Flexibility. *Sun, Y.*, +, *TPEL April 2020 3434-3449*

A Hybrid Modular DC/DC Converter for HVDC Applications. *Li, B.*, +, *TPEL April 2020 3377-3389*

A Hybrid Modulation Strategy Providing Lower Inductor Current for the DAB Converter With the Aid of DC Blocking Capacitors. *Liu, P.*, +, *TPEL April 2020 4309-4320*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications. *Huang, Y.*, +, *TPEL May 2020 4613-4621*

A Modular Battery Voltage-Balancing System Using a Series-Connected Topology. *Tavakoli, A.*, +, *TPEL June 2020 5952-5964*

A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*

A Modular Low Current Ripple Electrolysis Power Supply Based on Multiphase Half-Bridge High-Frequency Inverters. *Xiao, H., TPEL Oct. 2020 10088-10096*

A New Single-Stage 48-V-Input VRM Topology Using an Isolated Stacked Half-Bridge Converter. *Khatua, S.*, +, *TPEL Nov. 2020 11976-11987*

A Novel Configuration of Cross-Switched T-Type (CT-Type) Multilevel Inverter. *Meraj, S.T.*, +, *TPEL April 2020 3688-3696*

A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*

A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*

A Redundant Unit to Form T-Type Three-Level Inverters Tolerant of IGBT Open-Circuit Faults in Multiple Legs. *Wang, B.*, +, *TPEL Jan. 2020 924-939*

A Shock-Induced Pulsed Power Switch Utilizing Electro-Explosion of Exploding Bridge Wire. *Xu, C.*, +, *TPEL Oct. 2020 10770-10777*

A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder. *Pal, A.*, +, *TPEL April 2020 3601-3615*

A Step-Up Nonisolated Modular Multilevel DC–DC Converter With Self-Voltage Balancing and Soft Switching. *Sun, C.*, +, *TPEL Dec. 2020 13017-13030*

A Study of T-Type and ZVS-PWM Full-Bridge Converters for Switch-Mode Power Supplies. *Khodabakhsh, J.*, +, *TPEL July 2020 7145-7159*

A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding. *Pal, A.*, +, *TPEL Nov. 2020 11758-11769*

A Three-Phase Triple-Voltage Dual-Active-Bridge Converter for Medium Voltage DC Transformer to Reduce the Number of Submodules. *Shu, L.*, +, *TPEL Nov. 2020 11574-11588*

A Wire Bondless SiC Switching Cell With a Vertically Integrated Gate Driver. *Seal, S.*, +, *TPEL Sept. 2020 9690-9699*

A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*

Active Magnetizing Current Splitting ZVS Modulation of a 7 kV/400 V DC Transformer. *Guillod, T.*, +, *TPEL Feb. 2020 1293-1305*

Active Saturation Mitigation in High-Density Dual-Active-Bridge DC–DC Converter for On-Board EV Charger Applications. *Assadi, S.A.*, +, *TPEL April 2020 4376-4387*

Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*

Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*

An *LLC*-Based Highly Efficient S2M and C2C Hybrid Hierarchical Battery Equalizer. *Peng, F.*, +, *TPEL June 2020 5928-5937*

An Active Boost Power Converter for Improving the Performance of Switched Reluctance Generators in DC Generating Systems. *Wang, Q.*, +, *TPEL May 2020 4741-4755*

An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*

An Ideal DC Transformer for Active DC Distribution Networks Based on Constant-Transformation-Ratio DABC. *Wang, X.*, +, *TPEL Feb. 2020 2170-2183*

An Integrated Boost Active Bridge Based Secondary Inductive Power Transfer Converter. *Kalra, G.R.*, +, *TPEL Dec. 2020 12716-12727*

An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*

An ISOP Hybrid DC Transformer Combining Multiple SRCs and DAB Converters to Interconnect MVDC and LVDC Distribution Networks. *Yao, J.*, +, *TPEL Nov. 2020 11442-11452*

An Operation Mode Selection Method of Dual-Side Bridge Converters for Efficiency Optimization in Inductive Power Transfer. *Chen, S.*, +, *TPEL Oct. 2020 9992-9997*

An Overview and Comprehensive Comparative Evaluation of Current-Fed-Isolated-Bidirectional DC/DC Converter. *Pan, X.*, +, *TPEL March 2020 2737-2763*

An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*

Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*

Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*

Analysis and Design of an *RC* Snubber Circuit to Suppress False Triggering Oscillation for GaN Devices in Half-Bridge Circuits. *Chen, J.*, +, *TPEL March 2020 2690-2704*

Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer. *Zhu, R.*, +, *TPEL July 2020 6895-6905*

Bidirectional Buck–Boost Current-Fed Isolated DC–DC Converter and Its Modulation. *Wu, F.*, +, *TPEL May 2020 5506-5516*

Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*

Comprehensive Analytics for Reliability Evaluation of Conventional Isolated Multiswitch PWM DC–DC Converters. *Tarzamni, H.*, +, *TPEL May 2020 5254-5266*

Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations. *Milovanovic, S.*, +, *TPEL Dec. 2020 12898-12908*

Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications. *Diez, C.M.*, +, *TPEL March 2020 2389-2401*

Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*

Deadband Effect and Accurate ZVS Boundaries of GaN-Based Dual-Active-Bridge Converters With Multiple-Phase-Shift Control. *Shi, H.*, +, *TPEL Sept. 2020 9886-9903*

Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*

Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*

Design and Implementation of Half-Bridge Resonant Converter With Novel Primary-Side Control. *Liang, T.*, +, *TPEL May 2020 5408-5416*

Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC–DC Converter Using SiC-MOSFET/SBD H-Bridge Modules. *Haneda, R.*, +, *TPEL Oct. 2020 10013-10025*

Design of a Paralleled SiC MOSFET Half-Bridge Unit With Distributed Arrangement of DC Capacitors. *Qu, J.*, +, *TPEL Oct. 2020 10879-10891*

Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control. *Lee, T.*, +, *TPEL Sept. 2020 9024-9033*

Design-Oriented Comprehensive Time-Domain Model for *CLLC* Class Isolated Bidirectional DC-DC Converter for Various Operation Modes. *Sun, J.*, +, *TPEL April 2020 3491-3505*

Desynchronizing Paralleled GaN HEMTs to Reduce Light-Load Switching Loss. *Shen, Y.*, +, *TPEL Sept. 2020 9151-9170*

Differentiation Power Control of Modules in Second-Life Battery Energy Storage System Based on Cascaded H-Bridge Converter. *Liu, C.*, +, *TPEL June 2020 6609-6624*

Diode Evaluation and Series Diode Balancing for High-Voltage High-Frequency Power Converters. *He, Y.*, +, *TPEL June 2020 6301-6314*

Dual-Mode Modulation Scheme With Seamless Transition for a Tunable Immittance-Based DAB Converter Featuring High-Efficiency Performance Over Whole Output Power Range. *Chan, Y.P.*, +, *TPEL Sept. 2020 9184-9201*

Dual-Period-Decoupled Space Vector Phase-Shifted Modulation for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Li, X.*, +, *TPEL June 2020 6447-6457*

Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain. *Lee, S.S.*, +, *TPEL Sept. 2020 9522-9529*

Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current. *Xu, S.*, +, *TPEL July 2020 6668-6672*

Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*

Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*

Fault Detection and Localization for Cascaded H-Bridge Multilevel Converter With Model Predictive Control. *Chai, M.*, +, *TPEL Oct. 2020 10109-10120*

Flux Balancing Control of Ungapped Nanocrystalline Core-Based Transformer in Dual Active Bridge Converters. *Yao, P.*, +, *TPEL Nov. 2020 11463-11474*

Full-Bridge Current-Fed PV Microinverter With DLFCR Reduction Ability. *Wu, D.*, +, *TPEL Sept. 2020 9541-9552*

General High-Frequency-Link Analysis and Application of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL Aug. 2020 8673-8688*

Half-Bridge Integrated Phase-Shifted Full-Bridge Converter With High Efficiency Using Center-Tapped Clamp Circuit for Battery Charging Systems in Electric Vehicles. *Lim, C.*, +, *TPEL May 2020 4934-4945*

HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*

High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application. *Liu, T.*, +, *TPEL Nov. 2020 11770-11782*

High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles. *Ta, L.A.D.*, +, *TPEL Aug. 2020 8324-8334*

High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations. *Dao, N.D.*, +, *TPEL Oct. 2020 10455-10465*

High-Efficiency T-Source Inverter With Low Voltage Spikes Across the Switch Bridge. *Liu, H.*, +, *TPEL Oct. 2020 10554-10566*

Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages. *Bai, C.*, +, *TPEL April 2020 3636-3650*

Hold-Up Time Compensation Circuit of Half-Bridge LLC Resonant Converter for High Light-Load Efficiency. *Jeong, Y.*, +, *TPEL Dec. 2020 13126-13135*

Hybrid Alternate-Common Arm Converter With High Power Capability: Potential and Limitations. *Bakas, P.*, +, *TPEL Dec. 2020 12909-12928*

Impact on ZVS Operation by Splitting Inductance to Both Sides of Transformer for 1-MHz GaN Based DAB Converter. *Xiao, Y.*, +, *TPEL Nov. 2020 11988-12002*

Improved Modulation Strategy for Single-Phase Single-Stage Isolated AC–DC Converter Considering Power Reversion Zone. *Wu, F.*, +, *TPEL April 2020 4157-4167*

Instantaneous Flux and Current Control for a Three-Phase Dual-Active Bridge DC–DC Converter. *Hu, J.*, +, *TPEL Feb. 2020 2184-2195*

Internal Dynamics Stabilization of Single-Phase Power Converters With Lyapunov-Based Automatic-Power-Decoupling Control. *Yuan, H.*, +, *TPEL Feb. 2020 2160-2169*

ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*

Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*

Modified Auxiliary-Resonant Commutated Pole Applied in a Three-Phase Dual-Active Bridge DC/DC Converter. *Voss, J.*, +, *TPEL Feb. 2020 1256-1268*

Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*

Modulation Scheme for the Bidirectional Operation of the Phase-Shift Full-Bridge Power Converter. *Escudero, M.*, +, *TPEL Feb. 2020 1377-1391*

Moving Discretized Control Set Model-Predictive Control for Dual-Active Bridge With the Triple-Phase Shift. *Chen, L.*, +, *TPEL Aug. 2020 8624-8637*

Non-inverting and Non-isolated Magnetically Coupled Buck–Boost Bidirectional DC–DC Converter. *Rodriguez-Lorente, A.*, +, *TPEL Nov. 2020 11942-11954*

Open-Circuit Fault Diagnosis and Maintenance in Multi-Pulse Parallel and Series TRU Topologies. *Perise, J.S.*, +, *TPEL Oct. 2020 10906-10916*

Open-Phase Fault-Tolerant Operation of the Three-Phase Dual Active Bridge Converter. *Berger, M.*, +, *TPEL April 2020 3651-3662*

Operational Principles of Three-Phase Single Active Bridge DC/DC Converters Under Duty Cycle Control. *Sang, Y.*, +, *TPEL Aug. 2020 8737-8750*

Optimal Modulation for a Fifth-Order Dual-Active-Bridge Resonant Immittance DC–DC Converter. *Yaqoob, M.*, +, *TPEL Jan. 2020 70-82*

Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*

Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*

Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load. *Fernandez, M.*, +, *TPEL May 2020 5221-5237*

Power-Linked Predictive Control Strategy for Power Electronic Traction Transformer. *Zhao, N.*, +, *TPEL June 2020 6559-6571*

Real-Time Calculation Method for Single-Phase Cascaded H-Bridge Inverters Based on Phase-Shifted Carrier Pulsewidth Modulation. *Ma, J.*, +, *TPEL Jan. 2020 977-987*

Research on Single-Stage High-Frequency-Link SST Topology and Its Optimization Control. *Sun, X.*, +, *TPEL Aug. 2020 8701-8711*

Resonant Current Estimation and Phase-Locked Loop Feedback Design for Piezoelectric Transformer-Based Power Supplies. *Yang, Z.*, +, *TPEL Oct. 2020 10466-10476*

Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*

Semiresonant Half-Bridge Zeta Converter With Reduced Turn-OFF Currents for High-Efficiency Power Supply. *Baek, J.*, +, *TPEL May 2020 4547-4557*

Series Bridge Converter: Energy Rating Optimality for VSC-HVDC Applications. *Briff, P., TPEL Oct. 2020 9987-9991*

Soft-Start Procedure for a Three-Stage Smart Transformer Based on Dual-Active Bridge and Cascaded H-Bridge Converters. *Pugliese, S.*, +, *TPEL Oct. 2020 11039-11052*
Switching and Conduction Loss Reduction of Dual-Buck Full-Bridge Inverter Through ZVT Soft-Switching Under Full-Cycle Modulation. *Kou, B.*, +, *TPEL May 2020 5031-5046*
Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*
The Series Bridge Converter (SBC): AC Faults. *Farr, E.M.*, +, *TPEL May 2020 4467-4471*
Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*
Three Phase Current-Fed Semi Dual Active Bridge DC–DC Converter With Hybrid Operating Mode Control. *Chen, D.*, +, *TPEL Feb. 2020 1649-1658*
Three-Port Full-Bridge Bidirectional Converter for Hybrid DC/DC/AC Systems. *Neira, S.*, +, *TPEL Dec. 2020 13077-13084*
Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*
Variable Switching Periods Based Space Vector Phase-Shifted Modulation for DAB Based Three-Phase Single-Stage Isolated AC–DC Converter. *Wu, F.*, +, *TPEL Dec. 2020 13725-13734*
Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*
Zero-Voltage and Zero-Current Switching Dual-Transformer-Based Full-Bridge Converter With Current Doubler Rectifier. *Zhao, L.*, +, *TPEL Dec. 2020 12949-12958*
ZVZCS Full-Bridge Three-Level DC/DC Converter With Reduced Device Count. *Liu, D.*, +, *TPEL Oct. 2020 9965-9970*

Brushless DC motors
A Direct Redundancy Approach to Fault-Tolerant Control of BLDC Motor With a Damaged Hall-Effect Sensor. *Aqil, M.*, +, *TPEL Feb. 2020 1732-1741*
A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss. *Zhang, H.*, +, *TPEL March 2020 2831-2842*
A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor. *Achary, R.K.*, +, *TPEL March 2020 2809-2818*
A Two-Step Strategy for Online Fault Detection of High-Resistance Connection in BLDC Motor. *Wang, H.*, +, *TPEL March 2020 3043-3053*
An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*
Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*
Braking Torque Control Strategy for Brushless DC Motor With a Noninductive Hybrid Energy Storage Topology. *Cao, Y.*, +, *TPEL Aug. 2020 8417-8428*

Brushless machines
An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs. *Xu, W.*, +, *TPEL July 2020 7271-7281*
Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator. *Su, J.*, +, *TPEL Oct. 2020 9953-9958*
Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters. *Xu, W.*, +, *TPEL May 2020 4959-4970*
Negative Sequence Voltage Compensating for Unbalanced Standalone Brushless Doubly-Fed Induction Generator. *Xu, W.*, +, *TPEL Jan. 2020 667-680*
Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*
Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range. *Mao, S.*, +, *TPEL Aug. 2020 8347-8360*
The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine. *Wei, J.*, +, *TPEL Aug. 2020 8384-8395*
Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique. *Kiran, K.*, +, *TPEL Aug. 2020 8396-8404*

Buffer circuits
A High-Voltage DC–DC Buck Converter With Dynamic Level Shifter for Bootstrapped High-Side Gate Driver and Diode Emulator. *Yuan, B.*, +, *TPEL July 2020 7295-7304*
Design of an Adaptively Biased Low-Dropout Regulator With a Current Reusing Current-Mode OTA Using an Intuitive Analysis Method. *Dong, L.*, +, *TPEL Oct. 2020 10477-10488*

Buffer layers
A Physics-Based Transient Electrothermal Model of High-Voltage Press-Pack IGBTs Under HVdc Interruption. *Luo, Y.*, +, *TPEL June 2020 5660-5669*

Buffer storage
An Overview of Capacitive DC-Links-Topology Derivation and Scalability Analysis. *Wang, H.*, +, *TPEL Feb. 2020 1805-1829*

Building integrated photovoltaics
A Digital Twin Approach for Fault Diagnosis in Distributed Photovoltaic Systems. *Jain, P.*, +, *TPEL Jan. 2020 940-956*

Buildings
A Novel Control Strategy for Improving the Performance of a Nearly Zero Energy Building. *Tsioumas, E.*, +, *TPEL Feb. 2020 1513-1524*

Busbars
Compact Sandwiched Press-Pack SiC Power Module With Low Stray Inductance and Balanced Thermal Stress. *Chang, Y.*, +, *TPEL March 2020 2237-2241*
Modeling and Mitigation of Multiloops Related Device Overvoltage in Three-Level Active Neutral Point Clamped Converter. *Gui, H.*, +, *TPEL Aug. 2020 7947-7959*

C

Cables (electric)
Overcoming the Effect of Test Fixtures on the Measurement of Parasitics of Capacitors and Inductors. *Mendez, J.B.*, +, *TPEL Jan. 2020 15-19*

Calibration
A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*
Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*
Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties. *Gan, C.*, +, *TPEL Nov. 2020 12307-12320*

Capacitance
A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance. *Chakraborty, S.*, +, *TPEL March 2020 2615-2628*
A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters. *Chamanian, S.*, +, *TPEL Jan. 2020 901-912*
A Simple Equation for the Energy Stored by Voltage-Dependent Capacitances. *Jadli, U.*, +, *TPEL Dec. 2020 12629-12632*
Active Magnetizing Current Splitting ZVS Modulation of a 7 kV/400 V DC Transformer. *Guillod, T.*, +, *TPEL Feb. 2020 1293-1305*
An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*
Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*
Analysis and Design of Capacitive Power Transfer Systems Based on Induced Voltage Source Model. *Wang, S.*, +, *TPEL Oct. 2020 10532-10541*
Capacitor ESR and *C* Monitoring in Modular Multilevel Converters. *Deng, F.*, +, *TPEL April 2020 4063-4075*

Charge Pump Gate Drive to Reduce Turn-ON Switching Loss of SiC MOSFETs. *Gui, H.*, +, *TPEL Dec. 2020 13136-13147*
Class-E Isolated DC–DC Converter With High-Rate and Cost-Effective Bidirectional Data Channel. *Pareschi, F.*, +, *TPEL May 2020 5304-5318*
Common Mode Noise Reduction of Three-Level Active Neutral Point Clamped Inverters With Uncertain Parasitic Capacitance of Photovoltaic Panels. *Wang, J.*, +, *TPEL July 2020 6974-6988*
Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*
High-Efficiency High-Power-Density *CLLC* Resonant Converter With Low-Stray-Capacitance and Well-Heat-Dissipated Planar Transformer for EV On-Board Charger. *Zhang, Z.*, +, *TPEL Oct. 2020 10831-10851*
Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*
Plug-and-Play Control of the Virtual Infinite Capacitor. *Lin, J.*, +, *TPEL Feb. 2020 1947-1956*
Simplified Resonant Parameter Design of the Asymmetrical *CLLC*-Type DC Transformer in the Renewable Energy System via Semi-Artificial Intelligent Optimal Scheme. *Huang, J.*, +, *TPEL Feb. 2020 1548-1562*
Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*
Subtraction-Mode Switched-Capacitor Converters With Parasitic Loss Reduction. *Jiang, J.*, +, *TPEL Feb. 2020 1200-1204*
Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*
Three-Legged High-Gain Phase-Modulated DC–AC Converter for Mitigation of Device Capacitance Induced Ringing Voltage. *Kummari, N.*, +, *TPEL Feb. 2020 1306-1321*
Time–Frequency Characteristics Research of Common Mode Current in PWM Motor System. *Cao, S.*, +, *TPEL Feb. 2020 1450-1458*
Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

Capacitance measurement
Online Capacitance Estimation of Submodule Capacitors for Modular Multilevel Converter With Nearest Level Modulation. *Wang, K.*, +, *TPEL July 2020 6678-6681*
Overcoming the Effect of Test Fixtures on the Measurement of Parasitics of Capacitors and Inductors. *Mendez, J.B.*, +, *TPEL Jan. 2020 15-19*
Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*

Capacitive sensors
Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*

Capacitor storage
Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL May 2020 5132-5143*

Capacitor switching
A Compact Resonant Switched-Capacitor Heater for Lithium-Ion Battery Self-Heating at Low Temperatures. *Shang, Y.*, +, *TPEL July 2020 7134-7144*
Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain. *Lee, S.S.*, +, *TPEL Sept. 2020 9522-9529*
Half-Bridge Modular Switched-Capacitor Multilevel Inverter With Hybrid Pulsewidth Modulation. *Ye, Y.*, +, *TPEL Aug. 2020 8237-8247*
Time-Domain Modeling and Analysis of Switched-Capacitor Converters. *Jawalikar, P.*, +, *TPEL Aug. 2020 8276-8286*

Capacitors
A 12- or 48-V Input, 0.9-V Output Active-Clamp Forward Converter Power Block for Servers and Datacenters. *Zhang, X.*, +, *TPEL Feb. 2020 1721-1731*
A Constant On-Time Buck Converter With Analog Time-Optimized On-Time Control. *Li, Y.*, +, *TPEL April 2020 3754-3765*
A Dual Half-Bridge *LLC* Resonant Converter With Magnetic Control for Battery Charger Application. *Wei, Y.*, +, *TPEL Feb. 2020 2196-2207*
A Four-Switch Three-Phase AC–DC Converter With Galvanic Isolation. *Khodabakhsh, J.*, +, *TPEL Feb. 2020 1699-1710*
A Fractional-Order Wireless Power Transfer System Insensitive to Resonant Frequency. *Jiang, Y.*, +, *TPEL May 2020 5496-5505*
A High-Power Wireless Charging System Using *LCL*-N Topology to Achieve a Compact and Low-Cost Receiver. *Zhang, Y.*, +, *TPEL Jan. 2020 131-137*
A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC–DC Converter With Coupled Inductor. *Zhang, Y.*, +, *TPEL Feb. 2020 1525-1535*
A Modified Y-Source DC–DC Converter With High Voltage-Gains and Low Switch Stresses. *Yuan, J.*, +, *TPEL Aug. 2020 7716-7720*
A Modular Multilevel Converter With Active Power Filter for Submodule Capacitor Voltage Ripples and Power Losses Reduction. *Jia, G.*, +, *TPEL Nov. 2020 11401-11417*
A New Single-Stage 48-V-Input VRM Topology Using an Isolated Stacked Half-Bridge Converter. *Khatua, S.*, +, *TPEL Nov. 2020 11976-11987*
A New Switched-Capacitor Five-Level Inverter Suitable for Transformerless Grid-Connected Applications. *Barzegarkhoo, R.*, +, *TPEL Aug. 2020 8140-8153*
A Nine-Level Inverter for Low-Voltage Applications. *Zhang, Y.*, +, *TPEL Feb. 2020 1659-1671*
A Nine-Level T-Type Packed U-Cell Inverter. *Niu, D.*, +, *TPEL Feb. 2020 1171-1175*
A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs. *Zhang, Y.*, +, *TPEL Feb. 2020 1536-1547*
A Zero-Voltage and Zero-Current Switching Interleaved Two-Switch Forward Converter With Passive Auxiliary Resonant Circuit. *Chu, E.*, +, *TPEL May 2020 4859-4876*
A Zero-Voltage-Switching, Physically Flexible Multilevel GaN DC–DC Converter. *Chou, D.*, +, *TPEL Jan. 2020 1064-1073*
An Impedance Matching Network Tuning Method for Constant Current Output Under Mutual Inductance and Load Variation of IPT System. *Zhang, K.*, +, *TPEL Oct. 2020 11108-11118*
An Improved Phase-Shifted-Carrier Technique for Hybrid Modular Multilevel Converter With Boosted Modulation Index. *Xu, C.*, +, *TPEL Feb. 2020 1340-1352*
An Isolated Modular Multilevel Converter (I-M^{2}C) Topology Based on High-Frequency Link (HFL) Concept. *Liu, C.*, +, *TPEL Feb. 2020 1576-1588*
An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*
An Optimized Model Predictive Control for Three-Phase Four-Level Hybrid-Clamped Converters. *Yang, Y.*, +, *TPEL June 2020 6470-6481*
An Overview of Capacitive DC-Links-Topology Derivation and Scalability Analysis. *Wang, H.*, +, *TPEL Feb. 2020 1805-1829*
Analysis and Suppression of the Frequency-Decrease Effect in the Capacitor Voltage Related to the Low Modulation Frequency Ratio in an MMC System. *Wang, C.*, +, *TPEL Sept. 2020 9119-9132*
Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter. *Liu, D.*, +, *TPEL Feb. 2020 2008-2022*
Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*
Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*
Charge Pump Gate Drive to Reduce Turn-ON Switching Loss of SiC MOSFETs. *Gui, H.*, +, *TPEL Dec. 2020 13136-13147*
Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters. *Rodriguez, E.*, +, *TPEL Aug. 2020 8819-8832*
Constrained Modulated Model-Predictive Control of an *LC*-Filtered Voltage-Source Converter. *Zheng, C.*, +, *TPEL Feb. 2020 1967-1977*

Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*
Derivation of Single-Input Dual-Output Converters With Simple Control and No Cross Regulation. *Dong, Z.*, +, *TPEL Nov. 2020 11930-11941*
Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications. *C., K.*, +, *TPEL Feb. 2020 2100-2118*
Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*
Energy Storage and POPI Networks in Power Processing Systems. *Singer, S.*, +, *TPEL Feb. 2020 1425-1439*
Evaluation of DC-Link Voltage Switching Ripple in Multiphase PWM Voltage Source Inverters. *Vujacic, M.*, +, *TPEL April 2020 3478-3490*
Fault Diagnosis and Tolerance Control of Five-Level Nested NPP Converter Using Wavelet Packet and LSTM. *Ye, S.*, +, *TPEL Feb. 2020 1907-1921*
High-Power Nanosecond Pulse Generators With Improved Reliability by Adopting Auxiliary Triggering Topology. *Yan, J.*, +, *TPEL Feb. 2020 1353-1364*
Hold-Up Time Extension Method for *LLC* Resonant Converter by Detecting Operation Region. *Park, M.*, +, *TPEL Oct. 2020 9949-9952*
Improved Model Predictive Control for High-Power Current-Source Rectifiers Under Normal and Distorted Grid Conditions. *Xue, C.*, +, *TPEL May 2020 4588-4601*
Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter. *Nandi, P.*, +, *TPEL Nov. 2020 11965-11975*
Modified Auxiliary-Resonant Commutated Pole Applied in a Three-Phase Dual-Active Bridge DC/DC Converter. *Voss, J.*, +, *TPEL Feb. 2020 1256-1268*
Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Characteristics for Electric Double-Layer Capacitor Modules. *Uno, M.*, +, *TPEL Oct. 2020 10271-10284*
Modularized Differential Power Processing Architecture Based on Switched Capacitor Converter to Virtually Unify Mismatched Photovoltaic Panel Characteristics. *Uno, M.*, +, *TPEL Feb. 2020 1563-1575*
Multi-Resonance-Core-Based Dickson Resonant Switched-Capacitor Converters With Wide Regulation. *Li, S.*, +, *TPEL Feb. 2020 1685-1698*
Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. *Guo, B.*, +, *TPEL Dec. 2020 13000-13016*
Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*
Overcoming the Effect of Test Fixtures on the Measurement of Parasitics of Capacitors and Inductors. *Mendez, J.B.*, +, *TPEL Jan. 2020 15-19*
Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier. *Kumar, N.*, +, *TPEL Oct. 2020 10008-10012*
Plug-and-Play Control of the Virtual Infinite Capacitor. *Lin, J.*, +, *TPEL Feb. 2020 1947-1956*
Properties and Synthesis of Lossless Snubbers and Passive Soft-Switching PWM Converters. *Yu, X.*, +, *TPEL April 2020 3807-3827*
Reliability Assessment of Multistate Degraded Systems: An Application to Power Electronic Systems. *Samavatian, V.*, +, *TPEL April 2020 4024-4032*
Resonant Inductance Design and Loss Analysis of a Novel Resonant DC Link Inverter. *Chu, E.*, +, *TPEL Feb. 2020 1392-1405*
Robust Quasi-Predictive Control of *L*+*C*+*L*-Filtered Grid Converters. *Dragicevic, T.*, +, *TPEL Feb. 2020 1934-1946*
Single-Stage Bidirectional Buck–Boost Inverters Using a Single Inductor and Eliminating the Common-Mode Leakage Current. *Khan, A.A.*, +, *TPEL Feb. 2020 1269-1281*
Single-Turn Air-Core Coils for High-Frequency Inductive Wireless Power Transfer. *Zulauf, G.*, +, *TPEL March 2020 2917-2932*
Subtraction-Mode Switched-Capacitor Converters With Parasitic Loss Reduction. *Jiang, J.*, +, *TPEL Feb. 2020 1200-1204*
Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*
Thermoelectric Energy Conversion System With Multiple Inputs. *Hwu, K.*, +, *TPEL Feb. 2020 1603-1621*
Three Phase Current-Fed Semi Dual Active Bridge DC–DC Converter With Hybrid Operating Mode Control. *Chen, D.*, +, *TPEL Feb. 2020 1649-1658*
Variable-Parameter T-Circuit-Based IPT System Charging Battery With Constant Current or Constant Voltage Output. *Chen, Y.*, +, *TPEL Feb. 2020 1672-1684*

Carrier transmission on power lines
A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*

Cascade control
A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability. *Meng, X.*, +, *TPEL Sept. 2020 9794-9812*
Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller. *Kolluri, S.*, +, *TPEL Sept. 2020 9839-9849*
Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control. *Han, Y.*, +, *TPEL March 2020 3221-3241*
Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*
Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor. *Ji, J.*, +, *TPEL Oct. 2020 10681-10689*

Cascade networks
A Fault-Tolerant Hybrid Cascaded H-Bridge Multilevel Inverter. *Mhiesan, H.*, +, *TPEL Dec. 2020 12702-12715*

Cascade systems
Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*
Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain. *Lee, S.S.*, +, *TPEL Sept. 2020 9522-9529*

Centralized control
A Synchronization Method for the Modular Series-Connected Inverters. *Liu, P.*, +, *TPEL July 2020 6686-6690*
Control Conflict Suppressing and Stability Improving for an MMC Distributed Control System. *Yang, S.*, +, *TPEL Dec. 2020 13735-13747*
Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*
On the Secondary Control Architectures of AC Microgrids: An Overview. *Khayat, Y.*, +, *TPEL June 2020 6482-6500*

Ceramic capacitors
A Cost-Constrained Active Capacitor for a Single-Phase Inverter. *Wang, H.*, +, *TPEL July 2020 6746-6760*
A High-Efficiency and Fast-Transient Low-Dropout Regulator With Adaptive Pole Tracking Frequency Compensation Technique. *Ming, X.*, +, *TPEL Nov. 2020 12401-12415*
Novel iGSE-C Loss Modeling of X7R Ceramic Capacitors. *Menzi, D.*, +, *TPEL Dec. 2020 13367-13383*
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*

Ceramics
Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*
Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Chaos
Controller-Embeddable Probabilistic Real-Time Digital Twins for Power Electronic Converter Diagnostics. *Milton, M.*, +, *TPEL Sept. 2020 9850-9864*

Charge exchange
A Modular Battery Voltage-Balancing System Using a Series-Connected Topology. *Tavakoli, A.*, +, *TPEL June 2020 5952-5964*
A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*
Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*
Charge pump circuits
A Hybrid Cockcroft–Walton/Dickson Multiplier for High Voltage Generation. *Park, S.*, +, *TPEL March 2020 2714-2723*
A Novel Integrated Step-Up Hybrid Converter With Wide Conversion Ratio. *Marconi, S.*, +, *TPEL March 2020 2764-2775*
Charge Pump Gate Drive to Reduce Turn-ON Switching Loss of SiC MOSFETs. *Gui, H.*, +, *TPEL Dec. 2020 13136-13147*
Fully Integrated Autonomous Interface With Maximum Power Point Tracking for Energy Harvesting TEGs With High Power Capacity. *Tabrizi, H.O.*, +, *TPEL May 2020 4905-4914*
Chemical vapor deposition
Thermal Management of High-Power Switching Transistors Using Thick CVD-Grown Graphene Nanomaterial. *Talesara, V.*, +, *TPEL Jan. 2020 578-590*
Chip scale packaging
A Wire Bondless SiC Switching Cell With a Vertically Integrated Gate Driver. *Seal, S.*, +, *TPEL Sept. 2020 9690-9699*
Choppers (circuits)
A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System. *Xu, C.*, +, *TPEL May 2020 4483-4488*
Circuit breakers
A Multiple Modular Isolated DC/DC Converter With Bidirectional Fault Handling and Efficient Energy Conversion for DC Distribution Network. *Wang, Y.*, +, *TPEL Nov. 2020 11502-11517*
A Novel Converter-Breaker Integrated Voltage Source Converter Based on High-Surge IGCT and Fault Self-Clearing Strategy for DC Grid. *Xu, C.*, +, *TPEL Dec. 2020 12668-12672*
A Novel Current-Commutation-Based FCL for the Flexible DC Grid. *Li, B.*, +, *TPEL Jan. 2020 591-606*
A Thyristor Full-Bridge-Based DC Circuit Breaker. *Guo, Y.*, +, *TPEL Jan. 2020 1111-1123*
An Active Z-Source DC Circuit Breaker Combined With SCR and IGBT. *Shu, J.*, +, *TPEL Oct. 2020 10003-10007*
Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*
Design and Experimental Verification of an Efficient SSCB Based on CS-MCT. *Xu, X.*, +, *TPEL Nov. 2020 11682-11693*
Circuit faults
A Four-Switch Three-Phase AC–DC Converter With Galvanic Isolation. *Khodabakhsh, J.*, +, *TPEL Feb. 2020 1699-1710*
Application of EMR Signature in Health Assessment and Monitoring of IGBT-Based Converters. *Biswas, R.*, +, *TPEL Feb. 2020 1899-1906*
Detection and Classification of Turn Fault and High Resistance Connection Fault in Permanent Magnet Machines Based on Zero Sequence Voltage. *Hu, R.*, +, *TPEL Feb. 2020 1922-1933*
Diagnosis and Tolerance of Common Electrical Faults in T-Type Three-Level Inverters Fed Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Feb. 2020 1753-1769*
Fault Diagnosis and Tolerance Control of Five-Level Nested NPP Converter Using Wavelet Packet and LSTM. *Ye, S.*, +, *TPEL Feb. 2020 1907-1921*
Instantaneous Flux and Current Control for a Three-Phase Dual-Active Bridge DC–DC Converter. *Hu, J.*, +, *TPEL Feb. 2020 2184-2195*
Circuit feedback
A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*
A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*
Dual Active-Feedback Frequency Compensation for Output-Capacitorless LDO With Transient and Stability Enhancement in 65-nm CMOS. *Li, G.*, +, *TPEL Jan. 2020 415-429*
Circuit optimization
On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation. *Surakitbovorn, K.N.*, +, *TPEL April 2020 4009-4023*
Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*
Circuit reliability
Generalized Cockcroft-Walton Multiplier Voltage Z-Source Inverters. *Ding, X.*, +, *TPEL July 2020 7175-7190*
Reconfigurable Nonisolated DC–DC Converter With Fault-Tolerant Capability. *Soon, J.L.*, +, *TPEL Sept. 2020 8934-8943*
Circuit simulation
An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*
Equivalent Circuit Modeling of *LLC* Resonant Converter. *Tian, S.*, +, *TPEL Aug. 2020 8833-8845*
Impact of Inductors Saturation on Peak-Current Mode Control Operation. *Femia, N.*, +, *TPEL Oct. 2020 10969-10981*
Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*
Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*
Time-Domain Modeling and Analysis of Switched-Capacitor Converters. *Jawalikar, P.*, +, *TPEL Aug. 2020 8276-8286*
Circuit stability
A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*
Dual Active-Feedback Frequency Compensation for Output-Capacitorless LDO With Transient and Stability Enhancement in 65-nm CMOS. *Li, G.*, +, *TPEL Jan. 2020 415-429*
Impedance-Oriented Transient Instability Modeling of SiC mosfet Intruded by Measurement Probes. *Zeng, Z.*, +, *TPEL Feb. 2020 1866-1881*
Internal Dynamics Stabilization of Single-Phase Power Converters With Lyapunov-Based Automatic-Power-Decoupling Control. *Yuan, H.*, +, *TPEL Feb. 2020 2160-2169*
Circuit synthesis
Cascaded MVDC Integration Interface for Multiple DERs With Enhanced Wide-Range Operation Capability: Concepts and Small-Signal Analysis. *Li, X.*, +, *TPEL Feb. 2020 1182-1188*
Circuit tuning
A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*
Tunable Matching Networks Based on Phase-Switched Impedance Modulation[1]. *Jurkov, A.S.*, +, *TPEL Oct. 2020 10150-10167*
Clamps
A High Voltage Gain DC–DC Converter Based on Three Winding Coupled Inductor and Voltage Multiplier Cell. *Azizkandi, M.E.*, +, *TPEL May 2020 4558-4567*
A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*
A Thorough Analysis for the Impact of the Coupling Coefficient on the Behavior of the Coupled Inductor High Step-Up Converters. *Zaoskoufis, K.*, +, *TPEL Aug. 2020 8287-8302*
Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*
An Isolated Modular Multilevel Converter (I-M^{2}C) Topology Based on High-Frequency Link (HFL) Concept. *Liu, C.*, +, *TPEL Feb. 2020 1576-1588*
Applying Stray Inductance Model to Study Turn-off Current in Multi-Turn Loop of Shallow Transient Electromagnetic Systems. *Liu, L.*, +, *TPEL Feb. 2020 1711-1720*
Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter. *Liu, D.*, +, *TPEL Feb. 2020 2008-2022*

Compound Voltage Clamped Class-E Converter With ZVS and Flexible Power Transfer for WPT System. *He, L.*, +, *TPEL July 2020 7123-7133*
Modulation Scheme for the Bidirectional Operation of the Phase-Shift Full-Bridge Power Converter. *Escudero, M.*, +, *TPEL Feb. 2020 1377-1391*
Three-Legged High-Gain Phase-Modulated DC–AC Converter for Mitigation of Device Capacitance Induced Ringing Voltage. *Kummari, N.*, +, *TPEL Feb. 2020 1306-1321*

Clocks

Single-Inductor Dual-Input Triple-Output Buck–Boost Converter With Clockless Shortest Power Path Control Strategy for IoT Nodes. *Wang, C.*, +, *TPEL Feb. 2020 2044-2052*
Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*

Closed loop systems

A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*
A Generalized Multifrequency Small-Signal Model for High-Bandwidth Buck Converters Under Constant-Frequency Voltage-Mode Control. *Cheng, X.*, +, *TPEL Aug. 2020 8186-8199*
A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*
A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*
Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters. *Niyomsatian, K.*, +, *TPEL July 2020 7583-7595*
An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*
An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*
Analysis and Reshaping on Impedance Characteristic of DFIG System Based on Symmetrical PLL. *Nian, H.*, +, *TPEL Nov. 2020 11720-11730*
Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL May 2020 5132-5143*
Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters. *Rodriguez, E.*, +, *TPEL Aug. 2020 8819-8832*
Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*
Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*
Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*
Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*
Efficiency Improvement of Wireless Power Transfer Based on Multitransmitter System. *Yan, Z.*, +, *TPEL Sept. 2020 9011-9023*
Enabling Grid-Feeding Converters With a Dissonant-Resonant Controller for Negative-Sequence Voltage Elimination. *Velasco, M.*, +, *TPEL April 2020 4342-4352*
Equivalent Circuit Modeling of *LLC* Resonant Converter. *Tian, S.*, +, *TPEL Aug. 2020 8833-8845*
Flux Balancing Control of Ungapped Nanocrystalline Core-Based Transformer in Dual Active Bridge Converters. *Yao, P.*, +, *TPEL Nov. 2020 11463-11474*
Full-Bridge Current-Fed PV Microinverter With DLFCR Reduction Ability. *Wu, D.*, +, *TPEL Sept. 2020 9541-9552*
Guidelines for the Design of Finite Control Set Model Predictive Controllers. *Karamanakos, P.*, +, *TPEL July 2020 7434-7450*
Hybrid Modulation Technique With DC-Bus Voltage Control for Multiphase NPC Converters. *Cervone, A.*, +, *TPEL Dec. 2020 13528-13539*
Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*
Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter. *Nandi, P.*, +, *TPEL Nov. 2020 11965-11975*
Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*
Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*
Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*
Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*
Model Predictive Control for the Receiving-Side DC–DC Converter of Dynamic Wireless Power Transfer. *Zhou, Z.*, +, *TPEL Sept. 2020 8985-8997*
Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*
Parameters Uncertainty Immunization of Global Synchronous Pulsewidth Modulated VSIs With Round P&O Algorithm. *Xu, T.*, +, *TPEL Nov. 2020 11281-11286*
Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*
Reference-Feedforward Power-Synchronization Control. *Harnefors, L.*, +, *TPEL Sept. 2020 8878-8881*
Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*
Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints. *Li, Y.*, +, *TPEL Jan. 2020 1022-1035*
Sensorless Ripple Current Mode Control to Achieve Inductor-Deviation-Tolerant BCM Operation for Boost Converter. *Lyu, D.*, +, *TPEL Nov. 2020 12359-12369*
Separate-Structure UDE-Based Current Resonant Control Strategy on *L*+*C*+*L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness. *Xiong, Y.*, +, *TPEL Dec. 2020 13641-13651*
Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*
Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*
Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*
Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs. *Chou, S.*, +, *TPEL April 2020 3519-3529*
Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*
Wireless Electric Vehicle Charger With Electromagnetic Coil-Based Position Correction Using Impedance and Resonant Frequency Detection. *Khan, N.*, +, *TPEL Aug. 2020 7873-7883*

Clutches
Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*
Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph. *Deng, T.*, +, *TPEL Dec. 2020 13465-13474*
CMOS analog integrated circuits
A 40 MHz Bandwidth, 91% Peak Efficiency, 2.5 W Output Power Supply Modulator With Dual-Mode Sigma–Delta Control and Adaptive Biasing Amplifier for Multistandard Communications. *He, H.*, +, *TPEL Sept. 2020 9430-9442*
Design of an Adaptively Biased Low-Dropout Regulator With a Current Reusing Current-Mode OTA Using an Intuitive Analysis Method. *Dong, L.*, +, *TPEL Oct. 2020 10477-10488*
CMOS digital integrated circuits
A Current-Mode Delay-Based Hysteretic Buck Regulator With Enhanced Efficiency at Ultra-Light Loads for Low-Power Microcontrollers. *Ahmed, M.S.*, +, *TPEL Jan. 2020 471-483*
CMOS integrated circuits
A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range. *Kim, D.*, +, *TPEL Dec. 2020 13441-13454*
A CMOS-Based Energy Harvesting Approach for Laterally Arrayed Multibandgap Concentrated Photovoltaic Systems. *Zhang, H.*, +, *TPEL Sept. 2020 9320-9331*
A Constant On-Time Buck Converter With Analog Time-Optimized On-Time Control. *Li, Y.*, +, *TPEL April 2020 3754-3765*
A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*
A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise. *Ge, T.*, +, *TPEL Jan. 2020 789-799*
A High Peak Output Power and High Power Conversion Efficiency SIMIMO Converter Using Optimal on-Time Control and Hybrid Zero Current Switching for Energy Harvesting Systems in IoT Applications. *Jung, J.*, +, *TPEL Aug. 2020 8261-8275*
A High-Efficiency and Fast-Transient Low-Dropout Regulator With Adaptive Pole Tracking Frequency Compensation Technique. *Ming, X.*, +, *TPEL Nov. 2020 12401-12415*
A High-Efficiency Charger With Adaptive Input Ripple MPPT for Low-Power Thermoelectric Energy Harvesting Achieving 21% Efficiency Improvement. *Jeong, J.*, +, *TPEL Jan. 2020 347-358*
A Mixed-Signal Adaptive Ripple Canceler for Switching Regulators Providing 18 dB-24 dB of Ripple Rejection up to 1 MHz. *Joshi, K.*, +, *TPEL Oct. 2020 10249-10259*
A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*
A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters. *Chamanian, S.*, +, *TPEL Jan. 2020 901-912*
A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*
A Single-Inductor Multiple-Output Buck/Boost DC–DC Converter With Duty-Cycle and Control-Current Predictor. *Zheng, Y.*, +, *TPEL Nov. 2020 12022-12039*
An Efficiency-Aware Cooperative Multicharger System for Photovoltaic Energy Harvesting Achieving 14% Efficiency Improvement. *Jeong, J.*, +, *TPEL March 2020 2253-2256*
CMOS Active Gate Driver for Closed-Loop dv/dt Control of GaN Transistors. *Bau, P.*, +, *TPEL Dec. 2020 13322-13332*
Design of a High Accuracy PSR CC/CV AC–DC Converter Without Auxiliary Winding. *He, L.*, +, *TPEL Aug. 2020 8165-8172*
Dual Active-Feedback Frequency Compensation for Output-Capacitorless LDO With Transient and Stability Enhancement in 65-nm CMOS. *Li, G.*, +, *TPEL Jan. 2020 415-429*
Fully Integrated Autonomous Interface With Maximum Power Point Tracking for Energy Harvesting TEGs With High Power Capacity. *Tabrizi, H.O.*, +, *TPEL May 2020 4905-4914*
Noninverting Buck–Boost DC–DC Converter Using a Duobinary-Encoded Single-Bit Delta-Sigma Modulator. *Cho, Y.*, +, *TPEL Jan. 2020 484-495*
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*
Coaxial cables
Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets. *Yang, C.*, +, *TPEL Dec. 2020 13356-13366*
Cobalt compounds
Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites. *Wu, G.*, +, *TPEL Feb. 2020 1845-1854*
Coils
A Dual-Layer Receiver With a Low Aspect Ratio and a Reduced Output Fluctuation for EV Dynamic Wireless Charging. *Song, B.*, +, *TPEL Oct. 2020 10338-10351*
A High-Power Wireless Charging System Using *LCL*-N Topology to Achieve a Compact and Low-Cost Receiver. *Zhang, Y.*, +, *TPEL Jan. 2020 131-137*
A Hybrid Inductive Power Transfer System With Misalignment Tolerance Using Quadruple-D Quadrature Pads. *Chen, Y.*, +, *TPEL June 2020 6039-6049*
A Load-Independent Wireless Power Transfer System With Multiple Constant Voltage Outputs. *Cheng, C.*, +, *TPEL April 2020 3328-3331*
A Multiphase Resonance-Based Boosting Rectifier With Dual Outputs for Wireless Power Transmission. *Lim, J.*, +, *TPEL March 2020 2680-2689*
A New Coupling Structure and Position Detection Method for Segmented Control Dynamic Wireless Power Transfer Systems. *Li, X.*, +, *TPEL July 2020 6741-6745*
A Review of Traditional Helical to Recent Miniaturized Printed Circuit Board Rogowski Coils for Power-Electronic Applications. *Shi, Y.*, +, *TPEL Nov. 2020 12207-12222*
Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems. *Sun, J.*, +, *TPEL Aug. 2020 7840-7852*
Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates. *Choi, J.S.*, +, *TPEL Aug. 2020 7863-7872*
An Automatic Coil Design Method With Modified AC Resistance Evaluation for Achieving Maximum Coil–Coil Efficiency in WPT Systems. *Wei, G.*, +, *TPEL June 2020 6114-6126*
Bifurcation Limits and Non-Idealities Effects in a Three-Phase Dynamic IPT System. *Iruretagoyena, U.*, +, *TPEL Jan. 2020 208-219*
Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*
Coupling Extraction and Maximum Efficiency Tracking for Multiple Concurrent Transmitters in Dynamic Wireless Charging. *Kim, D.*, +, *TPEL Aug. 2020 7853-7862*
Curvature Angle Splitting Suppression and Optimization on Nonplanar Coils Used in Wireless Charging System. *Wen, F.*, +, *TPEL Sept. 2020 9070-9081*
Decoupling Circuit for Automated Guided Vehicles IPT Charging Systems With Dual Receivers. *Mai, R.*, +, *TPEL July 2020 6652-6657*
Design Guidelines of Inductive Coils Using a Polymer Bonded Magnetic Composite for Inductive Power Transfer Systems in Electric Vehicles. *Delgado, A.*, +, *TPEL Aug. 2020 7884-7893*
Design of Compact Three-Phase Receiver for Meander-Type Dynamic Wireless Power Transfer System. *Wang, C.*, +, *TPEL July 2020 6854-6866*
Design of DD Coil With High Misalignment Tolerance and Low EMF Emissions for Wireless Electric Vehicle Charging Systems. *Song, K.*, +, *TPEL Sept. 2020 9034-9045*
Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control. *Lee, T.*, +, *TPEL Sept. 2020 9024-9033*
Efficiency Improvement of the Parity-Time-Symmetric Wireless Power Transfer System for Electric Vehicle Charging. *Wu, L.*, +, *TPEL Nov. 2020 12497-12508*
Efficiency Improvement of Wireless Power Transfer Based on Multitransmitter System. *Yan, Z.*, +, *TPEL Sept. 2020 9011-9023*

Equivalent Conductor Layer for Fast 3-D Finite Element Simulations of Inductive Power Transfer Coils. *Delgado, A.*, +, *TPEL June 2020 6221-6230*
Expandable N-Legged Converter to Drive Closely Spaced Multitransmitter Wireless Power Transfer Systems for Dynamic Charging. *Farajizadeh, F.*, +, *TPEL April 2020 3794-3806*
Free Arrangement Wireless Power Transfer System With a Ferrite Transmission Medium and Geometry-Based Performance Improvement. *Seo, S.*, +, *TPEL May 2020 4518-4532*
Free-Positioning Wireless Power Transfer System Based on One-to-Multiple Topology. *Chen, J.*, +, *TPEL Oct. 2020 9959-9964*
Graph Sets Method (GSM) for Multicoil Wireless Power Transfer Systems—Part II: Simulated and Experimental Results. *Faradjizadeh, F.*, +, *TPEL Oct. 2020 10757-10769*
Graph Sets Method for Multicoil Wireless Power Transfer Systems—Part I: Principles. *Farajizadeh, F.*, +, *TPEL Oct. 2020 10741-10756*
High-Order Compensated Wireless Power Transfer for Dimmable Metal Halide Lamps. *Han, W.*, +, *TPEL June 2020 6269-6279*
Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle. *Guo, Y.*, +, *TPEL Oct. 2020 10542-10553*
Maximum Efficiency Point Tracking for Multiple-Transmitter Wireless Power Transfer. *Kim, D.*, +, *TPEL Nov. 2020 11391-11400*
Modeling of a Magnetic Coupler Based on Single- and Double-Layered Rectangular Planar Coils With In-Plane Misalignment for Wireless Power Transfer. *Lopez-Alcolea, F.J.*, +, *TPEL May 2020 5102-5121*
MPPT for Electromagnetic Energy Harvesters Having Nonnegligible Output Reactance Operating Under Slow-Varying Conditions. *Tse, K.H.*, +, *TPEL July 2020 7110-7122*
Optimal Dipole-Coil Ampere-Turns Design for Maximum Power Efficiency of IPT. *Choi, B.G.*, +, *TPEL July 2020 7317-7327*
Optimization of Magnetic Field Focusing and Null Steering for Selective Wireless Power Transfer. *Jung, H.*, +, *TPEL May 2020 4622-4633*
Parametric Optimization of a Three-Phase MCR WPT System With Cylinder-Shaped Coils Oriented by Soft-Switching Range and Stable Output Power. *Liu, F.*, +, *TPEL Jan. 2020 1036-1044*
Plane-Type Receiving Coil With Minimum Number of Coils for Omnidirectional Wireless Power Transfer. *Kim, J.H.*, +, *TPEL June 2020 6165-6174*
Research on IPT Resonant Converters With High Misalignment Tolerance Using Multicoil Receiver Set. *Ke, G.*, +, *TPEL April 2020 3697-3712*
Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*
Single-Turn Air-Core Coils for High-Frequency Inductive Wireless Power Transfer. *Zulauf, G.*, +, *TPEL March 2020 2917-2932*
Symmetric Sensing Coil Design for the Blind-Zone Free Metal Object Detection of a Stationary Wireless Electric Vehicles Charger. *Thai, V.X.*, +, *TPEL April 2020 3466-3477*
Three-Coil Wireless Charging System for Metal-Cover Smartphone Applications. *Zhu, J.*, +, *TPEL May 2020 4847-4858*
Wireless Electric Vehicle Charger With Electromagnetic Coil-Based Position Correction Using Impedance and Resonant Frequency Detection. *Khan, N.*, +, *TPEL Aug. 2020 7873-7883*
Zero-Phase-Angle Controlled Bidirectional Wireless EV Charging Systems for Large Coil Misalignments. *Liu, Y.*, +, *TPEL May 2020 5343-5353*

Colloids

Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

Commutation

A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*
A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor. *Achary, R.K.*, +, *TPEL March 2020 2809-2818*
An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*
An Asymmetric Nine-Phase Induction Motor for LCI-Fed Medium Voltage Drive Applications. *Titus, J.*, +, *TPEL May 2020 5047-5056*
Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*
Computationally Efficient and Accurate Approach for Commutation Failure Risk Areas Identification in Multi-Infeed LCC-HVdc Systems. *Xiao, H.*, +, *TPEL May 2020 5238-5253*
Design and Experimental Verification of an Efficient SSCB Based on CS-MCT. *Xu, X.*, +, *TPEL Nov. 2020 11682-11693*
Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current. *Xu, S.*, +, *TPEL July 2020 6668-6672*
Novel High-Efficiency Frequency-Variable Buck–Boost AC–AC Converter With Safe-Commutation and Continuous Current. *He, L.*, +, *TPEL Dec. 2020 13225-13238*
Torque Ripple and Efficiency Online Optimization of Switched Reluctance Machine Based on Torque per Ampere Characteristics. *Song, S.*, +, *TPEL Sept. 2020 9608-9616*

Commutator motors

An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*

Commutators

An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*

Comparators (circuits)

A Current-Mode Delay-Based Hysteretic Buck Regulator With Enhanced Efficiency at Ultra-Light Loads for Low-Power Microcontrollers. *Ahmed, M.S.*, +, *TPEL Jan. 2020 471-483*

Compensation

A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*
A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*
A Fast and Robust Real-Time Detection Algorithm of Decaying DC Transient and Harmonic Components in Three-Phase Systems. *Xiong, L.*, +, *TPEL April 2020 3332-3336*
A High-Efficiency and Fast-Transient Low-Dropout Regulator With Adaptive Pole Tracking Frequency Compensation Technique. *Ming, X.*, +, *TPEL Nov. 2020 12401-12415*
A High-Power Wireless Charging System Using *LCL*-N Topology to Achieve a Compact and Low-Cost Receiver. *Zhang, Y.*, +, *TPEL Jan. 2020 131-137*
A Novel Accurate Adaptive Constant On-Time Buck Converter for a Wide-Range Operation. *Liu, W.*, +, *TPEL April 2020 3729-3739*
A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*
A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*
A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*
A Symmetrical Control Method for Grid-Connected Converters to Suppress the Frequency Coupling Under Weak Grid Conditions. *Zhang, X.*, +, *TPEL Dec. 2020 13488-13499*
Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*
An Efficiency Optimization-Based Asymmetric Tuning Method of Double-Sided *LCC* Compensated WPT System for Electric Vehicles. *Chen, Y.*, +, *TPEL Nov. 2020 11475-11487*
Analysis and Design of Capacitive Power Transfer Systems Based on Induced Voltage Source Model. *Wang, S.*, +, *TPEL Oct. 2020 10532-10541*
Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*

Comparative Performance Analysis Involving a Three-Phase UPQC Operating With Conventional and Dual/Inverted Power-Line Conditioning Strategies. *da Silva, S.A.O.*, +, *TPEL Nov. 2020 11652-11665*
Compensation of Current Measurement Offset Error for Permanent Magnet Synchronous Machines. *Hu, M.*, +, *TPEL Oct. 2020 11119-11128*
Deadband Effect and Accurate ZVS Boundaries of GaN-Based Dual-Active-Bridge Converters With Multiple-Phase-Shift Control. *Shi, H.*, +, *TPEL Sept. 2020 9886-9903*
Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*
DQ-Frame Zero-Crossing Effect Modeling and Current Distortion Compensation Method for Vienna Rectifier. *Miao, Z.*, +, *TPEL July 2020 7612-7623*
Dual Active-Feedback Frequency Compensation for Output-Capacitorless LDO With Transient and Stability Enhancement in 65-nm CMOS. *Li, G.*, +, *TPEL Jan. 2020 415-429*
Feedforward Modulation for the Neutral-Point-Clamped Converter With Confined Capacitor Voltage Ripples and Reduced Switching Power Losses. *Beniwal, N.*, +, *TPEL April 2020 4426-4438*
High-Precision Control for ZVS Inverter to Reduce Nonlinear Distortion of Semiconductor Voltage Drop. *Zhang, H.*, +, *TPEL April 2020 3337-3342*
Improved Modulation Strategy for Single-Phase Isolated Quasi-Single-Stage AC–DC Converter to Improve Current Characteristics. *Li, X.*, +, *TPEL April 2020 4296-4308*
Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*
Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*
Negative Sequence Voltage Compensating for Unbalanced Standalone Brushless Doubly-Fed Induction Generator. *Xu, W.*, +, *TPEL Jan. 2020 667-680*
Parameters Compensation of Permanent Magnet Synchronous Motor in Flux-Weakening Region for Rail Transit. *Zhang, Z.*, +, *TPEL Nov. 2020 12509-12521*
Reconfigurable Topology for IPT System Maintaining Stable Transmission Power Over Large Coupling Variation. *Chen, Y.*, +, *TPEL May 2020 4915-4924*
Research on IPT Resonant Converters With High Misalignment Tolerance Using Multicoil Receiver Set. *Ke, G.*, +, *TPEL April 2020 3697-3712*
Robust High-Rate Secondary Control of Microgrids With Mitigation of Communication Impairments. *Heydari, R.*, +, *TPEL Nov. 2020 12486-12496*
Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*
Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters. *Abdelhamid, E.*, +, *TPEL March 2020 3208-3220*
State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

Composite insulating materials
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*

Composite materials
Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Compressors
Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*
Space Vector Modulation for SiC and Si Hybrid ANPC Converter in Medium-Voltage High-Speed Drive System. *Li, C.*, +, *TPEL April 2020 3390-3401*

Computational complexity
A Hierarchical Energy Balance Control Method for M^{3}C Based on Injecting Output Frequency Circulating Currents. *Ma, J.*, +, *TPEL March 2020 2424-2435*

Computational fluid dynamics
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Computational modeling
A Device-Level Transient Modeling Approach for the FPGA-Based Real-Time Simulation of Power Converters. *Bai, H.*, +, *TPEL Feb. 2020 1282-1292*
Characterization Method of Radiated Magnetic Field Based on Integrated Antenna Measurement Applied to Power Module Technologies. *Vine, G.*, +, *TPEL Feb. 2020 1440-1449*
Model Predictive Control for Dual-Active-Bridge Converters Supplying Pulsed Power Loads in Naval DC Micro-Grids. *Chen, L.*, +, *TPEL Feb. 2020 1957-1966*

Computer centers
An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

Computer power supplies
An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

Computer simulation
Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters. *Abdelhamid, E.*, +, *TPEL March 2020 3208-3220*

Computerized monitoring
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*

Condition monitoring
A Reference Submodule Based Capacitor Condition Monitoring Method for Modular Multilevel Converters. *Wang, Z.*, +, *TPEL July 2020 6691-6696*
Capacitor Condition Monitoring Based on the DC-Side Start-Up of Modular Multilevel Converters. *Wang, Z.*, +, *TPEL June 2020 5589-5593*
Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*
Overview of Real-Time Lifetime Prediction and Extension for SiC Power Converters. *Ni, Z.*, +, *TPEL Aug. 2020 7765-7794*
Stator Short-Circuit Fault Detection and Location Methods for Brushless DFIMs Using Nested-Loop Rotor Slot Harmonics. *Afshar, M.*, +, *TPEL Aug. 2020 8559-8568*

Conductivity
Fast and Accurate Thermal Modeling of Magnetic Components by FEA-Based Homogenization. *Salinas Lopez, G.*, +, *TPEL Feb. 2020 1830-1844*

Conductors
Fast and Accurate Thermal Modeling of Magnetic Components by FEA-Based Homogenization. *Salinas Lopez, G.*, +, *TPEL Feb. 2020 1830-1844*

Conductors (electric)
A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*
A Thyristor Full-Bridge-Based DC Circuit Breaker. *Guo, Y.*, +, *TPEL Jan. 2020 1111-1123*
The Faraday Shields Loss of Transformers. *Shen, Z.*, +, *TPEL Nov. 2020 12194-12206*

Conformal mapping
An Adaptive Frequency-Fixed Second-Order Generalized Integrator-Quadrature Signal Generator Using Fractional-Order Conformal Mapping Based Approach. *Akhtar, M.A.*, +, *TPEL June 2020 5548-5552*

Constant current sources
A Dual-Switch Discontinuous Current-Source Gate Driver Overcoming the Current Diversion Problem for a Buck VRM. *Mashhadi, I.A.*, +, *TPEL April 2020 3778-3793*
Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*
Series-Connected Current-Source Inverters: f_{SW} = 60 Hz. *Xing, L.*, +, *TPEL Sept. 2020 8882-8885*

Consumer electronics
Simplified Resonant Parameter Design of the Asymmetrical *CLLC*-Type DC Transformer in the Renewable Energy System via Semi-Artificial Intelligent Optimal Scheme. *Huang, J.*, +, *TPEL Feb. 2020 1548-1562*
Continuous systems
A Hybrid Control of a Semidual-Active-Bridge DC–DC Converter With Minimum Current Stress. *Lu, M.*, +, *TPEL March 2020 3085-3096*
An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*
FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*
Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives. *Wallscheid, O.*, +, *TPEL Dec. 2020 13563-13572*
Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*
Continuous time systems
Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*
Data-Driven Modeling of Wireless Power Transfer Systems With Multiple Transmitters. *Chen, F.*, +, *TPEL Nov. 2020 11363-11379*
Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*
Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*
Control engineering
Erratum to "Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications". *Komathi, C.*, +, *TPEL May 2020 5543*
Control engineering computing
A Simple Phase-Shift Modulation Using Parabolic Carrier for Dual Active Bridge DC–DC Converter. *Liu, Y.*, +, *TPEL Aug. 2020 7729-7734*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*
Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*
Control nonlinearities
A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5397-5407*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Control system analysis
Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*
Control system synthesis
A Digital Interconnected Bus Providing Voltage Synchronization for the Modular Series-Connected Inverters. *Liu, P.*, +, *TPEL Dec. 2020 12590-12594*
A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion. *Escobar, G.*, +, *TPEL May 2020 4647-4657*
A Dual-Loop Predictive Control Structure for Permanent Magnet Synchronous Machines With Enhanced Attenuation of Periodic Disturbances. *Song, Z.*, +, *TPEL Jan. 2020 760-774*
A Fault-Tolerant Control Strategy for T-Type Three-Level Rectifier With Neutral Point Voltage Balance and Loss Reduction. *Chen, J.*, +, *TPEL July 2020 7492-7505*
A Generalized Multifrequency Small-Signal Model for High-Bandwidth Buck Converters Under Constant-Frequency Voltage-Mode Control. *Cheng, X.*, +, *TPEL Aug. 2020 8186-8199*
A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress. *Hassan, W.*, +, *TPEL Nov. 2020 11827-11842*
A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*
A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*
A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System. *Wang, Y.*, +, *TPEL April 2020 4117-4126*
A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*
A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer. *Du, C.*, +, *TPEL Aug. 2020 8429-8442*
A Synchronization Method for the Modular Series-Connected Inverters. *Liu, P.*, +, *TPEL July 2020 6686-6690*
A Synchronous Reference Frame PI Current Controller With Dead Beat Response. *Busada, C.A.*, +, *TPEL March 2020 3097-3105*
Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*
Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*
An Energy Balance Active Disturbance Rejection Control for Improving Converter Stability While Maintaining Fast Dynamic Performance. *Nie, J.*, +, *TPEL Nov. 2020 11304-11309*
An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*
An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control. *Devanshu, A.*, +, *TPEL Jan. 2020 652-666*
An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control. *Naik N, V.*, +, *TPEL Aug. 2020 8443-8451*
An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*
Analysis of a Sliding Mode DC–DC Boost Converter Through LPRS of a Nonlinear Plant. *AlZawaideh, A.*, +, *TPEL Nov. 2020 12321-12331*
Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*
Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications. *Diez, C.M.*, +, *TPEL March 2020 2389-2401*
Control Conflict Suppressing and Stability Improving for an MMC Distributed Control System. *Yang, S.*, +, *TPEL Dec. 2020 13735-13747*
Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*

Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*

DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation. *Hajihosseini, M.*, +, *TPEL Oct. 2020 9971-9977*

Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*

Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*

Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*

Design of Control System for Smooth Mode-Transfer of Grid-Tied Mode and Islanding Mode in Microgrid. *Gao, M.*, +, *TPEL June 2020 6419-6435*

Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*

Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*

Discrete-Time Modeling and Control Based on Field Orientation for Induction Motors. *Dominguez, J.R.*, +, *TPEL Aug. 2020 8779-8793*

Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*

Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*

Extended State Observer-Based Control of DC–DC Converters for Fuel Cell Application. *Zhuo, S.*, +, *TPEL Sept. 2020 9923-9932*

FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*

Harmonic-Domain SISO Equivalent Impedance Modeling and Stability Analysis of a Single-Phase Grid-Connected VSC. *Zhang, C.*, +, *TPEL Sept. 2020 9770-9783*

Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*

Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles. *Liao, Y.*, +, *TPEL April 2020 4388-4397*

Improved Design of PLL Controller for *LCL*-Type Grid-Connected Converter in Weak Grid. *Zhu, D.*, +, *TPEL May 2020 4715-4727*

Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*

Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*

IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*

ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*

Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*

Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*

MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*

Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*

Multimode Smooth Switching Strategy for Eliminating the Operational Dead Zone in Noninverting Buck–Boost Converter. *Jia, L.*, +, *TPEL March 2020 3106-3113*

Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*

Novel Analytical Method for Dynamic Design of Renewable SSG SPC Unit to Mitigate Low-Frequency Electromechanical Oscillations. *Abdollahi, M.*, +, *TPEL July 2020 7532-7544*

Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*

Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*

Passivity-Based Stabilization of *LCL*-Type Grid-Connected Inverters via a General Admittance Model. *Xie, C.*, +, *TPEL June 2020 6636-6648*

Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*

Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency. *Wang, J.*, +, *TPEL July 2020 7073-7085*

Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*

Reconfigurable Nonisolated DC–DC Converter With Fault-Tolerant Capability. *Soon, J.L.*, +, *TPEL Sept. 2020 8934-8943*

Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints. *Li, Y.*, +, *TPEL Jan. 2020 1022-1035*

Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter. *Zhao, J.*, +, *TPEL Aug. 2020 8102-8115*

Sensor-Fault-Estimation-Based Tolerant Control for Single-Phase Two-Level PWM Rectifier in Electric Traction System. *Gong, Z.*, +, *TPEL Nov. 2020 12274-12284*

Separate-Structure UDE-Based Current Resonant Control Strategy on *L*+*C*+*L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness. *Xiong, Y.*, +, *TPEL Dec. 2020 13641-13651*

Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*

Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation. *Wang, B.*, +, *TPEL Nov. 2020 12522-12532*

Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation. *Zhou, Z.*, +, *TPEL Nov. 2020 12555-12569*

State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*

The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*

Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*

Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique. *Kiran, K.*, +, *TPEL Aug. 2020 8396-8404*

Voltage Modulation and Current Control of Boost Inverters for Stand-Alone or Grid-Tied Operation. *Chen, W.*, +, *TPEL Aug. 2020 8726-8736*

Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*

Control systems

A Harmonic Compensation System With Embedded Load Observer for Micro-Grids in the Islanded Mode of Operation. *Kaviri, S.M.*, +, *TPEL Feb. 2020 1406-1424*

Control of Smart Transformer Under Single-Phase to Ground Fault Condition. *Zhu, R.*, +, *TPEL Feb. 2020 2034-2043*

Real-Time Maximum Torque per Ampere Control of Brushless DC Motor Drive With Minimum Torque Ripple. *Khazaee, A.*, +, *TPEL Feb. 2020 1194-1199*

Robust Quasi-Predictive Control of *L*+*C*+*L*-Filtered Grid Converters. *Dragicevic, T.*, +, *TPEL Feb. 2020 1934-1946*

Controllers
A Capacitor-Free Control Scheme for a Primary-Side Controlled Flyback Converter. *Li, Y.*, +, *TPEL Sept. 2020 9482-9493*
A Joint Control With Variable ZVS Angles for Dynamic Efficiency Optimization in Wireless Power Transfer System. *Jiang, Y.*, +, *TPEL Oct. 2020 11064-11081*
Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters. *Abdelhamid, E.*, +, *TPEL March 2020 3208-3220*
Convection
Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*
Convergence
Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications. *C., K.*, +, *TPEL Feb. 2020 2100-2118*
Converters
Improved Design of PLL Controller for *LCL*-Type Grid-Connected Converter in Weak Grid. *Zhu, D.*, +, *TPEL May 2020 4715-4727*
Convex programming
Reduced-Coupling Coestimation of SOC and SOH for Lithium-Ion Batteries Based on Convex Optimization. *Xiao, D.*, +, *TPEL Nov. 2020 12332-12346*
Cooling
An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*
Artificial Intelligence-Aided Thermal Model Considering Cross-Coupling Effects. *Zhang, Y.*, +, *TPEL Oct. 2020 9998-10002*
Compact Sandwiched Press-Pack SiC Power Module With Low Stray Inductance and Balanced Thermal Stress. *Chang, Y.*, +, *TPEL March 2020 2237-2241*
Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer. *Chen, B.*, +, *TPEL Nov. 2020 11557-11573*
Development of High-Power High Switching Frequency Cryogenically Cooled Inverter for Aircraft Applications. *Gui, H.*, +, *TPEL June 2020 5670-5682*
Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*
Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*
Multiparameter Model Order Reduction for Thermal Modeling of Power Electronics. *Dong, X.*, +, *TPEL Aug. 2020 8550-8558*
Nonlinear Compact Thermal Model of the IGBT Dedicated to SPICE. *Gorecki, K.*, +, *TPEL Dec. 2020 13420-13428*
Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*
Copper
A Modular Low Current Ripple Electrolysis Power Supply Based on Multiphase Half-Bridge High-Frequency Inverters. *Xiao, H., TPEL Oct. 2020 10088-10096*
Novel Highly Efficient/Compact Automotive PCB Winding Inductors Based on the Compensating Air-Gap Fringing Field Concept. *Schafer, J.*, +, *TPEL Sept. 2020 9617-9631*
Research on Vector Control Strategy of Surface-Mounted Permanent Magnet Synchronous Machine Drive System With High-Resistance Connection. *Hang, J.*, +, *TPEL Feb. 2020 2023-2033*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*
Copper alloys
Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*
Corona
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*
Corrosion
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
Cost function
Model Predictive Control for Dual-Active-Bridge Converters Supplying Pulsed Power Loads in Naval DC Micro-Grids. *Chen, L.*, +, *TPEL Feb. 2020 1957-1966*
Model Predictive Flux Control With Cost Function-Based Field Weakening Strategy for Permanent Magnet Synchronous Motor. *Zheng, Z.*, +, *TPEL Feb. 2020 2151-2159*
Parallel Predictive Torque Control for Induction Machines Without Weighting Factors. *Wang, F.*, +, *TPEL Feb. 2020 1779-1788*
Cost reduction
A Dynamic WPT System With High Efficiency and High Power Factor for Electric Vehicles. *Zakerian, A.*, +, *TPEL July 2020 6732-6740*
A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*
Coupled Inductor-Based High Voltage Gain DC–DC Converter For Renewable Energy Applications. *Mirzaee, A.*, +, *TPEL July 2020 7045-7057*
Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact. *Huang, J.*, +, *TPEL July 2020 7086-7099*
HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*
Three-Phase Split-Source Inverter-Fed PV Systems: Analysis and Mitigation of Common-Mode Voltage. *Hassan, M.S.*, +, *TPEL Sept. 2020 9824-9838*
Costing
A Cost-Constrained Active Capacitor for a Single-Phase Inverter. *Wang, H.*, +, *TPEL July 2020 6746-6760*
Single-Phase Bridgeless PFC Topology Derivation and Performance Benchmarking. *Chen, Z.*, +, *TPEL Sept. 2020 9238-9250*
Coupled circuits
Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. *Guo, B.*, +, *TPEL Dec. 2020 13000-13016*
Couplings
A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*
A Joint Control With Variable ZVS Angles for Dynamic Efficiency Optimization in Wireless Power Transfer System. *Jiang, Y.*, +, *TPEL Oct. 2020 11064-11081*
Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control. *Lee, T.*, +, *TPEL Sept. 2020 9024-9033*
Direct Thrust Force Control of Primary Permanent-Magnet Linear Motors With Single DC-Link Current Sensor for Subway Applications. *Wang, W.*, +, *TPEL Feb. 2020 1365-1376*
Impedance Measurement of Three-Phase Inverter in the Stationary Frame Using Frequency Response Analyzer. *Liu, J.*, +, *TPEL Sept. 2020 9390-9401*
Minimizing Ripples of Inductor Currents in Coupled SIDO Boost Converter by Shift of Gate Pulses. *Nupur, .*, +, *TPEL Feb. 2020 1217-1226*
Model Predictive Control for the Receiving-Side DC–DC Converter of Dynamic Wireless Power Transfer. *Zhou, Z.*, +, *TPEL Sept. 2020 8985-8997*
Cracks
Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing. *Hu, K.*, +, *TPEL July 2020 6773-6784*

Creep
Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*
Crosstalk
High Off-State Impedance Gate Driver of SiC MOSFETs for Crosstalk Voltage Elimination Considering Common-Source Inductance. *Li, C.*, +, *TPEL March 2020 2999-3011*
Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*
Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*
Cryogenic electronics
Comparative Temperature Dependent Evaluation and Analysis of 1.2-kV SiC Power Diodes for Extreme Temperature Applications. *Qi, J.*, +, *TPEL Dec. 2020 13384-13399*
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*
Cryogenics
Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*
Development of High-Power High Switching Frequency Cryogenically Cooled Inverter for Aircraft Applications. *Gui, H.*, +, *TPEL June 2020 5670-5682*
Crystal oscillators
Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*
Current control
Control of Smart Transformer Under Single-Phase to Ground Fault Condition. *Zhu, R.*, +, *TPEL Feb. 2020 2034-2043*
Elimination of the Interaction of the Converters in Switch-Linear Hybrid Envelope Tracking Power Supplies. *Wang, Y.*, +, *TPEL Feb. 2020 2053-2066*
Inductor Saturation Compensation With Resistive Decoupling for Single-Phase Controlled VSC Systems. *Ozkan, Z.*, +, *TPEL Feb. 2020 1993-2007*
Robust Predictive Current Control of PMLSM With Extended State Modeling Based Kalman Filter: For Time-Varying Disturbance Rejection. *Yang, R.*, +, *TPEL Feb. 2020 2208-2221*
Zynq Implemented Luenberger Disturbance Observer Based Predictive Control Scheme for PMSM Drives. *He, L.*, +, *TPEL Feb. 2020 1770-1778*
Current density
Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic. *Zhang, Q.*, +, *TPEL March 2020 2908-2916*
Current distribution
Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region. *Zhang, X.*, +, *TPEL Sept. 2020 8860-8866*
Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*
Equivalent Conductor Layer for Fast 3-D Finite Element Simulations of Inductive Power Transfer Coils. *Delgado, A.*, +, *TPEL June 2020 6221-6230*
Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load. *Fernandez, M.*, +, *TPEL May 2020 5221-5237*
Current fluctuations
An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*
The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application. *Hofstetter, P.*, +, *TPEL June 2020 5692-5701*
Current limiters
Current Balancing of Paralleled SiC mosfets for a Resonant Pulsed Power Converter. *Wu, Q.*, +, *TPEL June 2020 5557-5561*
Current measurement
A Leakage-Inductor Parameter Compensation Method for Paralleled Current-Fed Isolated DC/DC System. *Zhang, Y.*, +, *TPEL Feb. 2020 1160-1164*
Current mirrors
Design of an Adaptively Biased Low-Dropout Regulator With a Current Reusing Current-Mode OTA Using an Intuitive Analysis Method. *Dong, L.*, +, *TPEL Oct. 2020 10477-10488*
Current transformers
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
High-Frequency Voltage and Current Sense Circuits for Inductive Power Transfer Systems. *Zhu, G.*, +, *TPEL Nov. 2020 11352-11362*
Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*
Current-mode circuits
A Current-Mode Delay-Based Hysteretic Buck Regulator With Enhanced Efficiency at Ultra-Light Loads for Low-Power Microcontrollers. *Ahmed, M.S.*, +, *TPEL Jan. 2020 471-483*
Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC–DC Converter Using SiC-MOSFET/SBD H-Bridge Modules. *Haneda, R.*, +, *TPEL Oct. 2020 10013-10025*
Design of an Adaptively Biased Low-Dropout Regulator With a Current Reusing Current-Mode OTA Using an Intuitive Analysis Method. *Dong, L.*, +, *TPEL Oct. 2020 10477-10488*
Isolated Ultrafast Gate Driver with Variable Duty Cycle for Pulse and VHF Power Electronics. *Zan, X.*, +, *TPEL Dec. 2020 12678-12685*
Curve fitting
Design and Optimization of High-Failure-Current Dual-Direction SCR for Industrial-Level ESD Protection. *Wang, Y.*, +, *TPEL May 2020 4669-4677*
Dynamic Switching of SiC Power MOSFETs Based on Analytical Subcircuit Model. *Talesara, V.*, +, *TPEL Sept. 2020 9680-9689*
Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*
Cycloconverters
Improved Modulation Strategy for Single-Phase Single-Stage Isolated AC–DC Converter Considering Power Reversion Zone. *Wu, F.*, +, *TPEL April 2020 4157-4167*

D

Damping
A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters. *Chamanian, S.*, +, *TPEL Jan. 2020 901-912*
A Simple Method for Passivity Enhancement of Current Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Aug. 2020 7735-7741*
A Study of Virtual Resistor-Based Active Damping Alternatives for *LCL* Resonance in Grid-Connected Voltage Source Inverters. *Liu, T.*, +, *TPEL Jan. 2020 247-262*
Active Power Oscillation and Suppression Techniques Between Two Parallel Synchronverters During Load Fluctuations. *Shuai, Z.*, +, *TPEL April 2020 4127-4142*
Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters. *Niyomsatian, K.*, +, *TPEL July 2020 7583-7595*
Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*
Analytical Factorized Model for Stability Analysis and Optimization of Shunt *RC* Damped *LCL* Filter for Grid-Connected Voltage Source Inverters. *Koran, A.*, +, *TPEL July 2020 6830-6841*
Applying Stray Inductance Model to Study Turn-off Current in Multi-Turn Loop of Shallow Transient Electromagnetic Systems. *Liu, L.*, +, *TPEL Feb. 2020 1711-1720*

Cooperative Regulation of Imbalances in Three-Phase Four-Wire Microgrids Using Single-Phase Droop Control and Secondary Control Algorithms. *Espina, E.*, +, *TPEL Feb. 2020 1978-1992*
Coupling of AC Grids via VSC-HVDC Interconnections for Oscillation Damping Based on Differential and Common Power Control. *Rodriguez-Cabero, A.*, +, *TPEL June 2020 6548-6558*
Damping Method of High-Frequency Resonance for Stator Current Controlled DFIG System Under Parallel Compensation Grid. *Pang, B.*, +, *TPEL Oct. 2020 10260-10270*
Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters. *Wu, H.*, +, *TPEL April 2020 3573-3589*
Improved Model Predictive Control for High-Power Current-Source Rectifiers Under Normal and Distorted Grid Conditions. *Xue, C.*, +, *TPEL May 2020 4588-4601*
Inertia Response Improvement in AC Microgrids: A Fuzzy-Based Virtual Synchronous Generator Control. *Karimi, A.*, +, *TPEL April 2020 4321-4331*
Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*
Modified Discontinuous PWM Strategy for Three-Phase Grid-Connected PV Inverters With Hybrid Active–Passive Damping Scheme. *Giacomini, J.C.*, +, *TPEL Aug. 2020 8063-8073*
Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier. *Kumar, N.*, +, *TPEL Oct. 2020 10008-10012*
Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*
Passivity-Based Design of Plug-and-Play Current-Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Feb. 2020 2135-2150*
Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping. *Yao, W.*, +, *TPEL March 2020 3114-3126*
Piezoelectric Properties of GaN-on-Si Heterostructures and Their Implications on Lifetime During Switching Operation. *Pribahsnik, F.P.*, +, *TPEL Oct. 2020 10873-10878*
Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive. *Uddin, M.N.*, +, *TPEL Feb. 2020 1742-1752*
Reflected Wave Phenomenon in SiC Motor Drives: Consequences, Boundaries, and Mitigation. *Narayanasamy, B.*, +, *TPEL Oct. 2020 10629-10642*
Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter. *Zhao, J.*, +, *TPEL Aug. 2020 8102-8115*
Robust Quasi-Predictive Control of *L*+*C*+*L*-Filtered Grid Converters. *Dragicevic, T.*, +, *TPEL Feb. 2020 1934-1946*
Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation. *Zhou, Z.*, +, *TPEL Nov. 2020 12555-12569*
Steady-State Error Suppression and Simplified Implementation of Direct Source Current Control for Matrix Converter With Model Predictive Control. *Lei, J.*, +, *TPEL March 2020 3183-3194*
Study on DFIG Dissipation Energy Model and Low-Frequency Oscillation Mechanism Considering the Effect of PLL. *Shen, Y.*, +, *TPEL April 2020 3348-3364*

Data analysis
Data-Driven Approach for Fault Prognosis of SiC MOSFETs. *Chen, W.*, +, *TPEL April 2020 4048-4062*

Data models
Control-Oriented Modeling of Wireless Power Transfer Systems With Phase-Shift Control. *Chen, F.*, +, *TPEL Feb. 2020 2119-2134*
Sampled-Data Modeling for Wireless Power Transfer Systems. *Tang, J.*, +, *TPEL March 2020 3173-3182*

DC distribution systems
Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*

DC motor drives
A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor. *Achary, R.K.*, +, *TPEL March 2020 2809-2818*
Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*

DC power transmission
A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*

DC transformers
A Hybrid Modular DC Solid-State Transformer Combining High Efficiency and Control Flexibility. *Sun, Y.*, +, *TPEL April 2020 3434-3449*
A Magnetically Controlled Single-Stage AC–DC Converter. *Wei, Y.*, +, *TPEL Sept. 2020 8872-8877*
A Three-Phase Triple-Voltage Dual-Active-Bridge Converter for Medium Voltage DC Transformer to Reduce the Number of Submodules. *Shu, L.*, +, *TPEL Nov. 2020 11574-11588*
An ISOP Hybrid DC Transformer Combining Multiple SRCs and DAB Converters to Interconnect MVDC and LVDC Distribution Networks. *Yao, J.*, +, *TPEL Nov. 2020 11442-11452*

DC-AC power converters
A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder. *Pal, A.*, +, *TPEL April 2020 3601-3615*
A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding. *Pal, A.*, +, *TPEL Nov. 2020 11758-11769*
An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*
An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*
Analysis and Criterion for Inherent Balance Capability in Modular Multilevel DC–AC–DC Converters. *Xiang, X.*, +, *TPEL June 2020 5573-5580*
Common-Mode EMI Noise Analysis and Reduction for AC–DC–AC Systems With Paralleled Power Modules. *Yang, L.*, +, *TPEL July 2020 6989-7000*
Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*
Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*
Hybrid Alternate-Common Arm Converter With High Power Capability: Potential and Limitations. *Bakas, P.*, +, *TPEL Dec. 2020 12909-12928*
Hybrid Buck–Boost Multioutput Quasi-Z-Source Converter With Dual DC and Single AC Outputs. *Shiluveru, K.*, +, *TPEL July 2020 7246-7260*
ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*
Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*
Novel Active-Neutral-Point-Clamped Inverters With Improved Voltage-Boosting Capability. *Lee, S.S.*, +, *TPEL June 2020 5978-5986*
Single-Phase AC–DC–AC Three-Level Three-Leg Converter With Reduced Switch Count. *da Costa, A.E.L.*, +, *TPEL March 2020 2295-2307*
Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*
Three-Legged High-Gain Phase-Modulated DC–AC Converter for Mitigation of Device Capacitance Induced Ringing Voltage. *Kummari, N.*, +, *TPEL Feb. 2020 1306-1321*
Three-Port Full-Bridge Bidirectional Converter for Hybrid DC/DC/AC Systems. *Neira, S.*, +, *TPEL Dec. 2020 13077-13084*

DC-DC power converters
6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*
A 0.46 mm^2 On-Chip Compensated Type-III Buck Converter Using an Inner Feedback Loop With a Seamless CCM/DCM Transition Technique. *Park, J.*, +, *TPEL May 2020 4477-4482*
A 100-kW SiC Switched Tank Converter for Transportation Electrification. *Ni, Z.*, +, *TPEL June 2020 5770-5784*

A 50-kW Three-Phase Wireless Power Transfer System Using Bipolar Windings and Series Resonant Networks for Rotating Magnetic Fields. *Pries, J.*, +, *TPEL May 2020 4500-4517*

A Capacitor-Free Control Scheme for a Primary-Side Controlled Flyback Converter. *Li, Y.*, +, *TPEL Sept. 2020 9482-9493*

A Dynamic Priority Factor Loop for Fast Voltage Equalization Applied to High Power Density DC–DC Converter System. *Zhang, R.*, +, *TPEL Jan. 2020 198-207*

A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*

A Family of High Step-Up Cascade DC–DC Converters With Clamped Circuits. *Ai, J.*, +, *TPEL May 2020 4819-4834*

A Family of ZVT DC–DC Converters With Low-Voltage Ringing. *Tran, H.N.*, +, *TPEL Jan. 2020 59-69*

A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress. *Hassan, W.*, +, *TPEL Nov. 2020 11827-11842*

A High Efficiency and Fast Transient Digital Low-Dropout Regulator With the Burst Mode Corresponding to the Power-Saving Modes of DC–DC Switching Converters. *Lin, J.*, +, *TPEL April 2020 3997-4008*

A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*

A High Step-Up Nonisolated DC–DC Converter With Flexible Voltage Gain. *Marzang, V.*, +, *TPEL Oct. 2020 10489-10500*

A High Voltage Gain DC–DC Converter Based on Three Winding Coupled Inductor and Voltage Multiplier Cell. *Azizkandi, M.E.*, +, *TPEL May 2020 4558-4567*

A High-Power LED Driver Based on Single Inductor-Multiple Output DC–DC Converter With High Dimming Frequency and Wide Dimming Range. *Zhang, Y.*, +, *TPEL Aug. 2020 8501-8511*

A High-Voltage DC–DC Buck Converter With Dynamic Level Shifter for Bootstrapped High-Side Gate Driver and Diode Emulator. *Yuan, B.*, +, *TPEL July 2020 7295-7304*

A Hybrid Cockcroft–Walton/Dickson Multiplier for High Voltage Generation. *Park, S.*, +, *TPEL March 2020 2714-2723*

A Hybrid Control of a Semidual-Active-Bridge DC–DC Converter With Minimum Current Stress. *Lu, M.*, +, *TPEL March 2020 3085-3096*

A Hybrid Modular DC Solid-State Transformer Combining High Efficiency and Control Flexibility. *Sun, Y.*, +, *TPEL April 2020 3434-3449*

A Hybrid Modular DC/DC Converter for HVDC Applications. *Li, B.*, +, *TPEL April 2020 3377-3389*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Joint Control With Variable ZVS Angles for Dynamic Efficiency Optimization in Wireless Power Transfer System. *Jiang, Y.*, +, *TPEL Oct. 2020 11064-11081*

A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC–DC Converter With Coupled Inductor. *Zhang, Y.*, +, *TPEL Feb. 2020 1525-1535*

A Modified Y-Source DC–DC Converter With High Voltage-Gains and Low Switch Stresses. *Yuan, J.*, +, *TPEL Aug. 2020 7716-7720*

A Modular Low Current Ripple Electrolysis Power Supply Based on Multiphase Half-Bridge High-Frequency Inverters. *Xiao, H., TPEL Oct. 2020 10088-10096*

A Modular Multilevel Resonant DC–DC Converter. *Shao, S.*, +, *TPEL Aug. 2020 7921-7932*

A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*

A Multiple Modular Isolated DC/DC Converter With Bidirectional Fault Handling and Efficient Energy Conversion for DC Distribution Network. *Wang, Y.*, +, *TPEL Nov. 2020 11502-11517*

A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*

A New Soft-Switched Three-Port DC/DC Converter With High Voltage Gain and Reduced Number of Semiconductors for Hybrid Energy Applications. *Dobakhshari, S.S.*, +, *TPEL April 2020 3590-3600*

A Nonisolated Symmetric Bipolar Output Four-Port Converter Interfacing PV-Battery System. *Tian, Q.*, +, *TPEL Nov. 2020 11731-11744*

A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*

A Novel DCM Soft-Switched SEPIC-Based High-Frequency Converter With High Step-Up Capacity. *Gao, S.*, +, *TPEL Oct. 2020 10444-10454*

A Novel Dual-Input High-Gain Transformerless Multilevel Single-Phase Microinverter for PV Systems. *Ibrahim, E.A.D.*, +, *TPEL May 2020 4703-4714*

A Novel Integrated Step-Up Hybrid Converter With Wide Conversion Ratio. *Marconi, S.*, +, *TPEL March 2020 2764-2775*

A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*

A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*

A Novel Primary-Side Regulation Control Scheme for CCM and DCM *LLC* LED Driver Based on "Magnetizing Current Cancellation Method". *Dong, H.*, +, *TPEL Nov. 2020 12223-12237*

A Novel ZVS High-Step-Up Converter With Built-In Transformer Voltage Multiplier Cell. *Nouri, T.*, +, *TPEL Dec. 2020 12871-12886*

A Simple Phase-Shift Modulation Using Parabolic Carrier for Dual Active Bridge DC–DC Converter. *Liu, Y.*, +, *TPEL Aug. 2020 7729-7734*

A Simplified Stator Frequency and Power Control Method of DFIG-DC System Without Stator Voltage and Current Sensors. *Wu, C.*, +, *TPEL June 2020 5562-5566*

A Single-Inductor Multiple-Output Buck/Boost DC–DC Converter With Duty-Cycle and Control-Current Predictor. *Zheng, Y.*, +, *TPEL Nov. 2020 12022-12039*

A Single-Switch Single-Magnetic Core High Conversion Ratio Converter With Low Input Current Ripple and Wide Soft-Switching Range for Photovoltaic Applications. *Heidari, M.*, +, *TPEL July 2020 7226-7234*

A Step-Up Nonisolated Modular Multilevel DC–DC Converter With Self-Voltage Balancing and Soft Switching. *Sun, C.*, +, *TPEL Dec. 2020 13017-13030*

A Study of T-Type and ZVS-PWM Full-Bridge Converters for Switch-Mode Power Supplies. *Khodabakhsh, J.*, +, *TPEL July 2020 7145-7159*

A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs. *Zhang, Y.*, +, *TPEL Feb. 2020 1536-1547*

A Three-Phase Dual-Active-Bridge DC–DC Converter With Reconfigurable Resonant Network for Efficient Wide Voltage Range Operation. *Khan, A.Z.*, +, *TPEL Feb. 2020 1322-1339*

A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine. *Raherimihaja, H.J.*, +, *TPEL Nov. 2020 12122-12132*

A Three-Phase Triple-Voltage Dual-Active-Bridge Converter for Medium Voltage DC Transformer to Reduce the Number of Submodules. *Shu, L.*, +, *TPEL Nov. 2020 11574-11588*

A True-Random-Number-Based Pseudohysteresis Controller for Buck DC–DC Converter in High-Security Internet-of-Everything Devices. *Yang, W.*, +, *TPEL March 2020 2969-2978*

A Unified State-Space Modeling Method for a Phase-Shift Controlled Bidirectional Dual-Active Half-Bridge Converter. *Shi, H.*, +, *TPEL March 2020 3254-3265*

A Zero-Voltage and Zero-Current Switching Interleaved Two-Switch Forward Converter With Passive Auxiliary Resonant Circuit. *Chu, E.*, +, *TPEL May 2020 4859-4876*

A Zero-Voltage-Switching, Physically Flexible Multilevel GaN DC–DC Converter. *Chou, D.*, +, *TPEL Jan. 2020 1064-1073*

Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range. *Li, Z.*, +, *TPEL May 2020 5354-5365*

Active Saturation Mitigation in High-Density Dual-Active-Bridge DC–DC Converter for On-Board EV Charger Applications. *Assadi, S.A.*, +, *TPEL April 2020 4376-4387*

Active Voltage Sharing Module for Input-Series Connected Modular DC/DC Converters. *Duan, J.*, +, *TPEL June 2020 5987-6000*
Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*
Advanced Discontinuous Modulation for Thermally Compensated Modular Smart Transformers. *Ko, Y.*, +, *TPEL March 2020 2445-2457*
An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*
An Enhanced Static Compensator With DC-Link Voltage Shaping Method. *Jeon, Y.*, +, *TPEL March 2020 2488-2500*
An Integrated Cascade Structure-Based Isolated Bidirectional DC–DC Converter for Battery Charge Equalization. *Qi, X.*, +, *TPEL Nov. 2020 12003-12021*
An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*
An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*
An Overview and Comprehensive Comparative Evaluation of Current-Fed-Isolated-Bidirectional DC/DC Converter. *Pan, X.*, +, *TPEL March 2020 2737-2763*
An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*
Analysis and Modeling of a New Coupled-Inductor Buck–Boost DC–DC Converter for Renewable Energy Applications. *Hasanpour, S.*, +, *TPEL Aug. 2020 8088-8101*
Analysis of a Sliding Mode DC–DC Boost Converter Through LPRS of a Nonlinear Plant. *AlZawaideh, A.*, +, *TPEL Nov. 2020 12321-12331*
Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer. *Zhu, R.*, +, *TPEL July 2020 6895-6905*
Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter. *Pineda, C.*, +, *TPEL July 2020 6906-6915*
Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5397-5407*
Bidirectional Buck–Boost Current-Fed Isolated DC–DC Converter and Its Modulation. *Wu, F.*, +, *TPEL May 2020 5506-5516*
Bidirectional LCLL Resonant Converter With Wide Output Voltage Range. *Zhang, Y.*, +, *TPEL Nov. 2020 11813-11826*
Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL May 2020 5132-5143*
Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*
Cascaded MVDC Integration Interface for Multiple DERs With Enhanced Wide-Range Operation Capability: Concepts and Small-Signal Analysis. *Li, X.*, +, *TPEL Feb. 2020 1182-1188*
Characterization and Modeling of Frequency-Dependent On-Resistance for GaN Devices at High Frequencies. *Wang, K.*, +, *TPEL May 2020 4925-4933*
Class-E Isolated DC–DC Converter With High-Rate and Cost-Effective Bidirectional Data Channel. *Pareschi, F.*, +, *TPEL May 2020 5304-5318*
Coat Circuits for DC–DC Converters to Improve Voltage Conversion Ratio. *Zhu, B.*, +, *TPEL April 2020 3679-3687*
Complete Family of Two-Stage Single-Input Multioutput Configurations of Interconnected Power Converters. *Li, X.L.*, +, *TPEL April 2020 3713-3728*
Composite DC Power Flow Controller. *Zhong, X.*, +, *TPEL April 2020 3530-3542*
Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*
Comprehensive Analytics for Reliability Evaluation of Conventional Isolated Multiswitch PWM DC–DC Converters. *Tarzamni, H.*, +, *TPEL May 2020 5254-5266*
Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter. *Liu, J.*, +, *TPEL Jan. 2020 826-834*
Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*
Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*
Controllable Electrochemical Impedance Spectroscopy: From Circuit Design to Control and Data Analysis. *Sadeghi, E.*, +, *TPEL Sept. 2020 9933-9942*
Conversion Efficiency of the Buck Three-Level DC–DC Converter in Unbalanced Bipolar DC Microgrids. *Broeck, G.V.d.*, +, *TPEL Sept. 2020 9306-9319*
Coupled Inductor-Based High Voltage Gain DC–DC Converter For Renewable Energy Applications. *Mirzaee, A.*, +, *TPEL July 2020 7045-7057*
Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*
DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation. *Hajihosseini, M.*, +, *TPEL Oct. 2020 9971-9977*
DC-DC Converter Synthesis: An Inverse Problem. *Panigrahi, R.*, +, *TPEL Dec. 2020 12633-12638*
Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*
Derivation of Single-Input Dual-Output Converters With Simple Control and No Cross Regulation. *Dong, Z.*, +, *TPEL Nov. 2020 11930-11941*
Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC–DC Converter Using SiC-MOSFET/SBD H-Bridge Modules. *Haneda, R.*, +, *TPEL Oct. 2020 10013-10025*
Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking. *Hussein, A.A.*, +, *TPEL May 2020 4780-4790*
Design of a Paralleled SiC MOSFET Half-Bridge Unit With Distributed Arrangement of DC Capacitors. *Qu, J.*, +, *TPEL Oct. 2020 10879-10891*
Design of Inductive Power Transfer System With a Behavior of Voltage Source in Open-Loop Considering Wide Mutual Inductance Variation. *Delgado, A.*, +, *TPEL Nov. 2020 11453-11462*
Design Optimization of Two-Quadrant High-Current Low-Voltage Power Supply. *Coulinge, E.*, +, *TPEL Nov. 2020 11602-11611*
Design-Oriented Comprehensive Time-Domain Model for *CLLC* Class Isolated Bidirectional DC-DC Converter for Various Operation Modes. *Sun, J.*, +, *TPEL April 2020 3491-3505*
Dual-Period-Decoupled Space Vector Phase-Shifted Modulation for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Li, X.*, +, *TPEL June 2020 6447-6457*
Dynamic Temperature Measurements of a GaN DC–DC Boost Converter at MHz Frequencies. *Matei, C.*, +, *TPEL Aug. 2020 8303-8310*
Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*
Efficiency Improvement of Wireless Power Transfer Based on Multitransmitter System. *Yan, Z.*, +, *TPEL Sept. 2020 9011-9023*
Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*
Efficient High Step-Up Operation in Boost Converters Based on Impulse Rectification. *Samizadeh Nikoo, M.*, +, *TPEL Nov. 2020 11287-11293*
Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*
Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*
Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*

Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application. *Sharma, R.*, +, *TPEL June 2020 5683-5691*

Extended State Observer-Based Control of DC–DC Converters for Fuel Cell Application. *Zhuo, S.*, +, *TPEL Sept. 2020 9923-9932*

Fast SPICE-Compatible Simulation of Low-Power On-Chip PWM DC–DC Converters With Improved Ripple Accuracy. *Burcea, F.*, +, *TPEL Aug. 2020 8173-8185*

Fault-Tolerant Operation of a TLC-MMC Hybrid DC-DC Converter for Interconnection of MVDC and HVdc Grids. *Cui, S.*, +, *TPEL Jan. 2020 83-93*

General High-Frequency-Link Analysis and Application of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL Aug. 2020 8673-8688*

General Method for Synthesizing High Gain Step-Up DC–DC Converters Based on Differential Connections. *de Andrade, J.M.*, +, *TPEL Dec. 2020 13239-13254*

High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*

High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application. *Liu, T.*, +, *TPEL Nov. 2020 11770-11782*

High-Efficiency High-Power-Density *CLLC* Resonant Converter With Low-Stray-Capacitance and Well-Heat-Dissipated Planar Transformer for EV On-Board Charger. *Zhang, Z.*, +, *TPEL Oct. 2020 10831-10851*

High-Efficiency Hybrid Dual-Path Step-Up DC–DC Converter With Continuous Output-Current Delivery for Low Output Voltage Ripple. *Shin, S.*, +, *TPEL June 2020 6025-6038*

High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations. *Dao, N.D.*, +, *TPEL Oct. 2020 10455-10465*

High-Efficiency Three-Level DC–DC Converter With Reduced Circulating Current and Rectifier Voltage Stress. *Kim, K.*, +, *TPEL March 2020 2668-2679*

High-Performance Megahertz-Frequency Resonant DC–DC Converter for Automotive LED Driver Applications. *Khatua, M.*, +, *TPEL Oct. 2020 10396-10412*

Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages. *Bai, C.*, +, *TPEL April 2020 3636-3650*

Hybrid Buck–Boost Multioutput Quasi-Z-Source Converter With Dual DC and Single AC Outputs. *Shiluveru, K.*, +, *TPEL July 2020 7246-7260*

Impact of Inductors Saturation on Peak-Current Mode Control Operation. *Femia, N.*, +, *TPEL Oct. 2020 10969-10981*

Impact on ZVS Operation by Splitting Inductance to Both Sides of Transformer for 1-MHz GaN Based DAB Converter. *Xiao, Y.*, +, *TPEL Nov. 2020 11988-12002*

Improved Bootstrap Methods for Powering Floating Gate Drivers of Flying Capacitor Multilevel Converters and Hybrid Switched-Capacitor Converters. *Ye, Z.*, +, *TPEL June 2020 5965-5977*

Improvement of ZVS Range and Current Quality of the Nine-Switch Single-Stage AC–DC Converter. *Ali, K.*, +, *TPEL May 2020 4658-4668*

Input-Independent and Output-Series Connected Modular DC–DC Converter With Intermodule Power Balancing Units for MVdc Integration of Distributed PV. *Li, X.*, +, *TPEL Feb. 2020 1622-1636*

Integrated Coupled Inductors With Functionality of Current Balancing Transformer for Two-Phase Synchronous DC–DC Converters. *Dou, Y.*, +, *TPEL May 2020 4472-4476*

Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter. *Nandi, P.*, +, *TPEL Nov. 2020 11965-11975*

Interleaved Multilevel Boost Converter With Minimal Voltage Multiplier Components for High-Voltage Step-Up Applications. *Meraj, M.*, +, *TPEL Dec. 2020 12816-12833*

IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*

ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*

Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*

Limit-Cycle-Free Digitally Controlled DC–DC Converters Based on Dyadic Digital PWM. *Crovetti, P.S.*, +, *TPEL Oct. 2020 11155-11166*

Load Transient Response Analysis of Constant On-Time DC–DC Converters Using a State-Variables Approach. *Bizzarri, F.*, +, *TPEL May 2020 4489-4499*

Mechanism Model and Prediction Method of Common Mode Radiation for a Nonisolated Very-High-Frequency DC–DC Converter With Cables. *He, J.*, +, *TPEL Oct. 2020 10227-10237*

Minimizing Ripples of Inductor Currents in Coupled SIDO Boost Converter by Shift of Gate Pulses. *Nupur, .*, +, *TPEL Feb. 2020 1217-1226*

Minimum Distortion Point Tracking. *Poon, J.*, +, *TPEL Oct. 2020 11013-11025*

Mixed Analog–Digital (MAD) Converters for High Power Density DC–DC Conversions. *Zhao, H.*, +, *TPEL Aug. 2020 7742-7748*

Model Predictive Control for the Receiving-Side DC–DC Converter of Dynamic Wireless Power Transfer. *Zhou, Z.*, +, *TPEL Sept. 2020 8985-8997*

Model Predictive Voltage and Power Control of Islanded PV-Battery Microgrids With Washout-Filter-Based Power Sharing Strategy. *Shan, Y.*, +, *TPEL Feb. 2020 1227-1238*

Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*

Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies. *Leterme, W.*, +, *TPEL June 2020 5753-5769*

Modified Auxiliary-Resonant Commutated Pole Applied in a Three-Phase Dual-Active Bridge DC/DC Converter. *Voss, J.*, +, *TPEL Feb. 2020 1256-1268*

Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*

Moving Discretized Control Set Model-Predictive Control for Dual-Active Bridge With the Triple-Phase Shift. *Chen, L.*, +, *TPEL Aug. 2020 8624-8637*

Multimode Smooth Switching Strategy for Eliminating the Operational Dead Zone in Noninverting Buck–Boost Converter. *Jia, L.*, +, *TPEL March 2020 3106-3113*

Multiport DC–DC Converter With Step-Up Capability and Reduced Voltage Stress on Switches/Diodes. *Jalilzadeh, T.*, +, *TPEL Nov. 2020 11902-11915*

Multipower-Level Hysteresis Control for the Class E DC–DC Converters. *Li, Y.*, +, *TPEL May 2020 5279-5289*

New Expandable Switched-Capacitor/Switched-Inductor High-Voltage Conversion Ratio Bidirectional DC–DC Converter. *Fardahar, S.M.*, +, *TPEL March 2020 2480-2487*

Noninverting Buck–Boost DC–DC Converter Using a Duobinary-Encoded Single-Bit Delta-Sigma Modulator. *Cho, Y.*, +, *TPEL Jan. 2020 484-495*

Nonisolated Multiport Converters Based on Integration of PWM Converter and Phase-Shift-Switched Capacitor Converter. *Sato, Y.*, +, *TPEL Jan. 2020 455-470*

Novel Active-Neutral-Point-Clamped Inverters With Improved Voltage-Boosting Capability. *Lee, S.S.*, +, *TPEL June 2020 5978-5986*

Novel High Step-Up Soft-Switching DC–DC Converter Based on Switched Capacitor and Coupled Inductor. *Zhang, X.*, +, *TPEL Sept. 2020 9471-9481*

On Beat Frequency Oscillation of Two-Stage Wireless Power Receivers. *Li, K.*, +, *TPEL Dec. 2020 12741-12751*

Online Anomaly Detection in DC/DC Converters by Statistical Feature Estimation Using GPR and GA. *Jiang, Y.*, +, *TPEL Oct. 2020 10945-10957*

Online Impedance Measurement of Batteries Using the Cross-Correlation Technique. *Gucin, T.N.*, +, *TPEL April 2020 4365-4375*

Open-Phase Fault-Tolerant Operation of the Three-Phase Dual Active Bridge Converter. *Berger, M.*, +, *TPEL April 2020 3651-3662*

Operational Principles of Three-Phase Single Active Bridge DC/DC Converters Under Duty Cycle Control. *Sang, Y.*, +, *TPEL Aug. 2020 8737-8750*

Optimal Modulation for a Fifth-Order Dual-Active-Bridge Resonant Immittance DC–DC Converter. *Yaqoob, M.*, +, *TPEL Jan. 2020 70-82*
Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*
Optimum Boundary Inductance Control Concerning Limited PF for a DCM Boost PFC Converter. *Yao, K.*, +, *TPEL Jan. 2020 443-454*
Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids. *Zhang, Q.*, +, *TPEL July 2020 7001-7014*
Output-Series Modular DC–DC Converter With Self-Voltage Balancing for Integrating Variable Energy Sources. *Sun, C.*, +, *TPEL Nov. 2020 11321-11327*
Overview and Comparison of Modulation and Control Strategies for a Nonresonant Single-Phase Dual-Active-Bridge DC–DC Converter. *Hou, N.*, +, *TPEL March 2020 3148-3172*
Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier. *Kumar, N.*, +, *TPEL Oct. 2020 10008-10012*
Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches. *Li, Z.*, +, *TPEL Aug. 2020 8512-8523*
Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*
Power-Linked Predictive Control Strategy for Power Electronic Traction Transformer. *Zhao, N.*, +, *TPEL June 2020 6559-6571*
Properties and Synthesis of Lossless Snubbers and Passive Soft-Switching PWM Converters. *Yu, X.*, +, *TPEL April 2020 3807-3827*
Reactive Power Elimination for High Conversion-Ratio Bidirectional Resonant Converter. *Seok, H.*, +, *TPEL April 2020 3740-3753*
Reactive Power Optimization Control for Bidirectional Dual-Tank Resonant DC–DC Converters for Fuel Cells Systems. *Wu, J.*, +, *TPEL Sept. 2020 9202-9214*
Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*
Reconfigurable Hybrid Energy Storage System for an Electric Vehicle DC–AC Inverter. *Salari, O.*, +, *TPEL Dec. 2020 12846-12860*
Reconfigurable Nonisolated DC–DC Converter With Fault-Tolerant Capability. *Soon, J.L.*, +, *TPEL Sept. 2020 8934-8943*
Removal of Instantaneous Reactive Power From High-Conversion-Ratio Bidirectional Resonant Converter With Balanced Capacitor Voltage. *Son, S.*, +, *TPEL Nov. 2020 11916-11929*
Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*
Semiconductor-Based Galvanic Isolation: Touch Current Suppression. *Yao, C.*, +, *TPEL Jan. 2020 48-58*
Semiresonant Half-Bridge Zeta Converter With Reduced Turn-OFF Currents for High-Efficiency Power Supply. *Baek, J.*, +, *TPEL May 2020 4547-4557*
Separate Power Allocation and Control Method Based on Multiple Power Channels for Wireless Power Transfer. *Huang, Y.*, +, *TPEL Sept. 2020 9046-9056*
Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*
Single-Inductor Multi-Input Multi-Output DC–DC Converter With High Flexibility and Simple Control. *Li, X.L.*, +, *TPEL Dec. 2020 13104-13114*
Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*
Single-Phase AC–DC Converter With Dual-Output Rectifier, Dual-Input DC Transformer, and Voltage-Split/Sigma Principle. *Jia, Y.*, +, *TPEL Jan. 2020 158-168*
Single-Phase Bridgeless PFC Topology Derivation and Performance Benchmarking. *Chen, Z.*, +, *TPEL Sept. 2020 9238-9250*
Single-Stage Bidirectional Buck–Boost Inverters Using a Single Inductor and Eliminating the Common-Mode Leakage Current. *Khan, A.A.*, +, *TPEL Feb. 2020 1269-1281*
Small Signal Modeling and Design Analysis for Boost Converter With Valley V^2 Control. *Leng, M.*, +, *TPEL Dec. 2020 13475-13487*
Small-Signal Modeling of *LLC* Converters Using Homopolarity Cycle. *Mohammadi, M.*, +, *TPEL April 2020 4076-4093*
Soft-Start Procedure for a Three-Stage Smart Transformer Based on Dual-Active Bridge and Cascaded H-Bridge Converters. *Pugliese, S.*, +, *TPEL Oct. 2020 11039-11052*
Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*
Symmetric Dual-Switch Converter. *Tang, Y.*, +, *TPEL Nov. 2020 11955-11964*
Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*
The Cascaded Resonant Converter: A Hybrid Switched-Capacitor Topology With High Power Density and Efficiency. *Ye, Z.*, +, *TPEL May 2020 4946-4958*
The Current Shaping Modular Multilevel DC–DC Converter. *Gray, P.A.*, +, *TPEL Oct. 2020 10050-10063*
The Modular Multilevel DC Converter With Inherent Minimization of Arm Current Stresses. *Li, Y.*, +, *TPEL Dec. 2020 12787-12800*
The Three-Terminal Converter Cell, Graphs, and Generation of DC-to-DC Converter Families. *Marquez, R.*, +, *TPEL Aug. 2020 7725-7728*
Three Phase Current-Fed Semi Dual Active Bridge DC–DC Converter With Hybrid Operating Mode Control. *Chen, D.*, +, *TPEL Feb. 2020 1649-1658*
Three-Port Full-Bridge Bidirectional Converter for Hybrid DC/DC/AC Systems. *Neira, S.*, +, *TPEL Dec. 2020 13077-13084*
Topology Analysis and Review of Three-Port DC–DC Converters. *Wang, Z.*, +, *TPEL Nov. 2020 11783-11800*
Trapezoidal Current Modulation for Bidirectional High-Step-Ratio Modular DC–DC Converters. *Qiao, Y.*, +, *TPEL April 2020 3402-3415*
Ultra-Wide Output Voltage Range Power Supply Based on Modular Switched-Converter Principle. *Lu, Y.*, +, *TPEL Jan. 2020 94-106*
Ultrahigh-Voltage Switch for Bidirectional DC–DC Converter Driving Dielectric Elastomer Actuator. *Pniak, L.*, +, *TPEL Dec. 2020 13172-13181*
Variable-Width Hysteretic Analog Control for QSW-ZVS and TCM Source/Sink Converters. *Vazquez, A.*, +, *TPEL March 2020 3195-3207*
Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*
Voltage Self-Balance Mechanism Based on Zero-Voltage Switching for Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL Oct. 2020 10078-10087*
Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. *Yang, Q.*, +, *TPEL Dec. 2020 13053-13067*
ZVZCS Full-Bridge Three-Level DC/DC Converter With Reduced Device Count. *Liu, D.*, +, *TPEL Oct. 2020 9965-9970*

Decentralized control

A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids. *Liu, B.*, +, *TPEL Nov. 2020 11634-11651*
Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*
Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*
Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*
Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*
On the Secondary Control Architectures of AC Microgrids: An Overview. *Khayat, Y.*, +, *TPEL June 2020 6482-6500*

Decision making

A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*

Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*

Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*

Decoding

Long-Horizon Finite-Control-Set Model Predictive Control With Nonrecursive Sphere Decoding on an FPGA. *Dorfling, T.*, +, *TPEL July 2020 7520-7531*

Degradation

Application of EMR Signature in Health Assessment and Monitoring of IGBT-Based Converters. *Biswas, R.*, +, *TPEL Feb. 2020 1899-1906*

Delay circuits

A Current-Mode Delay-Based Hysteretic Buck Regulator With Enhanced Efficiency at Ultra-Light Loads for Low-Power Microcontrollers. *Ahmed, M.S.*, +, *TPEL Jan. 2020 471-483*

Delay effects

Control-Oriented Modeling of Wireless Power Transfer Systems With Phase-Shift Control. *Chen, F.*, +, *TPEL Feb. 2020 2119-2134*

Delay estimation

Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*

Delay systems

High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*

Delays

A Fast Positive Sequence Components Extraction Method With Noise Immunity in Unbalanced Grids. *Du, L.*, +, *TPEL July 2020 6682-6685*

Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*

Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range. *Li, Z.*, +, *TPEL May 2020 5354-5365*

Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*

Data-Driven Modeling of Wireless Power Transfer Systems With Multiple Transmitters. *Chen, F.*, +, *TPEL Nov. 2020 11363-11379*

Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*

Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*

Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*

Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*

Modified Auxiliary-Resonant Commutated Pole Applied in a Three-Phase Dual-Active Bridge DC/DC Converter. *Voss, J.*, +, *TPEL Feb. 2020 1256-1268*

Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*

Passivity-Based Design of Plug-and-Play Current-Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Feb. 2020 2135-2150*

Robust High-Rate Secondary Control of Microgrids With Mitigation of Communication Impairments. *Heydari, R.*, +, *TPEL Nov. 2020 12486-12496*

Robust Quasi-Predictive Control of *L*+*C*+*L*-Filtered Grid Converters. *Dragicevic, T.*, +, *TPEL Feb. 2020 1934-1946*

Virtual-Flux-Based Passivation of Current Control for Grid-Connected VSCs. *Wu, H.*, +, *TPEL Dec. 2020 12673-12677*

Delta-sigma modulation

Noninverting Buck–Boost DC–DC Converter Using a Duobinary-Encoded Single-Bit Delta-Sigma Modulator. *Cho, Y.*, +, *TPEL Jan. 2020 484-495*

Predictive Delta Sigma Modulation for Three-Phase to Three-Phase Matrix Converters. *Mir, T.N.*, +, *TPEL Jan. 2020 968-976*

Demagnetization

A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss. *Zhang, H.*, +, *TPEL March 2020 2831-2842*

Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*

PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*

Demand side management

Integration of Flexible Loads and Electric Spring Using a Three-Phase Inverter. *Liu, H.*, +, *TPEL Aug. 2020 8013-8024*

Demodulation

A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*

The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine. *Wei, J.*, +, *TPEL Aug. 2020 8384-8395*

Density measurement

High Power Density 48–12 V DCX With 3-D PCB Winding Transformer. *Li, G.*, +, *TPEL Feb. 2020 1189-1193*

Subtraction-Mode Switched-Capacitor Converters With Parasitic Loss Reduction. *Jiang, J.*, +, *TPEL Feb. 2020 1200-1204*

Design engineering

Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph. *Deng, T.*, +, *TPEL Dec. 2020 13465-13474*

Design methodology

Simplified Resonant Parameter Design of the Asymmetrical *CLLC*-Type DC Transformer in the Renewable Energy System via Semi-Artificial Intelligent Optimal Scheme. *Huang, J.*, +, *TPEL Feb. 2020 1548-1562*

Detonation

Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic. *Zhang, Q.*, +, *TPEL March 2020 2908-2916*

Dielectric losses

Novel iGSE-C Loss Modeling of X7R Ceramic Capacitors. *Menzi, D.*, +, *TPEL Dec. 2020 13367-13383*

Differential equations

A New Geometric Vector Optimization of Predictive Direct Power Control. *Yan, S.*, +, *TPEL May 2020 5427-5436*

Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*

Digital control

A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*

A Simple Method for Passivity Enhancement of Current Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Aug. 2020 7735-7741*

An Adaptive Sensorless Control Technique for a Flyback-Type Solar Tile Microinverter. *Falconar, N.*, +, *TPEL Dec. 2020 13554-13562*

An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller. *Kolluri, S.*, +, *TPEL Sept. 2020 9839-9849*

Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*

Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*

Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*

Digital CPM Controller for a Non-Inverting Buck–Boost Converter With Unified Hardware for Steady-State and Optimized Transient Conditions. *Urkin, T.*, +, *TPEL Aug. 2020 8794-8804*
Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*
Extensions of Leading-Edge Modulated One-Cycle Control for Totem-Pole Bridgeless Rectifiers. *Fischer, G.d.S.*, +, *TPEL May 2020 5447-5460*
Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers. *Yang, Y.*, +, *TPEL Oct. 2020 11026-11038*
FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*
Generalized Chudnovsky Algorithm for Real-Time PWM Selective Harmonic Elimination/Modulation: Two-Level VSI Example. *Janabi, A.*, +, *TPEL May 2020 5437-5446*
Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*
Limit-Cycle-Free Digitally Controlled DC–DC Converters Based on Dyadic Digital PWM. *Crovetti, P.S.*, +, *TPEL Oct. 2020 11155-11166*
Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*
Multimode Smooth Switching Strategy for Eliminating the Operational Dead Zone in Noninverting Buck–Boost Converter. *Jia, L.*, +, *TPEL March 2020 3106-3113*
New Digital Control Method for Improving Dynamic Response of Synchronous Rectified PSR Flyback Converter With CCM and DCM Modes. *Xu, S.*, +, *TPEL Nov. 2020 12347-12358*
Online Impedance Measurement of Batteries Using the Cross-Correlation Technique. *Gucin, T.N.*, +, *TPEL April 2020 4365-4375*
Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids. *Zhang, Q.*, +, *TPEL July 2020 7001-7014*
Real-Time Calculation Method for Single-Phase Cascaded H-Bridge Inverters Based on Phase-Shifted Carrier Pulsewidth Modulation. *Ma, J.*, +, *TPEL Jan. 2020 977-987*
Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*
Sensorless Ripple Current Mode Control to Achieve Inductor-Deviation-Tolerant BCM Operation for Boost Converter. *Lyu, D.*, +, *TPEL Nov. 2020 12359-12369*
Synchronous Commutation Control of Doubly Salient Motor Drive With Adaptive Angle Optimization. *Bian, Z.*, +, *TPEL June 2020 6070-6081*
Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. *Yang, Q.*, +, *TPEL Dec. 2020 13053-13067*

Digital filters

Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping. *Yao, W.*, +, *TPEL March 2020 3114-3126*

Digital signal processing chips

A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*
A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*
A Novel Configuration of Cross-Switched T-Type (CT-Type) Multilevel Inverter. *Meraj, S.T.*, +, *TPEL April 2020 3688-3696*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Phase-Locked Loop Combined With Chained Trigger Mode Used for Impedance Matching in Wireless High Power Transfer. *Jiang, Y.*, +, *TPEL April 2020 4272-4285*

Diodes

1-kW Boost-type PFC Using a Low-Voltage Series Pass Module for Input Current Shaping. *Tung, C.*, +, *TPEL July 2020 7596-7611*
A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*
A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*
A Family of High Step-Up Cascade DC–DC Converters With Clamped Circuits. *Ai, J.*, +, *TPEL May 2020 4819-4834*
A Family of Step-Up Series–Parallel Dual Resonant Switched-Capacitor Converters With Wide Regulation Range. *Xie, W.*, +, *TPEL March 2020 2724-2736*
A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*
A Multiphase Resonance-Based Boosting Rectifier With Dual Outputs for Wireless Power Transmission. *Lim, J.*, +, *TPEL March 2020 2680-2689*
An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*
An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*
An Improved Three-Phase Buck Rectifier Topology With Reduced Voltage Stress on Transistors. *Lei, J.*, +, *TPEL March 2020 2458-2466*
An Ultrahigh Voltage Gain Hybrid-Connected Boost Converter With Ultralow Distributed Voltage Stress. *Hu, X.*, +, *TPEL Oct. 2020 10385-10395*
Analysis and Design of a Single-Switch High Step-Up Coupled-Inductor Boost Converter. *Zheng, Y.*, +, *TPEL Jan. 2020 535-545*
Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer. *Zhu, R.*, +, *TPEL July 2020 6895-6905*
Design and Implementation of Half-Bridge Resonant Converter With Novel Primary-Side Control. *Liang, T.*, +, *TPEL May 2020 5408-5416*
Half-Bridge Integrated Phase-Shifted Full-Bridge Converter With High Efficiency Using Center-Tapped Clamp Circuit for Battery Charging Systems in Electric Vehicles. *Lim, C.*, +, *TPEL May 2020 4934-4945*
Improved Bootstrap Methods for Powering Floating Gate Drivers of Flying Capacitor Multilevel Converters and Hybrid Switched-Capacitor Converters. *Ye, Z.*, +, *TPEL June 2020 5965-5977*
Novel High Step-Up Soft-Switching DC–DC Converter Based on Switched Capacitor and Coupled Inductor. *Zhang, X.*, +, *TPEL Sept. 2020 9471-9481*
Open-Circuit Fault Diagnosis of Rotating Rectifier by Analyzing the Exciter Armature Current. *Sun, C.*, +, *TPEL June 2020 6373-6385*
ZVZCS Full-Bridge Three-Level DC/DC Converter With Reduced Device Count. *Liu, D.*, +, *TPEL Oct. 2020 9965-9970*

Discharges (electric)

High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*

Discrete cosine transforms

Simplified Resonant Parameter Design of the Asymmetrical *CLLC*-Type DC Transformer in the Renewable Energy System via Semi-Artificial Intelligent Optimal Scheme. *Huang, J.*, +, *TPEL Feb. 2020 1548-1562*

Discrete systems

A Hybrid Control of a Semidual-Active-Bridge DC–DC Converter With Minimum Current Stress. *Lu, M.*, +, *TPEL March 2020 3085-3096*
An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*
Moving Discretized Control Set Model-Predictive Control for Dual-Active Bridge With the Triple-Phase Shift. *Chen, L.*, +, *TPEL Aug. 2020 8624-8637*

Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*

Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*

Discrete time systems

Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters. *Niyomsatian, K.*, +, *TPEL July 2020 7583-7595*

Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*

Discrete-Time Modeling and Control Based on Field Orientation for Induction Motors. *Dominguez, J.R.*, +, *TPEL Aug. 2020 8779-8793*

Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*

Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*

Discrete wavelet transforms

Two-Step HNN-Based Pattern Recognition Combining DWT-Based Multi-Resolution Analysis for Rechargeable Cells Distinction. *Lee, S.*, +, *TPEL Nov. 2020 11891-11901*

Distortion

A Model-Based Strategy With Robust Parameter Mismatch for Online HRC Diagnosis and Location in PMSM Drive System. *Hang, J.*, +, *TPEL Oct. 2020 10917-10929*

Distributed control

A Modular Battery Voltage-Balancing System Using a Series-Connected Topology. *Tavakoli, A.*, +, *TPEL June 2020 5952-5964*

An Event-Driven Resilient Control Strategy for DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 13714-13724*

Control Conflict Suppressing and Stability Improving for an MMC Distributed Control System. *Yang, S.*, +, *TPEL Dec. 2020 13735-13747*

Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*

Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*

Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*

Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*

On the Secondary Control Architectures of AC Microgrids: An Overview. *Khayat, Y.*, +, *TPEL June 2020 6482-6500*

Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters. *Wu, X.*, +, *TPEL Sept. 2020 9865-9885*

Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*

Distributed power generation

A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*

A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*

A New Energy Management Control Method for Energy Storage Systems in Microgrids. *Hajebrahimi, H.*, +, *TPEL Nov. 2020 11612-11624*

A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*

A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*

A Nonisolated Symmetric Bipolar Output Four-Port Converter Interfacing PV-Battery System. *Tian, Q.*, +, *TPEL Nov. 2020 11731-11744*

A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*

A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*

A Single-Stage Fault-Tolerant Three-Phase Bidirectional AC/DC Converter With Symmetric High-Frequency Y-Δ Connected Transformers. *Gu, L.*, +, *TPEL Sept. 2020 9226-9237*

A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids. *Liu, B.*, +, *TPEL Nov. 2020 11634-11651*

A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability. *Meng, X.*, +, *TPEL Sept. 2020 9794-9812*

An Active Boost Power Converter for Improving the Performance of Switched Reluctance Generators in DC Generating Systems. *Wang, Q.*, +, *TPEL May 2020 4741-4755*

An Event-Driven Resilient Control Strategy for DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 13714-13724*

An Impedance-Based Stability Assessment Methodology for DC Distribution Power System With Multivoltage Levels. *Pan, P.*, +, *TPEL April 2020 4033-4047*

An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*

Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*

Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer. *Zhu, R.*, +, *TPEL July 2020 6895-6905*

Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5397-5407*

Communication-Independent Power Balance Control for Solid State Transformer Interfaced Multiple Power Conversion Systems. *Nie, J.*, +, *TPEL April 2020 4256-4271*

Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*

Conversion Efficiency of the Buck Three-Level DC–DC Converter in Unbalanced Bipolar DC Microgrids. *Broeck, G.V.d.*, +, *TPEL Sept. 2020 9306-9319*

DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation. *Hajihosseini, M.*, +, *TPEL Oct. 2020 9971-9977*

Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*

Design and Experimental Verification of an Efficient SSCB Based on CS-MCT. *Xu, X.*, +, *TPEL Nov. 2020 11682-11693*

Design of Control System for Smooth Mode-Transfer of Grid-Tied Mode and Islanding Mode in Microgrid. *Gao, M.*, +, *TPEL June 2020 6419-6435*

Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*

Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*

Fuse-Based Short-Circuit Protection of Converter Controlled Low-Voltage DC Grids. *Ravyts, S.*, +, *TPEL Nov. 2020 11694-11706*

Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*

Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*

Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*

Inertia Response Improvement in AC Microgrids: A Fuzzy-Based Virtual Synchronous Generator Control. *Karimi, A.*, +, *TPEL April 2020 4321-4331*

Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*
Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*
Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*
IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*
Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*
On the Secondary Control Architectures of AC Microgrids: An Overview. *Khayat, Y.*, +, *TPEL June 2020 6482-6500*
Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. *Guo, B.*, +, *TPEL Dec. 2020 13000-13016*
Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids. *Zhang, Q.*, +, *TPEL July 2020 7001-7014*
Output Impedance Modeling of Single-Phase Grid-Tied Inverters With Capturing the Frequency-Coupling Effect of PLL. *Qian, Q.*, +, *TPEL May 2020 5479-5495*
Output-Series Modular DC–DC Converter With Self-Voltage Balancing for Integrating Variable Energy Sources. *Sun, C.*, +, *TPEL Nov. 2020 11321-11327*
Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*
Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*
Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters. *Wu, X.*, +, *TPEL Sept. 2020 9865-9885*
Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*
Resilient Operation of Heterogeneous Sources in Cooperative DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 12601-12605*
Resistive–Capacitive Output Impedance Shaping for Droop-Controlled Converters in DC Microgrids With Reduced Output Capacitance. *Liu, G.*, +, *TPEL June 2020 6501-6511*
Review and Comparison of Grid-Tied Inverter Controllers in Microgrids. *Liu, Q.*, +, *TPEL July 2020 7624-7639*
Robust High-Rate Secondary Control of Microgrids With Mitigation of Communication Impairments. *Heydari, R.*, +, *TPEL Nov. 2020 12486-12496*
Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*
Selective Harmonic Current Rejection for Virtual Oscillator Controlled Grid-Forming Voltage Source Converters. *Awal, M.A.*, +, *TPEL Aug. 2020 8805-8818*
Small-Signal Modeling and Stability Prediction of Parallel Droop-Controlled Inverters Based on Terminal Characteristics of Individual Inverters. *Wang, S.*, +, *TPEL Jan. 2020 1045-1063*
Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*
Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation. *Zhou, Z.*, +, *TPEL Nov. 2020 12555-12569*
The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*
Topology Analysis and Review of Three-Port DC–DC Converters. *Wang, Z.*, +, *TPEL Nov. 2020 11783-11800*
Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*

Distribution networks
Analysis and Criterion for Inherent Balance Capability in Modular Multilevel DC–AC–DC Converters. *Xiang, X.*, +, *TPEL June 2020 5573-5580*
Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer. *Zhu, R.*, +, *TPEL July 2020 6895-6905*
Disturbance observers
Zynq Implemented Luenberger Disturbance Observer Based Predictive Control Scheme for PMSM Drives. *He, L.*, +, *TPEL Feb. 2020 1770-1778*
Domestic appliances
Practical Design Methodology of IH and IPT Dual-Functional Apparatus. *Kim, M.*, +, *TPEL Sept. 2020 8897-8901*
Doping
Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites. *Wu, G.*, +, *TPEL Feb. 2020 1845-1854*
Driver circuits
A Bidirectional Communicating Power Supply Circuit for Smart Gate Driver Boards. *Weckbrodt, J.*, +, *TPEL Aug. 2020 8540-8549*
A Carrier-Based PWM Control Strategy for Three-Level NPC Inverter Based on Bootstrap Gate Drive Circuit. *Jung, J.*, +, *TPEL March 2020 2843-2860*
A Dual-Switch Discontinuous Current-Source Gate Driver Overcoming the Current Diversion Problem for a Buck VRM. *Mashhadi, I.A.*, +, *TPEL April 2020 3778-3793*
A Flexible Mode Electrolytic Capacitor-Free LED Driver With High Efficiency Over a Wide Range of Input Voltage. *Zeng, J.*, +, *TPEL Aug. 2020 8490-8500*
A High-Power LED Driver Based on Single Inductor-Multiple Output DC–DC Converter With High Dimming Frequency and Wide Dimming Range. *Zhang, Y.*, +, *TPEL Aug. 2020 8501-8511*
A High-Voltage DC–DC Buck Converter With Dynamic Level Shifter for Bootstrapped High-Side Gate Driver and Diode Emulator. *Yuan, B.*, +, *TPEL July 2020 7295-7304*
A Magnetically Controlled Single-Stage AC–DC Converter. *Wei, Y.*, +, *TPEL Sept. 2020 8872-8877*
A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*
A Novel Integrated Step-Up Hybrid Converter With Wide Conversion Ratio. *Marconi, S.*, +, *TPEL March 2020 2764-2775*
A Novel Primary-Side Regulation Control Scheme for CCM and DCM *LLC* LED Driver Based on "Magnetizing Current Cancellation Method". *Dong, H.*, +, *TPEL Nov. 2020 12223-12237*
A Wire Bondless SiC Switching Cell With a Vertically Integrated Gate Driver. *Seal, S.*, +, *TPEL Sept. 2020 9690-9699*
Analysis and Design of the LLC LED Driver Based on State-Space Representation Direct Time-Domain Solution. *Menke, M.F.*, +, *TPEL Dec. 2020 12686-12701*
Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL May 2020 5132-5143*
Charge Pump Gate Drive to Reduce Turn-ON Switching Loss of SiC MOSFETs. *Gui, H.*, +, *TPEL Dec. 2020 13136-13147*
CMOS Active Gate Driver for Closed-Loop d*v*/d*t* Control of GaN Transistors. *Bau, P.*, +, *TPEL Dec. 2020 13322-13332*
Coat Circuits for DC–DC Converters to Improve Voltage Conversion Ratio. *Zhu, B.*, +, *TPEL April 2020 3679-3687*
Design of a High Accuracy PSR CC/CV AC–DC Converter Without Auxiliary Winding. *He, L.*, +, *TPEL Aug. 2020 8165-8172*
Design, Analysis, and Discussion of Short Circuit and Overload Gate-Driver Dual-Protection Scheme for 1.2-kV, 400-A SiC MOSFET Modules. *Sun, K.*, +, *TPEL March 2020 3054-3068*
Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*
Fully Integrated Buck and Boost Converter as a High Efficiency, High-Power-Density Off-Line LED Driver. *Abdelmessih, G.Z.*, +, *TPEL Nov. 2020 12238-12251*
High Off-State Impedance Gate Driver of SiC MOSFETs for Crosstalk Voltage Elimination Considering Common-Source Inductance. *Li, C.*, +, *TPEL March 2020 2999-3011*

High-Performance Megahertz-Frequency Resonant DC–DC Converter for Automotive LED Driver Applications. *Khatua, M.*, +, *TPEL Oct. 2020 10396-10412*

High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*

Improved Bootstrap Methods for Powering Floating Gate Drivers of Flying Capacitor Multilevel Converters and Hybrid Switched-Capacitor Converters. *Ye, Z.*, +, *TPEL June 2020 5965-5977*

Isolated Ultrafast Gate Driver with Variable Duty Cycle for Pulse and VHF Power Electronics. *Zan, X.*, +, *TPEL Dec. 2020 12678-12685*

Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters. *Fan, J.W.*, +, *TPEL March 2020 2519-2533*

Negative Resistance in Cascode Transistors. *Nikoo, M.S.*, +, *TPEL Oct. 2020 9978-9981*

New Bridgeless Power Factor Correction Converter With Simple Gate Driving Circuit and High Efficiency for Server Power Applications. *Lee, Y.*, +, *TPEL Dec. 2020 13148-13156*

Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*

Resonance-Based Optimized Buck LED Driver Using Unequal Turn Ratio Coupled Inductance. *Sangrody, R.*, +, *TPEL Dec. 2020 13068-13076*

Self-Adaptive Active Gate Driver for IGBT Switching Performance Optimization Based on Status Monitoring. *Wang, R.*, +, *TPEL June 2020 6362-6372*

Self-Triggering High-Frequency Nanosecond Pulse Generator. *Zeng, W.*, +, *TPEL Aug. 2020 8002-8012*

Soft-Switching Techniques for Single-Inductor Multiple-Output LED Drivers. *Qu, Y.*, +, *TPEL Dec. 2020 13748-13756*

The Influence of the Gate Driver and Common-Source Inductance on the Short-Circuit Behavior of IGBT Modules and Protection. *Liu, X.*, +, *TPEL Oct. 2020 10789-10798*

Three-Terminal Si/SiC Hybrid Switch. *Song, X.*, +, *TPEL Sept. 2020 8867-8871*

Ultrahigh-Voltage Switch for Bidirectional DC–DC Converter Driving Dielectric Elastomer Actuator. *Pniak, L.*, +, *TPEL Dec. 2020 13172-13181*

Drives

Magnetization State Selection Method for Uncontrolled Generator Fault Prevention on Variable Flux Memory Machines. *Lyu, S.*, +, *TPEL Dec. 2020 13270-13280*

Durability

SiC-Based 4 MHz 10 kW ZVS Inverter With Fast Resonance Frequency Tracking Control for High-Density Plasma Generators. *Park, S.*, +, *TPEL March 2020 3266-3275*

Dynamic response

A Dual-Loop Predictive Control Structure for Permanent Magnet Synchronous Machines With Enhanced Attenuation of Periodic Disturbances. *Song, Z.*, +, *TPEL Jan. 2020 760-774*

A New Single-Stage 48-V-Input VRM Topology Using an Isolated Stacked Half-Bridge Converter. *Khatua, S.*, +, *TPEL Nov. 2020 11976-11987*

A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*

Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*

An Energy Balance Active Disturbance Rejection Control for Improving Converter Stability While Maintaining Fast Dynamic Performance. *Nie, J.*, +, *TPEL Nov. 2020 11304-11309*

Capacitor Voltage Fluctuation Minimization for Four-Level Hybrid Clamped Converter Using Improved Common-Mode Voltage Injection. *Pan, J.*, +, *TPEL July 2020 7563-7573*

Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters. *Rodriguez, E.*, +, *TPEL Aug. 2020 8819-8832*

Deadbeat Direct Torque and Flux Control for Permanent Magnet Synchronous Motor Based on Stator Flux Oriented. *Lin, X.*, +, *TPEL May 2020 5078-5092*

Deadbeat Predictive Current Control for Modular Multilevel Converters With Enhanced Steady-State Performance and Stability. *Wang, J.*, +, *TPEL July 2020 6878-6894*

Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*

FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*

Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*

Improved Transient-Based Overmodulation Method for Increased Torque Capability of Direct Torque Control With Constant Torque-Switching Regulator of Induction Machines. *Alsofyani, I.M.*, +, *TPEL April 2020 3928-3938*

Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*

Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*

Modulated Model Predictive Control for Modular Multilevel Converters With Easy Implementation and Enhanced Steady-State Performance. *Wang, J.*, +, *TPEL Sept. 2020 9107-9118*

MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*

New Digital Control Method for Improving Dynamic Response of Synchronous Rectified PSR Flyback Converter With CCM and DCM Modes. *Xu, S.*, +, *TPEL Nov. 2020 12347-12358*

Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier. *Kumar, N.*, +, *TPEL Oct. 2020 10008-10012*

Robust Loss Minimization for Predictive Direct Torque and Flux Control of an Induction Motor With Electrical Circuit Model. *Eftekhari, S.R.*, +, *TPEL May 2020 5417-5426*

Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*

E

Earthing

Grounding Fault in Series-Connection-Based Offshore Wind Farms: Fault Clearance. *Guo, G.*, +, *TPEL Sept. 2020 9357-9367*

Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Eddy current losses

A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*

A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss. *Zhang, H.*, +, *TPEL March 2020 2831-2842*

Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation. *Sato, Y.*, +, *TPEL Sept. 2020 9661-9668*

Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites. *Wu, G.*, +, *TPEL Feb. 2020 1845-1854*

The Faraday Shields Loss of Transformers. *Shen, Z.*, +, *TPEL Nov. 2020 12194-12206*

Eddy currents

Analytical Optimization of Nonsaturated Thermally Limited High-Frequency Transformer/Inductor Design Considering Discreteness of Design Variables. *Yu, X.*, +, *TPEL June 2020 6231-6250*

Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation. *Sato, Y.*, +, *TPEL Sept. 2020 9661-9668*

Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads. *E. Gaona, D.*, +, *TPEL July 2020 6799-6809*

Education

Erratum to "Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications". *Komathi, C.*, +, *TPEL May 2020 5543*

Eigenvalues and eigenfunctions

A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*

Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*

Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*

Electric admittance

A Nearly Decoupled Admittance Model for Grid-Tied VSCs Under Variable Operating Conditions. *Liu, W.*, +, *TPEL Sept. 2020 9380-9389*

Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies. *Bessegato, L.*, +, *TPEL March 2020 2411-2423*

Impedance and Stability Analysis of Voltage-Source Converter Interconnection Based on a Universal Admittance Model. *Guo, H., TPEL Oct. 2020 10064-10077*

Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*

Virtual-Flux-Based Passivation of Current Control for Grid-Connected VSCs. *Wu, H.*, +, *TPEL Dec. 2020 12673-12677*

Electric breakdown

Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic. *Zhang, Q.*, +, *TPEL March 2020 2908-2916*

Electric current control

A Complete HSS-Based Impedance Model of MMC Considering Grid Impedance Coupling. *Xu, Z.*, +, *TPEL Dec. 2020 12929-12948*

A Constant Current Control Scheme for Primary-Side Controlled Flyback Controller Operating in DCM and CCM. *Li, Y.*, +, *TPEL Sept. 2020 9462-9470*

A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*

A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters. *Pan, Y.*, +, *TPEL Oct. 2020 10994-11012*

A Fast Diagnosis Method for Both IGBT Faults and Current Sensor Faults in Grid-Tied Three-Phase Inverters With Two Current Sensors. *Li, Z.*, +, *TPEL May 2020 5267-5278*

A Five-Level Space Vector Modulation Scheme for Parallel Operated Three-Level Inverters With Reduced Line Current Distortion. *Li, W.*, +, *TPEL Oct. 2020 11235-11249*

A Fully Soft Switched Point-of-Load Converter for Resource Constraint Drone Applications. *Qu, Y.*, +, *TPEL March 2020 2705-2713*

A Generalized Carrier-Overlapped PWM Method for Neutral-Point-Clamped Multilevel Converters. *Wang, K.*, +, *TPEL Sept. 2020 9095-9106*

A Hybrid Control of a Semidual-Active-Bridge DC–DC Converter With Minimum Current Stress. *Lu, M.*, +, *TPEL March 2020 3085-3096*

A Modular Multilevel Converter With Active Power Filter for Submodule Capacitor Voltage Ripples and Power Losses Reduction. *Jia, G.*, +, *TPEL Nov. 2020 11401-11417*

A New Switched-Capacitor Five-Level Inverter Suitable for Transformerless Grid-Connected Applications. *Barzegarkhoo, R.*, +, *TPEL Aug. 2020 8140-8153*

A Novel Current Sharing Method by Grouping Transformer's Secondary Windings for a Multiphase LLC Resonant Converter. *Yang, Y.*, +, *TPEL May 2020 4877-4890*

A Novel Finite-Control-Set Model Predictive Current Control for Five-Phase PM Motor With Continued Modulation. *Zhao, W.*, +, *TPEL July 2020 7261-7270*

A Novel Primary-Side Regulation Control Scheme for CCM and DCM *LLC* LED Driver Based on "Magnetizing Current Cancellation Method". *Dong, H.*, +, *TPEL Nov. 2020 12223-12237*

A Simple Method for Passivity Enhancement of Current Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Aug. 2020 7735-7741*

A Simple Phase-Shift Modulation Using Parabolic Carrier for Dual Active Bridge DC–DC Converter. *Liu, Y.*, +, *TPEL Aug. 2020 7729-7734*

A Single-Inductor Multiple-Output Buck/Boost DC–DC Converter With Duty-Cycle and Control-Current Predictor. *Zheng, Y.*, +, *TPEL Nov. 2020 12022-12039*

A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*

A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*

A Study of Virtual Resistor-Based Active Damping Alternatives for *LCL* Resonance in Grid-Connected Voltage Source Inverters. *Liu, T.*, +, *TPEL Jan. 2020 247-262*

A Symmetrical Control Method for Grid-Connected Converters to Suppress the Frequency Coupling Under Weak Grid Conditions. *Zhang, X.*, +, *TPEL Dec. 2020 13488-13499*

A Synchronous Reference Frame PI Current Controller With Dead Beat Response. *Busada, C.A.*, +, *TPEL March 2020 3097-3105*

A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability. *Meng, X.*, +, *TPEL Sept. 2020 9794-9812*

Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*

Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters. *Niyomsatian, K.*, +, *TPEL July 2020 7583-7595*

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*

An Efficient Predictive Current Control Strategy for a Four-Level Open-End Winding Induction Motor Drive. *Lakhimsetty, S.*, +, *TPEL June 2020 6198-6207*

An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*

An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*

An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control. *Devanshu, A.*, +, *TPEL Jan. 2020 652-666*

An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*

An Online Global Fault-Tolerant Control Strategy for Symmetrical Multiphase Machines With Minimum Losses in Full Torque Production Range. *Sun, J.*, +, *TPEL March 2020 2819-2830*

Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region. *Zhang, X.*, +, *TPEL Sept. 2020 8860-8866*

Analytical Factorized Model for Stability Analysis and Optimization of Shunt *RC* Damped *LCL* Filter for Grid-Connected Voltage Source Inverters. *Koran, A.*, +, *TPEL July 2020 6830-6841*

Arm Current Balancing Control for Modular Multilevel Converters Under Unbalanced Grid Conditions. *Wang, J.*, +, *TPEL March 2020 2467-2479*

Average Inductor Current Measure and Control Strategy for Multimode Primary-Side Flyback Converters. *Han, Y.*, +, *TPEL Dec. 2020 13096-13103*

Balanced Submodule Operation of Modular Multilevel Converter-Based Induction Motor Drive for Wide-Speed Range. *Kumar, Y.S.*, +, *TPEL April 2020 3918-3927*

Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*

Bridgeless Cuk-Derived Single Power Conversion Inverter With Reactive-Power Capability. *Han, B.*, +, *TPEL March 2020 2629-2645*

Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*

Capacitor Voltage Fluctuation Minimization for Four-Level Hybrid Clamped Converter Using Improved Common-Mode Voltage Injection. *Pan, J.*, +, *TPEL July 2020 7563-7573*

Capacitor Voltage Ripple Estimation and Optimal Sizing of Modular Multi-Level Converters for Variable-Speed Drives. *Ke, Z.*, +, *TPEL Nov. 2020 12544-12554*

Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller. *Kolluri, S.*, +, *TPEL Sept. 2020 9839-9849*

Circulating Current Control for Modular Multilevel Converters With (N+1) Selective Harmonic Elimination—PWM. *Perez-Basante, A.*, +, *TPEL Aug. 2020 8712-8725*

Circulating Harmonic Currents Suppression of Level-Increased NLM Based Modular Multilevel Converter With Deadbeat Control. *Chen, X.*, +, *TPEL Nov. 2020 11418-11429*

Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters. *Rodriguez, E.*, +, *TPEL Aug. 2020 8819-8832*

Compensation of Current Measurement Offset Error for Permanent Magnet Synchronous Machines. *Hu, M.*, +, *TPEL Oct. 2020 11119-11128*

Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations. *Milovanovic, S.*, +, *TPEL Dec. 2020 12898-12908*

Current Balancing Control Methods Using Advanced Carrier-Based Modulation for Five-Level Current Source Rectifiers. *Ries, L.K.*, +, *TPEL Oct. 2020 10213-10226*

Current Control of a Seven-Level Voltage Source Inverter. *Bahrami, A.*, +, *TPEL March 2020 2308-2316*

Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*

Current-Sensorless Finite-Set Model Predictive Control for *LC*-Filtered Voltage Source Inverters. *Zheng, C.*, +, *TPEL Jan. 2020 1086-1095*

Damping Method of High-Frequency Resonance for Stator Current Controlled DFIG System Under Parallel Compensation Grid. *Pang, B.*, +, *TPEL Oct. 2020 10260-10270*

DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle. *Yu, Z.*, +, *TPEL Oct. 2020 10614-10628*

Deadbeat Predictive Current Control for Modular Multilevel Converters With Enhanced Steady-State Performance and Stability. *Wang, J.*, +, *TPEL July 2020 6878-6894*

Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*

Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*

Decoupled Modulation Scheme for Modular Multilevel Converters in Medium-Voltage Applications. *Li, B.*, +, *TPEL Nov. 2020 11430-11441*

Decoupling of Current Balancing and Reference Tracking Control in Parallel Interleaved Converters. *Jovanovic, D.P.*, +, *TPEL April 2020 4286-4295*

Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*

Design of Multifrequency Proportional–Resonant Current Controllers for Voltage-Source Converters. *Hans, F.*, +, *TPEL Dec. 2020 13573-13589*

Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*

Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters. *Wu, H.*, +, *TPEL April 2020 3573-3589*

Digital-Based Critical Conduction Mode Control for Three-Level Boost PFC Converter. *Lee, M.*, +, *TPEL July 2020 7689-7701*

Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation. *Lin, X.*, +, *TPEL April 2020 4216-4232*

Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*

DQ-Frame Zero-Crossing Effect Modeling and Current Distortion Compensation Method for Vienna Rectifier. *Miao, Z.*, +, *TPEL July 2020 7612-7623*

Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems. *Wang, W.*, +, *TPEL Dec. 2020 13673-13686*

Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers. *Yu, Z.*, +, *TPEL April 2020 4094-4104*

Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*

Effect of Averaging Voltage Regulation Control on Steady-State Analysis of Modular Multilevel Converters. *Song, S.*, +, *TPEL Sept. 2020 9215-9225*

Effective Current Limitation for Multifrequency Current Control With Distortion-Free Voltage Saturation and Antiwindup. *Yepes, A.G.*, +, *TPEL Dec. 2020 13697-13713*

Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*

Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*

Extensions of Leading-Edge Modulated One-Cycle Control for Totem-Pole Bridgeless Rectifiers. *Fischer, G.d.S.*, +, *TPEL May 2020 5447-5460*

Fast SPICE-Compatible Simulation of Low-Power On-Chip PWM DC–DC Converters With Improved Ripple Accuracy. *Burcea, F.*, +, *TPEL Aug. 2020 8173-8185*

Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control. *Han, Y.*, +, *TPEL March 2020 3221-3241*

Flux Balancing Control of Ungapped Nanocrystalline Core-Based Transformer in Dual Active Bridge Converters. *Yao, P.*, +, *TPEL Nov. 2020 11463-11474*

FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*

Fractal Approach Based Simplified and Generalized Sector Detection in Current Error Space Phasor Based Hysteresis Controller Applied to Multilevel Front-End Converters. *Shah, M.T.*, +, *TPEL Oct. 2020 11082-11095*

Generalized Cockcroft-Walton Multiplier Voltage Z-Source Inverters. *Ding, X.*, +, *TPEL July 2020 7175-7190*

Generalized Three-Level Optimal Pulse Patterns With Lower Harmonic Distortion. *Birth, A.*, +, *TPEL June 2020 5741-5752*

Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*

Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*

HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*

Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*

High Performance Model Predictive Control for PMSM by Using Stator Current Mathematical Model Self-Regulation Technique. *Wang, F.*, +, *TPEL Dec. 2020 13652-13662*

High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application. *Liu, T.*, +, *TPEL Nov. 2020 11770-11782*

Hybrid Energy Storage System Based on a Novel Reduced Rating Multi-Input Converter. *Kurm, S.*, +, *TPEL Nov. 2020 12133-12142*

Impedance and Stability Analysis of Voltage-Source Converter Interconnection Based on a Universal Admittance Model. *Guo, H., TPEL Oct. 2020 10064-10077*

Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*

Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles. *Liao, Y.*, +, *TPEL April 2020 4388-4397*

Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters. *Xu, W.*, +, *TPEL May 2020 4959-4970*

Improved Current Control for a Quasi-Two-Level PWM-Operated Modular Multilevel Converter. *Kucka, J.*, +, *TPEL July 2020 6842-6853*

Improved Design of PLL Controller for *LCL*-Type Grid-Connected Converter in Weak Grid. *Zhu, D.*, +, *TPEL May 2020 4715-4727*

Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*

Improved Model Predictive Control for High-Power Current-Source Rectifiers Under Normal and Distorted Grid Conditions. *Xue, C.*, +, *TPEL May 2020 4588-4601*

Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*

Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*

Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter. *Nandi, P.*, +, *TPEL Nov. 2020 11965-11975*

Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives. *Wallscheid, O.*, +, *TPEL Dec. 2020 13563-13572*

Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*

Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*

Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*

Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives. *Lin, Z.*, +, *TPEL Dec. 2020 13345-13355*

Model Predictive Current Control for an Open-Winding PMSM System With a Common DC Bus in 3-D Space. *Cheng, Y.*, +, *TPEL Sept. 2020 9597-9607*

Model Predictive Current Control of a Seven-Level Inverter With Reduced Computational Burden. *Bahrami, A.*, +, *TPEL June 2020 5729-5740*

Model-Free Predictive Current Control of DFIG Based on an Extended State Observer Under Unbalanced and Distorted Grid. *Zhang, Y.*, +, *TPEL Aug. 2020 8130-8139*

Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*

Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies. *Leterme, W.*, +, *TPEL June 2020 5753-5769*

Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*

Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Characteristics for Electric Double-Layer Capacitor Modules. *Uno, M.*, +, *TPEL Oct. 2020 10271-10284*

Modulated Model Predictive Control for Modular Multilevel Converters With Easy Implementation and Enhanced Steady-State Performance. *Wang, J.*, +, *TPEL Sept. 2020 9107-9118*

Modulation and Control of Series/Parallel Module for Ripple-Current Reduction in Star-Configured Split-Battery Applications. *Li, Z.*, +, *TPEL Dec. 2020 12977-12987*

Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*

Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*

Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function. *Wang, X.*, +, *TPEL Dec. 2020 13602-13620*

Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*

Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*

Multiple Reference Frame-Based Torque Ripple Reduction in DFIG-DC System. *Xiao, Y.*, +, *TPEL May 2020 4971-4983*

Multiple-Objective Control Scheme for Input-Series–Output-Series *LCL*-Filtered Grid-Connected Inverter System. *Fang, T.*, +, *TPEL Aug. 2020 8689-8700*

Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor. *Tang, Q.*, +, *TPEL Jan. 2020 699-708*

Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*

Nonlinear Magnetic Field Vector Control With Dynamic-Variant Parameters for High-Power Electrically Excited Synchronous Motor. *Han, Y.*, +, *TPEL Oct. 2020 11053-11063*

Nonparametric Predictive Current Control for PMSM. *Yuan, X.*, +, *TPEL Sept. 2020 9332-9341*

Online Boundary Computation Using Sampled Voltage Reference for Bus Clamping PWM-Based Hysteresis-Controlled VSI-Fed IM Drive. *Peter, J.*, +, *TPEL April 2020 3939-3950*

Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*

Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*

Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges. *Xia, Z.*, +, *TPEL Sept. 2020 9753-9769*

Operational Analyses and Control Scheme of Nine-Arm Modular Multilevel Converter. *Qin, F.*, +, *TPEL April 2020 3416-3433*

Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*

Optimized Switching Finite Control Set Model Predictive Control of NPC Single-Phase Three-Level Rectifiers. *Zhang, X.*, +, *TPEL Oct. 2020 10097-10108*

Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids. *Zhang, Q.*, +, *TPEL July 2020 7001-7014*

Output Impedance Modeling of Single-Phase Grid-Tied Inverters With Capturing the Frequency-Coupling Effect of PLL. *Qian, Q.*, +, *TPEL May 2020 5479-5495*

Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*

Parameters Compensation of Permanent Magnet Synchronous Motor in Flux-Weakening Region for Rail Transit. *Zhang, Z.*, +, *TPEL Nov. 2020 12509-12521*

Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*

Passivity-Based Stabilization of *LCL*-Type Grid-Connected Inverters via a General Admittance Model. *Xie, C.*, +, *TPEL June 2020 6636-6648*

Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*
Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping. *Yao, W.*, +, *TPEL March 2020 3114-3126*
Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters. *Wu, X.*, +, *TPEL Sept. 2020 9865-9885*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Predictive Delta Sigma Modulation for Three-Phase to Three-Phase Matrix Converters. *Mir, T.N.*, +, *TPEL Jan. 2020 968-976*
Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*
Real-Time Calculation Method for Single-Phase Cascaded H-Bridge Inverters Based on Phase-Shifted Carrier Pulsewidth Modulation. *Ma, J.*, +, *TPEL Jan. 2020 977-987*
Review and Comparison of Grid-Tied Inverter Controllers in Microgrids. *Liu, Q.*, +, *TPEL July 2020 7624-7639*
Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*
Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter. *Zhao, J.*, +, *TPEL Aug. 2020 8102-8115*
Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*
Robust Predictive Current Control of Permanent-Magnet Synchronous Motors With Newly Designed Cost Function. *Liu, X.*, +, *TPEL Oct. 2020 10778-10788*
Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*
Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*
Self-Circulating Testing Method for Both Rectifying and Inverting Submodules of Modular Multilevel Converter With Low DC Supply Voltage. *Jiang, S.*, +, *TPEL Aug. 2020 7795-7803*
Sensorless Ripple Current Mode Control to Achieve Inductor-Deviation-Tolerant BCM Operation for Boost Converter. *Lyu, D.*, +, *TPEL Nov. 2020 12359-12369*
Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters. *Abdelhamid, E.*, +, *TPEL March 2020 3208-3220*
Separate-Structure UDE-Based Current Resonant Control Strategy on *L*+*C*+*L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness. *Xiong, Y.*, +, *TPEL Dec. 2020 13641-13651*
Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*
Simplified Modulation Scheme for Open-End Winding PMSM System With Common DC Bus Under Open-Phase Fault Based on Circulating Current Suppression. *Hu, W.*, +, *TPEL Jan. 2020 10-14*
Simplified Predictive Duty Cycle Control of Multilevel Converters With Internal Identical Structure. *Zhou, D.*, +, *TPEL Nov. 2020 12416-12428*
Single-Inductor Multi-Input Multi-Output DC–DC Converter With High Flexibility and Simple Control. *Li, X.L.*, +, *TPEL Dec. 2020 13104-13114*
Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*
Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*
Small Signal Modeling and Design Analysis for Boost Converter With Valley V^2 Control. *Leng, M.*, +, *TPEL Dec. 2020 13475-13487*
Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*
Soft-Switching Techniques for Single-Inductor Multiple-Output LED Drivers. *Qu, Y.*, +, *TPEL Dec. 2020 13748-13756*
Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation. *Zhou, Z.*, +, *TPEL Nov. 2020 12555-12569*
Steady-State Error Suppression and Simplified Implementation of Direct Source Current Control for Matrix Converter With Model Predictive Control. *Lei, J.*, +, *TPEL March 2020 3183-3194*
Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control. *Ye, D.*, +, *TPEL Jan. 2020 640-651*
Suppression of DC-Link Current Ripple for Modular Multilevel Converters Under Phase-Disposition PWM. *Deng, F.*, +, *TPEL March 2020 3310-3324*
Synchronous Commutation Control of Doubly Salient Motor Drive With Adaptive Angle Optimization. *Bian, Z.*, +, *TPEL June 2020 6070-6081*
The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*
Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter. *Thakur, S.S.*, +, *TPEL Sept. 2020 9291-9305*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*
Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*
Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs. *Chou, S.*, +, *TPEL April 2020 3519-3529*
Unified Modular State-Space Modeling of Grid-Connected Voltage-Source Converters. *Yang, D.*, +, *TPEL Sept. 2020 9700-9715*
Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique. *Kiran, K.*, +, *TPEL Aug. 2020 8396-8404*
Variable Switching Frequency PWM Strategy for High-Frequency Circulating Current Control in Paralleled Inverters With Coupled Inductors. *Li, Q.*, +, *TPEL May 2020 5366-5380*
Variable Switching Sequence PWM Strategy of Dual Three-Phase Machine Drive for High-Frequency Current Harmonic Suppression. *Ye, D.*, +, *TPEL May 2020 4984-4995*
Variable-Width Hysteretic Analog Control for QSW-ZVS and TCM Source/Sink Converters. *Vazquez, A.*, +, *TPEL March 2020 3195-3207*
Virtual-Flux-Based Passivation of Current Control for Grid-Connected VSCs. *Wu, H.*, +, *TPEL Dec. 2020 12673-12677*
Voltage Modulation and Current Control of Boost Inverters for Stand-Alone or Grid-Tied Operation. *Chen, W.*, +, *TPEL Aug. 2020 8726-8736*
Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*
Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. *Yang, Q.*, +, *TPEL Dec. 2020 13053-13067*

Electric current measurement

A Review of Traditional Helical to Recent Miniaturized Printed Circuit Board Rogowski Coils for Power-Electronic Applications. *Shi, Y.*, +, *TPEL Nov. 2020 12207-12222*
An Adaptive Sensorless Control Technique for a Flyback-Type Solar Tile Microinverter. *Falconar, N.*, +, *TPEL Dec. 2020 13554-13562*
Average Inductor Current Measure and Control Strategy for Multimode Primary-Side Flyback Converters. *Han, Y.*, +, *TPEL Dec. 2020 13096-13103*
Compensation of Current Measurement Offset Error for Permanent Magnet Synchronous Machines. *Hu, M.*, +, *TPEL Oct. 2020 11119-11128*
Fault Detection and Localization for Cascaded H-Bridge Multilevel Converter With Model Predictive Control. *Chai, M.*, +, *TPEL Oct. 2020 10109-10120*
PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*
Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Simple and Affordable Method for Fast Transient Measurements of SiC Devices. *Garrido, D.*, +, *TPEL March 2020 2933-2942*
Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*

Electric drives
A DC-Flux-Injection Method for Fault Diagnosis of High-Resistance Connection in Direct-Torque-Controlled PMSM Drive System. *Hang, J.*, +, *TPEL March 2020 3029-3042*
A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*
A Reduced Component Count Five-Level Inverter Topology for High Reliability Electric Drives. *Karthik, A.*, +, *TPEL Jan. 2020 725-732*
Space Vector Modulation for SiC and Si Hybrid ANPC Converter in Medium-Voltage High-Speed Drive System. *Li, C.*, +, *TPEL April 2020 3390-3401*
Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*
Variable Switching Sequence PWM Strategy of Dual Three-Phase Machine Drive for High-Frequency Current Harmonic Suppression. *Ye, D.*, +, *TPEL May 2020 4984-4995*

Electric fields
10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field. *DiMarino, C.M.*, +, *TPEL June 2020 6050-6060*

Electric fuses
Fuse-Based Short-Circuit Protection of Converter Controlled Low-Voltage DC Grids. *Ravyts, S.*, +, *TPEL Nov. 2020 11694-11706*
Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*

Electric generators
A Leaf-Shaped Triboelectric Nanogenerator for Multiple Ambient Mechanical Energy Harvesting. *Jiang, D.*, +, *TPEL Jan. 2020 25-32*

Electric heating
A Compact Resonant Switched-Capacitor Heater for Lithium-Ion Battery Self-Heating at Low Temperatures. *Shang, Y.*, +, *TPEL July 2020 7134-7144*

Electric impedance
6.78 MHz Wireless Power Transmitter Based on a Reconfigurable Class–E Power Amplifier for Multiple Device Charging. *Oh, H.*, +, *TPEL June 2020 5907-5917*
A Nearly Decoupled Admittance Model for Grid-Tied VSCs Under Variable Operating Conditions. *Liu, W.*, +, *TPEL Sept. 2020 9380-9389*
Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*
Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems. *Sun, J.*, +, *TPEL Aug. 2020 7840-7852*
An Inductive Filtering-Based Parallel Operating Transformer With Shared Filter for Power Quality Improvement of Wind Farm. *Liu, Q.*, +, *TPEL Sept. 2020 9281-9290*
Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*
Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle. *Guo, Y.*, +, *TPEL Oct. 2020 10542-10553*
Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*
Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*
Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping. *Yao, W.*, +, *TPEL March 2020 3114-3126*
Resistive–Capacitive Output Impedance Shaping for Droop-Controlled Converters in DC Microgrids With Reduced Output Capacitance. *Liu, G.*, +, *TPEL June 2020 6501-6511*
Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*
Strategy of Topology Selection Based on Quasi-Duality Between Series–Series and Series–Parallel Topologies of Resonant Inductive Coupling Wireless Power Transfer Systems. *Ishihara, M.*, +, *TPEL July 2020 6785-6798*

Electric impedance measurement
Analysis, Design, and Implementation of Impulse-Injection-Based Online Grid Impedance Identification With Grid-Tied Converters. *Liu, Z.*, +, *TPEL Dec. 2020 12959-12976*
Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*
Harmonic-Domain SISO Equivalent Impedance Modeling and Stability Analysis of a Single-Phase Grid-Connected VSC. *Zhang, C.*, +, *TPEL Sept. 2020 9770-9783*
Impedance Measurement of Three-Phase Inverter in the Stationary Frame Using Frequency Response Analyzer. *Liu, J.*, +, *TPEL Sept. 2020 9390-9401*
Overcoming the Effect of Test Fixtures on the Measurement of Parasitics of Capacitors and Inductors. *Mendez, J.B.*, +, *TPEL Jan. 2020 15-19*

Electric machine analysis computing
Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*

Electric machines
Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

Electric potential
1-kW Boost-type PFC Using a Low-Voltage Series Pass Module for Input Current Shaping. *Tung, C.*, +, *TPEL July 2020 7596-7611*
A Novel Space-Vector Modulation Method for Nine-Switch Converter. *Pan, L.*, +, *TPEL Feb. 2020 1789-1804*
Control of Smart Transformer Under Single-Phase to Ground Fault Condition. *Zhu, R.*, +, *TPEL Feb. 2020 2034-2043*
Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*
High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*
Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*
Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*
Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*
Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*
Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*
Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range. *Mao, S.*, +, *TPEL Aug. 2020 8347-8360*

Electric resistance
An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*
An Automatic Coil Design Method With Modified AC Resistance Evaluation for Achieving Maximum Coil–Coil Efficiency in WPT Systems. *Wei, G.*, +, *TPEL June 2020 6114-6126*

Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*

Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*

Deadband Effect and Accurate ZVS Boundaries of GaN-Based Dual-Active-Bridge Converters With Multiple-Phase-Shift Control. *Shi, H.*, +, *TPEL Sept. 2020 9886-9903*

Uniform Power Dynamic Wireless Charging System With I-Type Power Supply Rail and DQ-Phase-Receiver Employing Receiver-Side Control. *Song, S.*, +, *TPEL Oct. 2020 11205-11212*

Electric resistance measurement

An Automatic Coil Design Method With Modified AC Resistance Evaluation for Achieving Maximum Coil–Coil Efficiency in WPT Systems. *Wei, G.*, +, *TPEL June 2020 6114-6126*

Electric sensing devices

A Digital Twin Approach for Fault Diagnosis in Distributed Photovoltaic Systems. *Jain, P.*, +, *TPEL Jan. 2020 940-956*

A Novel Variable DC-Link Voltage Control Method for PMSM Driven by a Quasi-Z-Source Inverter. *Xiao, S.*, +, *TPEL April 2020 3878-3890*

A Review of Traditional Helical to Recent Miniaturized Printed Circuit Board Rogowski Coils for Power-Electronic Applications. *Shi, Y.*, +, *TPEL Nov. 2020 12207-12222*

Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor. *Tang, Q.*, +, *TPEL Jan. 2020 699-708*

Sensor-Fault-Estimation-Based Tolerant Control for Single-Phase Two-Level PWM Rectifier in Electric Traction System. *Gong, Z.*, +, *TPEL Nov. 2020 12274-12284*

Electric strength

Mechanism Model and Prediction Method of Common Mode Radiation for a Nonisolated Very-High-Frequency DC–DC Converter With Cables. *He, J.*, +, *TPEL Oct. 2020 10227-10237*

Electric vehicle charging

A 50-kW Three-Phase Wireless Power Transfer System Using Bipolar Windings and Series Resonant Networks for Rotating Magnetic Fields. *Pries, J.*, +, *TPEL May 2020 4500-4517*

A Dual-Layer Receiver With a Low Aspect Ratio and a Reduced Output Fluctuation for EV Dynamic Wireless Charging. *Song, B.*, +, *TPEL Oct. 2020 10338-10351*

A Dynamic WPT System With High Efficiency and High Power Factor for Electric Vehicles. *Zakerian, A.*, +, *TPEL July 2020 6732-6740*

A High-Power Wireless Charging System Using *LCL*-N Topology to Achieve a Compact and Low-Cost Receiver. *Zhang, Y.*, +, *TPEL Jan. 2020 131-137*

A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*

A Soft-Switched Modulation for a Single-Phase Quasi-Z-Source-Integrated Charger in Electric Vehicle Application. *Na, T.*, +, *TPEL May 2020 4602-4612*

A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*

A Wireless EV Charging Topology With Integrated Energy Storage. *Ruddell, S.*, +, *TPEL Sept. 2020 8965-8972*

Active Saturation Mitigation in High-Density Dual-Active-Bridge DC–DC Converter for On-Board EV Charger Applications. *Assadi, S.A.*, +, *TPEL April 2020 4376-4387*

An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*

An Integrated Boost Active Bridge Based Secondary Inductive Power Transfer Converter. *Kalra, G.R.*, +, *TPEL Dec. 2020 12716-12727*

An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications. *Zhang, Z.*, +, *TPEL Nov. 2020 11544-11556*

Decoupling Circuit for Automated Guided Vehicles IPT Charging Systems With Dual Receivers. *Mai, R.*, +, *TPEL July 2020 6652-6657*

Design of DD Coil With High Misalignment Tolerance and Low EMF Emissions for Wireless Electric Vehicle Charging Systems. *Song, K.*, +, *TPEL Sept. 2020 9034-9045*

Free-Positioning Wireless Power Transfer System Based on One-to-Multiple Topology. *Chen, J.*, +, *TPEL Oct. 2020 9959-9964*

Half-Bridge Integrated Phase-Shifted Full-Bridge Converter With High Efficiency Using Center-Tapped Clamp Circuit for Battery Charging Systems in Electric Vehicles. *Lim, C.*, +, *TPEL May 2020 4934-4945*

High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations. *Dao, N.D.*, +, *TPEL Oct. 2020 10455-10465*

High-Frequency Voltage and Current Sense Circuits for Inductive Power Transfer Systems. *Zhu, G.*, +, *TPEL Nov. 2020 11352-11362*

Improved Power Quality On-Board Integrated Charger With Reduced Switching Stress. *Gupta, J.*, +, *TPEL Oct. 2020 10810-10820*

On-Board Single-Phase Integrated Electric Vehicle Charger With V2G Functionality. *Semsar, S.*, +, *TPEL Nov. 2020 12072-12084*

Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*

Symmetric Sensing Coil Design for the Blind-Zone Free Metal Object Detection of a Stationary Wireless Electric Vehicles Charger. *Thai, V.X.*, +, *TPEL April 2020 3466-3477*

Wireless Electric Vehicle Charger With Electromagnetic Coil-Based Position Correction Using Impedance and Resonant Frequency Detection. *Khan, N.*, +, *TPEL Aug. 2020 7873-7883*

Zero-Phase-Angle Controlled Bidirectional Wireless EV Charging Systems for Large Coil Misalignments. *Liu, Y.*, +, *TPEL May 2020 5343-5353*

Electric vehicles

A 50-kW Three-Phase Wireless Power Transfer System Using Bipolar Windings and Series Resonant Networks for Rotating Magnetic Fields. *Pries, J.*, +, *TPEL May 2020 4500-4517*

A Compact Resonant Switched-Capacitor Heater for Lithium-Ion Battery Self-Heating at Low Temperatures. *Shang, Y.*, +, *TPEL July 2020 7134-7144*

A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*

A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*

Affine Nonlinear Control of a Multivariate Inductive Power Transfer System With Exact Linearization. *Cheng, C.*, +, *TPEL Dec. 2020 12728-12740*

Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates. *Choi, J.S.*, +, *TPEL Aug. 2020 7863-7872*

An Efficiency Optimization-Based Asymmetric Tuning Method of Double-Sided *LCC* Compensated WPT System for Electric Vehicles. *Chen, Y.*, +, *TPEL Nov. 2020 11475-11487*

An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*

Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*

Design and Analysis of Electrical Braking Torque Limit Trajectory for Regenerative Braking in Electric Vehicles With PMSM Drive Systems. *Choo, K.*, +, *TPEL Dec. 2020 13308-13321*

Design Guidelines of Inductive Coils Using a Polymer Bonded Magnetic Composite for Inductive Power Transfer Systems in Electric Vehicles. *Delgado, A.*, +, *TPEL Aug. 2020 7884-7893*

Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

Design of DD Coil With High Misalignment Tolerance and Low EMF Emissions for Wireless Electric Vehicle Charging Systems. *Song, K.*, +, *TPEL Sept. 2020 9034-9045*

Efficiency Analysis and Optimization Control for Input-Parallel Output-Series Wireless Power Transfer Systems. *Li, Y.*, +, *TPEL Jan. 2020 1074-1085*

Efficiency Improvement of the Parity-Time-Symmetric Wireless Power Transfer System for Electric Vehicle Charging. *Wu, L.*, +, *TPEL Nov. 2020 12497-12508*

Expandable N-Legged Converter to Drive Closely Spaced Multitransmitter Wireless Power Transfer Systems for Dynamic Charging. *Farajizadeh, F.*, +, *TPEL April 2020 3794-3806*

High-Efficiency High-Power-Density *CLLC* Resonant Converter With Low-Stray-Capacitance and Well-Heat-Dissipated Planar Transformer for EV On-Board Charger. *Zhang, Z.*, +, *TPEL Oct. 2020 10831-10851*

High-Frequency Voltage and Current Sense Circuits for Inductive Power Transfer Systems. *Zhu, G.*, +, *TPEL Nov. 2020 11352-11362*

Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*

Model Predictive Control for the Receiving-Side DC–DC Converter of Dynamic Wireless Power Transfer. *Zhou, Z.*, +, *TPEL Sept. 2020 8985-8997*

On-Board Single-Phase Integrated Electric Vehicle Charger With V2G Functionality. *Semsar, S.*, +, *TPEL Nov. 2020 12072-12084*

Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*

Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*

Symmetric Sensing Coil Design for the Blind-Zone Free Metal Object Detection of a Stationary Wireless Electric Vehicles Charger. *Thai, V.X.*, +, *TPEL April 2020 3466-3477*

Zero-Phase-Angle Controlled Bidirectional Wireless EV Charging Systems for Large Coil Misalignments. *Liu, Y.*, +, *TPEL May 2020 5343-5353*

Electrical conductivity

Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks. *Zulauf, G.*, +, *TPEL June 2020 5581-5588*

Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*

Electrical contacts

An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*

Electrical engineering computing

Rotor Displacement Self-Sensing Modeling of Six-Pole Radial Hybrid Magnetic Bearing Using Improved Particle Swarm Optimization Support Vector Machine. *Zhu, H.*, +, *TPEL Nov. 2020 12296-12306*

Electrical faults

Diagnosis-Free Self-Healing Scheme for Open-Circuit Faults in Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Nov. 2020 12053-12071*

Electroactive polymer actuators

Ultrahigh-Voltage Switch for Bidirectional DC–DC Converter Driving Dielectric Elastomer Actuator. *Pniak, L.*, +, *TPEL Dec. 2020 13172-13181*

Electrochemical electrodes

Online Impedance Measurement of Batteries Using the Cross-Correlation Technique. *Gucin, T.N.*, +, *TPEL April 2020 4365-4375*

Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

Electrochemical impedance spectroscopy

Controllable Electrochemical Impedance Spectroscopy: From Circuit Design to Control and Data Analysis. *Sadeghi, E.*, +, *TPEL Sept. 2020 9933-9942*

Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*

Online Impedance Measurement of Batteries Using the Cross-Correlation Technique. *Gucin, T.N.*, +, *TPEL April 2020 4365-4375*

Electrodes

Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic. *Zhang, Q.*, +, *TPEL March 2020 2908-2916*

Electroluminescence

Electroluminescence-Based Junction Temperature Measurement Approach for SiC Power MOSFETs. *Winkler, J.*, +, *TPEL March 2020 2990-2998*

Electrolysis

A Modular Low Current Ripple Electrolysis Power Supply Based on Multiphase Half-Bridge High-Frequency Inverters. *Xiao, H., TPEL Oct. 2020 10088-10096*

Electrolytes

Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

Electrolytic capacitors

A Cost-Constrained Active Capacitor for a Single-Phase Inverter. *Wang, H.*, +, *TPEL July 2020 6746-6760*

A Family of High Step-Up Cascade DC–DC Converters With Clamped Circuits. *Ai, J.*, +, *TPEL May 2020 4819-4834*

A Flexible Mode Electrolytic Capacitor-Free LED Driver With High Efficiency Over a Wide Range of Input Voltage. *Zeng, J.*, +, *TPEL Aug. 2020 8490-8500*

A Reduced-Switch-Count Family of Soft-Switched High-Frequency Inductive AC-Link Converters. *Mozaffari, K.*, +, *TPEL Aug. 2020 7972-7990*

Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*

Model-Based Design and Optimization of Hybrid DC-Link Capacitor Banks. *Wang, H.*, +, *TPEL Sept. 2020 8910-8925*

Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*

Simplified Power Loss Model for Aluminum Electrolytic Capacitors in Single-Phase Inverters. *Liu, Y.*, +, *TPEL May 2020 4452-4456*

Electromagnetic actuators

A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*

Electromagnetic compatibility

A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*

Corrections to "Prediction and Analysis of EMI Spectrum Based on the Operating Principle of EMC Spectrum Analyzers". *Yang, L.*, +, *TPEL May 2020 5541*

Handling Differential Mode Conducted EMC in Modular Converters. *Lamorelle, T.*, +, *TPEL June 2020 5812-5819*

Modeling and Validation of Common-Mode Emissions in Wide Bandgap-Based Converter Structures. *Lemmon, A.N.*, +, *TPEL Aug. 2020 8034-8049*

Overcoming the Effect of Test Fixtures on the Measurement of Parasitics of Capacitors and Inductors. *Mendez, J.B.*, +, *TPEL Jan. 2020 15-19*

Prediction and Analysis of EMI Spectrum Based on the Operating Principle of EMC Spectrum Analyzers. *Yang, L.*, +, *TPEL Jan. 2020 263-275*

Electromagnetic coupling

A New Coupling Structure and Position Detection Method for Segmented Control Dynamic Wireless Power Transfer Systems. *Li, X.*, +, *TPEL July 2020 6741-6745*

High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*

Electromagnetic fields

A 50-kW Three-Phase Wireless Power Transfer System Using Bipolar Windings and Series Resonant Networks for Rotating Magnetic Fields. *Pries, J.*, +, *TPEL May 2020 4500-4517*

Design of DD Coil With High Misalignment Tolerance and Low EMF Emissions for Wireless Electric Vehicle Charging Systems. *Song, K.*, +, *TPEL Sept. 2020 9034-9045*

Electromagnetic forces
Permeance Distribution Function: A Powerful Tool to Analyze Electromagnetic Forces Induced by PWM Current Harmonics in Multiphase Surface Permanent-Magnet Motors. *Lv, Y.*, +, *TPEL July 2020 7379-7391*
Electromagnetic induction
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
Electromagnetic interference
10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field. *DiMarino, C.M.*, +, *TPEL June 2020 6050-6060*
A Bidirectional Communicating Power Supply Circuit for Smart Gate Driver Boards. *Weckbrodt, J.*, +, *TPEL Aug. 2020 8540-8549*
A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise. *Ge, T.*, +, *TPEL Jan. 2020 789-799*
A Motor CM Impedance Based Transformerless Active EMI Filter for DC-Side Common-Mode EMI Suppression in Motor Drive System. *Zhang, Y.*, +, *TPEL Oct. 2020 10238-10248*
A New Coupling Structure and Position Detection Method for Segmented Control Dynamic Wireless Power Transfer Systems. *Li, X.*, +, *TPEL July 2020 6741-6745*
A Reduced Component Count Five-Level Inverter Topology for High Reliability Electric Drives. *Karthik, A.*, +, *TPEL Jan. 2020 725-732*
A Reduced-Switch-Count Family of Soft-Switched High-Frequency Inductive AC-Link Converters. *Mozaffari, K.*, +, *TPEL Aug. 2020 7972-7990*
A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*
A True-Random-Number-Based Pseudohysteresis Controller for Buck DC–DC Converter in High-Security Internet-of-Everything Devices. *Yang, W.*, +, *TPEL March 2020 2969-2978*
An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*
An Argument for the Relationship Between Spectral Spreading and Probability Spreading for EMI-Reduction in DC–DC Converter. *Dove, A.*, +, *TPEL Feb. 2020 1459-1472*
An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*
Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*
Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*
Analysis and Reduction of the Near Magnetic Field Emission From Toroidal Inductors. *Zhang, B.*, +, *TPEL June 2020 6251-6268*
Capacitive Coupling in EMI Filters Containing T-Shaped Joint: Mechanism, Effects, and Mitigation. *Liu, B.*, +, *TPEL March 2020 2534-2547*
Common Mode Noise Reduction of Three-Level Active Neutral Point Clamped Inverters With Uncertain Parasitic Capacitance of Photovoltaic Panels. *Wang, J.*, +, *TPEL July 2020 6974-6988*
Common-Mode EMI Noise Analysis and Reduction for AC–DC–AC Systems With Paralleled Power Modules. *Yang, L.*, +, *TPEL July 2020 6989-7000*
Corrections to "Prediction and Analysis of EMI Spectrum Based on the Operating Principle of EMC Spectrum Analyzers". *Yang, L.*, +, *TPEL May 2020 5541*
Criteria for Using Antiparallel SiC SBDs With SiC mosfets for SiC-Based Inverters. *Yamaguchi, K.*, +, *TPEL Jan. 2020 619-629*
Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*
Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*
Handling Differential Mode Conducted EMC in Modular Converters. *Lamorelle, T.*, +, *TPEL June 2020 5812-5819*
High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*
Investigate and Reduce Capacitive Couplings in a Flyback Adapter With a DC-Bus Filter to Reduce EMI. *Li, Y.*, +, *TPEL July 2020 6963-6973*
Mechanism Model and Prediction Method of Common Mode Radiation for a Nonisolated Very-High-Frequency DC–DC Converter With Cables. *He, J.*, +, *TPEL Oct. 2020 10227-10237*
Modeling and Design of the Magnetic Integration of Single- and Multi-Stage EMI Filters. *Liu, Y.*, +, *TPEL Jan. 2020 276-288*
Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters. *Fan, J.W.*, +, *TPEL March 2020 2519-2533*
Modeling and Validation of Common-Mode Emissions in Wide Bandgap-Based Converter Structures. *Lemmon, A.N.*, +, *TPEL Aug. 2020 8034-8049*
Modeling, Analysis, and Reduction of Harmonics in Paralleled and Interleaved Three-Level Neutral Point Clamped Inverters With Space Vector Modulation. *Chen, R.*, +, *TPEL April 2020 4411-4425*
Prediction and Analysis of EMI Spectrum Based on the Operating Principle of EMC Spectrum Analyzers. *Yang, L.*, +, *TPEL Jan. 2020 263-275*
Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*
Time–Frequency Characteristics Research of Common Mode Current in PWM Motor System. *Cao, S.*, +, *TPEL Feb. 2020 1450-1458*
Variable Switching Frequency PWM Strategy for High-Frequency Circulating Current Control in Paralleled Inverters With Coupled Inductors. *Li, Q.*, +, *TPEL May 2020 5366-5380*
Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*
Electromagnetic shielding
An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*
The Faraday Shields Loss of Transformers. *Shen, Z.*, +, *TPEL Nov. 2020 12194-12206*
Electromagnetic wave polarization
A Self-Biased Adaptive Reconfigurable Rectenna for Microwave Power Transmission. *Lu, P.*, +, *TPEL Aug. 2020 7749-7754*
Electromagnetism
Fast Simulation of Litz Wire Using Multilevel PEEC Method. *Lyu, J.*, +, *TPEL Dec. 2020 12612-12616*
Electromigration
Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature. *Li, D.*, +, *TPEL Dec. 2020 12646-12650*
Electron traps
The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application. *Hofstetter, P.*, +, *TPEL June 2020 5692-5701*
Electronic circuits
Plug-and-Play Control of the Virtual Infinite Capacitor. *Lin, J.*, +, *TPEL Feb. 2020 1947-1956*
Electronic engineering computing
Artificial Intelligence-Aided Thermal Model Considering Cross-Coupling Effects. *Zhang, Y.*, +, *TPEL Oct. 2020 9998-10002*
Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*
Electronics packaging
How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*
Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*
Electroplating
Design and Fabrication of Three-Dimensional Printed Air-Core Transformers for High-Frequency Power Applications. *Tong, Z.*, +, *TPEL Aug. 2020 8472-8489*

Electrostatic discharge
Design and Optimization of High-Failure-Current Dual-Direction SCR for Industrial-Level ESD Protection. *Wang, Y.*, +, *TPEL May 2020 4669-4677*
Elemental semiconductors
A Si/SiC Hybrid Five-Level Active NPC Inverter With Improved Modulation Scheme. *Zhang, L.*, +, *TPEL May 2020 4835-4846*
Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*
Hybrid Low-Frequency Switch for Bridgeless PFC. *Huang, Q.*, +, *TPEL Oct. 2020 9982-9986*
Negative Resistance in Cascode Transistors. *Nikoo, M.S.*, +, *TPEL Oct. 2020 9978-9981*
Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*
Thermal Management of High-Power Switching Transistors Using Thick CVD-Grown Graphene Nanomaterial. *Talesara, V.*, +, *TPEL Jan. 2020 578-590*
EMTP
An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*
Energy conservation
An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*
Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*
Dynamic Improvement of Inductive Power Transfer Systems With Maximum Energy Efficiency Tracking Using Model Predictive Control: Analysis and Experimental Verification. *Liu, S.*, +, *TPEL Dec. 2020 12752-12764*
Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*
Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers. *Yang, Y.*, +, *TPEL Oct. 2020 11026-11038*
Energy consumption
Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*
Energy conversion
Thermoelectric Energy Conversion System With Multiple Inputs. *Hwu, K.*, +, *TPEL Feb. 2020 1603-1621*
Energy gap
A CMOS-Based Energy Harvesting Approach for Laterally Arrayed Multibandgap Concentrated Photovoltaic Systems. *Zhang, H.*, +, *TPEL Sept. 2020 9320-9331*
Energy harvesting
A CMOS-Based Energy Harvesting Approach for Laterally Arrayed Multibandgap Concentrated Photovoltaic Systems. *Zhang, H.*, +, *TPEL Sept. 2020 9320-9331*
A High Peak Output Power and High Power Conversion Efficiency SIMIMO Converter Using Optimal on-Time Control and Hybrid Zero Current Switching for Energy Harvesting Systems in IoT Applications. *Jung, J.*, +, *TPEL Aug. 2020 8261-8275*
A High-Efficiency Charger With Adaptive Input Ripple MPPT for Low-Power Thermoelectric Energy Harvesting Achieving 21% Efficiency Improvement. *Jeong, J.*, +, *TPEL Jan. 2020 347-358*
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters. *Chamanian, S.*, +, *TPEL Jan. 2020 901-912*
An Efficiency-Aware Cooperative Multicharger System for Photovoltaic Energy Harvesting Achieving 14% Efficiency Improvement. *Jeong, J.*, +, *TPEL March 2020 2253-2256*
Fully Integrated Autonomous Interface With Maximum Power Point Tracking for Energy Harvesting TEGs With High Power Capacity. *Tabrizi, H.O.*, +, *TPEL May 2020 4905-4914*
Inductorless Synchronized Switch Harvesting Using a Piezoelectric Oscillator. *Lallart, M.*, +, *TPEL March 2020 2585-2594*
MPPT for Electromagnetic Energy Harvesters Having Nonnegligible Output Reactance Operating Under Slow-Varying Conditions. *Tse, K.H.*, +, *TPEL July 2020 7110-7122*
Wireless Energy-On-Demand Using Magnetic Quasi-Resonant Coupling. *Liu, W.*, +, *TPEL Sept. 2020 9057-9069*
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*
Energy management
A Novel Control Strategy for Improving the Performance of a Nearly Zero Energy Building. *Tsioumas, E.*, +, *TPEL Feb. 2020 1513-1524*
Energy management systems
A New Energy Management Control Method for Energy Storage Systems in Microgrids. *Hajebrahimi, H.*, +, *TPEL Nov. 2020 11612-11624*
A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*
A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*
Cost-Optimal Energy Management of Hybrid Electric Vehicles Using Fuel Cell/Battery Health-Aware Predictive Control. *Hu, X.*, +, *TPEL Jan. 2020 382-392*
Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*
Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph. *Deng, T.*, +, *TPEL Dec. 2020 13465-13474*
Energy storage
A Combined Three-Port LLC Structure for Adaptive Power Flow Adjustment of PV Systems. *Qian, T.*, +, *TPEL Oct. 2020 10413-10422*
A New Energy Management Control Method for Energy Storage Systems in Microgrids. *Hajebrahimi, H.*, +, *TPEL Nov. 2020 11612-11624*
A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*
A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*
A Wireless EV Charging Topology With Integrated Energy Storage. *Ruddell, S.*, +, *TPEL Sept. 2020 8965-8972*
An Ideal DC Transformer for Active DC Distribution Networks Based on Constant-Transformation-Ratio DABC. *Wang, X.*, +, *TPEL Feb. 2020 2170-2183*
An Overview of Capacitive DC-Links-Topology Derivation and Scalability Analysis. *Wang, H.*, +, *TPEL Feb. 2020 1805-1829*
Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5397-5407*
Braking Torque Control Strategy for Brushless DC Motor With a Noninductive Hybrid Energy Storage Topology. *Cao, Y.*, +, *TPEL Aug. 2020 8417-8428*
Combined State and Parameter Estimation of Lithium-Ion Battery With Active Current Injection. *Song, Z.*, +, *TPEL April 2020 4439-4447*
Communication-Independent Power Balance Control for Solid State Transformer Interfaced Multiple Power Conversion Systems. *Nie, J.*, +, *TPEL April 2020 4256-4271*
Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications. *Diez, C.M.*, +, *TPEL March 2020 2389-2401*

Design and Control for Catenary Charged Light Rail Vehicle Based on Wireless Power Transfer and Hybrid Energy Storage System. *Geng, Y.*, +, *TPEL Aug. 2020 7894-7903*
Differentiation Power Control of Modules in Second-Life Battery Energy Storage System Based on Cascaded H-Bridge Converter. *Liu, C.*, +, *TPEL June 2020 6609-6624*
Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*
Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*
Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*
Model Predictive Control for Dual-Active-Bridge Converters Supplying Pulsed Power Loads in Naval DC Micro-Grids. *Chen, L.*, +, *TPEL Feb. 2020 1957-1966*
Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Characteristics for Electric Double-Layer Capacitor Modules. *Uno, M.*, +, *TPEL Oct. 2020 10271-10284*
Multilayer SOH Equalization Scheme for MMC Battery Energy Storage System. *Ma, Z.*, +, *TPEL Dec. 2020 13514-13527*
Novel High Step-Up Soft-Switching DC–DC Converter Based on Switched Capacitor and Coupled Inductor. *Zhang, X.*, +, *TPEL Sept. 2020 9471-9481*
Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids. *Zhang, Q.*, +, *TPEL July 2020 7001-7014*
Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*
Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*
Series Chain-Link Modular Multilevel AC–DC Converter (SCC) for HVDC Applications. *Tardelli, F.*, +, *TPEL June 2020 5714-5728*
Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*

Entropy
An Argument for the Relationship Between Spectral Spreading and Probability Spreading for EMI-Reduction in DC–DC Converter. *Dove, A.*, +, *TPEL Feb. 2020 1459-1472*

Epoxy insulation
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*

Equalizers
A Lithium-Ion Battery Balancing Circuit Based on Synchronous Rectification. *Shang, Y.*, +, *TPEL Feb. 2020 1637-1648*
An *LLC*-Based Highly Efficient S2M and C2C Hybrid Hierarchical Battery Equalizer. *Peng, F.*, +, *TPEL June 2020 5928-5937*
Cascaded MVDC Integration Interface for Multiple DERs With Enhanced Wide-Range Operation Capability: Concepts and Small-Signal Analysis. *Li, X.*, +, *TPEL Feb. 2020 1182-1188*
Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Characteristics for Electric Double-Layer Capacitor Modules. *Uno, M.*, +, *TPEL Oct. 2020 10271-10284*
Multilayer SOH Equalization Scheme for MMC Battery Energy Storage System. *Ma, Z.*, +, *TPEL Dec. 2020 13514-13527*

Equivalent circuits
A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*
A New Single-Stage 48-V-Input VRM Topology Using an Isolated Stacked Half-Bridge Converter. *Khatua, S.*, +, *TPEL Nov. 2020 11976-11987*
A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*
A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*
A Practical Core Loss Estimation Method for Three-Phase Three-Level Grid-Connected Inverters. *Zhao, R.*, +, *TPEL March 2020 2263-2267*
A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*
Cascaded MVDC Integration Interface for Multiple DERs With Enhanced Wide-Range Operation Capability: Concepts and Small-Signal Analysis. *Li, X.*, +, *TPEL Feb. 2020 1182-1188*
Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation. *Sato, Y.*, +, *TPEL Sept. 2020 9661-9668*
Comments on "State of Charge-Dependent Polynomial Equivalent Circuit Modeling for Electrochemical Impedance Spectroscopy of Lithium-Ion Batteries". *Hasan, R.*, +, *TPEL April 2020 4448*
Controllable Electrochemical Impedance Spectroscopy: From Circuit Design to Control and Data Analysis. *Sadeghi, E.*, +, *TPEL Sept. 2020 9933-9942*
Effects of Number of Relays on Achievable Efficiency of Magnetic Resonant Wireless Power Transfer. *Lee, J.*, +, *TPEL July 2020 6697-6700*
Effects of Parasitic Resistances on Magnetically Coupled Impedance-Source Networks. *Kong, X.*, +, *TPEL Sept. 2020 9171-9183*
Equivalent Circuit Modeling of *LLC* Resonant Converter. *Tian, S.*, +, *TPEL Aug. 2020 8833-8845*
Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries. *Xie, Y.*, +, *TPEL March 2020 2595-2614*
Output Voltage Range of a Power-Loaded Series–Series Compensated Inductive Wireless Power Transfer Link Operating in Load-Independent Regime. *Frechter, Y.*, +, *TPEL June 2020 6586-6593*
Parametric Optimization of a Three-Phase MCR WPT System With Cylinder-Shaped Coils Oriented by Soft-Switching Range and Stable Output Power. *Liu, F.*, +, *TPEL Jan. 2020 1036-1044*
Real-Time HIL Emulation for a Segmented-Rotor Switched Reluctance Motor Using a New Magnetic Equivalent Circuit. *Sun, X.*, +, *TPEL April 2020 3841-3849*
Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*
State-of-Charge Observer Design for Batteries With Online Model Parameter Identification: A Robust Approach. *Ouyang, Q.*, +, *TPEL June 2020 5820-5831*
Strategy of Topology Selection Based on Quasi-Duality Between Series–Series and Series–Parallel Topologies of Resonant Inductive Coupling Wireless Power Transfer Systems. *Ishihara, M.*, +, *TPEL July 2020 6785-6798*

Error compensation
Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*
Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*

Estimation theory
PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*

Exciters
Open-Circuit Fault Diagnosis of Rotating Rectifier by Analyzing the Exciter Armature Current. *Sun, C.*, +, *TPEL June 2020 6373-6385*

Exploding wires
A Shock-Induced Pulsed Power Switch Utilizing Electro-Explosion of Exploding Bridge Wire. *Xu, C.*, +, *TPEL Oct. 2020 10770-10777*

Explosives
Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic. *Zhang, Q.*, +, *TPEL March 2020 2908-2916*

F

Failure analysis

A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*

Bond Wire Damage Detection and SOH Estimation of a Dual-Pack IGBT Power Module Using Active Power Cycling and Reflectometry. *Hanif, A.*, +, *TPEL July 2020 6761-6772*

Comprehensive Analytics for Reliability Evaluation of Conventional Isolated Multiswitch PWM DC–DC Converters. *Tarzamni, H.*, +, *TPEL May 2020 5254-5266*

Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*

Design and Experimental Verification of an Efficient SSCB Based on CS-MCT. *Xu, X.*, +, *TPEL Nov. 2020 11682-11693*

Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*

How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*

Investigation and Failure Mode of Asymmetric and Double Trench SiC mosfets Under Avalanche Conditions. *Deng, X.*, +, *TPEL Aug. 2020 8524-8531*

Localization and Detection of Bond Wire Faults in Multichip IGBT Power Modules. *Chen, C.*, +, *TPEL Aug. 2020 7804-7815*

Open-Circuit Fault Diagnosis and Maintenance in Multi-Pulse Parallel and Series TRU Topologies. *Perise, J.S.*, +, *TPEL Oct. 2020 10906-10916*

Overview of Real-Time Lifetime Prediction and Extension for SiC Power Converters. *Ni, Z.*, +, *TPEL Aug. 2020 7765-7794*

Reliability Assessment of Multistate Degraded Systems: An Application to Power Electronic Systems. *Samavatian, V.*, +, *TPEL April 2020 4024-4032*

Single Pulse Unclamped-Inductive-Switching Induced Failure and Analysis for 650 V p-GaN HEMT. *Liu, S.*, +, *TPEL Nov. 2020 11328-11331*

Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*

Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*

Fast Fourier transforms

A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*

An Online Data-Driven Method for Simultaneous Diagnosis of IGBT and Current Sensor Fault of Three-Phase PWM Inverter in Induction Motor Drives. *Gou, B.*, +, *TPEL Dec. 2020 13281-13294*

Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*

Simplified Power Loss Model for Aluminum Electrolytic Capacitors in Single-Phase Inverters. *Liu, Y.*, +, *TPEL May 2020 4452-4456*

Fatigue testing

Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*

Fault current limiters

A Novel Current-Commutation-Based FCL for the Flexible DC Grid. *Li, B.*, +, *TPEL Jan. 2020 591-606*

Fault currents

Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*

Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current. *Xu, S.*, +, *TPEL July 2020 6668-6672*

Grounding Fault in Series-Connection-Based Offshore Wind Farms: Fault Clearance. *Guo, G.*, +, *TPEL Sept. 2020 9357-9367*

Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*

Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies. *Leterme, W.*, +, *TPEL June 2020 5753-5769*

Series DC Arc Fault Detection Based on Ensemble Machine Learning. *Le, V.*, +, *TPEL Aug. 2020 7826-7839*

Fault detection

Detection and Classification of Turn Fault and High Resistance Connection Fault in Permanent Magnet Machines Based on Zero Sequence Voltage. *Hu, R.*, +, *TPEL Feb. 2020 1922-1933*

Fault diagnosis

A DC-Flux-Injection Method for Fault Diagnosis of High-Resistance Connection in Direct-Torque-Controlled PMSM Drive System. *Hang, J.*, +, *TPEL March 2020 3029-3042*

A Digital Twin Approach for Fault Diagnosis in Distributed Photovoltaic Systems. *Jain, P.*, +, *TPEL Jan. 2020 940-956*

A Direct Redundancy Approach to Fault-Tolerant Control of BLDC Motor With a Damaged Hall-Effect Sensor. *Aqil, M.*, +, *TPEL Feb. 2020 1732-1741*

A Fast and Robust Diagnostic Method for Multiple Open-Circuit Faults of Voltage-Source Inverters Through Line Voltage Magnitudes Analysis. *Wu, X.*, +, *TPEL May 2020 5205-5220*

A Fast Diagnosis Method for Both IGBT Faults and Current Sensor Faults in Grid-Tied Three-Phase Inverters With Two Current Sensors. *Li, Z.*, +, *TPEL May 2020 5267-5278*

A Fault-Tolerant Control Strategy for T-Type Three-Level Rectifier With Neutral Point Voltage Balance and Loss Reduction. *Chen, J.*, +, *TPEL July 2020 7492-7505*

A High-Power Wireless Charging System Using *LCL*-N Topology to Achieve a Compact and Low-Cost Receiver. *Zhang, Y.*, +, *TPEL Jan. 2020 131-137*

A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*

A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*

A Novel Converter-Breaker Integrated Voltage Source Converter Based on High-Surge IGCT and Fault Self-Clearing Strategy for DC Grid. *Xu, C.*, +, *TPEL Dec. 2020 12668-12672*

A Novel Current-Commutation-Based FCL for the Flexible DC Grid. *Li, B.*, +, *TPEL Jan. 2020 591-606*

A Novel Fault Ride-Through Strategy Based on Capacitor Energy Storage Inside MMC. *Xiao, Y.*, +, *TPEL Aug. 2020 7960-7971*

A Reliable Ultrafast Short-Circuit Protection Method for E-Mode GaN HEMT. *Lyu, X.*, +, *TPEL Sept. 2020 8926-8933*

A Two-Step Strategy for Online Fault Detection of High-Resistance Connection in BLDC Motor. *Wang, H.*, +, *TPEL March 2020 3043-3053*

Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*

Data-Driven Approach for Fault Prognosis of SiC MOSFETs. *Chen, W.*, +, *TPEL April 2020 4048-4062*

Diagnosis and Tolerance of Common Electrical Faults in T-Type Three-Level Inverters Fed Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Feb. 2020 1753-1769*

Diagnosis-Free Self-Healing Scheme for Open-Circuit Faults in Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Nov. 2020 12053-12071*

Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*

Fault Detection and Localization for Cascaded H-Bridge Multilevel Converter With Model Predictive Control. *Chai, M.*, +, *TPEL Oct. 2020 10109-10120*

Fault Diagnosis and Tolerance Control of Five-Level Nested NPP Converter Using Wavelet Packet and LSTM. *Ye, S.*, +, *TPEL Feb. 2020 1907-1921*

Fault Localization Strategy for Modular Multilevel Converters Under Submodule Lower Switch Open-Circuit Fault. *Liu, C.*, +, *TPEL May 2020 5190-5204*

Grounding Fault in Series-Connection-Based Offshore Wind Farms: Fault Clearance. *Guo, G.*, +, *TPEL Sept. 2020 9357-9367*

Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*
Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*
Localization and Detection of Bond Wire Faults in Multichip IGBT Power Modules. *Chen, C.*, +, *TPEL Aug. 2020 7804-7815*
Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies. *Leterme, W.*, +, *TPEL June 2020 5753-5769*
Open-Circuit Fault Diagnosis and Maintenance in Multi-Pulse Parallel and Series TRU Topologies. *Perise, J.S.*, +, *TPEL Oct. 2020 10906-10916*
Open-Circuit Fault Diagnosis of Rotating Rectifier by Analyzing the Exciter Armature Current. *Sun, C.*, +, *TPEL June 2020 6373-6385*
Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*
Recovering Partial Three-Level Operation in a T-Type Inverter With Fault Management Redundant Unit. *Wang, B.*, +, *TPEL Sept. 2020 8944-8955*
Stator Short-Circuit Fault Detection and Location Methods for Brushless DFIMs Using Nested-Loop Rotor Slot Harmonics. *Afshar, M.*, +, *TPEL Aug. 2020 8559-8568*
Voltage Difference Residual-Based Open-Circuit Fault Diagnosis Approach for Three-Level Converters in Electric Traction Systems. *Yang, C.*, +, *TPEL March 2020 3012-3028*

Fault location

A Model-Based Strategy With Robust Parameter Mismatch for Online HRC Diagnosis and Location in PMSM Drive System. *Hang, J.*, +, *TPEL Oct. 2020 10917-10929*
An Online Data-Driven Method for Simultaneous Diagnosis of IGBT and Current Sensor Fault of Three-Phase PWM Inverter in Induction Motor Drives. *Gou, B.*, +, *TPEL Dec. 2020 13281-13294*
Series DC Arc Fault Detection Based on Ensemble Machine Learning. *Le, V.*, +, *TPEL Aug. 2020 7826-7839*
Stator Short-Circuit Fault Detection and Location Methods for Brushless DFIMs Using Nested-Loop Rotor Slot Harmonics. *Afshar, M.*, +, *TPEL Aug. 2020 8559-8568*

Fault tolerance

A Fault-Tolerant Hybrid Cascaded H-Bridge Multilevel Inverter. *Mhiesan, H.*, +, *TPEL Dec. 2020 12702-12715*
A Reduced Component Count Five-Level Inverter Topology for High Reliability Electric Drives. *Karthik, A.*, +, *TPEL Jan. 2020 725-732*
A Redundant Unit to Form T-Type Three-Level Inverters Tolerant of IGBT Open-Circuit Faults in Multiple Legs. *Wang, B.*, +, *TPEL Jan. 2020 924-939*
A Single-Stage Fault-Tolerant Three-Phase Bidirectional AC/DC Converter With Symmetric High-Frequency Y-Δ Connected Transformers. *Gu, L.*, +, *TPEL Sept. 2020 9226-9237*
A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine. *Raherimihaja, H.J.*, +, *TPEL Nov. 2020 12122-12132*
Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*
Diagnosis and Tolerance of Common Electrical Faults in T-Type Three-Level Inverters Fed Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Feb. 2020 1753-1769*
Fault Diagnosis and Tolerance Control of Five-Level Nested NPP Converter Using Wavelet Packet and LSTM. *Ye, S.*, +, *TPEL Feb. 2020 1907-1921*
Fault-Tolerant Operation of a TLC-MMC Hybrid DC-DC Converter for Interconnection of MVDC and HVdc Grids. *Cui, S.*, +, *TPEL Jan. 2020 83-93*
Open-Phase Fault-Tolerant Operation of the Three-Phase Dual Active Bridge Converter. *Berger, M.*, +, *TPEL April 2020 3651-3662*
Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*
Research on Vector Control Strategy of Surface-Mounted Permanent Magnet Synchronous Machine Drive System With High-Resistance Connection. *Hang, J.*, +, *TPEL Feb. 2020 2023-2033*
Selective Torque Harmonic Elimination for Dual Three-Phase PMSMs Based on PWM Carrier Phase Shift. *Wang, X.*, +, *TPEL Dec. 2020 13255-13269*
Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control. *Ye, D.*, +, *TPEL Jan. 2020 640-651*
Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault. *Zhou, H.*, +, *TPEL May 2020 5007-5017*

Fault tolerant control

A Direct Redundancy Approach to Fault-Tolerant Control of BLDC Motor With a Damaged Hall-Effect Sensor. *Aqil, M.*, +, *TPEL Feb. 2020 1732-1741*
A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters. *Pan, Y.*, +, *TPEL Oct. 2020 10994-11012*
A Fault-Tolerant Control Strategy for T-Type Three-Level Rectifier With Neutral Point Voltage Balance and Loss Reduction. *Chen, J.*, +, *TPEL July 2020 7492-7505*
Diagnosis-Free Self-Healing Scheme for Open-Circuit Faults in Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Nov. 2020 12053-12071*
Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application. *Sharma, R.*, +, *TPEL June 2020 5683-5691*
Fault Detection and Localization for Cascaded H-Bridge Multilevel Converter With Model Predictive Control. *Chai, M.*, +, *TPEL Oct. 2020 10109-10120*
FCS-MPC-Based Fault-Tolerant Control of Five-Phase IPMSM for MTPA Operation. *Liu, G.*, +, *TPEL March 2020 2882-2894*
Finite-Level-State Model Predictive Control for Sensorless Three-Phase Four-Arm Modular Multilevel Converter. *Liu, X.*, +, *TPEL May 2020 4462-4466*
Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*
Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits. *Liu, Z.*, +, *TPEL May 2020 5290-5303*
Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*
PMSM Open-Phase Fault-Tolerant Control Strategy Based on Four-Leg Inverter. *Zhou, X.*, +, *TPEL March 2020 2799-2808*
Reconfigurable Nonisolated DC–DC Converter With Fault-Tolerant Capability. *Soon, J.L.*, +, *TPEL Sept. 2020 8934-8943*
Recovering Partial Three-Level Operation in a T-Type Inverter With Fault Management Redundant Unit. *Wang, B.*, +, *TPEL Sept. 2020 8944-8955*
Second-Time Fault-Tolerant Topology and Control Strategy for the Open-Winding PMSM System Based on Shared Bridge Arm. *Zhang, X.*, +, *TPEL Nov. 2020 12181-12193*
Sensor-Fault-Estimation-Based Tolerant Control for Single-Phase Two-Level PWM Rectifier in Electric Traction System. *Gong, Z.*, +, *TPEL Nov. 2020 12274-12284*
Simplified Fault-Tolerant Model Predictive Control for a Five-Phase Permanent-Magnet Motor With Reduced Computation Burden. *Tao, T.*, +, *TPEL April 2020 3850-3858*
Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault. *Zhou, H.*, +, *TPEL May 2020 5007-5017*

Fault tolerant systems

Diagnosis and Tolerance of Common Electrical Faults in T-Type Three-Level Inverters Fed Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Feb. 2020 1753-1769*
Fault Diagnosis and Tolerance Control of Five-Level Nested NPP Converter Using Wavelet Packet and LSTM. *Ye, S.*, +, *TPEL Feb. 2020 1907-1921*

Research on Vector Control Strategy of Surface-Mounted Permanent Magnet Synchronous Machine Drive System With High-Resistance Connection. *Hang, J.*, +, *TPEL Feb. 2020 2023-2033*

Feature extraction

Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*

Feedback

A 0.46 mm^2 On-Chip Compensated Type-III Buck Converter Using an Inner Feedback Loop With a Seamless CCM/DCM Transition Technique. *Park, J.*, +, *TPEL May 2020 4477-4482*

A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*

A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*

A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*

A Novel Variable DC-Link Voltage Control Method for PMSM Driven by a Quasi-Z-Source Inverter. *Xiao, S.*, +, *TPEL April 2020 3878-3890*

A Study of Virtual Resistor-Based Active Damping Alternatives for *LCL* Resonance in Grid-Connected Voltage Source Inverters. *Liu, T.*, +, *TPEL Jan. 2020 247-262*

An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*

Bridgeless Cuk-Derived Single Power Conversion Inverter With Reactive-Power Capability. *Han, B.*, +, *TPEL March 2020 2629-2645*

CMOS Active Gate Driver for Closed-Loop dv/dt Control of GaN Transistors. *Bau, P.*, +, *TPEL Dec. 2020 13322-13332*

Controllable Electrochemical Impedance Spectroscopy: From Circuit Design to Control and Data Analysis. *Sadeghi, E.*, +, *TPEL Sept. 2020 9933-9942*

DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation. *Hajihosseini, M.*, +, *TPEL Oct. 2020 9971-9977*

Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*

Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*

Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*

Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*

Equivalent Circuit Modeling of *LLC* Resonant Converter. *Tian, S.*, +, *TPEL Aug. 2020 8833-8845*

Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers. *Yang, Y.*, +, *TPEL Oct. 2020 11026-11038*

Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control. *Han, Y.*, +, *TPEL March 2020 3221-3241*

Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*

Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*

Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*

Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives. *Wallscheid, O.*, +, *TPEL Dec. 2020 13563-13572*

Maximum Efficiency Point Tracking for Multiple-Transmitter Wireless Power Transfer. *Kim, D.*, +, *TPEL Nov. 2020 11391-11400*

Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*

Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*

Parameters Uncertainty Immunization of Global Synchronous Pulsewidth Modulated VSIs With Round P&O Algorithm. *Xu, T.*, +, *TPEL Nov. 2020 11281-11286*

Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*

Power-Electronic-Based Electric Machine Emulator Using Direct Impedance Regulation. *Ma, K.*, +, *TPEL Oct. 2020 10673-10680*

Resonant Current Estimation and Phase-Locked Loop Feedback Design for Piezoelectric Transformer-Based Power Supplies. *Yang, Z.*, +, *TPEL Oct. 2020 10466-10476*

Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*

Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*

Sensorless Control of Linear Vernier Permanent-Magnet Motor Based on Improved Mover Flux Observer. *Ji, J.*, +, *TPEL April 2020 3869-3877*

Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*

Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation. *Wang, B.*, +, *TPEL Nov. 2020 12522-12532*

State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

Steady-State Error Suppression and Simplified Implementation of Direct Source Current Control for Matrix Converter With Model Predictive Control. *Lei, J.*, +, *TPEL March 2020 3183-3194*

Feedforward

A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range. *Kim, D.*, +, *TPEL Dec. 2020 13441-13454*

A Modular Multilevel Resonant DC–DC Converter. *Shao, S.*, +, *TPEL Aug. 2020 7921-7932*

A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System. *Wang, Y.*, +, *TPEL April 2020 4117-4126*

A Symmetrical Control Method for Grid-Connected Converters to Suppress the Frequency Coupling Under Weak Grid Conditions. *Zhang, X.*, +, *TPEL Dec. 2020 13488-13499*

An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*

An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*

Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*

Damping Method of High-Frequency Resonance for Stator Current Controlled DFIG System Under Parallel Compensation Grid. *Pang, B.*, +, *TPEL Oct. 2020 10260-10270*

Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*

Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems. *Wang, W.*, +, *TPEL Dec. 2020 13673-13686*

Feedforward Modulation for the Neutral-Point-Clamped Converter With Confined Capacitor Voltage Ripples and Reduced Switching Power Losses. *Beniwal, N.*, +, *TPEL April 2020 4426-4438*

Frequency-Division Virtual Impedance Shaping Control Method for Grid-Connected Inverters in a Weak and Distorted Grid. *Zhu, K.*, +, *TPEL Aug. 2020 8116-8129*

High-Efficiency Hybrid Dual-Path Step-Up DC–DC Converter With Continuous Output-Current Delivery for Low Output Voltage Ripple. *Shin, S.*, +, *TPEL June 2020 6025-6038*
High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*
Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*
Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*
Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*
Model-Based Control for Grid-Tied Inverters Operated in Discontinuous Current Mode With Low Harmonic Current Distortion. *Zhang, J.*, +, *TPEL Oct. 2020 11167-11180*
Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*
Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids. *Zhang, Q.*, +, *TPEL July 2020 7001-7014*
Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*
Reference-Feedforward Power-Synchronization Control. *Harnefors, L.*, +, *TPEL Sept. 2020 8878-8881*
Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*
Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter. *Zhao, J.*, +, *TPEL Aug. 2020 8102-8115*
Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*
State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*
Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault. *Zhou, H.*, +, *TPEL May 2020 5007-5017*

Feedforward neural networks
Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact. *Huang, J.*, +, *TPEL July 2020 7086-7099*

Ferrite devices
Design Guidelines of Inductive Coils Using a Polymer Bonded Magnetic Composite for Inductive Power Transfer Systems in Electric Vehicles. *Delgado, A.*, +, *TPEL Aug. 2020 7884-7893*
Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling. *Shafaei, R.*, +, *TPEL Sept. 2020 9632-9649*

Ferrites
A High-Power Wireless Charging System Using *LCL*-N Topology to Achieve a Compact and Low-Cost Receiver. *Zhang, Y.*, +, *TPEL Jan. 2020 131-137*
Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates. *Choi, J.S.*, +, *TPEL Aug. 2020 7863-7872*
Design of Compact Three-Phase Receiver for Meander-Type Dynamic Wireless Power Transfer System. *Wang, C.*, +, *TPEL July 2020 6854-6866*
Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites. *Wu, G.*, +, *TPEL Feb. 2020 1845-1854*
Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads. *E. Gaona, D.*, +, *TPEL July 2020 6799-6809*
Free Arrangement Wireless Power Transfer System With a Ferrite Transmission Medium and Geometry-Based Performance Improvement. *Seo, S.*, +, *TPEL May 2020 4518-4532*

Ferroelectric capacitors
Novel iGSE-C Loss Modeling of X7R Ceramic Capacitors. *Menzi, D.*, +, *TPEL Dec. 2020 13367-13383*

Ferromagnetic materials
Macroscopic Modeling of Magnetic Microwires for Finite Element Simulations of Inductive Components. *Delgado, A.*, +, *TPEL Aug. 2020 8452-8459*

Field effect transistor switches
10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field. *DiMarino, C.M.*, +, *TPEL June 2020 6050-6060*
A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*
Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*
Analysis and Modeling of a New Coupled-Inductor Buck–Boost DC–DC Converter for Renewable Energy Applications. *Hasanpour, S.*, +, *TPEL Aug. 2020 8088-8101*
Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks. *Zulauf, G.*, +, *TPEL June 2020 5581-5588*
Effect of Asymmetric Layout and Unequal Junction Temperature on Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Zhao, C.*, +, *TPEL July 2020 7392-7404*
High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*
Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches. *Li, Z.*, +, *TPEL Aug. 2020 8512-8523*
Review of Loss Distribution, Analysis, and Measurement Techniques for GaN HEMTs. *Gareau, J.*, +, *TPEL July 2020 7405-7418*
Three-Terminal Si/SiC Hybrid Switch. *Song, X.*, +, *TPEL Sept. 2020 8867-8871*
Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits. *Zhang, F.*, +, *TPEL Oct. 2020 10200-10212*

Field effect transistors
C_{oss} Loss Tangent of Field-Effect Transistors: Generalizing High-Frequency Soft-Switching Losses. *Perera, N.*, +, *TPEL Dec. 2020 12585-12589*

Field programmable gate arrays
A Simplified Space Vector Pulsewidth Modulation Scheme for Three-Phase Cascaded H-Bridge Inverters. *Wu, X.*, +, *TPEL April 2020 4192-4204*
A Single Carrier-Based Pulsewidth Modulation Technique for Three-to-Three Phase Indirect Matrix Converter. *Patel, P.P.*, +, *TPEL Nov. 2020 11589-11601*
Controller-Embeddable Probabilistic Real-Time Digital Twins for Power Electronic Converter Diagnostics. *Milton, M.*, +, *TPEL Sept. 2020 9850-9864*
FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*
Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*
Improved Current Control for a Quasi-Two-Level PWM-Operated Modular Multilevel Converter. *Kucka, J.*, +, *TPEL July 2020 6842-6853*
Long-Horizon Finite-Control-Set Model Predictive Control With Nonrecursive Sphere Decoding on an FPGA. *Dorfling, T.*, +, *TPEL July 2020 7520-7531*
Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*
New Digital Control Method for Improving Dynamic Response of Synchronous Rectified PSR Flyback Converter With CCM and DCM Modes. *Xu, S.*, +, *TPEL Nov. 2020 12347-12358*
Real-Time HIL Emulation for a Segmented-Rotor Switched Reluctance Motor Using a New Magnetic Equivalent Circuit. *Sun, X.*, +, *TPEL April 2020 3841-3849*
Zynq Implemented Luenberger Disturbance Observer Based Predictive Control Scheme for PMSM Drives. *He, L.*, +, *TPEL Feb. 2020 1770-1778*

Filtering theory
Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*

Handling Differential Mode Conducted EMC in Modular Converters. *Lamorelle, T.*, +, *TPEL June 2020 5812-5819*

Filters

A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise. *Ge, T.*, +, *TPEL Jan. 2020 789-799*

A Novel Filter Structure to Suppress Circulating Currents Based on the Sequence of Sideband Harmonics for High-Power Interleaved Motor-Drive Systems. *Ohn, S.*, +, *TPEL Jan. 2020 853-866*

Finite difference methods

Multiparameter Model Order Reduction for Thermal Modeling of Power Electronics. *Dong, X.*, +, *TPEL Aug. 2020 8550-8558*

Finite element analysis

A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*

Analysis and Reduction of the Near Magnetic Field Emission From Toroidal Inductors. *Zhang, B.*, +, *TPEL June 2020 6251-6268*

Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter. *Liu, J.*, +, *TPEL Jan. 2020 826-834*

Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing. *Hu, K.*, +, *TPEL July 2020 6773-6784*

Design and Fabrication of Three-Dimensional Printed Air-Core Transformers for High-Frequency Power Applications. *Tong, Z.*, +, *TPEL Aug. 2020 8472-8489*

Design Guidelines of Inductive Coils Using a Polymer Bonded Magnetic Composite for Inductive Power Transfer Systems in Electric Vehicles. *Delgado, A.*, +, *TPEL Aug. 2020 7884-7893*

Design of Inductive Power Transfer System With a Behavior of Voltage Source in Open-Loop Considering Wide Mutual Inductance Variation. *Delgado, A.*, +, *TPEL Nov. 2020 11453-11462*

Equivalent Conductor Layer for Fast 3-D Finite Element Simulations of Inductive Power Transfer Coils. *Delgado, A.*, +, *TPEL June 2020 6221-6230*

Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*

Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads. *E. Gaona, D.*, +, *TPEL July 2020 6799-6809*

FEM-Based Statistical Data-Driven Modeling Approach for MFT Design Optimization. *Mogorovic, M.*, +, *TPEL Oct. 2020 10863-10872*

Graph Sets Method (GSM) for Multicoil Wireless Power Transfer Systems—Part II: Simulated and Experimental Results. *Faradjizadeh, F.*, +, *TPEL Oct. 2020 10757-10769*

Investigation and Failure Mode of Asymmetric and Double Trench SiC mosfets Under Avalanche Conditions. *Deng, X.*, +, *TPEL Aug. 2020 8524-8531*

Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*

Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*

Macroscopic Modeling of Magnetic Microwires for Finite Element Simulations of Inductive Components. *Delgado, A.*, +, *TPEL Aug. 2020 8452-8459*

Modeling of a Magnetic Coupler Based on Single- and Double-Layered Rectangular Planar Coils With In-Plane Misalignment for Wireless Power Transfer. *Lopez-Alcolea, F.J.*, +, *TPEL May 2020 5102-5121*

Multiparameter Model Order Reduction for Thermal Modeling of Power Electronics. *Dong, X.*, +, *TPEL Aug. 2020 8550-8558*

Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries. *Xie, Y.*, +, *TPEL March 2020 2595-2614*

On the Calculation of the Leakage Inductance in Transformers With Nonideal Windings. *Aghaei, M.*, +, *TPEL Aug. 2020 8460-8471*

Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*

Permeance Distribution Function: A Powerful Tool to Analyze Electromagnetic Forces Induced by PWM Current Harmonics in Multiphase Surface Permanent-Magnet Motors. *Lv, Y.*, +, *TPEL July 2020 7379-7391*

Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling. *Shafaei, R.*, +, *TPEL Sept. 2020 9632-9649*

Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*

Selective Torque Harmonic Elimination for Dual Three-Phase PMSMs Based on PWM Carrier Phase Shift. *Wang, X.*, +, *TPEL Dec. 2020 13255-13269*

Single-Turn Air-Core Coils for High-Frequency Inductive Wireless Power Transfer. *Zulauf, G.*, +, *TPEL March 2020 2917-2932*

Stator Short-Circuit Fault Detection and Location Methods for Brushless DFIMs Using Nested-Loop Rotor Slot Harmonics. *Afshar, M.*, +, *TPEL Aug. 2020 8559-8568*

Symmetric Sensing Coil Design for the Blind-Zone Free Metal Object Detection of a Stationary Wireless Electric Vehicles Charger. *Thai, V.X.*, +, *TPEL April 2020 3466-3477*

The Faraday Shields Loss of Transformers. *Shen, Z.*, +, *TPEL Nov. 2020 12194-12206*

Thermal Modeling of Inductor and Transformer Windings Including Litz Wire. *Kyaw, P.A.*, +, *TPEL Jan. 2020 867-881*

Transient Thermal Modeling of a Power Module: An N-Layer Fourier Approach. *Choudhury, K.R.*, +, *TPEL Oct. 2020 10580-10591*

Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*

FIR filters

Separate-Structure UDE-Based Current Resonant Control Strategy on *L*+*C*+*L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness. *Xiong, Y.*, +, *TPEL Dec. 2020 13641-13651*

Fixed point arithmetic

Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*

Flip-chip devices

A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*

Flow measurement

Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*

Flowmeters

Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*

Focused ion beam technology

How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*

Force control

Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor. *Ji, J.*, +, *TPEL Oct. 2020 10681-10689*

Fourier analysis

Transient Thermal Modeling of a Power Module: An N-Layer Fourier Approach. *Choudhury, K.R.*, +, *TPEL Oct. 2020 10580-10591*

Fourier series

Fast SPICE-Compatible Simulation of Low-Power On-Chip PWM DC–DC Converters With Improved Ripple Accuracy. *Burcea, F.*, +, *TPEL Aug. 2020 8173-8185*

Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter. *Thakur, S.S.*, +, *TPEL Sept. 2020 9291-9305*

Transient Thermal Modeling of a Power Module: An N-Layer Fourier Approach. *Choudhury, K.R.*, +, *TPEL Oct. 2020 10580-10591*

Fourier transforms

Online Frequency Response Measurements of Grid-Connected Systems in Presence of Grid Harmonics and Unbalance. *Luhtala, R.*, +, *TPEL April 2020 3343-3347*

Fracture mechanics

Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing. *Hu, K.*, +, *TPEL July 2020 6773-6784*

Frequency control

A Generalized Multifrequency Small-Signal Model for High-Bandwidth Buck Converters Under Constant-Frequency Voltage-Mode Control. *Cheng, X.*, +, *TPEL Aug. 2020 8186-8199*

A Hierarchical Energy Balance Control Method for M^3C Based on Injecting Output Frequency Circulating Currents. *Ma, J.*, +, *TPEL March 2020 2424-2435*

A High Efficiency and Fast Transient Digital Low-Dropout Regulator With the Burst Mode Corresponding to the Power-Saving Modes of DC–DC Switching Converters. *Lin, J.*, +, *TPEL April 2020 3997-4008*

A Novel Configuration of Cross-Switched T-Type (CT-Type) Multilevel Inverter. *Meraj, S.T.*, +, *TPEL April 2020 3688-3696*

A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*

A Simplified Stator Frequency and Power Control Method of DFIG-DC System Without Stator Voltage and Current Sensors. *Wu, C.*, +, *TPEL June 2020 5562-5566*

A Single-Switch High-Gain PV Microconverter With Low-Switch-Voltage-to-High-Voltage-Bus Ratio. *Kanathipan, K.*, +, *TPEL Sept. 2020 9530-9540*

A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids. *Liu, B.*, +, *TPEL Nov. 2020 11634-11651*

A Unified Power Control Method for Standalone and Grid-Connected DFIG-DC System. *Wu, C.*, +, *TPEL Dec. 2020 12663-12667*

Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*

An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*

Capacitor Voltage Ripple Estimation and Optimal Sizing of Modular Multilevel Converters for Variable-Speed Drives. *Ke, Z.*, +, *TPEL Nov. 2020 12544-12554*

Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller. *Kolluri, S.*, +, *TPEL Sept. 2020 9839-9849*

Comparison of Basic Inductive Power Transfer Systems With Linear Control Achieving Optimized Efficiency. *Huang, Z.*, +, *TPEL March 2020 3276-3286*

Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*

Cooperative Regulation of Imbalances in Three-Phase Four-Wire Microgrids Using Single-Phase Droop Control and Secondary Control Algorithms. *Espina, E.*, +, *TPEL Feb. 2020 1978-1992*

Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*

Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*

Effects of Secondary Leakage Inductance on the *LLC* Resonant Converter. *Noah, M.*, +, *TPEL Jan. 2020 835-852*

Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*

Improved Current Control for a Quasi-Two-Level PWM-Operated Modular Multilevel Converter. *Kucka, J.*, +, *TPEL July 2020 6842-6853*

Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia. *Hou, X.*, +, *TPEL Feb. 2020 1589-1602*

Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*

Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*

Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters. *Wu, X.*, +, *TPEL Sept. 2020 9865-9885*

Predictive Torque Control Algorithm for a Five-Phase Induction Motor Drive for Reduced Torque Ripple With Switching Frequency Control. *Bhowate, A.*, +, *TPEL July 2020 7282-7294*

Small-Signal Modeling and Stability Prediction of Parallel Droop-Controlled Inverters Based on Terminal Characteristics of Individual Inverters. *Wang, S.*, +, *TPEL Jan. 2020 1045-1063*

Variable Switching Sequence PWM Strategy of Dual Three-Phase Machine Drive for High-Frequency Current Harmonic Suppression. *Ye, D.*, +, *TPEL May 2020 4984-4995*

Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*

Wireless Energy-On-Demand Using Magnetic Quasi-Resonant Coupling. *Liu, W.*, +, *TPEL Sept. 2020 9057-9069*

Frequency converters

Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*

Frequency estimation

Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*

Frequency locked loops

A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion. *Escobar, G.*, +, *TPEL May 2020 4647-4657*

Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*

Frequency measurement

Online Frequency Response Measurements of Grid-Connected Systems in Presence of Grid Harmonics and Unbalance. *Luhtala, R.*, +, *TPEL April 2020 3343-3347*

Frequency modulation

A Dual Half-Bridge *LLC* Resonant Converter With Magnetic Control for Battery Charger Application. *Wei, Y.*, +, *TPEL Feb. 2020 2196-2207*

A Novel Space-Vector Modulation Method for Nine-Switch Converter. *Pan, L.*, +, *TPEL Feb. 2020 1789-1804*

Circulating Current Control for Modular Multilevel Converters With (N+1) Selective Harmonic Elimination—PWM. *Perez-Basante, A.*, +, *TPEL Aug. 2020 8712-8725*

High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations. *Dao, N.D.*, +, *TPEL Oct. 2020 10455-10465*

Strategy and Implementation of Harmonic-Reduced Synchronized SVPWM for High-Power Traction Machine Drives. *Xiao, L.*, +, *TPEL Nov. 2020 12457-12471*

Frequency response

Design of Multifrequency Proportional–Resonant Current Controllers for Voltage-Source Converters. *Hans, F.*, +, *TPEL Dec. 2020 13573-13589*

Impedance Measurement of Three-Phase Inverter in the Stationary Frame Using Frequency Response Analyzer. *Liu, J.*, +, *TPEL Sept. 2020 9390-9401*

Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters. *Fan, J.W.*, +, *TPEL March 2020 2519-2533*

Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*

Nonlinear Magnetic Field Vector Control With Dynamic-Variant Parameters for High-Power Electrically Excited Synchronous Motor. *Han, Y.*, +, *TPEL Oct. 2020 11053-11063*
Online Frequency Response Measurements of Grid-Connected Systems in Presence of Grid Harmonics and Unbalance. *Luhtala, R.*, +, *TPEL April 2020 3343-3347*
Online Impedance Measurement of Batteries Using the Cross-Correlation Technique. *Gucin, T.N.*, +, *TPEL April 2020 4365-4375*
Transient Thermal Modeling of a Power Module: An N-Layer Fourier Approach. *Choudhury, K.R.*, +, *TPEL Oct. 2020 10580-10591*

Frequency-domain analysis
A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters. *Pan, Y.*, +, *TPEL Oct. 2020 10994-11012*
A Generalized Multifrequency Small-Signal Model for High-Bandwidth Buck Converters Under Constant-Frequency Voltage-Mode Control. *Cheng, X.*, +, *TPEL Aug. 2020 8186-8199*
A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*
A Thermal Modeling Method Considering Ambient Temperature Dynamics. *Wang, H.*, +, *TPEL Jan. 2020 6-9*
Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems. *Sun, J.*, +, *TPEL Aug. 2020 7840-7852*
High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application. *Liu, T.*, +, *TPEL Nov. 2020 11770-11782*
Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*
Power-Electronic-Based Electric Machine Emulator Using Direct Impedance Regulation. *Ma, K.*, +, *TPEL Oct. 2020 10673-10680*

Friction
Coupling of AC Grids via VSC-HVDC Interconnections for Oscillation Damping Based on Differential and Common Power Control. *Rodriguez-Cabero, A.*, +, *TPEL June 2020 6548-6558*

Fuel cell power plants
High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*

Fuel cell vehicles
Cost-Optimal Energy Management of Hybrid Electric Vehicles Using Fuel Cell/Battery Health-Aware Predictive Control. *Hu, X.*, +, *TPEL Jan. 2020 382-392*

Fuel cells
A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC–DC Converter With Coupled Inductor. *Zhang, Y.*, +, *TPEL Feb. 2020 1525-1535*
Extended State Observer-Based Control of DC–DC Converters for Fuel Cell Application. *Zhuo, S.*, +, *TPEL Sept. 2020 9923-9932*
Reactive Power Optimization Control for Bidirectional Dual-Tank Resonant DC–DC Converters for Fuel Cells Systems. *Wu, J.*, +, *TPEL Sept. 2020 9202-9214*

Fuel economy
Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph. *Deng, T.*, +, *TPEL Dec. 2020 13465-13474*

Fuzzy control
A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*
An Energy Balance Active Disturbance Rejection Control for Improving Converter Stability While Maintaining Fast Dynamic Performance. *Nie, J.*, +, *TPEL Nov. 2020 11304-11309*
An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control. *Naik N, V.*, +, *TPEL Aug. 2020 8443-8451*
Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*
Inertia Response Improvement in AC Microgrids: A Fuzzy-Based Virtual Synchronous Generator Control. *Karimi, A.*, +, *TPEL April 2020 4321-4331*

Fuzzy neural networks
A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter. *Hou, S.*, +, *TPEL July 2020 7640-7652*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*

Fuzzy set theory
An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control. *Naik N, V.*, +, *TPEL Aug. 2020 8443-8451*

G

Gadolinium compounds
Mechanism Model and Prediction Method of Common Mode Radiation for a Nonisolated Very-High-Frequency DC–DC Converter With Cables. *He, J.*, +, *TPEL Oct. 2020 10227-10237*

Gain control
A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*

Gallium arsenide
6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*

Gallium compounds
A 5.8-GHz High-Power and High-Efficiency Rectifier Circuit With Lateral GaN Schottky Diode for Wireless Power Transfer. *Dang, K.*, +, *TPEL March 2020 2247-2252*
A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*
A Reliable Ultrafast Short-Circuit Protection Method for E-Mode GaN HEMT. *Lyu, X.*, +, *TPEL Sept. 2020 8926-8933*
A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*
A Zero-Voltage-Switching, Physically Flexible Multilevel GaN DC–DC Converter. *Chou, D.*, +, *TPEL Jan. 2020 1064-1073*
Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter. *Li, K.*, +, *TPEL Sept. 2020 9650-9660*
Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*
Analysis and Design of an *RC* Snubber Circuit to Suppress False Triggering Oscillation for GaN Devices in Half-Bridge Circuits. *Chen, J.*, +, *TPEL March 2020 2690-2704*
Cascode GaN/SiC: A Wide-Bandgap Heterogenous Power Device for High-Frequency Applications. *Xu, J.*, +, *TPEL June 2020 6340-6349*
Characterization and Modeling of Frequency-Dependent On-Resistance for GaN Devices at High Frequencies. *Wang, K.*, +, *TPEL May 2020 4925-4933*
CMOS Active Gate Driver for Closed-Loop d*v*/d*t* Control of GaN Transistors. *Bau, P.*, +, *TPEL Dec. 2020 13322-13332*
Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*
Deadband Effect and Accurate ZVS Boundaries of GaN-Based Dual-Active-Bridge Converters With Multiple-Phase-Shift Control. *Shi, H.*, +, *TPEL Sept. 2020 9886-9903*
Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*

Desynchronizing Paralleled GaN HEMTs to Reduce Light-Load Switching Loss. *Shen, Y.*, +, *TPEL Sept. 2020 9151-9170*

Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks. *Zulauf, G.*, +, *TPEL June 2020 5581-5588*

Dynamic Temperature Measurements of a GaN DC–DC Boost Converter at MHz Frequencies. *Matei, C.*, +, *TPEL Aug. 2020 8303-8310*

Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*

Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*

High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles. *Ta, L.A.D.*, +, *TPEL Aug. 2020 8324-8334*

How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*

Impact on ZVS Operation by Splitting Inductance to Both Sides of Transformer for 1-MHz GaN Based DAB Converter. *Xiao, Y.*, +, *TPEL Nov. 2020 11988-12002*

Integrated Coupled Inductors With Functionality of Current Balancing Transformer for Two-Phase Synchronous DC–DC Converters. *Dou, Y.*, +, *TPEL May 2020 4472-4476*

Investigation on the Short-Circuit Oscillation of Cascode GaN HEMTs. *Xue, P.*, +, *TPEL June 2020 6292-6300*

Isolated Ultrafast Gate Driver with Variable Duty Cycle for Pulse and VHF Power Electronics. *Zan, X.*, +, *TPEL Dec. 2020 12678-12685*

Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*

Negative Resistance in Cascode Transistors. *Nikoo, M.S.*, +, *TPEL Oct. 2020 9978-9981*

New Insights on Output Capacitance Losses in Wide-Band-Gap Transistors. *Nikoo, M.S.*, +, *TPEL July 2020 6663-6667*

On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation. *Surakitbovorn, K.N.*, +, *TPEL April 2020 4009-4023*

Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*

Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*

Physics-Oriented Device Model for Packaged GaN Devices. *Mahajan, D.D.*, +, *TPEL June 2020 6332-6339*

Piezoelectric Properties of GaN-on-Si Heterostructures and Their Implications on Lifetime During Switching Operation. *Pribahsnik, F.P.*, +, *TPEL Oct. 2020 10873-10878*

Progress of Ultra-Wide Bandgap Ga_2O_3 Semiconductor Materials in Power MOSFETs. *Zhang, H.*, +, *TPEL May 2020 5157-5179*

Review of Loss Distribution, Analysis, and Measurement Techniques for GaN HEMTs. *Gareau, J.*, +, *TPEL July 2020 7405-7418*

Semiconductor-Based Galvanic Isolation: Touch Current Suppression. *Yao, C.*, +, *TPEL Jan. 2020 48-58*

Single Pulse Unclamped-Inductive-Switching Induced Failure and Analysis for 650 V p-GaN HEMT. *Liu, S.*, +, *TPEL Nov. 2020 11328-11331*

Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*

Game theory

Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*

Gate drivers

A Lithium-Ion Battery Balancing Circuit Based on Synchronous Rectification. *Shang, Y.*, +, *TPEL Feb. 2020 1637-1648*

Adaptive Multi-Level Active Gate Drivers for SiC Power Devices. *Zhao, S.*, +, *TPEL Feb. 2020 1882-1898*

Gaussian processes

Online Anomaly Detection in DC/DC Converters by Statistical Feature Estimation Using GPR and GA. *Jiang, Y.*, +, *TPEL Oct. 2020 10945-10957*

Gears

Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph. *Deng, T.*, +, *TPEL Dec. 2020 13465-13474*

Genetic algorithms

A Novel Control Strategy for Improving the Performance of a Nearly Zero Energy Building. *Tsioumas, E.*, +, *TPEL Feb. 2020 1513-1524*

Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*

Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer. *Chen, B.*, +, *TPEL Nov. 2020 11557-11573*

Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*

Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*

Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*

Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*

Online Anomaly Detection in DC/DC Converters by Statistical Feature Estimation Using GPR and GA. *Jiang, Y.*, +, *TPEL Oct. 2020 10945-10957*

Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*

State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

Torque Ripple and Efficiency Online Optimization of Switched Reluctance Machine Based on Torque per Ampere Characteristics. *Song, S.*, +, *TPEL Sept. 2020 9608-9616*

Geometry

Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control. *Lee, T.*, +, *TPEL Sept. 2020 9024-9033*

Giant magnetoresistance

Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*

Global warming

Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*

Gradient methods

Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling. *Shafaei, R.*, +, *TPEL Sept. 2020 9632-9649*

Graph theory

Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation. *Lin, X.*, +, *TPEL April 2020 4216-4232*

Graph Sets Method (GSM) for Multicoil Wireless Power Transfer Systems—Part II: Simulated and Experimental Results. *Faradjizadeh, F.*, +, *TPEL Oct. 2020 10757-10769*

Graph Sets Method for Multicoil Wireless Power Transfer Systems—Part I: Principles. *Farajizadeh, F.*, +, *TPEL Oct. 2020 10741-10756*

The Three-Terminal Converter Cell, Graphs, and Generation of DC-to-DC Converter Families. *Marquez, R.*, +, *TPEL Aug. 2020 7725-7728*

Graphene
Thermal Management of High-Power Switching Transistors Using Thick CVD-Grown Graphene Nanomaterial. *Talesara, V.*, +, *TPEL Jan. 2020 578-590*
Greases
An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*

H

Hall effect transducers
Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*
Hardware
Run-to-Run Control for Active Balancing of Lithium Iron Phosphate Battery Packs. *Tang, X.*, +, *TPEL Feb. 2020 1499-1512*
Hardware-in-the loop simulation
A Nearly Decoupled Admittance Model for Grid-Tied VSCs Under Variable Operating Conditions. *Liu, W.*, +, *TPEL Sept. 2020 9380-9389*
Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*
Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*
On the Secondary Control Architectures of AC Microgrids: An Overview. *Khayat, Y.*, +, *TPEL June 2020 6482-6500*
Real-Time HIL Emulation for a Segmented-Rotor Switched Reluctance Motor Using a New Magnetic Equivalent Circuit. *Sun, X.*, +, *TPEL April 2020 3841-3849*
Study on DFIG Dissipation Energy Model and Low-Frequency Oscillation Mechanism Considering the Effect of PLL. *Shen, Y.*, +, *TPEL April 2020 3348-3364*
Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*
Voltage Difference Residual-Based Open-Circuit Fault Diagnosis Approach for Three-Level Converters in Electric Traction Systems. *Yang, C.*, +, *TPEL March 2020 3012-3028*
Harmonic analysis
A Harmonic Compensation System With Embedded Load Observer for Micro-Grids in the Islanded Mode of Operation. *Kaviri, S.M.*, +, *TPEL Feb. 2020 1406-1424*
A Novel Filter Structure to Suppress Circulating Currents Based on the Sequence of Sideband Harmonics for High-Power Interleaved Motor-Drive Systems. *Ohn, S.*, +, *TPEL Jan. 2020 853-866*
A Switched Capacitive Filter-Based Harmonic Elimination Technique by Generating a 30-Sided Voltage Space Vector Structure for IM Drive. *R, R.*, +, *TPEL March 2020 2402-2410*
Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems. *Sun, J.*, +, *TPEL Aug. 2020 7840-7852*
An Argument for the Relationship Between Spectral Spreading and Probability Spreading for EMI-Reduction in DC–DC Converter. *Dove, A.*, +, *TPEL Feb. 2020 1459-1472*
An Enhanced Multiple Harmonics Analysis Method for Wireless Power Transfer Systems. *Fang, Y.*, +, *TPEL Feb. 2020 1205-1216*
An Improved Phase-Shifted-Carrier Technique for Hybrid Modular Multilevel Converter With Boosted Modulation Index. *Xu, C.*, +, *TPEL Feb. 2020 1340-1352*
Detection and Classification of Turn Fault and High Resistance Connection Fault in Permanent Magnet Machines Based on Zero Sequence Voltage. *Hu, R.*, +, *TPEL Feb. 2020 1922-1933*
Diagnosis and Tolerance of Common Electrical Faults in T-Type Three-Level Inverters Fed Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Feb. 2020 1753-1769*
Distortion-Minimizing Flux Observer for IPMSM Based on Frequency-Adaptive Observers. *Kim, H.*, +, *TPEL Feb. 2020 2077-2087*
Harmonic Analysis and Suppression Method of Output Current Distortion for Medium-Voltage Motor Drives With Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 744-759*
Inductor Saturation Compensation With Resistive Decoupling for Single-Phase Controlled VSC Systems. *Ozkan, Z.*, +, *TPEL Feb. 2020 1993-2007*
Overview of Modulation Strategies for *LLC* Resonant Converter. *Wei, Y.*, +, *TPEL Oct. 2020 10423-10443*
Real-Time Maximum Torque per Ampere Control of Brushless DC Motor Drive With Minimum Torque Ripple. *Khazaee, A.*, +, *TPEL Feb. 2020 1194-1199*
Harmonic distortion
A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise. *Ge, T.*, +, *TPEL Jan. 2020 789-799*
A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion. *Escobar, G.*, +, *TPEL May 2020 4647-4657*
A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*
A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications. *Huang, Y.*, +, *TPEL May 2020 4613-4621*
A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*
A Novel Configuration of Cross-Switched T-Type (CT-Type) Multilevel Inverter. *Meraj, S.T.*, +, *TPEL April 2020 3688-3696*
A Reduced Common-Mode-Voltage Pulsewidth Modulation Method With Output Harmonic Distortion Minimization for Three-Level Neutral-Point-Clamped Inverters. *Pham, K.D.*, +, *TPEL July 2020 6944-6962*
A Redundant Unit to Form T-Type Three-Level Inverters Tolerant of IGBT Open-Circuit Faults in Multiple Legs. *Wang, B.*, +, *TPEL Jan. 2020 924-939*
A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine. *Raherimihaja, H.J.*, +, *TPEL Nov. 2020 12122-12132*
An Efficient Predictive Current Control Strategy for a Four-Level Open-End Winding Induction Motor Drive. *Lakhimsetty, S.*, +, *TPEL June 2020 6198-6207*
An Improved Phase-Shifted-Carrier Technique for Hybrid Modular Multilevel Converter With Boosted Modulation Index. *Xu, C.*, +, *TPEL Feb. 2020 1340-1352*
Analysis and Improvement of Capacitance Effects in 360–800 Hz Variable On-Time Controlled CRM Boost PFC Converters. *Ren, X.*, +, *TPEL July 2020 7480-7491*
Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*
Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*
Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*
Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking. *Hussein, A.A.*, +, *TPEL May 2020 4780-4790*
Design of Compact Three-Phase Receiver for Meander-Type Dynamic Wireless Power Transfer System. *Wang, C.*, +, *TPEL July 2020 6854-6866*
Dual-Band Wireless Power Transfer With Reactance Steering Network and Reconfigurable Receivers. *Liu, M.*, +, *TPEL Jan. 2020 496-507*
Extensions of Leading-Edge Modulated One-Cycle Control for Totem-Pole Bridgeless Rectifiers. *Fischer, G.d.S.*, +, *TPEL May 2020 5447-5460*
FCS-MPC-Based Fault-Tolerant Control of Five-Phase IPMSM for MTPA Operation. *Liu, G.*, +, *TPEL March 2020 2882-2894*

Fractal Approach Based Simplified and Generalized Sector Detection in Current Error Space Phasor Based Hysteresis Controller Applied to Multilevel Front-End Converters. *Shah, M.T.*, +, *TPEL Oct. 2020 11082-11095*
Fully Integrated Buck and Boost Converter as a High Efficiency, High-Power-Density Off-Line LED Driver. *Abdelmessih, G.Z.*, +, *TPEL Nov. 2020 12238-12251*
Generalized Three-Level Optimal Pulse Patterns With Lower Harmonic Distortion. *Birth, A.*, +, *TPEL June 2020 5741-5752*
Half-Bridge Modular Switched-Capacitor Multilevel Inverter With Hybrid Pulsewidth Modulation. *Ye, Y.*, +, *TPEL Aug. 2020 8237-8247*
Harmonic Analysis and Suppression Method of Output Current Distortion for Medium-Voltage Motor Drives With Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 744-759*
Improved Power Quality On-Board Integrated Charger With Reduced Switching Stress. *Gupta, J.*, +, *TPEL Oct. 2020 10810-10820*
Improvement of ZVS Range and Current Quality of the Nine-Switch Single-Stage AC–DC Converter. *Ali, K.*, +, *TPEL May 2020 4658-4668*
Inter Harmonic THD Amplification of Voltage Source Converter: Concept and Case Study. *Hou, C.*, +, *TPEL Dec. 2020 12651-12656*
Minimizing Total Harmonic Distortion of a Two-Level Voltage Source Inverter Using Optimal Third Harmonic Injection. *Albatran, S.*, +, *TPEL March 2020 3287-3297*
Model-Based Control for Grid-Tied Inverters Operated in Discontinuous Current Mode With Low Harmonic Current Distortion. *Zhang, J.*, +, *TPEL Oct. 2020 11167-11180*
Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*
Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function. *Wang, X.*, +, *TPEL Dec. 2020 13602-13620*
Resonant Bridgeless AC/DC Rectifier With High Switching Frequency and Inherent PFC Capability. *Valipour, H.*, +, *TPEL Jan. 2020 232-246*
Selective Harmonic Current Rejection for Virtual Oscillator Controlled Grid-Forming Voltage Source Converters. *Awal, M.A.*, +, *TPEL Aug. 2020 8805-8818*
Single-Phase AC–DC–AC Three-Level Three-Leg Converter With Reduced Switch Count. *da Costa, A.E.L.*, +, *TPEL March 2020 2295-2307*
Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*
Switching and Conduction Loss Reduction of Dual-Buck Full-Bridge Inverter Through ZVT Soft-Switching Under Full-Cycle Modulation. *Kou, B.*, +, *TPEL May 2020 5031-5046*
Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*

Harmonics suppression

A Generalized Multifrequency Small-Signal Model for High-Bandwidth Buck Converters Under Constant-Frequency Voltage-Mode Control. *Cheng, X.*, +, *TPEL Aug. 2020 8186-8199*
A Switched Capacitive Filter-Based Harmonic Elimination Technique by Generating a 30-Sided Voltage Space Vector Structure for IM Drive. *R, R.*, +, *TPEL March 2020 2402-2410*
Circulating Current Control for Modular Multilevel Converters With (N+1) Selective Harmonic Elimination—PWM. *Perez-Basante, A.*, +, *TPEL Aug. 2020 8712-8725*
Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*
Fast SPICE-Compatible Simulation of Low-Power On-Chip PWM DC–DC Converters With Improved Ripple Accuracy. *Burcea, F.*, +, *TPEL Aug. 2020 8173-8185*
Generalized Chudnovsky Algorithm for Real-Time PWM Selective Harmonic Elimination/Modulation: Two-Level VSI Example. *Janabi, A.*, +, *TPEL May 2020 5437-5446*
Harmonic Analysis and Suppression Method of Output Current Distortion for Medium-Voltage Motor Drives With Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 744-759*
Limit-Cycle-Free Digitally Controlled DC–DC Converters Based on Dyadic Digital PWM. *Crovetti, P.S.*, +, *TPEL Oct. 2020 11155-11166*
Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*
Modified Single-Edge SVPWM Technique to Reduce the Switching Losses and Increase PWM Harmonics Frequency for Three-Phase VSIs. *Huang, Y.*, +, *TPEL Oct. 2020 10643-10653*
Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*
Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*
Selective Harmonic Current Rejection for Virtual Oscillator Controlled Grid-Forming Voltage Source Converters. *Awal, M.A.*, +, *TPEL Aug. 2020 8805-8818*
Unified Selective Harmonic Elimination Control for Four-Level Hybrid-Clamped Inverters. *Wu, M.*, +, *TPEL Nov. 2020 11488-11501*
Variable Switching Sequence PWM Strategy of Dual Three-Phase Machine Drive for High-Frequency Current Harmonic Suppression. *Ye, D.*, +, *TPEL May 2020 4984-4995*

Heat conduction

Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries. *Xie, Y.*, +, *TPEL March 2020 2595-2614*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Heat exchangers

Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer. *Chen, B.*, +, *TPEL Nov. 2020 11557-11573*

Heat radiation

Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Heat sinks

A 100-kW SiC Switched Tank Converter for Transportation Electrification. *Ni, Z.*, +, *TPEL June 2020 5770-5784*
Compact Sandwiched Press-Pack SiC Power Module With Low Stray Inductance and Balanced Thermal Stress. *Chang, Y.*, +, *TPEL March 2020 2237-2241*
Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*
Multiparameter Model Order Reduction for Thermal Modeling of Power Electronics. *Dong, X.*, +, *TPEL Aug. 2020 8550-8558*
Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Heat transfer

A Physics-Based Transient Electrothermal Model of High-Voltage Press-Pack IGBTs Under HVdc Interruption. *Luo, Y.*, +, *TPEL June 2020 5660-5669*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Heating systems

Accurate Temperature Estimation of SiC Power mosfets Under Extreme Operating Conditions. *Tsibizov, A.*, +, *TPEL Feb. 2020 1855-1865*

Heuristic algorithms

Robust ZAD Sliding Mode Control for an 8-Phase Step-Down Converter. *Repecho, V.*, +, *TPEL Feb. 2020 2222-2232*

Heuristic programming
An Accurate, Shade Detection-Based Hybrid Maximum Power Point Tracking Approach for PV Systems. *Pillai, D.S.*, +, *TPEL June 2020 6594-6608*
Hierarchical systems
Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies. *Bessegato, L.*, +, *TPEL March 2020 2411-2423*
Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*
Design of Control System for Smooth Mode-Transfer of Grid-Tied Mode and Islanding Mode in Microgrid. *Gao, M.*, +, *TPEL June 2020 6419-6435*
Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*
High electron mobility transistors
A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*
A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*
Deadband Effect and Accurate ZVS Boundaries of GaN-Based Dual-Active-Bridge Converters With Multiple-Phase-Shift Control. *Shi, H.*, +, *TPEL Sept. 2020 9886-9903*
Desynchronizing Paralleled GaN HEMTs to Reduce Light-Load Switching Loss. *Shen, Y.*, +, *TPEL Sept. 2020 9151-9170*
Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks. *Zulauf, G.*, +, *TPEL June 2020 5581-5588*
Dynamic Temperature Measurements of a GaN DC–DC Boost Converter at MHz Frequencies. *Matei, C.*, +, *TPEL Aug. 2020 8303-8310*
Investigation on the Short-Circuit Oscillation of Cascode GaN HEMTs. *Xue, P.*, +, *TPEL June 2020 6292-6300*
Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*
Single Pulse Unclamped-Inductive-Switching Induced Failure and Analysis for 650 V p-GaN HEMT. *Liu, S.*, +, *TPEL Nov. 2020 11328-11331*
High frequency
A Nine-Level T-Type Packed U-Cell Inverter. *Niu, D.*, +, *TPEL Feb. 2020 1171-1175*
Detection and Classification of Turn Fault and High Resistance Connection Fault in Permanent Magnet Machines Based on Zero Sequence Voltage. *Hu, R.*, +, *TPEL Feb. 2020 1922-1933*
Single-Stage Bidirectional Buck–Boost Inverters Using a Single Inductor and Eliminating the Common-Mode Leakage Current. *Khan, A.A.*, +, *TPEL Feb. 2020 1269-1281*
High-frequency transformers
99% Efficient Isolated Three-Phase Matrix-Type DAB Buck–Boost PFC Rectifier. *Schrittwieser, L.*, +, *TPEL Jan. 2020 138-157*
A Hybrid Modulation Method for Single-Stage Soft-Switching Inverter Based on Series Resonant Converter. *Yeh, C.*, +, *TPEL June 2020 5785-5796*
A Single-Stage Fault-Tolerant Three-Phase Bidirectional AC/DC Converter With Symmetric High-Frequency Y-Δ Connected Transformers. *Gu, L.*, +, *TPEL Sept. 2020 9226-9237*
A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder. *Pal, A.*, +, *TPEL April 2020 3601-3615*
A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding. *Pal, A.*, +, *TPEL Nov. 2020 11758-11769*
Accurate Calculation and Sensitivity Analysis of Leakage Inductance of High-Frequency Transformer With Litz Wire Winding. *Zhang, K.*, +, *TPEL April 2020 3951-3962*
Analytical Optimization of Nonsaturated Thermally Limited High-Frequency Transformer/Inductor Design Considering Discreteness of Design Variables. *Yu, X.*, +, *TPEL June 2020 6231-6250*
Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer. *Chen, B.*, +, *TPEL Nov. 2020 11557-11573*
Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*
Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling. *Shafaei, R.*, +, *TPEL Sept. 2020 9632-9649*
The Faraday Shields Loss of Transformers. *Shen, Z.*, +, *TPEL Nov. 2020 12194-12206*
High-pressure techniques
Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*
High-temperature electronics
A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*
High-voltage techniques
A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC–DC Converter With Coupled Inductor. *Zhang, Y.*, +, *TPEL Feb. 2020 1525-1535*
A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs. *Zhang, Y.*, +, *TPEL Feb. 2020 1536-1547*
Input-Independent and Output-Series Connected Modular DC–DC Converter With Intermodule Power Balancing Units for MVdc Integration of Distributed PV. *Li, X.*, +, *TPEL Feb. 2020 1622-1636*
Home appliances
A Novel Control Strategy for Improving the Performance of a Nearly Zero Energy Building. *Tsioumas, E.*, +, *TPEL Feb. 2020 1513-1524*
HVDC power converters
A Complete HSS-Based Impedance Model of MMC Considering Grid Impedance Coupling. *Xu, Z.*, +, *TPEL Dec. 2020 12929-12948*
A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*
A Hybrid Modular DC/DC Converter for HVDC Applications. *Li, B.*, +, *TPEL April 2020 3377-3389*
A Novel Converter-Breaker Integrated Voltage Source Converter Based on High-Surge IGCT and Fault Self-Clearing Strategy for DC Grid. *Xu, C.*, +, *TPEL Dec. 2020 12668-12672*
A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System. *Xu, C.*, +, *TPEL May 2020 4483-4488*
A Novel Fault Ride-Through Strategy Based on Capacitor Energy Storage Inside MMC. *Xiao, Y.*, +, *TPEL Aug. 2020 7960-7971*
A Novel Voltage Balancing Control With *dv/dt* Reduction for 10-kV SiC MOSFET-Based Medium Voltage Modular Multilevel Converter. *Ji, S.*, +, *TPEL Nov. 2020 12533-12543*
A Reference Submodule Based Capacitor Condition Monitoring Method for Modular Multilevel Converters. *Wang, Z.*, +, *TPEL July 2020 6691-6696*
Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*
Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*
An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*
An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives. *Tian, H.*, +, *TPEL March 2020 2372-2388*
Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter. *Pineda, C.*, +, *TPEL July 2020 6906-6915*
Capacitor ESR and *C* Monitoring in Modular Multilevel Converters. *Deng, F.*, +, *TPEL April 2020 4063-4075*
Capacitor Voltage Ripple Estimation and Optimal Sizing of Modular Multi-Level Converters for Variable-Speed Drives. *Ke, Z.*, +, *TPEL Nov. 2020 12544-12554*

Circulating Current Control for Modular Multilevel Converters With (N+1) Selective Harmonic Elimination—PWM. *Perez-Basante, A.*, +, *TPEL Aug. 2020 8712-8725*
Composite DC Power Flow Controller. *Zhong, X.*, +, *TPEL April 2020 3530-3542*
Computationally Efficient and Accurate Approach for Commutation Failure Risk Areas Identification in Multi-Infeed LCC-HVdc Systems. *Xiao, H.*, +, *TPEL May 2020 5238-5253*
Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies. *Bessegato, L.*, +, *TPEL March 2020 2411-2423*
Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*
Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications. *Diez, C.M.*, +, *TPEL March 2020 2389-2401*
Control Conflict Suppressing and Stability Improving for an MMC Distributed Control System. *Yang, S.*, +, *TPEL Dec. 2020 13735-13747*
Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*
Design and Model of Series-Connected High-Voltage DC Multipliers. *Quraan, M.*, +, *TPEL July 2020 7160-7174*
Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current. *Xu, S.*, +, *TPEL July 2020 6668-6672*
Fault-Tolerant Operation of a TLC-MMC Hybrid DC-DC Converter for Interconnection of MVDC and HVdc Grids. *Cui, S.*, +, *TPEL Jan. 2020 83-93*
Finite-Level-State Model Predictive Control for Sensorless Three-Phase Four-Arm Modular Multilevel Converter. *Liu, X.*, +, *TPEL May 2020 4462-4466*
HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*
High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*
Mission Profile-Based System-Level Reliability Prediction Method for Modular Multilevel Converters. *Zhang, Y.*, +, *TPEL July 2020 6916-6930*
Modular Interline DC Power Flow Controller. *Zhong, X.*, +, *TPEL Nov. 2020 11707-11719*
On the Modeling and Design of Modular Multilevel Converters With Parametric and Model-Form Uncertainty Quantification. *Rashidi, N.*, +, *TPEL Oct. 2020 10168-10179*
Online Capacitance Estimation of Submodule Capacitors for Modular Multilevel Converter With Nearest Level Modulation. *Wang, K.*, +, *TPEL July 2020 6678-6681*
Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*
Self-Circulating Testing Method for Both Rectifying and Inverting Submodules of Modular Multilevel Converter With Low DC Supply Voltage. *Jiang, S.*, +, *TPEL Aug. 2020 7795-7803*
Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*
Series Bridge Converter: Energy Rating Optimality for VSC-HVDC Applications. *Briff, P., TPEL Oct. 2020 9987-9991*
Series Chain-Link Modular Multilevel AC–DC Converter (SCC) for HVDC Applications. *Tardelli, F.*, +, *TPEL June 2020 5714-5728*
Suppression of DC-Link Current Ripple for Modular Multilevel Converters Under Phase-Disposition PWM. *Deng, F.*, +, *TPEL March 2020 3310-3324*
Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*
The Current Shaping Modular Multilevel DC–DC Converter. *Gray, P.A.*, +, *TPEL Oct. 2020 10050-10063*
The Modular Multilevel DC Converter With Inherent Minimization of Arm Current Stresses. *Li, Y.*, +, *TPEL Dec. 2020 12787-12800*
The Series Bridge Converter (SBC): AC Faults. *Farr, E.M.*, +, *TPEL May 2020 4467-4471*
Turn-Off Delay Compensation of Series-Connected IGBTs for HVDC Applications. *Briff, P.*, +, *TPEL Nov. 2020 11294-11298*
Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*

HVDC power transmission

A Hybrid Modular DC/DC Converter for HVDC Applications. *Li, B.*, +, *TPEL April 2020 3377-3389*
A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System. *Xu, C.*, +, *TPEL May 2020 4483-4488*
A Physics-Based Transient Electrothermal Model of High-Voltage Press-Pack IGBTs Under HVdc Interruption. *Luo, Y.*, +, *TPEL June 2020 5660-5669*
Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*
Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*
Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter. *Pineda, C.*, +, *TPEL July 2020 6906-6915*
Composite DC Power Flow Controller. *Zhong, X.*, +, *TPEL April 2020 3530-3542*
Computationally Efficient and Accurate Approach for Commutation Failure Risk Areas Identification in Multi-Infeed LCC-HVdc Systems. *Xiao, H.*, +, *TPEL May 2020 5238-5253*
Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*
Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications. *Diez, C.M.*, +, *TPEL March 2020 2389-2401*
Coupling of AC Grids via VSC-HVDC Interconnections for Oscillation Damping Based on Differential and Common Power Control. *Rodriguez-Cabero, A.*, +, *TPEL June 2020 6548-6558*
Design and Model of Series-Connected High-Voltage DC Multipliers. *Quraan, M.*, +, *TPEL July 2020 7160-7174*
Fault-Tolerant Operation of a TLC-MMC Hybrid DC-DC Converter for Interconnection of MVDC and HVdc Grids. *Cui, S.*, +, *TPEL Jan. 2020 83-93*
HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*
High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*
Mission Profile-Based System-Level Reliability Prediction Method for Modular Multilevel Converters. *Zhang, Y.*, +, *TPEL July 2020 6916-6930*
Online Capacitance Estimation of Submodule Capacitors for Modular Multilevel Converter With Nearest Level Modulation. *Wang, K.*, +, *TPEL July 2020 6678-6681*
Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*
Series Bridge Converter: Energy Rating Optimality for VSC-HVDC Applications. *Briff, P., TPEL Oct. 2020 9987-9991*
Series Chain-Link Modular Multilevel AC–DC Converter (SCC) for HVDC Applications. *Tardelli, F.*, +, *TPEL June 2020 5714-5728*
Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*
The Current Shaping Modular Multilevel DC–DC Converter. *Gray, P.A.*, +, *TPEL Oct. 2020 10050-10063*
The Series Bridge Converter (SBC): AC Faults. *Farr, E.M.*, +, *TPEL May 2020 4467-4471*

Hybrid electric vehicles
Combined State and Parameter Estimation of Lithium-Ion Battery With Active Current Injection. *Song, Z.*, +, *TPEL April 2020 4439-4447*
Cost-Optimal Energy Management of Hybrid Electric Vehicles Using Fuel Cell/Battery Health-Aware Predictive Control. *Hu, X.*, +, *TPEL Jan. 2020 382-392*
Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*
High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations. *Dao, N.D.*, +, *TPEL Oct. 2020 10455-10465*
Improved Power Quality On-Board Integrated Charger With Reduced Switching Stress. *Gupta, J.*, +, *TPEL Oct. 2020 10810-10820*
Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*
Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph. *Deng, T.*, +, *TPEL Dec. 2020 13465-13474*
Hybrid power systems
A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*
An Improved Phase-Shifted-Carrier Technique for Hybrid Modular Multilevel Converter With Boosted Modulation Index. *Xu, C.*, +, *TPEL Feb. 2020 1340-1352*
Dual-Mode Modulation Scheme With Seamless Transition for a Tunable Immittance-Based DAB Converter Featuring High-Efficiency Performance Over Whole Output Power Range. *Chan, Y.P.*, +, *TPEL Sept. 2020 9184-9201*
Hybrid Buck–Boost Multioutput Quasi-Z-Source Converter With Dual DC and Single AC Outputs. *Shiluveru, K.*, +, *TPEL July 2020 7246-7260*
Hysteresis
Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*
Fractal Approach Based Simplified and Generalized Sector Detection in Current Error Space Phasor Based Hysteresis Controller Applied to Multilevel Front-End Converters. *Shah, M.T.*, +, *TPEL Oct. 2020 11082-11095*
Improved Current Control for a Quasi-Two-Level PWM-Operated Modular Multilevel Converter. *Kucka, J.*, +, *TPEL July 2020 6842-6853*
Multipower-Level Hysteresis Control for the Class E DC–DC Converters. *Li, Y.*, +, *TPEL May 2020 5279-5289*
Online Boundary Computation Using Sampled Voltage Reference for Bus Clamping PWM-Based Hysteresis-Controlled VSI-Fed IM Drive. *Peter, J.*, +, *TPEL April 2020 3939-3950*
Torque Ripple and Efficiency Online Optimization of Switched Reluctance Machine Based on Torque per Ampere Characteristics. *Song, S.*, +, *TPEL Sept. 2020 9608-9616*

I

Imaging
Corrections to "Direct Power Flow Controller—A New Concept in Power Transmission". *Zhang, Y.*, +, *TPEL May 2020 5542*
Impedance
A Harmonic Compensation System With Embedded Load Observer for Micro-Grids in the Islanded Mode of Operation. *Kaviri, S.M.*, +, *TPEL Feb. 2020 1406-1424*
Impedance-Oriented Transient Instability Modeling of SiC mosfet Intruded by Measurement Probes. *Zeng, Z.*, +, *TPEL Feb. 2020 1866-1881*
Plug-and-Play Control of the Virtual Infinite Capacitor. *Lin, J.*, +, *TPEL Feb. 2020 1947-1956*
Symmetrical PLL for SISO Impedance Modeling and Enhanced Stability in Weak Grids. *Yang, D.*, +, *TPEL Feb. 2020 1473-1483*
Two-Variable Admittance Model for D-PMSG-Based Wind Turbine and Stability Criterion Based on Magnitude and Phase Contour Plot. *Zou, X.*, +, *TPEL Feb. 2020 1484-1498*
Variable-Parameter T-Circuit-Based IPT System Charging Battery With Constant Current or Constant Voltage Output. *Chen, Y.*, +, *TPEL Feb. 2020 1672-1684*
Impedance converters
Compound Voltage Clamped Class-E Converter With ZVS and Flexible Power Transfer for WPT System. *He, L.*, +, *TPEL July 2020 7123-7133*
Impedance matching
A Joint Control With Variable ZVS Angles for Dynamic Efficiency Optimization in Wireless Power Transfer System. *Jiang, Y.*, +, *TPEL Oct. 2020 11064-11081*
A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*
An Impedance Matching Network Tuning Method for Constant Current Output Under Mutual Inductance and Load Variation of IPT System. *Zhang, K.*, +, *TPEL Oct. 2020 11108-11118*
An Operation Mode Selection Method of Dual-Side Bridge Converters for Efficiency Optimization in Inductive Power Transfer. *Chen, S.*, +, *TPEL Oct. 2020 9992-9997*
Efficiency Improvement of Wireless Power Transfer Based on Multitransmitter System. *Yan, Z.*, +, *TPEL Sept. 2020 9011-9023*
Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*
MPPT for Electromagnetic Energy Harvesters Having Nonnegligible Output Reactance Operating Under Slow-Varying Conditions. *Tse, K.H.*, +, *TPEL July 2020 7110-7122*
Phase-Locked Loop Combined With Chained Trigger Mode Used for Impedance Matching in Wireless High Power Transfer. *Jiang, Y.*, +, *TPEL April 2020 4272-4285*
Tunable Matching Networks Based on Phase-Switched Impedance Modulation[1]. *Jurkov, A.S.*, +, *TPEL Oct. 2020 10150-10167*
Inductance
A Dynamic Priority Factor Loop for Fast Voltage Equalization Applied to High Power Density DC–DC Converter System. *Zhang, R.*, +, *TPEL Jan. 2020 198-207*
A New Soft-Switched Three-Port DC/DC Converter With High Voltage Gain and Reduced Number of Semiconductors for Hybrid Energy Applications. *Dobakhshari, S.S.*, +, *TPEL April 2020 3590-3600*
A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*
A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*
A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*
Accurate Calculation and Sensitivity Analysis of Leakage Inductance of High-Frequency Transformer With Litz Wire Winding. *Zhang, K.*, +, *TPEL April 2020 3951-3962*
Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*
Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates. *Choi, J.S.*, +, *TPEL Aug. 2020 7863-7872*
An Impedance Matching Network Tuning Method for Constant Current Output Under Mutual Inductance and Load Variation of IPT System. *Zhang, K.*, +, *TPEL Oct. 2020 11108-11118*
Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets. *Yang, C.*, +, *TPEL Dec. 2020 13356-13366*
Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*
Applying Stray Inductance Model to Study Turn-off Current in Multi-Turn Loop of Shallow Transient Electromagnetic Systems. *Liu, L.*, +, *TPEL Feb. 2020 1711-1720*
Coupled Inductor-Based High Voltage Gain DC–DC Converter For Renewable Energy Applications. *Mirzaee, A.*, +, *TPEL July 2020 7045-7057*
Coupling Extraction and Maximum Efficiency Tracking for Multiple Concurrent Transmitters in Dynamic Wireless Charging. *Kim, D.*, +, *TPEL Aug. 2020 7853-7862*

Design and Fabrication of Three-Dimensional Printed Air-Core Transformers for High-Frequency Power Applications. *Tong, Z.*, +, *TPEL Aug. 2020 8472-8489*

Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*

Design of Compact Three-Phase Receiver for Meander-Type Dynamic Wireless Power Transfer System. *Wang, C.*, +, *TPEL July 2020 6854-6866*

Design of Inductive Power Transfer System With a Behavior of Voltage Source in Open-Loop Considering Wide Mutual Inductance Variation. *Delgado, A.*, +, *TPEL Nov. 2020 11453-11462*

Effects of Secondary Leakage Inductance on the *LLC* Resonant Converter. *Noah, M.*, +, *TPEL Jan. 2020 835-852*

Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator. *Su, J.*, +, *TPEL Oct. 2020 9953-9958*

High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*

Improved Methodology for Parasitic Characterization of High-Performance Power Modules. *DeBoi, B.T.*, +, *TPEL Dec. 2020 13400-13408*

Inductor Saturation Compensation With Resistive Decoupling for Single-Phase Controlled VSC Systems. *Ozkan, Z.*, +, *TPEL Feb. 2020 1993-2007*

Modeling of a Magnetic Coupler Based on Single- and Double-Layered Rectangular Planar Coils With In-Plane Misalignment for Wireless Power Transfer. *Lopez-Alcolea, F.J.*, +, *TPEL May 2020 5102-5121*

On the Calculation of the Leakage Inductance in Transformers With Nonideal Windings. *Aghaei, M.*, +, *TPEL Aug. 2020 8460-8471*

Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties. *Gan, C.*, +, *TPEL Nov. 2020 12307-12320*

Permeance Distribution Function: A Powerful Tool to Analyze Electromagnetic Forces Induced by PWM Current Harmonics in Multiphase Surface Permanent-Magnet Motors. *Lv, Y.*, +, *TPEL July 2020 7379-7391*

Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic. *Zhang, Q.*, +, *TPEL March 2020 2908-2916*

Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints. *Li, Y.*, +, *TPEL Jan. 2020 1022-1035*

Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*

Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*

Time–Frequency Characteristics Research of Common Mode Current in PWM Motor System. *Cao, S.*, +, *TPEL Feb. 2020 1450-1458*

Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*

Inductance measurement

Overcoming the Effect of Test Fixtures on the Measurement of Parasitics of Capacitors and Inductors. *Mendez, J.B.*, +, *TPEL Jan. 2020 15-19*

Induction heating

Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load. *Fernandez, M.*, +, *TPEL May 2020 5221-5237*

Practical Design Methodology of IH and IPT Dual-Functional Apparatus. *Kim, M.*, +, *TPEL Sept. 2020 8897-8901*

Induction machines

Parallel Predictive Torque Control for Induction Machines Without Weighting Factors. *Wang, F.*, +, *TPEL Feb. 2020 1779-1788*

Induction motor drives

A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*

A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*

A Switched Capacitive Filter-Based Harmonic Elimination Technique by Generating a 30-Sided Voltage Space Vector Structure for IM Drive. *R, R.*, +, *TPEL March 2020 2402-2410*

An Asymmetric Nine-Phase Induction Motor for LCI-Fed Medium Voltage Drive Applications. *Titus, J.*, +, *TPEL May 2020 5047-5056*

An Efficient Predictive Current Control Strategy for a Four-Level Open-End Winding Induction Motor Drive. *Lakhimsetty, S.*, +, *TPEL June 2020 6198-6207*

An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table. *Kodumur Meesala, R.E.*, +, *TPEL April 2020 3906-3917*

An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control. *Devanshu, A.*, +, *TPEL Jan. 2020 652-666*

An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control. *Naik N, V.*, +, *TPEL Aug. 2020 8443-8451*

An Online Data-Driven Method for Simultaneous Diagnosis of IGBT and Current Sensor Fault of Three-Phase PWM Inverter in Induction Motor Drives. *Gou, B.*, +, *TPEL Dec. 2020 13281-13294*

Balanced Submodule Operation of Modular Multilevel Converter-Based Induction Motor Drive for Wide-Speed Range. *Kumar, Y.S.*, +, *TPEL April 2020 3918-3927*

Decoupled Floating Capacitor Voltage Control of a Dual Inverter Drive for an Open-Ended Winding Induction Motor. *Perera, C.*, +, *TPEL July 2020 7305-7316*

Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*

Fractal Approach Based Simplified and Generalized Sector Detection in Current Error Space Phasor Based Hysteresis Controller Applied to Multilevel Front-End Converters. *Shah, M.T.*, +, *TPEL Oct. 2020 11082-11095*

Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives. *Tarvirdilu-Asl, R.*, +, *TPEL Oct. 2020 10654-10672*

Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives. *Wallscheid, O.*, +, *TPEL Dec. 2020 13563-13572*

Offline Recursive Identification of Electrical Parameters of VSI-Fed Induction Motor Drives. *Reddy, S.R.P.*, +, *TPEL Oct. 2020 10711-10719*

Online Boundary Computation Using Sampled Voltage Reference for Bus Clamping PWM-Based Hysteresis-Controlled VSI-Fed IM Drive. *Peter, J.*, +, *TPEL April 2020 3939-3950*

Predictive Torque Control Algorithm for a Five-Phase Induction Motor Drive for Reduced Torque Ripple With Switching Frequency Control. *Bhowate, A.*, +, *TPEL July 2020 7282-7294*

Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*

Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*

Induction motors

A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*

A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer. *Du, C.*, +, *TPEL Aug. 2020 8429-8442*

Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region. *Zhang, X.*, +, *TPEL Sept. 2020 8860-8866*

Direct Thrust Force Control of Primary Permanent-Magnet Linear Motors With Single DC-Link Current Sensor for Subway Applications. *Wang, W.*, +, *TPEL Feb. 2020 1365-1376*

Discrete-Time Modeling and Control Based on Field Orientation for Induction Motors. *Dominguez, J.R.*, +, *TPEL Aug. 2020 8779-8793*

Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*

Predictive Torque Control and Capacitor Balancing of a SiC-Based Dual T-Type Drive System. *Salem, A.*, +, *TPEL March 2020 2871-2881*

Robust Loss Minimization for Predictive Direct Torque and Flux Control of an Induction Motor With Electrical Circuit Model. *Eftekhari, S.R.*, +, *TPEL May 2020 5417-5426*

Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation. *Wang, B.*, +, *TPEL Nov. 2020 12522-12532*

Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*

Inductive energy storage

Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*

Inductive power transmission

6.78 MHz Wireless Power Transmitter Based on a Reconfigurable Class–E Power Amplifier for Multiple Device Charging. *Oh, H.*, +, *TPEL June 2020 5907-5917*

A 5.8-GHz High-Power and High-Efficiency Rectifier Circuit With Lateral GaN Schottky Diode for Wireless Power Transfer. *Dang, K.*, +, *TPEL March 2020 2247-2252*

A 50-kW Three-Phase Wireless Power Transfer System Using Bipolar Windings and Series Resonant Networks for Rotating Magnetic Fields. *Pries, J.*, +, *TPEL May 2020 4500-4517*

A 500-W Wireless Charging System With Lightweight Pick-Up for Unmanned Aerial Vehicles. *Cai, C.*, +, *TPEL Aug. 2020 7721-7724*

A Compact Rectenna Design With Wide Input Power Range for Wireless Power Transfer. *Lu, P.*, +, *TPEL July 2020 6705-6710*

A Dual-Layer Receiver With a Low Aspect Ratio and a Reduced Output Fluctuation for EV Dynamic Wireless Charging. *Song, B.*, +, *TPEL Oct. 2020 10338-10351*

A Dynamic WPT System With High Efficiency and High Power Factor for Electric Vehicles. *Zakerian, A.*, +, *TPEL July 2020 6732-6740*

A Family of Hybrid IPT Topologies With Near Load-Independent Output and High Tolerance to Pad Misalignment. *Qu, X.*, +, *TPEL July 2020 6867-6877*

A Fractional-Order Wireless Power Transfer System Insensitive to Resonant Frequency. *Jiang, Y.*, +, *TPEL May 2020 5496-5505*

A Hybrid Inductive Power Transfer System With Misalignment Tolerance Using Quadruple-D Quadrature Pads. *Chen, Y.*, +, *TPEL June 2020 6039-6049*

A Joint Control With Variable ZVS Angles for Dynamic Efficiency Optimization in Wireless Power Transfer System. *Jiang, Y.*, +, *TPEL Oct. 2020 11064-11081*

A Load-Independent Wireless Power Transfer System With Multiple Constant Voltage Outputs. *Cheng, C.*, +, *TPEL April 2020 3328-3331*

A Multiphase Resonance-Based Boosting Rectifier With Dual Outputs for Wireless Power Transmission. *Lim, J.*, +, *TPEL March 2020 2680-2689*

A New Coupling Structure and Position Detection Method for Segmented Control Dynamic Wireless Power Transfer Systems. *Li, X.*, +, *TPEL July 2020 6741-6745*

A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*

A Reconstructed S-LCC Topology With Dual-Type Outputs for Inductive Power Transfer Systems. *Wang, X.*, +, *TPEL Dec. 2020 12606-12611*

A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*

A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*

A Wireless EV Charging Topology With Integrated Energy Storage. *Ruddell, S.*, +, *TPEL Sept. 2020 8965-8972*

A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*

Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems. *Sun, J.*, +, *TPEL Aug. 2020 7840-7852*

Affine Nonlinear Control of a Multivariate Inductive Power Transfer System With Exact Linearization. *Cheng, C.*, +, *TPEL Dec. 2020 12728-12740*

Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates. *Choi, J.S.*, +, *TPEL Aug. 2020 7863-7872*

An Automatic Coil Design Method With Modified AC Resistance Evaluation for Achieving Maximum Coil–Coil Efficiency in WPT Systems. *Wei, G.*, +, *TPEL June 2020 6114-6126*

An Efficiency Optimization-Based Asymmetric Tuning Method of Double-Sided *LCC* Compensated WPT System for Electric Vehicles. *Chen, Y.*, +, *TPEL Nov. 2020 11475-11487*

An Impedance Matching Network Tuning Method for Constant Current Output Under Mutual Inductance and Load Variation of IPT System. *Zhang, K.*, +, *TPEL Oct. 2020 11108-11118*

An Integrated Boost Active Bridge Based Secondary Inductive Power Transfer Converter. *Kalra, G.R.*, +, *TPEL Dec. 2020 12716-12727*

An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications. *Zhang, Z.*, +, *TPEL Nov. 2020 11544-11556*

An Operation Mode Selection Method of Dual-Side Bridge Converters for Efficiency Optimization in Inductive Power Transfer. *Chen, S.*, +, *TPEL Oct. 2020 9992-9997*

An Optimal Multivariable Control Strategy for Inductive Power Transfer Systems to Improve Efficiency. *Liu, Y.*, +, *TPEL Sept. 2020 8998-9010*

An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*

Analysis and Design of Capacitive Power Transfer Systems Based on Induced Voltage Source Model. *Wang, S.*, +, *TPEL Oct. 2020 10532-10541*

Bifurcation Limits and Non-Idealities Effects in a Three-Phase Dynamic IPT System. *Iruretagoyena, U.*, +, *TPEL Jan. 2020 208-219*

Comparative Analysis of Frequency-Selective Wireless Power Transfer for Multiple-Rx Systems. *Lee, K.*, +, *TPEL May 2020 5122-5131*

Comparison of Basic Inductive Power Transfer Systems With Linear Control Achieving Optimized Efficiency. *Huang, Z.*, +, *TPEL March 2020 3276-3286*

Compound Voltage Clamped Class-E Converter With ZVS and Flexible Power Transfer for WPT System. *He, L.*, +, *TPEL July 2020 7123-7133*

Coupling Extraction and Maximum Efficiency Tracking for Multiple Concurrent Transmitters in Dynamic Wireless Charging. *Kim, D.*, +, *TPEL Aug. 2020 7853-7862*

Curvature Angle Splitting Suppression and Optimization on Nonplanar Coils Used in Wireless Charging System. *Wen, F.*, +, *TPEL Sept. 2020 9070-9081*

Data-Driven Modeling of Wireless Power Transfer Systems With Multiple Transmitters. *Chen, F.*, +, *TPEL Nov. 2020 11363-11379*

Decoupling Circuit for Automated Guided Vehicles IPT Charging Systems With Dual Receivers. *Mai, R.*, +, *TPEL July 2020 6652-6657*

Design Guidelines of Inductive Coils Using a Polymer Bonded Magnetic Composite for Inductive Power Transfer Systems in Electric Vehicles. *Delgado, A.*, +, *TPEL Aug. 2020 7884-7893*

Design of Compact Three-Phase Receiver for Meander-Type Dynamic Wireless Power Transfer System. *Wang, C.*, +, *TPEL July 2020 6854-6866*

Design of DD Coil With High Misalignment Tolerance and Low EMF Emissions for Wireless Electric Vehicle Charging Systems. *Song, K.*, +, *TPEL Sept. 2020 9034-9045*

Design of Inductive Power Transfer System With a Behavior of Voltage Source in Open-Loop Considering Wide Mutual Inductance Variation. *Delgado, A.*, +, *TPEL Nov. 2020 11453-11462*

Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control. *Lee, T.*, +, *TPEL Sept. 2020 9024-9033*

Dynamic Improvement of Inductive Power Transfer Systems With Maximum Energy Efficiency Tracking Using Model Predictive Control: Anal-

ysis and Experimental Verification. *Liu, S.*, +, *TPEL Dec. 2020 12752-12764*
Effects of Number of Relays on Achievable Efficiency of Magnetic Resonant Wireless Power Transfer. *Lee, J.*, +, *TPEL July 2020 6697-6700*
Efficiency Analysis and Optimization Control for Input-Parallel Output-Series Wireless Power Transfer Systems. *Li, Y.*, +, *TPEL Jan. 2020 1074-1085*
Efficiency Improvement of the Parity-Time-Symmetric Wireless Power Transfer System for Electric Vehicle Charging. *Wu, L.*, +, *TPEL Nov. 2020 12497-12508*
Efficiency Improvement of Wireless Power Transfer Based on Multitransmitter System. *Yan, Z.*, +, *TPEL Sept. 2020 9011-9023*
Equivalent Conductor Layer for Fast 3-D Finite Element Simulations of Inductive Power Transfer Coils. *Delgado, A.*, +, *TPEL June 2020 6221-6230*
Expandable N-Legged Converter to Drive Closely Spaced Multitransmitter Wireless Power Transfer Systems for Dynamic Charging. *Farajizadeh, F.*, +, *TPEL April 2020 3794-3806*
Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers. *Yang, Y.*, +, *TPEL Oct. 2020 11026-11038*
Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads. *E. Gaona, D.*, +, *TPEL July 2020 6799-6809*
Free Arrangement Wireless Power Transfer System With a Ferrite Transmission Medium and Geometry-Based Performance Improvement. *Seo, S.*, +, *TPEL May 2020 4518-4532*
Free-Positioning Wireless Power Transfer System Based on One-to-Multiple Topology. *Chen, J.*, +, *TPEL Oct. 2020 9959-9964*
Full-Range Soft-Switching Pulse Frequency Modulated Wireless Power Transfer. *Liu, W.*, +, *TPEL June 2020 6533-6547*
Graph Sets Method (GSM) for Multicoil Wireless Power Transfer Systems—Part II: Simulated and Experimental Results. *Faradjizadeh, F.*, +, *TPEL Oct. 2020 10757-10769*
Graph Sets Method for Multicoil Wireless Power Transfer Systems—Part I: Principles. *Farajizadeh, F.*, +, *TPEL Oct. 2020 10741-10756*
High-Frequency Voltage and Current Sense Circuits for Inductive Power Transfer Systems. *Zhu, G.*, +, *TPEL Nov. 2020 11352-11362*
High-Order Compensated Wireless Power Transfer for Dimmable Metal Halide Lamps. *Han, W.*, +, *TPEL June 2020 6269-6279*
Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle. *Guo, Y.*, +, *TPEL Oct. 2020 10542-10553*
Maximum Efficiency Point Tracking for Multiple-Transmitter Wireless Power Transfer. *Kim, D.*, +, *TPEL Nov. 2020 11391-11400*
Model Predictive Control for the Receiving-Side DC–DC Converter of Dynamic Wireless Power Transfer. *Zhou, Z.*, +, *TPEL Sept. 2020 8985-8997*
Modeling of a Magnetic Coupler Based on Single- and Double-Layered Rectangular Planar Coils With In-Plane Misalignment for Wireless Power Transfer. *Lopez-Alcolea, F.J.*, +, *TPEL May 2020 5102-5121*
On Beat Frequency Oscillation of Two-Stage Wireless Power Receivers. *Li, K.*, +, *TPEL Dec. 2020 12741-12751*
Optimal Dipole-Coil Ampere-Turns Design for Maximum Power Efficiency of IPT. *Choi, B.G.*, +, *TPEL July 2020 7317-7327*
Optimization of Magnetic Field Focusing and Null Steering for Selective Wireless Power Transfer. *Jung, H.*, +, *TPEL May 2020 4622-4633*
Output Voltage Range of a Power-Loaded Series–Series Compensated Inductive Wireless Power Transfer Link Operating in Load-Independent Regime. *Frechter, Y.*, +, *TPEL June 2020 6586-6593*
Parametric Optimization of a Three-Phase MCR WPT System With Cylinder-Shaped Coils Oriented by Soft-Switching Range and Stable Output Power. *Liu, F.*, +, *TPEL Jan. 2020 1036-1044*
Phase-Locked Loop Combined With Chained Trigger Mode Used for Impedance Matching in Wireless High Power Transfer. *Jiang, Y.*, +, *TPEL April 2020 4272-4285*
Plane-Type Receiving Coil With Minimum Number of Coils for Omnidirectional Wireless Power Transfer. *Kim, J.H.*, +, *TPEL June 2020 6165-6174*
Practical Design Methodology of IH and IPT Dual-Functional Apparatus. *Kim, M.*, +, *TPEL Sept. 2020 8897-8901*
Push–Pull Class Φ_2 RF Power Amplifier. *Gu, L.*, +, *TPEL Oct. 2020 10515-10531*
Reconfigurable Topology for IPT System Maintaining Stable Transmission Power Over Large Coupling Variation. *Chen, Y.*, +, *TPEL May 2020 4915-4924*
Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints. *Li, Y.*, +, *TPEL Jan. 2020 1022-1035*
Sampled-Data Modeling for Wireless Power Transfer Systems. *Tang, J.*, +, *TPEL March 2020 3173-3182*
Separate Power Allocation and Control Method Based on Multiple Power Channels for Wireless Power Transfer. *Huang, Y.*, +, *TPEL Sept. 2020 9046-9056*
Simultaneous 3-D Wireless Power Transfer to Multiple Moving Devices With Different Power Demands. *Tang, W.*, +, *TPEL May 2020 4533-4546*
Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*
Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*
Single-Turn Air-Core Coils for High-Frequency Inductive Wireless Power Transfer. *Zulauf, G.*, +, *TPEL March 2020 2917-2932*
Strategy of Topology Selection Based on Quasi-Duality Between Series–Series and Series–Parallel Topologies of Resonant Inductive Coupling Wireless Power Transfer Systems. *Ishihara, M.*, +, *TPEL July 2020 6785-6798*
Symmetric Sensing Coil Design for the Blind-Zone Free Metal Object Detection of a Stationary Wireless Electric Vehicles Charger. *Thai, V.X.*, +, *TPEL April 2020 3466-3477*
Three-Coil Wireless Charging System for Metal-Cover Smartphone Applications. *Zhu, J.*, +, *TPEL May 2020 4847-4858*
Uniform Power Dynamic Wireless Charging System With I-Type Power Supply Rail and DQ-Phase-Receiver Employing Receiver-Side Control. *Song, S.*, +, *TPEL Oct. 2020 11205-11212*
Wireless Electric Vehicle Charger With Electromagnetic Coil-Based Position Correction Using Impedance and Resonant Frequency Detection. *Khan, N.*, +, *TPEL Aug. 2020 7873-7883*
Wireless Energy-On-Demand Using Magnetic Quasi-Resonant Coupling. *Liu, W.*, +, *TPEL Sept. 2020 9057-9069*
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*
Zero-Phase-Angle Controlled Bidirectional Wireless EV Charging Systems for Large Coil Misalignments. *Liu, Y.*, +, *TPEL May 2020 5343-5353*

Inductors

99% Efficient Isolated Three-Phase Matrix-Type DAB Buck–Boost PFC Rectifier. *Schrittwieser, L.*, +, *TPEL Jan. 2020 138-157*
A 12- or 48-V Input, 0.9-V Output Active-Clamp Forward Converter Power Block for Servers and Datacenters. *Zhang, X.*, +, *TPEL Feb. 2020 1721-1731*
A Dual Half-Bridge *LLC* Resonant Converter With Magnetic Control for Battery Charger Application. *Wei, Y.*, +, *TPEL Feb. 2020 2196-2207*
A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters. *Pan, Y.*, +, *TPEL Oct. 2020 10994-11012*
A Family of High Step-Up Cascade DC–DC Converters With Clamped Circuits. *Ai, J.*, +, *TPEL May 2020 4819-4834*
A High Peak Output Power and High Power Conversion Efficiency SIMIMO Converter Using Optimal on-Time Control and Hybrid Zero Current Switching for Energy Harvesting Systems in IoT Applications. *Jung, J.*, +, *TPEL Aug. 2020 8261-8275*
A High-Power LED Driver Based on Single Inductor-Multiple Output DC–DC Converter With High Dimming Frequency and Wide Dimming Range. *Zhang, Y.*, +, *TPEL Aug. 2020 8501-8511*
A High-Power Wireless Charging System Using *LCL*-N Topology to Achieve a Compact and Low-Cost Receiver. *Zhang, Y.*, +, *TPEL Jan. 2020 131-137*
A High-Tolerance Matching Method Against Load Fluctuation for Ultrasonic Transducers. *Wang, J.*, +, *TPEL Jan. 2020 1147-1155*

A Hybrid Modulation Strategy Providing Lower Inductor Current for the DAB Converter With the Aid of DC Blocking Capacitors. *Liu, P.*, +, *TPEL April 2020 4309-4320*

A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC–DC Converter With Coupled Inductor. *Zhang, Y.*, +, *TPEL Feb. 2020 1525-1535*

A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*

A New Single-Stage 48-V-Input VRM Topology Using an Isolated Stacked Half-Bridge Converter. *Khatua, S.*, +, *TPEL Nov. 2020 11976-11987*

A Novel Integrated Step-Up Hybrid Converter With Wide Conversion Ratio. *Marconi, S.*, +, *TPEL March 2020 2764-2775*

A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*

A QR-ZCS Boost Converter With Tapped Inductor and Active Edge-Resonant Cell. *Harasimczuk, M., TPEL Dec. 2020 13085-13095*

A Reduced-Switch-Count Family of Soft-Switched High-Frequency Inductive AC-Link Converters. *Mozaffari, K.*, +, *TPEL Aug. 2020 7972-7990*

A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters. *Chamanian, S.*, +, *TPEL Jan. 2020 901-912*

A Single-Inductor Multiple-Output Buck/Boost DC–DC Converter With Duty-Cycle and Control-Current Predictor. *Zheng, Y.*, +, *TPEL Nov. 2020 12022-12039*

A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs. *Zhang, Y.*, +, *TPEL Feb. 2020 1536-1547*

A Zero-Voltage and Zero-Current Switching Interleaved Two-Switch Forward Converter With Passive Auxiliary Resonant Circuit. *Chu, E.*, +, *TPEL May 2020 4859-4876*

Active Voltage Sharing Module for Input-Series Connected Modular DC/DC Converters. *Duan, J.*, +, *TPEL June 2020 5987-6000*

An Adaptive Sensorless Control Technique for a Flyback-Type Solar Tile Microinverter. *Falconar, N.*, +, *TPEL Dec. 2020 13554-13562*

An Agile Supply Modulator With Improved Transient Performance for Power Efficient Linear Amplifier Employing Envelope Tracking Techniques. *Prakash, S.*, +, *TPEL April 2020 4178-4191*

An Impedance Matching Network Tuning Method for Constant Current Output Under Mutual Inductance and Load Variation of IPT System. *Zhang, K.*, +, *TPEL Oct. 2020 11108-11118*

An Isolated Modular Multilevel Converter (I-M^{2}C) Topology Based on High-Frequency Link (HFL) Concept. *Liu, C.*, +, *TPEL Feb. 2020 1576-1588*

An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*

An Ultrahigh Step-Up Quadratic Boost Converter Based on Coupled-Inductor. *Hu, R.*, +, *TPEL Dec. 2020 13200-13209*

Analysis and Comparison of Push–Pull Class-E Inverters With Magnetic Integration for Megahertz Wireless Power Transfer. *Huang, X.*, +, *TPEL Jan. 2020 565-577*

Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets. *Yang, C.*, +, *TPEL Dec. 2020 13356-13366*

Analysis and Improvement of Capacitance Effects in 360–800 Hz Variable On-Time Controlled CRM Boost PFC Converters. *Ren, X.*, +, *TPEL July 2020 7480-7491*

Analysis and Reduction of the Near Magnetic Field Emission From Toroidal Inductors. *Zhang, B.*, +, *TPEL June 2020 6251-6268*

Analytical Optimization of Nonsaturated Thermally Limited High-Frequency Transformer/Inductor Design Considering Discreteness of Design Variables. *Yu, X.*, +, *TPEL June 2020 6231-6250*

Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter. *Liu, D.*, +, *TPEL Feb. 2020 2008-2022*

Capacitive Coupling in EMI Filters Containing T-Shaped Joint: Mechanism, Effects, and Mitigation. *Liu, B.*, +, *TPEL March 2020 2534-2547*

Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation. *Sato, Y.*, +, *TPEL Sept. 2020 9661-9668*

Common-Mode EMI Noise Analysis and Reduction for AC–DC–AC Systems With Paralleled Power Modules. *Yang, L.*, +, *TPEL July 2020 6989-7000*

Constrained Modulated Model-Predictive Control of an *LC*-Filtered Voltage-Source Converter. *Zheng, C.*, +, *TPEL Feb. 2020 1967-1977*

Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter. *Liu, J.*, +, *TPEL Jan. 2020 826-834*

DC-DC Converter Synthesis: An Inverse Problem. *Panigrahi, R.*, +, *TPEL Dec. 2020 12633-12638*

Decoupling of Current Balancing and Reference Tracking Control in Parallel Interleaved Converters. *Jovanovic, D.P.*, +, *TPEL April 2020 4286-4295*

Derivation of Single-Input Dual-Output Converters With Simple Control and No Cross Regulation. *Dong, Z.*, +, *TPEL Nov. 2020 11930-11941*

Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer. *Chen, B.*, +, *TPEL Nov. 2020 11557-11573*

Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*

Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications. *C., K.*, +, *TPEL Feb. 2020 2100-2118*

Digital CPM Controller for a Non-Inverting Buck–Boost Converter With Unified Hardware for Steady-State and Optimized Transient Conditions. *Urkin, T.*, +, *TPEL Aug. 2020 8794-8804*

Digital-Based Critical Conduction Mode Control for Three-Level Boost PFC Converter. *Lee, M.*, +, *TPEL July 2020 7689-7701*

Enhanced One-Cycle Control for Multicell Power Converters. *Zhang, G.*, +, *TPEL Aug. 2020 8846-8856*

Fully Integrated Buck and Boost Converter as a High Efficiency, High-Power-Density Off-Line LED Driver. *Abdelmessih, G.Z.*, +, *TPEL Nov. 2020 12238-12251*

High-Efficiency T-Source Inverter With Low Voltage Spikes Across the Switch Bridge. *Liu, H.*, +, *TPEL Oct. 2020 10554-10566*

Impact of Inductors Saturation on Peak-Current Mode Control Operation. *Femia, N.*, +, *TPEL Oct. 2020 10969-10981*

Inductor Saturation Compensation With Resistive Decoupling for Single-Phase Controlled VSC Systems. *Ozkan, Z.*, +, *TPEL Feb. 2020 1993-2007*

Input-Independent and Output-Series Connected Modular DC–DC Converter With Intermodule Power Balancing Units for MVdc Integration of Distributed PV. *Li, X.*, +, *TPEL Feb. 2020 1622-1636*

Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter. *Nandi, P.*, +, *TPEL Nov. 2020 11965-11975*

Minimizing Ripples of Inductor Currents in Coupled SIDO Boost Converter by Shift of Gate Pulses. *Nupur, .*, +, *TPEL Feb. 2020 1217-1226*

Modeling and Design of the Magnetic Integration of Single- and Multi-Stage EMI Filters. *Liu, Y.*, +, *TPEL Jan. 2020 276-288*

Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Characteristics for Electric Double-Layer Capacitor Modules. *Uno, M.*, +, *TPEL Oct. 2020 10271-10284*

Multi-Resonance-Core-Based Dickson Resonant Switched-Capacitor Converters With Wide Regulation. *Li, S.*, +, *TPEL Feb. 2020 1685-1698*

Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Non-inverting and Non-isolated Magnetically Coupled Buck–Boost Bidirectional DC–DC Converter. *Rodriguez-Lorente, A.*, +, *TPEL Nov. 2020 11942-11954*

Novel Highly Efficient/Compact Automotive PCB Winding Inductors Based on the Compensating Air-Gap Fringing Field Concept. *Schafer, J.*, +, *TPEL Sept. 2020 9617-9631*

Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*

Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*

Optimum Boundary Inductance Control Concerning Limited PF for a DCM Boost PFC Converter. *Yao, K.*, +, *TPEL Jan. 2020 443-454*

Overcoming the Effect of Test Fixtures on the Measurement of Parasitics of Capacitors and Inductors. *Mendez, J.B.*, +, *TPEL Jan. 2020 15-19*

Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier. *Kumar, N.*, +, *TPEL Oct. 2020 10008-10012*

Properties and Synthesis of Lossless Snubbers and Passive Soft-Switching PWM Converters. *Yu, X.*, +, *TPEL April 2020 3807-3827*

Resonant Inductance Design and Loss Analysis of a Novel Resonant DC Link Inverter. *Chu, E.*, +, *TPEL Feb. 2020 1392-1405*

Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*

Sensorless Ripple Current Mode Control to Achieve Inductor-Deviation-Tolerant BCM Operation for Boost Converter. *Lyu, D.*, +, *TPEL Nov. 2020 12359-12369*

Single-Inductor Dual-Input Triple-Output Buck–Boost Converter With Clockless Shortest Power Path Control Strategy for IoT Nodes. *Wang, C.*, +, *TPEL Feb. 2020 2044-2052*

Single-Inductor Multi-Input Multi-Output DC–DC Converter With High Flexibility and Simple Control. *Li, X.L.*, +, *TPEL Dec. 2020 13104-13114*

Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*

Single-Stage Bidirectional Buck–Boost Inverters Using a Single Inductor and Eliminating the Common-Mode Leakage Current. *Khan, A.A.*, +, *TPEL Feb. 2020 1269-1281*

Single-Turn Air-Core Coils for High-Frequency Inductive Wireless Power Transfer. *Zulauf, G.*, +, *TPEL March 2020 2917-2932*

Small Signal Modeling and Design Analysis for Boost Converter With Valley V^2 Control. *Leng, M.*, +, *TPEL Dec. 2020 13475-13487*

Soft-Switching Techniques for Single-Inductor Multiple-Output LED Drivers. *Qu, Y.*, +, *TPEL Dec. 2020 13748-13756*

Tapped-Inductor-Based Single-Magnetic Bidirectional PWM Converter Integrating Cell Voltage Equalizer for Series-Connected Supercapacitors. *Uno, M.*, +, *TPEL Dec. 2020 13157-13171*

Thermal Modeling of Inductor and Transformer Windings Including Litz Wire. *Kyaw, P.A.*, +, *TPEL Jan. 2020 867-881*

Thermoelectric Energy Conversion System With Multiple Inputs. *Hwu, K.*, +, *TPEL Feb. 2020 1603-1621*

Three Phase Current-Fed Semi Dual Active Bridge DC–DC Converter With Hybrid Operating Mode Control. *Chen, D.*, +, *TPEL Feb. 2020 1649-1658*

Two-Phase Interleaved Boost PFC Converter With Coupled Inductor Under Single-Phase Operation. *Yang, F.*, +, *TPEL Jan. 2020 169-184*

Variable-Parameter T-Circuit-Based IPT System Charging Battery With Constant Current or Constant Voltage Output. *Chen, Y.*, +, *TPEL Feb. 2020 1672-1684*

Infrared imaging

Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load. *Fernandez, M.*, +, *TPEL May 2020 5221-5237*

Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*

Instruments

Erratum to "Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications". *Komathi, C.*, +, *TPEL May 2020 5543*

Insulated gate bipolar transistors

A Device-Level Transient Modeling Approach for the FPGA-Based Real-Time Simulation of Power Converters. *Bai, H.*, +, *TPEL Feb. 2020 1282-1292*

A Fast Diagnosis Method for Both IGBT Faults and Current Sensor Faults in Grid-Tied Three-Phase Inverters With Two Current Sensors. *Li, Z.*, +, *TPEL May 2020 5267-5278*

A Gate Drive Circuit and Dynamic Voltage Balancing Control Method Suitable for Series-Connected SiC mosfets. *Yang, C.*, +, *TPEL June 2020 6625-6635*

A Method for Improving the Thermal Shock Fatigue Failure Resistance of IGBT Modules. *Zhang, X.*, +, *TPEL Aug. 2020 8532-8539*

A New Lumped-Charge Modeling Method for Power Semiconductor Devices. *Duan, Y.*, +, *TPEL April 2020 3989-3996*

A Novel Converter-Breaker Integrated Voltage Source Converter Based on High-Surge IGCT and Fault Self-Clearing Strategy for DC Grid. *Xu, C.*, +, *TPEL Dec. 2020 12668-12672*

A Physics-Based Transient Electrothermal Model of High-Voltage Press-Pack IGBTs Under HVdc Interruption. *Luo, Y.*, +, *TPEL June 2020 5660-5669*

A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*

A Redundant Unit to Form T-Type Three-Level Inverters Tolerant of IGBT Open-Circuit Faults in Multiple Legs. *Wang, B.*, +, *TPEL Jan. 2020 924-939*

A Review of Voltage/Current Sharing Techniques for Series–Parallel-Connected Modular Power Conversion Systems. *Ma, D.*, +, *TPEL Nov. 2020 12383-12400*

A Thyristor Full-Bridge-Based DC Circuit Breaker. *Guo, Y.*, +, *TPEL Jan. 2020 1111-1123*

An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*

An Active Z-Source DC Circuit Breaker Combined With SCR and IGBT. *Shu, J.*, +, *TPEL Oct. 2020 10003-10007*

An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*

An Asymmetric Nine-Phase Induction Motor for LCI-Fed Medium Voltage Drive Applications. *Titus, J.*, +, *TPEL May 2020 5047-5056*

An Electrical Transient Model of IGBT-Diode Switching Cell for Power Semiconductor Loss Estimation in Electromagnetic Transient Simulation. *Xu, Y.*, +, *TPEL March 2020 2979-2989*

An Online Data-Driven Method for Simultaneous Diagnosis of IGBT and Current Sensor Fault of Three-Phase PWM Inverter in Induction Motor Drives. *Gou, B.*, +, *TPEL Dec. 2020 13281-13294*

Application of EMR Signature in Health Assessment and Monitoring of IGBT-Based Converters. *Biswas, R.*, +, *TPEL Feb. 2020 1899-1906*

Bond Wire Damage Detection and SOH Estimation of a Dual-Pack IGBT Power Module Using Active Power Cycling and Reflectometry. *Hanif, A.*, +, *TPEL July 2020 6761-6772*

Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application. *Li, D.*, +, *TPEL Dec. 2020 13429-13440*

Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*

Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing. *Hu, K.*, +, *TPEL July 2020 6773-6784*

Enhancing Short Circuit Capability of 1.2-kV Si IGBT Using a Gate-Source Shorted Si Depletion Mode MOSFET in Series With the Emitter. *Kanale, A.*, +, *TPEL June 2020 6350-6361*

Evaluation of Different Si/SiC Hybrid Three-Level Active NPC Inverters for High Power Density. *Zhang, L.*, +, *TPEL Aug. 2020 8224-8236*

Fault Diagnosis and Tolerance Control of Five-Level Nested NPP Converter Using Wavelet Packet and LSTM. *Ye, S.*, +, *TPEL Feb. 2020 1907-1921*

Nonlinear Compact Thermal Model of the IGBT Dedicated to SPICE. *Gorecki, K.*, +, *TPEL Dec. 2020 13420-13428*

Optimal Design of Diode-Bridge Bidirectional Solid-State Switch Using Standard Recovery Diodes for 500-kV High-Voltage DC Breaker. *Zhang, X.*, +, *TPEL Feb. 2020 1165-1170*

Realization of High-Stability Flat-Top Pulsed Magnetic Fields by a Bypass Circuit of IGBTs in the Active Region. *Zhang, S.*, +, *TPEL March 2020 2436-2444*

Research on Single-Stage High-Frequency-Link SST Topology and Its Optimization Control. *Sun, X.*, +, *TPEL Aug. 2020 8701-8711*

Self-Adaptive Active Gate Driver for IGBT Switching Performance Optimization Based on Status Monitoring. *Wang, R.*, +, *TPEL June 2020 6362-6372*

Space Vector Modulation for SiC and Si Hybrid ANPC Converter in Medium-Voltage High-Speed Drive System. *Li, C.*, +, *TPEL April 2020 3390-3401*

The Influence of the Gate Driver and Common-Source Inductance on the Short-Circuit Behavior of IGBT Modules and Protection. *Liu, X.*, +, *TPEL Oct. 2020 10789-10798*

The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application. *Hofstetter, P.*, +, *TPEL June 2020 5692-5701*

Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*

Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*

Turn-Off Delay Compensation of Series-Connected IGBTs for HVDC Applications. *Briff, P.*, +, *TPEL Nov. 2020 11294-11298*

Insulation

Fast and Accurate Thermal Modeling of Magnetic Components by FEA-Based Homogenization. *Salinas Lopez, G.*, +, *TPEL Feb. 2020 1830-1844*

Insulation testing

Design and Model of Series-Connected High-Voltage DC Multipliers. *Quraan, M.*, +, *TPEL July 2020 7160-7174*

Integer programming

Long-Horizon Finite-Control-Set Model Predictive Control With Nonrecursive Sphere Decoding on an FPGA. *Dorfling, T.*, +, *TPEL July 2020 7520-7531*

Integrated circuit design

A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range. *Kim, D.*, +, *TPEL Dec. 2020 13441-13454*

A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*

Analysis and Design of an *RC* Snubber Circuit to Suppress False Triggering Oscillation for GaN Devices in Half-Bridge Circuits. *Chen, J.*, +, *TPEL March 2020 2690-2704*

Design of an Adaptively Biased Low-Dropout Regulator With a Current Reusing Current-Mode OTA Using an Intuitive Analysis Method. *Dong, L.*, +, *TPEL Oct. 2020 10477-10488*

Integrated circuit modeling

A Device-Level Transient Modeling Approach for the FPGA-Based Real-Time Simulation of Power Converters. *Bai, H.*, +, *TPEL Feb. 2020 1282-1292*

Control-Oriented Modeling of Wireless Power Transfer Systems With Phase-Shift Control. *Chen, F.*, +, *TPEL Feb. 2020 2119-2134*

Energy Storage and POPI Networks in Power Processing Systems. *Singer, S.*, +, *TPEL Feb. 2020 1425-1439*

Integrated circuit packaging

Improved Methodology for Parasitic Characterization of High-Performance Power Modules. *DeBoi, B.T.*, +, *TPEL Dec. 2020 13400-13408*

Integrated circuit reliability

High-Power Nanosecond Pulse Generators With Improved Reliability by Adopting Auxiliary Triggering Topology. *Yan, J.*, +, *TPEL Feb. 2020 1353-1364*

Localization and Detection of Bond Wire Faults in Multichip IGBT Power Modules. *Chen, C.*, +, *TPEL Aug. 2020 7804-7815*

Integrated circuits

A Novel Control Strategy for Improving the Performance of a Nearly Zero Energy Building. *Tsioumas, E.*, +, *TPEL Feb. 2020 1513-1524*

Integrated optics

6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*

Intelligent control

A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*

Interconnections

Diode Evaluation and Series Diode Balancing for High-Voltage High-Frequency Power Converters. *He, Y.*, +, *TPEL June 2020 6301-6314*

Interference filters

Capacitive Coupling in EMI Filters Containing T-Shaped Joint: Mechanism, Effects, and Mitigation. *Liu, B.*, +, *TPEL March 2020 2534-2547*

Investigate and Reduce Capacitive Couplings in a Flyback Adapter With a DC-Bus Filter to Reduce EMI. *Li, Y.*, +, *TPEL July 2020 6963-6973*

Interference suppression

A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise. *Ge, T.*, +, *TPEL Jan. 2020 789-799*

A Mixed-Signal Adaptive Ripple Canceler for Switching Regulators Providing 18 dB-24 dB of Ripple Rejection up to 1 MHz. *Joshi, K.*, +, *TPEL Oct. 2020 10249-10259*

A New Coupling Structure and Position Detection Method for Segmented Control Dynamic Wireless Power Transfer Systems. *Li, X.*, +, *TPEL July 2020 6741-6745*

Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*

Capacitive Coupling in EMI Filters Containing T-Shaped Joint: Mechanism, Effects, and Mitigation. *Liu, B.*, +, *TPEL March 2020 2534-2547*

Investigate and Reduce Capacitive Couplings in a Flyback Adapter With a DC-Bus Filter to Reduce EMI. *Li, Y.*, +, *TPEL July 2020 6963-6973*

Modeling and Design of the Magnetic Integration of Single- and Multi-Stage EMI Filters. *Liu, Y.*, +, *TPEL Jan. 2020 276-288*

Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*

Internet of Things

A High Peak Output Power and High Power Conversion Efficiency SIMIMO Converter Using Optimal on-Time Control and Hybrid Zero Current Switching for Energy Harvesting Systems in IoT Applications. *Jung, J.*, +, *TPEL Aug. 2020 8261-8275*

A Leaf-Shaped Triboelectric Nanogenerator for Multiple Ambient Mechanical Energy Harvesting. *Jiang, D.*, +, *TPEL Jan. 2020 25-32*

IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*

Interpolation

Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*

Inverse problems

DC-DC Converter Synthesis: An Inverse Problem. *Panigrahi, R.*, +, *TPEL Dec. 2020 12633-12638*

Inverters

A 2-kV Charge-Based ZVS Three-Level Inverter. *Settels, S.J.*, +, *TPEL April 2020 3450-3465*

A Cost-Constrained Active Capacitor for a Single-Phase Inverter. *Wang, H.*, +, *TPEL July 2020 6746-6760*

A Digital Interconnected Bus Providing Voltage Synchronization for the Modular Series-Connected Inverters. *Liu, P.*, +, *TPEL Dec. 2020 12590-12594*

A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance. *Chakraborty, S.*, +, *TPEL March 2020 2615-2628*

A Dynamic WPT System With High Efficiency and High Power Factor for Electric Vehicles. *Zakerian, A.*, +, *TPEL July 2020 6732-6740*

A Fast and Robust Diagnostic Method for Multiple Open-Circuit Faults of Voltage-Source Inverters Through Line Voltage Magnitudes Analysis. *Wu, X.*, +, *TPEL May 2020 5205-5220*

A Fast Diagnosis Method for Both IGBT Faults and Current Sensor Faults in Grid-Tied Three-Phase Inverters With Two Current Sensors. *Li, Z.*, +, *TPEL May 2020 5267-5278*

A Fast Positive Sequence Components Extraction Method With Noise Immunity in Unbalanced Grids. *Du, L.*, +, *TPEL July 2020 6682-6685*

A Fault-Tolerant Control Strategy for T-Type Three-Level Rectifier With Neutral Point Voltage Balance and Loss Reduction. *Chen, J.*, +, *TPEL July 2020 7492-7505*

A Fault-Tolerant Hybrid Cascaded H-Bridge Multilevel Inverter. *Mhiesan, H.*, +, *TPEL Dec. 2020 12702-12715*

A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*

A Hybrid Boundary Conduction Modulation for a Single-Phase H-bridge Inverter to Alleviate Zero-Crossing Distortion and Enable Reactive Power Capability. *Yin, H.*, +, *TPEL Aug. 2020 8311-8323*

A Hybrid Modulation Method for Single-Stage Soft-Switching Inverter Based on Series Resonant Converter. *Yeh, C.*, +, *TPEL June 2020 5785-5796*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*

A Modular Low Current Ripple Electrolysis Power Supply Based on Multiphase Half-Bridge High-Frequency Inverters. *Xiao, H., TPEL Oct. 2020 10088-10096*

A Motor CM Impedance Based Transformerless Active EMI Filter for DC-Side Common-Mode EMI Suppression in Motor Drive System. *Zhang, Y.*, +, *TPEL Oct. 2020 10238-10248*

A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*

A New Switched-Capacitor Five-Level Inverter Suitable for Transformerless Grid-Connected Applications. *Barzegarkhoo, R.*, +, *TPEL Aug. 2020 8140-8153*

A Nine-Level Inverter for Low-Voltage Applications. *Zhang, Y.*, +, *TPEL Feb. 2020 1659-1671*

A Nine-Level T-Type Packed U-Cell Inverter. *Niu, D.*, +, *TPEL Feb. 2020 1171-1175*

A Novel Configuration of Cross-Switched T-Type (CT-Type) Multilevel Inverter. *Meraj, S.T.*, +, *TPEL April 2020 3688-3696*

A Novel Dual-Input High-Gain Transformerless Multilevel Single-Phase Microinverter for PV Systems. *Ibrahim, E.A.D.*, +, *TPEL May 2020 4703-4714*

A Novel Filter Structure to Suppress Circulating Currents Based on the Sequence of Sideband Harmonics for High-Power Interleaved Motor-Drive Systems. *Ohn, S.*, +, *TPEL Jan. 2020 853-866*

A Novel Variable DC-Link Voltage Control Method for PMSM Driven by a Quasi-Z-Source Inverter. *Xiao, S.*, +, *TPEL April 2020 3878-3890*

A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*

A Practical Core Loss Estimation Method for Three-Phase Three-Level Grid-Connected Inverters. *Zhao, R.*, +, *TPEL March 2020 2263-2267*

A Reduced Component Count Five-Level Inverter Topology for High Reliability Electric Drives. *Karthik, A.*, +, *TPEL Jan. 2020 725-732*

A Redundant Unit to Form T-Type Three-Level Inverters Tolerant of IGBT Open-Circuit Faults in Multiple Legs. *Wang, B.*, +, *TPEL Jan. 2020 924-939*

A Si/SiC Hybrid Five-Level Active NPC Inverter With Improved Modulation Scheme. *Zhang, L.*, +, *TPEL May 2020 4835-4846*

A Simple Method for Passivity Enhancement of Current Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Aug. 2020 7735-7741*

A Simplified SVM-Based Fault-Tolerant Strategy for Cascaded H-Bridge Multilevel Converters. *Lin, H.*, +, *TPEL Nov. 2020 11310-11315*

A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids. *Liu, B.*, +, *TPEL Nov. 2020 11634-11651*

A Study of Virtual Resistor-Based Active Damping Alternatives for *LCL* Resonance in Grid-Connected Voltage Source Inverters. *Liu, T.*, +, *TPEL Jan. 2020 247-262*

A Switched Capacitive Filter-Based Harmonic Elimination Technique by Generating a 30-Sided Voltage Space Vector Structure for IM Drive. *R, R.*, +, *TPEL March 2020 2402-2410*

A Synchronization Method for the Modular Series-Connected Inverters. *Liu, P.*, +, *TPEL July 2020 6686-6690*

A Synchronous Reference Frame PI Current Controller With Dead Beat Response. *Busada, C.A.*, +, *TPEL March 2020 3097-3105*

A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine. *Raherimihaja, H.J.*, +, *TPEL Nov. 2020 12122-12132*

A Transformerless Common-Ground Three-Switch Single-Phase Inverter for Photovoltaic Systems. *Sarikhani, A.*, +, *TPEL Sept. 2020 8902-8909*

A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability. *Meng, X.*, +, *TPEL Sept. 2020 9794-9812*

Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

An Adaptive Dual-Loop Lyapunov-Based Control Scheme for a Single-Phase UPS Inverter. *He, J.*, +, *TPEL Sept. 2020 8886-8891*

An Adaptive Sensorless Control Technique for a Flyback-Type Solar Tile Microinverter. *Falconar, N.*, +, *TPEL Dec. 2020 13554-13562*

An Asymmetric Nine-Phase Induction Motor for LCI-Fed Medium Voltage Drive Applications. *Titus, J.*, +, *TPEL May 2020 5047-5056*

An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*

An Efficient Predictive Current Control Strategy for a Four-Level Open-End Winding Induction Motor Drive. *Lakhimsetty, S.*, +, *TPEL June 2020 6198-6207*

An Enhanced Multiple Harmonics Analysis Method for Wireless Power Transfer Systems. *Fang, Y.*, +, *TPEL Feb. 2020 1205-1216*

An Envelope-Prediction-Based Sensorless Rotor Position Observation Scheme for LCI-Fed EESM at Zero and Low Speed. *Kou, J.*, +, *TPEL July 2020 7356-7365*

An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table. *Kodumur Meesala, R.E.*, +, *TPEL April 2020 3906-3917*

An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*

An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications. *Zhang, Z.*, +, *TPEL Nov. 2020 11544-11556*

An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control. *Naik N, V.*, +, *TPEL Aug. 2020 8443-8451*

An Operation Mode Selection Method of Dual-Side Bridge Converters for Efficiency Optimization in Inductive Power Transfer. *Chen, S.*, +, *TPEL Oct. 2020 9992-9997*

Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*

Analysis and Comparison of Push–Pull Class-E Inverters With Magnetic Integration for Megahertz Wireless Power Transfer. *Huang, X.*, +, *TPEL Jan. 2020 565-577*

Analytic Spectral Analysis Technique for Converters Operating With Oscillatory DC-Link Voltage Components. *Townsend, C.D.*, +, *TPEL Dec. 2020 13540-13553*

Analytical Factorized Model for Stability Analysis and Optimization of Shunt *RC* Damped *LCL* Filter for Grid-Connected Voltage Source Inverters. *Koran, A.*, +, *TPEL July 2020 6830-6841*

Applying Stray Inductance Model to Study Turn-off Current in Multi-Turn Loop of Shallow Transient Electromagnetic Systems. *Liu, L.*, +, *TPEL Feb. 2020 1711-1720*

Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*

Bridgeless Cuk-Derived Single Power Conversion Inverter With Reactive-Power Capability. *Han, B.*, +, *TPEL March 2020 2629-2645*

Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application. *Li, D.*, +, *TPEL Dec. 2020 13429-13440*

Common Mode Noise Reduction of Three-Level Active Neutral Point Clamped Inverters With Uncertain Parasitic Capacitance of Photovoltaic Panels. *Wang, J.*, +, *TPEL July 2020 6974-6988*

Common-Mode EMI Noise Analysis and Reduction for AC–DC–AC Systems With Paralleled Power Modules. *Yang, L.*, +, *TPEL July 2020 6989-7000*

Comparative Performance Analysis Involving a Three-Phase UPQC Operating With Conventional and Dual/Inverted Power-Line Conditioning Strategies. *da Silva, S.A.O.*, +, *TPEL Nov. 2020 11652-11665*

Computation-Efficient Decoupled Multiparameter Estimation of PMSMs From Massive Redundant Measurements. *Lai, C.*, +, *TPEL Oct. 2020 10729-10740*

Computationally Efficient and Accurate Approach for Commutation Failure Risk Areas Identification in Multi-Infeed LCC-HVdc Systems. *Xiao, H.*, +, *TPEL May 2020 5238-5253*

Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*

Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Cooperative Regulation of Imbalances in Three-Phase Four-Wire Microgrids Using Single-Phase Droop Control and Secondary Control Algorithms. *Espina, E.*, +, *TPEL Feb. 2020 1978-1992*

Coupled-Inductor Buck–Boost Inverter With Reduced Current Ripple. *Khan, A.A.*, +, *TPEL Aug. 2020 7933-7946*

Coupling Extraction and Maximum Efficiency Tracking for Multiple Concurrent Transmitters in Dynamic Wireless Charging. *Kim, D.*, +, *TPEL Aug. 2020 7853-7862*

Criteria for Using Antiparallel SiC SBDs With SiC mosfets for SiC-Based Inverters. *Yamaguchi, K.*, +, *TPEL Jan. 2020 619-629*

Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*

Current Control of a Seven-Level Voltage Source Inverter. *Bahrami, A.*, +, *TPEL March 2020 2308-2316*

Current-Sensorless Finite-Set Model Predictive Control for *LC*-Filtered Voltage Source Inverters. *Zheng, C.*, +, *TPEL Jan. 2020 1086-1095*

DC-Link-Fluctuation-Resistant Predictive Torque Control for Railway Traction Permanent Magnet Synchronous Motor in the Six-Step Operation. *Zhao, S.*, +, *TPEL Oct. 2020 10982-10993*

Decoupled Floating Capacitor Voltage Control of a Dual Inverter Drive for an Open-Ended Winding Induction Motor. *Perera, C.*, +, *TPEL July 2020 7305-7316*

Design and Control Method for a Surface-Mounted Permanent Magnet Motor Drive System With Passive Output Power Network. *Choi, H.*, +, *TPEL April 2020 3891-3905*

Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control. *Lee, T.*, +, *TPEL Sept. 2020 9024-9033*

Design of New SVPWM Mechanism for Three-Level NPC ZSI via Line-Voltage Coordinate System. *Zhang, J.*, +, *TPEL Aug. 2020 8593-8606*

Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*

Design, Analysis, and Discussion of Short Circuit and Overload Gate-Driver Dual-Protection Scheme for 1.2-kV, 400-A SiC MOSFET Modules. *Sun, K.*, +, *TPEL March 2020 3054-3068*

Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*

Development of High-Power High Switching Frequency Cryogenically Cooled Inverter for Aircraft Applications. *Gui, H.*, +, *TPEL June 2020 5670-5682*

Diagnosis and Tolerance of Common Electrical Faults in T-Type Three-Level Inverters Fed Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Feb. 2020 1753-1769*

Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation. *Lin, X.*, +, *TPEL April 2020 4216-4232*

Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems. *Wang, W.*, +, *TPEL Dec. 2020 13673-13686*

Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain. *Lee, S.S.*, +, *TPEL Sept. 2020 9522-9529*

Efficiency Analysis and Optimization Control for Input-Parallel Output-Series Wireless Power Transfer Systems. *Li, Y.*, +, *TPEL Jan. 2020 1074-1085*

Efficient Permanent Magnet Temperature Modeling and Estimation for Dual Three-Phase PMSM Considering Inverter Nonlinearity. *Feng, G.*, +, *TPEL July 2020 7328-7340*

Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*

Evaluation of Different Si/SiC Hybrid Three-Level Active NPC Inverters for High Power Density. *Zhang, L.*, +, *TPEL Aug. 2020 8224-8236*

Evaluation of Three-Phase Transformerless DC-Bypass PV Inverters for Leakage Current Reduction. *Guo, X.*, +, *TPEL June 2020 5918-5927*

Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control. *Han, Y.*, +, *TPEL March 2020 3221-3241*

Frequency-Division Virtual Impedance Shaping Control Method for Grid-Connected Inverters in a Weak and Distorted Grid. *Zhu, K.*, +, *TPEL Aug. 2020 8116-8129*

Full-Bridge Current-Fed PV Microinverter With DLFCR Reduction Ability. *Wu, D.*, +, *TPEL Sept. 2020 9541-9552*

Generalized Chudnovsky Algorithm for Real-Time PWM Selective Harmonic Elimination/Modulation: Two-Level VSI Example. *Janabi, A.*, +, *TPEL May 2020 5437-5446*

Generalized Cockcroft-Walton Multiplier Voltage Z-Source Inverters. *Ding, X.*, +, *TPEL July 2020 7175-7190*

Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*

Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*

High-Efficiency T-Source Inverter With Low Voltage Spikes Across the Switch Bridge. *Liu, H.*, +, *TPEL Oct. 2020 10554-10566*

High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*

High-Precision Control for ZVS Inverter to Reduce Nonlinear Distortion of Semiconductor Voltage Drop. *Zhang, H.*, +, *TPEL April 2020 3337-3342*

Hybrid Buck–Boost Multioutput Quasi-Z-Source Converter With Dual DC and Single AC Outputs. *Shiluveru, K.*, +, *TPEL July 2020 7246-7260*

Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*

Impedance Measurement of Three-Phase Inverter in the Stationary Frame Using Frequency Response Analyzer. *Liu, J.*, +, *TPEL Sept. 2020 9390-9401*

Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*

Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles. *Liao, Y.*, +, *TPEL April 2020 4388-4397*

Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives. *Tarvirdilu-Asl, R.*, +, *TPEL Oct. 2020 10654-10672*

Individual Channel Design-Based Precise Analysis and Design for Three-Phase Grid-Tied Inverter With *LCL*-Filter Under Unbalanced Grid Impedance. *Wu, W.*, +, *TPEL May 2020 5381-5396*

Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter. *Nandi, P.*, +, *TPEL Nov. 2020 11965-11975*

Integration of Flexible Loads and Electric Spring Using a Three-Phase Inverter. *Liu, H.*, +, *TPEL Aug. 2020 8013-8024*

Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*

Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives. *Wallscheid, O.*, +, *TPEL Dec. 2020 13563-13572*

Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle. *Guo, Y.*, +, *TPEL Oct. 2020 10542-10553*

Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*

Model Predictive Current Control of a Seven-Level Inverter With Reduced Computational Burden. *Bahrami, A.*, +, *TPEL June 2020 5729-5740*

Model Predictive Flux Control With Cost Function-Based Field Weakening Strategy for Permanent Magnet Synchronous Motor. *Zheng, Z.*, +, *TPEL Feb. 2020 2151-2159*

Model-Based Control for Grid-Tied Inverters Operated in Discontinuous Current Mode With Low Harmonic Current Distortion. *Zhang, J.*, +, *TPEL Oct. 2020 11167-11180*

Model-Based Design and Optimization of Hybrid DC-Link Capacitor Banks. *Wang, H.*, +, *TPEL Sept. 2020 8910-8925*

Modeling and Design of the Magnetic Integration of Single- and Multi-Stage EMI Filters. *Liu, Y.*, +, *TPEL Jan. 2020 276-288*

Modeling, Analysis, and Reduction of Harmonics in Paralleled and Interleaved Three-Level Neutral Point Clamped Inverters With Space Vector Modulation. *Chen, R.*, +, *TPEL April 2020 4411-4425*

Modified Single-Edge SVPWM Technique to Reduce the Switching Losses and Increase PWM Harmonics Frequency for Three-Phase VSIs. *Huang, Y.*, +, *TPEL Oct. 2020 10643-10653*

MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*

Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*

Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*

Multiple-Objective Control Scheme for Input-Series–Output-Series *LCL*-Filtered Grid-Connected Inverter System. *Fang, T.*, +, *TPEL Aug. 2020 8689-8700*

Multisource Switched Capacitor Based Boost Multilevel Inverter for Photovoltaic-Based Systems. *Ramaiah, S.*, +, *TPEL March 2020 2558-2570*

Novel Active-Neutral-Point-Clamped Inverters With Improved Voltage-Boosting Capability. *Lee, S.S.*, +, *TPEL June 2020 5978-5986*

On-Board Single-Phase Integrated Electric Vehicle Charger With V2G Functionality. *Semsar, S.*, +, *TPEL Nov. 2020 12072-12084*

Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges. *Xia, Z.*, +, *TPEL Sept. 2020 9753-9769*

Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. *Guo, B.*, +, *TPEL Dec. 2020 13000-13016*

Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*

Output Impedance Modeling of Single-Phase Grid-Tied Inverters With Capturing the Frequency-Coupling Effect of PLL. *Qian, Q.*, +, *TPEL May 2020 5479-5495*

Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*

Passivity-Based Design of Plug-and-Play Current-Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Feb. 2020 2135-2150*

Passivity-Based Stabilization of *LCL*-Type Grid-Connected Inverters via a General Admittance Model. *Xie, C.*, +, *TPEL June 2020 6636-6648*

PMSM Open-Phase Fault-Tolerant Control Strategy Based on Four-Leg Inverter. *Zhou, X.*, +, *TPEL March 2020 2799-2808*

Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*

Predictive Torque Control Algorithm for a Five-Phase Induction Motor Drive for Reduced Torque Ripple With Switching Frequency Control. *Bhowate, A.*, +, *TPEL July 2020 7282-7294*

Reconfigurable Hybrid Energy Storage System for an Electric Vehicle DC–AC Inverter. *Salari, O.*, +, *TPEL Dec. 2020 12846-12860*

Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Reflected Wave Phenomenon in SiC Motor Drives: Consequences, Boundaries, and Mitigation. *Narayanasamy, B.*, +, *TPEL Oct. 2020 10629-10642*

Review and Comparison of Grid-Tied Inverter Controllers in Microgrids. *Liu, Q.*, +, *TPEL July 2020 7624-7639*

Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter. *Zhao, J.*, +, *TPEL Aug. 2020 8102-8115*

Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*

Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*

Selective Torque Harmonic Elimination for Dual Three-Phase PMSMs Based on PWM Carrier Phase Shift. *Wang, X.*, +, *TPEL Dec. 2020 13255-13269*

Self-Circulating Testing Method for Both Rectifying and Inverting Submodules of Modular Multilevel Converter With Low DC Supply Voltage. *Jiang, S.*, +, *TPEL Aug. 2020 7795-7803*

Separate Power Allocation and Control Method Based on Multiple Power Channels for Wireless Power Transfer. *Huang, Y.*, +, *TPEL Sept. 2020 9046-9056*

Separate-Structure UDE-Based Current Resonant Control Strategy on *L*+*C*+*L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness. *Xiong, Y.*, +, *TPEL Dec. 2020 13641-13651*

Series-Connected Current Source Inverters With Less Switches. *Xing, L.*, +, *TPEL June 2020 5553-5556*

SiC-Based 4 MHz 10 kW ZVS Inverter With Fast Resonance Frequency Tracking Control for High-Density Plasma Generators. *Park, S.*, +, *TPEL March 2020 3266-3275*

Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*

Simplified Modulation Scheme for Open-End Winding PMSM System With Common DC Bus Under Open-Phase Fault Based on Circulating Current Suppression. *Hu, W.*, +, *TPEL Jan. 2020 10-14*

Simplified Power Loss Model for Aluminum Electrolytic Capacitors in Single-Phase Inverters. *Liu, Y.*, +, *TPEL May 2020 4452-4456*

Single-Phase Split-Inductor Differential Boost Inverters. *Khan, A.A.*, +, *TPEL Jan. 2020 107-120*

Single-Stage Bidirectional Buck–Boost Inverters Using a Single Inductor and Eliminating the Common-Mode Leakage Current. *Khan, A.A.*, +, *TPEL Feb. 2020 1269-1281*

Small-Signal Modeling and Stability Prediction of Parallel Droop-Controlled Inverters Based on Terminal Characteristics of Individual Inverters. *Wang, S.*, +, *TPEL Jan. 2020 1045-1063*

Space Vector Modulation for SiC and Si Hybrid ANPC Converter in Medium-Voltage High-Speed Drive System. *Li, C.*, +, *TPEL April 2020 3390-3401*

+ Check author entry for coauthors

Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation. *Zhou, Z.*, +, *TPEL Nov. 2020 12555-12569*
Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*
Switched Capacitor Integrated $(2n+1)$-Level Step-Up Single-Phase Inverter. *Khan, M.N.H.*, +, *TPEL Aug. 2020 8248-8260*
Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*
Switching and Conduction Loss Reduction of Dual-Buck Full-Bridge Inverter Through ZVT Soft-Switching Under Full-Cycle Modulation. *Kou, B.*, +, *TPEL May 2020 5031-5046*
The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*
The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application. *Hofstetter, P.*, +, *TPEL June 2020 5692-5701*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*
Three-Port Full-Bridge Bidirectional Converter for Hybrid DC/DC/AC Systems. *Neira, S.*, +, *TPEL Dec. 2020 13077-13084*
Time–Frequency Characteristics Research of Common Mode Current in PWM Motor System. *Cao, S.*, +, *TPEL Feb. 2020 1450-1458*
Vibration Reduction for Dual-Branch Three-Phase Permanent Magnet Synchronous Motor With Carrier Phase-Shift Technique. *Zhang, W.*, +, *TPEL Jan. 2020 607-618*
Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits. *Zhang, F.*, +, *TPEL Oct. 2020 10200-10212*
Voltage Difference Residual-Based Open-Circuit Fault Diagnosis Approach for Three-Level Converters in Electric Traction Systems. *Yang, C.*, +, *TPEL March 2020 3012-3028*
Voltage Modulation and Current Control of Boost Inverters for Stand-Alone or Grid-Tied Operation. *Chen, W.*, +, *TPEL Aug. 2020 8726-8736*
Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*
Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. *Yang, Q.*, +, *TPEL Dec. 2020 13053-13067*

Iron
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
Run-to-Run Control for Active Balancing of Lithium Iron Phosphate Battery Packs. *Tang, X.*, +, *TPEL Feb. 2020 1499-1512*

Iron alloys
Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Iron compounds
Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*

Iterative methods
A New Geometric Vector Optimization of Predictive Direct Power Control. *Yan, S.*, +, *TPEL May 2020 5427-5436*
Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*
Small-Signal Modeling of *LLC* Converters Using Homopolarity Cycle. *Mohammadi, M.*, +, *TPEL April 2020 4076-4093*
Turn-Off Delay Compensation of Series-Connected IGBTs for HVDC Applications. *Briff, P.*, +, *TPEL Nov. 2020 11294-11298*

J

Jacobian matrices
Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*

Junction gate field effect transistors
A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*

Junctions
Application of EMR Signature in Health Assessment and Monitoring of IGBT-Based Converters. *Biswas, R.*, +, *TPEL Feb. 2020 1899-1906*

K

Kalman filters
Offline Recursive Identification of Electrical Parameters of VSI-Fed Induction Motor Drives. *Reddy, S.R.P.*, +, *TPEL Oct. 2020 10711-10719*
Robust Predictive Current Control of PMLSM With Extended State Modeling Based Kalman Filter: For Time-Varying Disturbance Rejection. *Yang, R.*, +, *TPEL Feb. 2020 2208-2221*

L

Laboratory techniques
A Family of High Step-Up Cascade DC–DC Converters With Clamped Circuits. *Ai, J.*, +, *TPEL May 2020 4819-4834*
Efficient Permanent Magnet Temperature Modeling and Estimation for Dual Three-Phase PMSM Considering Inverter Nonlinearity. *Feng, G.*, +, *TPEL July 2020 7328-7340*
Interleaved Current-Fed Switched Inverter. *Acharya, S.*, +, *TPEL July 2020 7015-7030*
Series Chain-Link Modular Multilevel AC–DC Converter (SCC) for HVDC Applications. *Tardelli, F.*, +, *TPEL June 2020 5714-5728*

Laminations
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*

Laptop computers
Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*

Laser beams
6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*

LC circuits
A High-Tolerance Matching Method Against Load Fluctuation for Ultrasonic Transducers. *Wang, J.*, +, *TPEL Jan. 2020 1147-1155*
A Reconstructed S-LCC Topology With Dual-Type Outputs for Inductive Power Transfer Systems. *Wang, X.*, +, *TPEL Dec. 2020 12606-12611*
A Study of Virtual Resistor-Based Active Damping Alternatives for *LCL* Resonance in Grid-Connected Voltage Source Inverters. *Liu, T.*, +, *TPEL Jan. 2020 247-262*
Current-Sensorless Finite-Set Model Predictive Control for *LC*-Filtered Voltage Source Inverters. *Zheng, C.*, +, *TPEL Jan. 2020 1086-1095*
High-Order Compensated Wireless Power Transfer for Dimmable Metal Halide Lamps. *Han, W.*, +, *TPEL June 2020 6269-6279*
Hold-Up Time Compensation Circuit of Half-Bridge LLC Resonant Converter for High Light-Load Efficiency. *Jeong, Y.*, +, *TPEL Dec. 2020 13126-13135*
Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. *Guo, B.*, +, *TPEL Dec. 2020 13000-13016*
Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*
Separate Power Allocation and Control Method Based on Multiple Power Channels for Wireless Power Transfer. *Huang, Y.*, +, *TPEL Sept. 2020 9046-9056*

Lead acid batteries
A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*
Online Impedance Measurement of Batteries Using the Cross-Correlation Technique. *Gucin, T.N.*, +, *TPEL April 2020 4365-4375*

Lead bonding
Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing. *Hu, K.*, +, *TPEL July 2020 6773-6784*
Localization and Detection of Bond Wire Faults in Multichip IGBT Power Modules. *Chen, C.*, +, *TPEL Aug. 2020 7804-7815*
Lead compounds
A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*
Online Impedance Measurement of Batteries Using the Cross-Correlation Technique. *Gucin, T.N.*, +, *TPEL April 2020 4365-4375*
Leakage currents
1-kW Boost-type PFC Using a Low-Voltage Series Pass Module for Input Current Shaping. *Tung, C.*, +, *TPEL July 2020 7596-7611*
A Family of High Step-Up Cascade DC–DC Converters With Clamped Circuits. *Ai, J.*, +, *TPEL May 2020 4819-4834*
A New Switched-Capacitor Five-Level Inverter Suitable for Transformerless Grid-Connected Applications. *Barzegarkhoo, R.*, +, *TPEL Aug. 2020 8140-8153*
A Two-Stage T-Type Hybrid Five-Level Transformerless Inverter for PV Applications. *Kuncham, S.K.*, +, *TPEL Sept. 2020 9510-9521*
Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*
Evaluation of Three-Phase Transformerless DC-Bypass PV Inverters for Leakage Current Reduction. *Guo, X.*, +, *TPEL June 2020 5918-5927*
How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*
Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*
Manitoba Rectifier—Bridgeless Buck–Boost PFC. *Siu, K.K.M.*, +, *TPEL Jan. 2020 403-414*
Modified Discontinuous PWM Strategy for Three-Phase Grid-Connected PV Inverters With Hybrid Active–Passive Damping Scheme. *Giacomini, J.C.*, +, *TPEL Aug. 2020 8063-8073*
Modulation for the AVC-HERIC Inverter to Compensate for Deadtime and Minimum Pulsewidth Limitation Distortions. *Tang, Z.*, +, *TPEL March 2020 2571-2584*
Multisource Switched Capacitor Based Boost Multilevel Inverter for Photovoltaic-Based Systems. *Ramaiah, S.*, +, *TPEL March 2020 2558-2570*
Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*
Single Pulse Unclamped-Inductive-Switching Induced Failure and Analysis for 650 V p-GaN HEMT. *Liu, S.*, +, *TPEL Nov. 2020 11328-11331*
Single-Stage Bidirectional Buck–Boost Inverters Using a Single Inductor and Eliminating the Common-Mode Leakage Current. *Khan, A.A.*, +, *TPEL Feb. 2020 1269-1281*
Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. *Yang, Q.*, +, *TPEL Dec. 2020 13053-13067*
Learning (artificial intelligence)
DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation. *Hajihosseini, M.*, +, *TPEL Oct. 2020 9971-9977*
Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*
Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*
IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*
Series DC Arc Fault Detection Based on Ensemble Machine Learning. *Le, V.*, +, *TPEL Aug. 2020 7826-7839*
Least squares approximations
Computation-Efficient Decoupled Multiparameter Estimation of PMSMs From Massive Redundant Measurements. *Lai, C.*, +, *TPEL Oct. 2020 10729-10740*
Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*
Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*
Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*
Long-Horizon Finite-Control-Set Model Predictive Control With Nonrecursive Sphere Decoding on an FPGA. *Dorfling, T.*, +, *TPEL July 2020 7520-7531*
Online Capacitance Estimation of Submodule Capacitors for Modular Multilevel Converter With Nearest Level Modulation. *Wang, K.*, +, *TPEL July 2020 6678-6681*
Rotor Displacement Self-Sensing Modeling of Six-Pole Radial Hybrid Magnetic Bearing Using Improved Particle Swarm Optimization Support Vector Machine. *Zhu, H.*, +, *TPEL Nov. 2020 12296-12306*
State-of-Charge Observer Design for Batteries With Online Model Parameter Identification: A Robust Approach. *Ouyang, Q.*, +, *TPEL June 2020 5820-5831*
Legged locomotion
A Four-Switch Three-Phase AC–DC Converter With Galvanic Isolation. *Khodabakhsh, J.*, +, *TPEL Feb. 2020 1699-1710*
A Nine-Level Inverter for Low-Voltage Applications. *Zhang, Y.*, +, *TPEL Feb. 2020 1659-1671*
A Nine-Level T-Type Packed U-Cell Inverter. *Niu, D.*, +, *TPEL Feb. 2020 1171-1175*
A Novel Space-Vector Modulation Method for Nine-Switch Converter. *Pan, L.*, +, *TPEL Feb. 2020 1789-1804*
Modified Auxiliary-Resonant Commutated Pole Applied in a Three-Phase Dual-Active Bridge DC/DC Converter. *Voss, J.*, +, *TPEL Feb. 2020 1256-1268*
Level control
Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*
Life testing
Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*
How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*
Overview of Real-Time Lifetime Prediction and Extension for SiC Power Converters. *Ni, Z.*, +, *TPEL Aug. 2020 7765-7794*
Light emitting diodes
A Flexible Mode Electrolytic Capacitor-Free LED Driver With High Efficiency Over a Wide Range of Input Voltage. *Zeng, J.*, +, *TPEL Aug. 2020 8490-8500*
A High-Power LED Driver Based on Single Inductor-Multiple Output DC–DC Converter With High Dimming Frequency and Wide Dimming Range. *Zhang, Y.*, +, *TPEL Aug. 2020 8501-8511*
A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*
A Novel Primary-Side Regulation Control Scheme for CCM and DCM *LLC* LED Driver Based on "Magnetizing Current Cancellation Method". *Dong, H.*, +, *TPEL Nov. 2020 12223-12237*
Analysis and Design of the LLC LED Driver Based on State-Space Representation Direct Time-Domain Solution. *Menke, M.F.*, +, *TPEL Dec. 2020 12686-12701*
Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL May 2020 5132-5143*
Complete Family of Two-Stage Single-Input Multioutput Configurations of Interconnected Power Converters. *Li, X.L.*, +, *TPEL April 2020 3713-3728*
Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*

Fully Integrated Buck and Boost Converter as a High Efficiency, High-Power-Density Off-Line LED Driver. *Abdelmessih, G.Z.*, +, *TPEL Nov. 2020 12238-12251*
High-Performance Megahertz-Frequency Resonant DC–DC Converter for Automotive LED Driver Applications. *Khatua, M.*, +, *TPEL Oct. 2020 10396-10412*
Plane-Type Receiving Coil With Minimum Number of Coils for Omnidirectional Wireless Power Transfer. *Kim, J.H.*, +, *TPEL June 2020 6165-6174*
Resonance-Based Optimized Buck LED Driver Using Unequal Turn Ratio Coupled Inductance. *Sangrody, R.*, +, *TPEL Dec. 2020 13068-13076*

Light rail systems
Design and Control for Catenary Charged Light Rail Vehicle Based on Wireless Power Transfer and Hybrid Energy Storage System. *Geng, Y.*, +, *TPEL Aug. 2020 7894-7903*

Lighting control
Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*
High-Order Compensated Wireless Power Transfer for Dimmable Metal Halide Lamps. *Han, W.*, +, *TPEL June 2020 6269-6279*

Limit cycles
Limit-Cycle-Free Digitally Controlled DC–DC Converters Based on Dyadic Digital PWM. *Crovetti, P.S.*, +, *TPEL Oct. 2020 11155-11166*

Linear matrix inequalities
An Energy Balance Active Disturbance Rejection Control for Improving Converter Stability While Maintaining Fast Dynamic Performance. *Nie, J.*, +, *TPEL Nov. 2020 11304-11309*
Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints. *Li, Y.*, +, *TPEL Jan. 2020 1022-1035*
Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*
Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*

Linear motors
Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems. *Wang, W.*, +, *TPEL Dec. 2020 13673-13686*
Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*
Sensorless Control of Linear Vernier Permanent-Magnet Motor Based on Improved Mover Flux Observer. *Ji, J.*, +, *TPEL April 2020 3869-3877*
Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor. *Ji, J.*, +, *TPEL Oct. 2020 10681-10689*

Linear quadratic control
Linear Quadratic Regulator Control for PMSM Drive Systems Using Nonlinear Disturbance Observer. *Shi, T.*, +, *TPEL May 2020 5093-5101*
State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

Linear systems
Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*
Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*
Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*
Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*

Linearization techniques
A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*
Affine Nonlinear Control of a Multivariate Inductive Power Transfer System With Exact Linearization. *Cheng, C.*, +, *TPEL Dec. 2020 12728-12740*
Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*
Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*
Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*
Fault Localization Strategy for Modular Multilevel Converters Under Submodule Lower Switch Open-Circuit Fault. *Liu, C.*, +, *TPEL May 2020 5190-5204*
Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*

Lithium compounds
A Compact Resonant Switched-Capacitor Heater for Lithium-Ion Battery Self-Heating at Low Temperatures. *Shang, Y.*, +, *TPEL July 2020 7134-7144*
A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*
A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*
Combined State and Parameter Estimation of Lithium-Ion Battery With Active Current Injection. *Song, Z.*, +, *TPEL April 2020 4439-4447*
Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*
Influence of Current Ripples in Cascaded Multilevel Topologies on the Aging of Lithium Batteries. *Chang, F.*, +, *TPEL Nov. 2020 11879-11890*
Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*
Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries. *Xie, Y.*, +, *TPEL March 2020 2595-2614*
Reduced-Coupling Coestimation of SOC and SOH for Lithium-Ion Batteries Based on Convex Optimization. *Xiao, D.*, +, *TPEL Nov. 2020 12332-12346*
State-of-Charge Observer Design for Batteries With Online Model Parameter Identification: A Robust Approach. *Ouyang, Q.*, +, *TPEL June 2020 5820-5831*
State-of-Health Estimation Based on Differential Temperature for Lithium Ion Batteries. *Tian, J.*, +, *TPEL Oct. 2020 10363-10373*

Lithium-ion batteries
Highly Effective Cell Equalization in a Lithium-Ion Battery Management System. *Koseoglou, M.*, +, *TPEL Feb. 2020 2088-2099*
Run-to-Run Control for Active Balancing of Lithium Iron Phosphate Battery Packs. *Tang, X.*, +, *TPEL Feb. 2020 1499-1512*

Load (electric)
Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle. *Guo, Y.*, +, *TPEL Oct. 2020 10542-10553*
Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*
Strategy of Topology Selection Based on Quasi-Duality Between Series–Series and Series–Parallel Topologies of Resonant Inductive Coupling Wireless Power Transfer Systems. *Ishihara, M.*, +, *TPEL July 2020 6785-6798*

Load flow
A Combined Three-Port LLC Structure for Adaptive Power Flow Adjustment of PV Systems. *Qian, T.*, +, *TPEL Oct. 2020 10413-10422*
A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress. *Hassan, W.*, +, *TPEL Nov. 2020 11827-11842*
A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*
A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*

Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems. *Sun, J.*, +, *TPEL Aug. 2020 7840-7852*
An *LLC*-Based Highly Efficient S2M and C2C Hybrid Hierarchical Battery Equalizer. *Peng, F.*, +, *TPEL June 2020 5928-5937*
Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer. *Zhu, R.*, +, *TPEL July 2020 6895-6905*
Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*
Corrections to "Direct Power Flow Controller—A New Concept in Power Transmission". *Zhang, Y.*, +, *TPEL May 2020 5542*
Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*
Design and Control for Catenary Charged Light Rail Vehicle Based on Wireless Power Transfer and Hybrid Energy Storage System. *Geng, Y.*, +, *TPEL Aug. 2020 7894-7903*
Direct Power Flow Controller—A New Concept in Power Transmission. *Zhang, Y.*, +, *TPEL Feb. 2020 2067-2076*
Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*
Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*
Trapezoidal Current Modulation for Bidirectional High-Step-Ratio Modular DC–DC Converters. *Qiao, Y.*, +, *TPEL April 2020 3402-3415*

Load flow control
A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*
A Unidirectional Insulated AC–DC Converter Based on the Hexverter and Multipulse-Rectifier. *Lambert, G.*, +, *TPEL March 2020 2363-2371*
An Active Boost Power Converter for Improving the Performance of Switched Reluctance Generators in DC Generating Systems. *Wang, Q.*, +, *TPEL May 2020 4741-4755*
Composite DC Power Flow Controller. *Zhong, X.*, +, *TPEL April 2020 3530-3542*
Design of Control System for Smooth Mode-Transfer of Grid-Tied Mode and Islanding Mode in Microgrid. *Gao, M.*, +, *TPEL June 2020 6419-6435*
Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*
Modular Interline DC Power Flow Controller. *Zhong, X.*, +, *TPEL Nov. 2020 11707-11719*
Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*
Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*
Topology Analysis and Review of Three-Port DC–DC Converters. *Wang, Z.*, +, *TPEL Nov. 2020 11783-11800*

Load modeling
An Enhanced Multiple Harmonics Analysis Method for Wireless Power Transfer Systems. *Fang, Y.*, +, *TPEL Feb. 2020 1205-1216*

Load regulation
A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range. *Kim, D.*, +, *TPEL Dec. 2020 13441-13454*
A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*
An Adaptive Dual-Loop Lyapunov-Based Control Scheme for a Single-Phase UPS Inverter. *He, J.*, +, *TPEL Sept. 2020 8886-8891*
An Optimal Multivariable Control Strategy for Inductive Power Transfer Systems to Improve Efficiency. *Liu, Y.*, +, *TPEL Sept. 2020 8998-9010*
Analysis and Design of *LLC* Converter Considering Output Voltage Regulation Under No-Load Condition. *Kim, J.*, +, *TPEL Jan. 2020 522-534*

Local area networks
Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*

Locomotives
High-Order Harmonic Resonances in Traction Power Supplies: A Review Based on Railway Operational Data, Measurements, and Experience. *Song, K.*, +, *TPEL March 2020 2501-2518*

Logic gates
A 12- or 48-V Input, 0.9-V Output Active-Clamp Forward Converter Power Block for Servers and Datacenters. *Zhang, X.*, +, *TPEL Feb. 2020 1721-1731*
A Lithium-Ion Battery Balancing Circuit Based on Synchronous Rectification. *Shang, Y.*, +, *TPEL Feb. 2020 1637-1648*
Adaptive Multi-Level Active Gate Drivers for SiC Power Devices. *Zhao, S.*, +, *TPEL Feb. 2020 1882-1898*
Highly Effective Cell Equalization in a Lithium-Ion Battery Management System. *Koseoglou, M.*, +, *TPEL Feb. 2020 2088-2099*
Minimizing Ripples of Inductor Currents in Coupled SIDO Boost Converter by Shift of Gate Pulses. *Nupur, .*, +, *TPEL Feb. 2020 1217-1226*

Long Term Evolution
A 40 MHz Bandwidth, 91% Peak Efficiency, 2.5 W Output Power Supply Modulator With Dual-Mode Sigma–Delta Control and Adaptive Biasing Amplifier for Multistandard Communications. *He, H.*, +, *TPEL Sept. 2020 9430-9442*
An Agile Supply Modulator With Improved Transient Performance for Power Efficient Linear Amplifier Employing Envelope Tracking Techniques. *Prakash, S.*, +, *TPEL April 2020 4178-4191*

Losses
A Cost-Constrained Active Capacitor for a Single-Phase Inverter. *Wang, H.*, +, *TPEL July 2020 6746-6760*
A Practical Core Loss Estimation Method for Three-Phase Three-Level Grid-Connected Inverters. *Zhao, R.*, +, *TPEL March 2020 2263-2267*
Carrier-Based Discontinuous PWM for a Five-Level Unidirectional Rectifier. *Mukherjee, D.*, +, *TPEL June 2020 5601-5614*
Conversion Efficiency of the Buck Three-Level DC–DC Converter in Unbalanced Bipolar DC Microgrids. *Broeck, G.V.d.*, +, *TPEL Sept. 2020 9306-9319*
Dual-Mode Modulation Scheme With Seamless Transition for a Tunable Immittance-Based DAB Converter Featuring High-Efficiency Performance Over Whole Output Power Range. *Chan, Y.P.*, +, *TPEL Sept. 2020 9184-9201*
High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*
Integrated Coupled Inductors With Functionality of Current Balancing Transformer for Two-Phase Synchronous DC–DC Converters. *Dou, Y.*, +, *TPEL May 2020 4472-4476*
Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*
Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*
Model-Based Design and Optimization of Hybrid DC-Link Capacitor Banks. *Wang, H.*, +, *TPEL Sept. 2020 8910-8925*
Multipower-Level Hysteresis Control for the Class E DC–DC Converters. *Li, Y.*, +, *TPEL May 2020 5279-5289*
On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation. *Surakitbovorn, K.N.*, +, *TPEL April 2020 4009-4023*
Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits. *Liu, Z.*, +, *TPEL May 2020 5290-5303*
Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*
Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling. *Shafaei, R.*, +, *TPEL Sept. 2020 9632-9649*
Robust Loss Minimization for Predictive Direct Torque and Flux Control of an Induction Motor With Electrical Circuit Model. *Eftekhari, S.R.*, +, *TPEL May 2020 5417-5426*

Simplified Power Loss Model for Aluminum Electrolytic Capacitors in Single-Phase Inverters. *Liu, Y.*, +, *TPEL May 2020 4452-4456*
Switching and Conduction Loss Reduction of Dual-Buck Full-Bridge Inverter Through ZVT Soft-Switching Under Full-Cycle Modulation. *Kou, B.*, +, *TPEL May 2020 5031-5046*
Variable Switching Frequency PWM Strategy for High-Frequency Circulating Current Control in Paralleled Inverters With Coupled Inductors. *Li, Q.*, +, *TPEL May 2020 5366-5380*

Low pass filters
Distortion-Minimizing Flux Observer for IPMSM Based on Frequency-Adaptive Observers. *Kim, H.*, +, *TPEL Feb. 2020 2077-2087*

Low voltage
A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC–DC Converter With Coupled Inductor. *Zhang, Y.*, +, *TPEL Feb. 2020 1525-1535*
A Nine-Level Inverter for Low-Voltage Applications. *Zhang, Y.*, +, *TPEL Feb. 2020 1659-1671*

Low-pass filters
A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*
An Improved Rotor Speed Observer for Standalone Brushless Doubly-Fed Induction Generator Under Unbalanced and Nonlinear Loads. *Liu, Y.*, +, *TPEL Jan. 2020 775-788*
Compensation of Current Measurement Offset Error for Permanent Magnet Synchronous Machines. *Hu, M.*, +, *TPEL Oct. 2020 11119-11128*
Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*
High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*
The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine. *Wei, J.*, +, *TPEL Aug. 2020 8384-8395*

Low-power electronics
A 40 MHz Bandwidth, 91% Peak Efficiency, 2.5 W Output Power Supply Modulator With Dual-Mode Sigma–Delta Control and Adaptive Biasing Amplifier for Multistandard Communications. *He, H.*, +, *TPEL Sept. 2020 9430-9442*
A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range. *Kim, D.*, +, *TPEL Dec. 2020 13441-13454*
A Constant Current Control Scheme for Primary-Side Controlled Flyback Controller Operating in DCM and CCM. *Li, Y.*, +, *TPEL Sept. 2020 9462-9470*
A Current-Mode Delay-Based Hysteretic Buck Regulator With Enhanced Efficiency at Ultra-Light Loads for Low-Power Microcontrollers. *Ahmed, M.S.*, +, *TPEL Jan. 2020 471-483*
A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise. *Ge, T.*, +, *TPEL Jan. 2020 789-799*
A Novel Accurate Adaptive Constant On-Time Buck Converter for a Wide-Range Operation. *Liu, W.*, +, *TPEL April 2020 3729-3739*
An Agile Supply Modulator With Improved Transient Performance for Power Efficient Linear Amplifier Employing Envelope Tracking Techniques. *Prakash, S.*, +, *TPEL April 2020 4178-4191*
Fully Integrated Autonomous Interface With Maximum Power Point Tracking for Energy Harvesting TEGs With High Power Capacity. *Tabrizi, H.O.*, +, *TPEL May 2020 4905-4914*

Lumped parameter networks
A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*
Active Motor Rotor Temperature Management Based on One-Node Thermal Network Model Predictive Control. *Sun, T.*, +, *TPEL Oct. 2020 11213-11221*

Lyapunov methods
A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*
A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter. *Hou, S.*, +, *TPEL July 2020 7640-7652*
Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*
Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*
An Adaptive Dual-Loop Lyapunov-Based Control Scheme for a Single-Phase UPS Inverter. *He, J.*, +, *TPEL Sept. 2020 8886-8891*
Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Stability Assessment of DFIG Subsynchronous Oscillation Based on Energy Dissipation Intensity Analysis. *Ma, J.*, +, *TPEL Aug. 2020 8074-8087*
Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*
Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*

M

Machine bearings
Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Machine control
7-kV 1-MVA SiC-Based Modular Multilevel Converter Prototype for Medium-Voltage Electric Machine Drives. *Pan, J.*, +, *TPEL Oct. 2020 10137-10149*
A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*
A DC-Flux-Injection Method for Fault Diagnosis of High-Resistance Connection in Direct-Torque-Controlled PMSM Drive System. *Hang, J.*, +, *TPEL March 2020 3029-3042*
A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*
A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*
A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*
A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System. *Wang, Y.*, +, *TPEL April 2020 4117-4126*
A Novel Finite-Control-Set Model Predictive Current Control for Five-Phase PM Motor With Continued Modulation. *Zhao, W.*, +, *TPEL July 2020 7261-7270*
A Novel Variable DC-Link Voltage Control Method for PMSM Driven by a Quasi-Z-Source Inverter. *Xiao, S.*, +, *TPEL April 2020 3878-3890*

A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*

A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*

A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*

A Two-Step Strategy for Online Fault Detection of High-Resistance Connection in BLDC Motor. *Wang, H.*, +, *TPEL March 2020 3043-3053*

A Unified Power Control Method for Standalone and Grid-Connected DFIG-DC System. *Wu, C.*, +, *TPEL Dec. 2020 12663-12667*

A Virtual HF Signal Injection Based Maximum Efficiency per Ampere Tracking Control for IPMSM Drive. *Li, M.*, +, *TPEL June 2020 6102-6113*

Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*

Active Motor Rotor Temperature Management Based on One-Node Thermal Network Model Predictive Control. *Sun, T.*, +, *TPEL Oct. 2020 11213-11221*

Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*

An Active Boost Power Converter for Improving the Performance of Switched Reluctance Generators in DC Generating Systems. *Wang, Q.*, +, *TPEL May 2020 4741-4755*

An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*

An Efficient Predictive Current Control Strategy for a Four-Level Open-End Winding Induction Motor Drive. *Lakhimsetty, S.*, +, *TPEL June 2020 6198-6207*

An Enhanced Static Compensator With DC-Link Voltage Shaping Method. *Jeon, Y.*, +, *TPEL March 2020 2488-2500*

An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table. *Kodumur Meesala, R.E.*, +, *TPEL April 2020 3906-3917*

An Improved Rotor Speed Observer for Standalone Brushless Doubly-Fed Induction Generator Under Unbalanced and Nonlinear Loads. *Liu, Y.*, +, *TPEL Jan. 2020 775-788*

An Integrated Permanent-Magnet-Synchronous Generator–Rectifier Architecture for Limited-Speed-Range Applications. *Huynh, P.T.*, +, *TPEL May 2020 4767-4779*

An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control. *Naik N, V.*, +, *TPEL Aug. 2020 8443-8451*

An Online Global Fault-Tolerant Control Strategy for Symmetrical Multiphase Machines With Minimum Losses in Full Torque Production Range. *Sun, J.*, +, *TPEL March 2020 2819-2830*

Analysis and Reshaping on Impedance Characteristic of DFIG System Based on Symmetrical PLL. *Nian, H.*, +, *TPEL Nov. 2020 11720-11730*

Arm Current Balancing Control for Modular Multilevel Converters Under Unbalanced Grid Conditions. *Wang, J.*, +, *TPEL March 2020 2467-2479*

Balanced Submodule Operation of Modular Multilevel Converter-Based Induction Motor Drive for Wide-Speed Range. *Kumar, Y.S.*, +, *TPEL April 2020 3918-3927*

Braking Torque Control Strategy for Brushless DC Motor With a Noninductive Hybrid Energy Storage Topology. *Cao, Y.*, +, *TPEL Aug. 2020 8417-8428*

Compensation of Current Measurement Offset Error for Permanent Magnet Synchronous Machines. *Hu, M.*, +, *TPEL Oct. 2020 11119-11128*

Computation-Efficient Decoupled Multiparameter Estimation of PMSMs From Massive Redundant Measurements. *Lai, C.*, +, *TPEL Oct. 2020 10729-10740*

Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*

Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*

DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle. *Yu, Z.*, +, *TPEL Oct. 2020 10614-10628*

DC-Link-Fluctuation-Resistant Predictive Torque Control for Railway Traction Permanent Magnet Synchronous Motor in the Six-Step Operation. *Zhao, S.*, +, *TPEL Oct. 2020 10982-10993*

Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*

Decoupled Floating Capacitor Voltage Control of a Dual Inverter Drive for an Open-Ended Winding Induction Motor. *Perera, C.*, +, *TPEL July 2020 7305-7316*

Design and Control Method for a Surface-Mounted Permanent Magnet Motor Drive System With Passive Output Power Network. *Choi, H.*, +, *TPEL April 2020 3891-3905*

Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*

Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*

Diagnosis-Free Self-Healing Scheme for Open-Circuit Faults in Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Nov. 2020 12053-12071*

Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation. *Lin, X.*, +, *TPEL April 2020 4216-4232*

Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation. *Ding, D.*, +, *TPEL March 2020 2895-2907*

Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems. *Wang, W.*, +, *TPEL Dec. 2020 13673-13686*

Efficient Permanent Magnet Temperature Modeling and Estimation for Dual Three-Phase PMSM Considering Inverter Nonlinearity. *Feng, G.*, +, *TPEL July 2020 7328-7340*

Fault Localization Strategy for Modular Multilevel Converters Under Submodule Lower Switch Open-Circuit Fault. *Liu, C.*, +, *TPEL May 2020 5190-5204*

FCS-MPC-Based Fault-Tolerant Control of Five-Phase IPMSM for MTPA Operation. *Liu, G.*, +, *TPEL March 2020 2882-2894*

Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control. *Han, Y.*, +, *TPEL March 2020 3221-3241*

FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*

Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator. *Su, J.*, +, *TPEL Oct. 2020 9953-9958*

Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*

Guidelines for the Design of Finite Control Set Model Predictive Controllers. *Karamanakos, P.*, +, *TPEL July 2020 7434-7450*

High-Precision Rotor Position Correction Strategy for High-Speed Permanent Magnet Synchronous Motor Based on Resolver. *Chen, S.*, +, *TPEL Sept. 2020 9716-9726*

Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters. *Xu, W.*, +, *TPEL May 2020 4959-4970*

Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*

Improved Model Predictive Control for High-Power Current-Source Rectifiers Under Normal and Distorted Grid Conditions. *Xue, C.*, +, *TPEL May 2020 4588-4601*

Improved Transient-Based Overmodulation Method for Increased Torque Capability of Direct Torque Control With Constant Torque-Switching Regulator of Induction Machines. *Alsofyani, I.M.*, +, *TPEL April 2020 3928-3938*

ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*

Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*

Magnetization State Selection Method for Uncontrolled Generator Fault Prevention on Variable Flux Memory Machines. *Lyu, S.*, +, *TPEL Dec. 2020 13270-13280*

Maximum Thrust per Ampere of Linear Induction Machine Based on Finite-Set Model Predictive Direct Thrust Control. *Xu, W.*, +, *TPEL July 2020 7366-7378*

Model Predictive Current Control for an Open-Winding PMSM System With a Common DC Bus in 3-D Space. *Cheng, Y.*, +, *TPEL Sept. 2020 9597-9607*

Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*

Multiple Reference Frame-Based Torque Ripple Reduction in DFIG-DC System. *Xiao, Y.*, +, *TPEL May 2020 4971-4983*

Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor. *Tang, Q.*, +, *TPEL Jan. 2020 699-708*

Negative Sequence Voltage Compensating for Unbalanced Standalone Brushless Doubly-Fed Induction Generator. *Xu, W.*, +, *TPEL Jan. 2020 667-680*

Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*

Nonparametric Predictive Current Control for PMSM. *Yuan, X.*, +, *TPEL Sept. 2020 9332-9341*

Online Boundary Computation Using Sampled Voltage Reference for Bus Clamping PWM-Based Hysteresis-Controlled VSI-Fed IM Drive. *Peter, J.*, +, *TPEL April 2020 3939-3950*

Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges. *Xia, Z.*, +, *TPEL Sept. 2020 9753-9769*

Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*

PMSM Open-Phase Fault-Tolerant Control Strategy Based on Four-Leg Inverter. *Zhou, X.*, +, *TPEL March 2020 2799-2808*

Post-Fault Operation of Bearingless Multisector SPM Machines by Space Vector Control. *Sala, G.*, +, *TPEL April 2020 4168-4177*

Power-Electronic-Based Electric Machine Emulator Using Direct Impedance Regulation. *Ma, K.*, +, *TPEL Oct. 2020 10673-10680*

Predictive Torque Control Algorithm for a Five-Phase Induction Motor Drive for Reduced Torque Ripple With Switching Frequency Control. *Bhowate, A.*, +, *TPEL July 2020 7282-7294*

Predictive Torque Control and Capacitor Balancing of a SiC-Based Dual T-Type Drive System. *Salem, A.*, +, *TPEL March 2020 2871-2881*

Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*

Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*

Second-Time Fault-Tolerant Topology and Control Strategy for the Open-Winding PMSM System Based on Shared Bridge Arm. *Zhang, X.*, +, *TPEL Nov. 2020 12181-12193*

Simplified Fault-Tolerant Model Predictive Control for a Five-Phase Permanent-Magnet Motor With Reduced Computation Burden. *Tao, T.*, +, *TPEL April 2020 3850-3858*

Simplified Modulation Scheme for Open-End Winding PMSM System With Common DC Bus Under Open-Phase Fault Based on Circulating Current Suppression. *Hu, W.*, +, *TPEL Jan. 2020 10-14*

Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor. *Ji, J.*, +, *TPEL Oct. 2020 10681-10689*

SM Load Torque Observer-Based FCS-MPDSC With Single Prediction Horizon for High Dynamics of Surface-Mounted PMSM. *Gong, C.*, +, *TPEL Jan. 2020 20-24*

State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control. *Ye, D.*, +, *TPEL Jan. 2020 640-651*

Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*

Torque Ripple and Efficiency Online Optimization of Switched Reluctance Machine Based on Torque per Ampere Characteristics. *Song, S.*, +, *TPEL Sept. 2020 9608-9616*

Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*

Variable Action Period Predictive Flux Control Strategy for Permanent Magnet Synchronous Machines. *Song, Z.*, +, *TPEL June 2020 6185-6197*

Variable Switching Sequence PWM Strategy of Dual Three-Phase Machine Drive for High-Frequency Current Harmonic Suppression. *Ye, D.*, +, *TPEL May 2020 4984-4995*

Vibration Reduction for Dual-Branch Three-Phase Permanent Magnet Synchronous Motor With Carrier Phase-Shift Technique. *Zhang, W.*, +, *TPEL Jan. 2020 607-618*

Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault. *Zhou, H.*, +, *TPEL May 2020 5007-5017*

Machine testing

A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*

Computation-Efficient Decoupled Multiparameter Estimation of PMSMs From Massive Redundant Measurements. *Lai, C.*, +, *TPEL Oct. 2020 10729-10740*

Machine theory

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines. *Ayaz Khoshhava, M.*, +, *TPEL July 2020 6658-6662*

Machine vector control

A Dual-Loop Predictive Control Structure for Permanent Magnet Synchronous Machines With Enhanced Attenuation of Periodic Disturbances. *Song, Z.*, +, *TPEL Jan. 2020 760-774*

A Reduced Common-Mode-Voltage Pulsewidth Modulation Method With Output Harmonic Distortion Minimization for Three-Level Neutral-Point-Clamped Inverters. *Pham, K.D.*, +, *TPEL July 2020 6944-6962*

A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer. *Du, C.*, +, *TPEL Aug. 2020 8429-8442*

Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*

Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region. *Zhang, X.*, +, *TPEL Sept. 2020 8860-8866*
Deadbeat Direct Torque and Flux Control for Permanent Magnet Synchronous Motor Based on Stator Flux Oriented. *Lin, X.*, +, *TPEL May 2020 5078-5092*
Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*
Discrete-Time Modeling and Control Based on Field Orientation for Induction Motors. *Dominguez, J.R.*, +, *TPEL Aug. 2020 8779-8793*
Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation. *Ding, D.*, +, *TPEL March 2020 2895-2907*
Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives. *Tarvirdilu-Asl, R.*, +, *TPEL Oct. 2020 10654-10672*
Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*
Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives. *Wallscheid, O.*, +, *TPEL Dec. 2020 13563-13572*
Linear Quadratic Regulator Control for PMSM Drive Systems Using Nonlinear Disturbance Observer. *Shi, T.*, +, *TPEL May 2020 5093-5101*
Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*
Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*
Multidomain Analysis and *n*th-Order Synchronous Reference Vector Adaptive Control of the Doubly Salient Motor. *Hu, Y.*, +, *TPEL Sept. 2020 9563-9573*
Nonlinear Magnetic Field Vector Control With Dynamic-Variant Parameters for High-Power Electrically Excited Synchronous Motor. *Han, Y.*, +, *TPEL Oct. 2020 11053-11063*
Offline Recursive Identification of Electrical Parameters of VSI-Fed Induction Motor Drives. *Reddy, S.R.P.*, +, *TPEL Oct. 2020 10711-10719*
Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines. *Ayaz Khoshhava, M.*, +, *TPEL July 2020 6658-6662*
Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits. *Liu, Z.*, +, *TPEL May 2020 5290-5303*
Parameters Compensation of Permanent Magnet Synchronous Motor in Flux-Weakening Region for Rail Transit. *Zhang, Z.*, +, *TPEL Nov. 2020 12509-12521*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*
Research on Vector Control Strategy of Surface-Mounted Permanent Magnet Synchronous Machine Drive System With High-Resistance Connection. *Hang, J.*, +, *TPEL Feb. 2020 2023-2033*
Robust Loss Minimization for Predictive Direct Torque and Flux Control of an Induction Motor With Electrical Circuit Model. *Eftekhari, S.R.*, +, *TPEL May 2020 5417-5426*
Synchronous Commutation Control of Doubly Salient Motor Drive With Adaptive Angle Optimization. *Bian, Z.*, +, *TPEL June 2020 6070-6081*
Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*
Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique. *Kiran, K.*, +, *TPEL Aug. 2020 8396-8404*

Machine windings

An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*
An Efficient Predictive Current Control Strategy for a Four-Level Open-End Winding Induction Motor Drive. *Lakhimsetty, S.*, +, *TPEL June 2020 6198-6207*
An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table. *Kodumur Meesala, R.E.*, +, *TPEL April 2020 3906-3917*
An Ultrahigh Voltage Gain Hybrid-Connected Boost Converter With Ultralow Distributed Voltage Stress. *Hu, X.*, +, *TPEL Oct. 2020 10385-10395*
Common-Mode Voltage Elimination for Dual Two-Level Inverter-Fed Asymmetrical Six-Phase PMSM. *Shen, Z.*, +, *TPEL April 2020 3828-3840*
Computation-Efficient Decoupled Multiparameter Estimation of PMSMs From Massive Redundant Measurements. *Lai, C.*, +, *TPEL Oct. 2020 10729-10740*
Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*
Efficient Permanent Magnet Temperature Modeling and Estimation for Dual Three-Phase PMSM Considering Inverter Nonlinearity. *Feng, G.*, +, *TPEL July 2020 7328-7340*
Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*
Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties. *Gan, C.*, +, *TPEL Nov. 2020 12307-12320*
Post-Fault Operation of Bearingless Multisector SPM Machines by Space Vector Control. *Sala, G.*, +, *TPEL April 2020 4168-4177*
Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*
Selective Torque Harmonic Elimination for Dual Three-Phase PMSMs Based on PWM Carrier Phase Shift. *Wang, X.*, +, *TPEL Dec. 2020 13255-13269*
Simplified Modulation Scheme for Open-End Winding PMSM System With Common DC Bus Under Open-Phase Fault Based on Circulating Current Suppression. *Hu, W.*, +, *TPEL Jan. 2020 10-14*

Magnetic bearings

Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers. *Yu, Z.*, +, *TPEL April 2020 4094-4104*
Rotor Displacement Self-Sensing Modeling of Six-Pole Radial Hybrid Magnetic Bearing Using Improved Particle Swarm Optimization Support Vector Machine. *Zhu, H.*, +, *TPEL Nov. 2020 12296-12306*

Magnetic circuits

A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*
A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*
Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*
Modeling and Design of the Magnetic Integration of Single- and Multi-Stage EMI Filters. *Liu, Y.*, +, *TPEL Jan. 2020 276-288*
Rotor Displacement Self-Sensing Modeling of Six-Pole Radial Hybrid Magnetic Bearing Using Improved Particle Swarm Optimization Support Vector Machine. *Zhu, H.*, +, *TPEL Nov. 2020 12296-12306*

Magnetic cores

A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
A Novel Filter Structure to Suppress Circulating Currents Based on the Sequence of Sideband Harmonics for High-Power Interleaved Motor-Drive Systems. *Ohn, S.*, +, *TPEL Jan. 2020 853-866*
A Practical Core Loss Estimation Method for Three-Phase Three-Level Grid-Connected Inverters. *Zhao, R.*, +, *TPEL March 2020 2263-2267*

A Single-Switch Single-Magnetic Core High Conversion Ratio Converter With Low Input Current Ripple and Wide Soft-Switching Range for Photovoltaic Applications. *Heidari, M.*, +, *TPEL July 2020 7226-7234*
Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates. *Choi, J.S.*, +, *TPEL Aug. 2020 7863-7872*
Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation. *Sato, Y.*, +, *TPEL Sept. 2020 9661-9668*
Effects of Secondary Leakage Inductance on the *LLC* Resonant Converter. *Noah, M.*, +, *TPEL Jan. 2020 835-852*
Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads. *E. Gaona, D.*, +, *TPEL July 2020 6799-6809*
Generalized Cockcroft-Walton Multiplier Voltage Z-Source Inverters. *Ding, X.*, +, *TPEL July 2020 7175-7190*
High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*
Minimizing Ripples of Inductor Currents in Coupled SIDO Boost Converter by Shift of Gate Pulses. *Nupur, .*, +, *TPEL Feb. 2020 1217-1226*
Modeling and Design of the Magnetic Integration of Single- and Multi-Stage EMI Filters. *Liu, Y.*, +, *TPEL Jan. 2020 276-288*
Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*
Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges. *Xia, Z.*, +, *TPEL Sept. 2020 9753-9769*
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*
Variable Switching Frequency PWM Strategy for High-Frequency Circulating Current Control in Paralleled Inverters With Coupled Inductors. *Li, Q.*, +, *TPEL May 2020 5366-5380*
Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*

Magnetic field measurement

Characterization Method of Radiated Magnetic Field Based on Integrated Antenna Measurement Applied to Power Module Technologies. *Vine, G.*, +, *TPEL Feb. 2020 1440-1449*
Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*

Magnetic fields

A 50-kW Three-Phase Wireless Power Transfer System Using Bipolar Windings and Series Resonant Networks for Rotating Magnetic Fields. *Pries, J.*, +, *TPEL May 2020 4500-4517*
Characterization Method of Radiated Magnetic Field Based on Integrated Antenna Measurement Applied to Power Module Technologies. *Vine, G.*, +, *TPEL Feb. 2020 1440-1449*
Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control. *Lee, T.*, +, *TPEL Sept. 2020 9024-9033*
Realization of High-Stability Flat-Top Pulsed Magnetic Fields by a Bypass Circuit of IGBTs in the Active Region. *Zhang, S.*, +, *TPEL March 2020 2436-2444*
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*

Magnetic flux

A 500-W Wireless Charging System With Lightweight Pick-Up for Unmanned Aerial Vehicles. *Cai, C.*, +, *TPEL Aug. 2020 7721-7724*
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
A Novel Filter Structure to Suppress Circulating Currents Based on the Sequence of Sideband Harmonics for High-Power Interleaved Motor-Drive Systems. *Ohn, S.*, +, *TPEL Jan. 2020 853-866*
A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*
A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*
Analysis and Reduction of the Near Magnetic Field Emission From Toroidal Inductors. *Zhang, B.*, +, *TPEL June 2020 6251-6268*
Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter. *Liu, J.*, +, *TPEL Jan. 2020 826-834*
Curvature Angle Splitting Suppression and Optimization on Nonplanar Coils Used in Wireless Charging System. *Wen, F.*, +, *TPEL Sept. 2020 9070-9081*
DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle. *Yu, Z.*, +, *TPEL Oct. 2020 10614-10628*
Design and Fabrication of Three-Dimensional Printed Air-Core Transformers for High-Frequency Power Applications. *Tong, Z.*, +, *TPEL Aug. 2020 8472-8489*
Efficiency Analysis and Optimization Control for Input-Parallel Output-Series Wireless Power Transfer Systems. *Li, Y.*, +, *TPEL Jan. 2020 1074-1085*
Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*
Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads. *E. Gaona, D.*, +, *TPEL July 2020 6799-6809*
Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*
Magnetization State Selection Method for Uncontrolled Generator Fault Prevention on Variable Flux Memory Machines. *Lyu, S.*, +, *TPEL Dec. 2020 13270-13280*
Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*
Nonlinear Magnetic Field Vector Control With Dynamic-Variant Parameters for High-Power Electrically Excited Synchronous Motor. *Han, Y.*, +, *TPEL Oct. 2020 11053-11063*
Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties. *Gan, C.*, +, *TPEL Nov. 2020 12307-12320*
Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*
Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines. *Ayaz Khoshhava, M.*, +, *TPEL July 2020 6658-6662*
Parameters Compensation of Permanent Magnet Synchronous Motor in Flux-Weakening Region for Rail Transit. *Zhang, Z.*, +, *TPEL Nov. 2020 12509-12521*
Plane-Type Receiving Coil With Minimum Number of Coils for Omnidirectional Wireless Power Transfer. *Kim, J.H.*, +, *TPEL June 2020 6165-6174*
Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*
Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*
Virtual-Flux-Based Passivation of Current Control for Grid-Connected VSCs. *Wu, H.*, +, *TPEL Dec. 2020 12673-12677*

Magnetic hysteresis

Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation. *Sato, Y.*, +, *TPEL Sept. 2020 9661-9668*

Magnetic leakage

A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*
Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*
Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation. *Sato, Y.*, +, *TPEL Sept. 2020 9661-9668*
Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*

Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites. *Wu, G.*, +, *TPEL Feb. 2020 1845-1854*
Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*
Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*
Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*

Magnetic materials
Analysis and Comparison of Push–Pull Class-E Inverters With Magnetic Integration for Megahertz Wireless Power Transfer. *Huang, X.*, +, *TPEL Jan. 2020 565-577*

Magnetic particles
Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Magnetic permeability
Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter. *Liu, J.*, +, *TPEL Jan. 2020 826-834*
Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites. *Wu, G.*, +, *TPEL Feb. 2020 1845-1854*
Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads. *E. Gaona, D.*, +, *TPEL July 2020 6799-6809*
Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Magnetic resonance
A Dual Half-Bridge *LLC* Resonant Converter With Magnetic Control for Battery Charger Application. *Wei, Y.*, +, *TPEL Feb. 2020 2196-2207*
Active Magnetizing Current Splitting ZVS Modulation of a 7 kV/400 V DC Transformer. *Guillod, T.*, +, *TPEL Feb. 2020 1293-1305*
Comparative Analysis of Frequency-Selective Wireless Power Transfer for Multiple-Rx Systems. *Lee, K.*, +, *TPEL May 2020 5122-5131*
Effects of Number of Relays on Achievable Efficiency of Magnetic Resonant Wireless Power Transfer. *Lee, J.*, +, *TPEL July 2020 6697-6700*
Optimization of Magnetic Field Focusing and Null Steering for Selective Wireless Power Transfer. *Jung, H.*, +, *TPEL May 2020 4622-4633*

Magnetic sensors
Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*

Magnetic structure
A 500-W Wireless Charging System With Lightweight Pick-Up for Unmanned Aerial Vehicles. *Cai, C.*, +, *TPEL Aug. 2020 7721-7724*

Magnetic thin films
Study of Thin-Film Magnetic Inductors Applied to Integrated Voltage Regulators. *Lambert, W.J.*, +, *TPEL June 2020 6208-6220*

Magnetization
Magnetization State Selection Method for Uncontrolled Generator Fault Prevention on Variable Flux Memory Machines. *Lyu, S.*, +, *TPEL Dec. 2020 13270-13280*

Magnetomechanical effects
Instantaneous Flux and Current Control for a Three-Phase Dual-Active Bridge DC–DC Converter. *Hu, J.*, +, *TPEL Feb. 2020 2184-2195*

Magnetostriction
Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*

Magnetostrictive devices
Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*

Maintenance engineering
A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*
Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator. *Su, J.*, +, *TPEL Oct. 2020 9953-9958*
Open-Circuit Fault Diagnosis and Maintenance in Multi-Pulse Parallel and Series TRU Topologies. *Perise, J.S.*, +, *TPEL Oct. 2020 10906-10916*
Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*

Manganese compounds
Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites. *Wu, G.*, +, *TPEL Feb. 2020 1845-1854*
Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads. *E. Gaona, D.*, +, *TPEL July 2020 6799-6809*

Markov processes
Comprehensive Analytics for Reliability Evaluation of Conventional Isolated Multiswitch PWM DC–DC Converters. *Tarzamni, H.*, +, *TPEL May 2020 5254-5266*
Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*
Reconfigurable Nonisolated DC–DC Converter With Fault-Tolerant Capability. *Soon, J.L.*, +, *TPEL Sept. 2020 8934-8943*

Mathematical analysis
A Digital Twin Approach for Fault Diagnosis in Distributed Photovoltaic Systems. *Jain, P.*, +, *TPEL Jan. 2020 940-956*
A High Step-Up Nonisolated DC–DC Converter With Flexible Voltage Gain. *Marzang, V.*, +, *TPEL Oct. 2020 10489-10500*
A High-Tolerance Matching Method Against Load Fluctuation for Ultrasonic Transducers. *Wang, J.*, +, *TPEL Jan. 2020 1147-1155*
A Model-Based Strategy With Robust Parameter Mismatch for Online HRC Diagnosis and Location in PMSM Drive System. *Hang, J.*, +, *TPEL Oct. 2020 10917-10929*
A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*
A Shock-Induced Pulsed Power Switch Utilizing Electro-Explosion of Exploding Bridge Wire. *Xu, C.*, +, *TPEL Oct. 2020 10770-10777*
A Unidirectional Insulated AC–DC Converter Based on the Hexverter and Multipulse-Rectifier. *Lambert, G.*, +, *TPEL March 2020 2363-2371*
A Wireless EV Charging Topology With Integrated Energy Storage. *Ruddell, S.*, +, *TPEL Sept. 2020 8965-8972*
An Impedance Matching Network Tuning Method for Constant Current Output Under Mutual Inductance and Load Variation of IPT System. *Zhang, K.*, +, *TPEL Oct. 2020 11108-11118*
An Inductive Filtering-Based Parallel Operating Transformer With Shared Filter for Power Quality Improvement of Wind Farm. *Liu, Q.*, +, *TPEL Sept. 2020 9281-9290*
Analysis and Comparison of Push–Pull Class-E Inverters With Magnetic Integration for Megahertz Wireless Power Transfer. *Huang, X.*, +, *TPEL Jan. 2020 565-577*
Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*
Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller. *Kolluri, S.*, +, *TPEL Sept. 2020 9839-9849*
Common Mode Noise Reduction of Three-Level Active Neutral Point Clamped Inverters With Uncertain Parasitic Capacitance of Photovoltaic Panels. *Wang, J.*, +, *TPEL July 2020 6974-6988*
Comparative Performance Analysis Involving a Three-Phase UPQC Operating With Conventional and Dual/Inverted Power-Line Conditioning Strategies. *da Silva, S.A.O.*, +, *TPEL Nov. 2020 11652-11665*
Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*
Design and Experimental Verification of an Efficient SSCB Based on CS-MCT. *Xu, X.*, +, *TPEL Nov. 2020 11682-11693*
Effects of Number of Relays on Achievable Efficiency of Magnetic Resonant Wireless Power Transfer. *Lee, J.*, +, *TPEL July 2020 6697-6700*
Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers. *Yang, Y.*, +, *TPEL Oct. 2020 11026-11038*

Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters. *Fan, J.W.*, +, *TPEL March 2020 2519-2533*
Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*
Modified Single-Edge SVPWM Technique to Reduce the Switching Losses and Increase PWM Harmonics Frequency for Three-Phase VSIs. *Huang, Y.*, +, *TPEL Oct. 2020 10643-10653*
On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation. *Surakitbovorn, K.N.*, +, *TPEL April 2020 4009-4023*
Operational Analyses and Control Scheme of Nine-Arm Modular Multilevel Converter. *Qin, F.*, +, *TPEL April 2020 3416-3433*
Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency. *Wang, J.*, +, *TPEL July 2020 7073-7085*
Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*
Systematic Synthesis and Derivation of Multilevel Converters Using Common Topological Structures With Unified Matrix Models. *Li, Y.*, +, *TPEL June 2020 5639-5659*
The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine. *Wei, J.*, +, *TPEL Aug. 2020 8384-8395*
Zero-Phase-Angle Controlled Bidirectional Wireless EV Charging Systems for Large Coil Misalignments. *Liu, Y.*, +, *TPEL May 2020 5343-5353*

Mathematical model

Analysis and Control of Modular Multilevel Converter With Split Energy Storage for Railway Traction Power Conditioner. *Guo, P.*, +, *TPEL Feb. 2020 1239-1255*
Control-Oriented Modeling of Wireless Power Transfer Systems With Phase-Shift Control. *Chen, F.*, +, *TPEL Feb. 2020 2119-2134*
Distortion-Minimizing Flux Observer for IPMSM Based on Frequency-Adaptive Observers. *Kim, H.*, +, *TPEL Feb. 2020 2077-2087*
Fast and Accurate Thermal Modeling of Magnetic Components by FEA-Based Homogenization. *Salinas Lopez, G.*, +, *TPEL Feb. 2020 1830-1844*
Internal Dynamics Stabilization of Single-Phase Power Converters With Lyapunov-Based Automatic-Power-Decoupling Control. *Yuan, H.*, +, *TPEL Feb. 2020 2160-2169*
Parallel Predictive Torque Control for Induction Machines Without Weighting Factors. *Wang, F.*, +, *TPEL Feb. 2020 1779-1788*
Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive. *Uddin, M.N.*, +, *TPEL Feb. 2020 1742-1752*
Zynq Implemented Luenberger Disturbance Observer Based Predictive Control Scheme for PMSM Drives. *He, L.*, +, *TPEL Feb. 2020 1770-1778*

Matlab

A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*
A Two-Stage T-Type Hybrid Five-Level Transformerless Inverter for PV Applications. *Kuncham, S.K.*, +, *TPEL Sept. 2020 9510-9521*
An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table. *Kodumur Meesala, R.E.*, +, *TPEL April 2020 3906-3917*
Design and Model of Series-Connected High-Voltage DC Multipliers. *Quraan, M.*, +, *TPEL July 2020 7160-7174*
Design-Oriented Comprehensive Time-Domain Model for *CLLC* Class Isolated Bidirectional DC-DC Converter for Various Operation Modes. *Sun, J.*, +, *TPEL April 2020 3491-3505*
Free Arrangement Wireless Power Transfer System With a Ferrite Transmission Medium and Geometry-Based Performance Improvement. *Seo, S.*, +, *TPEL May 2020 4518-4532*
Free-Positioning Wireless Power Transfer System Based on One-to-Multiple Topology. *Chen, J.*, +, *TPEL Oct. 2020 9959-9964*
Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*
Load Transient Response Analysis of Constant On-Time DC–DC Converters Using a State-Variables Approach. *Bizzarri, F.*, +, *TPEL May 2020 4489-4499*
Marginal Power-Based Maximum Power Point Tracking Control of Photovoltaic System Under Partially Shaded Condition. *Ghasemi, M.A.*, +, *TPEL June 2020 5860-5872*
Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*
Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*
Three-Phase Split-Source Inverter-Fed PV Systems: Analysis and Mitigation of Common-Mode Voltage. *Hassan, M.S.*, +, *TPEL Sept. 2020 9824-9838*

Matrix algebra

A Novel High-Performance Predictive Control Formulation for Multilevel Inverters. *Ni, Z.*, +, *TPEL Nov. 2020 11533-11543*
An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*
Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*
Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*
Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*

Matrix converters

99% Efficient Isolated Three-Phase Matrix-Type DAB Buck–Boost PFC Rectifier. *Schrittwieser, L.*, +, *TPEL Jan. 2020 138-157*
A Hierarchical Energy Balance Control Method for M^3C Based on Injecting Output Frequency Circulating Currents. *Ma, J.*, +, *TPEL March 2020 2424-2435*
A Novel Volt-Second Self-Balancing SVPWM Scheme to Eliminate Steady-State DC Bias for a Three-Phase Isolated AC–DC Matrix Converter. *Hu, W.*, +, *TPEL Nov. 2020 11518-11532*
A Single Carrier-Based Pulsewidth Modulation Technique for Three-to-Three Phase Indirect Matrix Converter. *Patel, P.P.*, +, *TPEL Nov. 2020 11589-11601*
DC Voltage Ripple Optimization of a Single-Stage Solid-State Transformer Based on the Modular Multilevel Matrix Converter. *Liu, J.*, +, *TPEL Dec. 2020 12801-12815*
Predictive Delta Sigma Modulation for Three-Phase to Three-Phase Matrix Converters. *Mir, T.N.*, +, *TPEL Jan. 2020 968-976*
Steady-State Error Suppression and Simplified Implementation of Direct Source Current Control for Matrix Converter With Model Predictive Control. *Lei, J.*, +, *TPEL March 2020 3183-3194*
Systematic Synthesis and Derivation of Multilevel Converters Using Common Topological Structures With Unified Matrix Models. *Li, Y.*, +, *TPEL June 2020 5639-5659*

Matrix decomposition

Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault. *Zhou, H.*, +, *TPEL May 2020 5007-5017*

Maximum power point trackers

A CMOS-Based Energy Harvesting Approach for Laterally Arrayed Multibandgap Concentrated Photovoltaic Systems. *Zhang, H.*, +, *TPEL Sept. 2020 9320-9331*
A High-Efficiency Charger With Adaptive Input Ripple MPPT for Low-Power Thermoelectric Energy Harvesting Achieving 21% Efficiency Improvement. *Jeong, J.*, +, *TPEL Jan. 2020 347-358*
A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters. *Chamanian, S.*, +, *TPEL Jan. 2020 901-912*
A Single-Switch High-Gain PV Microconverter With Low-Switch-Voltage-to-High-Voltage-Bus Ratio. *Kanathipan, K.*, +, *TPEL Sept. 2020 9530-9540*
A Time-Based Global Maximum Power Point Tracking Technique for PV System. *Aquib, M.*, +, *TPEL Jan. 2020 393-402*

An Accurate, Shade Detection-Based Hybrid Maximum Power Point Tracking Approach for PV Systems. *Pillai, D.S.*, +, *TPEL June 2020 6594-6608*
Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*
Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking. *Hussein, A.A.*, +, *TPEL May 2020 4780-4790*
Drift-Free Perturb and Observe MPPT Algorithm With Improved Performance for SEIG-Based Stand-Alone Wind Energy Generation System. *Mishra, J.*, +, *TPEL June 2020 5842-5849*
Extended Functionalities of Photovoltaic Systems With Flexible Power Point Tracking: Recent Advances. *Tafti, H.D.*, +, *TPEL Sept. 2020 9342-9356*
Fully Integrated Autonomous Interface With Maximum Power Point Tracking for Energy Harvesting TEGs With High Power Capacity. *Tabrizi, H.O.*, +, *TPEL May 2020 4905-4914*
Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*
Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*
Marginal Power-Based Maximum Power Point Tracking Control of Photovoltaic System Under Partially Shaded Condition. *Ghasemi, M.A.*, +, *TPEL June 2020 5860-5872*
MPPT for Electromagnetic Energy Harvesters Having Nonnegligible Output Reactance Operating Under Slow-Varying Conditions. *Tse, K.H.*, +, *TPEL July 2020 7110-7122*
Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. *Guo, B.*, +, *TPEL Dec. 2020 13000-13016*
Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency. *Wang, J.*, +, *TPEL July 2020 7073-7085*
Thermoelectric Energy Conversion System With Multiple Inputs. *Hwu, K.*, +, *TPEL Feb. 2020 1603-1621*

Mean square error methods
A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*
Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*
State-of-Health Estimation Based on Differential Temperature for Lithium Ion Batteries. *Tian, J.*, +, *TPEL Oct. 2020 10363-10373*
Variable Switching Sequence PWM Strategy of Dual Three-Phase Machine Drive for High-Frequency Current Harmonic Suppression. *Ye, D.*, +, *TPEL May 2020 4984-4995*

Measurement errors
Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*
Improved Methodology for Parasitic Characterization of High-Performance Power Modules. *DeBoi, B.T.*, +, *TPEL Dec. 2020 13400-13408*
Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*
Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*

Mechanical engineering
Corrections to "Direct Power Flow Controller—A New Concept in Power Transmission". *Zhang, Y.*, +, *TPEL May 2020 5542*

Medical control systems
A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*

Medium voltage
An Ideal DC Transformer for Active DC Distribution Networks Based on Constant-Transformation-Ratio DABC. *Wang, X.*, +, *TPEL Feb. 2020 2170-2183*

Metal vapor lamps
High-Order Compensated Wireless Power Transfer for Dimmable Metal Halide Lamps. *Han, W.*, +, *TPEL June 2020 6269-6279*

Microassembling
Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load. *Fernandez, M.*, +, *TPEL May 2020 5221-5237*
Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature. *Li, D.*, +, *TPEL Dec. 2020 12646-12650*

Microchannel flow
Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*
Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*

Microcontrollers
A Current-Mode Delay-Based Hysteretic Buck Regulator With Enhanced Efficiency at Ultra-Light Loads for Low-Power Microcontrollers. *Ahmed, M.S.*, +, *TPEL Jan. 2020 471-483*
A Two-Step Strategy for Online Fault Detection of High-Resistance Connection in BLDC Motor. *Wang, H.*, +, *TPEL March 2020 3043-3053*
Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*
Design and Implementation of Half-Bridge Resonant Converter With Novel Primary-Side Control. *Liang, T.*, +, *TPEL May 2020 5408-5416*
Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*
Study of Thin-Film Magnetic Inductors Applied to Integrated Voltage Regulators. *Lambert, W.J.*, +, *TPEL June 2020 6208-6220*

Microdisplays
A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*

Microfluidics
Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*

Microgrids
Cooperative Regulation of Imbalances in Three-Phase Four-Wire Microgrids Using Single-Phase Droop Control and Secondary Control Algorithms. *Espina, E.*, +, *TPEL Feb. 2020 1978-1992*
Energy Storage and POPI Networks in Power Processing Systems. *Singer, S.*, +, *TPEL Feb. 2020 1425-1439*
Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia. *Hou, X.*, +, *TPEL Feb. 2020 1589-1602*
Model Predictive Voltage and Power Control of Islanded PV-Battery Microgrids With Washout-Filter-Based Power Sharing Strategy. *Shan, Y.*, +, *TPEL Feb. 2020 1227-1238*

Micromagnetics
Macroscopic Modeling of Magnetic Microwires for Finite Element Simulations of Inductive Components. *Delgado, A.*, +, *TPEL Aug. 2020 8452-8459*

Microprocessor chips
An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

Micropumps
Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*

Microstrip antennas
A Self-Biased Adaptive Reconfigurable Rectenna for Microwave Power Transmission. *Lu, P.*, +, *TPEL Aug. 2020 7749-7754*

Microwave diodes
A 5.8-GHz High-Power and High-Efficiency Rectifier Circuit With Lateral GaN Schottky Diode for Wireless Power Transfer. *Dang, K.*, +, *TPEL March 2020 2247-2252*

Microwave power transmission
A Compact Rectenna Design With Wide Input Power Range for Wireless Power Transfer. *Lu, P.*, +, *TPEL July 2020 6705-6710*
A Self-Biased Adaptive Reconfigurable Rectenna for Microwave Power Transmission. *Lu, P.*, +, *TPEL Aug. 2020 7749-7754*
MIMO communication
Symmetrical PLL for SISO Impedance Modeling and Enhanced Stability in Weak Grids. *Yang, D.*, +, *TPEL Feb. 2020 1473-1483*
MIMO systems
Individual Channel Design-Based Precise Analysis and Design for Three-Phase Grid-Tied Inverter With *LCL*-Filter Under Unbalanced Grid Impedance. *Wu, W.*, +, *TPEL May 2020 5381-5396*
Multicell Reconfigurable Multi-Input Multi-Output Energy Router Architecture. *Chen, Y.*, +, *TPEL Dec. 2020 13210-13224*
Single-Inductor Multi-Input Multi-Output DC–DC Converter With High Flexibility and Simple Control. *Li, X.L.*, +, *TPEL Dec. 2020 13104-13114*
Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs. *Chou, S.*, +, *TPEL April 2020 3519-3529*
Minimization
A Reduced Common-Mode-Voltage Pulsewidth Modulation Method With Output Harmonic Distortion Minimization for Three-Level Neutral-Point-Clamped Inverters. *Pham, K.D.*, +, *TPEL July 2020 6944-6962*
A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor. *Achary, R.K.*, +, *TPEL March 2020 2809-2818*
Capacitor Voltage Fluctuation Minimization for Four-Level Hybrid Clamped Converter Using Improved Common-Mode Voltage Injection. *Pan, J.*, +, *TPEL July 2020 7563-7573*
Line Current Ripple Minimization PWM Strategy With Reduced Zero-Sequence Circulating Current for Two Parallel Interleaved Three-Phase Converters. *Zeng, Z.*, +, *TPEL July 2020 6931-6943*
Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*
On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation. *Surakitbovorn, K.N.*, +, *TPEL April 2020 4009-4023*
Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines. *Ayaz Khoshhava, M.*, +, *TPEL July 2020 6658-6662*
Robust Loss Minimization for Predictive Direct Torque and Flux Control of an Induction Motor With Electrical Circuit Model. *Eftekhari, S.R.*, +, *TPEL May 2020 5417-5426*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*
Variable Action Period Predictive Flux Control Strategy for Permanent Magnet Synchronous Machines. *Song, Z.*, +, *TPEL June 2020 6185-6197*
Mixed analog digital integrated circuits
A Mixed-Signal Adaptive Ripple Canceler for Switching Regulators Providing 18 dB-24 dB of Ripple Rejection up to 1 MHz. *Joshi, K.*, +, *TPEL Oct. 2020 10249-10259*
Modal analysis
Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*
Novel Analytical Method for Dynamic Design of Renewable SSG SPC Unit to Mitigate Low-Frequency Electromechanical Oscillations. *Abdollahi, M.*, +, *TPEL July 2020 7532-7544*
Model reference adaptive control systems
A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*
An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs. *Xu, W.*, +, *TPEL July 2020 7271-7281*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*
Modular multilevel converters
An Isolated Modular Multilevel Converter (I-M^{2}C) Topology Based on High-Frequency Link (HFL) Concept. *Liu, C.*, +, *TPEL Feb. 2020 1576-1588*
Analysis and Control of Modular Multilevel Converter With Split Energy Storage for Railway Traction Power Conditioner. *Guo, P.*, +, *TPEL Feb. 2020 1239-1255*
Modulation
A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*
A Nine-Level T-Type Packed U-Cell Inverter. *Niu, D.*, +, *TPEL Feb. 2020 1171-1175*
A Si/SiC Hybrid Five-Level Active NPC Inverter With Improved Modulation Scheme. *Zhang, L.*, +, *TPEL May 2020 4835-4846*
Active Magnetizing Current Splitting ZVS Modulation of a 7 kV/400 V DC Transformer. *Guillod, T.*, +, *TPEL Feb. 2020 1293-1305*
An Ideal DC Transformer for Active DC Distribution Networks Based on Constant-Transformation-Ratio DABC. *Wang, X.*, +, *TPEL Feb. 2020 2170-2183*
An Improved Phase-Shifted-Carrier Technique for Hybrid Modular Multilevel Converter With Boosted Modulation Index. *Xu, C.*, +, *TPEL Feb. 2020 1340-1352*
An Isolated Modular Multilevel Converter (I-M^{2}C) Topology Based on High-Frequency Link (HFL) Concept. *Liu, C.*, +, *TPEL Feb. 2020 1576-1588*
Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter. *Liu, D.*, +, *TPEL Feb. 2020 2008-2022*
Constrained Modulated Model-Predictive Control of an *LC*-Filtered Voltage-Source Converter. *Zheng, C.*, +, *TPEL Feb. 2020 1967-1977*
Model-Based Control for Grid-Tied Inverters Operated in Discontinuous Current Mode With Low Harmonic Current Distortion. *Zhang, J.*, +, *TPEL Oct. 2020 11167-11180*
Modulation and Control of Series/Parallel Module for Ripple-Current Reduction in Star-Configured Split-Battery Applications. *Li, Z.*, +, *TPEL Dec. 2020 12977-12987*
Modulation Scheme for the Bidirectional Operation of the Phase-Shift Full-Bridge Power Converter. *Escudero, M.*, +, *TPEL Feb. 2020 1377-1391*
Single-Stage Bidirectional Buck–Boost Inverters Using a Single Inductor and Eliminating the Common-Mode Leakage Current. *Khan, A.A.*, +, *TPEL Feb. 2020 1269-1281*
Modulators
A 40 MHz Bandwidth, 91% Peak Efficiency, 2.5 W Output Power Supply Modulator With Dual-Mode Sigma–Delta Control and Adaptive Biasing Amplifier for Multistandard Communications. *He, H.*, +, *TPEL Sept. 2020 9430-9442*
An Agile Supply Modulator With Improved Transient Performance for Power Efficient Linear Amplifier Employing Envelope Tracking Techniques. *Prakash, S.*, +, *TPEL April 2020 4178-4191*
Modules
An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*
Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*
The Influence of the Gate Driver and Common-Source Inductance on the Short-Circuit Behavior of IGBT Modules and Protection. *Liu, X.*, +, *TPEL Oct. 2020 10789-10798*
Monitoring
Application of EMR Signature in Health Assessment and Monitoring of IGBT-Based Converters. *Biswas, R.*, +, *TPEL Feb. 2020 1899-1906*
Monte Carlo methods
A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*
Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*
MOS integrated circuits
A Novel Integrated Step-Up Hybrid Converter With Wide Conversion Ratio. *Marconi, S.*, +, *TPEL March 2020 2764-2775*

MOS-controlled thyristors
Design and Experimental Verification of an Efficient SSCB Based on CS-MCT. *Xu, X.*, +, *TPEL Nov. 2020 11682-11693*
MOSFET
7-kV 1-MVA SiC-Based Modular Multilevel Converter Prototype for Medium-Voltage Electric Machine Drives. *Pan, J.*, +, *TPEL Oct. 2020 10137-10149*
99% Efficient Isolated Three-Phase Matrix-Type DAB Buck–Boost PFC Rectifier. *Schrittwieser, L.*, +, *TPEL Jan. 2020 138-157*
A 12- or 48-V Input, 0.9-V Output Active-Clamp Forward Converter Power Block for Servers and Datacenters. *Zhang, X.*, +, *TPEL Feb. 2020 1721-1731*
A Lithium-Ion Battery Balancing Circuit Based on Synchronous Rectification. *Shang, Y.*, +, *TPEL Feb. 2020 1637-1648*
A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*
Accurate Temperature Estimation of SiC Power mosfets Under Extreme Operating Conditions. *Tsibizov, A.*, +, *TPEL Feb. 2020 1855-1865*
Active Magnetizing Current Splitting ZVS Modulation of a 7 kV/400 V DC Transformer. *Guillod, T.*, +, *TPEL Feb. 2020 1293-1305*
Active Voltage Sharing Module for Input-Series Connected Modular DC/DC Converters. *Duan, J.*, +, *TPEL June 2020 5987-6000*
Adaptive Multi-Level Active Gate Drivers for SiC Power Devices. *Zhao, S.*, +, *TPEL Feb. 2020 1882-1898*
Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets. *Yang, C.*, +, *TPEL Dec. 2020 13356-13366*
Analysis and Design of a Single-Switch High Step-Up Coupled-Inductor Boost Converter. *Zheng, Y.*, +, *TPEL Jan. 2020 535-545*
Charge Pump Gate Drive to Reduce Turn-ON Switching Loss of SiC MOSFETs. *Gui, H.*, +, *TPEL Dec. 2020 13136-13147*
Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*
Criteria for Using Antiparallel SiC SBDs With SiC mosfets for SiC-Based Inverters. *Yamaguchi, K.*, +, *TPEL Jan. 2020 619-629*
Data-Driven Approach for Fault Prognosis of SiC MOSFETs. *Chen, W.*, +, *TPEL April 2020 4048-4062*
Development and Verification Test of the 6.6-kV 200-kVA Transformerless SDBC-Based STATCOM Using SiC-MOSFET Modules. *Maharjan, L.*, +, *TPEL Dec. 2020 13687-13696*
Development of High-Power High Switching Frequency Cryogenically Cooled Inverter for Aircraft Applications. *Gui, H.*, +, *TPEL June 2020 5670-5682*
Highly Effective Cell Equalization in a Lithium-Ion Battery Management System. *Koseoglou, M.*, +, *TPEL Feb. 2020 2088-2099*
Hybrid Low-Frequency Switch for Bridgeless PFC. *Huang, Q.*, +, *TPEL Oct. 2020 9982-9986*
Impedance-Oriented Transient Instability Modeling of SiC mosfet Intruded by Measurement Probes. *Zeng, Z.*, +, *TPEL Feb. 2020 1866-1881*
Investigation on the Short-Circuit Oscillation of Cascode GaN HEMTs. *Xue, P.*, +, *TPEL June 2020 6292-6300*
Multi-Resonance-Core-Based Dickson Resonant Switched-Capacitor Converters With Wide Regulation. *Li, S.*, +, *TPEL Feb. 2020 1685-1698*
Negative Resistance in Cascode Transistors. *Nikoo, M.S.*, +, *TPEL Oct. 2020 9978-9981*
Non-inverting and Non-isolated Magnetically Coupled Buck–Boost Bidirectional DC–DC Converter. *Rodriguez-Lorente, A.*, +, *TPEL Nov. 2020 11942-11954*
Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*
Resonance-Based Optimized Buck LED Driver Using Unequal Turn Ratio Coupled Inductance. *Sangrody, R.*, +, *TPEL Dec. 2020 13068-13076*
Simple and Affordable Method for Fast Transient Measurements of SiC Devices. *Garrido, D.*, +, *TPEL March 2020 2933-2942*
Space Vector Modulation for SiC and Si Hybrid ANPC Converter in Medium-Voltage High-Speed Drive System. *Li, C.*, +, *TPEL April 2020 3390-3401*
The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application. *Hofstetter, P.*, +, *TPEL June 2020 5692-5701*
Three-Legged High-Gain Phase-Modulated DC–AC Converter for Mitigation of Device Capacitance Induced Ringing Voltage. *Kummari, N.*, +, *TPEL Feb. 2020 1306-1321*
Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. *Yang, Q.*, +, *TPEL Dec. 2020 13053-13067*
MOSFET circuits
A Dual-Switch Discontinuous Current-Source Gate Driver Overcoming the Current Diversion Problem for a Buck VRM. *Mashhadi, I.A.*, +, *TPEL April 2020 3778-3793*
An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*
Motor drives
A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*
A Motor CM Impedance Based Transformerless Active EMI Filter for DC-Side Common-Mode EMI Suppression in Motor Drive System. *Zhang, Y.*, +, *TPEL Oct. 2020 10238-10248*
A Novel Filter Structure to Suppress Circulating Currents Based on the Sequence of Sideband Harmonics for High-Power Interleaved Motor-Drive Systems. *Ohn, S.*, +, *TPEL Jan. 2020 853-866*
A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives. *Diab, M.S.*, +, *TPEL Dec. 2020 12639-12645*
An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives. *Tian, H.*, +, *TPEL March 2020 2372-2388*
An Online Global Fault-Tolerant Control Strategy for Symmetrical Multiphase Machines With Minimum Losses in Full Torque Production Range. *Sun, J.*, +, *TPEL March 2020 2819-2830*
Common-Mode EMI Noise Analysis and Reduction for AC–DC–AC Systems With Paralleled Power Modules. *Yang, L.*, +, *TPEL July 2020 6989-7000*
Design and Control Method for a Surface-Mounted Permanent Magnet Motor Drive System With Passive Output Power Network. *Choi, H.*, +, *TPEL April 2020 3891-3905*
Harmonic Analysis and Suppression Method of Output Current Distortion for Medium-Voltage Motor Drives With Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 744-759*
On-Board Single-Phase Integrated Electric Vehicle Charger With V2G Functionality. *Semsar, S.*, +, *TPEL Nov. 2020 12072-12084*
Reflected Wave Phenomenon in SiC Motor Drives: Consequences, Boundaries, and Mitigation. *Narayanasamy, B.*, +, *TPEL Oct. 2020 10629-10642*
Simplified Fault-Tolerant Model Predictive Control for a Five-Phase Permanent-Magnet Motor With Reduced Computation Burden. *Tao, T.*, +, *TPEL April 2020 3850-3858*
Synchronous Commutation Control of Doubly Salient Motor Drive With Adaptive Angle Optimization. *Bian, Z.*, +, *TPEL June 2020 6070-6081*
Multi-agent systems
Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*
Multichip modules
Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*
Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*
Improved Methodology for Parasitic Characterization of High-Performance Power Modules. *DeBoi, B.T.*, +, *TPEL Dec. 2020 13400-13408*

Localization and Detection of Bond Wire Faults in Multichip IGBT Power Modules. *Chen, C.*, +, *TPEL Aug. 2020 7804-7815*

Multiple signal classification

Application of EMR Signature in Health Assessment and Monitoring of IGBT-Based Converters. *Biswas, R.*, +, *TPEL Feb. 2020 1899-1906*

Multiplying circuits

Long-Horizon Finite-Control-Set Model Predictive Control With Nonrecursive Sphere Decoding on an FPGA. *Dorfling, T.*, +, *TPEL July 2020 7520-7531*

Multiport networks

Multicell Reconfigurable Multi-Input Multi-Output Energy Router Architecture. *Chen, Y.*, +, *TPEL Dec. 2020 13210-13224*

Multiprocessing systems

Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*

Multivariable control systems

Affine Nonlinear Control of a Multivariate Inductive Power Transfer System With Exact Linearization. *Cheng, C.*, +, *TPEL Dec. 2020 12728-12740*

An Optimal Multivariable Control Strategy for Inductive Power Transfer Systems to Improve Efficiency. *Liu, Y.*, +, *TPEL Sept. 2020 8998-9010*

Three-Port Full-Bridge Bidirectional Converter for Hybrid DC/DC/AC Systems. *Neira, S.*, +, *TPEL Dec. 2020 13077-13084*

Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs. *Chou, S.*, +, *TPEL April 2020 3519-3529*

N

Nanofabrication

Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

Nanogenerators

A Leaf-Shaped Triboelectric Nanogenerator for Multiple Ambient Mechanical Energy Harvesting. *Jiang, D.*, +, *TPEL Jan. 2020 25-32*

An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*

Nanomagnetics

Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Nanoparticles

Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature. *Li, D.*, +, *TPEL Dec. 2020 12646-12650*

Nanostructured materials

A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*

Flux Balancing Control of Ungapped Nanocrystalline Core-Based Transformer in Dual Active Bridge Converters. *Yao, P.*, +, *TPEL Nov. 2020 11463-11474*

Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*

Thermal Management of High-Power Switching Transistors Using Thick CVD-Grown Graphene Nanomaterial. *Talesara, V.*, +, *TPEL Jan. 2020 578-590*

Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

Network analyzers

Study of Thin-Film Magnetic Inductors Applied to Integrated Voltage Regulators. *Lambert, W.J.*, +, *TPEL June 2020 6208-6220*

Network synthesis

A Carrier-Based PWM Control Strategy for Three-Level NPC Inverter Based on Bootstrap Gate Drive Circuit. *Jung, J.*, +, *TPEL March 2020 2843-2860*

A Simple Equation for the Energy Stored by Voltage-Dependent Capacitances. *Jadli, U.*, +, *TPEL Dec. 2020 12629-12632*

On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation. *Surakitbovorn, K.N.*, +, *TPEL April 2020 4009-4023*

Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*

Network topology

An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

Design of Inductive Power Transfer System With a Behavior of Voltage Source in Open-Loop Considering Wide Mutual Inductance Variation. *Delgado, A.*, +, *TPEL Nov. 2020 11453-11462*

Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier. *Kumar, N.*, +, *TPEL Oct. 2020 10008-10012*

Self-Triggering High-Frequency Nanosecond Pulse Generator. *Zeng, W.*, +, *TPEL Aug. 2020 8002-8012*

Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits. *Zhang, F.*, +, *TPEL Oct. 2020 10200-10212*

Networks (circuits)

Robust Loss Minimization for Predictive Direct Torque and Flux Control of an Induction Motor With Electrical Circuit Model. *Eftekhari, S.R.*, +, *TPEL May 2020 5417-5426*

Neural networks

Artificial Intelligence-Aided Thermal Model Considering Cross-Coupling Effects. *Zhang, Y.*, +, *TPEL Oct. 2020 9998-10002*

Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*

Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*

Two-Step HNN-Based Pattern Recognition Combining DWT-Based Multi-Resolution Analysis for Rechargeable Cells Distinction. *Lee, S.*, +, *TPEL Nov. 2020 11891-11901*

Neurocontrollers

A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter. *Hou, S.*, +, *TPEL July 2020 7640-7652*

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation. *Hajihosseini, M.*, +, *TPEL Oct. 2020 9971-9977*

Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*

Dynamic Terminal Sliding-Mode Control for Single-Phase Active Power Filter Using New Feedback Recurrent Neural Network. *Fei, J.*, +, *TPEL Sept. 2020 9904-9922*

Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*

IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*

Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*

Newton method

Generalized Chudnovsky Algorithm for Real-Time PWM Selective Harmonic Elimination/Modulation: Two-Level VSI Example. *Janabi, A.*, +, *TPEL May 2020 5437-5446*

Niobium alloys

Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Nitrogen compounds

Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

Noise abatement
Common Mode Noise Reduction of Three-Level Active Neutral Point Clamped Inverters With Uncertain Parasitic Capacitance of Photovoltaic Panels. *Wang, J.*, +, *TPEL July 2020 6974-6988*
Nonlinear control systems
A High Efficiency and Fast Transient Digital Low-Dropout Regulator With the Burst Mode Corresponding to the Power-Saving Modes of DC–DC Switching Converters. *Lin, J.*, +, *TPEL April 2020 3997-4008*
A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System. *Wang, Y.*, +, *TPEL April 2020 4117-4126*
A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*
A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*
A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer. *Du, C.*, +, *TPEL Aug. 2020 8429-8442*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*
Affine Nonlinear Control of a Multivariate Inductive Power Transfer System With Exact Linearization. *Cheng, C.*, +, *TPEL Dec. 2020 12728-12740*
An Energy Balance Active Disturbance Rejection Control for Improving Converter Stability While Maintaining Fast Dynamic Performance. *Nie, J.*, +, *TPEL Nov. 2020 11304-11309*
Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*
Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*
Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*
Dynamic Terminal Sliding-Mode Control for Single-Phase Active Power Filter Using New Feedback Recurrent Neural Network. *Fei, J.*, +, *TPEL Sept. 2020 9904-9922*
Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*
Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*
High-Precision Control for ZVS Inverter to Reduce Nonlinear Distortion of Semiconductor Voltage Drop. *Zhang, H.*, +, *TPEL April 2020 3337-3342*
Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*
Linear Quadratic Regulator Control for PMSM Drive Systems Using Nonlinear Disturbance Observer. *Shi, T.*, +, *TPEL May 2020 5093-5101*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Nonlinear Magnetic Field Vector Control With Dynamic-Variant Parameters for High-Power Electrically Excited Synchronous Motor. *Han, Y.*, +, *TPEL Oct. 2020 11053-11063*
Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*
Sensor-Fault-Estimation-Based Tolerant Control for Single-Phase Two-Level PWM Rectifier in Electric Traction System. *Gong, Z.*, +, *TPEL Nov. 2020 12274-12284*
Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*
Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*
The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*
Nonlinear distortion
High-Precision Control for ZVS Inverter to Reduce Nonlinear Distortion of Semiconductor Voltage Drop. *Zhang, H.*, +, *TPEL April 2020 3337-3342*
Nonparametric statistics
Nonparametric Predictive Current Control for PMSM. *Yuan, X.*, +, *TPEL Sept. 2020 9332-9341*
Notch filters
A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*
A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*
Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*
Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*
Numerical analysis
An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*
Analysis and Design of the LLC LED Driver Based on State-Space Representation Direct Time-Domain Solution. *Menke, M.F.*, +, *TPEL Dec. 2020 12686-12701*
Data-Driven Modeling of Wireless Power Transfer Systems With Multiple Transmitters. *Chen, F.*, +, *TPEL Nov. 2020 11363-11379*
Design and Model of Series-Connected High-Voltage DC Multipliers. *Quraan, M.*, +, *TPEL July 2020 7160-7174*
Open-Circuit Fault Diagnosis and Maintenance in Multi-Pulse Parallel and Series TRU Topologies. *Perise, J.S.*, +, *TPEL Oct. 2020 10906-10916*
Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*
Numerical models
A Device-Level Transient Modeling Approach for the FPGA-Based Real-Time Simulation of Power Converters. *Bai, H.*, +, *TPEL Feb. 2020 1282-1292*
Nyquist criterion
An Impedance-Based Stability Assessment Methodology for DC Distribution Power System With Multivoltage Levels. *Pan, P.*, +, *TPEL April 2020 4033-4047*
Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*
Output Impedance Modeling of Single-Phase Grid-Tied Inverters With Capturing the Frequency-Coupling Effect of PLL. *Qian, Q.*, +, *TPEL May 2020 5479-5495*
Small-Signal Modeling and Stability Prediction of Parallel Droop-Controlled Inverters Based on Terminal Characteristics of Individual Inverters. *Wang, S.*, +, *TPEL Jan. 2020 1045-1063*
Nyquist diagrams
Controllable Electrochemical Impedance Spectroscopy: From Circuit Design to Control and Data Analysis. *Sadeghi, E.*, +, *TPEL Sept. 2020 9933-9942*
Nyquist stability
Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*
High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*
Sequence Impedance Modeling and Stability Analysis for Load Converters With Inertial Support. *Liu, Y.*, +, *TPEL Dec. 2020 13031-13041*
Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs. *Chou, S.*, +, *TPEL April 2020 3519-3529*

O

Object detection

Symmetric Sensing Coil Design for the Blind-Zone Free Metal Object Detection of a Stationary Wireless Electric Vehicles Charger. *Thai, V.X.*, +, *TPEL April 2020 3466-3477*

Observers

A Harmonic Compensation System With Embedded Load Observer for Micro-Grids in the Islanded Mode of Operation. *Kaviri, S.M.*, +, *TPEL Feb. 2020 1406-1424*

A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*

A Modified Flux Sliding-Mode Observer for the Sensorless Control of PMSMs With Online Stator Resistance and Inductance Estimation. *Ye, S.*, +, *TPEL Aug. 2020 8652-8662*

A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System. *Wang, Y.*, +, *TPEL April 2020 4117-4126*

A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*

A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*

A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer. *Du, C.*, +, *TPEL Aug. 2020 8429-8442*

A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*

An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*

An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control. *Devanshu, A.*, +, *TPEL Jan. 2020 652-666*

An Improved Rotor Speed Observer for Standalone Brushless Doubly-Fed Induction Generator Under Unbalanced and Nonlinear Loads. *Liu, Y.*, +, *TPEL Jan. 2020 775-788*

An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs. *Xu, W.*, +, *TPEL July 2020 7271-7281*

An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*

Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5397-5407*

Corrections to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System" [Aug 19 7852-7862]. *Lu, W.*, +, *TPEL Jan. 2020 1156*

Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*

Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*

Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*

Distortion-Minimizing Flux Observer for IPMSM Based on Frequency-Adaptive Observers. *Kim, H.*, +, *TPEL Feb. 2020 2077-2087*

Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*

Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*

Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*

Erratum to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System". *Lu, W.*, +, *TPEL May 2020 5544*

Extended State Observer-Based Control of DC–DC Converters for Fuel Cell Application. *Zhuo, S.*, +, *TPEL Sept. 2020 9923-9932*

FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*

Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*

Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*

Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives. *Wallscheid, O.*, +, *TPEL Dec. 2020 13563-13572*

Linear Quadratic Regulator Control for PMSM Drive Systems Using Nonlinear Disturbance Observer. *Shi, T.*, +, *TPEL May 2020 5093-5101*

Model-Free Predictive Current Control of DFIG Based on an Extended State Observer Under Unbalanced and Distorted Grid. *Zhang, Y.*, +, *TPEL Aug. 2020 8130-8139*

MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*

Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*

Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*

Robust Predictive Current Control of Permanent-Magnet Synchronous Motors With Newly Designed Cost Function. *Liu, X.*, +, *TPEL Oct. 2020 10778-10788*

Robust Predictive Current Control of PMLSM With Extended State Modeling Based Kalman Filter: For Time-Varying Disturbance Rejection. *Yang, R.*, +, *TPEL Feb. 2020 2208-2221*

Sensor-Fault-Estimation-Based Tolerant Control for Single-Phase Two-Level PWM Rectifier in Electric Traction System. *Gong, Z.*, +, *TPEL Nov. 2020 12274-12284*

Sensorless Control of Linear Vernier Permanent-Magnet Motor Based on Improved Mover Flux Observer. *Ji, J.*, +, *TPEL April 2020 3869-3877*

SM Load Torque Observer-Based FCS-MPDSC With Single Prediction Horizon for High Dynamics of Surface-Mounted PMSM. *Gong, C.*, +, *TPEL Jan. 2020 20-24*

Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation. *Wang, B.*, +, *TPEL Nov. 2020 12522-12532*

State-of-Charge Observer Design for Batteries With Online Model Parameter Identification: A Robust Approach. *Ouyang, Q.*, +, *TPEL June 2020 5820-5831*

Offshore installations

A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System. *Xu, C.*, +, *TPEL May 2020 4483-4488*

Grounding Fault in Series-Connection-Based Offshore Wind Farms: Fault Clearance. *Guo, G.*, +, *TPEL Sept. 2020 9357-9367*

HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*

Ohmic contacts

Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*

On-off control

A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*

Multipower-Level Hysteresis Control for the Class E DC–DC Converters. *Li, Y.*, +, *TPEL May 2020 5279-5289*

Open loop systems

Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*

Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles. *Liao, Y.*, +, *TPEL April 2020 4388-4397*

Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*

Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*

Open systems

Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*

Operational amplifiers

A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*

Design of an Adaptively Biased Low-Dropout Regulator With a Current Reusing Current-Mode OTA Using an Intuitive Analysis Method. *Dong, L.*, +, *TPEL Oct. 2020 10477-10488*

Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers. *Yu, Z.*, +, *TPEL April 2020 4094-4104*

Optical communication

6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*

Optical links

6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*

Optimal control

Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range. *Li, Z.*, +, *TPEL May 2020 5354-5365*

An Enhanced Multiple Harmonics Analysis Method for Wireless Power Transfer Systems. *Fang, Y.*, +, *TPEL Feb. 2020 1205-1216*

An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*

An Optimal Multivariable Control Strategy for Inductive Power Transfer Systems to Improve Efficiency. *Liu, Y.*, +, *TPEL Sept. 2020 8998-9010*

Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region. *Zhang, X.*, +, *TPEL Sept. 2020 8860-8866*

General High-Frequency-Link Analysis and Application of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL Aug. 2020 8673-8688*

Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*

Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives. *Tarvirdilu-Asl, R.*, +, *TPEL Oct. 2020 10654-10672*

Model Predictive Current Control for an Open-Winding PMSM System With a Common DC Bus in 3-D Space. *Cheng, Y.*, +, *TPEL Sept. 2020 9597-9607*

New Digital Control Method for Improving Dynamic Response of Synchronous Rectified PSR Flyback Converter With CCM and DCM Modes. *Xu, S.*, +, *TPEL Nov. 2020 12347-12358*

Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*

Reactive Power Optimization Control for Bidirectional Dual-Tank Resonant DC–DC Converters for Fuel Cells Systems. *Wu, J.*, +, *TPEL Sept. 2020 9202-9214*

Research on Single-Stage High-Frequency-Link SST Topology and Its Optimization Control. *Sun, X.*, +, *TPEL Aug. 2020 8701-8711*

Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*

Variable Action Period Predictive Flux Control Strategy for Permanent Magnet Synchronous Machines. *Song, Z.*, +, *TPEL June 2020 6185-6197*

Optimization

6.78 MHz Wireless Power Transmitter Based on a Reconfigurable Class–E Power Amplifier for Multiple Device Charging. *Oh, H.*, +, *TPEL June 2020 5907-5917*

A 40 MHz Bandwidth, 91% Peak Efficiency, 2.5 W Output Power Supply Modulator With Dual-Mode Sigma–Delta Control and Adaptive Biasing Amplifier for Multistandard Communications. *He, H.*, +, *TPEL Sept. 2020 9430-9442*

A Combined Three-Port LLC Structure for Adaptive Power Flow Adjustment of PV Systems. *Qian, T.*, +, *TPEL Oct. 2020 10413-10422*

A Cost-Constrained Active Capacitor for a Single-Phase Inverter. *Wang, H.*, +, *TPEL July 2020 6746-6760*

A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*

A New Geometric Vector Optimization of Predictive Direct Power Control. *Yan, S.*, +, *TPEL May 2020 5427-5436*

A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*

A Novel Accurate Adaptive Constant On-Time Buck Converter for a Wide-Range Operation. *Liu, W.*, +, *TPEL April 2020 3729-3739*

A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss. *Zhang, H.*, +, *TPEL March 2020 2831-2842*

A Novel Finite-Control-Set Model Predictive Current Control for Five-Phase PM Motor With Continued Modulation. *Zhao, W.*, +, *TPEL July 2020 7261-7270*

A Novel High-Performance Predictive Control Formulation for Multilevel Inverters. *Ni, Z.*, +, *TPEL Nov. 2020 11533-11543*

A Simplified 3-D NLM-Based SVPWM Technique With Voltage-Balancing Capability for 3LNPC Cascaded Multilevel Converter. *Lin, H.*, +, *TPEL April 2020 3506-3518*

A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*

Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*

An Accurate, Shade Detection-Based Hybrid Maximum Power Point Tracking Approach for PV Systems. *Pillai, D.S.*, +, *TPEL June 2020 6594-6608*

An Efficiency Optimization-Based Asymmetric Tuning Method of Double-Sided *LCC* Compensated WPT System for Electric Vehicles. *Chen, Y.*, +, *TPEL Nov. 2020 11475-11487*

An Enhanced Multiple Harmonics Analysis Method for Wireless Power Transfer Systems. *Fang, Y.*, +, *TPEL Feb. 2020 1205-1216*

An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*

An Operation Mode Selection Method of Dual-Side Bridge Converters for Efficiency Optimization in Inductive Power Transfer. *Chen, S.*, +, *TPEL Oct. 2020 9992-9997*

Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region. *Zhang, X.*, +, *TPEL Sept. 2020 8860-8866*

Analytical Optimization of Nonsaturated Thermally Limited High-Frequency Transformer/Inductor Design Considering Discreteness of Design Variables. *Yu, X.*, +, *TPEL June 2020 6231-6250*

Coupling Extraction and Maximum Efficiency Tracking for Multiple Concurrent Transmitters in Dynamic Wireless Charging. *Kim, D.*, +, *TPEL Aug. 2020 7853-7862*

Curvature Angle Splitting Suppression and Optimization on Nonplanar Coils Used in Wireless Charging System. *Wen, F.*, +, *TPEL Sept. 2020 9070-9081*

DC Voltage Ripple Optimization of a Single-Stage Solid-State Transformer Based on the Modular Multilevel Matrix Converter. *Liu, J.*, +, *TPEL Dec. 2020 12801-12815*

Design and Control for Catenary Charged Light Rail Vehicle Based on Wireless Power Transfer and Hybrid Energy Storage System. *Geng, Y.*, +, *TPEL Aug. 2020 7894-7903*
Design of DD Coil With High Misalignment Tolerance and Low EMF Emissions for Wireless Electric Vehicle Charging Systems. *Song, K.*, +, *TPEL Sept. 2020 9034-9045*
Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications. *C., K.*, +, *TPEL Feb. 2020 2100-2118*
Design Optimization of Two-Quadrant High-Current Low-Voltage Power Supply. *Coulinge, E.*, +, *TPEL Nov. 2020 11602-11611*
Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*
Efficiency Analysis and Optimization Control for Input-Parallel Output-Series Wireless Power Transfer Systems. *Li, Y.*, +, *TPEL Jan. 2020 1074-1085*
Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*
Free-Positioning Wireless Power Transfer System Based on One-to-Multiple Topology. *Chen, J.*, +, *TPEL Oct. 2020 9959-9964*
General High-Frequency-Link Analysis and Application of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL Aug. 2020 8673-8688*
Generalized Chudnovsky Algorithm for Real-Time PWM Selective Harmonic Elimination/Modulation: Two-Level VSI Example. *Janabi, A.*, +, *TPEL May 2020 5437-5446*
High-Efficiency High-Power-Density *CLLC* Resonant Converter With Low-Stray-Capacitance and Well-Heat-Dissipated Planar Transformer for EV On-Board Charger. *Zhang, Z.*, +, *TPEL Oct. 2020 10831-10851*
High-Performance Megahertz-Frequency Resonant DC–DC Converter for Automotive LED Driver Applications. *Khatua, M.*, +, *TPEL Oct. 2020 10396-10412*
Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives. *Tarvirdilu-Asl, R.*, +, *TPEL Oct. 2020 10654-10672*
Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*
Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*
Minimum Distortion Point Tracking. *Poon, J.*, +, *TPEL Oct. 2020 11013-11025*
Model-Based Design and Optimization of Hybrid DC-Link Capacitor Banks. *Wang, H.*, +, *TPEL Sept. 2020 8910-8925*
Online Frequency Response Measurements of Grid-Connected Systems in Presence of Grid Harmonics and Unbalance. *Luhtala, R.*, +, *TPEL April 2020 3343-3347*
Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges. *Xia, Z.*, +, *TPEL Sept. 2020 9753-9769*
Optimal Dipole-Coil Ampere-Turns Design for Maximum Power Efficiency of IPT. *Choi, B.G.*, +, *TPEL July 2020 7317-7327*
Optimal Modulation for a Fifth-Order Dual-Active-Bridge Resonant Immittance DC–DC Converter. *Yaqoob, M.*, +, *TPEL Jan. 2020 70-82*
Optimal Transmission Range and Charging Time for Qi-Compliant Systems. *de Sousa, A.D.*, +, *TPEL Dec. 2020 12765-12772*
Optimization of *LCL* Filter With Integrated Intercell Transformer for Two-Interleaved High-Power Grid-Tied Converters. *Park, K.*, +, *TPEL March 2020 2317-2333*
Optimization of Magnetic Field Focusing and Null Steering for Selective Wireless Power Transfer. *Jung, H.*, +, *TPEL May 2020 4622-4633*
Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits. *Liu, Z.*, +, *TPEL May 2020 5290-5303*
Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*
Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*
Overmodulation Strategy for Electrolytic Capacitorless PMSM Drives: Voltage Distortion Analysis and Boundary Optimization. *Wang, G.*, +, *TPEL Sept. 2020 9574-9585*
Parametric Optimization of a Three-Phase MCR WPT System With Cylinder-Shaped Coils Oriented by Soft-Switching Range and Stable Output Power. *Liu, F.*, +, *TPEL Jan. 2020 1036-1044*
Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier. *Kumar, N.*, +, *TPEL Oct. 2020 10008-10012*
Passivity-Based Stabilization of *LCL*-Type Grid-Connected Inverters via a General Admittance Model. *Xie, C.*, +, *TPEL June 2020 6636-6648*
Reactive Power Optimization Control for Bidirectional Dual-Tank Resonant DC–DC Converters for Fuel Cells Systems. *Wu, J.*, +, *TPEL Sept. 2020 9202-9214*
Reliability Enhancement of a Power Semiconductor With Optimized Solder Layer Thickness. *R, E.*, +, *TPEL June 2020 6397-6404*
Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints. *Li, Y.*, +, *TPEL Jan. 2020 1022-1035*
Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor. *Ji, J.*, +, *TPEL Oct. 2020 10681-10689*
Simultaneous 3-D Wireless Power Transfer to Multiple Moving Devices With Different Power Demands. *Tang, W.*, +, *TPEL May 2020 4533-4546*
State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*
State-of-Charge Observer Design for Batteries With Online Model Parameter Identification: A Robust Approach. *Ouyang, Q.*, +, *TPEL June 2020 5820-5831*
Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*
Synchronous Commutation Control of Doubly Salient Motor Drive With Adaptive Angle Optimization. *Bian, Z.*, +, *TPEL June 2020 6070-6081*
Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph. *Deng, T.*, +, *TPEL Dec. 2020 13465-13474*
Unified SVPWM Algorithm and Optimization for Single-Phase Three-Level NPC Converters. *Wang, S.*, +, *TPEL July 2020 7702-7712*
Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*

Optimized production technology
DC-Current Injection With Minimum Torque Ripple in Interior Permanent-Magnet Synchronous Motors. *Baneira, F.*, +, *TPEL Feb. 2020 1176-1181*

Opto-isolators
Design and Implementation of Half-Bridge Resonant Converter With Novel Primary-Side Control. *Liang, T.*, +, *TPEL May 2020 5408-5416*

Oscillations
A Nearly Decoupled Admittance Model for Grid-Tied VSCs Under Variable Operating Conditions. *Liu, W.*, +, *TPEL Sept. 2020 9380-9389*
Active Power Oscillation and Suppression Techniques Between Two Parallel Synchronverters During Load Fluctuations. *Shuai, Z.*, +, *TPEL April 2020 4127-4142*
Analysis and Design of an *RC* Snubber Circuit to Suppress False Triggering Oscillation for GaN Devices in Half-Bridge Circuits. *Chen, J.*, +, *TPEL March 2020 2690-2704*
Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*
Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations. *Milovanovic, S.*, +, *TPEL Dec. 2020 12898-12908*
Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*

Coupling of AC Grids via VSC-HVDC Interconnections for Oscillation Damping Based on Differential and Common Power Control. *Rodriguez-Cabero, A.*, +, *TPEL June 2020 6548-6558*
High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*
Investigation on the Short-Circuit Oscillation of Cascode GaN HEMTs. *Xue, P.*, +, *TPEL June 2020 6292-6300*
Stability Assessment of DFIG Subsynchronous Oscillation Based on Energy Dissipation Intensity Analysis. *Ma, J.*, +, *TPEL Aug. 2020 8074-8087*

Oscillators
Applying Stray Inductance Model to Study Turn-off Current in Multi-Turn Loop of Shallow Transient Electromagnetic Systems. *Liu, L.*, +, *TPEL Feb. 2020 1711-1720*
Control of Smart Transformer Under Single-Phase to Ground Fault Condition. *Zhu, R.*, +, *TPEL Feb. 2020 2034-2043*
Fully Integrated Autonomous Interface With Maximum Power Point Tracking for Energy Harvesting TEGs With High Power Capacity. *Tabrizi, H.O.*, +, *TPEL May 2020 4905-4914*
Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*
Optimal Design of Diode-Bridge Bidirectional Solid-State Switch Using Standard Recovery Diodes for 500-kV High-Voltage DC Breaker. *Zhang, X.*, +, *TPEL Feb. 2020 1165-1170*
Symmetrical PLL for SISO Impedance Modeling and Enhanced Stability in Weak Grids. *Yang, D.*, +, *TPEL Feb. 2020 1473-1483*

Overcurrent protection
A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters. *Pan, Y.*, +, *TPEL Oct. 2020 10994-11012*
Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*
Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*

Overvoltage
A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives. *Diab, M.S.*, +, *TPEL Dec. 2020 12639-12645*
Modeling and Mitigation of Multiloops Related Device Overvoltage in Three-Level Active Neutral Point Clamped Converter. *Gui, H.*, +, *TPEL Aug. 2020 7947-7959*
Reflected Wave Phenomenon in SiC Motor Drives: Consequences, Boundaries, and Mitigation. *Narayanasamy, B.*, +, *TPEL Oct. 2020 10629-10642*
Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*

Overvoltage protection
Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*
Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current. *Xu, S.*, +, *TPEL July 2020 6668-6672*
Magnetization State Selection Method for Uncontrolled Generator Fault Prevention on Variable Flux Memory Machines. *Lyu, S.*, +, *TPEL Dec. 2020 13270-13280*
Modeling and Mitigation of Multiloops Related Device Overvoltage in Three-Level Active Neutral Point Clamped Converter. *Gui, H.*, +, *TPEL Aug. 2020 7947-7959*

Oxidation
Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature. *Li, D.*, +, *TPEL Dec. 2020 12646-12650*

Ozone
Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*

P

P-i-n diodes
A New Lumped-Charge Modeling Method for Power Semiconductor Devices. *Duan, Y.*, +, *TPEL April 2020 3989-3996*
Improving Surge Current Capability of SiC Merged PiN Schottky Diode by Adding Plasma Spreading Layers. *Ren, N.*, +, *TPEL Nov. 2020 11316-11320*

Paper
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*

Parallel algorithms
An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*

Parameter estimation
A Modified Flux Sliding-Mode Observer for the Sensorless Control of PMSMs With Online Stator Resistance and Inductance Estimation. *Ye, S.*, +, *TPEL Aug. 2020 8652-8662*
Combined State and Parameter Estimation of Lithium-Ion Battery With Active Current Injection. *Song, Z.*, +, *TPEL April 2020 4439-4447*
Computation-Efficient Decoupled Multiparameter Estimation of PMSMs From Massive Redundant Measurements. *Lai, C.*, +, *TPEL Oct. 2020 10729-10740*
Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*
Differentiation Power Control of Modules in Second-Life Battery Energy Storage System Based on Cascaded H-Bridge Converter. *Liu, C.*, +, *TPEL June 2020 6609-6624*
Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*
Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator. *Su, J.*, +, *TPEL Oct. 2020 9953-9958*
Offline Recursive Identification of Electrical Parameters of VSI-Fed Induction Motor Drives. *Reddy, S.R.P.*, +, *TPEL Oct. 2020 10711-10719*
Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*
Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*

Partial discharges
10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field. *DiMarino, C.M.*, +, *TPEL June 2020 6050-6060*

Particle filtering (numerical methods)
Remaining Useful Life Prediction of Battery Using a Novel Indicator and Framework With Fractional Grey Model and Unscented Particle Filter. *Chen, L.*, +, *TPEL June 2020 5850-5859*

Particle swarm optimization
An Automatic Coil Design Method With Modified AC Resistance Evaluation for Achieving Maximum Coil–Coil Efficiency in WPT Systems. *Wei, G.*, +, *TPEL June 2020 6114-6126*
Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*
Rotor Displacement Self-Sensing Modeling of Six-Pole Radial Hybrid Magnetic Bearing Using Improved Particle Swarm Optimization Support Vector Machine. *Zhu, H.*, +, *TPEL Nov. 2020 12296-12306*

Passive filters
Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters. *Niyomsatian, K.*, +, *TPEL July 2020 7583-7595*
Mixed Analog–Digital (MAD) Converters for High Power Density DC–DC Conversions. *Zhao, H.*, +, *TPEL Aug. 2020 7742-7748*
Modeling and Design of the Magnetic Integration of Single- and Multi-Stage EMI Filters. *Liu, Y.*, +, *TPEL Jan. 2020 276-288*

Passive networks
A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*
Coat Circuits for DC–DC Converters to Improve Voltage Conversion Ratio. *Zhu, B.*, +, *TPEL April 2020 3679-3687*
Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*
Patient treatment
A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*
Pattern classification
Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*
Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*
Pattern recognition
Two-Step HNN-Based Pattern Recognition Combining DWT-Based Multi-Resolution Analysis for Rechargeable Cells Distinction. *Lee, S.*, +, *TPEL Nov. 2020 11891-11901*
PD control
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Periodic control
Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller. *Kolluri, S.*, +, *TPEL Sept. 2020 9839-9849*
Periodic structures
An Overview of Capacitive DC-Links-Topology Derivation and Scalability Analysis. *Wang, H.*, +, *TPEL Feb. 2020 1805-1829*
Permanent magnet generators
Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*
An Integrated Permanent-Magnet-Synchronous Generator–Rectifier Architecture for Limited-Speed-Range Applications. *Huynh, P.T.*, +, *TPEL May 2020 4767-4779*
Magnetization State Selection Method for Uncontrolled Generator Fault Prevention on Variable Flux Memory Machines. *Lyu, S.*, +, *TPEL Dec. 2020 13270-13280*
Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*
Permanent magnet machines
A DC-Flux-Injection Method for Fault Diagnosis of High-Resistance Connection in Direct-Torque-Controlled PMSM Drive System. *Hang, J.*, +, *TPEL March 2020 3029-3042*
Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*
An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*
Compensation of Current Measurement Offset Error for Permanent Magnet Synchronous Machines. *Hu, M.*, +, *TPEL Oct. 2020 11119-11128*
Computation-Efficient Decoupled Multiparameter Estimation of PMSMs From Massive Redundant Measurements. *Lai, C.*, +, *TPEL Oct. 2020 10729-10740*
Corrections to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System" [Aug 19 7852-7862]. *Lu, W.*, +, *TPEL Jan. 2020 1156*
Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*
Effective Current Limitation for Multifrequency Current Control With Distortion-Free Voltage Saturation and Antiwindup. *Yepes, A.G.*, +, *TPEL Dec. 2020 13697-13713*
Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*
Erratum to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System". *Lu, W.*, +, *TPEL May 2020 5544*
Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*
Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*
Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*
Magnetization State Selection Method for Uncontrolled Generator Fault Prevention on Variable Flux Memory Machines. *Lyu, S.*, +, *TPEL Dec. 2020 13270-13280*
Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*
Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor. *Tang, Q.*, +, *TPEL Jan. 2020 699-708*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Post-Fault Operation of Bearingless Multisector SPM Machines by Space Vector Control. *Sala, G.*, +, *TPEL April 2020 4168-4177*
Power-Electronic-Based Electric Machine Emulator Using Direct Impedance Regulation. *Ma, K.*, +, *TPEL Oct. 2020 10673-10680*
PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*
Selective Torque Harmonic Elimination for Dual Three-Phase PMSMs Based on PWM Carrier Phase Shift. *Wang, X.*, +, *TPEL Dec. 2020 13255-13269*
SM Load Torque Observer-Based FCS-MPDSC With Single Prediction Horizon for High Dynamics of Surface-Mounted PMSM. *Gong, C.*, +, *TPEL Jan. 2020 20-24*
Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control. *Ye, D.*, +, *TPEL Jan. 2020 640-651*
Variable Action Period Predictive Flux Control Strategy for Permanent Magnet Synchronous Machines. *Song, Z.*, +, *TPEL June 2020 6185-6197*
Permanent magnet motors
A Direct Redundancy Approach to Fault-Tolerant Control of BLDC Motor With a Damaged Hall-Effect Sensor. *Aqil, M.*, +, *TPEL Feb. 2020 1732-1741*
A Dual-Loop Predictive Control Structure for Permanent Magnet Synchronous Machines With Enhanced Attenuation of Periodic Disturbances. *Song, Z.*, +, *TPEL Jan. 2020 760-774*
A Fast Estimation of Initial Rotor Position for Low-Speed Free-Running IPMSM. *Wu, T.*, +, *TPEL July 2020 7664-7673*
A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*
A Model-Based Strategy With Robust Parameter Mismatch for Online HRC Diagnosis and Location in PMSM Drive System. *Hang, J.*, +, *TPEL Oct. 2020 10917-10929*
A Modified Flux Sliding-Mode Observer for the Sensorless Control of PMSMs With Online Stator Resistance and Inductance Estimation. *Ye, S.*, +, *TPEL Aug. 2020 8652-8662*

A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System. *Wang, Y.*, +, *TPEL April 2020 4117-4126*

A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*

A Novel Finite-Control-Set Model Predictive Current Control for Five-Phase PM Motor With Continued Modulation. *Zhao, W.*, +, *TPEL July 2020 7261-7270*

A Novel Variable DC-Link Voltage Control Method for PMSM Driven by a Quasi-Z-Source Inverter. *Xiao, S.*, +, *TPEL April 2020 3878-3890*

A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor. *Achary, R.K.*, +, *TPEL March 2020 2809-2818*

A Snubberless Solid-State Tap Changer for Permanent Magnet Synchronous Motors. *Im, S.*, +, *TPEL Nov. 2020 12143-12152*

A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*

A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*

A Virtual HF Signal Injection Based Maximum Efficiency per Ampere Tracking Control for IPMSM Drive. *Li, M.*, +, *TPEL June 2020 6102-6113*

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*

An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*

Common-Mode Voltage Elimination for Dual Two-Level Inverter-Fed Asymmetrical Six-Phase PMSM. *Shen, Z.*, +, *TPEL April 2020 3828-3840*

Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*

Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*

DC-Link-Fluctuation-Resistant Predictive Torque Control for Railway Traction Permanent Magnet Synchronous Motor in the Six-Step Operation. *Zhao, S.*, +, *TPEL Oct. 2020 10982-10993*

Deadbeat Direct Torque and Flux Control for Permanent Magnet Synchronous Motor Based on Stator Flux Oriented. *Lin, X.*, +, *TPEL May 2020 5078-5092*

Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*

Design and Analysis of Electrical Braking Torque Limit Trajectory for Regenerative Braking in Electric Vehicles With PMSM Drive Systems. *Choo, K.*, +, *TPEL Dec. 2020 13308-13321*

Design and Control Method for a Surface-Mounted Permanent Magnet Motor Drive System With Passive Output Power Network. *Choi, H.*, +, *TPEL April 2020 3891-3905*

Diagnosis-Free Self-Healing Scheme for Open-Circuit Faults in Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Nov. 2020 12053-12071*

Direct Thrust Force Control of Primary Permanent-Magnet Linear Motors With Single DC-Link Current Sensor for Subway Applications. *Wang, W.*, +, *TPEL Feb. 2020 1365-1376*

Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation. *Lin, X.*, +, *TPEL April 2020 4216-4232*

Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*

Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation. *Ding, D.*, +, *TPEL March 2020 2895-2907*

Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems. *Wang, W.*, +, *TPEL Dec. 2020 13673-13686*

Efficient Permanent Magnet Temperature Modeling and Estimation for Dual Three-Phase PMSM Considering Inverter Nonlinearity. *Feng, G.*, +, *TPEL July 2020 7328-7340*

Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*

FCS-MPC-Based Fault-Tolerant Control of Five-Phase IPMSM for MTPA Operation. *Liu, G.*, +, *TPEL March 2020 2882-2894*

FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*

High-Precision Rotor Position Correction Strategy for High-Speed Permanent Magnet Synchronous Motor Based on Resolver. *Chen, S.*, +, *TPEL Sept. 2020 9716-9726*

Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*

Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*

Linear Quadratic Regulator Control for PMSM Drive Systems Using Nonlinear Disturbance Observer. *Shi, T.*, +, *TPEL May 2020 5093-5101*

Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*

Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*

Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*

Low-Noise Initial Position Detection Method for Sensorless Permanent Magnet Synchronous Motor Drives. *Bi, G.*, +, *TPEL Dec. 2020 13333-13344*

Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives. *Lin, Z.*, +, *TPEL Dec. 2020 13345-13355*

Model Predictive Current Control for an Open-Winding PMSM System With a Common DC Bus in 3-D Space. *Cheng, Y.*, +, *TPEL Sept. 2020 9597-9607*

Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*

Nonparametric Predictive Current Control for PMSM. *Yuan, X.*, +, *TPEL Sept. 2020 9332-9341*

Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*

Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges. *Xia, Z.*, +, *TPEL Sept. 2020 9753-9769*

Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*

Overmodulation Strategy for Electrolytic Capacitorless PMSM Drives: Voltage Distortion Analysis and Boundary Optimization. *Wang, G.*, +, *TPEL Sept. 2020 9574-9585*

Parameters Compensation of Permanent Magnet Synchronous Motor in Flux-Weakening Region for Rail Transit. *Zhang, Z.*, +, *TPEL Nov. 2020 12509-12521*

Permeance Distribution Function: A Powerful Tool to Analyze Electromagnetic Forces Induced by PWM Current Harmonics in Multiphase Surface Permanent-Magnet Motors. *Lv, Y.*, +, *TPEL July 2020 7379-7391*

PMSM Open-Phase Fault-Tolerant Control Strategy Based on Four-Leg Inverter. *Zhou, X.*, +, *TPEL March 2020 2799-2808*

Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive. *Uddin, M.N.*, +, *TPEL Feb. 2020 1742-1752*

Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*

Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*

Robust Predictive Current Control of Permanent-Magnet Synchronous Motors With Newly Designed Cost Function. *Liu, X.*, +, *TPEL Oct. 2020 10778-10788*

Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*

Second-Time Fault-Tolerant Topology and Control Strategy for the Open-Winding PMSM System Based on Shared Bridge Arm. *Zhang, X.*, +, *TPEL Nov. 2020 12181-12193*

Sensorless Control of Linear Vernier Permanent-Magnet Motor Based on Improved Mover Flux Observer. *Ji, J.*, +, *TPEL April 2020 3869-3877*

Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range. *Mao, S.*, +, *TPEL Aug. 2020 8347-8360*

Signal-Injection Sensorless Control With Tilted Current Reference for Heavily Saturated IPMSMs. *Lee, J.*, +, *TPEL Nov. 2020 12100-12109*

Simplified Fault-Tolerant Model Predictive Control for a Five-Phase Permanent-Magnet Motor With Reduced Computation Burden. *Tao, T.*, +, *TPEL April 2020 3850-3858*

Simplified Modulation Scheme for Open-End Winding PMSM System With Common DC Bus Under Open-Phase Fault Based on Circulating Current Suppression. *Hu, W.*, +, *TPEL Jan. 2020 10-14*

Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor. *Ji, J.*, +, *TPEL Oct. 2020 10681-10689*

State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control. *Ye, D.*, +, *TPEL Jan. 2020 640-651*

Time–Frequency Characteristics Research of Common Mode Current in PWM Motor System. *Cao, S.*, +, *TPEL Feb. 2020 1450-1458*

Vibration Reduction for Dual-Branch Three-Phase Permanent Magnet Synchronous Motor With Carrier Phase-Shift Technique. *Zhang, W.*, +, *TPEL Jan. 2020 607-618*

Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault. *Zhou, H.*, +, *TPEL May 2020 5007-5017*

Permanent magnets

A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss. *Zhang, H.*, +, *TPEL March 2020 2831-2842*

Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*

Robust Predictive Current Control of PMLSM With Extended State Modeling Based Kalman Filter: For Time-Varying Disturbance Rejection. *Yang, R.*, +, *TPEL Feb. 2020 2208-2221*

Permeability

Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter. *Liu, J.*, +, *TPEL Jan. 2020 826-834*

Perturbation techniques

Dynamic Improvement of Inductive Power Transfer Systems With Maximum Energy Efficiency Tracking Using Model Predictive Control: Analysis and Experimental Verification. *Liu, S.*, +, *TPEL Dec. 2020 12752-12764*

Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*

Phase change materials

A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*

Phase control

A Novel Finite-Control-Set Model Predictive Current Control for Five-Phase PM Motor With Continued Modulation. *Zhao, W.*, +, *TPEL July 2020 7261-7270*

Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*

Deadband Effect and Accurate ZVS Boundaries of GaN-Based Dual-Active-Bridge Converters With Multiple-Phase-Shift Control. *Shi, H.*, +, *TPEL Sept. 2020 9886-9903*

Phase-Locked Loop Combined With Chained Trigger Mode Used for Impedance Matching in Wireless High Power Transfer. *Jiang, Y.*, +, *TPEL April 2020 4272-4285*

Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*

Phase locked loops

A Complete HSS-Based Impedance Model of MMC Considering Grid Impedance Coupling. *Xu, Z.*, +, *TPEL Dec. 2020 12929-12948*

A Fast Positive Sequence Components Extraction Method With Noise Immunity in Unbalanced Grids. *Du, L.*, +, *TPEL July 2020 6682-6685*

A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*

A Symmetrical Control Method for Grid-Connected Converters to Suppress the Frequency Coupling Under Weak Grid Conditions. *Zhang, X.*, +, *TPEL Dec. 2020 13488-13499*

All-Pass-Filter-Based PLL Systems: Linear Modeling, Analysis, and Comparative Evaluation. *Golestan, S.*, +, *TPEL April 2020 3558-3572*

An Adaptive Frequency-Fixed Second-Order Generalized Integrator-Quadrature Signal Generator Using Fractional-Order Conformal Mapping Based Approach. *Akhtar, M.A.*, +, *TPEL June 2020 5548-5552*

Analysis and Reshaping on Impedance Characteristic of DFIG System Based on Symmetrical PLL. *Nian, H.*, +, *TPEL Nov. 2020 11720-11730*

Cooperative Regulation of Imbalances in Three-Phase Four-Wire Microgrids Using Single-Phase Droop Control and Secondary Control Algorithms. *Espina, E.*, +, *TPEL Feb. 2020 1978-1992*

Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*

Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters. *Wu, H.*, +, *TPEL April 2020 3573-3589*

Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*

Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*

Improved Design of PLL Controller for *LCL*-Type Grid-Connected Converter in Weak Grid. *Zhu, D.*, +, *TPEL May 2020 4715-4727*

Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*

Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*

Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*

Output Impedance Modeling of Single-Phase Grid-Tied Inverters With Capturing the Frequency-Coupling Effect of PLL. *Qian, Q.*, +, *TPEL May 2020 5479-5495*

Phase-Locked Loop Combined With Chained Trigger Mode Used for Impedance Matching in Wireless High Power Transfer. *Jiang, Y.*, +, *TPEL April 2020 4272-4285*

Resonant Current Estimation and Phase-Locked Loop Feedback Design for Piezoelectric Transformer-Based Power Supplies. *Yang, Z.*, +, *TPEL Oct. 2020 10466-10476*

Strategy and Implementation of Harmonic-Reduced Synchronized SVPWM for High-Power Traction Machine Drives. *Xiao, L.*, +, *TPEL Nov. 2020 12457-12471*

Study on DFIG Dissipation Energy Model and Low-Frequency Oscillation Mechanism Considering the Effect of PLL. *Shen, Y.*, +, *TPEL April 2020 3348-3364*

Symmetrical PLL for SISO Impedance Modeling and Enhanced Stability in Weak Grids. *Yang, D.*, +, *TPEL Feb. 2020 1473-1483*
The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*
Unified Modular State-Space Modeling of Grid-Connected Voltage-Source Converters. *Yang, D.*, +, *TPEL Sept. 2020 9700-9715*

Phase modulation
A Hybrid Transmitter-Based Efficiency Improvement Controller With Full-Bridge Dual Resonant Tank for Misalignment Condition. *Mai, R.*, +, *TPEL Jan. 2020 1124-1135*
A Three-Phase Dual-Active-Bridge DC–DC Converter With Reconfigurable Resonant Network for Efficient Wide Voltage Range Operation. *Khan, A.Z.*, +, *TPEL Feb. 2020 1322-1339*
Design of New SVPWM Mechanism for Three-Level NPC ZSI via Line-Voltage Coordinate System. *Zhang, J.*, +, *TPEL Aug. 2020 8593-8606*
Non-inverting and Non-isolated Magnetically Coupled Buck–Boost Bidirectional DC–DC Converter. *Rodriguez-Lorente, A.*, +, *TPEL Nov. 2020 11942-11954*
Three-Legged High-Gain Phase-Modulated DC–AC Converter for Mitigation of Device Capacitance Induced Ringing Voltage. *Kummari, N.*, +, *TPEL Feb. 2020 1306-1321*

Phase shifters
Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle. *Guo, Y.*, +, *TPEL Oct. 2020 10542-10553*
Open-Circuit Fault Diagnosis and Maintenance in Multi-Pulse Parallel and Series TRU Topologies. *Perise, J.S.*, +, *TPEL Oct. 2020 10906-10916*
Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*
Variable Switching Periods Based Space Vector Phase-Shifted Modulation for DAB Based Three-Phase Single-Stage Isolated AC–DC Converter. *Wu, F.*, +, *TPEL Dec. 2020 13725-13734*

Phosphorus compounds
Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*

Photomultipliers
Design and Assessment of External Insulation for Critical Components in a Medium Voltage SiC-Based Converter via Optical Method. *Zhang, C.*, +, *TPEL Dec. 2020 12887-12897*

Photovoltaic cells
6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*

Photovoltaic power systems
6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*
A CMOS-Based Energy Harvesting Approach for Laterally Arrayed Multibandgap Concentrated Photovoltaic Systems. *Zhang, H.*, +, *TPEL Sept. 2020 9320-9331*
A Combined Three-Port LLC Structure for Adaptive Power Flow Adjustment of PV Systems. *Qian, T.*, +, *TPEL Oct. 2020 10413-10422*
A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance. *Chakraborty, S.*, +, *TPEL March 2020 2615-2628*
A Dynamic Priority Factor Loop for Fast Voltage Equalization Applied to High Power Density DC–DC Converter System. *Zhang, R.*, +, *TPEL Jan. 2020 198-207*
A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*
A New Switched-Capacitor Five-Level Inverter Suitable for Transformerless Grid-Connected Applications. *Barzegarkhoo, R.*, +, *TPEL Aug. 2020 8140-8153*
A Nonisolated Symmetric Bipolar Output Four-Port Converter Interfacing PV-Battery System. *Tian, Q.*, +, *TPEL Nov. 2020 11731-11744*
A Novel Dual-Input High-Gain Transformerless Multilevel Single-Phase Microinverter for PV Systems. *Ibrahim, E.A.D.*, +, *TPEL May 2020 4703-4714*
A Single-Switch High-Gain PV Microconverter With Low-Switch-Voltage-to-High-Voltage-Bus Ratio. *Kanathipan, K.*, +, *TPEL Sept. 2020 9530-9540*
A Single-Switch Single-Magnetic Core High Conversion Ratio Converter With Low Input Current Ripple and Wide Soft-Switching Range for Photovoltaic Applications. *Heidari, M.*, +, *TPEL July 2020 7226-7234*
A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding. *Pal, A.*, +, *TPEL Nov. 2020 11758-11769*
A Time-Based Global Maximum Power Point Tracking Technique for PV System. *Aquib, M.*, +, *TPEL Jan. 2020 393-402*
A Transformerless Common-Ground Three-Switch Single-Phase Inverter for Photovoltaic Systems. *Sarikhani, A.*, +, *TPEL Sept. 2020 8902-8909*
A Two-Stage T-Type Hybrid Five-Level Transformerless Inverter for PV Applications. *Kuncham, S.K.*, +, *TPEL Sept. 2020 9510-9521*
Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*
An Accurate, Shade Detection-Based Hybrid Maximum Power Point Tracking Approach for PV Systems. *Pillai, D.S.*, +, *TPEL June 2020 6594-6608*
An Adaptive Sensorless Control Technique for a Flyback-Type Solar Tile Microinverter. *Falconar, N.*, +, *TPEL Dec. 2020 13554-13562*
An Efficiency-Aware Cooperative Multicharger System for Photovoltaic Energy Harvesting Achieving 14% Efficiency Improvement. *Jeong, J.*, +, *TPEL March 2020 2253-2256*
Common Mode Noise Reduction of Three-Level Active Neutral Point Clamped Inverters With Uncertain Parasitic Capacitance of Photovoltaic Panels. *Wang, J.*, +, *TPEL July 2020 6974-6988*
Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*
Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*
Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking. *Hussein, A.A.*, +, *TPEL May 2020 4780-4790*
Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact. *Huang, J.*, +, *TPEL July 2020 7086-7099*
Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*
Evaluation of Three-Phase Transformerless DC-Bypass PV Inverters for Leakage Current Reduction. *Guo, X.*, +, *TPEL June 2020 5918-5927*
Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*
Extended Functionalities of Photovoltaic Systems With Flexible Power Point Tracking: Recent Advances. *Tafti, H.D.*, +, *TPEL Sept. 2020 9342-9356*
Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application. *Sharma, R.*, +, *TPEL June 2020 5683-5691*
Full-Bridge Current-Fed PV Microinverter With DLFCR Reduction Ability. *Wu, D.*, +, *TPEL Sept. 2020 9541-9552*
High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*
High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application. *Liu, T.*, +, *TPEL Nov. 2020 11770-11782*
Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*
Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*
Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*

Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*
Marginal Power-Based Maximum Power Point Tracking Control of Photovoltaic System Under Partially Shaded Condition. *Ghasemi, M.A.*, +, *TPEL June 2020 5860-5872*
Modified Discontinuous PWM Strategy for Three-Phase Grid-Connected PV Inverters With Hybrid Active–Passive Damping Scheme. *Giacomini, J.C.*, +, *TPEL Aug. 2020 8063-8073*
Modulation for the AVC-HERIC Inverter to Compensate for Deadtime and Minimum Pulsewidth Limitation Distortions. *Tang, Z.*, +, *TPEL March 2020 2571-2584*
Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*
Multisource Switched Capacitor Based Boost Multilevel Inverter for Photovoltaic-Based Systems. *Ramaiah, S.*, +, *TPEL March 2020 2558-2570*
Nonisolated Multiport Converters Based on Integration of PWM Converter and Phase-Shift-Switched Capacitor Converter. *Sato, Y.*, +, *TPEL Jan. 2020 455-470*
Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. *Guo, B.*, +, *TPEL Dec. 2020 13000-13016*
PWM Resonant Converter With Asymmetric Modulation for ZVS Active Voltage Doubler Rectifier and Forced Half Resonance in PV Application. *Kim, J.*, +, *TPEL Jan. 2020 508-521*
Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency. *Wang, J.*, +, *TPEL July 2020 7073-7085*
Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*
Three-Phase Split-Source Inverter-Fed PV Systems: Analysis and Mitigation of Common-Mode Voltage. *Hassan, M.S.*, +, *TPEL Sept. 2020 9824-9838*
Topology Analysis and Review of Three-Port DC–DC Converters. *Wang, Z.*, +, *TPEL Nov. 2020 11783-11800*

Photovoltaic systems

Modularized Differential Power Processing Architecture Based on Switched Capacitor Converter to Virtually Unify Mismatched Photovoltaic Panel Characteristics. *Uno, M.*, +, *TPEL Feb. 2020 1563-1575*
Single-Inductor Dual-Input Triple-Output Buck–Boost Converter With Clockless Shortest Power Path Control Strategy for IoT Nodes. *Wang, C.*, +, *TPEL Feb. 2020 2044-2052*

PI control

A Novel Variable DC-Link Voltage Control Method for PMSM Driven by a Quasi-Z-Source Inverter. *Xiao, S.*, +, *TPEL April 2020 3878-3890*
A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*
A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*
A Synchronous Reference Frame PI Current Controller With Dead Beat Response. *Busada, C.A.*, +, *TPEL March 2020 3097-3105*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
Affine Nonlinear Control of a Multivariate Inductive Power Transfer System With Exact Linearization. *Cheng, C.*, +, *TPEL Dec. 2020 12728-12740*
An Energy Balance Active Disturbance Rejection Control for Improving Converter Stability While Maintaining Fast Dynamic Performance. *Nie, J.*, +, *TPEL Nov. 2020 11304-11309*
An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control. *Naik N, V.*, +, *TPEL Aug. 2020 8443-8451*
Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*
DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle. *Yu, Z.*, +, *TPEL Oct. 2020 10614-10628*
Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*
Design of Multifrequency Proportional–Resonant Current Controllers for Voltage-Source Converters. *Hans, F.*, +, *TPEL Dec. 2020 13573-13589*
Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers. *Yu, Z.*, +, *TPEL April 2020 4094-4104*
Dynamic Improvement of Inductive Power Transfer Systems With Maximum Energy Efficiency Tracking Using Model Predictive Control: Analysis and Experimental Verification. *Liu, S.*, +, *TPEL Dec. 2020 12752-12764*
Extended State Observer-Based Control of DC–DC Converters for Fuel Cell Application. *Zhuo, S.*, +, *TPEL Sept. 2020 9923-9932*
Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*
Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*
Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter. *Nandi, P.*, +, *TPEL Nov. 2020 11965-11975*
Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*
Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives. *Wallscheid, O.*, +, *TPEL Dec. 2020 13563-13572*
Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*
Negative Sequence Voltage Compensating for Unbalanced Standalone Brushless Doubly-Fed Induction Generator. *Xu, W.*, +, *TPEL Jan. 2020 667-680*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive. *Uddin, M.N.*, +, *TPEL Feb. 2020 1742-1752*
Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*
Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*
Small Signal Modeling and Design Analysis for Boost Converter With Valley V^2 Control. *Leng, M.*, +, *TPEL Dec. 2020 13475-13487*
State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*
Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*
Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique. *Kiran, K.*, +, *TPEL Aug. 2020 8396-8404*

Piecewise linear techniques

Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*

Piezoelectric devices

Resonant Current Estimation and Phase-Locked Loop Feedback Design for Piezoelectric Transformer-Based Power Supplies. *Yang, Z.*, +, *TPEL Oct. 2020 10466-10476*

Piezoelectric oscillations

Inductorless Synchronized Switch Harvesting Using a Piezoelectric Oscillator. *Lallart, M.*, +, *TPEL March 2020 2585-2594*

Piezoelectric transducers

A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters. *Chamanian, S.*, +, *TPEL Jan. 2020 901-912*

Inductorless Synchronized Switch Harvesting Using a Piezoelectric Oscillator. *Lallart, M.*, +, *TPEL March 2020 2585-2594*

Piezoelectricity

Piezoelectric Properties of GaN-on-Si Heterostructures and Their Implications on Lifetime During Switching Operation. *Pribahsnik, F.P.*, +, *TPEL Oct. 2020 10873-10878*

Pipes

Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter. *Liu, J.*, +, *TPEL Jan. 2020 826-834*

Plasma diodes

Improving Surge Current Capability of SiC Merged PiN Schottky Diode by Adding Plasma Spreading Layers. *Ren, N.*, +, *TPEL Nov. 2020 11316-11320*

Plasma immersion ion implantation

Pulsed Power Modulator With Active Pull-Down Using Diode Reverse Recovery Time. *Park, S.*, +, *TPEL March 2020 2943-2949*

Plasma production

SiC-Based 4 MHz 10 kW ZVS Inverter With Fast Resonance Frequency Tracking Control for High-Density Plasma Generators. *Park, S.*, +, *TPEL March 2020 3266-3275*

Plasma sources

High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*

Plates (structures)

Air-Gap-Insensitive IPT Pad With Ferromagnetic and Conductive Plates. *Choi, J.S.*, +, *TPEL Aug. 2020 7863-7872*

Pole assignment

Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints. *Li, Y.*, +, *TPEL Jan. 2020 1022-1035*

Poles and towers

A Capacitor-Free Control Scheme for a Primary-Side Controlled Flyback Converter. *Li, Y.*, +, *TPEL Sept. 2020 9482-9493*

Conversion Efficiency of the Buck Three-Level DC–DC Converter in Unbalanced Bipolar DC Microgrids. *Broeck, G.V.d.*, +, *TPEL Sept. 2020 9306-9319*

Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*

Poles and zeros

Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*

Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*

Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles. *Liao, Y.*, +, *TPEL April 2020 4388-4397*

Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*

Reference-Feedforward Power-Synchronization Control. *Harnefors, L.*, +, *TPEL Sept. 2020 8878-8881*

Polynomial approximation

Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*

Polynomials

Comments on "State of Charge-Dependent Polynomial Equivalent Circuit Modeling for Electrochemical Impedance Spectroscopy of Lithium-Ion Batteries". *Hasan, R.*, +, *TPEL April 2020 4448*

Controller-Embeddable Probabilistic Real-Time Digital Twins for Power Electronic Converter Diagnostics. *Milton, M.*, +, *TPEL Sept. 2020 9850-9864*

Generalized Chudnovsky Algorithm for Real-Time PWM Selective Harmonic Elimination/Modulation: Two-Level VSI Example. *Janabi, A.*, +, *TPEL May 2020 5437-5446*

Position control

A Modified Flux Sliding-Mode Observer for the Sensorless Control of PMSMs With Online Stator Resistance and Inductance Estimation. *Ye, S.*, +, *TPEL Aug. 2020 8652-8662*

A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*

A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*

An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*

Decoupling of Current Balancing and Reference Tracking Control in Parallel Interleaved Converters. *Jovanovic, D.P.*, +, *TPEL April 2020 4286-4295*

Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*

High-Precision Rotor Position Correction Strategy for High-Speed Permanent Magnet Synchronous Motor Based on Resolver. *Chen, S.*, +, *TPEL Sept. 2020 9716-9726*

Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*

Low-Noise Initial Position Detection Method for Sensorless Permanent Magnet Synchronous Motor Drives. *Bi, G.*, +, *TPEL Dec. 2020 13333-13344*

Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives. *Lin, Z.*, +, *TPEL Dec. 2020 13345-13355*

Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties. *Gan, C.*, +, *TPEL Nov. 2020 12307-12320*

Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*

Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*

Rotor Position Estimation for Aviation Three-Stage Starter/Generators in the Low-Speed Region Without High-Frequency Signal Injection. *Meng, T.*, +, *TPEL Aug. 2020 8405-8416*

Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*

Sensorless Control of Linear Vernier Permanent-Magnet Motor Based on Improved Mover Flux Observer. *Ji, J.*, +, *TPEL April 2020 3869-3877*

Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range. *Mao, S.*, +, *TPEL Aug. 2020 8347-8360*

Signal-Injection Sensorless Control With Tilted Current Reference for Heavily Saturated IPMSMs. *Lee, J.*, +, *TPEL Nov. 2020 12100-12109*

Wireless Electric Vehicle Charger With Electromagnetic Coil-Based Position Correction Using Impedance and Resonant Frequency Detection. *Khan, N.*, +, *TPEL Aug. 2020 7873-7883*

Position measurement

A New Coupling Structure and Position Detection Method for Segmented Control Dynamic Wireless Power Transfer Systems. *Li, X.*, +, *TPEL July 2020 6741-6745*

Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties. *Gan, C.*, +, *TPEL Nov. 2020 12307-12320*

Potassium compounds

Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic. *Zhang, Q.*, +, *TPEL March 2020 2908-2916*

Powder cores

Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Powders

Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Power amplifiers
6.78 MHz Wireless Power Transmitter Based on a Reconfigurable Class–E Power Amplifier for Multiple Device Charging. *Oh, H.*, +, *TPEL June 2020 5907-5917*
A Capacitor-Free Control Scheme for a Primary-Side Controlled Flyback Converter. *Li, Y.*, +, *TPEL Sept. 2020 9482-9493*
A Multiphase Resonance-Based Boosting Rectifier With Dual Outputs for Wireless Power Transmission. *Lim, J.*, +, *TPEL March 2020 2680-2689*
Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers. *Yu, Z.*, +, *TPEL April 2020 4094-4104*
Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*
Hysteresis Voltage Prediction Control for Multilevel Converter in the Series-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Li, Y.*, +, *TPEL Dec. 2020 13663-13672*
Negative Resistance in Cascode Transistors. *Nikoo, M.S.*, +, *TPEL Oct. 2020 9978-9981*
Power aware computing
An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*
Artificial Intelligence-Aided Thermal Model Considering Cross-Coupling Effects. *Zhang, Y.*, +, *TPEL Oct. 2020 9998-10002*
Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*
Power bipolar transistors
A New Lumped-Charge Modeling Method for Power Semiconductor Devices. *Duan, Y.*, +, *TPEL April 2020 3989-3996*
A Physics-Based Transient Electrothermal Model of High-Voltage Press-Pack IGBTs Under HVdc Interruption. *Luo, Y.*, +, *TPEL June 2020 5660-5669*
An Electrical Transient Model of IGBT-Diode Switching Cell for Power Semiconductor Loss Estimation in Electromagnetic Transient Simulation. *Xu, Y.*, +, *TPEL March 2020 2979-2989*
Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application. *Li, D.*, +, *TPEL Dec. 2020 13429-13440*
Enhancing Short Circuit Capability of 1.2-kV Si IGBT Using a Gate-Source Shorted Si Depletion Mode MOSFET in Series With the Emitter. *Kanale, A.*, +, *TPEL June 2020 6350-6361*
High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*
Self-Adaptive Active Gate Driver for IGBT Switching Performance Optimization Based on Status Monitoring. *Wang, R.*, +, *TPEL June 2020 6362-6372*
Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*
Three-Terminal Si/SiC Hybrid Switch. *Song, X.*, +, *TPEL Sept. 2020 8867-8871*
Power cables
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
Comparative Performance Analysis Involving a Three-Phase UPQC Operating With Conventional and Dual/Inverted Power-Line Conditioning Strategies. *da Silva, S.A.O.*, +, *TPEL Nov. 2020 11652-11665*
Design and Model of Series-Connected High-Voltage DC Multipliers. *Quraan, M.*, +, *TPEL July 2020 7160-7174*
Power capacitors
1-kW Boost-type PFC Using a Low-Voltage Series Pass Module for Input Current Shaping. *Tung, C.*, +, *TPEL July 2020 7596-7611*
A 2-kV Charge-Based ZVS Three-Level Inverter. *Settels, S.J.*, +, *TPEL April 2020 3450-3465*
A Capacitor-Free Control Scheme for a Primary-Side Controlled Flyback Converter. *Li, Y.*, +, *TPEL Sept. 2020 9482-9493*
A Carrier-Based PWM Control Strategy for Three-Level NPC Inverter Based on Bootstrap Gate Drive Circuit. *Jung, J.*, +, *TPEL March 2020 2843-2860*
A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*
A Cost-Constrained Active Capacitor for a Single-Phase Inverter. *Wang, H.*, +, *TPEL July 2020 6746-6760*
A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters. *Pan, Y.*, +, *TPEL Oct. 2020 10994-11012*
A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*
A Family of High Step-Up Cascade DC–DC Converters With Clamped Circuits. *Ai, J.*, +, *TPEL May 2020 4819-4834*
A Family of Step-Up Series–Parallel Dual Resonant Switched-Capacitor Converters With Wide Regulation Range. *Xie, W.*, +, *TPEL March 2020 2724-2736*
A Generalized Carrier-Overlapped PWM Method for Neutral-Point-Clamped Multilevel Converters. *Wang, K.*, +, *TPEL Sept. 2020 9095-9106*
A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress. *Hassan, W.*, +, *TPEL Nov. 2020 11827-11842*
A Hybrid Cockcroft–Walton/Dickson Multiplier for High Voltage Generation. *Park, S.*, +, *TPEL March 2020 2714-2723*
A Hybrid Modulation Strategy Providing Lower Inductor Current for the DAB Converter With the Aid of DC Blocking Capacitors. *Liu, P.*, +, *TPEL April 2020 4309-4320*
A Modular Multilevel Converter With Active Power Filter for Submodule Capacitor Voltage Ripples and Power Losses Reduction. *Jia, G.*, +, *TPEL Nov. 2020 11401-11417*
A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*
A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System. *Xu, C.*, +, *TPEL May 2020 4483-4488*
A Novel DCM Soft-Switched SEPIC-Based High-Frequency Converter With High Step-Up Capacity. *Gao, S.*, +, *TPEL Oct. 2020 10444-10454*
A Novel Fault Ride-Through Strategy Based on Capacitor Energy Storage Inside MMC. *Xiao, Y.*, +, *TPEL Aug. 2020 7960-7971*
A Reference Submodule Based Capacitor Condition Monitoring Method for Modular Multilevel Converters. *Wang, Z.*, +, *TPEL July 2020 6691-6696*
A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor. *Achary, R.K.*, +, *TPEL March 2020 2809-2818*
A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*
A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*
A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*
A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder. *Pal, A.*, +, *TPEL April 2020 3601-3615*
A Transformerless Common-Ground Three-Switch Single-Phase Inverter for Photovoltaic Systems. *Sarikhani, A.*, +, *TPEL Sept. 2020 8902-8909*
A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*
An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives. *Tian, H.*, +, *TPEL March 2020 2372-2388*
An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*
An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*

An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*

An Ultrahigh Voltage Gain Hybrid-Connected Boost Converter With Ultralow Distributed Voltage Stress. *Hu, X.*, +, *TPEL Oct. 2020 10385-10395*

Analysis and Criterion for Inherent Balance Capability in Modular Multilevel DC–AC–DC Converters. *Xiang, X.*, +, *TPEL June 2020 5573-5580*

Analysis and Design of Capacitive Power Transfer Systems Based on Induced Voltage Source Model. *Wang, S.*, +, *TPEL Oct. 2020 10532-10541*

Analysis and Improvement of Capacitance Effects in 360–800 Hz Variable On-Time Controlled CRM Boost PFC Converters. *Ren, X.*, +, *TPEL July 2020 7480-7491*

Analysis and Suppression of the Frequency-Decrease Effect in the Capacitor Voltage Related to the Low Modulation Frequency Ratio in an MMC System. *Wang, C.*, +, *TPEL Sept. 2020 9119-9132*

Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter. *Pineda, C.*, +, *TPEL July 2020 6906-6915*

Auxiliary Power Supply for Medium-/High-Voltage and High-Power Solid-State Transformers. *Liu, J.*, +, *TPEL May 2020 4791-4803*

Balanced Submodule Operation of Modular Multilevel Converter-Based Induction Motor Drive for Wide-Speed Range. *Kumar, Y.S.*, +, *TPEL April 2020 3918-3927*

Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*

Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL May 2020 5132-5143*

Capacitor Condition Monitoring Based on the DC-Side Start-Up of Modular Multilevel Converters. *Wang, Z.*, +, *TPEL June 2020 5589-5593*

Capacitor ESR and *C* Monitoring in Modular Multilevel Converters. *Deng, F.*, +, *TPEL April 2020 4063-4075*

Capacitor Voltage Fluctuation Minimization for Four-Level Hybrid Clamped Converter Using Improved Common-Mode Voltage Injection. *Pan, J.*, +, *TPEL July 2020 7563-7573*

Capacitor Voltage Ripple Estimation and Optimal Sizing of Modular Multi-Level Converters for Variable-Speed Drives. *Ke, Z.*, +, *TPEL Nov. 2020 12544-12554*

Circulating Current Control for Modular Multilevel Converters With (N+1) Selective Harmonic Elimination—PWM. *Perez-Basante, A.*, +, *TPEL Aug. 2020 8712-8725*

Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*

Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications. *Diez, C.M.*, +, *TPEL March 2020 2389-2401*

Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Current-Sensorless Finite-Set Model Predictive Control for *LC*-Filtered Voltage Source Inverters. *Zheng, C.*, +, *TPEL Jan. 2020 1086-1095*

DC Voltage Ripple Optimization of a Single-Stage Solid-State Transformer Based on the Modular Multilevel Matrix Converter. *Liu, J.*, +, *TPEL Dec. 2020 12801-12815*

Decoupled Floating Capacitor Voltage Control of a Dual Inverter Drive for an Open-Ended Winding Induction Motor. *Perera, C.*, +, *TPEL July 2020 7305-7316*

Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*

Design and Experimental Verification of an Efficient SSCB Based on CS-MCT. *Xu, X.*, +, *TPEL Nov. 2020 11682-11693*

Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*

Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

Design of a Paralleled SiC MOSFET Half-Bridge Unit With Distributed Arrangement of DC Capacitors. *Qu, J.*, +, *TPEL Oct. 2020 10879-10891*

Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*

Design-Oriented Comprehensive Time-Domain Model for *CLLC* Class Isolated Bidirectional DC-DC Converter for Various Operation Modes. *Sun, J.*, +, *TPEL April 2020 3491-3505*

Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation. *Ding, D.*, +, *TPEL March 2020 2895-2907*

Dual T-Type Four-Level Converter. *Chen, J.*, +, *TPEL June 2020 5594-5600*

Dual-Mode Modulation Scheme With Seamless Transition for a Tunable Immittance-Based DAB Converter Featuring High-Efficiency Performance Over Whole Output Power Range. *Chan, Y.P.*, +, *TPEL Sept. 2020 9184-9201*

Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current. *Xu, S.*, +, *TPEL July 2020 6668-6672*

Feedforward Modulation for the Neutral-Point-Clamped Converter With Confined Capacitor Voltage Ripples and Reduced Switching Power Losses. *Beniwal, N.*, +, *TPEL April 2020 4426-4438*

Finite-Level-State Model Predictive Control for Sensorless Three-Phase Four-Arm Modular Multilevel Converter. *Liu, X.*, +, *TPEL May 2020 4462-4466*

Fractal Approach Based Simplified and Generalized Sector Detection in Current Error Space Phasor Based Hysteresis Controller Applied to Multilevel Front-End Converters. *Shah, M.T.*, +, *TPEL Oct. 2020 11082-11095*

Half-Bridge Integrated Phase-Shifted Full-Bridge Converter With High Efficiency Using Center-Tapped Clamp Circuit for Battery Charging Systems in Electric Vehicles. *Lim, C.*, +, *TPEL May 2020 4934-4945*

Half-Bridge Modular Switched-Capacitor Multilevel Inverter With Hybrid Pulsewidth Modulation. *Ye, Y.*, +, *TPEL Aug. 2020 8237-8247*

High-Efficiency Hybrid Dual-Path Step-Up DC–DC Converter With Continuous Output-Current Delivery for Low Output Voltage Ripple. *Shin, S.*, +, *TPEL June 2020 6025-6038*

High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*

Hybrid Model Predictive Control of ANPC Converters With Decoupled Low-Frequency and High-Frequency Cells. *Zhou, D.*, +, *TPEL Aug. 2020 8569-8580*

Improved Bootstrap Methods for Powering Floating Gate Drivers of Flying Capacitor Multilevel Converters and Hybrid Switched-Capacitor Converters. *Ye, Z.*, +, *TPEL June 2020 5965-5977*

Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*

Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*

Manitoba Rectifier—Bridgeless Buck–Boost PFC. *Siu, K.K.M.*, +, *TPEL Jan. 2020 403-414*

Model-Based Design and Optimization of Hybrid DC-Link Capacitor Banks. *Wang, H.*, +, *TPEL Sept. 2020 8910-8925*

Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters. *Fan, J.W.*, +, *TPEL March 2020 2519-2533*

Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*

New Expandable Switched-Capacitor/Switched-Inductor High-Voltage Conversion Ratio Bidirectional DC–DC Converter. *Fardahar, S.M.*, +, *TPEL March 2020 2480-2487*

Novel Active-Neutral-Point-Clamped Inverters With Improved Voltage-Boosting Capability. *Lee, S.S.*, +, *TPEL June 2020 5978-5986*

Novel High Step-Up Soft-Switching DC–DC Converter Based on Switched Capacitor and Coupled Inductor. *Zhang, X.*, +, *TPEL Sept. 2020 9471-9481*
Novel iGSE-C Loss Modeling of X7R Ceramic Capacitors. *Menzi, D.*, +, *TPEL Dec. 2020 13367-13383*
Online Capacitance Estimation of Submodule Capacitors for Modular Multilevel Converter With Nearest Level Modulation. *Wang, K.*, +, *TPEL July 2020 6678-6681*
Operational Analyses and Control Scheme of Nine-Arm Modular Multilevel Converter. *Qin, F.*, +, *TPEL April 2020 3416-3433*
Overmodulation Strategy for Electrolytic Capacitorless PMSM Drives: Voltage Distortion Analysis and Boundary Optimization. *Wang, G.*, +, *TPEL Sept. 2020 9574-9585*
Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*
Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*
Removal of Instantaneous Reactive Power From High-Conversion-Ratio Bidirectional Resonant Converter With Balanced Capacitor Voltage. *Son, S.*, +, *TPEL Nov. 2020 11916-11929*
Semiresonant Half-Bridge Zeta Converter With Reduced Turn-OFF Currents for High-Efficiency Power Supply. *Baek, J.*, +, *TPEL May 2020 4547-4557*
Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters. *Abdelhamid, E.*, +, *TPEL March 2020 3208-3220*
Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*
Simplified Power Loss Model for Aluminum Electrolytic Capacitors in Single-Phase Inverters. *Liu, Y.*, +, *TPEL May 2020 4452-4456*
Soft-Start Procedure for a Three-Stage Smart Transformer Based on Dual-Active Bridge and Cascaded H-Bridge Converters. *Pugliese, S.*, +, *TPEL Oct. 2020 11039-11052*
Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*
Switched Capacitor Integrated $(2n+1)$-Level Step-Up Single-Phase Inverter. *Khan, M.N.H.*, +, *TPEL Aug. 2020 8248-8260*
Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*
Symmetric Dual-Switch Converter. *Tang, Y.*, +, *TPEL Nov. 2020 11955-11964*
Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*
The Cascaded Resonant Converter: A Hybrid Switched-Capacitor Topology With High Power Density and Efficiency. *Ye, Z.*, +, *TPEL May 2020 4946-4958*
The Current Shaping Modular Multilevel DC–DC Converter. *Gray, P.A.*, +, *TPEL Oct. 2020 10050-10063*
Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter. *Thakur, S.S.*, +, *TPEL Sept. 2020 9291-9305*
Topology and Control of a Four-Level ANPC Inverter. *Wang, K.*, +, *TPEL March 2020 2342-2352*
Trapezoidal Current Modulation for Bidirectional High-Step-Ratio Modular DC–DC Converters. *Qiao, Y.*, +, *TPEL April 2020 3402-3415*
Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits. *Zhang, F.*, +, *TPEL Oct. 2020 10200-10212*
Voltage Self-Balance Mechanism Based on Zero-Voltage Switching for Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL Oct. 2020 10078-10087*
ZVZCS Full-Bridge Three-Level DC/DC Converter With Reduced Device Count. *Liu, D.*, +, *TPEL Oct. 2020 9965-9970*

Power consumption

A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range. *Kim, D.*, +, *TPEL Dec. 2020 13441-13454*

Power control

A 500-W Wireless Charging System With Lightweight Pick-Up for Unmanned Aerial Vehicles. *Cai, C.*, +, *TPEL Aug. 2020 7721-7724*
A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance. *Chakraborty, S.*, +, *TPEL March 2020 2615-2628*
A Hierarchical Energy Balance Control Method for M^3C Based on Injecting Output Frequency Circulating Currents. *Ma, J.*, +, *TPEL March 2020 2424-2435*
A Hybrid Modular DC Solid-State Transformer Combining High Efficiency and Control Flexibility. *Sun, Y.*, +, *TPEL April 2020 3434-3449*
A Load-Independent Wireless Power Transfer System With Multiple Constant Voltage Outputs. *Cheng, C.*, +, *TPEL April 2020 3328-3331*
A New Geometric Vector Optimization of Predictive Direct Power Control. *Yan, S.*, +, *TPEL May 2020 5427-5436*
A Simplified Stator Frequency and Power Control Method of DFIG-DC System Without Stator Voltage and Current Sensors. *Wu, C.*, +, *TPEL June 2020 5562-5566*
A Unified Power Control Method for Standalone and Grid-Connected DFIG-DC System. *Wu, C.*, +, *TPEL Dec. 2020 12663-12667*
Active Power Oscillation and Suppression Techniques Between Two Parallel Synchronverters During Load Fluctuations. *Shuai, Z.*, +, *TPEL April 2020 4127-4142*
An Active Boost Power Converter for Improving the Performance of Switched Reluctance Generators in DC Generating Systems. *Wang, Q.*, +, *TPEL May 2020 4741-4755*
An ISOP Hybrid DC Transformer Combining Multiple SRCs and DAB Converters to Interconnect MVDC and LVDC Distribution Networks. *Yao, J.*, +, *TPEL Nov. 2020 11442-11452*
An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*
Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter. *Pineda, C.*, +, *TPEL July 2020 6906-6915*
Communication-Independent Power Balance Control for Solid State Transformer Interfaced Multiple Power Conversion Systems. *Nie, J.*, +, *TPEL April 2020 4256-4271*
Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications. *Diez, C.M.*, +, *TPEL March 2020 2389-2401*
Design of Misalignment-Insensitive Inductive Power Transfer via Interoperable Coil Module and Dynamic Power Control. *Lee, T.*, +, *TPEL Sept. 2020 9024-9033*
Differentiation Power Control of Modules in Second-Life Battery Energy Storage System Based on Cascaded H-Bridge Converter. *Liu, C.*, +, *TPEL June 2020 6609-6624*
Flux Balancing Control of Ungapped Nanocrystalline Core-Based Transformer in Dual Active Bridge Converters. *Yao, P.*, +, *TPEL Nov. 2020 11463-11474*
Full-Range Soft-Switching Pulse Frequency Modulated Wireless Power Transfer. *Liu, W.*, +, *TPEL June 2020 6533-6547*
Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*
Multipower-Level Hysteresis Control for the Class E DC–DC Converters. *Li, Y.*, +, *TPEL May 2020 5279-5289*
New Inter- and Inner-Phase Power Control Method for Cascaded H-Bridge Based on Simplified PWM Strategy. *Ye, Z.*, +, *TPEL Aug. 2020 8607-8623*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Novel Analytical Method for Dynamic Design of Renewable SSG SPC Unit to Mitigate Low-Frequency Electromechanical Oscillations. *Abdollahi, M.*, +, *TPEL July 2020 7532-7544*
Reference-Feedforward Power-Synchronization Control. *Harnefors, L.*, +, *TPEL Sept. 2020 8878-8881*

Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*

Small-Signal Modeling and Stability Prediction of Parallel Droop-Controlled Inverters Based on Terminal Characteristics of Individual Inverters. *Wang, S.*, +, *TPEL Jan. 2020 1045-1063*

The Modular Multilevel DC Converter With Inherent Minimization of Arm Current Stresses. *Li, Y.*, +, *TPEL Dec. 2020 12787-12800*

Power conversion

A Review of Voltage/Current Sharing Techniques for Series–Parallel-Connected Modular Power Conversion Systems. *Ma, D.*, +, *TPEL Nov. 2020 12383-12400*

An Efficiency-Aware Cooperative Multicharger System for Photovoltaic Energy Harvesting Achieving 14% Efficiency Improvement. *Jeong, J.*, +, *TPEL March 2020 2253-2256*

Conversion Efficiency of the Buck Three-Level DC–DC Converter in Unbalanced Bipolar DC Microgrids. *Broeck, G.V.d.*, +, *TPEL Sept. 2020 9306-9319*

Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*

Efficient High Step-Up Operation in Boost Converters Based on Impulse Rectification. *Samizadeh Nikoo, M.*, +, *TPEL Nov. 2020 11287-11293*

Internal Dynamics Stabilization of Single-Phase Power Converters With Lyapunov-Based Automatic-Power-Decoupling Control. *Yuan, H.*, +, *TPEL Feb. 2020 2160-2169*

Modularized Differential Power Processing Architecture Based on Switched Capacitor Converter to Virtually Unify Mismatched Photovoltaic Panel Characteristics. *Uno, M.*, +, *TPEL Feb. 2020 1563-1575*

Robust Quasi-Predictive Control of *L*+*C*+*L*-Filtered Grid Converters. *Dragicevic, T.*, +, *TPEL Feb. 2020 1934-1946*

Power conversion harmonics

Half-Bridge Modular Switched-Capacitor Multilevel Inverter With Hybrid Pulsewidth Modulation. *Ye, Y.*, +, *TPEL Aug. 2020 8237-8247*

Minimizing Total Harmonic Distortion of a Two-Level Voltage Source Inverter Using Optimal Third Harmonic Injection. *Albatran, S.*, +, *TPEL March 2020 3287-3297*

Modified Discontinuous PWM Strategy for Three-Phase Grid-Connected PV Inverters With Hybrid Active–Passive Damping Scheme. *Giacomini, J.C.*, +, *TPEL Aug. 2020 8063-8073*

Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*

Operational Principles of Three-Phase Single Active Bridge DC/DC Converters Under Duty Cycle Control. *Sang, Y.*, +, *TPEL Aug. 2020 8737-8750*

Parameters Uncertainty Immunization of Global Synchronous Pulsewidth Modulated VSIs With Round P&O Algorithm. *Xu, T.*, +, *TPEL Nov. 2020 11281-11286*

Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*

Steady-State Error Suppression and Simplified Implementation of Direct Source Current Control for Matrix Converter With Model Predictive Control. *Lei, J.*, +, *TPEL March 2020 3183-3194*

Unified Selective Harmonic Elimination Control for Four-Level Hybrid-Clamped Inverters. *Wu, M.*, +, *TPEL Nov. 2020 11488-11501*

Power converters

6-W Optical Power Link With Integrated Optical Data Transmission. *Helmers, H.*, +, *TPEL Aug. 2020 7904-7909*

A Constant Current Control Scheme for Primary-Side Controlled Flyback Controller Operating in DCM and CCM. *Li, Y.*, +, *TPEL Sept. 2020 9462-9470*

A Digital Twin Approach for Fault Diagnosis in Distributed Photovoltaic Systems. *Jain, P.*, +, *TPEL Jan. 2020 940-956*

A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters. *Pan, Y.*, +, *TPEL Oct. 2020 10994-11012*

A Family of Hybrid IPT Topologies With Near Load-Independent Output and High Tolerance to Pad Misalignment. *Qu, X.*, +, *TPEL July 2020 6867-6877*

A Fully Soft Switched Point-of-Load Converter for Resource Constraint Drone Applications. *Qu, Y.*, +, *TPEL March 2020 2705-2713*

A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*

A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*

A Load-Independent Wireless Power Transfer System With Multiple Constant Voltage Outputs. *Cheng, C.*, +, *TPEL April 2020 3328-3331*

A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*

A Modular Multilevel Converter With Active Power Filter for Submodule Capacitor Voltage Ripples and Power Losses Reduction. *Jia, G.*, +, *TPEL Nov. 2020 11401-11417*

A New Geometric Vector Optimization of Predictive Direct Power Control. *Yan, S.*, +, *TPEL May 2020 5427-5436*

A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*

A Novel Accurate Adaptive Constant On-Time Buck Converter for a Wide-Range Operation. *Liu, W.*, +, *TPEL April 2020 3729-3739*

A Novel High-Performance Predictive Control Formulation for Multilevel Inverters. *Ni, Z.*, +, *TPEL Nov. 2020 11533-11543*

A Novel Primary-Side Regulation Control Scheme for CCM and DCM *LLC* LED Driver Based on "Magnetizing Current Cancellation Method". *Dong, H.*, +, *TPEL Nov. 2020 12223-12237*

A Reduced-Switch-Count Family of Soft-Switched High-Frequency Inductive AC-Link Converters. *Mozaffari, K.*, +, *TPEL Aug. 2020 7972-7990*

A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*

A Review of Voltage/Current Sharing Techniques for Series–Parallel-Connected Modular Power Conversion Systems. *Ma, D.*, +, *TPEL Nov. 2020 12383-12400*

A Simplified SVM-Based Fault-Tolerant Strategy for Cascaded H-Bridge Multilevel Converters. *Lin, H.*, +, *TPEL Nov. 2020 11310-11315*

A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*

A Symmetrical Control Method for Grid-Connected Converters to Suppress the Frequency Coupling Under Weak Grid Conditions. *Zhang, X.*, +, *TPEL Dec. 2020 13488-13499*

Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*

Active Power Oscillation and Suppression Techniques Between Two Parallel Synchronverters During Load Fluctuations. *Shuai, Z.*, +, *TPEL April 2020 4127-4142*

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

An Active Boost Power Converter for Improving the Performance of Switched Reluctance Generators in DC Generating Systems. *Wang, Q.*, +, *TPEL May 2020 4741-4755*

An Electrical Transient Model of IGBT-Diode Switching Cell for Power Semiconductor Loss Estimation in Electromagnetic Transient Simulation. *Xu, Y.*, +, *TPEL March 2020 2979-2989*

An Energy-Based Analysis for High Voltage Low Power Flyback Converter Feeding Capacitive Load. *Ravi, V.*, +, *TPEL Jan. 2020 546-564*

An Event-Driven Resilient Control Strategy for DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 13714-13724*

An Impedance-Based Stability Assessment Methodology for DC Distribution Power System With Multivoltage Levels. *Pan, P.*, +, *TPEL April 2020 4033-4047*

An Integrated Boost Active Bridge Based Secondary Inductive Power Transfer Converter. *Kalra, G.R.*, +, *TPEL Dec. 2020 12716-12727*

An Interleaved Active-Clamp Forward Converter Modified for Reduced Primary Conduction Loss Without Additional Components. *Jeong, Y.*, +, *TPEL Jan. 2020 121-130*

An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*

An Ultrahigh Step-Up Quadratic Boost Converter Based on Coupled-Inductor. *Hu, R.*, +, *TPEL Dec. 2020 13200-13209*

An Ultrahigh Voltage Gain Hybrid-Connected Boost Converter With Ultralow Distributed Voltage Stress. *Hu, X.*, +, *TPEL Oct. 2020 10385-10395*

Analysis and Improvement of Capacitance Effects in 360–800 Hz Variable On-Time Controlled CRM Boost PFC Converters. *Ren, X.*, +, *TPEL July 2020 7480-7491*

Analysis and Suppression of the Frequency-Decrease Effect in the Capacitor Voltage Related to the Low Modulation Frequency Ratio in an MMC System. *Wang, C.*, +, *TPEL Sept. 2020 9119-9132*

Analysis, Design, and Implementation of Impulse-Injection-Based Online Grid Impedance Identification With Grid-Tied Converters. *Liu, Z.*, +, *TPEL Dec. 2020 12959-12976*

Analytic Spectral Analysis Technique for Converters Operating With Oscillatory DC-Link Voltage Components. *Townsend, C.D.*, +, *TPEL Dec. 2020 13540-13553*

Arm Current Balancing Control for Modular Multilevel Converters Under Unbalanced Grid Conditions. *Wang, J.*, +, *TPEL March 2020 2467-2479*

Average Inductor Current Measure and Control Strategy for Multimode Primary-Side Flyback Converters. *Han, Y.*, +, *TPEL Dec. 2020 13096-13103*

Balanced Submodule Operation of Modular Multilevel Converter-Based Induction Motor Drive for Wide-Speed Range. *Kumar, Y.S.*, +, *TPEL April 2020 3918-3927*

Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*

Capacitor Voltage Fluctuation Minimization for Four-Level Hybrid Clamped Converter Using Improved Common-Mode Voltage Injection. *Pan, J.*, +, *TPEL July 2020 7563-7573*

Cascode GaN/SiC: A Wide-Bandgap Heterogenous Power Device for High-Frequency Applications. *Xu, J.*, +, *TPEL June 2020 6340-6349*

Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters. *Rodriguez, E.*, +, *TPEL Aug. 2020 8819-8832*

Comparative Performance Analysis Involving a Three-Phase UPQC Operating With Conventional and Dual/Inverted Power-Line Conditioning Strategies. *da Silva, S.A.O.*, +, *TPEL Nov. 2020 11652-11665*

Comparative Temperature Dependent Evaluation and Analysis of 1.2-kV SiC Power Diodes for Extreme Temperature Applications. *Qi, J.*, +, *TPEL Dec. 2020 13384-13399*

Comparison of Basic Inductive Power Transfer Systems With Linear Control Achieving Optimized Efficiency. *Huang, Z.*, +, *TPEL March 2020 3276-3286*

Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*

Controller-Embeddable Probabilistic Real-Time Digital Twins for Power Electronic Converter Diagnostics. *Milton, M.*, +, *TPEL Sept. 2020 9850-9864*

Coupled-Inductor Buck–Boost Inverter With Reduced Current Ripple. *Khan, A.A.*, +, *TPEL Aug. 2020 7933-7946*

Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*

Decoupled Modulation Scheme for Modular Multilevel Converters in Medium-Voltage Applications. *Li, B.*, +, *TPEL Nov. 2020 11430-11441*

Decoupling of Current Balancing and Reference Tracking Control in Parallel Interleaved Converters. *Jovanovic, D.P.*, +, *TPEL April 2020 4286-4295*

Design and Assessment of External Insulation for Critical Components in a Medium Voltage SiC-Based Converter via Optical Method. *Zhang, C.*, +, *TPEL Dec. 2020 12887-12897*

Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*

Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*

Development and Verification Test of the 6.6-kV 200-kVA Transformerless SDBC-Based STATCOM Using SiC-MOSFET Modules. *Maharjan, L.*, +, *TPEL Dec. 2020 13687-13696*

Differentiation Power Control of Modules in Second-Life Battery Energy Storage System Based on Cascaded H-Bridge Converter. *Liu, C.*, +, *TPEL June 2020 6609-6624*

Digital CPM Controller for a Non-Inverting Buck–Boost Converter With Unified Hardware for Steady-State and Optimized Transient Conditions. *Urkin, T.*, +, *TPEL Aug. 2020 8794-8804*

Digital-Based Critical Conduction Mode Control for Three-Level Boost PFC Converter. *Lee, M.*, +, *TPEL July 2020 7689-7701*

Diode Evaluation and Series Diode Balancing for High-Voltage High-Frequency Power Converters. *He, Y.*, +, *TPEL June 2020 6301-6314*

Dual T-Type Four-Level Converter. *Chen, J.*, +, *TPEL June 2020 5594-5600*

Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*

Effect of Averaging Voltage Regulation Control on Steady-State Analysis of Modular Multilevel Converters. *Song, S.*, +, *TPEL Sept. 2020 9215-9225*

Enabling Grid-Feeding Converters With a Dissonant-Resonant Controller for Negative-Sequence Voltage Elimination. *Velasco, M.*, +, *TPEL April 2020 4342-4352*

Expandable N-Legged Converter to Drive Closely Spaced Multitransmitter Wireless Power Transfer Systems for Dynamic Charging. *Farajizadeh, F.*, +, *TPEL April 2020 3794-3806*

Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application. *Sharma, R.*, +, *TPEL June 2020 5683-5691*

Fault Detection and Localization for Cascaded H-Bridge Multilevel Converter With Model Predictive Control. *Chai, M.*, +, *TPEL Oct. 2020 10109-10120*

Fault Localization Strategy for Modular Multilevel Converters Under Submodule Lower Switch Open-Circuit Fault. *Liu, C.*, +, *TPEL May 2020 5190-5204*

Finite-Level-State Model Predictive Control for Sensorless Three-Phase Four-Arm Modular Multilevel Converter. *Liu, X.*, +, *TPEL May 2020 4462-4466*

Flux Balancing Control of Ungapped Nanocrystalline Core-Based Transformer in Dual Active Bridge Converters. *Yao, P.*, +, *TPEL Nov. 2020 11463-11474*

Fuse-Based Short-Circuit Protection of Converter Controlled Low-Voltage DC Grids. *Ravyts, S.*, +, *TPEL Nov. 2020 11694-11706*

Graph Sets Method for Multicoil Wireless Power Transfer Systems—Part I: Principles. *Farajizadeh, F.*, +, *TPEL Oct. 2020 10741-10756*

Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*

Guidelines for the Design of Finite Control Set Model Predictive Controllers. *Karamanakos, P.*, +, *TPEL July 2020 7434-7450*

Half-Bridge Integrated Phase-Shifted Full-Bridge Converter With High Efficiency Using Center-Tapped Clamp Circuit for Battery Charging Systems in Electric Vehicles. *Lim, C.*, +, *TPEL May 2020 4934-4945*

Harmonic Analysis and Suppression Method of Output Current Distortion for Medium-Voltage Motor Drives With Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 744-759*

Harmonic-Domain SISO Equivalent Impedance Modeling and Stability Analysis of a Single-Phase Grid-Connected VSC. *Zhang, C.*, +, *TPEL Sept. 2020 9770-9783*

High-Precision Rotor Position Correction Strategy for High-Speed Permanent Magnet Synchronous Motor Based on Resolver. *Chen, S.*, +, *TPEL Sept. 2020 9716-9726*

High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*

Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*

Hybrid Energy Storage System Based on a Novel Reduced Rating Multi-Input Converter. *Kurm, S.*, +, *TPEL Nov. 2020 12133-12142*

Impedance and Stability Analysis of Voltage-Source Converter Interconnection Based on a Universal Admittance Model. *Guo, H., TPEL Oct. 2020 10064-10077*

Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles. *Liao, Y.*, +, *TPEL April 2020 4388-4397*

Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters. *Xu, W.*, +, *TPEL May 2020 4959-4970*

Improved Design of PLL Controller for *LCL*-Type Grid-Connected Converter in Weak Grid. *Zhu, D.*, +, *TPEL May 2020 4715-4727*

Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*

Influence of Current Ripples in Cascaded Multilevel Topologies on the Aging of Lithium Batteries. *Chang, F.*, +, *TPEL Nov. 2020 11879-11890*

Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*

Manitoba Rectifier—Bridgeless Buck–Boost PFC. *Siu, K.K.M.*, +, *TPEL Jan. 2020 403-414*

Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*

Model Predictive Current Control of a Seven-Level Inverter With Reduced Computational Burden. *Bahrami, A.*, +, *TPEL June 2020 5729-5740*

Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*

Modeling and Mitigation of Multiloops Related Device Overvoltage in Three-Level Active Neutral Point Clamped Converter. *Gui, H.*, +, *TPEL Aug. 2020 7947-7959*

Modeling and Validation of Common-Mode Emissions in Wide Bandgap-Based Converter Structures. *Lemmon, A.N.*, +, *TPEL Aug. 2020 8034-8049*

Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies. *Leterme, W.*, +, *TPEL June 2020 5753-5769*

Modulated Model Predictive Control for Modular Multilevel Converters With Easy Implementation and Enhanced Steady-State Performance. *Wang, J.*, +, *TPEL Sept. 2020 9107-9118*

Modulation and Control of Series/Parallel Module for Ripple-Current Reduction in Star-Configured Split-Battery Applications. *Li, Z.*, +, *TPEL Dec. 2020 12977-12987*

Moving Discretized Control Set Model-Predictive Control for Dual-Active Bridge With the Triple-Phase Shift. *Chen, L.*, +, *TPEL Aug. 2020 8624-8637*

Multicell Reconfigurable Multi-Input Multi-Output Energy Router Architecture. *Chen, Y.*, +, *TPEL Dec. 2020 13210-13224*

Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function. *Wang, X.*, +, *TPEL Dec. 2020 13602-13620*

Multilayer SOH Equalization Scheme for MMC Battery Energy Storage System. *Ma, Z.*, +, *TPEL Dec. 2020 13514-13527*

Negative Resistance in Cascode Transistors. *Nikoo, M.S.*, +, *TPEL Oct. 2020 9978-9981*

New Bridgeless Power Factor Correction Converter With Simple Gate Driving Circuit and High Efficiency for Server Power Applications. *Lee, Y.*, +, *TPEL Dec. 2020 13148-13156*

New Digital Control Method for Improving Dynamic Response of Synchronous Rectified PSR Flyback Converter With CCM and DCM Modes. *Xu, S.*, +, *TPEL Nov. 2020 12347-12358*

Novel Highly Efficient/Compact Automotive PCB Winding Inductors Based on the Compensating Air-Gap Fringing Field Concept. *Schafer, J.*, +, *TPEL Sept. 2020 9617-9631*

Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*

Operational Analyses and Control Scheme of Nine-Arm Modular Multilevel Converter. *Qin, F.*, +, *TPEL April 2020 3416-3433*

Optimum Boundary Inductance Control Concerning Limited PF for a DCM Boost PFC Converter. *Yao, K.*, +, *TPEL Jan. 2020 443-454*

Overcoming the Effect of Test Fixtures on the Measurement of Parasitics of Capacitors and Inductors. *Mendez, J.B.*, +, *TPEL Jan. 2020 15-19*

Overview of Real-Time Lifetime Prediction and Extension for SiC Power Converters. *Ni, Z.*, +, *TPEL Aug. 2020 7765-7794*

Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*

Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping. *Yao, W.*, +, *TPEL March 2020 3114-3126*

Power-Electronic-Based Electric Machine Emulator Using Direct Impedance Regulation. *Ma, K.*, +, *TPEL Oct. 2020 10673-10680*

Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*

Real-Time Calculation Method for Single-Phase Cascaded H-Bridge Inverters Based on Phase-Shifted Carrier Pulsewidth Modulation. *Ma, J.*, +, *TPEL Jan. 2020 977-987*

Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*

Resistive–Capacitive Output Impedance Shaping for Droop-Controlled Converters in DC Microgrids With Reduced Output Capacitance. *Liu, G.*, +, *TPEL June 2020 6501-6511*

Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*

Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*

Sensorless Ripple Current Mode Control to Achieve Inductor-Deviation-Tolerant BCM Operation for Boost Converter. *Lyu, D.*, +, *TPEL Nov. 2020 12359-12369*

Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters. *Abdelhamid, E.*, +, *TPEL March 2020 3208-3220*

Sequence Impedance Modeling and Stability Analysis for Load Converters With Inertial Support. *Liu, Y.*, +, *TPEL Dec. 2020 13031-13041*

Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*

Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*

The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application. *Hofstetter, P.*, +, *TPEL June 2020 5692-5701*

Thermally Compensated Discontinuous Modulation for MVAC/LVDC Building Blocks of Modular Smart Transformers. *Ko, Y.*, +, *TPEL Jan. 2020 220-231*

Two-Phase Interleaved Boost PFC Converter With Coupled Inductor Under Single-Phase Operation. *Yang, F.*, +, *TPEL Jan. 2020 169-184*

Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs. *Chou, S.*, +, *TPEL April 2020 3519-3529*

Unified Modular State-Space Modeling of Grid-Connected Voltage-Source Converters. *Yang, D.*, +, *TPEL Sept. 2020 9700-9715*

Voltage Difference Residual-Based Open-Circuit Fault Diagnosis Approach for Three-Level Converters in Electric Traction Systems. *Yang, C.*, +, *TPEL March 2020 3012-3028*
Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*
Zero-Phase-Angle Controlled Bidirectional Wireless EV Charging Systems for Large Coil Misalignments. *Liu, Y.*, +, *TPEL May 2020 5343-5353*

Power demand
Single-Inductor Dual-Input Triple-Output Buck–Boost Converter With Clockless Shortest Power Path Control Strategy for IoT Nodes. *Wang, C.*, +, *TPEL Feb. 2020 2044-2052*

Power distribution
Two-Phase Interleaved Boost PFC Converter With Coupled Inductor Under Single-Phase Operation. *Yang, F.*, +, *TPEL Jan. 2020 169-184*

Power distribution control
A Multiple Modular Isolated DC/DC Converter With Bidirectional Fault Handling and Efficient Energy Conversion for DC Distribution Network. *Wang, Y.*, +, *TPEL Nov. 2020 11502-11517*
A New Energy Management Control Method for Energy Storage Systems in Microgrids. *Hajebrahimi, H.*, +, *TPEL Nov. 2020 11612-11624*
A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*
A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids. *Liu, B.*, +, *TPEL Nov. 2020 11634-11651*
Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*
An ISOP Hybrid DC Transformer Combining Multiple SRCs and DAB Converters to Interconnect MVDC and LVDC Distribution Networks. *Yao, J.*, +, *TPEL Nov. 2020 11442-11452*
Complete Family of Two-Stage Single-Input Multioutput Configurations of Interconnected Power Converters. *Li, X.L.*, +, *TPEL April 2020 3713-3728*
Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*
Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*
Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*
Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*
Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*
Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids. *Zhang, Q.*, +, *TPEL July 2020 7001-7014*
Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*
Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*
Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*

Power distribution faults
A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*
A New Energy Management Control Method for Energy Storage Systems in Microgrids. *Hajebrahimi, H.*, +, *TPEL Nov. 2020 11612-11624*
A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids. *Liu, B.*, +, *TPEL Nov. 2020 11634-11651*
Design of Control System for Smooth Mode-Transfer of Grid-Tied Mode and Islanding Mode in Microgrid. *Gao, M.*, +, *TPEL June 2020 6419-6435*
Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*
Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*
Review and Comparison of Grid-Tied Inverter Controllers in Microgrids. *Liu, Q.*, +, *TPEL July 2020 7624-7639*
Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*

Power distribution protection
Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*
Fuse-Based Short-Circuit Protection of Converter Controlled Low-Voltage DC Grids. *Ravyts, S.*, +, *TPEL Nov. 2020 11694-11706*

Power distribution reliability
Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*

Power electronics
A Cost-Constrained Active Capacitor for a Single-Phase Inverter. *Wang, H.*, +, *TPEL July 2020 6746-6760*
A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*
A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*
A Novel Space-Vector Modulation Method for Nine-Switch Converter. *Pan, L.*, +, *TPEL Feb. 2020 1789-1804*
A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*
A Reconstructed S-LCC Topology With Dual-Type Outputs for Inductive Power Transfer Systems. *Wang, X.*, +, *TPEL Dec. 2020 12606-12611*
A Review of Traditional Helical to Recent Miniaturized Printed Circuit Board Rogowski Coils for Power-Electronic Applications. *Shi, Y.*, +, *TPEL Nov. 2020 12207-12222*
A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*
A Thermal Modeling Method Considering Ambient Temperature Dynamics. *Wang, H.*, +, *TPEL Jan. 2020 6-9*
An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*
An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*
An Improved Phase-Shifted-Carrier Technique for Hybrid Modular Multilevel Converter With Boosted Modulation Index. *Xu, C.*, +, *TPEL Feb. 2020 1340-1352*
An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*
An Overview of Capacitive DC-Links-Topology Derivation and Scalability Analysis. *Wang, H.*, +, *TPEL Feb. 2020 1805-1829*
An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*
Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*
Artificial Intelligence-Aided Thermal Model Considering Cross-Coupling Effects. *Zhang, Y.*, +, *TPEL Oct. 2020 9998-10002*
Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5397-5407*
Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter. *Liu, D.*, +, *TPEL Feb. 2020 2008-2022*
Characterization Method of Radiated Magnetic Field Based on Integrated Antenna Measurement Applied to Power Module Technologies. *Vine, G.*, +, *TPEL Feb. 2020 1440-1449*

Controller-Embeddable Probabilistic Real-Time Digital Twins for Power Electronic Converter Diagnostics. *Milton, M.*, +, *TPEL Sept. 2020 9850-9864*

Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*

Development of High-Power High Switching Frequency Cryogenically Cooled Inverter for Aircraft Applications. *Gui, H.*, +, *TPEL June 2020 5670-5682*

Distortion-Minimizing Flux Observer for IPMSM Based on Frequency-Adaptive Observers. *Kim, H.*, +, *TPEL Feb. 2020 2077-2087*

Effect of Averaging Voltage Regulation Control on Steady-State Analysis of Modular Multilevel Converters. *Song, S.*, +, *TPEL Sept. 2020 9215-9225*

Electroluminescence-Based Junction Temperature Measurement Approach for SiC Power MOSFETs. *Winkler, J.*, +, *TPEL March 2020 2990-2998*

Energy Storage and POPI Networks in Power Processing Systems. *Singer, S.*, +, *TPEL Feb. 2020 1425-1439*

Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*

Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*

High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*

How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*

IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*

Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*

Modeling and Validation of Common-Mode Emissions in Wide Bandgap-Based Converter Structures. *Lemmon, A.N.*, +, *TPEL Aug. 2020 8034-8049*

Multiparameter Model Order Reduction for Thermal Modeling of Power Electronics. *Dong, X.*, +, *TPEL Aug. 2020 8550-8558*

Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Novel Highly Efficient/Compact Automotive PCB Winding Inductors Based on the Compensating Air-Gap Fringing Field Concept. *Schafer, J.*, +, *TPEL Sept. 2020 9617-9631*

Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*

Power Electronic Pulse Generators for Water Treatment Application: A Review. *Guo, X.*, +, *TPEL Oct. 2020 10285-10305*

Power-Electronic-Based Electric Machine Emulator Using Direct Impedance Regulation. *Ma, K.*, +, *TPEL Oct. 2020 10673-10680*

Power-Linked Predictive Control Strategy for Power Electronic Traction Transformer. *Zhao, N.*, +, *TPEL June 2020 6559-6571*

Prediction and Analysis of EMI Spectrum Based on the Operating Principle of EMC Spectrum Analyzers. *Yang, L.*, +, *TPEL Jan. 2020 263-275*

Real-Time Maximum Torque per Ampere Control of Brushless DC Motor Drive With Minimum Torque Ripple. *Khazaee, A.*, +, *TPEL Feb. 2020 1194-1199*

Reliability Assessment of Multistate Degraded Systems: An Application to Power Electronic Systems. *Samavatian, V.*, +, *TPEL April 2020 4024-4032*

Selective Harmonic Current Rejection for Virtual Oscillator Controlled Grid-Forming Voltage Source Converters. *Awal, M.A.*, +, *TPEL Aug. 2020 8805-8818*

Series DC Arc Fault Detection Based on Ensemble Machine Learning. *Le, V.*, +, *TPEL Aug. 2020 7826-7839*

Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*

Simplified Resonant Parameter Design of the Asymmetrical *CLLC*-Type DC Transformer in the Renewable Energy System via Semi-Artificial Intelligent Optimal Scheme. *Huang, J.*, +, *TPEL Feb. 2020 1548-1562*

Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*

Soft-Start Procedure for a Three-Stage Smart Transformer Based on Dual-Active Bridge and Cascaded H-Bridge Converters. *Pugliese, S.*, +, *TPEL Oct. 2020 11039-11052*

Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*

The Current Shaping Modular Multilevel DC–DC Converter. *Gray, P.A.*, +, *TPEL Oct. 2020 10050-10063*

Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*

Thermoelectric Energy Conversion System With Multiple Inputs. *Hwu, K.*, +, *TPEL Feb. 2020 1603-1621*

Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*

Power engineering computing

A Nearly Decoupled Admittance Model for Grid-Tied VSCs Under Variable Operating Conditions. *Liu, W.*, +, *TPEL Sept. 2020 9380-9389*

A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*

A Simple Phase-Shift Modulation Using Parabolic Carrier for Dual Active Bridge DC–DC Converter. *Liu, Y.*, +, *TPEL Aug. 2020 7729-7734*

A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*

A Simplified SVM-Based Fault-Tolerant Strategy for Cascaded H-Bridge Multilevel Converters. *Lin, H.*, +, *TPEL Nov. 2020 11310-11315*

A Two-Stage T-Type Hybrid Five-Level Transformerless Inverter for PV Applications. *Kuncham, S.K.*, +, *TPEL Sept. 2020 9510-9521*

Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*

An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table. *Kodumur Meesala, R.E.*, +, *TPEL April 2020 3906-3917*

Controller-Embeddable Probabilistic Real-Time Digital Twins for Power Electronic Converter Diagnostics. *Milton, M.*, +, *TPEL Sept. 2020 9850-9864*

Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*

Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact. *Huang, J.*, +, *TPEL July 2020 7086-7099*

Design-Oriented Comprehensive Time-Domain Model for *CLLC* Class Isolated Bidirectional DC-DC Converter for Various Operation Modes. *Sun, J.*, +, *TPEL April 2020 3491-3505*

Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*

Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator. *Su, J.*, +, *TPEL Oct. 2020 9953-9958*

High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*

Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*

Load Transient Response Analysis of Constant On-Time DC–DC Converters Using a State-Variables Approach. *Bizzarri, F.*, +, *TPEL May 2020 4489-4499*

Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*

New Digital Control Method for Improving Dynamic Response of Synchronous Rectified PSR Flyback Converter With CCM and DCM Modes. *Xu, S.*, +, *TPEL Nov. 2020 12347-12358*
Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*
Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*
Resilient Operation of Heterogeneous Sources in Cooperative DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 12601-12605*
Sampled-Data Modeling for Wireless Power Transfer Systems. *Tang, J.*, +, *TPEL March 2020 3173-3182*
Series DC Arc Fault Detection Based on Ensemble Machine Learning. *Le, V.*, +, *TPEL Aug. 2020 7826-7839*
State-of-Health Estimation Based on Differential Temperature for Lithium Ion Batteries. *Tian, J.*, +, *TPEL Oct. 2020 10363-10373*
Two-Step HNN-Based Pattern Recognition Combining DWT-Based Multi-Resolution Analysis for Rechargeable Cells Distinction. *Lee, S.*, +, *TPEL Nov. 2020 11891-11901*
Wireless Energy-On-Demand Using Magnetic Quasi-Resonant Coupling. *Liu, W.*, +, *TPEL Sept. 2020 9057-9069*

Power factor

A Dynamic WPT System With High Efficiency and High Power Factor for Electric Vehicles. *Zakerian, A.*, +, *TPEL July 2020 6732-6740*
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
A Reduced-Switch-Count Family of Soft-Switched High-Frequency Inductive AC-Link Converters. *Mozaffari, K.*, +, *TPEL Aug. 2020 7972-7990*
A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*
A Single-Stage Fault-Tolerant Three-Phase Bidirectional AC/DC Converter With Symmetric High-Frequency Y-Δ Connected Transformers. *Gu, L.*, +, *TPEL Sept. 2020 9226-9237*
A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine. *Raherimihaja, H.J.*, +, *TPEL Nov. 2020 12122-12132*
A Two-Stage T-Type Hybrid Five-Level Transformerless Inverter for PV Applications. *Kuncham, S.K.*, +, *TPEL Sept. 2020 9510-9521*
Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*
An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*
Bridgeless Cuk-Derived Single Power Conversion Inverter With Reactive-Power Capability. *Han, B.*, +, *TPEL March 2020 2629-2645*
Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL May 2020 5132-5143*
Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*
Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*
Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*
DQ-Frame Zero-Crossing Effect Modeling and Current Distortion Compensation Method for Vienna Rectifier. *Miao, Z.*, +, *TPEL July 2020 7612-7623*
Fractal Approach Based Simplified and Generalized Sector Detection in Current Error Space Phasor Based Hysteresis Controller Applied to Multilevel Front-End Converters. *Shah, M.T.*, +, *TPEL Oct. 2020 11082-11095*
General High-Frequency-Link Analysis and Application of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL Aug. 2020 8673-8688*
Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*
Improved Power Quality On-Board Integrated Charger With Reduced Switching Stress. *Gupta, J.*, +, *TPEL Oct. 2020 10810-10820*
Manitoba Rectifier—Bridgeless Buck–Boost PFC. *Siu, K.K.M.*, +, *TPEL Jan. 2020 403-414*
Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*
Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function. *Wang, X.*, +, *TPEL Dec. 2020 13602-13620*
Multiple-Objective Control Scheme for Input-Series–Output-Series *LCL*-Filtered Grid-Connected Inverter System. *Fang, T.*, +, *TPEL Aug. 2020 8689-8700*
On-Board Single-Phase Integrated Electric Vehicle Charger With V2G Functionality. *Semsar, S.*, +, *TPEL Nov. 2020 12072-12084*
Optimal Modulation for a Fifth-Order Dual-Active-Bridge Resonant Immittance DC–DC Converter. *Yaqoob, M.*, +, *TPEL Jan. 2020 70-82*
Optimum Boundary Inductance Control Concerning Limited PF for a DCM Boost PFC Converter. *Yao, K.*, +, *TPEL Jan. 2020 443-454*
Single-Phase Split-Inductor Differential Boost Inverters. *Khan, A.A.*, +, *TPEL Jan. 2020 107-120*
Thermally Compensated Discontinuous Modulation for MVAC/LVDC Building Blocks of Modular Smart Transformers. *Ko, Y.*, +, *TPEL Jan. 2020 220-231*
Topology and Control of a Four-Level ANPC Inverter. *Wang, K.*, +, *TPEL March 2020 2342-2352*

Power factor correction

1-kW Boost-type PFC Using a Low-Voltage Series Pass Module for Input Current Shaping. *Tung, C.*, +, *TPEL July 2020 7596-7611*
99% Efficient Isolated Three-Phase Matrix-Type DAB Buck–Boost PFC Rectifier. *Schrittwieser, L.*, +, *TPEL Jan. 2020 138-157*
A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*
A Magnetically Controlled Single-Stage AC–DC Converter. *Wei, Y.*, +, *TPEL Sept. 2020 8872-8877*
A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications. *Huang, Y.*, +, *TPEL May 2020 4613-4621*
Analysis and Improvement of Capacitance Effects in 360–800 Hz Variable On-Time Controlled CRM Boost PFC Converters. *Ren, X.*, +, *TPEL July 2020 7480-7491*
Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL May 2020 5132-5143*
Digital-Based Critical Conduction Mode Control for Three-Level Boost PFC Converter. *Lee, M.*, +, *TPEL July 2020 7689-7701*
Dual-Mode Modulation Scheme With Seamless Transition for a Tunable Immittance-Based DAB Converter Featuring High-Efficiency Performance Over Whole Output Power Range. *Chan, Y.P.*, +, *TPEL Sept. 2020 9184-9201*
Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*
Erratum to “Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications”. *Komathi, C.*, +, *TPEL May 2020 5543*
Extensions of Leading-Edge Modulated One-Cycle Control for Totem-Pole Bridgeless Rectifiers. *Fischer, G.d.S.*, +, *TPEL May 2020 5447-5460*
Fully Integrated Buck and Boost Converter as a High Efficiency, High-Power-Density Off-Line LED Driver. *Abdelmessih, G.Z.*, +, *TPEL Nov. 2020 12238-12251*
Hybrid Low-Frequency Switch for Bridgeless PFC. *Huang, Q.*, +, *TPEL Oct. 2020 9982-9986*
Manitoba Rectifier—Bridgeless Buck–Boost PFC. *Siu, K.K.M.*, +, *TPEL Jan. 2020 403-414*

Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*
Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function. *Wang, X.*, +, *TPEL Dec. 2020 13602-13620*
New Bridgeless Power Factor Correction Converter With Simple Gate Driving Circuit and High Efficiency for Server Power Applications. *Lee, Y.*, +, *TPEL Dec. 2020 13148-13156*
Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*
Optimum Boundary Inductance Control Concerning Limited PF for a DCM Boost PFC Converter. *Yao, K.*, +, *TPEL Jan. 2020 443-454*
Resonant Bridgeless AC/DC Rectifier With High Switching Frequency and Inherent PFC Capability. *Valipour, H.*, +, *TPEL Jan. 2020 232-246*
Semiconductor-Based Galvanic Isolation: Touch Current Suppression. *Yao, C.*, +, *TPEL Jan. 2020 48-58*
Single-Phase Bridgeless PFC Topology Derivation and Performance Benchmarking. *Chen, Z.*, +, *TPEL Sept. 2020 9238-9250*
Two-Phase Interleaved Boost PFC Converter With Coupled Inductor Under Single-Phase Operation. *Yang, F.*, +, *TPEL Jan. 2020 169-184*

Power field effect transistors

Physics-Oriented Device Model for Packaged GaN Devices. *Mahajan, D.D.*, +, *TPEL June 2020 6332-6339*

Power filters

1-kW Boost-type PFC Using a Low-Voltage Series Pass Module for Input Current Shaping. *Tung, C.*, +, *TPEL July 2020 7596-7611*
A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*
A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter. *Hou, S.*, +, *TPEL July 2020 7640-7652*
A Simple Method for Passivity Enhancement of Current Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Aug. 2020 7735-7741*
A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*
A Study of Virtual Resistor-Based Active Damping Alternatives for *LCL* Resonance in Grid-Connected Voltage Source Inverters. *Liu, T.*, +, *TPEL Jan. 2020 247-262*
A Switched Capacitive Filter-Based Harmonic Elimination Technique by Generating a 30-Sided Voltage Space Vector Structure for IM Drive. *R, R.*, +, *TPEL March 2020 2402-2410*
Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters. *Niyomsatian, K.*, +, *TPEL July 2020 7583-7595*
All-Pass-Filter-Based PLL Systems: Linear Modeling, Analysis, and Comparative Evaluation. *Golestan, S.*, +, *TPEL April 2020 3558-3572*
An Inductive Filtering-Based Parallel Operating Transformer With Shared Filter for Power Quality Improvement of Wind Farm. *Liu, Q.*, +, *TPEL Sept. 2020 9281-9290*
Analytical Factorized Model for Stability Analysis and Optimization of Shunt *RC* Damped *LCL* Filter for Grid-Connected Voltage Source Inverters. *Koran, A.*, +, *TPEL July 2020 6830-6841*
Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*
Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*
Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*
Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*
Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*
Model Predictive Voltage and Power Control of Islanded PV-Battery Microgrids With Washout-Filter-Based Power Sharing Strategy. *Shan, Y.*, +, *TPEL Feb. 2020 1227-1238*
Multisource Switched Capacitor Based Boost Multilevel Inverter for Photovoltaic-Based Systems. *Ramaiah, S.*, +, *TPEL March 2020 2558-2570*
Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*
Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping. *Yao, W.*, +, *TPEL March 2020 3114-3126*
Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*
Review and Comparison of Grid-Tied Inverter Controllers in Microgrids. *Liu, Q.*, +, *TPEL July 2020 7624-7639*
Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter. *Zhao, J.*, +, *TPEL Aug. 2020 8102-8115*
Separate-Structure UDE-Based Current Resonant Control Strategy on *L*+*C*+*L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness. *Xiong, Y.*, +, *TPEL Dec. 2020 13641-13651*
Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation. *Zhou, Z.*, +, *TPEL Nov. 2020 12555-12569*
Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*

Power generation

A Leakage-Inductor Parameter Compensation Method for Paralleled Current-Fed Isolated DC/DC System. *Zhang, Y.*, +, *TPEL Feb. 2020 1160-1164*
A Three-Phase Dual-Active-Bridge DC–DC Converter With Reconfigurable Resonant Network for Efficient Wide Voltage Range Operation. *Khan, A.Z.*, +, *TPEL Feb. 2020 1322-1339*
Input-Independent and Output-Series Connected Modular DC–DC Converter With Intermodule Power Balancing Units for MVdc Integration of Distributed PV. *Li, X.*, +, *TPEL Feb. 2020 1622-1636*

Power generation control

A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion. *Escobar, G.*, +, *TPEL May 2020 4647-4657*
A Dynamic Priority Factor Loop for Fast Voltage Equalization Applied to High Power Density DC–DC Converter System. *Zhang, R.*, +, *TPEL Jan. 2020 198-207*
A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*
A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*
A Nonisolated Symmetric Bipolar Output Four-Port Converter Interfacing PV-Battery System. *Tian, Q.*, +, *TPEL Nov. 2020 11731-11744*
A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*
A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids. *Liu, B.*, +, *TPEL Nov. 2020 11634-11651*
A Synchronous Reference Frame PI Current Controller With Dead Beat Response. *Busada, C.A.*, +, *TPEL March 2020 3097-3105*
A Unified Power Control Method for Standalone and Grid-Connected DFIG-DC System. *Wu, C.*, +, *TPEL Dec. 2020 12663-12667*
A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability. *Meng, X.*, +, *TPEL Sept. 2020 9794-9812*
Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*
Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

Analysis and Reshaping on Impedance Characteristic of DFIG System Based on Symmetrical PLL. *Nian, H.*, +, *TPEL Nov. 2020 11720-11730*
Communication-Independent Power Balance Control for Solid State Transformer Interfaced Multiple Power Conversion Systems. *Nie, J.*, +, *TPEL April 2020 4256-4271*
Comparison of Basic Inductive Power Transfer Systems With Linear Control Achieving Optimized Efficiency. *Huang, Z.*, +, *TPEL March 2020 3276-3286*
Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*
Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*
DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation. *Hajihosseini, M.*, +, *TPEL Oct. 2020 9971-9977*
Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*
Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*
Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*
Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking. *Hussein, A.A.*, +, *TPEL May 2020 4780-4790*
Design of Control System for Smooth Mode-Transfer of Grid-Tied Mode and Islanding Mode in Microgrid. *Gao, M.*, +, *TPEL June 2020 6419-6435*
Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*
Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*
Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*
Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*
Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*
Extended Functionalities of Photovoltaic Systems With Flexible Power Point Tracking: Recent Advances. *Tafti, H.D.*, +, *TPEL Sept. 2020 9342-9356*
Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*
HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*
Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*
Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*
High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application. *Liu, T.*, +, *TPEL Nov. 2020 11770-11782*
High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*
Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*
Inertia Response Improvement in AC Microgrids: A Fuzzy-Based Virtual Synchronous Generator Control. *Karimi, A.*, +, *TPEL April 2020 4321-4331*
Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*
Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*
Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*
Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*
IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*
Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*
Marginal Power-Based Maximum Power Point Tracking Control of Photovoltaic System Under Partially Shaded Condition. *Ghasemi, M.A.*, +, *TPEL June 2020 5860-5872*
Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*
Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function. *Wang, X.*, +, *TPEL Dec. 2020 13602-13620*
Negative Sequence Voltage Compensating for Unbalanced Standalone Brushless Doubly-Fed Induction Generator. *Xu, W.*, +, *TPEL Jan. 2020 667-680*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Novel Analytical Method for Dynamic Design of Renewable SSG SPC Unit to Mitigate Low-Frequency Electromechanical Oscillations. *Abdollahi, M.*, +, *TPEL July 2020 7532-7544*
On the Secondary Control Architectures of AC Microgrids: An Overview. *Khayat, Y.*, +, *TPEL June 2020 6482-6500*
Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. *Guo, B.*, +, *TPEL Dec. 2020 13000-13016*
Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids. *Zhang, Q.*, +, *TPEL July 2020 7001-7014*
Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*
Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters. *Wu, X.*, +, *TPEL Sept. 2020 9865-9885*
Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*
Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*
Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency. *Wang, J.*, +, *TPEL July 2020 7073-7085*
Resistive–Capacitive Output Impedance Shaping for Droop-Controlled Converters in DC Microgrids With Reduced Output Capacitance. *Liu, G.*, +, *TPEL June 2020 6501-6511*
Review and Comparison of Grid-Tied Inverter Controllers in Microgrids. *Liu, Q.*, +, *TPEL July 2020 7624-7639*
Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter. *Zhao, J.*, +, *TPEL Aug. 2020 8102-8115*
Robust High-Rate Secondary Control of Microgrids With Mitigation of Communication Impairments. *Heydari, R.*, +, *TPEL Nov. 2020 12486-12496*
Separate-Structure UDE-Based Current Resonant Control Strategy on *L*+*C*+*L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness. *Xiong, Y.*, +, *TPEL Dec. 2020 13641-13651*
Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*

Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*

Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation. *Zhou, Z.*, +, *TPEL Nov. 2020 12555-12569*

The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*

Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*

Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*

Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*

Power generation economics

A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*

Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact. *Huang, J.*, +, *TPEL July 2020 7086-7099*

Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*

Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*

Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*

Modulation for the AVC-HERIC Inverter to Compensate for Deadtime and Minimum Pulsewidth Limitation Distortions. *Tang, Z.*, +, *TPEL March 2020 2571-2584*

Three-Phase Split-Source Inverter-Fed PV Systems: Analysis and Mitigation of Common-Mode Voltage. *Hassan, M.S.*, +, *TPEL Sept. 2020 9824-9838*

Power generation faults

A Fast and Robust Diagnostic Method for Multiple Open-Circuit Faults of Voltage-Source Inverters Through Line Voltage Magnitudes Analysis. *Wu, X.*, +, *TPEL May 2020 5205-5220*

A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*

Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*

Design and Experimental Verification of an Efficient SSCB Based on CS-MCT. *Xu, X.*, +, *TPEL Nov. 2020 11682-11693*

Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*

Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*

Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies. *Leterme, W.*, +, *TPEL June 2020 5753-5769*

Resistive–Capacitive Output Impedance Shaping for Droop-Controlled Converters in DC Microgrids With Reduced Output Capacitance. *Liu, G.*, +, *TPEL June 2020 6501-6511*

Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*

Power generation protection

Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*

Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Design and Experimental Verification of an Efficient SSCB Based on CS-MCT. *Xu, X.*, +, *TPEL Nov. 2020 11682-11693*

Grounding Fault in Series-Connection-Based Offshore Wind Farms: Fault Clearance. *Guo, G.*, +, *TPEL Sept. 2020 9357-9367*

Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*

Power generation reliability

A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*

A Nonisolated Symmetric Bipolar Output Four-Port Converter Interfacing PV-Battery System. *Tian, Q.*, +, *TPEL Nov. 2020 11731-11744*

Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact. *Huang, J.*, +, *TPEL July 2020 7086-7099*

Extended Functionalities of Photovoltaic Systems With Flexible Power Point Tracking: Recent Advances. *Tafti, H.D.*, +, *TPEL Sept. 2020 9342-9356*

Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*

Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*

Modulation for the AVC-HERIC Inverter to Compensate for Deadtime and Minimum Pulsewidth Limitation Distortions. *Tang, Z.*, +, *TPEL March 2020 2571-2584*

On the Secondary Control Architectures of AC Microgrids: An Overview. *Khayat, Y.*, +, *TPEL June 2020 6482-6500*

Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*

Power generation scheduling

Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*

Power grids

A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*

A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*

A Complete HSS-Based Impedance Model of MMC Considering Grid Impedance Coupling. *Xu, Z.*, +, *TPEL Dec. 2020 12929-12948*

A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion. *Escobar, G.*, +, *TPEL May 2020 4647-4657*

A Fast and Robust Real-Time Detection Algorithm of Decaying DC Transient and Harmonic Components in Three-Phase Systems. *Xiong, L.*, +, *TPEL April 2020 3332-3336*

A Fast Diagnosis Method for Both IGBT Faults and Current Sensor Faults in Grid-Tied Three-Phase Inverters With Two Current Sensors. *Li, Z.*, +, *TPEL May 2020 5267-5278*

A Fast Positive Sequence Components Extraction Method With Noise Immunity in Unbalanced Grids. *Du, L.*, +, *TPEL July 2020 6682-6685*

A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*

A Hybrid Modular DC Solid-State Transformer Combining High Efficiency and Control Flexibility. *Sun, Y.*, +, *TPEL April 2020 3434-3449*

A Nearly Decoupled Admittance Model for Grid-Tied VSCs Under Variable Operating Conditions. *Liu, W.*, +, *TPEL Sept. 2020 9380-9389*

A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*

A New Switched-Capacitor Five-Level Inverter Suitable for Transformerless Grid-Connected Applications. *Barzegarkhoo, R.*, +, *TPEL Aug. 2020 8140-8153*

A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*

A Novel Converter-Breaker Integrated Voltage Source Converter Based on High-Surge IGCT and Fault Self-Clearing Strategy for DC Grid. *Xu, C.*, +, *TPEL Dec. 2020 12668-12672*

A Novel Current-Commutation-Based FCL for the Flexible DC Grid. *Li, B.*, +, *TPEL Jan. 2020 591-606*

A Novel Dual-Input High-Gain Transformerless Multilevel Single-Phase Microinverter for PV Systems. *Ibrahim, E.A.D.*, +, *TPEL May 2020 4703-4714*

A Novel Fault Ride-Through Strategy Based on Capacitor Energy Storage Inside MMC. *Xiao, Y.*, +, *TPEL Aug. 2020 7960-7971*

A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*

A Practical Core Loss Estimation Method for Three-Phase Three-Level Grid-Connected Inverters. *Zhao, R.*, +, *TPEL March 2020 2263-2267*

A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*

A Simple Method for Passivity Enhancement of Current Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Aug. 2020 7735-7741*

A Simplified Stator Frequency and Power Control Method of DFIG-DC System Without Stator Voltage and Current Sensors. *Wu, C.*, +, *TPEL June 2020 5562-5566*

A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*

A Study of Virtual Resistor-Based Active Damping Alternatives for *LCL* Resonance in Grid-Connected Voltage Source Inverters. *Liu, T.*, +, *TPEL Jan. 2020 247-262*

A Symmetrical Control Method for Grid-Connected Converters to Suppress the Frequency Coupling Under Weak Grid Conditions. *Zhang, X.*, +, *TPEL Dec. 2020 13488-13499*

A Synchronous Reference Frame PI Current Controller With Dead Beat Response. *Busada, C.A.*, +, *TPEL March 2020 3097-3105*

A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine. *Raherimihaja, H.J.*, +, *TPEL Nov. 2020 12122-12132*

A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding. *Pal, A.*, +, *TPEL Nov. 2020 11758-11769*

A Transformerless Common-Ground Three-Switch Single-Phase Inverter for Photovoltaic Systems. *Sarikhani, A.*, +, *TPEL Sept. 2020 8902-8909*

A Two-Stage T-Type Hybrid Five-Level Transformerless Inverter for PV Applications. *Kuncham, S.K.*, +, *TPEL Sept. 2020 9510-9521*

A Unified Power Control Method for Standalone and Grid-Connected DFIG-DC System. *Wu, C.*, +, *TPEL Dec. 2020 12663-12667*

A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability. *Meng, X.*, +, *TPEL Sept. 2020 9794-9812*

A Wireless EV Charging Topology With Integrated Energy Storage. *Ruddell, S.*, +, *TPEL Sept. 2020 8965-8972*

Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*

Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*

Active Power Oscillation and Suppression Techniques Between Two Parallel Synchronverters During Load Fluctuations. *Shuai, Z.*, +, *TPEL April 2020 4127-4142*

Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters. *Niyomsatian, K.*, +, *TPEL July 2020 7583-7595*

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

All-Pass-Filter-Based PLL Systems: Linear Modeling, Analysis, and Comparative Evaluation. *Golestan, S.*, +, *TPEL April 2020 3558-3572*

An Adaptive Frequency-Fixed Second-Order Generalized Integrator-Quadrature Signal Generator Using Fractional-Order Conformal Mapping Based Approach. *Akhtar, M.A.*, +, *TPEL June 2020 5548-5552*

An Inductive Filtering-Based Parallel Operating Transformer With Shared Filter for Power Quality Improvement of Wind Farm. *Liu, Q.*, +, *TPEL Sept. 2020 9281-9290*

Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*

Analysis and Reshaping on Impedance Characteristic of DFIG System Based on Symmetrical PLL. *Nian, H.*, +, *TPEL Nov. 2020 11720-11730*

Analysis, Design, and Implementation of Impulse-Injection-Based Online Grid Impedance Identification With Grid-Tied Converters. *Liu, Z.*, +, *TPEL Dec. 2020 12959-12976*

Analytic Spectral Analysis Technique for Converters Operating With Oscillatory DC-Link Voltage Components. *Townsend, C.D.*, +, *TPEL Dec. 2020 13540-13553*

Analytical Factorized Model for Stability Analysis and Optimization of Shunt *RC* Damped *LCL* Filter for Grid-Connected Voltage Source Inverters. *Koran, A.*, +, *TPEL July 2020 6830-6841*

Arm Current Balancing Control for Modular Multilevel Converters Under Unbalanced Grid Conditions. *Wang, J.*, +, *TPEL March 2020 2467-2479*

Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer. *Zhu, R.*, +, *TPEL July 2020 6895-6905*

Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5397-5407*

Balanced Submodule Operation of Modular Multilevel Converter-Based Induction Motor Drive for Wide-Speed Range. *Kumar, Y.S.*, +, *TPEL April 2020 3918-3927*

Communication-Independent Power Balance Control for Solid State Transformer Interfaced Multiple Power Conversion Systems. *Nie, J.*, +, *TPEL April 2020 4256-4271*

Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*

Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*

Control Techniques for the Back-to-Back Neutral-Point Clamped Converter in Asynchronous Operation. *Tsai, M.*, +, *TPEL March 2020 2334-2341*

Coupling of AC Grids via VSC-HVDC Interconnections for Oscillation Damping Based on Differential and Common Power Control. *Rodriguez-Cabero, A.*, +, *TPEL June 2020 6548-6558*

Damping Method of High-Frequency Resonance for Stator Current Controlled DFIG System Under Parallel Compensation Grid. *Pang, B.*, +, *TPEL Oct. 2020 10260-10270*

Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*

Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*

Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*

Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking. *Hussein, A.A.*, +, *TPEL May 2020 4780-4790*

Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*

Design of Multifrequency Proportional–Resonant Current Controllers for Voltage-Source Converters. *Hans, F.*, +, *TPEL Dec. 2020 13573-13589*

Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*

Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters. *Wu, H.*, +, *TPEL April 2020 3573-3589*

Development and Verification Test of the 6.6-kV 200-kVA Transformerless SDBC-Based STATCOM Using SiC-MOSFET Modules. *Maharjan, L.*, +, *TPEL Dec. 2020 13687-13696*

DQ-Frame Zero-Crossing Effect Modeling and Current Distortion Compensation Method for Vienna Rectifier. *Miao, Z.*, +, *TPEL July 2020 7612-7623*

Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*

Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*

Enabling Grid-Feeding Converters With a Dissonant-Resonant Controller for Negative-Sequence Voltage Elimination. *Velasco, M.*, +, *TPEL April 2020 4342-4352*

Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*

Extended Functionalities of Photovoltaic Systems With Flexible Power Point Tracking: Recent Advances. *Tafti, H.D.*, +, *TPEL Sept. 2020 9342-9356*

Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application. *Sharma, R.*, +, *TPEL June 2020 5683-5691*

Frequency-Division Virtual Impedance Shaping Control Method for Grid-Connected Inverters in a Weak and Distorted Grid. *Zhu, K.*, +, *TPEL Aug. 2020 8116-8129*

Fuse-Based Short-Circuit Protection of Converter Controlled Low-Voltage DC Grids. *Ravyts, S.*, +, *TPEL Nov. 2020 11694-11706*

Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*

Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*

Harmonic-Domain SISO Equivalent Impedance Modeling and Stability Analysis of a Single-Phase Grid-Connected VSC. *Zhang, C.*, +, *TPEL Sept. 2020 9770-9783*

Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*

Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*

High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*

Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*

Impedance Measurement of Three-Phase Inverter in the Stationary Frame Using Frequency Response Analyzer. *Liu, J.*, +, *TPEL Sept. 2020 9390-9401*

Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*

Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles. *Liao, Y.*, +, *TPEL April 2020 4388-4397*

Improved Design of PLL Controller for *LCL*-Type Grid-Connected Converter in Weak Grid. *Zhu, D.*, +, *TPEL May 2020 4715-4727*

Improved Model Predictive Control for High-Power Current-Source Rectifiers Under Normal and Distorted Grid Conditions. *Xue, C.*, +, *TPEL May 2020 4588-4601*

Improved Modulation Strategy for Single-Phase Isolated Quasi-Single-Stage AC–DC Converter to Improve Current Characteristics. *Li, X.*, +, *TPEL April 2020 4296-4308*

Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*

Individual Channel Design-Based Precise Analysis and Design for Three-Phase Grid-Tied Inverter With *LCL*-Filter Under Unbalanced Grid Impedance. *Wu, W.*, +, *TPEL May 2020 5381-5396*

Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*

Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*

Manitoba Rectifier—Bridgeless Buck–Boost PFC. *Siu, K.K.M.*, +, *TPEL Jan. 2020 403-414*

Model-Based Control for Grid-Tied Inverters Operated in Discontinuous Current Mode With Low Harmonic Current Distortion. *Zhang, J.*, +, *TPEL Oct. 2020 11167-11180*

Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*

Modified Discontinuous PWM Strategy for Three-Phase Grid-Connected PV Inverters With Hybrid Active–Passive Damping Scheme. *Giacomini, J.C.*, +, *TPEL Aug. 2020 8063-8073*

Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*

Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*

Multiple-Objective Control Scheme for Input-Series–Output-Series *LCL*-Filtered Grid-Connected Inverter System. *Fang, T.*, +, *TPEL Aug. 2020 8689-8700*

Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*

Negative Sequence Voltage Compensating for Unbalanced Standalone Brushless Doubly-Fed Induction Generator. *Xu, W.*, +, *TPEL Jan. 2020 667-680*

Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*

Novel Analytical Method for Dynamic Design of Renewable SSG SPC Unit to Mitigate Low-Frequency Electromechanical Oscillations. *Abdollahi, M.*, +, *TPEL July 2020 7532-7544*

Online Frequency Response Measurements of Grid-Connected Systems in Presence of Grid Harmonics and Unbalance. *Luhtala, R.*, +, *TPEL April 2020 3343-3347*

Optimization of *LCL* Filter With Integrated Intercell Transformer for Two-Interleaved High-Power Grid-Tied Converters. *Park, K.*, +, *TPEL March 2020 2317-2333*

Output Impedance Modeling of Single-Phase Grid-Tied Inverters With Capturing the Frequency-Coupling Effect of PLL. *Qian, Q.*, +, *TPEL May 2020 5479-5495*

Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*

Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*

Passivity-Based Stabilization of *LCL*-Type Grid-Connected Inverters via a General Admittance Model. *Xie, C.*, +, *TPEL June 2020 6636-6648*

Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping. *Yao, W.*, +, *TPEL March 2020 3114-3126*

Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*

Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency. *Wang, J.*, +, *TPEL July 2020 7073-7085*

Real-Time Calculation Method for Single-Phase Cascaded H-Bridge Inverters Based on Phase-Shifted Carrier Pulsewidth Modulation. *Ma, J.*, +, *TPEL Jan. 2020 977-987*

Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*

Reference-Feedforward Power-Synchronization Control. *Harnefors, L.*, +, *TPEL Sept. 2020 8878-8881*

Review and Comparison of Grid-Tied Inverter Controllers in Microgrids. *Liu, Q.*, +, *TPEL July 2020 7624-7639*
Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter. *Zhao, J.*, +, *TPEL Aug. 2020 8102-8115*
Selective Harmonic Current Rejection for Virtual Oscillator Controlled Grid-Forming Voltage Source Converters. *Awal, M.A.*, +, *TPEL Aug. 2020 8805-8818*
Separate-Structure UDE-Based Current Resonant Control Strategy on *L*+*C*+*L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness. *Xiong, Y.*, +, *TPEL Dec. 2020 13641-13651*
Sequence Impedance Modeling and Stability Analysis for Load Converters With Inertial Support. *Liu, Y.*, +, *TPEL Dec. 2020 13031-13041*
Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*
Stability Analysis of Power Systems With Multiple STATCOMs in Close Proximity. *Li, C.*, +, *TPEL March 2020 2268-2283*
Stability Assessment of DFIG Subsynchronous Oscillation Based on Energy Dissipation Intensity Analysis. *Ma, J.*, +, *TPEL Aug. 2020 8074-8087*
Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation. *Zhou, Z.*, +, *TPEL Nov. 2020 12555-12569*
Study on DFIG Dissipation Energy Model and Low-Frequency Oscillation Mechanism Considering the Effect of PLL. *Shen, Y.*, +, *TPEL April 2020 3348-3364*
The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*
Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*
Three-Port Full-Bridge Bidirectional Converter for Hybrid DC/DC/AC Systems. *Neira, S.*, +, *TPEL Dec. 2020 13077-13084*
Trapezoidal Current Modulation for Bidirectional High-Step-Ratio Modular DC–DC Converters. *Qiao, Y.*, +, *TPEL April 2020 3402-3415*
Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs. *Chou, S.*, +, *TPEL April 2020 3519-3529*
Unified Modular State-Space Modeling of Grid-Connected Voltage-Source Converters. *Yang, D.*, +, *TPEL Sept. 2020 9700-9715*
Virtual-Flux-Based Passivation of Current Control for Grid-Connected VSCs. *Wu, H.*, +, *TPEL Dec. 2020 12673-12677*
Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*

Power harmonic filters

A Fast and Robust Real-Time Detection Algorithm of Decaying DC Transient and Harmonic Components in Three-Phase Systems. *Xiong, L.*, +, *TPEL April 2020 3332-3336*
A Harmonic Compensation System With Embedded Load Observer for Micro-Grids in the Islanded Mode of Operation. *Kaviri, S.M.*, +, *TPEL Feb. 2020 1406-1424*
A Modular Multilevel Converter With Active Power Filter for Submodule Capacitor Voltage Ripples and Power Losses Reduction. *Jia, G.*, +, *TPEL Nov. 2020 11401-11417*
A Motor CM Impedance Based Transformerless Active EMI Filter for DC-Side Common-Mode EMI Suppression in Motor Drive System. *Zhang, Y.*, +, *TPEL Oct. 2020 10238-10248*
Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*
Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*
Distortion-Minimizing Flux Observer for IPMSM Based on Frequency-Adaptive Observers. *Kim, H.*, +, *TPEL Feb. 2020 2077-2087*
Dynamic Terminal Sliding-Mode Control for Single-Phase Active Power Filter Using New Feedback Recurrent Neural Network. *Fei, J.*, +, *TPEL Sept. 2020 9904-9922*
Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*
High-Frequency Voltage and Current Sense Circuits for Inductive Power Transfer Systems. *Zhu, G.*, +, *TPEL Nov. 2020 11352-11362*
Optimization of *LCL* Filter With Integrated Intercell Transformer for Two-Interleaved High-Power Grid-Tied Converters. *Park, K.*, +, *TPEL March 2020 2317-2333*

Power HEMT

A Reliable Ultrafast Short-Circuit Protection Method for E-Mode GaN HEMT. *Lyu, X.*, +, *TPEL Sept. 2020 8926-8933*
Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter. *Li, K.*, +, *TPEL Sept. 2020 9650-9660*
Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*
How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*
Review of Loss Distribution, Analysis, and Measurement Techniques for GaN HEMTs. *Gareau, J.*, +, *TPEL July 2020 7405-7418*
Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*

Power inductors

A Compact Rectenna Design With Wide Input Power Range for Wireless Power Transfer. *Lu, P.*, +, *TPEL July 2020 6705-6710*
A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress. *Hassan, W.*, +, *TPEL Nov. 2020 11827-11842*
A High Voltage Gain DC–DC Converter Based on Three Winding Coupled Inductor and Voltage Multiplier Cell. *Azizkandi, M.E.*, +, *TPEL May 2020 4558-4567*
A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications. *Huang, Y.*, +, *TPEL May 2020 4613-4621*
A Modified Y-Source DC–DC Converter With High Voltage-Gains and Low Switch Stresses. *Yuan, J.*, +, *TPEL Aug. 2020 7716-7720*
A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*
A Novel DCM Soft-Switched SEPIC-Based High-Frequency Converter With High Step-Up Capacity. *Gao, S.*, +, *TPEL Oct. 2020 10444-10454*
A Practical Core Loss Estimation Method for Three-Phase Three-Level Grid-Connected Inverters. *Zhao, R.*, +, *TPEL March 2020 2263-2267*
A Single-Switch High-Gain PV Microconverter With Low-Switch-Voltage-to-High-Voltage-Bus Ratio. *Kanathipan, K.*, +, *TPEL Sept. 2020 9530-9540*
A Soft-Switched Modulation for a Single-Phase Quasi-Z-Source-Integrated Charger in Electric Vehicle Application. *Na, T.*, +, *TPEL May 2020 4602-4612*
A Thorough Analysis for the Impact of the Coupling Coefficient on the Behavior of the Coupled Inductor High Step-Up Converters. *Zaoskoufis, K.*, +, *TPEL Aug. 2020 8287-8302*
A Two-Stage T-Type Hybrid Five-Level Transformerless Inverter for PV Applications. *Kuncham, S.K.*, +, *TPEL Sept. 2020 9510-9521*
A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability. *Meng, X.*, +, *TPEL Sept. 2020 9794-9812*
An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*
An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*
An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications. *Zhang, Z.*, +, *TPEL Nov. 2020 11544-11556*

An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*

An Ultrahigh Voltage Gain Hybrid-Connected Boost Converter With Ultralow Distributed Voltage Stress. *Hu, X.*, +, *TPEL Oct. 2020 10385-10395*

Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*

Analysis and Design of a Single-Switch High Step-Up Coupled-Inductor Boost Converter. *Zheng, Y.*, +, *TPEL Jan. 2020 535-545*

Analysis and Modeling of a New Coupled-Inductor Buck–Boost DC–DC Converter for Renewable Energy Applications. *Hasanpour, S.*, +, *TPEL Aug. 2020 8088-8101*

Average Inductor Current Measure and Control Strategy for Multimode Primary-Side Flyback Converters. *Han, Y.*, +, *TPEL Dec. 2020 13096-13103*

Bidirectional Buck–Boost Current-Fed Isolated DC–DC Converter and Its Modulation. *Wu, F.*, +, *TPEL May 2020 5506-5516*

Bidirectional LCLL Resonant Converter With Wide Output Voltage Range. *Zhang, Y.*, +, *TPEL Nov. 2020 11813-11826*

Common-Mode EMI Noise Analysis and Reduction for AC–DC–AC Systems With Paralleled Power Modules. *Yang, L.*, +, *TPEL July 2020 6989-7000*

Coupled Inductor-Based High Voltage Gain DC–DC Converter For Renewable Energy Applications. *Mirzaee, A.*, +, *TPEL July 2020 7045-7057*

Coupled-Inductor Buck–Boost Inverter With Reduced Current Ripple. *Khan, A.A.*, +, *TPEL Aug. 2020 7933-7946*

Current Ripple Analysis of Three-Phase Vienna Rectifier Considering Inductance Variation of Powder Core Inductor. *Wang, T.*, +, *TPEL May 2020 4568-4578*

Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*

Desynchronizing Paralleled GaN HEMTs to Reduce Light-Load Switching Loss. *Shen, Y.*, +, *TPEL Sept. 2020 9151-9170*

Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain. *Lee, S.S.*, +, *TPEL Sept. 2020 9522-9529*

Effects of Parasitic Resistances on Magnetically Coupled Impedance-Source Networks. *Kong, X.*, +, *TPEL Sept. 2020 9171-9183*

Generalized Cockcroft-Walton Multiplier Voltage Z-Source Inverters. *Ding, X.*, +, *TPEL July 2020 7175-7190*

Half-Bridge Integrated Phase-Shifted Full-Bridge Converter With High Efficiency Using Center-Tapped Clamp Circuit for Battery Charging Systems in Electric Vehicles. *Lim, C.*, +, *TPEL May 2020 4934-4945*

High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*

High-Efficiency Hybrid Dual-Path Step-Up DC–DC Converter With Continuous Output-Current Delivery for Low Output Voltage Ripple. *Shin, S.*, +, *TPEL June 2020 6025-6038*

High-Efficiency Three-Level DC–DC Converter With Reduced Circulating Current and Rectifier Voltage Stress. *Kim, K.*, +, *TPEL March 2020 2668-2679*

High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*

Impact of Inductors Saturation on Peak-Current Mode Control Operation. *Femia, N.*, +, *TPEL Oct. 2020 10969-10981*

Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*

New Expandable Switched-Capacitor/Switched-Inductor High-Voltage Conversion Ratio Bidirectional DC–DC Converter. *Fardahar, S.M.*, +, *TPEL March 2020 2480-2487*

Novel High Step-Up Soft-Switching DC–DC Converter Based on Switched Capacitor and Coupled Inductor. *Zhang, X.*, +, *TPEL Sept. 2020 9471-9481*

Passivity-Based Design of Grid-Side Current-Controlled *L+C+L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*

Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*

Semiresonant Half-Bridge Zeta Converter With Reduced Turn-OFF Currents for High-Efficiency Power Supply. *Baek, J.*, +, *TPEL May 2020 4547-4557*

Single-Phase AC–DC–AC Three-Level Three-Leg Converter With Reduced Switch Count. *da Costa, A.E.L.*, +, *TPEL March 2020 2295-2307*

Symmetric Dual-Switch Converter. *Tang, Y.*, +, *TPEL Nov. 2020 11955-11964*

Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*

The Current Shaping Modular Multilevel DC–DC Converter. *Gray, P.A.*, +, *TPEL Oct. 2020 10050-10063*

Variable Switching Frequency PWM Strategy for High-Frequency Circulating Current Control in Paralleled Inverters With Coupled Inductors. *Li, Q.*, +, *TPEL May 2020 5366-5380*

Variable Switching Periods Based Space Vector Phase-Shifted Modulation for DAB Based Three-Phase Single-Stage Isolated AC–DC Converter. *Wu, F.*, +, *TPEL Dec. 2020 13725-13734*

Voltage Self-Balance Mechanism Based on Zero-Voltage Switching for Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL Oct. 2020 10078-10087*

Power integrated circuits

A Wire Bondless SiC Switching Cell With a Vertically Integrated Gate Driver. *Seal, S.*, +, *TPEL Sept. 2020 9690-9699*

Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*

CMOS Active Gate Driver for Closed-Loop d*v*/d*t* Control of GaN Transistors. *Bau, P.*, +, *TPEL Dec. 2020 13322-13332*

Improved Methodology for Parasitic Characterization of High-Performance Power Modules. *DeBoi, B.T.*, +, *TPEL Dec. 2020 13400-13408*

Localization and Detection of Bond Wire Faults in Multichip IGBT Power Modules. *Chen, C.*, +, *TPEL Aug. 2020 7804-7815*

Power measurement

Characterization Method of Radiated Magnetic Field Based on Integrated Antenna Measurement Applied to Power Module Technologies. *Vine, G.*, +, *TPEL Feb. 2020 1440-1449*

Power MOSFET

10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field. *DiMarino, C.M.*, +, *TPEL June 2020 6050-6060*

A 100-kW SiC Switched Tank Converter for Transportation Electrification. *Ni, Z.*, +, *TPEL June 2020 5770-5784*

A Bidirectional Communicating Power Supply Circuit for Smart Gate Driver Boards. *Weckbrodt, J.*, +, *TPEL Aug. 2020 8540-8549*

A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*

A Double-Modulation-Wave PWM for Dead-Time-Effect Elimination and Synchronous Rectification in SiC-Device-Based High-Switching-Frequency Converters. *Yan, Q.*, +, *TPEL Dec. 2020 13500-13513*

A Dual-Switch Discontinuous Current-Source Gate Driver Overcoming the Current Diversion Problem for a Buck VRM. *Mashhadi, I.A.*, +, *TPEL April 2020 3778-3793*

A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*

A Gate Drive Circuit and Dynamic Voltage Balancing Control Method Suitable for Series-Connected SiC mosfets. *Yang, C.*, +, *TPEL June 2020 6625-6635*

A High-Voltage DC–DC Buck Converter With Dynamic Level Shifter for Bootstrapped High-Side Gate Driver and Diode Emulator. *Yuan, B.*, +, *TPEL July 2020 7295-7304*

A Novel Single-Phase Three-Level Dual-Buck Inverter. *Nguyen, T.*, +, *TPEL April 2020 3365-3376*

A Novel Voltage Balancing Control With *dv/dt* Reduction for 10-kV SiC MOSFET-Based Medium Voltage Modular Multilevel Converter. *Ji, S.*, +, *TPEL Nov. 2020 12533-12543*

A Novel ZVS High-Step-Up Converter With Built-In Transformer Voltage Multiplier Cell. *Nouri, T.*, +, *TPEL Dec. 2020 12871-12886*
A SiC MOSFET and Si IGBT Hybrid Modular Multilevel Converter With Specialized Modulation Scheme. *Yin, T.*, +, *TPEL Dec. 2020 12623-12628*
A Zero-Voltage and Zero-Current Switching Interleaved Two-Switch Forward Converter With Passive Auxiliary Resonant Circuit. *Chu, E.*, +, *TPEL May 2020 4859-4876*
Accurate Analytical Switching-On Loss Model of SiC MOSFET Considering Dynamic Transfer Characteristic and Q_{gd}. *Dong, Z.*, +, *TPEL Nov. 2020 12264-12273*
Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter. *Li, K.*, +, *TPEL Sept. 2020 9650-9660*
An *LLC*-Based Highly Efficient S2M and C2C Hybrid Hierarchical Battery Equalizer. *Peng, F.*, +, *TPEL June 2020 5928-5937*
An Automated Model Tuning Procedure for Optimizing Prediction of Transient and Dispersive Behavior in Wide Bandgap Semiconductor FETs. *Sellers, A.J.*, +, *TPEL Nov. 2020 12252-12263*
An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*
Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*
Analysis and Modeling of a New Coupled-Inductor Buck–Boost DC–DC Converter for Renewable Energy Applications. *Hasanpour, S.*, +, *TPEL Aug. 2020 8088-8101*
Average Inductor Current Measure and Control Strategy for Multimode Primary-Side Flyback Converters. *Han, Y.*, +, *TPEL Dec. 2020 13096-13103*
Cascode GaN/SiC: A Wide-Bandgap Heterogenous Power Device for High-Frequency Applications. *Xu, J.*, +, *TPEL June 2020 6340-6349*
Current Balancing of Paralleled SiC mosfets for a Resonant Pulsed Power Converter. *Wu, Q.*, +, *TPEL June 2020 5557-5561*
Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC–DC Converter Using SiC-MOSFET/SBD H-Bridge Modules. *Haneda, R.*, +, *TPEL Oct. 2020 10013-10025*
Design of a Paralleled SiC MOSFET Half-Bridge Unit With Distributed Arrangement of DC Capacitors. *Qu, J.*, +, *TPEL Oct. 2020 10879-10891*
Design, Analysis, and Discussion of Short Circuit and Overload Gate-Driver Dual-Protection Scheme for 1.2-kV, 400-A SiC MOSFET Modules. *Sun, K.*, +, *TPEL March 2020 3054-3068*
Dynamic Switching of SiC Power MOSFETs Based on Analytical Subcircuit Model. *Talesara, V.*, +, *TPEL Sept. 2020 9680-9689*
Effect of Asymmetric Layout and Unequal Junction Temperature on Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Zhao, C.*, +, *TPEL July 2020 7392-7404*
Electroluminescence-Based Junction Temperature Measurement Approach for SiC Power MOSFETs. *Winkler, J.*, +, *TPEL March 2020 2990-2998*
Electrothermal Cosimulation for Predicting the Power Loss and Temperature of SiC MOSFET Dies Assembled in a Power Module. *Nakamura, Y.*, +, *TPEL March 2020 2950-2958*
Enhancing Short Circuit Capability of 1.2-kV Si IGBT Using a Gate-Source Shorted Si Depletion Mode MOSFET in Series With the Emitter. *Kanale, A.*, +, *TPEL June 2020 6350-6361*
Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*
Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*
High Off-State Impedance Gate Driver of SiC MOSFETs for Crosstalk Voltage Elimination Considering Common-Source Inductance. *Li, C.*, +, *TPEL March 2020 2999-3011*
High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*
High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*
Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages. *Bai, C.*, +, *TPEL April 2020 3636-3650*
Investigation and Failure Mode of Asymmetric and Double Trench SiC mosfets Under Avalanche Conditions. *Deng, X.*, +, *TPEL Aug. 2020 8524-8531*
Modeling and Mitigation of Multiloops Related Device Overvoltage in Three-Level Active Neutral Point Clamped Converter. *Gui, H.*, +, *TPEL Aug. 2020 7947-7959*
Modeling Avalanche Induced Degradation for 4H-SiC Power MOSFETs. *Wei, J.*, +, *TPEL Nov. 2020 11299-11303*
New Insights on Output Capacitance Losses in Wide-Band-Gap Transistors. *Nikoo, M.S.*, +, *TPEL July 2020 6663-6667*
Overview of Real-Time Lifetime Prediction and Extension for SiC Power Converters. *Ni, Z.*, +, *TPEL Aug. 2020 7765-7794*
Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches. *Li, Z.*, +, *TPEL Aug. 2020 8512-8523*
Progress of Ultra-Wide Bandgap Ga_2O_3 Semiconductor Materials in Power MOSFETs. *Zhang, H.*, +, *TPEL May 2020 5157-5179*
Self-Triggering High-Frequency Nanosecond Pulse Generator. *Zeng, W.*, +, *TPEL Aug. 2020 8002-8012*
Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*
Thermal Management of High-Power Switching Transistors Using Thick CVD-Grown Graphene Nanomaterial. *Talesara, V.*, +, *TPEL Jan. 2020 578-590*
Three-Terminal Si/SiC Hybrid Switch. *Song, X.*, +, *TPEL Sept. 2020 8867-8871*
Ultrahigh-Voltage Switch for Bidirectional DC–DC Converter Driving Dielectric Elastomer Actuator. *Pniak, L.*, +, *TPEL Dec. 2020 13172-13181*
Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits. *Zhang, F.*, +, *TPEL Oct. 2020 10200-10212*

Power quality

Erratum to "Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications". *Komathi, C.*, +, *TPEL May 2020 5543*

Power semiconductor devices

A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*
A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*
A Simple Equation for the Energy Stored by Voltage-Dependent Capacitances. *Jadli, U.*, +, *TPEL Dec. 2020 12629-12632*
An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*
Analysis and Improvement of Capacitance Effects in 360–800 Hz Variable On-Time Controlled CRM Boost PFC Converters. *Ren, X.*, +, *TPEL July 2020 7480-7491*
Auxiliary Power Supply for Medium-/High-Voltage and High-Power Solid-State Transformers. *Liu, J.*, +, *TPEL May 2020 4791-4803*
Bond Wire Damage Detection and SOH Estimation of a Dual-Pack IGBT Power Module Using Active Power Cycling and Reflectometry. *Hanif, A.*, +, *TPEL July 2020 6761-6772*
Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*
Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*
Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters. *Fan, J.W.*, +, *TPEL March 2020 2519-2533*
Multiport DC–DC Converter With Step-Up Capability and Reduced Voltage Stress on Switches/Diodes. *Jalilzadeh, T.*, +, *TPEL Nov. 2020 11902-11915*
Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches. *Li, Z.*, +, *TPEL Aug. 2020 8512-8523*

Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature. *Li, D.*, +, *TPEL Dec. 2020 12646-12650*
Reflected Wave Phenomenon in SiC Motor Drives: Consequences, Boundaries, and Mitigation. *Narayanasamy, B.*, +, *TPEL Oct. 2020 10629-10642*
Reliability Assessment of Multistate Degraded Systems: An Application to Power Electronic Systems. *Samavatian, V.*, +, *TPEL April 2020 4024-4032*
Reliability Enhancement of a Power Semiconductor With Optimized Solder Layer Thickness. *R, E.*, +, *TPEL June 2020 6397-6404*
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*
Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Power semiconductor diodes

A New Lumped-Charge Modeling Method for Power Semiconductor Devices. *Duan, Y.*, +, *TPEL April 2020 3989-3996*
An Electrical Transient Model of IGBT-Diode Switching Cell for Power Semiconductor Loss Estimation in Electromagnetic Transient Simulation. *Xu, Y.*, +, *TPEL March 2020 2979-2989*
Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application. *Li, D.*, +, *TPEL Dec. 2020 13429-13440*
Comparative Temperature Dependent Evaluation and Analysis of 1.2-kV SiC Power Diodes for Extreme Temperature Applications. *Qi, J.*, +, *TPEL Dec. 2020 13384-13399*
Diode Evaluation and Series Diode Balancing for High-Voltage High-Frequency Power Converters. *He, Y.*, +, *TPEL June 2020 6301-6314*
Improving Surge Current Capability of SiC Merged PiN Schottky Diode by Adding Plasma Spreading Layers. *Ren, N.*, +, *TPEL Nov. 2020 11316-11320*
On Beat Frequency Oscillation of Two-Stage Wireless Power Receivers. *Li, K.*, +, *TPEL Dec. 2020 12741-12751*
Pulsed Power Modulator With Active Pull-Down Using Diode Reverse Recovery Time. *Park, S.*, +, *TPEL March 2020 2943-2949*
Zero-Voltage and Zero-Current Switching Dual-Transformer-Based Full-Bridge Converter With Current Doubler Rectifier. *Zhao, L.*, +, *TPEL Dec. 2020 12949-12958*

Power semiconductor switches

10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field. *DiMarino, C.M.*, +, *TPEL June 2020 6050-6060*
A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*
A SiC MOSFET and Si IGBT Hybrid Modular Multilevel Converter With Specialized Modulation Scheme. *Yin, T.*, +, *TPEL Dec. 2020 12623-12628*
A Snubberless Solid-State Tap Changer for Permanent Magnet Synchronous Motors. *Im, S.*, +, *TPEL Nov. 2020 12143-12152*
A Thyristor Full-Bridge-Based DC Circuit Breaker. *Guo, Y.*, +, *TPEL Jan. 2020 1111-1123*
A Wire Bondless SiC Switching Cell With a Vertically Integrated Gate Driver. *Seal, S.*, +, *TPEL Sept. 2020 9690-9699*
Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range. *Li, Z.*, +, *TPEL May 2020 5354-5365*
An Electrical Transient Model of IGBT-Diode Switching Cell for Power Semiconductor Loss Estimation in Electromagnetic Transient Simulation. *Xu, Y.*, +, *TPEL March 2020 2979-2989*
Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*
Analysis and Modeling of a New Coupled-Inductor Buck–Boost DC–DC Converter for Renewable Energy Applications. *Hasanpour, S.*, +, *TPEL Aug. 2020 8088-8101*
Characterization and Modeling of Frequency-Dependent On-Resistance for GaN Devices at High Frequencies. *Wang, K.*, +, *TPEL May 2020 4925-4933*
CMOS Active Gate Driver for Closed-Loop dv/dt Control of GaN Transistors. *Bau, P.*, +, *TPEL Dec. 2020 13322-13332*
Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*
Diode Evaluation and Series Diode Balancing for High-Voltage High-Frequency Power Converters. *He, Y.*, +, *TPEL June 2020 6301-6314*
High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*
Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*
Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches. *Li, Z.*, +, *TPEL Aug. 2020 8512-8523*
Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load. *Fernandez, M.*, +, *TPEL May 2020 5221-5237*
Reconfigurable Nonisolated DC–DC Converter With Fault-Tolerant Capability. *Soon, J.L.*, +, *TPEL Sept. 2020 8934-8943*
Self-Adaptive Active Gate Driver for IGBT Switching Performance Optimization Based on Status Monitoring. *Wang, R.*, +, *TPEL June 2020 6362-6372*
Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*
Three-Terminal Si/SiC Hybrid Switch. *Song, X.*, +, *TPEL Sept. 2020 8867-8871*
Turn-Off Delay Compensation of Series-Connected IGBTs for HVDC Applications. *Briff, P.*, +, *TPEL Nov. 2020 11294-11298*
Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits. *Zhang, F.*, +, *TPEL Oct. 2020 10200-10212*
Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate R+L+C Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*

Power supplies

Control of Smart Transformer Under Single-Phase to Ground Fault Condition. *Zhu, R.*, +, *TPEL Feb. 2020 2034-2043*
Elimination of the Interaction of the Converters in Switch-Linear Hybrid Envelope Tracking Power Supplies. *Wang, Y.*, +, *TPEL Feb. 2020 2053-2066*
Plug-and-Play Control of the Virtual Infinite Capacitor. *Lin, J.*, +, *TPEL Feb. 2020 1947-1956*

Power supplies to apparatus

An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*
Design Optimization of Two-Quadrant High-Current Low-Voltage Power Supply. *Coulinge, E.*, +, *TPEL Nov. 2020 11602-11611*
New Bridgeless Power Factor Correction Converter With Simple Gate Driving Circuit and High Efficiency for Server Power Applications. *Lee, Y.*, +, *TPEL Dec. 2020 13148-13156*

Power supply circuits

A Bidirectional Communicating Power Supply Circuit for Smart Gate Driver Boards. *Weckbrodt, J.*, +, *TPEL Aug. 2020 8540-8549*
A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise. *Ge, T.*, +, *TPEL Jan. 2020 789-799*
A Mixed-Signal Adaptive Ripple Canceler for Switching Regulators Providing 18 dB-24 dB of Ripple Rejection up to 1 MHz. *Joshi, K.*, +, *TPEL Oct. 2020 10249-10259*
A Simple Equation for the Energy Stored by Voltage-Dependent Capacitances. *Jadli, U.*, +, *TPEL Dec. 2020 12629-12632*
Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*

Improved Bootstrap Methods for Powering Floating Gate Drivers of Flying Capacitor Multilevel Converters and Hybrid Switched-Capacitor Converters. *Ye, Z.*, +, *TPEL June 2020 5965-5977*

Investigate and Reduce Capacitive Couplings in a Flyback Adapter With a DC-Bus Filter to Reduce EMI. *Li, Y.*, +, *TPEL July 2020 6963-6973*

Realization of High-Stability Flat-Top Pulsed Magnetic Fields by a Bypass Circuit of IGBTs in the Active Region. *Zhang, S.*, +, *TPEL March 2020 2436-2444*

Power supply quality

A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*

A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*

A Fast and Robust Real-Time Detection Algorithm of Decaying DC Transient and Harmonic Components in Three-Phase Systems. *Xiong, L.*, +, *TPEL April 2020 3332-3336*

A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*

A Modular Low Current Ripple Electrolysis Power Supply Based on Multiphase Half-Bridge High-Frequency Inverters. *Xiao, H., TPEL Oct. 2020 10088-10096*

Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives. *Tian, H.*, +, *TPEL March 2020 2372-2388*

An Inductive Filtering-Based Parallel Operating Transformer With Shared Filter for Power Quality Improvement of Wind Farm. *Liu, Q.*, +, *TPEL Sept. 2020 9281-9290*

An Ultrahigh Voltage Gain Hybrid-Connected Boost Converter With Ultralow Distributed Voltage Stress. *Hu, X.*, +, *TPEL Oct. 2020 10385-10395*

Comparative Performance Analysis Involving a Three-Phase UPQC Operating With Conventional and Dual/Inverted Power-Line Conditioning Strategies. *da Silva, S.A.O.*, +, *TPEL Nov. 2020 11652-11665*

Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications. *Diez, C.M.*, +, *TPEL March 2020 2389-2401*

Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking. *Hussein, A.A.*, +, *TPEL May 2020 4780-4790*

Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*

Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*

Enabling Grid-Feeding Converters With a Dissonant-Resonant Controller for Negative-Sequence Voltage Elimination. *Velasco, M.*, +, *TPEL April 2020 4342-4352*

Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application. *Sharma, R.*, +, *TPEL June 2020 5683-5691*

Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*

High-Efficiency T-Source Inverter With Low Voltage Spikes Across the Switch Bridge. *Liu, H.*, +, *TPEL Oct. 2020 10554-10566*

Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters. *Xu, W.*, +, *TPEL May 2020 4959-4970*

Improved Power Quality On-Board Integrated Charger With Reduced Switching Stress. *Gupta, J.*, +, *TPEL Oct. 2020 10810-10820*

Improvement of ZVS Range and Current Quality of the Nine-Switch Single-Stage AC–DC Converter. *Ali, K.*, +, *TPEL May 2020 4658-4668*

Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*

Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency. *Wang, J.*, +, *TPEL July 2020 7073-7085*

Single-Phase AC–DC–AC Three-Level Three-Leg Converter With Reduced Switch Count. *da Costa, A.E.L.*, +, *TPEL March 2020 2295-2307*

Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs. *Chou, S.*, +, *TPEL April 2020 3519-3529*

Uniform Power Dynamic Wireless Charging System With I-Type Power Supply Rail and DQ-Phase-Receiver Employing Receiver-Side Control. *Song, S.*, +, *TPEL Oct. 2020 11205-11212*

Power system control

A Five-Level Space Vector Modulation Scheme for Parallel Operated Three-Level Inverters With Reduced Line Current Distortion. *Li, W.*, +, *TPEL Oct. 2020 11235-11249*

A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter. *Hou, S.*, +, *TPEL July 2020 7640-7652*

A Simplified Stator Frequency and Power Control Method of DFIG-DC System Without Stator Voltage and Current Sensors. *Wu, C.*, +, *TPEL June 2020 5562-5566*

A Three-Phase Triple-Voltage Dual-Active-Bridge Converter for Medium Voltage DC Transformer to Reduce the Number of Submodules. *Shu, L.*, +, *TPEL Nov. 2020 11574-11588*

Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters. *Niyomsatian, K.*, +, *TPEL July 2020 7583-7595*

An Adaptive Dual-Loop Lyapunov-Based Control Scheme for a Single-Phase UPS Inverter. *He, J.*, +, *TPEL Sept. 2020 8886-8891*

An Event-Driven Resilient Control Strategy for DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 13714-13724*

An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*

An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*

An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*

Analysis and Improvement of Capacitance Effects in 360–800 Hz Variable On-Time Controlled CRM Boost PFC Converters. *Ren, X.*, +, *TPEL July 2020 7480-7491*

Analysis and Suppression of the Frequency-Decrease Effect in the Capacitor Voltage Related to the Low Modulation Frequency Ratio in an MMC System. *Wang, C.*, +, *TPEL Sept. 2020 9119-9132*

Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*

Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*

Damping Method of High-Frequency Resonance for Stator Current Controlled DFIG System Under Parallel Compensation Grid. *Pang, B.*, +, *TPEL Oct. 2020 10260-10270*

Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*

Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*

Development of High-Power High Switching Frequency Cryogenically Cooled Inverter for Aircraft Applications. *Gui, H.*, +, *TPEL June 2020 5670-5682*

Digital-Based Critical Conduction Mode Control for Three-Level Boost PFC Converter. *Lee, M.*, +, *TPEL July 2020 7689-7701*

Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*

Effect of Averaging Voltage Regulation Control on Steady-State Analysis of Modular Multilevel Converters. *Song, S.*, +, *TPEL Sept. 2020 9215-9225*
Effects of Secondary Leakage Inductance on the *LLC* Resonant Converter. *Noah, M.*, +, *TPEL Jan. 2020 835-852*
Enhanced One-Cycle Control for Multicell Power Converters. *Zhang, G.*, +, *TPEL Aug. 2020 8846-8856*
Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*
Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application. *Sharma, R.*, +, *TPEL June 2020 5683-5691*
Extended State Observer-Based Control of DC–DC Converters for Fuel Cell Application. *Zhuo, S.*, +, *TPEL Sept. 2020 9923-9932*
Extensions of Leading-Edge Modulated One-Cycle Control for Totem-Pole Bridgeless Rectifiers. *Fischer, G.d.S.*, +, *TPEL May 2020 5447-5460*
Fault Detection and Localization for Cascaded H-Bridge Multilevel Converter With Model Predictive Control. *Chai, M.*, +, *TPEL Oct. 2020 10109-10120*
General High-Frequency-Link Analysis and Application of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL Aug. 2020 8673-8688*
Hierarchical Control of Series-Connected String Converter-Based Islanded Electrical Power System. *He, J.*, +, *TPEL Jan. 2020 359-372*
Impact of Inductors Saturation on Peak-Current Mode Control Operation. *Femia, N.*, +, *TPEL Oct. 2020 10969-10981*
Impedance and Stability Analysis of Voltage-Source Converter Interconnection Based on a Universal Admittance Model. *Guo, H., TPEL Oct. 2020 10064-10077*
Model Predictive Current Control of a Seven-Level Inverter With Reduced Computational Burden. *Bahrami, A.*, +, *TPEL June 2020 5729-5740*
Model-Based Control for Grid-Tied Inverters Operated in Discontinuous Current Mode With Low Harmonic Current Distortion. *Zhang, J.*, +, *TPEL Oct. 2020 11167-11180*
Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*
Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies. *Leterme, W.*, +, *TPEL June 2020 5753-5769*
Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*
Modified Single-Edge SVPWM Technique to Reduce the Switching Losses and Increase PWM Harmonics Frequency for Three-Phase VSIs. *Huang, Y.*, +, *TPEL Oct. 2020 10643-10653*
Modulated Model Predictive Control for Modular Multilevel Converters With Easy Implementation and Enhanced Steady-State Performance. *Wang, J.*, +, *TPEL Sept. 2020 9107-9118*
Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*
Multiple-Objective Control Scheme for Input-Series–Output-Series *LCL*-Filtered Grid-Connected Inverter System. *Fang, T.*, +, *TPEL Aug. 2020 8689-8700*
Overview of Modulation Strategies for *LLC* Resonant Converter. *Wei, Y.*, +, *TPEL Oct. 2020 10423-10443*
Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*
Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*
Reference-Feedforward Power-Synchronization Control. *Harnefors, L.*, +, *TPEL Sept. 2020 8878-8881*
Robust Predictive Current Control of Permanent-Magnet Synchronous Motors With Newly Designed Cost Function. *Liu, X.*, +, *TPEL Oct. 2020 10778-10788*
Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*
Stability Analysis of Power Systems With Multiple STATCOMs in Close Proximity. *Li, C.*, +, *TPEL March 2020 2268-2283*

Power system faults

A Fast Diagnosis Method for Both IGBT Faults and Current Sensor Faults in Grid-Tied Three-Phase Inverters With Two Current Sensors. *Li, Z.*, +, *TPEL May 2020 5267-5278*
A Novel Current-Commutation-Based FCL for the Flexible DC Grid. *Li, B.*, +, *TPEL Jan. 2020 591-606*
A Simplified SVM-Based Fault-Tolerant Strategy for Cascaded H-Bridge Multilevel Converters. *Lin, H.*, +, *TPEL Nov. 2020 11310-11315*
A Two-Step Strategy for Online Fault Detection of High-Resistance Connection in BLDC Motor. *Wang, H.*, +, *TPEL March 2020 3043-3053*
An Online Global Fault-Tolerant Control Strategy for Symmetrical Multiphase Machines With Minimum Losses in Full Torque Production Range. *Sun, J.*, +, *TPEL March 2020 2819-2830*
Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters. *Wu, H.*, +, *TPEL April 2020 3573-3589*
Fault Localization Strategy for Modular Multilevel Converters Under Submodule Lower Switch Open-Circuit Fault. *Liu, C.*, +, *TPEL May 2020 5190-5204*
Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*

Power system harmonics

A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*
A Complete HSS-Based Impedance Model of MMC Considering Grid Impedance Coupling. *Xu, Z.*, +, *TPEL Dec. 2020 12929-12948*
A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion. *Escobar, G.*, +, *TPEL May 2020 4647-4657*
A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*
A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss. *Zhang, H.*, +, *TPEL March 2020 2831-2842*
A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*
A Simplified SVM-Based Fault-Tolerant Strategy for Cascaded H-Bridge Multilevel Converters. *Lin, H.*, +, *TPEL Nov. 2020 11310-11315*
A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability. *Meng, X.*, +, *TPEL Sept. 2020 9794-9812*
Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*
Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems. *Sun, J.*, +, *TPEL Aug. 2020 7840-7852*
An Argument for the Relationship Between Spectral Spreading and Probability Spreading for EMI-Reduction in DC–DC Converter. *Dove, A.*, +, *TPEL Feb. 2020 1459-1472*
An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*
An Inductive Filtering-Based Parallel Operating Transformer With Shared Filter for Power Quality Improvement of Wind Farm. *Liu, Q.*, +, *TPEL Sept. 2020 9281-9290*
Analytic Spectral Analysis Technique for Converters Operating With Oscillatory DC-Link Voltage Components. *Townsend, C.D.*, +, *TPEL Dec. 2020 13540-13553*
Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*
Design of Control System for Smooth Mode-Transfer of Grid-Tied Mode and Islanding Mode in Microgrid. *Gao, M.*, +, *TPEL June 2020 6419-6435*
Diagnosis-Free Self-Healing Scheme for Open-Circuit Faults in Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Nov. 2020 12053-12071*
DQ-Frame Zero-Crossing Effect Modeling and Current Distortion Compensation Method for Vienna Rectifier. *Miao, Z.*, +, *TPEL July 2020 7612-7623*
Frequency-Division Virtual Impedance Shaping Control Method for Grid-Connected Inverters in a Weak and Distorted Grid. *Zhu, K.*, +, *TPEL Aug. 2020 8116-8129*
Harmonic Reduction for 12-Pulse Rectifier Using Two Auxiliary Single-Phase Full-Wave Rectifiers. *Wang, J.*, +, *TPEL Dec. 2020 12617-12622*
High-Order Harmonic Resonances in Traction Power Supplies: A Review Based on Railway Operational Data, Measurements, and Experience. *Song, K.*, +, *TPEL March 2020 2501-2518*
Inter Harmonic THD Amplification of Voltage Source Converter: Concept and Case Study. *Hou, C.*, +, *TPEL Dec. 2020 12651-12656*
Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle. *Guo, Y.*, +, *TPEL Oct. 2020 10542-10553*
Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals. *Hackl, C.M.*, +, *TPEL March 2020 3298-3309*
Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*
Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*
On-Board Single-Phase Integrated Electric Vehicle Charger With V2G Functionality. *Semsar, S.*, +, *TPEL Nov. 2020 12072-12084*
Online Capacitance Estimation of Submodule Capacitors for Modular Multilevel Converter With Nearest Level Modulation. *Wang, K.*, +, *TPEL July 2020 6678-6681*
Online Frequency Response Measurements of Grid-Connected Systems in Presence of Grid Harmonics and Unbalance. *Luhtala, R.*, +, *TPEL April 2020 3343-3347*
Permeance Distribution Function: A Powerful Tool to Analyze Electromagnetic Forces Induced by PWM Current Harmonics in Multiphase Surface Permanent-Magnet Motors. *Lv, Y.*, +, *TPEL July 2020 7379-7391*
Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*
Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter. *Thakur, S.S.*, +, *TPEL Sept. 2020 9291-9305*

Power system interconnection
An ISOP Hybrid DC Transformer Combining Multiple SRCs and DAB Converters to Interconnect MVDC and LVDC Distribution Networks. *Yao, J.*, +, *TPEL Nov. 2020 11442-11452*
Coupling of AC Grids via VSC-HVDC Interconnections for Oscillation Damping Based on Differential and Common Power Control. *Rodriguez-Cabero, A.*, +, *TPEL June 2020 6548-6558*
Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*
Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles. *Liao, Y.*, +, *TPEL April 2020 4388-4397*
Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*
Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*
Minimum Distortion Point Tracking. *Poon, J.*, +, *TPEL Oct. 2020 11013-11025*

Power system management
Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*

Power system measurement
Capacitor ESR and *C* Monitoring in Modular Multilevel Converters. *Deng, F.*, +, *TPEL April 2020 4063-4075*
Online Frequency Response Measurements of Grid-Connected Systems in Presence of Grid Harmonics and Unbalance. *Luhtala, R.*, +, *TPEL April 2020 3343-3347*
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*

Power system measurements
High Power Density 48–12 V DCX With 3-D PCB Winding Transformer. *Li, G.*, +, *TPEL Feb. 2020 1189-1193*

Power system parameter estimation
Data-Driven Modeling of Wireless Power Transfer Systems With Multiple Transmitters. *Chen, F.*, +, *TPEL Nov. 2020 11363-11379*

Power system protection
A Novel Current-Commutation-Based FCL for the Flexible DC Grid. *Li, B.*, +, *TPEL Jan. 2020 591-606*
Modeling of MMCs With Controlled DC-Side Fault-Blocking Capability for DC Protection Studies. *Leterme, W.*, +, *TPEL June 2020 5753-5769*

Power system reliability
A Five-Level Space Vector Modulation Scheme for Parallel Operated Three-Level Inverters With Reduced Line Current Distortion. *Li, W.*, +, *TPEL Oct. 2020 11235-11249*
Advanced Discontinuous Modulation for Thermally Compensated Modular Smart Transformers. *Ko, Y.*, +, *TPEL March 2020 2445-2457*
Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*
Full-Parameter Identification Model Based on Back Propagation Algorithm for Brushless Doubly Fed Induction Generator. *Su, J.*, +, *TPEL Oct. 2020 9953-9958*
Hybrid Buck–Boost Multioutput Quasi-Z-Source Converter With Dual DC and Single AC Outputs. *Shiluveru, K.*, +, *TPEL July 2020 7246-7260*
Remaining Useful Life Prediction of Battery Using a Novel Indicator and Framework With Fractional Grey Model and Unscented Particle Filter. *Chen, L.*, +, *TPEL June 2020 5850-5859*
Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*

Power system restoration
On the Secondary Control Architectures of AC Microgrids: An Overview. *Khayat, Y.*, +, *TPEL June 2020 6482-6500*

Power system security
A True-Random-Number-Based Pseudohysteresis Controller for Buck DC–DC Converter in High-Security Internet-of-Everything Devices. *Yang, W.*, +, *TPEL March 2020 2969-2978*
Full-Range Soft-Switching Pulse Frequency Modulated Wireless Power Transfer. *Liu, W.*, +, *TPEL June 2020 6533-6547*
Resilient Operation of Heterogeneous Sources in Cooperative DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 12601-12605*
Wireless Energy-On-Demand Using Magnetic Quasi-Resonant Coupling. *Liu, W.*, +, *TPEL Sept. 2020 9057-9069*

Power system simulation
An Event-Driven Resilient Control Strategy for DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 13714-13724*
Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*
Design and Model of Series-Connected High-Voltage DC Multipliers. *Quraan, M.*, +, *TPEL July 2020 7160-7174*
Fast SPICE-Compatible Simulation of Low-Power On-Chip PWM DC–DC Converters With Improved Ripple Accuracy. *Burcea, F.*, +, *TPEL Aug. 2020 8173-8185*
Graph Sets Method (GSM) for Multicoil Wireless Power Transfer Systems—Part II: Simulated and Experimental Results. *Faradjizadeh, F.*, +, *TPEL Oct. 2020 10757-10769*

Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*

Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*

Marginal Power-Based Maximum Power Point Tracking Control of Photovoltaic System Under Partially Shaded Condition. *Ghasemi, M.A.*, +, *TPEL June 2020 5860-5872*

Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*

Three-Phase Split-Source Inverter-Fed PV Systems: Analysis and Mitigation of Common-Mode Voltage. *Hassan, M.S.*, +, *TPEL Sept. 2020 9824-9838*

Power system stability

A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*

A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion. *Escobar, G.*, +, *TPEL May 2020 4647-4657*

A Nearly Decoupled Admittance Model for Grid-Tied VSCs Under Variable Operating Conditions. *Liu, W.*, +, *TPEL Sept. 2020 9380-9389*

A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*

Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*

An Adaptive Dual-Loop Lyapunov-Based Control Scheme for a Single-Phase UPS Inverter. *He, J.*, +, *TPEL Sept. 2020 8886-8891*

An Impedance-Based Stability Assessment Methodology for DC Distribution Power System With Multivoltage Levels. *Pan, P.*, +, *TPEL April 2020 4033-4047*

Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*

Analysis and Reshaping on Impedance Characteristic of DFIG System Based on Symmetrical PLL. *Nian, H.*, +, *TPEL Nov. 2020 11720-11730*

Auxiliary Power Supply for Medium-/High-Voltage and High-Power Solid-State Transformers. *Liu, J.*, +, *TPEL May 2020 4791-4803*

Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies. *Bessegato, L.*, +, *TPEL March 2020 2411-2423*

Coupling of AC Grids via VSC-HVDC Interconnections for Oscillation Damping Based on Differential and Common Power Control. *Rodriguez-Cabero, A.*, +, *TPEL June 2020 6548-6558*

Deadbeat Direct Torque and Flux Control for Permanent Magnet Synchronous Motor Based on Stator Flux Oriented. *Lin, X.*, +, *TPEL May 2020 5078-5092*

Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*

Decomposed Discrete-Time Model and Multiscale Oscillations Analysis of the DAB Converter. *Gao, G.*, +, *TPEL Sept. 2020 9133-9150*

Design of Multifrequency Proportional–Resonant Current Controllers for Voltage-Source Converters. *Hans, F.*, +, *TPEL Dec. 2020 13573-13589*

Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*

Extensions of Leading-Edge Modulated One-Cycle Control for Totem-Pole Bridgeless Rectifiers. *Fischer, G.d.S.*, +, *TPEL May 2020 5447-5460*

Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control. *Han, Y.*, +, *TPEL March 2020 3221-3241*

High-Order Compensated Wireless Power Transfer for Dimmable Metal Halide Lamps. *Han, W.*, +, *TPEL June 2020 6269-6279*

High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*

Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*

Impedance and Stability Analysis of Voltage-Source Converter Interconnection Based on a Universal Admittance Model. *Guo, H., TPEL Oct. 2020 10064-10077*

Impedance Measurement of Three-Phase Inverter in the Stationary Frame Using Frequency Response Analyzer. *Liu, J.*, +, *TPEL Sept. 2020 9390-9401*

Impedance-Based Stability Analysis for Interconnected Converter Systems With Open-Loop RHP Poles. *Liao, Y.*, +, *TPEL April 2020 4388-4397*

Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia. *Hou, X.*, +, *TPEL Feb. 2020 1589-1602*

Individual Channel Design-Based Precise Analysis and Design for Three-Phase Grid-Tied Inverter With *LCL*-Filter Under Unbalanced Grid Impedance. *Wu, W.*, +, *TPEL May 2020 5381-5396*

Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*

Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*

Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*

Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*

Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*

Novel Analytical Method for Dynamic Design of Renewable SSG SPC Unit to Mitigate Low-Frequency Electromechanical Oscillations. *Abdollahi, M.*, +, *TPEL July 2020 7532-7544*

Online Frequency Response Measurements of Grid-Connected Systems in Presence of Grid Harmonics and Unbalance. *Luhtala, R.*, +, *TPEL April 2020 3343-3347*

Output Impedance Modeling of Single-Phase Grid-Tied Inverters With Capturing the Frequency-Coupling Effect of PLL. *Qian, Q.*, +, *TPEL May 2020 5479-5495*

Passivity-Based Design of Grid-Side Current-Controlled *L*+*C*+*L*-Type Grid-Connected Inverters. *Xie, C.*, +, *TPEL Sept. 2020 9813-9823*

Passivity-Based Design of Plug-and-Play Current-Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Feb. 2020 2135-2150*

Passivity-Based Stabilization of *LCL*-Type Grid-Connected Inverters via a General Admittance Model. *Xie, C.*, +, *TPEL June 2020 6636-6648*

Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping. *Yao, W.*, +, *TPEL March 2020 3114-3126*

Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters. *Wu, X.*, +, *TPEL Sept. 2020 9865-9885*

Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters. *Abdelhamid, E.*, +, *TPEL March 2020 3208-3220*

Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*

Small-Signal Modeling and Stability Prediction of Parallel Droop-Controlled Inverters Based on Terminal Characteristics of Individual Inverters. *Wang, S.*, +, *TPEL Jan. 2020 1045-1063*

Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*

Study on DFIG Dissipation Energy Model and Low-Frequency Oscillation Mechanism Considering the Effect of PLL. *Shen, Y.*, +, *TPEL April 2020 3348-3364*

Symmetrical PLL for SISO Impedance Modeling and Enhanced Stability in Weak Grids. *Yang, D.*, +, *TPEL Feb. 2020 1473-1483*

Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*

Two-Variable Admittance Model for D-PMSG-Based Wind Turbine and Stability Criterion Based on Magnitude and Phase Contour Plot. *Zou, X.*, +, *TPEL Feb. 2020 1484-1498*

Power system state estimation

On the Secondary Control Architectures of AC Microgrids: An Overview. *Khayat, Y.*, +, *TPEL June 2020 6482-6500*

Power system transient stability

Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters. *Wu, H.*, +, *TPEL April 2020 3573-3589*

Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*

Power system transients

Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*

Power transformer insulation

Active Magnetizing Current Splitting ZVS Modulation of a 7 kV/400 V DC Transformer. *Guillod, T.*, +, *TPEL Feb. 2020 1293-1305*

DC Voltage Ripple Optimization of a Single-Stage Solid-State Transformer Based on the Modular Multilevel Matrix Converter. *Liu, J.*, +, *TPEL Dec. 2020 12801-12815*

Power transformer protection

Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*

Power transformers

A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance. *Chakraborty, S.*, +, *TPEL March 2020 2615-2628*

A New Soft-Switched Three-Port DC/DC Converter With High Voltage Gain and Reduced Number of Semiconductors for Hybrid Energy Applications. *Dobakhshari, S.S.*, +, *TPEL April 2020 3590-3600*

A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*

A Novel Volt-Second Self-Balancing SVPWM Scheme to Eliminate Steady-State DC Bias for a Three-Phase Isolated AC–DC Matrix Converter. *Hu, W.*, +, *TPEL Nov. 2020 11518-11532*

A Novel ZVS High-Step-Up Converter With Built-In Transformer Voltage Multiplier Cell. *Nouri, T.*, +, *TPEL Dec. 2020 12871-12886*

A Reduced-Switch-Count Family of Soft-Switched High-Frequency Inductive AC-Link Converters. *Mozaffari, K.*, +, *TPEL Aug. 2020 7972-7990*

A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*

A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding. *Pal, A.*, +, *TPEL Nov. 2020 11758-11769*

A Three-Phase Triple-Voltage Dual-Active-Bridge Converter for Medium Voltage DC Transformer to Reduce the Number of Submodules. *Shu, L.*, +, *TPEL Nov. 2020 11574-11588*

Accurate Calculation and Sensitivity Analysis of Leakage Inductance of High-Frequency Transformer With Litz Wire Winding. *Zhang, K.*, +, *TPEL April 2020 3951-3962*

Active Saturation Mitigation in High-Density Dual-Active-Bridge DC–DC Converter for On-Board EV Charger Applications. *Assadi, S.A.*, +, *TPEL April 2020 4376-4387*

Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*

Advanced Discontinuous Modulation for Thermally Compensated Modular Smart Transformers. *Ko, Y.*, +, *TPEL March 2020 2445-2457*

An Energy-Based Analysis for High Voltage Low Power Flyback Converter Feeding Capacitive Load. *Ravi, V.*, +, *TPEL Jan. 2020 546-564*

An Inductive Filtering-Based Parallel Operating Transformer With Shared Filter for Power Quality Improvement of Wind Farm. *Liu, Q.*, +, *TPEL Sept. 2020 9281-9290*

Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer. *Zhu, R.*, +, *TPEL July 2020 6895-6905*

Auxiliary Power Supply for Medium-/High-Voltage and High-Power Solid-State Transformers. *Liu, J.*, +, *TPEL May 2020 4791-4803*

Class-E Isolated DC–DC Converter With High-Rate and Cost-Effective Bidirectional Data Channel. *Pareschi, F.*, +, *TPEL May 2020 5304-5318*

Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*

Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*

Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*

Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Design and Fabrication of Three-Dimensional Printed Air-Core Transformers for High-Frequency Power Applications. *Tong, Z.*, +, *TPEL Aug. 2020 8472-8489*

Design and Implementation of Half-Bridge Resonant Converter With Novel Primary-Side Control. *Liang, T.*, +, *TPEL May 2020 5408-5416*

Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*

Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer. *Chen, B.*, +, *TPEL Nov. 2020 11557-11573*

Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*

Design-Oriented Comprehensive Time-Domain Model for *CLLC* Class Isolated Bidirectional DC-DC Converter for Various Operation Modes. *Sun, J.*, +, *TPEL April 2020 3491-3505*

Dual-Period-Decoupled Space Vector Phase-Shifted Modulation for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Li, X.*, +, *TPEL June 2020 6447-6457*

Effects of Secondary Leakage Inductance on the *LLC* Resonant Converter. *Noah, M.*, +, *TPEL Jan. 2020 835-852*

Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*

Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*

Flux Balancing Control of Ungapped Nanocrystalline Core-Based Transformer in Dual Active Bridge Converters. *Yao, P.*, +, *TPEL Nov. 2020 11463-11474*

Free-Positioning Wireless Power Transfer System Based on One-to-Multiple Topology. *Chen, J.*, +, *TPEL Oct. 2020 9959-9964*

High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application. *Liu, T.*, +, *TPEL Nov. 2020 11770-11782*

High-Efficiency High-Power-Density *CLLC* Resonant Converter With Low-Stray-Capacitance and Well-Heat-Dissipated Planar Transformer for EV On-Board Charger. *Zhang, Z.*, +, *TPEL Oct. 2020 10831-10851*

High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles. *Ta, L.A.D.*, +, *TPEL Aug. 2020 8324-8334*

High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations. *Dao, N.D.*, +, *TPEL Oct. 2020 10455-10465*

Impact on ZVS Operation by Splitting Inductance to Both Sides of Transformer for 1-MHz GaN Based DAB Converter. *Xiao, Y.*, +, *TPEL Nov. 2020 11988-12002*

Improved Modulation Strategy for Single-Phase Single-Stage Isolated AC–DC Converter Considering Power Reversion Zone. *Wu, F.*, +, *TPEL April 2020 4157-4167*

Integrated Coupled Inductors With Functionality of Current Balancing Transformer for Two-Phase Synchronous DC–DC Converters. *Dou, Y.*, +, *TPEL May 2020 4472-4476*

Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*

Modulation for the AVC-HERIC Inverter to Compensate for Deadtime and Minimum Pulsewidth Limitation Distortions. *Tang, Z.*, +, *TPEL March 2020 2571-2584*

Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*

Open-Circuit Fault Diagnosis and Maintenance in Multi-Pulse Parallel and Series TRU Topologies. *Perise, J.S.*, +, *TPEL Oct. 2020 10906-10916*

Operational Principles of Three-Phase Single Active Bridge DC/DC Converters Under Duty Cycle Control. *Sang, Y.*, +, *TPEL Aug. 2020 8737-8750*

Optimization of *LCL* Filter With Integrated Intercell Transformer for Two-Interleaved High-Power Grid-Tied Converters. *Park, K.*, +, *TPEL March 2020 2317-2333*

Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling. *Shafaei, R.*, +, *TPEL Sept. 2020 9632-9649*

Power-Linked Predictive Control Strategy for Power Electronic Traction Transformer. *Zhao, N.*, +, *TPEL June 2020 6559-6571*

Research on Single-Stage High-Frequency-Link SST Topology and Its Optimization Control. *Sun, X.*, +, *TPEL Aug. 2020 8701-8711*

Separate Power Allocation and Control Method Based on Multiple Power Channels for Wireless Power Transfer. *Huang, Y.*, +, *TPEL Sept. 2020 9046-9056*

Series-Connected Current Source Inverters With Less Switches. *Xing, L.*, +, *TPEL June 2020 5553-5556*

Single-Phase AC–DC Converter With Dual-Output Rectifier, Dual-Input DC Transformer, and Voltage-Split/Sigma Principle. *Jia, Y.*, +, *TPEL Jan. 2020 158-168*

Soft-Start Procedure for a Three-Stage Smart Transformer Based on Dual-Active Bridge and Cascaded H-Bridge Converters. *Pugliese, S.*, +, *TPEL Oct. 2020 11039-11052*

Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*

Thermally Compensated Discontinuous Modulation for MVAC/LVDC Building Blocks of Modular Smart Transformers. *Ko, Y.*, +, *TPEL Jan. 2020 220-231*

Ultrahigh-Voltage Switch for Bidirectional DC–DC Converter Driving Dielectric Elastomer Actuator. *Pniak, L.*, +, *TPEL Dec. 2020 13172-13181*

Variable Switching Periods Based Space Vector Phase-Shifted Modulation for DAB Based Three-Phase Single-Stage Isolated AC–DC Converter. *Wu, F.*, +, *TPEL Dec. 2020 13725-13734*

Zero-Voltage and Zero-Current Switching Dual-Transformer-Based Full-Bridge Converter With Current Doubler Rectifier. *Zhao, L.*, +, *TPEL Dec. 2020 12949-12958*

Power transistors

A Family of Step-Up Series–Parallel Dual Resonant Switched-Capacitor Converters With Wide Regulation Range. *Xie, W.*, +, *TPEL March 2020 2724-2736*

A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*

Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter. *Li, K.*, +, *TPEL Sept. 2020 9650-9660*

Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*

Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*

Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*

Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Power transmission

Corrections to "Direct Power Flow Controller—A New Concept in Power Transmission". *Zhang, Y.*, +, *TPEL May 2020 5542*

Direct Power Flow Controller—A New Concept in Power Transmission. *Zhang, Y.*, +, *TPEL Feb. 2020 2067-2076*

Power transmission (mechanical)

Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*

Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph. *Deng, T.*, +, *TPEL Dec. 2020 13465-13474*

Power transmission control

A Hybrid Modular DC/DC Converter for HVDC Applications. *Li, B.*, +, *TPEL April 2020 3377-3389*

A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*

A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*

A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*

A Wireless EV Charging Topology With Integrated Energy Storage. *Ruddell, S.*, +, *TPEL Sept. 2020 8965-8972*

Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*

Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*

An ISOP Hybrid DC Transformer Combining Multiple SRCs and DAB Converters to Interconnect MVDC and LVDC Distribution Networks. *Yao, J.*, +, *TPEL Nov. 2020 11442-11452*

Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter. *Pineda, C.*, +, *TPEL July 2020 6906-6915*

Composite DC Power Flow Controller. *Zhong, X.*, +, *TPEL April 2020 3530-3542*

Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*

Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*

Decoupling Circuit for Automated Guided Vehicles IPT Charging Systems With Dual Receivers. *Mai, R.*, +, *TPEL July 2020 6652-6657*

Efficiency Improvement of Wireless Power Transfer Based on Multitransmitter System. *Yan, Z.*, +, *TPEL Sept. 2020 9011-9023*

Full-Range Soft-Switching Pulse Frequency Modulated Wireless Power Transfer. *Liu, W.*, +, *TPEL June 2020 6533-6547*

HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*

High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*

Modular Interline DC Power Flow Controller. *Zhong, X.*, +, *TPEL Nov. 2020 11707-11719*

Multimode Smooth Switching Strategy for Eliminating the Operational Dead Zone in Noninverting Buck–Boost Converter. *Jia, L.*, +, *TPEL March 2020 3106-3113*

Phase-Locked Loop Combined With Chained Trigger Mode Used for Impedance Matching in Wireless High Power Transfer. *Jiang, Y.*, +, *TPEL April 2020 4272-4285*

Self-Circulating Testing Method for Both Rectifying and Inverting Submodules of Modular Multilevel Converter With Low DC Supply Voltage. *Jiang, S.*, +, *TPEL Aug. 2020 7795-7803*

Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*
The Series Bridge Converter (SBC): AC Faults. *Farr, E.M.*, +, *TPEL May 2020 4467-4471*
Wireless Energy-On-Demand Using Magnetic Quasi-Resonant Coupling. *Liu, W.*, +, *TPEL Sept. 2020 9057-9069*

Power transmission economics
A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*

Power transmission faults
Computationally Efficient and Accurate Approach for Commutation Failure Risk Areas Identification in Multi-Infeed LCC-HVdc Systems. *Xiao, H.*, +, *TPEL May 2020 5238-5253*
Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current. *Xu, S.*, +, *TPEL July 2020 6668-6672*
High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*
The Series Bridge Converter (SBC): AC Faults. *Farr, E.M.*, +, *TPEL May 2020 4467-4471*

Power transmission lines
6.78 MHz Wireless Power Transmitter Based on a Reconfigurable Class–E Power Amplifier for Multiple Device Charging. *Oh, H.*, +, *TPEL June 2020 5907-5917*
A Hybrid Modular DC/DC Converter for HVDC Applications. *Li, B.*, +, *TPEL April 2020 3377-3389*
Design and Model of Series-Connected High-Voltage DC Multipliers. *Quraan, M.*, +, *TPEL July 2020 7160-7174*
Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*
High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*

Power transmission protection
Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*
High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*

Power transmission reliability
Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*
Computationally Efficient and Accurate Approach for Commutation Failure Risk Areas Identification in Multi-Infeed LCC-HVdc Systems. *Xiao, H.*, +, *TPEL May 2020 5238-5253*
Feasibility Study of Nanocrystalline-Ribbon Cores for Polarized Inductive Power Transfer Pads. *E. Gaona, D.*, +, *TPEL July 2020 6799-6809*
Mission Profile-Based System-Level Reliability Prediction Method for Modular Multilevel Converters. *Zhang, Y.*, +, *TPEL July 2020 6916-6930*
Phase-Locked Loop Combined With Chained Trigger Mode Used for Impedance Matching in Wireless High Power Transfer. *Jiang, Y.*, +, *TPEL April 2020 4272-4285*

Predictive control
A Dual-Loop Predictive Control Structure for Permanent Magnet Synchronous Machines With Enhanced Attenuation of Periodic Disturbances. *Song, Z.*, +, *TPEL Jan. 2020 760-774*
A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*
A New Geometric Vector Optimization of Predictive Direct Power Control. *Yan, S.*, +, *TPEL May 2020 5427-5436*
A Novel Finite-Control-Set Model Predictive Current Control for Five-Phase PM Motor With Continued Modulation. *Zhao, W.*, +, *TPEL July 2020 7261-7270*
A Novel High-Performance Predictive Control Formulation for Multilevel Inverters. *Ni, Z.*, +, *TPEL Nov. 2020 11533-11543*
A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*
Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*
Active Motor Rotor Temperature Management Based on One-Node Thermal Network Model Predictive Control. *Sun, T.*, +, *TPEL Oct. 2020 11213-11221*
An Efficient Predictive Current Control Strategy for a Four-Level Open-End Winding Induction Motor Drive. *Lakhimsetty, S.*, +, *TPEL June 2020 6198-6207*
An Enhanced Static Compensator With DC-Link Voltage Shaping Method. *Jeon, Y.*, +, *TPEL March 2020 2488-2500*
An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control. *Devanshu, A.*, +, *TPEL Jan. 2020 652-666*
An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*
An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*
An Optimized Model Predictive Control for Three-Phase Four-Level Hybrid-Clamped Converters. *Yang, Y.*, +, *TPEL June 2020 6470-6481*
Constrained Modulated Model-Predictive Control of an *LC*-Filtered Voltage-Source Converter. *Zheng, C.*, +, *TPEL Feb. 2020 1967-1977*
Cost-Optimal Energy Management of Hybrid Electric Vehicles Using Fuel Cell/Battery Health-Aware Predictive Control. *Hu, X.*, +, *TPEL Jan. 2020 382-392*
Current Control of a Seven-Level Voltage Source Inverter. *Bahrami, A.*, +, *TPEL March 2020 2308-2316*
Current-Sensorless Finite-Set Model Predictive Control for *LC*-Filtered Voltage Source Inverters. *Zheng, C.*, +, *TPEL Jan. 2020 1086-1095*
DC-Link-Fluctuation-Resistant Predictive Torque Control for Railway Traction Permanent Magnet Synchronous Motor in the Six-Step Operation. *Zhao, S.*, +, *TPEL Oct. 2020 10982-10993*
Deadbeat Predictive Current Control for Modular Multilevel Converters With Enhanced Steady-State Performance and Stability. *Wang, J.*, +, *TPEL July 2020 6878-6894*
Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*
Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*
Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems. *Wang, W.*, +, *TPEL Dec. 2020 13673-13686*
Dynamic Improvement of Inductive Power Transfer Systems With Maximum Energy Efficiency Tracking Using Model Predictive Control: Analysis and Experimental Verification. *Liu, S.*, +, *TPEL Dec. 2020 12752-12764*
Fault Detection and Localization for Cascaded H-Bridge Multilevel Converter With Model Predictive Control. *Chai, M.*, +, *TPEL Oct. 2020 10109-10120*
FCS-MPC-Based Fault-Tolerant Control of Five-Phase IPMSM for MTPA Operation. *Liu, G.*, +, *TPEL March 2020 2882-2894*
Finite-Level-State Model Predictive Control for Sensorless Three-Phase Four-Arm Modular Multilevel Converter. *Liu, X.*, +, *TPEL May 2020 4462-4466*
FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*
Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*

Guidelines for the Design of Finite Control Set Model Predictive Controllers. *Karamanakos, P.*, +, *TPEL July 2020 7434-7450*
High Performance Model Predictive Control for PMSM by Using Stator Current Mathematical Model Self-Regulation Technique. *Wang, F.*, +, *TPEL Dec. 2020 13652-13662*
Hybrid Model Predictive Control of ANPC Converters With Decoupled Low-Frequency and High-Frequency Cells. *Zhou, D.*, +, *TPEL Aug. 2020 8569-8580*
Hysteresis Voltage Prediction Control for Multilevel Converter in the Series-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Li, Y.*, +, *TPEL Dec. 2020 13663-13672*
Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*
Improved Model Predictive Control for High-Power Current-Source Rectifiers Under Normal and Distorted Grid Conditions. *Xue, C.*, +, *TPEL May 2020 4588-4601*
Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*
Investigation of Disturbance Observers for Model Predictive Current Control in Electric Drives. *Wallscheid, O.*, +, *TPEL Dec. 2020 13563-13572*
Long-Horizon Finite-Control-Set Model Predictive Control With Nonrecursive Sphere Decoding on an FPGA. *Dorfling, T.*, +, *TPEL July 2020 7520-7531*
Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*
Maximum Thrust per Ampere of Linear Induction Machine Based on Finite-Set Model Predictive Direct Thrust Control. *Xu, W.*, +, *TPEL July 2020 7366-7378*
Model Predictive Control for the Receiving-Side DC–DC Converter of Dynamic Wireless Power Transfer. *Zhou, Z.*, +, *TPEL Sept. 2020 8985-8997*
Model Predictive Current Control for an Open-Winding PMSM System With a Common DC Bus in 3-D Space. *Cheng, Y.*, +, *TPEL Sept. 2020 9597-9607*
Model Predictive Current Control of a Seven-Level Inverter With Reduced Computational Burden. *Bahrami, A.*, +, *TPEL June 2020 5729-5740*
Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*
Model-Free Predictive Current Control of DFIG Based on an Extended State Observer Under Unbalanced and Distorted Grid. *Zhang, Y.*, +, *TPEL Aug. 2020 8130-8139*
Modulated Model Predictive Control for Modular Multilevel Converters With Easy Implementation and Enhanced Steady-State Performance. *Wang, J.*, +, *TPEL Sept. 2020 9107-9118*
Moving Discretized Control Set Model-Predictive Control for Dual-Active Bridge With the Triple-Phase Shift. *Chen, L.*, +, *TPEL Aug. 2020 8624-8637*
Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*
Nonparametric Predictive Current Control for PMSM. *Yuan, X.*, +, *TPEL Sept. 2020 9332-9341*
Optimized Switching Finite Control Set Model Predictive Control of NPC Single-Phase Three-Level Rectifiers. *Zhang, X.*, +, *TPEL Oct. 2020 10097-10108*
Power-Linked Predictive Control Strategy for Power Electronic Traction Transformer. *Zhao, N.*, +, *TPEL June 2020 6559-6571*
Predictive Delta Sigma Modulation for Three-Phase to Three-Phase Matrix Converters. *Mir, T.N.*, +, *TPEL Jan. 2020 968-976*
Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*
Predictive Torque Control Algorithm for a Five-Phase Induction Motor Drive for Reduced Torque Ripple With Switching Frequency Control. *Bhowate, A.*, +, *TPEL July 2020 7282-7294*
Predictive Torque Control and Capacitor Balancing of a SiC-Based Dual T-Type Drive System. *Salem, A.*, +, *TPEL March 2020 2871-2881*
Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*
Robust Predictive Current Control of Permanent-Magnet Synchronous Motors With Newly Designed Cost Function. *Liu, X.*, +, *TPEL Oct. 2020 10778-10788*
Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*
Simplified Fault-Tolerant Model Predictive Control for a Five-Phase Permanent-Magnet Motor With Reduced Computation Burden. *Tao, T.*, +, *TPEL April 2020 3850-3858*
Simplified Predictive Duty Cycle Control of Multilevel Converters With Internal Identical Structure. *Zhou, D.*, +, *TPEL Nov. 2020 12416-12428*
Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor. *Ji, J.*, +, *TPEL Oct. 2020 10681-10689*
SM Load Torque Observer-Based FCS-MPDSC With Single Prediction Horizon for High Dynamics of Surface-Mounted PMSM. *Gong, C.*, +, *TPEL Jan. 2020 20-24*
Steady-State Error Suppression and Simplified Implementation of Direct Source Current Control for Matrix Converter With Model Predictive Control. *Lei, J.*, +, *TPEL March 2020 3183-3194*
Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control. *Ye, D.*, +, *TPEL Jan. 2020 640-651*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*
Variable Action Period Predictive Flux Control Strategy for Permanent Magnet Synchronous Machines. *Song, Z.*, +, *TPEL June 2020 6185-6197*
Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique. *Kiran, K.*, +, *TPEL Aug. 2020 8396-8404*
Variable Switching Sequence PWM Strategy of Dual Three-Phase Machine Drive for High-Frequency Current Harmonic Suppression. *Ye, D.*, +, *TPEL May 2020 4984-4995*

Predictive models
Constrained Modulated Model-Predictive Control of an *LC*-Filtered Voltage-Source Converter. *Zheng, C.*, +, *TPEL Feb. 2020 1967-1977*
Model Predictive Control for Dual-Active-Bridge Converters Supplying Pulsed Power Loads in Naval DC Micro-Grids. *Chen, L.*, +, *TPEL Feb. 2020 1957-1966*
Model Predictive Flux Control With Cost Function-Based Field Weakening Strategy for Permanent Magnet Synchronous Motor. *Zheng, Z.*, +, *TPEL Feb. 2020 2151-2159*
Model Predictive Voltage and Power Control of Islanded PV-Battery Microgrids With Washout-Filter-Based Power Sharing Strategy. *Shan, Y.*, +, *TPEL Feb. 2020 1227-1238*

Printed circuit design
Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Printed circuit interconnections
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Printed circuits
A Mixed-Signal Adaptive Ripple Canceler for Switching Regulators Providing 18 dB-24 dB of Ripple Rejection up to 1 MHz. *Joshi, K.*, +, *TPEL Oct. 2020 10249-10259*
A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*

A Review of Traditional Helical to Recent Miniaturized Printed Circuit Board Rogowski Coils for Power-Electronic Applications. *Shi, Y.*, +, *TPEL Nov. 2020 12207-12222*
Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets. *Yang, C.*, +, *TPEL Dec. 2020 13356-13366*
Capacitive Coupling in EMI Filters Containing T-Shaped Joint: Mechanism, Effects, and Mitigation. *Liu, B.*, +, *TPEL March 2020 2534-2547*
Novel Highly Efficient/Compact Automotive PCB Winding Inductors Based on the Compensating Air-Gap Fringing Field Concept. *Schafer, J.*, +, *TPEL Sept. 2020 9617-9631*
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*
Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*

Probability
A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*
An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*
Controller-Embeddable Probabilistic Real-Time Digital Twins for Power Electronic Converter Diagnostics. *Milton, M.*, +, *TPEL Sept. 2020 9850-9864*
On the Calculation of the Leakage Inductance in Transformers With Nonideal Windings. *Aghaei, M.*, +, *TPEL Aug. 2020 8460-8471*
Reliability Assessment of Multistate Degraded Systems: An Application to Power Electronic Systems. *Samavatian, V.*, +, *TPEL April 2020 4024-4032*
Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*

Probability distribution
An Argument for the Relationship Between Spectral Spreading and Probability Spreading for EMI-Reduction in DC–DC Converter. *Dove, A.*, +, *TPEL Feb. 2020 1459-1472*

Probes
Impedance-Oriented Transient Instability Modeling of SiC mosfet Intruded by Measurement Probes. *Zeng, Z.*, +, *TPEL Feb. 2020 1866-1881*

Process control
Run-to-Run Control for Active Balancing of Lithium Iron Phosphate Battery Packs. *Tang, X.*, +, *TPEL Feb. 2020 1499-1512*

Programmable logic devices
High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*

Prototypes
A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*
Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*

Public transportation
Direct Thrust Force Control of Primary Permanent-Magnet Linear Motors With Single DC-Link Current Sensor for Subway Applications. *Wang, W.*, +, *TPEL Feb. 2020 1365-1376*

Pulse frequency modulation
An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*
Full-Range Soft-Switching Pulse Frequency Modulated Wireless Power Transfer. *Liu, W.*, +, *TPEL June 2020 6533-6547*

Pulse generators
A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*
Power Electronic Pulse Generators for Water Treatment Application: A Review. *Guo, X.*, +, *TPEL Oct. 2020 10285-10305*
Self-Triggering High-Frequency Nanosecond Pulse Generator. *Zeng, W.*, +, *TPEL Aug. 2020 8002-8012*

Pulse width modulation
A 12- or 48-V Input, 0.9-V Output Active-Clamp Forward Converter Power Block for Servers and Datacenters. *Zhang, X.*, +, *TPEL Feb. 2020 1721-1731*
A Direct Battery Hookup Filterless Pulsewidth Modulation Class D Amplifier With >100 dB PSRR for 100 Hz to 1 kHz, 0.005% THD+N and 16 μV Noise. *Ge, T.*, +, *TPEL Jan. 2020 789-799*
A Four-Switch Three-Phase AC–DC Converter With Galvanic Isolation. *Khodabakhsh, J.*, +, *TPEL Feb. 2020 1699-1710*
A General Constant-Switching-Frequency Model-Predictive Control of Multilevel Converters With Quasi-PS-PWM/LS-PWM Output. *Zhou, D.*, +, *TPEL Nov. 2020 12429-12441*
An Argument for the Relationship Between Spectral Spreading and Probability Spreading for EMI-Reduction in DC–DC Converter. *Dove, A.*, +, *TPEL Feb. 2020 1459-1472*
An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control. *Naik N, V.*, +, *TPEL Aug. 2020 8443-8451*
Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*
Circulating Current Control for Modular Multilevel Converters With (N+1) Selective Harmonic Elimination—PWM. *Perez-Basante, A.*, +, *TPEL Aug. 2020 8712-8725*
Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*
Modified Single-Edge SVPWM Technique to Reduce the Switching Losses and Increase PWM Harmonics Frequency for Three-Phase VSIs. *Huang, Y.*, +, *TPEL Oct. 2020 10643-10653*
PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*
Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*
Time–Frequency Characteristics Research of Common Mode Current in PWM Motor System. *Cao, S.*, +, *TPEL Feb. 2020 1450-1458*

Pulsed power supplies
A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*
A Shock-Induced Pulsed Power Switch Utilizing Electro-Explosion of Exploding Bridge Wire. *Xu, C.*, +, *TPEL Oct. 2020 10770-10777*
An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*
Current Balancing of Paralleled SiC mosfets for a Resonant Pulsed Power Converter. *Wu, Q.*, +, *TPEL June 2020 5557-5561*
Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*
High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*
Pulsed Power Modulator With Active Pull-Down Using Diode Reverse Recovery Time. *Park, S.*, +, *TPEL March 2020 2943-2949*

Pulsed power switches
A Shock-Induced Pulsed Power Switch Utilizing Electro-Explosion of Exploding Bridge Wire. *Xu, C.*, +, *TPEL Oct. 2020 10770-10777*

Pulsed power technology
A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*

Purification
Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*

PWM inverters
A Carrier-Based PWM Control Strategy for Three-Level NPC Inverter Based on Bootstrap Gate Drive Circuit. *Jung, J.*, +, *TPEL March 2020 2843-2860*

A Five-Level Space Vector Modulation Scheme for Parallel Operated Three-Level Inverters With Reduced Line Current Distortion. *Li, W.*, +, *TPEL Oct. 2020 11235-11249*

A Generalized Carrier-Overlapped PWM Method for Neutral-Point-Clamped Multilevel Converters. *Wang, K.*, +, *TPEL Sept. 2020 9095-9106*

A High Performance Interleaved Discontinuous PWM Strategy for Two Paralleled Three-Phase Inverter. *Zeng, Z.*, +, *TPEL Dec. 2020 13042-13052*

A Novel High-Performance Predictive Control Formulation for Multilevel Inverters. *Ni, Z.*, +, *TPEL Nov. 2020 11533-11543*

A Novel Single-Phase Three-Level Dual-Buck Inverter. *Nguyen, T.*, +, *TPEL April 2020 3365-3376*

A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives. *Diab, M.S.*, +, *TPEL Dec. 2020 12639-12645*

A Reduced Common-Mode-Voltage Pulsewidth Modulation Method With Output Harmonic Distortion Minimization for Three-Level Neutral-Point-Clamped Inverters. *Pham, K.D.*, +, *TPEL July 2020 6944-6962*

A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor. *Achary, R.K.*, +, *TPEL March 2020 2809-2818*

A Simplified Space Vector Pulsewidth Modulation Scheme for Three-Phase Cascaded H-Bridge Inverters. *Wu, X.*, +, *TPEL April 2020 4192-4204*

A Single Carrier-Based Pulsewidth Modulation Technique for Three-to-Three Phase Indirect Matrix Converter. *Patel, P.P.*, +, *TPEL Nov. 2020 11589-11601*

A Two-Stage T-Type Hybrid Five-Level Transformerless Inverter for PV Applications. *Kuncham, S.K.*, +, *TPEL Sept. 2020 9510-9521*

A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*

An Improved Simplified PWM for Three-Level Neutral Point Clamped Inverter Based on Two-Level Common-Mode Voltage Reduction PWM. *Zhang, X.*, +, *TPEL Oct. 2020 11143-11154*

An Online Data-Driven Method for Simultaneous Diagnosis of IGBT and Current Sensor Fault of Three-Phase PWM Inverter in Induction Motor Drives. *Gou, B.*, +, *TPEL Dec. 2020 13281-13294*

Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*

Common-Mode Voltage Elimination for Dual Two-Level Inverter-Fed Asymmetrical Six-Phase PMSM. *Shen, Z.*, +, *TPEL April 2020 3828-3840*

Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*

Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations. *Milovanovic, S.*, +, *TPEL Dec. 2020 12898-12908*

Control Techniques for the Back-to-Back Neutral-Point Clamped Converter in Asynchronous Operation. *Tsai, M.*, +, *TPEL March 2020 2334-2341*

Current Balancing Control Methods Using Advanced Carrier-Based Modulation for Five-Level Current Source Rectifiers. *Ries, L.K.*, +, *TPEL Oct. 2020 10213-10226*

Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*

Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*

Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking. *Hussein, A.A.*, +, *TPEL May 2020 4780-4790*

Design of New SVPWM Mechanism for Three-Level NPC ZSI via Line-Voltage Coordinate System. *Zhang, J.*, +, *TPEL Aug. 2020 8593-8606*

Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*

Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*

Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers. *Yu, Z.*, +, *TPEL April 2020 4094-4104*

Evaluation of DC-Link Voltage Switching Ripple in Multiphase PWM Voltage Source Inverters. *Vujacic, M.*, +, *TPEL April 2020 3478-3490*

Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application. *Sharma, R.*, +, *TPEL June 2020 5683-5691*

Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control. *Han, Y.*, +, *TPEL March 2020 3221-3241*

Generalized Chudnovsky Algorithm for Real-Time PWM Selective Harmonic Elimination/Modulation: Two-Level VSI Example. *Janabi, A.*, +, *TPEL May 2020 5437-5446*

Half-Bridge Modular Switched-Capacitor Multilevel Inverter With Hybrid Pulsewidth Modulation. *Ye, Y.*, +, *TPEL Aug. 2020 8237-8247*

Improved Current Control for a Quasi-Two-Level PWM-Operated Modular Multilevel Converter. *Kucka, J.*, +, *TPEL July 2020 6842-6853*

Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*

Interleaved Current-Fed Switched Inverter. *Acharya, S.*, +, *TPEL July 2020 7015-7030*

Line Current Ripple Minimization PWM Strategy With Reduced Zero-Sequence Circulating Current for Two Parallel Interleaved Three-Phase Converters. *Zeng, Z.*, +, *TPEL July 2020 6931-6943*

Minimizing Total Harmonic Distortion of a Two-Level Voltage Source Inverter Using Optimal Third Harmonic Injection. *Albatran, S.*, +, *TPEL March 2020 3287-3297*

Modified Discontinuous PWM Strategy for Three-Phase Grid-Connected PV Inverters With Hybrid Active–Passive Damping Scheme. *Giacomini, J.C.*, +, *TPEL Aug. 2020 8063-8073*

Modified Single-Edge SVPWM Technique to Reduce the Switching Losses and Increase PWM Harmonics Frequency for Three-Phase VSIs. *Huang, Y.*, +, *TPEL Oct. 2020 10643-10653*

Modulation for the AVC-HERIC Inverter to Compensate for Deadtime and Minimum Pulsewidth Limitation Distortions. *Tang, Z.*, +, *TPEL March 2020 2571-2584*

Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor. *Tang, Q.*, +, *TPEL Jan. 2020 699-708*

Offline Recursive Identification of Electrical Parameters of VSI-Fed Induction Motor Drives. *Reddy, S.R.P.*, +, *TPEL Oct. 2020 10711-10719*

Online Boundary Computation Using Sampled Voltage Reference for Bus Clamping PWM-Based Hysteresis-Controlled VSI-Fed IM Drive. *Peter, J.*, +, *TPEL April 2020 3939-3950*

Optimized Design for AC Filter and Switching Frequency of Parallel-Connected Inverters With Global Synchronous Pulsewidth Modulation. *Xu, T.*, +, *TPEL Nov. 2020 11843-11854*

Optimized Switching Finite Control Set Model Predictive Control of NPC Single-Phase Three-Level Rectifiers. *Zhang, X.*, +, *TPEL Oct. 2020 10097-10108*

Overmodulation Strategy for Electrolytic Capacitorless PMSM Drives: Voltage Distortion Analysis and Boundary Optimization. *Wang, G.*, +, *TPEL Sept. 2020 9574-9585*

Parameters Uncertainty Immunization of Global Synchronous Pulsewidth Modulated VSIs With Round P&O Algorithm. *Xu, T.*, +, *TPEL Nov. 2020 11281-11286*

Permeance Distribution Function: A Powerful Tool to Analyze Electromagnetic Forces Induced by PWM Current Harmonics in Multiphase Surface Permanent-Magnet Motors. *Lv, Y.*, +, *TPEL July 2020 7379-7391*

Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency. *Wang, J.*, +, *TPEL July 2020 7073-7085*

Real-Time Calculation Method for Single-Phase Cascaded H-Bridge Inverters Based on Phase-Shifted Carrier Pulsewidth Modulation. *Ma, J.*, +, *TPEL Jan. 2020 977-987*

Reconfigurable Hybrid Energy Storage System for an Electric Vehicle DC–AC Inverter. *Salari, O.*, +, *TPEL Dec. 2020 12846-12860*

Recovering Partial Three-Level Operation in a T-Type Inverter With Fault Management Redundant Unit. *Wang, B.*, +, *TPEL Sept. 2020 8944-8955*
Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*
Series-Connected Current-Source Inverters: f_{SW} = 60 Hz. *Xing, L.*, +, *TPEL Sept. 2020 8882-8885*
Single-Phase AC–DC–AC Three-Level Three-Leg Converter With Reduced Switch Count. *da Costa, A.E.L.*, +, *TPEL March 2020 2295-2307*
Switched Capacitor Integrated $(2n + 1)$-Level Step-Up Single-Phase Inverter. *Khan, M.N.H.*, +, *TPEL Aug. 2020 8248-8260*
Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter. *Thakur, S.S.*, +, *TPEL Sept. 2020 9291-9305*
Three-Phase Split-Source Inverter-Fed PV Systems: Analysis and Mitigation of Common-Mode Voltage. *Hassan, M.S.*, +, *TPEL Sept. 2020 9824-9838*
Topology and Control of a Four-Level ANPC Inverter. *Wang, K.*, +, *TPEL March 2020 2342-2352*
Unified Selective Harmonic Elimination Control for Four-Level Hybrid-Clamped Inverters. *Wu, M.*, +, *TPEL Nov. 2020 11488-11501*
Unified SVPWM Algorithm and Optimization for Single-Phase Three-Level NPC Converters. *Wang, S.*, +, *TPEL July 2020 7702-7712*
Variable Switching Frequency PWM Strategy for High-Frequency Circulating Current Control in Paralleled Inverters With Coupled Inductors. *Li, Q.*, +, *TPEL May 2020 5366-5380*

PWM power converters

A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*
A Comprehensive Study of Common Mode Voltage Reduction and Neutral Point Potential Balance for a Back-to-Back Three-Level NPC Converter. *Xu, X.*, +, *TPEL Aug. 2020 7910-7920*
A Double-Modulation-Wave PWM for Dead-Time-Effect Elimination and Synchronous Rectification in SiC-Device-Based High-Switching-Frequency Converters. *Yan, Q.*, +, *TPEL Dec. 2020 13500-13513*
A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*
A Generalized Carrier-Overlapped PWM Method for Neutral-Point-Clamped Multilevel Converters. *Wang, K.*, +, *TPEL Sept. 2020 9095-9106*
A Generalized Multifrequency Small-Signal Model for High-Bandwidth Buck Converters Under Constant-Frequency Voltage-Mode Control. *Cheng, X.*, +, *TPEL Aug. 2020 8186-8199*
A Hybrid Control of a Semidual-Active-Bridge DC–DC Converter With Minimum Current Stress. *Lu, M.*, +, *TPEL March 2020 3085-3096*
A Hybrid Modulation Method for Single-Stage Soft-Switching Inverter Based on Series Resonant Converter. *Yeh, C.*, +, *TPEL June 2020 5785-5796*
A New Primary PWM Control Strategy for CCM Synchronous Rectification Flyback Converter. *Dong, H.*, +, *TPEL May 2020 4457-4461*
A Novel Filter Structure to Suppress Circulating Currents Based on the Sequence of Sideband Harmonics for High-Power Interleaved Motor-Drive Systems. *Ohn, S.*, +, *TPEL Jan. 2020 853-866*
A Novel High-Performance Predictive Control Formulation for Multilevel Inverters. *Ni, Z.*, +, *TPEL Nov. 2020 11533-11543*
A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*
A Novel Volt-Second Self-Balancing SVPWM Scheme to Eliminate Steady-State DC Bias for a Three-Phase Isolated AC–DC Matrix Converter. *Hu, W.*, +, *TPEL Nov. 2020 11518-11532*
A Novel Voltage Balancing Control With *dv/dt* Reduction for 10-kV SiC MOSFET-Based Medium Voltage Modular Multilevel Converter. *Ji, S.*, +, *TPEL Nov. 2020 12533-12543*
A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives. *Diab, M.S.*, +, *TPEL Dec. 2020 12639-12645*
A Simplified 3-D NLM-Based SVPWM Technique With Voltage-Balancing Capability for 3LNPC Cascaded Multilevel Converter. *Lin, H.*, +, *TPEL April 2020 3506-3518*
A Single Carrier-Based Pulsewidth Modulation Technique for Three-to-Three Phase Indirect Matrix Converter. *Patel, P.P.*, +, *TPEL Nov. 2020 11589-11601*
A Single-Stage Fault-Tolerant Three-Phase Bidirectional AC/DC Converter With Symmetric High-Frequency Y-Δ Connected Transformers. *Gu, L.*, +, *TPEL Sept. 2020 9226-9237*
A Study of T-Type and ZVS-PWM Full-Bridge Converters for Switch-Mode Power Supplies. *Khodabakhsh, J.*, +, *TPEL July 2020 7145-7159*
A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding. *Pal, A.*, +, *TPEL Nov. 2020 11758-11769*
An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives. *Tian, H.*, +, *TPEL March 2020 2372-2388*
An Enhanced Static Compensator With DC-Link Voltage Shaping Method. *Jeon, Y.*, +, *TPEL March 2020 2488-2500*
An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*
An Improved Simplified PWM for Three-Level Neutral Point Clamped Inverter Based on Two-Level Common-Mode Voltage Reduction PWM. *Zhang, X.*, +, *TPEL Oct. 2020 11143-11154*
An Optimized Model Predictive Control for Three-Phase Four-Level Hybrid-Clamped Converters. *Yang, Y.*, +, *TPEL June 2020 6470-6481*
Analysis and Suppression of the Frequency-Decrease Effect in the Capacitor Voltage Related to the Low Modulation Frequency Ratio in an MMC System. *Wang, C.*, +, *TPEL Sept. 2020 9119-9132*
Analysis of Current Flowing Through Disabled Converters in Parallel AC/DC Power Conversion System. *Son, Y.*, +, *TPEL Nov. 2020 11625-11633*
Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*
Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*
Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller. *Kolluri, S.*, +, *TPEL Sept. 2020 9839-9849*
Carrier-Based Discontinuous PWM for a Five-Level Unidirectional Rectifier. *Mukherjee, D.*, +, *TPEL June 2020 5601-5614*
Circulating Harmonic Currents Suppression of Level-Increased NLM Based Modular Multilevel Converter With Deadbeat Control. *Chen, X.*, +, *TPEL Nov. 2020 11418-11429*
Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters. *Rodriguez, E.*, +, *TPEL Aug. 2020 8819-8832*
Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*
Comprehensive Analytics for Reliability Evaluation of Conventional Isolated Multiswitch PWM DC–DC Converters. *Tarzamni, H.*, +, *TPEL May 2020 5254-5266*
Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations. *Milovanovic, S.*, +, *TPEL Dec. 2020 12898-12908*
Control Techniques for the Back-to-Back Neutral-Point Clamped Converter in Asynchronous Operation. *Tsai, M.*, +, *TPEL March 2020 2334-2341*
Design of New SVPWM Mechanism for Three-Level NPC ZSI via Line-Voltage Coordinate System. *Zhang, J.*, +, *TPEL Aug. 2020 8593-8606*
Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*
Dual-Period-Decoupled Space Vector Phase-Shifted Modulation for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Li, X.*, +, *TPEL June 2020 6447-6457*
Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers. *Yu, Z.*, +, *TPEL April 2020 4094-4104*
Efficiency Improvement of Wireless Power Transfer Based on Multitransmitter System. *Yan, Z.*, +, *TPEL Sept. 2020 9011-9023*

Fast SPICE-Compatible Simulation of Low-Power On-Chip PWM DC–DC Converters With Improved Ripple Accuracy. *Burcea, F.*, +, *TPEL Aug. 2020 8173-8185*
Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages. *Bai, C.*, +, *TPEL April 2020 3636-3650*
Hybrid Buck–Boost Multioutput Quasi-Z-Source Converter With Dual DC and Single AC Outputs. *Shiluveru, K.*, +, *TPEL July 2020 7246-7260*
Hybrid Modulation Technique With DC-Bus Voltage Control for Multiphase NPC Converters. *Cervone, A.*, +, *TPEL Dec. 2020 13528-13539*
Improved Modulation Strategy for Single-Phase Single-Stage Isolated AC–DC Converter Considering Power Reversion Zone. *Wu, F.*, +, *TPEL April 2020 4157-4167*
Improvement of ZVS Range and Current Quality of the Nine-Switch Single-Stage AC–DC Converter. *Ali, K.*, +, *TPEL May 2020 4658-4668*
Integrated Common and Differential Mode Filter With Capacitor-Voltage Feedforward Active Damping for Single-Phase Transformerless PV Inverters. *Figueredo, R.S.*, +, *TPEL July 2020 7058-7072*
Interleaved Current-Fed Switched Inverter. *Acharya, S.*, +, *TPEL July 2020 7015-7030*
Limit-Cycle-Free Digitally Controlled DC–DC Converters Based on Dyadic Digital PWM. *Crovetti, P.S.*, +, *TPEL Oct. 2020 11155-11166*
Model Predictive Current Control of a Seven-Level Inverter With Reduced Computational Burden. *Bahrami, A.*, +, *TPEL June 2020 5729-5740*
Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*
Multiple Reference Frame-Based Torque Ripple Reduction in DFIG-DC System. *Xiao, Y.*, +, *TPEL May 2020 4971-4983*
New Inter- and Inner-Phase Power Control Method for Cascaded H-Bridge Based on Simplified PWM Strategy. *Ye, Z.*, +, *TPEL Aug. 2020 8607-8623*
Nonisolated Multiport Converters Based on Integration of PWM Converter and Phase-Shift-Switched Capacitor Converter. *Sato, Y.*, +, *TPEL Jan. 2020 455-470*
Optimized Switching Finite Control Set Model Predictive Control of NPC Single-Phase Three-Level Rectifiers. *Zhang, X.*, +, *TPEL Oct. 2020 10097-10108*
Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*
Properties and Synthesis of Lossless Snubbers and Passive Soft-Switching PWM Converters. *Yu, X.*, +, *TPEL April 2020 3807-3827*
PWM Resonant Converter With Asymmetric Modulation for ZVS Active Voltage Doubler Rectifier and Forced Half Resonance in PV Application. *Kim, J.*, +, *TPEL Jan. 2020 508-521*
Reactive Power Elimination for High Conversion-Ratio Bidirectional Resonant Converter. *Seok, H.*, +, *TPEL April 2020 3740-3753*
Real-Time Calculation Method for Single-Phase Cascaded H-Bridge Inverters Based on Phase-Shifted Carrier Pulsewidth Modulation. *Ma, J.*, +, *TPEL Jan. 2020 977-987*
Reconfigurable Hybrid Energy Storage System for an Electric Vehicle DC–AC Inverter. *Salari, O.*, +, *TPEL Dec. 2020 12846-12860*
Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*
Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*
Removal of Instantaneous Reactive Power From High-Conversion-Ratio Bidirectional Resonant Converter With Balanced Capacitor Voltage. *Son, S.*, +, *TPEL Nov. 2020 11916-11929*
Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*
Selective Torque Harmonic Elimination for Dual Three-Phase PMSMs Based on PWM Carrier Phase Shift. *Wang, X.*, +, *TPEL Dec. 2020 13255-13269*
Sensor-Fault-Estimation-Based Tolerant Control for Single-Phase Two-Level PWM Rectifier in Electric Traction System. *Gong, Z.*, +, *TPEL Nov. 2020 12274-12284*
Strategy and Implementation of Harmonic-Reduced Synchronized SVPWM for High-Power Traction Machine Drives. *Xiao, L.*, +, *TPEL Nov. 2020 12457-12471*
Suppression of DC-Link Current Ripple for Modular Multilevel Converters Under Phase-Disposition PWM. *Deng, F.*, +, *TPEL March 2020 3310-3324*
Switched Capacitor Integrated $(2n + 1)$-Level Step-Up Single-Phase Inverter. *Khan, M.N.H.*, +, *TPEL Aug. 2020 8248-8260*
Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*
Tapped-Inductor-Based Single-Magnetic Bidirectional PWM Converter Integrating Cell Voltage Equalizer for Series-Connected Supercapacitors. *Uno, M.*, +, *TPEL Dec. 2020 13157-13171*
The Three-Terminal Converter Cell, Graphs, and Generation of DC-to-DC Converter Families. *Marquez, R.*, +, *TPEL Aug. 2020 7725-7728*
Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter. *Thakur, S.S.*, +, *TPEL Sept. 2020 9291-9305*
Unified Selective Harmonic Elimination Control for Four-Level Hybrid-Clamped Inverters. *Wu, M.*, +, *TPEL Nov. 2020 11488-11501*
Unified SVPWM Algorithm and Optimization for Single-Phase Three-Level NPC Converters. *Wang, S.*, +, *TPEL July 2020 7702-7712*
Variable Switching Periods Based Space Vector Phase-Shifted Modulation for DAB Based Three-Phase Single-Stage Isolated AC–DC Converter. *Wu, F.*, +, *TPEL Dec. 2020 13725-13734*
Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*
Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*
ZVZCS Full-Bridge Three-Level DC/DC Converter With Reduced Device Count. *Liu, D.*, +, *TPEL Oct. 2020 9965-9970*

PWM rectifiers

A Double-Modulation-Wave PWM for Dead-Time-Effect Elimination and Synchronous Rectification in SiC-Device-Based High-Switching-Frequency Converters. *Yan, Q.*, +, *TPEL Dec. 2020 13500-13513*
A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*
An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*
Carrier-Based Discontinuous PWM for a Five-Level Unidirectional Rectifier. *Mukherjee, D.*, +, *TPEL June 2020 5601-5614*
Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*
Improved Model Predictive Control for High-Power Current-Source Rectifiers Under Normal and Distorted Grid Conditions. *Xue, C.*, +, *TPEL May 2020 4588-4601*
Optimized Switching Finite Control Set Model Predictive Control of NPC Single-Phase Three-Level Rectifiers. *Zhang, X.*, +, *TPEL Oct. 2020 10097-10108*
Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. *Zhang, Y.*, +, *TPEL April 2020 3616-3626*
Sensor-Fault-Estimation-Based Tolerant Control for Single-Phase Two-Level PWM Rectifier in Electric Traction System. *Gong, Z.*, +, *TPEL Nov. 2020 12274-12284*

Q

Q factor

A Multiphase Resonance-Based Boosting Rectifier With Dual Outputs for Wireless Power Transmission. *Lim, J.*, +, *TPEL March 2020 2680-2689*

Single-Turn Air-Core Coils for High-Frequency Inductive Wireless Power Transfer. *Zulauf, G.*, +, *TPEL March 2020 2917-2932*

Quadratic programming

A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*

Quadrature amplitude modulation

An Agile Supply Modulator With Improved Transient Performance for Power Efficient Linear Amplifier Employing Envelope Tracking Techniques. *Prakash, S.*, +, *TPEL April 2020 4178-4191*

R

Radiation hardening (electronics)

How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*

Radiation protection

Free Arrangement Wireless Power Transfer System With a Ferrite Transmission Medium and Geometry-Based Performance Improvement. *Seo, S.*, +, *TPEL May 2020 4518-4532*

Radio receivers

A High-Power Wireless Charging System Using *LCL*-N Topology to Achieve a Compact and Low-Cost Receiver. *Zhang, Y.*, +, *TPEL Jan. 2020 131-137*

Dual-Band Wireless Power Transfer With Reactance Steering Network and Reconfigurable Receivers. *Liu, M.*, +, *TPEL Jan. 2020 496-507*

Radio transmitters

A Hybrid Transmitter-Based Efficiency Improvement Controller With Full-Bridge Dual Resonant Tank for Misalignment Condition. *Mai, R.*, +, *TPEL Jan. 2020 1124-1135*

A New Coupling Structure and Position Detection Method for Segmented Control Dynamic Wireless Power Transfer Systems. *Li, X.*, +, *TPEL July 2020 6741-6745*

Coupling Extraction and Maximum Efficiency Tracking for Multiple Concurrent Transmitters in Dynamic Wireless Charging. *Kim, D.*, +, *TPEL Aug. 2020 7853-7862*

Dual-Band Wireless Power Transfer With Reactance Steering Network and Reconfigurable Receivers. *Liu, M.*, +, *TPEL Jan. 2020 496-507*

Radiofrequency amplifiers

Push–Pull Class Φ_2 RF Power Amplifier. *Gu, L.*, +, *TPEL Oct. 2020 10515-10531*

Radiofrequency integrated circuits

A 40 MHz Bandwidth, 91% Peak Efficiency, 2.5 W Output Power Supply Modulator With Dual-Mode Sigma–Delta Control and Adaptive Biasing Amplifier for Multistandard Communications. *He, H.*, +, *TPEL Sept. 2020 9430-9442*

Radiofrequency power amplifiers

A 40 MHz Bandwidth, 91% Peak Efficiency, 2.5 W Output Power Supply Modulator With Dual-Mode Sigma–Delta Control and Adaptive Biasing Amplifier for Multistandard Communications. *He, H.*, +, *TPEL Sept. 2020 9430-9442*

An Agile Supply Modulator With Improved Transient Performance for Power Efficient Linear Amplifier Employing Envelope Tracking Techniques. *Prakash, S.*, +, *TPEL April 2020 4178-4191*

On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation. *Surakitbovorn, K.N.*, +, *TPEL April 2020 4009-4023*

Radiofrequency power transmission

A Hybrid Transmitter-Based Efficiency Improvement Controller With Full-Bridge Dual Resonant Tank for Misalignment Condition. *Mai, R.*, +, *TPEL Jan. 2020 1124-1135*

Analysis and Comparison of Push–Pull Class-E Inverters With Magnetic Integration for Megahertz Wireless Power Transfer. *Huang, X.*, +, *TPEL Jan. 2020 565-577*

Coupling Extraction and Maximum Efficiency Tracking for Multiple Concurrent Transmitters in Dynamic Wireless Charging. *Kim, D.*, +, *TPEL Aug. 2020 7853-7862*

Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*

Design and Control for Catenary Charged Light Rail Vehicle Based on Wireless Power Transfer and Hybrid Energy Storage System. *Geng, Y.*, +, *TPEL Aug. 2020 7894-7903*

Dual-Band Wireless Power Transfer With Reactance Steering Network and Reconfigurable Receivers. *Liu, M.*, +, *TPEL Jan. 2020 496-507*

Maximum Efficiency Point Tracking for Multiple-Transmitter Wireless Power Transfer. *Kim, D.*, +, *TPEL Nov. 2020 11391-11400*

Optimal Transmission Range and Charging Time for Qi-Compliant Systems. *de Sousa, A.D.*, +, *TPEL Dec. 2020 12765-12772*

Rail transportation

Analysis and Control of Modular Multilevel Converter With Split Energy Storage for Railway Traction Power Conditioner. *Guo, P.*, +, *TPEL Feb. 2020 1239-1255*

Railway electrification

A Dual Half-Bridge Converter With Hybrid Rectifier for DC Power Supply in Railway Systems. *Zhao, L.*, +, *TPEL May 2020 4579-4587*

Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies. *Bessegato, L.*, +, *TPEL March 2020 2411-2423*

Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*

High-Order Harmonic Resonances in Traction Power Supplies: A Review Based on Railway Operational Data, Measurements, and Experience. *Song, K.*, +, *TPEL March 2020 2501-2518*

Uniform Power Dynamic Wireless Charging System With I-Type Power Supply Rail and DQ-Phase-Receiver Employing Receiver-Side Control. *Song, S.*, +, *TPEL Oct. 2020 11205-11212*

Railway rolling stock

Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application. *Li, D.*, +, *TPEL Dec. 2020 13429-13440*

Railways

DC-Link-Fluctuation-Resistant Predictive Torque Control for Railway Traction Permanent Magnet Synchronous Motor in the Six-Step Operation. *Zhao, S.*, +, *TPEL Oct. 2020 10982-10993*

Design of Compact Three-Phase Receiver for Meander-Type Dynamic Wireless Power Transfer System. *Wang, C.*, +, *TPEL July 2020 6854-6866*

The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application. *Hofstetter, P.*, +, *TPEL June 2020 5692-5701*

Random sequences

Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*

RC circuits

An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*

Analysis and Design of an *RC* Snubber Circuit to Suppress False Triggering Oscillation for GaN Devices in Half-Bridge Circuits. *Chen, J.*, +, *TPEL March 2020 2690-2704*

Capacitor Condition Monitoring Based on the DC-Side Start-Up of Modular Multilevel Converters. *Wang, Z.*, +, *TPEL June 2020 5589-5593*

Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*

Reactive power

A Fast and Robust Real-Time Detection Algorithm of Decaying DC Transient and Harmonic Components in Three-Phase Systems. *Xiong, L.*, +, *TPEL April 2020 3332-3336*

A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*

A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*

A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*

A Three-Phase Dual-Active-Bridge DC–DC Converter With Reconfigurable Resonant Network for Efficient Wide Voltage Range Operation. *Khan, A.Z.*, +, *TPEL Feb. 2020 1322-1339*
An Asymmetric Nine-Phase Induction Motor for LCI-Fed Medium Voltage Drive Applications. *Titus, J.*, +, *TPEL May 2020 5047-5056*
Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*
Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*
Decoupled Floating Capacitor Voltage Control of a Dual Inverter Drive for an Open-Ended Winding Induction Motor. *Perera, C.*, +, *TPEL July 2020 7305-7316*
Direct Power Flow Controller—A New Concept in Power Transmission. *Zhang, Y.*, +, *TPEL Feb. 2020 2067-2076*
Efficient High Step-Up Operation in Boost Converters Based on Impulse Rectification. *Samizadeh Nikoo, M.*, +, *TPEL Nov. 2020 11287-11293*
Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia. *Hou, X.*, +, *TPEL Feb. 2020 1589-1602*
Modulation for the AVC-HERIC Inverter to Compensate for Deadtime and Minimum Pulsewidth Limitation Distortions. *Tang, Z.*, +, *TPEL March 2020 2571-2584*
On-Board Single-Phase Integrated Electric Vehicle Charger With V2G Functionality. *Semsar, S.*, +, *TPEL Nov. 2020 12072-12084*
Reactive Power Elimination for High Conversion-Ratio Bidirectional Resonant Converter. *Seok, H.*, +, *TPEL April 2020 3740-3753*
Removal of Instantaneous Reactive Power From High-Conversion-Ratio Bidirectional Resonant Converter With Balanced Capacitor Voltage. *Son, S.*, +, *TPEL Nov. 2020 11916-11929*

Reactive power control

A Hybrid Boundary Conduction Modulation for a Single-Phase H-bridge Inverter to Alleviate Zero-Crossing Distortion and Enable Reactive Power Capability. *Yin, H.*, +, *TPEL Aug. 2020 8311-8323*
A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids. *Liu, B.*, +, *TPEL Nov. 2020 11634-11651*
Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*
Extended Reactive Power Exchange With Faulty Cells in Grid-Tied Cascaded H-Bridge Converter for Solar Photovoltaic Application. *Sharma, R.*, +, *TPEL June 2020 5683-5691*
Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*
Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*
Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*
Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*
Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*
Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*
Reactive Power Optimization Control for Bidirectional Dual-Tank Resonant DC–DC Converters for Fuel Cells Systems. *Wu, J.*, +, *TPEL Sept. 2020 9202-9214*
Steady-State Error Suppression and Simplified Implementation of Direct Source Current Control for Matrix Converter With Model Predictive Control. *Lei, J.*, +, *TPEL March 2020 3183-3194*

Real-time systems

A Device-Level Transient Modeling Approach for the FPGA-Based Real-Time Simulation of Power Converters. *Bai, H.*, +, *TPEL Feb. 2020 1282-1292*
A Novel Control Strategy for Improving the Performance of a Nearly Zero Energy Building. *Tsioumas, E.*, +, *TPEL Feb. 2020 1513-1524*
Run-to-Run Control for Active Balancing of Lithium Iron Phosphate Battery Packs. *Tang, X.*, +, *TPEL Feb. 2020 1499-1512*

Receivers

Comparative Analysis of Frequency-Selective Wireless Power Transfer for Multiple-Rx Systems. *Lee, K.*, +, *TPEL May 2020 5122-5131*
Design of Compact Three-Phase Receiver for Meander-Type Dynamic Wireless Power Transfer System. *Wang, C.*, +, *TPEL July 2020 6854-6866*
Design of DD Coil With High Misalignment Tolerance and Low EMF Emissions for Wireless Electric Vehicle Charging Systems. *Song, K.*, +, *TPEL Sept. 2020 9034-9045*
Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers. *Yang, Y.*, +, *TPEL Oct. 2020 11026-11038*

Rectennas

A Compact Rectenna Design With Wide Input Power Range for Wireless Power Transfer. *Lu, P.*, +, *TPEL July 2020 6705-6710*
A Self-Biased Adaptive Reconfigurable Rectenna for Microwave Power Transmission. *Lu, P.*, +, *TPEL Aug. 2020 7749-7754*

Rectification

A Compact Rectenna Design With Wide Input Power Range for Wireless Power Transfer. *Lu, P.*, +, *TPEL July 2020 6705-6710*
A New Primary PWM Control Strategy for CCM Synchronous Rectification Flyback Converter. *Dong, H.*, +, *TPEL May 2020 4457-4461*
Bridgeless Cuk-Derived Single Power Conversion Inverter With Reactive-Power Capability. *Han, B.*, +, *TPEL March 2020 2629-2645*
Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*
Uniform Power Dynamic Wireless Charging System With I-Type Power Supply Rail and DQ-Phase-Receiver Employing Receiver-Side Control. *Song, S.*, +, *TPEL Oct. 2020 11205-11212*

Rectifiers

99% Efficient Isolated Three-Phase Matrix-Type DAB Buck–Boost PFC Rectifier. *Schrittwieser, L.*, +, *TPEL Jan. 2020 138-157*
A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*
A Compact Rectenna Design With Wide Input Power Range for Wireless Power Transfer. *Lu, P.*, +, *TPEL July 2020 6705-6710*
A Dual Half-Bridge Converter With Hybrid Rectifier for DC Power Supply in Railway Systems. *Zhao, L.*, +, *TPEL May 2020 4579-4587*
A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress. *Hassan, W.*, +, *TPEL Nov. 2020 11827-11842*
A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*
A Multiphase Resonance-Based Boosting Rectifier With Dual Outputs for Wireless Power Transmission. *Lim, J.*, +, *TPEL March 2020 2680-2689*
A New Single-Stage 48-V-Input VRM Topology Using an Isolated Stacked Half-Bridge Converter. *Khatua, S.*, +, *TPEL Nov. 2020 11976-11987*
A New Soft-Switched Three-Port DC/DC Converter With High Voltage Gain and Reduced Number of Semiconductors for Hybrid Energy Applications. *Dobakhshari, S.S.*, +, *TPEL April 2020 3590-3600*
A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*
A Single Carrier-Based Pulsewidth Modulation Technique for Three-to-Three Phase Indirect Matrix Converter. *Patel, P.P.*, +, *TPEL Nov. 2020 11589-11601*
A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*
A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*
A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder. *Pal, A.*, +, *TPEL April 2020 3601-3615*

Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems. *Sun, J.*, +, *TPEL Aug. 2020 7840-7852*

Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*

Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*

An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*

An Improved Three-Phase Buck Rectifier Topology With Reduced Voltage Stress on Transistors. *Lei, J.*, +, *TPEL March 2020 2458-2466*

An Integrated Permanent-Magnet-Synchronous Generator–Rectifier Architecture for Limited-Speed-Range Applications. *Huynh, P.T.*, +, *TPEL May 2020 4767-4779*

An Operation Mode Selection Method of Dual-Side Bridge Converters for Efficiency Optimization in Inductive Power Transfer. *Chen, S.*, +, *TPEL Oct. 2020 9992-9997*

An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*

Asymmetrical Bidirectional DC–DC Converter With Limited Reverse Power Rating in Smart Transformer. *Zhu, R.*, +, *TPEL July 2020 6895-6905*

Common-Mode EMI Noise Analysis and Reduction for AC–DC–AC Systems With Paralleled Power Modules. *Yang, L.*, +, *TPEL July 2020 6989-7000*

Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. *Sundararajan, P.*, +, *TPEL June 2020 6386-6396*

Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*

Diode Evaluation and Series Diode Balancing for High-Voltage High-Frequency Power Converters. *He, Y.*, +, *TPEL June 2020 6301-6314*

DQ-Frame Zero-Crossing Effect Modeling and Current Distortion Compensation Method for Vienna Rectifier. *Miao, Z.*, +, *TPEL July 2020 7612-7623*

Extensions of Leading-Edge Modulated One-Cycle Control for Totem-Pole Bridgeless Rectifiers. *Fischer, G.d.S.*, +, *TPEL May 2020 5447-5460*

Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers. *Yang, Y.*, +, *TPEL Oct. 2020 11026-11038*

Harmonic Reduction for 12-Pulse Rectifier Using Two Auxiliary Single-Phase Full-Wave Rectifiers. *Wang, J.*, +, *TPEL Dec. 2020 12617-12622*

High-Efficiency Three-Level DC–DC Converter With Reduced Circulating Current and Rectifier Voltage Stress. *Kim, K.*, +, *TPEL March 2020 2668-2679*

High-Frequency Voltage and Current Sense Circuits for Inductive Power Transfer Systems. *Zhu, G.*, +, *TPEL Nov. 2020 11352-11362*

Hybrid Low-Frequency Switch for Bridgeless PFC. *Huang, Q.*, +, *TPEL Oct. 2020 9982-9986*

Load Parameter Joint Identification of Wireless Power Transfer System Based on the DC Input Current and Phase-Shift Angle. *Guo, Y.*, +, *TPEL Oct. 2020 10542-10553*

Manitoba Rectifier—Bridgeless Buck–Boost PFC. *Siu, K.K.M.*, +, *TPEL Jan. 2020 403-414*

Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*

Multiple Reference Frame-Based Torque Ripple Reduction in DFIG-DC System. *Xiao, Y.*, +, *TPEL May 2020 4971-4983*

New Digital Control Method for Improving Dynamic Response of Synchronous Rectified PSR Flyback Converter With CCM and DCM Modes. *Xu, S.*, +, *TPEL Nov. 2020 12347-12358*

Open-Circuit Fault Diagnosis of Rotating Rectifier by Analyzing the Exciter Armature Current. *Sun, C.*, +, *TPEL June 2020 6373-6385*

Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*

Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier. *Kumar, N.*, +, *TPEL Oct. 2020 10008-10012*

Phase-Locked Loop Combined With Chained Trigger Mode Used for Impedance Matching in Wireless High Power Transfer. *Jiang, Y.*, +, *TPEL April 2020 4272-4285*

Power-Linked Predictive Control Strategy for Power Electronic Traction Transformer. *Zhao, N.*, +, *TPEL June 2020 6559-6571*

PWM Resonant Converter With Asymmetric Modulation for ZVS Active Voltage Doubler Rectifier and Forced Half Resonance in PV Application. *Kim, J.*, +, *TPEL Jan. 2020 508-521*

Resonant Bridgeless AC/DC Rectifier With High Switching Frequency and Inherent PFC Capability. *Valipour, H.*, +, *TPEL Jan. 2020 232-246*

Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*

Single-Phase AC–DC Converter With Dual-Output Rectifier, Dual-Input DC Transformer, and Voltage-Split/Sigma Principle. *Jia, Y.*, +, *TPEL Jan. 2020 158-168*

Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*

Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*

Uniform Power Dynamic Wireless Charging System With I-Type Power Supply Rail and DQ-Phase-Receiver Employing Receiver-Side Control. *Song, S.*, +, *TPEL Oct. 2020 11205-11212*

Voltage Difference Residual-Based Open-Circuit Fault Diagnosis Approach for Three-Level Converters in Electric Traction Systems. *Yang, C.*, +, *TPEL March 2020 3012-3028*

Zero-Voltage and Zero-Current Switching Dual-Transformer-Based Full-Bridge Converter With Current Doubler Rectifier. *Zhao, L.*, +, *TPEL Dec. 2020 12949-12958*

Rectifying circuits

99% Efficient Isolated Three-Phase Matrix-Type DAB Buck–Boost PFC Rectifier. *Schrittwieser, L.*, +, *TPEL Jan. 2020 138-157*

A 5.8-GHz High-Power and High-Efficiency Rectifier Circuit With Lateral GaN Schottky Diode for Wireless Power Transfer. *Dang, K.*, +, *TPEL March 2020 2247-2252*

A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*

A Compact Rectenna Design With Wide Input Power Range for Wireless Power Transfer. *Lu, P.*, +, *TPEL July 2020 6705-6710*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Self-Biased Adaptive Reconfigurable Rectenna for Microwave Power Transmission. *Lu, P.*, +, *TPEL Aug. 2020 7749-7754*

A Unidirectional Insulated AC–DC Converter Based on the Hexverter and Multipulse-Rectifier. *Lambert, G.*, +, *TPEL March 2020 2363-2371*

A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*

Current Balancing Control Methods Using Advanced Carrier-Based Modulation for Five-Level Current Source Rectifiers. *Ries, L.K.*, +, *TPEL Oct. 2020 10213-10226*

Current Ripple Analysis of Three-Phase Vienna Rectifier Considering Inductance Variation of Powder Core Inductor. *Wang, T.*, +, *TPEL May 2020 4568-4578*

Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*

DQ-Frame Zero-Crossing Effect Modeling and Current Distortion Compensation Method for Vienna Rectifier. *Miao, Z.*, +, *TPEL July 2020 7612-7623*

High-Efficiency Three-Level DC–DC Converter With Reduced Circulating Current and Rectifier Voltage Stress. *Kim, K.*, +, *TPEL March 2020 2668-2679*
On Beat Frequency Oscillation of Two-Stage Wireless Power Receivers. *Li, K.*, +, *TPEL Dec. 2020 12741-12751*
Open-Circuit Fault Diagnosis and Maintenance in Multi-Pulse Parallel and Series TRU Topologies. *Perise, J.S.*, +, *TPEL Oct. 2020 10906-10916*
Self-Circulating Testing Method for Both Rectifying and Inverting Submodules of Modular Multilevel Converter With Low DC Supply Voltage. *Jiang, S.*, +, *TPEL Aug. 2020 7795-7803*
Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*
Strategy of Topology Selection Based on Quasi-Duality Between Series–Series and Series–Parallel Topologies of Resonant Inductive Coupling Wireless Power Transfer Systems. *Ishihara, M.*, +, *TPEL July 2020 6785-6798*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*

Recurrent neural networks
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
Dynamic Terminal Sliding-Mode Control for Single-Phase Active Power Filter Using New Feedback Recurrent Neural Network. *Fei, J.*, +, *TPEL Sept. 2020 9904-9922*
Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*

Recycling
Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*
Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. *Yang, Q.*, +, *TPEL Dec. 2020 13053-13067*

Reduced instruction set computing
Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*

Reduced order systems
A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*
Multiparameter Model Order Reduction for Thermal Modeling of Power Electronics. *Dong, X.*, +, *TPEL Aug. 2020 8550-8558*

Redundancy
A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*

Refrigerants
Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*

Refrigeration
Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*

Regenerative braking
A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*
Braking Torque Control Strategy for Brushless DC Motor With a Noninductive Hybrid Energy Storage Topology. *Cao, Y.*, +, *TPEL Aug. 2020 8417-8428*
Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*
Design and Analysis of Electrical Braking Torque Limit Trajectory for Regenerative Braking in Electric Vehicles With PMSM Drive Systems. *Choo, K.*, +, *TPEL Dec. 2020 13308-13321*
Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation. *Ding, D.*, +, *TPEL March 2020 2895-2907*

Regression analysis
Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*
Online Anomaly Detection in DC/DC Converters by Statistical Feature Estimation Using GPR and GA. *Jiang, Y.*, +, *TPEL Oct. 2020 10945-10957*
Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*
State-of-Health Estimation Based on Differential Temperature for Lithium Ion Batteries. *Tian, J.*, +, *TPEL Oct. 2020 10363-10373*

Regulation
Derivation of Single-Input Dual-Output Converters With Simple Control and No Cross Regulation. *Dong, Z.*, +, *TPEL Nov. 2020 11930-11941*

Regulators
Elimination of the Interaction of the Converters in Switch-Linear Hybrid Envelope Tracking Power Supplies. *Wang, Y.*, +, *TPEL Feb. 2020 2053-2066*

Relay protection
Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Reliability
A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*
A Leakage-Inductor Parameter Compensation Method for Paralleled Current-Fed Isolated DC/DC System. *Zhang, Y.*, +, *TPEL Feb. 2020 1160-1164*
A Novel Single-Phase Three-Level Dual-Buck Inverter. *Nguyen, T.*, +, *TPEL April 2020 3365-3376*
A Reduced Component Count Five-Level Inverter Topology for High Reliability Electric Drives. *Karthik, A.*, +, *TPEL Jan. 2020 725-732*
An Overview of Capacitive DC-Links-Topology Derivation and Scalability Analysis. *Wang, H.*, +, *TPEL Feb. 2020 1805-1829*
Reliability Assessment of Multistate Degraded Systems: An Application to Power Electronic Systems. *Samavatian, V.*, +, *TPEL April 2020 4024-4032*
Thermally Compensated Discontinuous Modulation for MVAC/LVDC Building Blocks of Modular Smart Transformers. *Ko, Y.*, +, *TPEL Jan. 2020 220-231*

Reluctance generators
A New Modulation–Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. *Yu, D.*, +, *TPEL Nov. 2020 12370-12382*
An Active Boost Power Converter for Improving the Performance of Switched Reluctance Generators in DC Generating Systems. *Wang, Q.*, +, *TPEL May 2020 4741-4755*

Reluctance machines
A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines. *Ge, L.*, +, *TPEL March 2020 2787-2798*
Torque Ripple and Efficiency Online Optimization of Switched Reluctance Machine Based on Torque per Ampere Characteristics. *Song, S.*, +, *TPEL Sept. 2020 9608-9616*
Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique. *Kiran, K.*, +, *TPEL Aug. 2020 8396-8404*

Reluctance motor drives
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle. *Yu, Z.*, +, *TPEL Oct. 2020 10614-10628*

Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties. *Gan, C.*, +, *TPEL Nov. 2020 12307-12320*

Reluctance motors

DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle. *Yu, Z.*, +, *TPEL Oct. 2020 10614-10628*

Direct Thrust Force Control of Primary Permanent-Magnet Linear Motors With Single DC-Link Current Sensor for Subway Applications. *Wang, W.*, +, *TPEL Feb. 2020 1365-1376*

Real-Time HIL Emulation for a Segmented-Rotor Switched Reluctance Motor Using a New Magnetic Equivalent Circuit. *Sun, X.*, +, *TPEL April 2020 3841-3849*

Remaining life assessment

A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*

Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing. *Hu, K.*, +, *TPEL July 2020 6773-6784*

Reliability Assessment of Multistate Degraded Systems: An Application to Power Electronic Systems. *Samavatian, V.*, +, *TPEL April 2020 4024-4032*

Remaining Useful Life Prediction of Battery Using a Novel Indicator and Framework With Fractional Grey Model and Unscented Particle Filter. *Chen, L.*, +, *TPEL June 2020 5850-5859*

Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*

Remotely operated vehicles

A Fully Soft Switched Point-of-Load Converter for Resource Constraint Drone Applications. *Qu, Y.*, +, *TPEL March 2020 2705-2713*

Renewable energy sources

A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*

A New Soft-Switched Three-Port DC/DC Converter With High Voltage Gain and Reduced Number of Semiconductors for Hybrid Energy Applications. *Dobakhshari, S.S.*, +, *TPEL April 2020 3590-3600*

A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*

An Enhanced Static Compensator With DC-Link Voltage Shaping Method. *Jeon, Y.*, +, *TPEL March 2020 2488-2500*

An Overview and Comprehensive Comparative Evaluation of Current-Fed-Isolated-Bidirectional DC/DC Converter. *Pan, X.*, +, *TPEL March 2020 2737-2763*

Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*

Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*

Coupled Inductor-Based High Voltage Gain DC–DC Converter For Renewable Energy Applications. *Mirzaee, A.*, +, *TPEL July 2020 7045-7057*

Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*

High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*

Inertia Response Improvement in AC Microgrids: A Fuzzy-Based Virtual Synchronous Generator Control. *Karimi, A.*, +, *TPEL April 2020 4321-4331*

Model Predictive Voltage and Power Control of Islanded PV-Battery Microgrids With Washout-Filter-Based Power Sharing Strategy. *Shan, Y.*, +, *TPEL Feb. 2020 1227-1238*

Novel Analytical Method for Dynamic Design of Renewable SSG SPC Unit to Mitigate Low-Frequency Electromechanical Oscillations. *Abdollahi, M.*, +, *TPEL July 2020 7532-7544*

Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters. *Wu, X.*, +, *TPEL Sept. 2020 9865-9885*

Review and Comparison of Grid-Tied Inverter Controllers in Microgrids. *Liu, Q.*, +, *TPEL July 2020 7624-7639*

Simplified Resonant Parameter Design of the Asymmetrical *CLLC*-Type DC Transformer in the Renewable Energy System via Semi-Artificial Intelligent Optimal Scheme. *Huang, J.*, +, *TPEL Feb. 2020 1548-1562*

Small-Signal Modeling and Stability Prediction of Parallel Droop-Controlled Inverters Based on Terminal Characteristics of Individual Inverters. *Wang, S.*, +, *TPEL Jan. 2020 1045-1063*

Resistance

DC-Current Injection With Minimum Torque Ripple in Interior Permanent-Magnet Synchronous Motors. *Baneira, F.*, +, *TPEL Feb. 2020 1176-1181*

Detection and Classification of Turn Fault and High Resistance Connection Fault in Permanent Magnet Machines Based on Zero Sequence Voltage. *Hu, R.*, +, *TPEL Feb. 2020 1922-1933*

Highly Effective Cell Equalization in a Lithium-Ion Battery Management System. *Koseoglou, M.*, +, *TPEL Feb. 2020 2088-2099*

Research on Vector Control Strategy of Surface-Mounted Permanent Magnet Synchronous Machine Drive System With High-Resistance Connection. *Hang, J.*, +, *TPEL Feb. 2020 2023-2033*

Resistance heating

Thermoelectric Energy Conversion System With Multiple Inputs. *Hwu, K.*, +, *TPEL Feb. 2020 1603-1621*

Resistors

A High-Efficiency and Fast-Transient Low-Dropout Regulator With Adaptive Pole Tracking Frequency Compensation Technique. *Ming, X.*, +, *TPEL Nov. 2020 12401-12415*

A Snubberless Solid-State Tap Changer for Permanent Magnet Synchronous Motors. *Im, S.*, +, *TPEL Nov. 2020 12143-12152*

A Study of Virtual Resistor-Based Active Damping Alternatives for *LCL* Resonance in Grid-Connected Voltage Source Inverters. *Liu, T.*, +, *TPEL Jan. 2020 247-262*

Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets. *Yang, C.*, +, *TPEL Dec. 2020 13356-13366*

Analytical Factorized Model for Stability Analysis and Optimization of Shunt *RC* Damped *LCL* Filter for Grid-Connected Voltage Source Inverters. *Koran, A.*, +, *TPEL July 2020 6830-6841*

High-Power Nanosecond Pulse Generators With Improved Reliability by Adopting Auxiliary Triggering Topology. *Yan, J.*, +, *TPEL Feb. 2020 1353-1364*

Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*

Resonance

Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*

Resonant converters

A Dual Half-Bridge *LLC* Resonant Converter With Magnetic Control for Battery Charger Application. *Wei, Y.*, +, *TPEL Feb. 2020 2196-2207*

Resonant frequency

Passivity-Based Design of Plug-and-Play Current-Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Feb. 2020 2135-2150*

Resonant inverters

Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*

Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load. *Fernandez, M.*, +, *TPEL May 2020 5221-5237*

Resonant Inductance Design and Loss Analysis of a Novel Resonant DC Link Inverter. *Chu, E.*, +, *TPEL Feb. 2020 1392-1405*

Resonant power converters

A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*

A Combined Three-Port LLC Structure for Adaptive Power Flow Adjustment of PV Systems. *Qian, T.*, +, *TPEL Oct. 2020 10413-10422*

A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*

A Family of Step-Up Series–Parallel Dual Resonant Switched-Capacitor Converters With Wide Regulation Range. *Xie, W.*, +, *TPEL March 2020 2724-2736*

A Hybrid Modular DC Solid-State Transformer Combining High Efficiency and Control Flexibility. *Sun, Y.*, +, *TPEL April 2020 3434-3449*

A Hybrid Modulation Method for Single-Stage Soft-Switching Inverter Based on Series Resonant Converter. *Yeh, C.*, +, *TPEL June 2020 5785-5796*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Magnetically Controlled Single-Stage AC–DC Converter. *Wei, Y.*, +, *TPEL Sept. 2020 8872-8877*

A Modular Multilevel Resonant DC–DC Converter. *Shao, S.*, +, *TPEL Aug. 2020 7921-7932*

A Novel Current Sharing Method by Grouping Transformer's Secondary Windings for a Multiphase LLC Resonant Converter. *Yang, Y.*, +, *TPEL May 2020 4877-4890*

A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*

A Novel Primary-Side Regulation Control Scheme for CCM and DCM *LLC* LED Driver Based on "Magnetizing Current Cancellation Method". *Dong, H.*, +, *TPEL Nov. 2020 12223-12237*

A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*

A QR-ZCS Boost Converter With Tapped Inductor and Active Edge-Resonant Cell. *Harasimczuk, M., TPEL Dec. 2020 13085-13095*

A Step-Up Nonisolated Modular Multilevel DC–DC Converter With Self-Voltage Balancing and Soft Switching. *Sun, C.*, +, *TPEL Dec. 2020 13017-13030*

An *LLC*-Based Highly Efficient S2M and C2C Hybrid Hierarchical Battery Equalizer. *Peng, F.*, +, *TPEL June 2020 5928-5937*

An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*

An ISOP Hybrid DC Transformer Combining Multiple SRCs and DAB Converters to Interconnect MVDC and LVDC Distribution Networks. *Yao, J.*, +, *TPEL Nov. 2020 11442-11452*

An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*

An Overview and Comprehensive Comparative Evaluation of Current-Fed-Isolated-Bidirectional DC/DC Converter. *Pan, X.*, +, *TPEL March 2020 2737-2763*

Analysis and Design of *LLC* Converter Considering Output Voltage Regulation Under No-Load Condition. *Kim, J.*, +, *TPEL Jan. 2020 522-534*

Analysis and Design of the LLC LED Driver Based on State-Space Representation Direct Time-Domain Solution. *Menke, M.F.*, +, *TPEL Dec. 2020 12686-12701*

Bidirectional LCLL Resonant Converter With Wide Output Voltage Range. *Zhang, Y.*, +, *TPEL Nov. 2020 11813-11826*

Class-E Isolated DC–DC Converter With High-Rate and Cost-Effective Bidirectional Data Channel. *Pareschi, F.*, +, *TPEL May 2020 5304-5318*

Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*

Design and Fabrication of Three-Dimensional Printed Air-Core Transformers for High-Frequency Power Applications. *Tong, Z.*, +, *TPEL Aug. 2020 8472-8489*

Design and Implementation of Half-Bridge Resonant Converter With Novel Primary-Side Control. *Liang, T.*, +, *TPEL May 2020 5408-5416*

Design-Oriented Comprehensive Time-Domain Model for *CLLC* Class Isolated Bidirectional DC-DC Converter for Various Operation Modes. *Sun, J.*, +, *TPEL April 2020 3491-3505*

Effects of Secondary Leakage Inductance on the *LLC* Resonant Converter. *Noah, M.*, +, *TPEL Jan. 2020 835-852*

Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*

Equivalent Circuit Modeling of *LLC* Resonant Converter. *Tian, S.*, +, *TPEL Aug. 2020 8833-8845*

Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*

High-Efficiency High-Power-Density *CLLC* Resonant Converter With Low-Stray-Capacitance and Well-Heat-Dissipated Planar Transformer for EV On-Board Charger. *Zhang, Z.*, +, *TPEL Oct. 2020 10831-10851*

High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles. *Ta, L.A.D.*, +, *TPEL Aug. 2020 8324-8334*

High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations. *Dao, N.D.*, +, *TPEL Oct. 2020 10455-10465*

High-Performance Megahertz-Frequency Resonant DC–DC Converter for Automotive LED Driver Applications. *Khatua, M.*, +, *TPEL Oct. 2020 10396-10412*

High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*

Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages. *Bai, C.*, +, *TPEL April 2020 3636-3650*

Hold-Up Time Compensation Circuit of Half-Bridge LLC Resonant Converter for High Light-Load Efficiency. *Jeong, Y.*, +, *TPEL Dec. 2020 13126-13135*

Hold-Up Time Extension Method for *LLC* Resonant Converter by Detecting Operation Region. *Park, M.*, +, *TPEL Oct. 2020 9949-9952*

Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*

Overview of Modulation Strategies for *LLC* Resonant Converter. *Wei, Y.*, +, *TPEL Oct. 2020 10423-10443*

Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling. *Shafaei, R.*, +, *TPEL Sept. 2020 9632-9649*

PWM Resonant Converter With Asymmetric Modulation for ZVS Active Voltage Doubler Rectifier and Forced Half Resonance in PV Application. *Kim, J.*, +, *TPEL Jan. 2020 508-521*

Reactive Power Elimination for High Conversion-Ratio Bidirectional Resonant Converter. *Seok, H.*, +, *TPEL April 2020 3740-3753*

Reactive Power Optimization Control for Bidirectional Dual-Tank Resonant DC–DC Converters for Fuel Cells Systems. *Wu, J.*, +, *TPEL Sept. 2020 9202-9214*

Removal of Instantaneous Reactive Power From High-Conversion-Ratio Bidirectional Resonant Converter With Balanced Capacitor Voltage. *Son, S.*, +, *TPEL Nov. 2020 11916-11929*

Research on IPT Resonant Converters With High Misalignment Tolerance Using Multicoil Receiver Set. *Ke, G.*, +, *TPEL April 2020 3697-3712*

Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*

Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*

Small-Signal Modeling of *LLC* Converters Using Homopolarity Cycle. *Mohammadi, M.*, +, *TPEL April 2020 4076-4093*

The Cascaded Resonant Converter: A Hybrid Switched-Capacitor Topology With High Power Density and Efficiency. *Ye, Z.*, +, *TPEL May 2020 4946-4958*

Resonators

A Fractional-Order Wireless Power Transfer System Insensitive to Resonant Frequency. *Jiang, Y.*, +, *TPEL May 2020 5496-5505*

A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*

Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*

Reviews
An Overview and Comprehensive Comparative Evaluation of Current-Fed-Isolated-Bidirectional DC/DC Converter. *Pan, X.*, +, *TPEL March 2020 2737-2763*
High-Order Harmonic Resonances in Traction Power Supplies: A Review Based on Railway Operational Data, Measurements, and Experience. *Song, K.*, +, *TPEL March 2020 2501-2518*
RLC circuits
Optimal Design of Diode-Bridge Bidirectional Solid-State Switch Using Standard Recovery Diodes for 500-kV High-Voltage DC Breaker. *Zhang, X.*, +, *TPEL Feb. 2020 1165-1170*
Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*
Robust control
A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer. *Du, C.*, +, *TPEL Aug. 2020 8429-8442*
A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
Controllable Electrochemical Impedance Spectroscopy: From Circuit Design to Control and Data Analysis. *Sadeghi, E.*, +, *TPEL Sept. 2020 9933-9942*
Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*
Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*
Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*
Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*
Extended State Observer-Based Control of DC–DC Converters for Fuel Cell Application. *Zhuo, S.*, +, *TPEL Sept. 2020 9923-9932*
High Performance Model Predictive Control for PMSM by Using Stator Current Mathematical Model Self-Regulation Technique. *Wang, F.*, +, *TPEL Dec. 2020 13652-13662*
Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*
ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Phase Reshaping via All-Pass Filters for Robust *LCL*-Filter Active Damping. *Yao, W.*, +, *TPEL March 2020 3114-3126*
Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints. *Li, Y.*, +, *TPEL Jan. 2020 1022-1035*
Robust Control Parameters Design of PBC Controller for *LCL*-Filtered Grid-Tied Inverter. *Zhao, J.*, +, *TPEL Aug. 2020 8102-8115*
Robust High-Rate Secondary Control of Microgrids With Mitigation of Communication Impairments. *Heydari, R.*, +, *TPEL Nov. 2020 12486-12496*
Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*
Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*
Robust Predictive Current Control of Permanent-Magnet Synchronous Motors With Newly Designed Cost Function. *Liu, X.*, +, *TPEL Oct. 2020 10778-10788*
Separate-Structure UDE-Based Current Resonant Control Strategy on *L+C+L*-Type Grid-Tied Inverters With Weighted Average Current Method for Improved Injected Current Quality and Robustness. *Xiong, Y.*, +, *TPEL Dec. 2020 13641-13651*
Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation. *Wang, B.*, +, *TPEL Nov. 2020 12522-12532*
Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*
Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*
Robustness
Corrections to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System" [Aug 19 7852-7862]. *Lu, W.*, +, *TPEL Jan. 2020 1156*
Robust Predictive Current Control of PMLSM With Extended State Modeling Based Kalman Filter: For Time-Varying Disturbance Rejection. *Yang, R.*, +, *TPEL Feb. 2020 2208-2221*
Robust Quasi-Predictive Control of *L+C+L*-Filtered Grid Converters. *Dragicevic, T.*, +, *TPEL Feb. 2020 1934-1946*
Rotors
A Fast Estimation of Initial Rotor Position for Low-Speed Free-Running IPMSM. *Wu, T.*, +, *TPEL July 2020 7664-7673*
A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*
A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*
A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss. *Zhang, H.*, +, *TPEL March 2020 2831-2842*
A Simplified Stator Frequency and Power Control Method of DFIG-DC System Without Stator Voltage and Current Sensors. *Wu, C.*, +, *TPEL June 2020 5562-5566*
A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer. *Du, C.*, +, *TPEL Aug. 2020 8429-8442*
A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*
A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*
A Unified Power Control Method for Standalone and Grid-Connected DFIG-DC System. *Wu, C.*, +, *TPEL Dec. 2020 12663-12667*
Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*
Active Motor Rotor Temperature Management Based on One-Node Thermal Network Model Predictive Control. *Sun, T.*, +, *TPEL Oct. 2020 11213-11221*
An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*
An Envelope-Prediction-Based Sensorless Rotor Position Observation Scheme for LCI-Fed EESM at Zero and Low Speed. *Kou, J.*, +, *TPEL July 2020 7356-7365*
An Improved Rotor Speed Observer for Standalone Brushless Doubly-Fed Induction Generator Under Unbalanced and Nonlinear Loads. *Liu, Y.*, +, *TPEL Jan. 2020 775-788*
An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs. *Xu, W.*, +, *TPEL July 2020 7271-7281*
Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*
Damping Method of High-Frequency Resonance for Stator Current Controlled DFIG System Under Parallel Compensation Grid. *Pang, B.*, +, *TPEL Oct. 2020 10260-10270*
DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle. *Yu, Z.*, +, *TPEL Oct. 2020 10614-10628*

Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*

Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*

Discrete-Time Modeling and Control Based on Field Orientation for Induction Motors. *Dominguez, J.R.*, +, *TPEL Aug. 2020 8779-8793*

Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers. *Yu, Z.*, +, *TPEL April 2020 4094-4104*

Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*

Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*

Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*

High-Precision Rotor Position Correction Strategy for High-Speed Permanent Magnet Synchronous Motor Based on Resolver. *Chen, S.*, +, *TPEL Sept. 2020 9716-9726*

Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*

Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*

Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*

Low-Noise Initial Position Detection Method for Sensorless Permanent Magnet Synchronous Motor Drives. *Bi, G.*, +, *TPEL Dec. 2020 13333-13344*

Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives. *Lin, Z.*, +, *TPEL Dec. 2020 13345-13355*

Multiple Reference Frame-Based Torque Ripple Reduction in DFIG-DC System. *Xiao, Y.*, +, *TPEL May 2020 4971-4983*

Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*

Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties. *Gan, C.*, +, *TPEL Nov. 2020 12307-12320*

Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*

Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines. *Ayaz Khoshhava, M.*, +, *TPEL July 2020 6658-6662*

Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits. *Liu, Z.*, +, *TPEL May 2020 5290-5303*

Permeance Distribution Function: A Powerful Tool to Analyze Electromagnetic Forces Induced by PWM Current Harmonics in Multiphase Surface Permanent-Magnet Motors. *Lv, Y.*, +, *TPEL July 2020 7379-7391*

Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*

Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*

PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*

Real-Time HIL Emulation for a Segmented-Rotor Switched Reluctance Motor Using a New Magnetic Equivalent Circuit. *Sun, X.*, +, *TPEL April 2020 3841-3849*

Real-Time Maximum Torque per Ampere Control of Brushless DC Motor Drive With Minimum Torque Ripple. *Khazaee, A.*, +, *TPEL Feb. 2020 1194-1199*

Rotor Displacement Self-Sensing Modeling of Six-Pole Radial Hybrid Magnetic Bearing Using Improved Particle Swarm Optimization Support Vector Machine. *Zhu, H.*, +, *TPEL Nov. 2020 12296-12306*

Rotor Position Estimation for Aviation Three-Stage Starter/Generators in the Low-Speed Region Without High-Frequency Signal Injection. *Meng, T.*, +, *TPEL Aug. 2020 8405-8416*

Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*

Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range. *Mao, S.*, +, *TPEL Aug. 2020 8347-8360*

State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

Stator Short-Circuit Fault Detection and Location Methods for Brushless DFIMs Using Nested-Loop Rotor Slot Harmonics. *Afshar, M.*, +, *TPEL Aug. 2020 8559-8568*

The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine. *Wei, J.*, +, *TPEL Aug. 2020 8384-8395*

Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*

Torque Ripple and Efficiency Online Optimization of Switched Reluctance Machine Based on Torque per Ampere Characteristics. *Song, S.*, +, *TPEL Sept. 2020 9608-9616*

S

S-parameters

Physics-Oriented Device Model for Packaged GaN Devices. *Mahajan, D.D.*, +, *TPEL June 2020 6332-6339*

Sampled data systems

Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*

ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*

Small Signal Modeling and Design Analysis for Boost Converter With Valley V^2 Control. *Leng, M.*, +, *TPEL Dec. 2020 13475-13487*

Sampling methods

A Fast Positive Sequence Components Extraction Method With Noise Immunity in Unbalanced Grids. *Du, L.*, +, *TPEL July 2020 6682-6685*

Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*

Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*

Saturation magnetization

Instantaneous Flux and Current Control for a Three-Phase Dual-Active Bridge DC–DC Converter. *Hu, J.*, +, *TPEL Feb. 2020 2184-2195*

Scanning electron microscopy

Reliability Enhancement of a Power Semiconductor With Optimized Solder Layer Thickness. *R, E.*, +, *TPEL June 2020 6397-6404*

Schottky barriers

A 5.8-GHz High-Power and High-Efficiency Rectifier Circuit With Lateral GaN Schottky Diode for Wireless Power Transfer. *Dang, K.*, +, *TPEL March 2020 2247-2252*

Criteria for Using Antiparallel SiC SBDs With SiC mosfets for SiC-Based Inverters. *Yamaguchi, K.*, +, *TPEL Jan. 2020 619-629*

Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC–DC Converter Using SiC-MOSFET/SBD H-Bridge Modules. *Haneda, R.*, +, *TPEL Oct. 2020 10013-10025*

Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*

Schottky diodes

A 5.8-GHz High-Power and High-Efficiency Rectifier Circuit With Lateral GaN Schottky Diode for Wireless Power Transfer. *Dang, K.*, +, *TPEL March 2020 2247-2252*

A Double-Modulation-Wave PWM for Dead-Time-Effect Elimination and Synchronous Rectification in SiC-Device-Based High-Switching-Frequency Converters. *Yan, Q.*, +, *TPEL Dec. 2020 13500-13513*

Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application. *Li, D.*, +, *TPEL Dec. 2020 13429-13440*

Criteria for Using Antiparallel SiC SBDs With SiC mosfets for SiC-Based Inverters. *Yamaguchi, K.*, +, *TPEL Jan. 2020 619-629*

Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC–DC Converter Using SiC-MOSFET/SBD H-Bridge Modules. *Haneda, R.*, +, *TPEL Oct. 2020 10013-10025*

Improving Surge Current Capability of SiC Merged PiN Schottky Diode by Adding Plasma Spreading Layers. *Ren, N.*, +, *TPEL Nov. 2020 11316-11320*

Modulation Scheme for the Bidirectional Operation of the Phase-Shift Full-Bridge Power Converter. *Escudero, M.*, +, *TPEL Feb. 2020 1377-1391*

Secondary cells

A 500-W Wireless Charging System With Lightweight Pick-Up for Unmanned Aerial Vehicles. *Cai, C.*, +, *TPEL Aug. 2020 7721-7724*

A Combined Three-Port LLC Structure for Adaptive Power Flow Adjustment of PV Systems. *Qian, T.*, +, *TPEL Oct. 2020 10413-10422*

A Compact Resonant Switched-Capacitor Heater for Lithium-Ion Battery Self-Heating at Low Temperatures. *Shang, Y.*, +, *TPEL July 2020 7134-7144*

A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*

An Energy-Based Analysis for High Voltage Low Power Flyback Converter Feeding Capacitive Load. *Ravi, V.*, +, *TPEL Jan. 2020 546-564*

An Integrated Cascade Structure-Based Isolated Bidirectional DC–DC Converter for Battery Charge Equalization. *Qi, X.*, +, *TPEL Nov. 2020 12003-12021*

Combined State and Parameter Estimation of Lithium-Ion Battery With Active Current Injection. *Song, Z.*, +, *TPEL April 2020 4439-4447*

Differentiation Power Control of Modules in Second-Life Battery Energy Storage System Based on Cascaded H-Bridge Converter. *Liu, C.*, +, *TPEL June 2020 6609-6624*

Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals. *Sihvo, J.*, +, *TPEL March 2020 2548-2557*

Improved Power Quality On-Board Integrated Charger With Reduced Switching Stress. *Gupta, J.*, +, *TPEL Oct. 2020 10810-10820*

Influence of Current Ripples in Cascaded Multilevel Topologies on the Aging of Lithium Batteries. *Chang, F.*, +, *TPEL Nov. 2020 11879-11890*

Modulation and Control of Series/Parallel Module for Ripple-Current Reduction in Star-Configured Split-Battery Applications. *Li, Z.*, +, *TPEL Dec. 2020 12977-12987*

Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*

Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries. *Xie, Y.*, +, *TPEL March 2020 2595-2614*

Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*

Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*

Reduced-Coupling Coestimation of SOC and SOH for Lithium-Ion Batteries Based on Convex Optimization. *Xiao, D.*, +, *TPEL Nov. 2020 12332-12346*

State-of-Charge Observer Design for Batteries With Online Model Parameter Identification: A Robust Approach. *Ouyang, Q.*, +, *TPEL June 2020 5820-5831*

State-of-Health Estimation Based on Differential Temperature for Lithium Ion Batteries. *Tian, J.*, +, *TPEL Oct. 2020 10363-10373*

Two-Step HNN-Based Pattern Recognition Combining DWT-Based Multi-Resolution Analysis for Rechargeable Cells Distinction. *Lee, S.*, +, *TPEL Nov. 2020 11891-11901*

Security of data

An Event-Driven Resilient Control Strategy for DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 13714-13724*

Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*

Resilient Operation of Heterogeneous Sources in Cooperative DC Microgrids. *Sahoo, S.*, +, *TPEL Dec. 2020 12601-12605*

Self-adjusting systems

A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*

Semiconductor device breakdown

Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range. *Li, Z.*, +, *TPEL May 2020 5354-5365*

Comparative Temperature Dependent Evaluation and Analysis of 1.2-kV SiC Power Diodes for Extreme Temperature Applications. *Qi, J.*, +, *TPEL Dec. 2020 13384-13399*

Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*

Progress of Ultra-Wide Bandgap Ga_2O_3 Semiconductor Materials in Power MOSFETs. *Zhang, H.*, +, *TPEL May 2020 5157-5179*

Review of Loss Distribution, Analysis, and Measurement Techniques for GaN HEMTs. *Gareau, J.*, +, *TPEL July 2020 7405-7418*

Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*

Semiconductor device measurement

A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*

Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*

Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*

New Insights on Output Capacitance Losses in Wide-Band-Gap Transistors. *Nikoo, M.S.*, +, *TPEL July 2020 6663-6667*

Physics-Oriented Device Model for Packaged GaN Devices. *Mahajan, D.D.*, +, *TPEL June 2020 6332-6339*

Review of Loss Distribution, Analysis, and Measurement Techniques for GaN HEMTs. *Gareau, J.*, +, *TPEL July 2020 7405-7418*

Simple and Affordable Method for Fast Transient Measurements of SiC Devices. *Garrido, D.*, +, *TPEL March 2020 2933-2942*

Semiconductor device metallization

Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing. *Hu, K.*, +, *TPEL July 2020 6773-6784*

Semiconductor device modeling

Adaptive Multi-Level Active Gate Drivers for SiC Power Devices. *Zhao, S.*, +, *TPEL Feb. 2020 1882-1898*

Semiconductor device models

C_{oss} Loss Tangent of Field-Effect Transistors: Generalizing High-Frequency Soft-Switching Losses. *Perera, N.*, +, *TPEL Dec. 2020 12585-12589*

A New Lumped-Charge Modeling Method for Power Semiconductor Devices. *Duan, Y.*, +, *TPEL April 2020 3989-3996*

A Physics-Based Transient Electrothermal Model of High-Voltage Press-Pack IGBTs Under HVdc Interruption. *Luo, Y.*, +, *TPEL June 2020 5660-5669*

Accurate Analytical Switching-On Loss Model of SiC MOSFET Considering Dynamic Transfer Characteristic and Q_{gd}. *Dong, Z.*, +, *TPEL Nov. 2020 12264-12273*
An Automated Model Tuning Procedure for Optimizing Prediction of Transient and Dispersive Behavior in Wide Bandgap Semiconductor FETs. *Sellers, A.J.*, +, *TPEL Nov. 2020 12252-12263*
Bond Wire Damage Detection and SOH Estimation of a Dual-Pack IGBT Power Module Using Active Power Cycling and Reflectometry. *Hanif, A.*, +, *TPEL July 2020 6761-6772*
Design and Optimization of High-Failure-Current Dual-Direction SCR for Industrial-Level ESD Protection. *Wang, Y.*, +, *TPEL May 2020 4669-4677*
Dynamic Switching of SiC Power MOSFETs Based on Analytical Subcircuit Model. *Talesara, V.*, +, *TPEL Sept. 2020 9680-9689*
Effect of Asymmetric Layout and Unequal Junction Temperature on Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Zhao, C.*, +, *TPEL July 2020 7392-7404*
Electrothermal Cosimulation for Predicting the Power Loss and Temperature of SiC MOSFET Dies Assembled in a Power Module. *Nakamura, Y.*, +, *TPEL March 2020 2950-2958*
Investigation and Failure Mode of Asymmetric and Double Trench SiC mosfets Under Avalanche Conditions. *Deng, X.*, +, *TPEL Aug. 2020 8524-8531*
Modeling Avalanche Induced Degradation for 4H-SiC Power MOSFETs. *Wei, J.*, +, *TPEL Nov. 2020 11299-11303*
Nonlinear Compact Thermal Model of the IGBT Dedicated to SPICE. *Gorecki, K.*, +, *TPEL Dec. 2020 13420-13428*
Physics-Oriented Device Model for Packaged GaN Devices. *Mahajan, D.D.*, +, *TPEL June 2020 6332-6339*
Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches. *Li, Z.*, +, *TPEL Aug. 2020 8512-8523*
Single Pulse Unclamped-Inductive-Switching Induced Failure and Analysis for 650 V p-GaN HEMT. *Liu, S.*, +, *TPEL Nov. 2020 11328-11331*
Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*

Semiconductor device packaging

A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*
A Physics-Based Transient Electrothermal Model of High-Voltage Press-Pack IGBTs Under HVdc Interruption. *Luo, Y.*, +, *TPEL June 2020 5660-5669*
Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*
Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*
Physics-Oriented Device Model for Packaged GaN Devices. *Mahajan, D.D.*, +, *TPEL June 2020 6332-6339*
Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*

Semiconductor device reliability

A Method for Improving the Thermal Shock Fatigue Failure Resistance of IGBT Modules. *Zhang, X.*, +, *TPEL Aug. 2020 8532-8539*
A Reliable Ultrafast Short-Circuit Protection Method for E-Mode GaN HEMT. *Lyu, X.*, +, *TPEL Sept. 2020 8926-8933*
Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range. *Li, Z.*, +, *TPEL May 2020 5354-5365*
An Analysis of the Thermal Interaction Between Components in Power Converter Applications. *Shahjalal, M.*, +, *TPEL Sept. 2020 9082-9094*
Bond Wire Damage Detection and SOH Estimation of a Dual-Pack IGBT Power Module Using Active Power Cycling and Reflectometry. *Hanif, A.*, +, *TPEL July 2020 6761-6772*
Design and Optimization of High-Failure-Current Dual-Direction SCR for Industrial-Level ESD Protection. *Wang, Y.*, +, *TPEL May 2020 4669-4677*
Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks. *Zulauf, G.*, +, *TPEL June 2020 5581-5588*
Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*
Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*
Modeling Avalanche Induced Degradation for 4H-SiC Power MOSFETs. *Wei, J.*, +, *TPEL Nov. 2020 11299-11303*
Overview of Real-Time Lifetime Prediction and Extension for SiC Power Converters. *Ni, Z.*, +, *TPEL Aug. 2020 7765-7794*
Piezoelectric Properties of GaN-on-Si Heterostructures and Their Implications on Lifetime During Switching Operation. *Pribahsnik, F.P.*, +, *TPEL Oct. 2020 10873-10878*
Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature. *Li, D.*, +, *TPEL Dec. 2020 12646-12650*
Reliability Enhancement of a Power Semiconductor With Optimized Solder Layer Thickness. *R, E.*, +, *TPEL June 2020 6397-6404*
Self-Adaptive Active Gate Driver for IGBT Switching Performance Optimization Based on Status Monitoring. *Wang, R.*, +, *TPEL June 2020 6362-6372*
Single Pulse Unclamped-Inductive-Switching Induced Failure and Analysis for 650 V p-GaN HEMT. *Liu, S.*, +, *TPEL Nov. 2020 11328-11331*
Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*
Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*

Semiconductor device testing

10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field. *DiMarino, C.M.*, +, *TPEL June 2020 6050-6060*
A Method for Improving the Thermal Shock Fatigue Failure Resistance of IGBT Modules. *Zhang, X.*, +, *TPEL Aug. 2020 8532-8539*
A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*
A Physics-Based Transient Electrothermal Model of High-Voltage Press-Pack IGBTs Under HVdc Interruption. *Luo, Y.*, +, *TPEL June 2020 5660-5669*
An Automated Model Tuning Procedure for Optimizing Prediction of Transient and Dispersive Behavior in Wide Bandgap Semiconductor FETs. *Sellers, A.J.*, +, *TPEL Nov. 2020 12252-12263*
Bond Wire Damage Detection and SOH Estimation of a Dual-Pack IGBT Power Module Using Active Power Cycling and Reflectometry. *Hanif, A.*, +, *TPEL July 2020 6761-6772*
Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*
Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing. *Hu, K.*, +, *TPEL July 2020 6773-6784*
Design and Optimization of High-Failure-Current Dual-Direction SCR for Industrial-Level ESD Protection. *Wang, Y.*, +, *TPEL May 2020 4669-4677*
Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks. *Zulauf, G.*, +, *TPEL June 2020 5581-5588*
Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*
Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*
Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches. *Li, Z.*, +, *TPEL Aug. 2020 8512-8523*

Semiconductor devices

A Family of ZVT DC–DC Converters With Low-Voltage Ringing. *Tran, H.N.*, +, *TPEL Jan. 2020 59-69*

Semiconductor diodes
A Novel Single-Phase Three-Level Dual-Buck Inverter. *Nguyen, T.*, +, *TPEL April 2020 3365-3376*
Optimal Design of Diode-Bridge Bidirectional Solid-State Switch Using Standard Recovery Diodes for 500-kV High-Voltage DC Breaker. *Zhang, X.*, +, *TPEL Feb. 2020 1165-1170*
Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*
Semiconductor doping
Progress of Ultra-Wide Bandgap Ga_2O_3 Semiconductor Materials in Power MOSFETs. *Zhang, H.*, +, *TPEL May 2020 5157-5179*
Semiconductor growth
Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*
Semiconductor heterojunctions
Piezoelectric Properties of GaN-on-Si Heterostructures and Their Implications on Lifetime During Switching Operation. *Pribahsnik, F.P.*, +, *TPEL Oct. 2020 10873-10878*
Semiconductor junctions
Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range. *Li, Z.*, +, *TPEL May 2020 5354-5365*
Comparative Temperature Dependent Evaluation and Analysis of 1.2-kV SiC Power Diodes for Extreme Temperature Applications. *Qi, J.*, +, *TPEL Dec. 2020 13384-13399*
Effect of Asymmetric Layout and Unequal Junction Temperature on Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Zhao, C.*, +, *TPEL July 2020 7392-7404*
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*
Semiconductor switches
Semiconductor-Based Galvanic Isolation: Touch Current Suppression. *Yao, C.*, +, *TPEL Jan. 2020 48-58*
Sensitivity analysis
Accurate Calculation and Sensitivity Analysis of Leakage Inductance of High-Frequency Transformer With Litz Wire Winding. *Zhang, K.*, +, *TPEL April 2020 3951-3962*
Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*
High-Frequency Voltage and Current Sense Circuits for Inductive Power Transfer Systems. *Zhu, G.*, +, *TPEL Nov. 2020 11352-11362*
Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*
On the Modeling and Design of Modular Multilevel Converters With Parametric and Model-Form Uncertainty Quantification. *Rashidi, N.*, +, *TPEL Oct. 2020 10168-10179*
Sensorless machine control
A Fast Estimation of Initial Rotor Position for Low-Speed Free-Running IPMSM. *Wu, T.*, +, *TPEL July 2020 7664-7673*
A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*
A Modified Flux Sliding-Mode Observer for the Sensorless Control of PMSMs With Online Stator Resistance and Inductance Estimation. *Ye, S.*, +, *TPEL Aug. 2020 8652-8662*
A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*
A Speed Estimation Method for Induction Motors Based on Active Disturbance Rejection Observer. *Du, C.*, +, *TPEL Aug. 2020 8429-8442*
Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*
An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*
An Envelope-Prediction-Based Sensorless Rotor Position Observation Scheme for LCI-Fed EESM at Zero and Low Speed. *Kou, J.*, +, *TPEL July 2020 7356-7365*
An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs. *Xu, W.*, +, *TPEL July 2020 7271-7281*
Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*
Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*
Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*
Finite-Level-State Model Predictive Control for Sensorless Three-Phase Four-Arm Modular Multilevel Converter. *Liu, X.*, +, *TPEL May 2020 4462-4466*
Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*
Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*
Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*
Low-Noise Initial Position Detection Method for Sensorless Permanent Magnet Synchronous Motor Drives. *Bi, G.*, +, *TPEL Dec. 2020 13333-13344*
Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives. *Lin, Z.*, +, *TPEL Dec. 2020 13345-13355*
Online Calibration of Sensorless Position Estimation for Switched Reluctance Motors With Parametric Uncertainties. *Gan, C.*, +, *TPEL Nov. 2020 12307-12320*
Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Rotor Position Estimation for Aviation Three-Stage Starter/Generators in the Low-Speed Region Without High-Frequency Signal Injection. *Meng, T.*, +, *TPEL Aug. 2020 8405-8416*
Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*
Sensorless Control of Linear Vernier Permanent-Magnet Motor Based on Improved Mover Flux Observer. *Ji, J.*, +, *TPEL April 2020 3869-3877*
Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range. *Mao, S.*, +, *TPEL Aug. 2020 8347-8360*
Signal-Injection Sensorless Control With Tilted Current Reference for Heavily Saturated IPMSMs. *Lee, J.*, +, *TPEL Nov. 2020 12100-12109*
Stability and Dynamic Performance Improvement of Speed Adaptive Full-Order Observer for Sensorless Induction Motor Ultralow Speed Operation. *Wang, B.*, +, *TPEL Nov. 2020 12522-12532*
Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*
The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine. *Wei, J.*, +, *TPEL Aug. 2020 8384-8395*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*
Sensors
A Fast Diagnosis Method for Both IGBT Faults and Current Sensor Faults in Grid-Tied Three-Phase Inverters With Two Current Sensors. *Li, Z.*, +, *TPEL May 2020 5267-5278*

An Arcless Theory of Mechanical–Electronic Hybrid Commutation. *Xiang, X.*, +, *TPEL Sept. 2020 9586-9596*
An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*
Auxiliary Power Supply for Medium-/High-Voltage and High-Power Solid-State Transformers. *Liu, J.*, +, *TPEL May 2020 4791-4803*
Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*
Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers. *Yang, Y.*, +, *TPEL Oct. 2020 11026-11038*
Model Predictive Control for Dual-Active-Bridge Converters Supplying Pulsed Power Loads in Naval DC Micro-Grids. *Chen, L.*, +, *TPEL Feb. 2020 1957-1966*
Sensor-Fault-Estimation-Based Tolerant Control for Single-Phase Two-Level PWM Rectifier in Electric Traction System. *Gong, Z.*, +, *TPEL Nov. 2020 12274-12284*
Sensorless Control of Linear Vernier Permanent-Magnet Motor Based on Improved Mover Flux Observer. *Ji, J.*, +, *TPEL April 2020 3869-3877*
Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*

Sequential estimation
Combined State and Parameter Estimation of Lithium-Ion Battery With Active Current Injection. *Song, Z.*, +, *TPEL April 2020 4439-4447*

Servomechanisms
Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*

Set theory
Graph Sets Method for Multicoil Wireless Power Transfer Systems—Part I: Principles. *Farajizadeh, F.*, +, *TPEL Oct. 2020 10741-10756*

Shafts
Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*
PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*
Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*
Rotor Position Estimation for Aviation Three-Stage Starter/Generators in the Low-Speed Region Without High-Frequency Signal Injection. *Meng, T.*, +, *TPEL Aug. 2020 8405-8416*
Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*

Ships
A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*

Short-circuit currents
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*
Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*
Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*
Fuse-Based Short-Circuit Protection of Converter Controlled Low-Voltage DC Grids. *Ravyts, S.*, +, *TPEL Nov. 2020 11694-11706*
High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*
Resistive–Capacitive Output Impedance Shaping for Droop-Controlled Converters in DC Microgrids With Reduced Output Capacitance. *Liu, G.*, +, *TPEL June 2020 6501-6511*
The Influence of the Gate Driver and Common-Source Inductance on the Short-Circuit Behavior of IGBT Modules and Protection. *Liu, X.*, +, *TPEL Oct. 2020 10789-10798*

Sigma-delta modulation
A 40 MHz Bandwidth, 91% Peak Efficiency, 2.5 W Output Power Supply Modulator With Dual-Mode Sigma–Delta Control and Adaptive Biasing Amplifier for Multistandard Communications. *He, H.*, +, *TPEL Sept. 2020 9430-9442*

Signal generators
A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion. *Escobar, G.*, +, *TPEL May 2020 4647-4657*
An Adaptive Frequency-Fixed Second-Order Generalized Integrator-Quadrature Signal Generator Using Fractional-Order Conformal Mapping Based Approach. *Akhtar, M.A.*, +, *TPEL June 2020 5548-5552*
Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations. *Milovanovic, S.*, +, *TPEL Dec. 2020 12898-12908*

Signal processing
A Single Carrier-Based Pulsewidth Modulation Technique for Three-to-Three Phase Indirect Matrix Converter. *Patel, P.P.*, +, *TPEL Nov. 2020 11589-11601*
All-Pass-Filter-Based PLL Systems: Linear Modeling, Analysis, and Comparative Evaluation. *Golestan, S.*, +, *TPEL April 2020 3558-3572*

Signal reconstruction
Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*

Signal resolution
Two-Step HNN-Based Pattern Recognition Combining DWT-Based Multi-Resolution Analysis for Rechargeable Cells Distinction. *Lee, S.*, +, *TPEL Nov. 2020 11891-11901*

Signal sampling
An Envelope-Prediction-Based Sensorless Rotor Position Observation Scheme for LCI-Fed EESM at Zero and Low Speed. *Kou, J.*, +, *TPEL July 2020 7356-7365*

Silicon
7-kV 1-MVA SiC-Based Modular Multilevel Converter Prototype for Medium-Voltage Electric Machine Drives. *Pan, J.*, +, *TPEL Oct. 2020 10137-10149*
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
A Si/SiC Hybrid Five-Level Active NPC Inverter With Improved Modulation Scheme. *Zhang, L.*, +, *TPEL May 2020 4835-4846*
Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*
Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*
Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks. *Zulauf, G.*, +, *TPEL June 2020 5581-5588*
Hybrid Low-Frequency Switch for Bridgeless PFC. *Huang, Q.*, +, *TPEL Oct. 2020 9982-9986*
Negative Resistance in Cascode Transistors. *Nikoo, M.S.*, +, *TPEL Oct. 2020 9978-9981*
Piezoelectric Properties of GaN-on-Si Heterostructures and Their Implications on Lifetime During Switching Operation. *Pribahsnik, F.P.*, +, *TPEL Oct. 2020 10873-10878*
Push–Pull Class Φ_2 RF Power Amplifier. *Gu, L.*, +, *TPEL Oct. 2020 10515-10531*
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*
Study of Thin-Film Magnetic Inductors Applied to Integrated Voltage Regulators. *Lambert, W.J.*, +, *TPEL June 2020 6208-6220*

Silicon alloys
Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*

Silicon carbide

Accurate Temperature Estimation of SiC Power mosfets Under Extreme Operating Conditions. *Tsibizov, A.*, +, *TPEL Feb. 2020 1855-1865*

Adaptive Multi-Level Active Gate Drivers for SiC Power Devices. *Zhao, S.*, +, *TPEL Feb. 2020 1882-1898*

Impedance-Oriented Transient Instability Modeling of SiC mosfet Intruded by Measurement Probes. *Zeng, Z.*, +, *TPEL Feb. 2020 1866-1881*

Silicon compounds

10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field. *DiMarino, C.M.*, +, *TPEL June 2020 6050-6060*

7-kV 1-MVA SiC-Based Modular Multilevel Converter Prototype for Medium-Voltage Electric Machine Drives. *Pan, J.*, +, *TPEL Oct. 2020 10137-10149*

A 100-kW SiC Switched Tank Converter for Transportation Electrification. *Ni, Z.*, +, *TPEL June 2020 5770-5784*

A Bidirectional Communicating Power Supply Circuit for Smart Gate Driver Boards. *Weckbrodt, J.*, +, *TPEL Aug. 2020 8540-8549*

A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*

A Double-Modulation-Wave PWM for Dead-Time-Effect Elimination and Synchronous Rectification in SiC-Device-Based High-Switching-Frequency Converters. *Yan, Q.*, +, *TPEL Dec. 2020 13500-13513*

A Gate Drive Circuit and Dynamic Voltage Balancing Control Method Suitable for Series-Connected SiC mosfets. *Yang, C.*, +, *TPEL June 2020 6625-6635*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*

A Novel Voltage Balancing Control With *dv/dt* Reduction for 10-kV SiC MOSFET-Based Medium Voltage Modular Multilevel Converter. *Ji, S.*, +, *TPEL Nov. 2020 12533-12543*

A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives. *Diab, M.S.*, +, *TPEL Dec. 2020 12639-12645*

A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*

A Si/SiC Hybrid Five-Level Active NPC Inverter With Improved Modulation Scheme. *Zhang, L.*, +, *TPEL May 2020 4835-4846*

A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*

A SiC MOSFET and Si IGBT Hybrid Modular Multilevel Converter With Specialized Modulation Scheme. *Yin, T.*, +, *TPEL Dec. 2020 12623-12628*

A Wire Bondless SiC Switching Cell With a Vertically Integrated Gate Driver. *Seal, S.*, +, *TPEL Sept. 2020 9690-9699*

Accurate Analytical Switching-On Loss Model of SiC MOSFET Considering Dynamic Transfer Characteristic and Q_{gd}. *Dong, Z.*, +, *TPEL Nov. 2020 12264-12273*

Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter. *Li, K.*, +, *TPEL Sept. 2020 9650-9660*

Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range. *Li, Z.*, +, *TPEL May 2020 5354-5365*

An Automated Model Tuning Procedure for Optimizing Prediction of Transient and Dispersive Behavior in Wide Bandgap Semiconductor FETs. *Sellers, A.J.*, +, *TPEL Nov. 2020 12252-12263*

Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets. *Yang, C.*, +, *TPEL Dec. 2020 13356-13366*

Cascode GaN/SiC: A Wide-Bandgap Heterogenous Power Device for High-Frequency Applications. *Xu, J.*, +, *TPEL June 2020 6340-6349*

Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application. *Li, D.*, +, *TPEL Dec. 2020 13429-13440*

Charge Pump Gate Drive to Reduce Turn-ON Switching Loss of SiC MOSFETs. *Gui, H.*, +, *TPEL Dec. 2020 13136-13147*

Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*

Common Mode Noise Reduction of Three-Level Active Neutral Point Clamped Inverters With Uncertain Parasitic Capacitance of Photovoltaic Panels. *Wang, J.*, +, *TPEL July 2020 6974-6988*

Compact Sandwiched Press-Pack SiC Power Module With Low Stray Inductance and Balanced Thermal Stress. *Chang, Y.*, +, *TPEL March 2020 2237-2241*

Comparative Temperature Dependent Evaluation and Analysis of 1.2-kV SiC Power Diodes for Extreme Temperature Applications. *Qi, J.*, +, *TPEL Dec. 2020 13384-13399*

Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*

Criteria for Using Antiparallel SiC SBDs With SiC mosfets for SiC-Based Inverters. *Yamaguchi, K.*, +, *TPEL Jan. 2020 619-629*

Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*

Current Balancing of Paralleled SiC mosfets for a Resonant Pulsed Power Converter. *Wu, Q.*, +, *TPEL June 2020 5557-5561*

Design and Assessment of External Insulation for Critical Components in a Medium Voltage SiC-Based Converter via Optical Method. *Zhang, C.*, +, *TPEL Dec. 2020 12887-12897*

Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC–DC Converter Using SiC-MOSFET/SBD H-Bridge Modules. *Haneda, R.*, +, *TPEL Oct. 2020 10013-10025*

Design of a Paralleled SiC MOSFET Half-Bridge Unit With Distributed Arrangement of DC Capacitors. *Qu, J.*, +, *TPEL Oct. 2020 10879-10891*

Design, Analysis, and Discussion of Short Circuit and Overload Gate-Driver Dual-Protection Scheme for 1.2-kV, 400-A SiC MOSFET Modules. *Sun, K.*, +, *TPEL March 2020 3054-3068*

Development and Verification Test of the 6.6-kV 200-kVA Transformerless SDBC-Based STATCOM Using SiC-MOSFET Modules. *Maharjan, L.*, +, *TPEL Dec. 2020 13687-13696*

Diode Evaluation and Series Diode Balancing for High-Voltage High-Frequency Power Converters. *He, Y.*, +, *TPEL June 2020 6301-6314*

Dynamic Switching of SiC Power MOSFETs Based on Analytical Subcircuit Model. *Talesara, V.*, +, *TPEL Sept. 2020 9680-9689*

Effect of Asymmetric Layout and Unequal Junction Temperature on Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Zhao, C.*, +, *TPEL July 2020 7392-7404*

Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*

Electroluminescence-Based Junction Temperature Measurement Approach for SiC Power MOSFETs. *Winkler, J.*, +, *TPEL March 2020 2990-2998*

Electrothermal Cosimulation for Predicting the Power Loss and Temperature of SiC MOSFET Dies Assembled in a Power Module. *Nakamura, Y.*, +, *TPEL March 2020 2950-2958*

Enhancing Short Circuit Capability of 1.2-kV Si IGBT Using a Gate-Source Shorted Si Depletion Mode MOSFET in Series With the Emitter. *Kanale, A.*, +, *TPEL June 2020 6350-6361*

Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*

Evaluation of Different Si/SiC Hybrid Three-Level Active NPC Inverters for High Power Density. *Zhang, L.*, +, *TPEL Aug. 2020 8224-8236*

Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*

High Off-State Impedance Gate Driver of SiC MOSFETs for Crosstalk Voltage Elimination Considering Common-Source Inductance. *Li, C.*, +, *TPEL March 2020 2999-3011*

High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations. *Dao, N.D.*, +, *TPEL Oct. 2020 10455-10465*

High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*

Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages. *Bai, C.*, +, *TPEL April 2020 3636-3650*
Improving Surge Current Capability of SiC Merged PiN Schottky Diode by Adding Plasma Spreading Layers. *Ren, N.*, +, *TPEL Nov. 2020 11316-11320*
Investigation and Failure Mode of Asymmetric and Double Trench SiC mosfets Under Avalanche Conditions. *Deng, X.*, +, *TPEL Aug. 2020 8524-8531*
Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*
Modeling Avalanche Induced Degradation for 4H-SiC Power MOSFETs. *Wei, J.*, +, *TPEL Nov. 2020 11299-11303*
Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*
Multiparameter Model Order Reduction for Thermal Modeling of Power Electronics. *Dong, X.*, +, *TPEL Aug. 2020 8550-8558*
New Insights on Output Capacitance Losses in Wide-Band-Gap Transistors. *Nikoo, M.S.*, +, *TPEL July 2020 6663-6667*
Overview of Real-Time Lifetime Prediction and Extension for SiC Power Converters. *Ni, Z.*, +, *TPEL Aug. 2020 7765-7794*
Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*
Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches. *Li, Z.*, +, *TPEL Aug. 2020 8512-8523*
Progress of Ultra-Wide Bandgap Ga_2O_3 Semiconductor Materials in Power MOSFETs. *Zhang, H.*, +, *TPEL May 2020 5157-5179*
Reflected Wave Phenomenon in SiC Motor Drives: Consequences, Boundaries, and Mitigation. *Narayanasamy, B.*, +, *TPEL Oct. 2020 10629-10642*
Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*
SiC-Based 4 MHz 10 kW ZVS Inverter With Fast Resonance Frequency Tracking Control for High-Density Plasma Generators. *Park, S.*, +, *TPEL March 2020 3266-3275*
Simple and Affordable Method for Fast Transient Measurements of SiC Devices. *Garrido, D.*, +, *TPEL March 2020 2933-2942*
Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*
Space Vector Modulation for SiC and Si Hybrid ANPC Converter in Medium-Voltage High-Speed Drive System. *Li, C.*, +, *TPEL April 2020 3390-3401*
Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*
The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application. *Hofstetter, P.*, +, *TPEL June 2020 5692-5701*
Three-Terminal Si/SiC Hybrid Switch. *Song, X.*, +, *TPEL Sept. 2020 8867-8871*
Transient Thermal Modeling of a Power Module: An N-Layer Fourier Approach. *Choudhury, K.R.*, +, *TPEL Oct. 2020 10580-10591*
Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits. *Zhang, F.*, +, *TPEL Oct. 2020 10200-10212*

Silver alloys
Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature. *Li, D.*, +, *TPEL Dec. 2020 12646-12650*

Single-input single-output systems (control)
Harmonic-Domain SISO Equivalent Impedance Modeling and Stability Analysis of a Single-Phase Grid-Connected VSC. *Zhang, C.*, +, *TPEL Sept. 2020 9770-9783*

Sintering
A Method for Improving the Thermal Shock Fatigue Failure Resistance of IGBT Modules. *Zhang, X.*, +, *TPEL Aug. 2020 8532-8539*
Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter. *Liu, J.*, +, *TPEL Jan. 2020 826-834*
Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature. *Li, D.*, +, *TPEL Dec. 2020 12646-12650*

Skin effect
Accurate Calculation and Sensitivity Analysis of Leakage Inductance of High-Frequency Transformer With Litz Wire Winding. *Zhang, K.*, +, *TPEL April 2020 3951-3962*

Sliding mode control
Robust ZAD Sliding Mode Control for an 8-Phase Step-Down Converter. *Repecho, V.*, +, *TPEL Feb. 2020 2222-2232*

Smart grids
Energy Storage and POPI Networks in Power Processing Systems. *Singer, S.*, +, *TPEL Feb. 2020 1425-1439*

Smart phones
Three-Coil Wireless Charging System for Metal-Cover Smartphone Applications. *Zhu, J.*, +, *TPEL May 2020 4847-4858*

Smart power grids
A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*
Integration of Flexible Loads and Electric Spring Using a Three-Phase Inverter. *Liu, H.*, +, *TPEL Aug. 2020 8013-8024*
IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*
Wireless Power Transfer Using Domino-Resonator for 110-kV Power Grid Online Monitoring Equipment. *Qu, J.*, +, *TPEL Nov. 2020 11380-11390*

Snubbers
A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*
A Family of ZVT DC–DC Converters With Low-Voltage Ringing. *Tran, H.N.*, +, *TPEL Jan. 2020 59-69*
A Leakage-Inductor Parameter Compensation Method for Paralleled Current-Fed Isolated DC/DC System. *Zhang, Y.*, +, *TPEL Feb. 2020 1160-1164*
A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder. *Pal, A.*, +, *TPEL April 2020 3601-3615*
A Single-Switch Single-Magnetic Core High Conversion Ratio Converter With Low Input Current Ripple and Wide Soft-Switching Range for Photovoltaic Applications. *Heidari, M.*, +, *TPEL July 2020 7226-7234*
A Snubberless Solid-State Tap Changer for Permanent Magnet Synchronous Motors. *Im, S.*, +, *TPEL Nov. 2020 12143-12152*
A Zero-Voltage and Zero-Current Switching Interleaved Two-Switch Forward Converter With Passive Auxiliary Resonant Circuit. *Chu, E.*, +, *TPEL May 2020 4859-4876*
Analysis and Design of an *RC* Snubber Circuit to Suppress False Triggering Oscillation for GaN Devices in Half-Bridge Circuits. *Chen, J.*, +, *TPEL March 2020 2690-2704*
High-Precision Control for ZVS Inverter to Reduce Nonlinear Distortion of Semiconductor Voltage Drop. *Zhang, H.*, +, *TPEL April 2020 3337-3342*
Modified Auxiliary-Resonant Commutated Pole Applied in a Three-Phase Dual-Active Bridge DC/DC Converter. *Voss, J.*, +, *TPEL Feb. 2020 1256-1268*
Novel High-Efficiency Frequency-Variable Buck–Boost AC–AC Converter With Safe-Commutation and Continuous Current. *He, L.*, +, *TPEL Dec. 2020 13225-13238*
Optimal Design of Diode-Bridge Bidirectional Solid-State Switch Using Standard Recovery Diodes for 500-kV High-Voltage DC Breaker. *Zhang, X.*, +, *TPEL Feb. 2020 1165-1170*
Properties and Synthesis of Lossless Snubbers and Passive Soft-Switching PWM Converters. *Yu, X.*, +, *TPEL April 2020 3807-3827*
Switching and Conduction Loss Reduction of Dual-Buck Full-Bridge Inverter Through ZVT Soft-Switching Under Full-Cycle Modulation. *Kou, B.*, +, *TPEL May 2020 5031-5046*
Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*
Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits. *Zhang, F.*, +, *TPEL Oct. 2020 10200-10212*

Soft magnetic materials
Nanocrystalline Powder Cores for High-Power High-Frequency Power Electronics Applications. *Jiang, C.*, +, *TPEL Oct. 2020 10821-10830*
Solar cell arrays
A CMOS-Based Energy Harvesting Approach for Laterally Arrayed Multibandgap Concentrated Photovoltaic Systems. *Zhang, H.*, +, *TPEL Sept. 2020 9320-9331*
A Nonisolated Symmetric Bipolar Output Four-Port Converter Interfacing PV-Battery System. *Tian, Q.*, +, *TPEL Nov. 2020 11731-11744*
Common Mode Noise Reduction of Three-Level Active Neutral Point Clamped Inverters With Uncertain Parasitic Capacitance of Photovoltaic Panels. *Wang, J.*, +, *TPEL July 2020 6974-6988*
Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*
Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact. *Huang, J.*, +, *TPEL July 2020 7086-7099*
Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*
Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*
Marginal Power-Based Maximum Power Point Tracking Control of Photovoltaic System Under Partially Shaded Condition. *Ghasemi, M.A.*, +, *TPEL June 2020 5860-5872*
Quasi-Two-Stage Multifunctional Photovoltaic Inverter With Power Quality Control and Enhanced Conversion Efficiency. *Wang, J.*, +, *TPEL July 2020 7073-7085*
Solar cells
A Digital Twin Approach for Fault Diagnosis in Distributed Photovoltaic Systems. *Jain, P.*, +, *TPEL Jan. 2020 940-956*
An Efficiency-Aware Cooperative Multicharger System for Photovoltaic Energy Harvesting Achieving 14% Efficiency Improvement. *Jeong, J.*, +, *TPEL March 2020 2253-2256*
Solders
Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*
Reliability Enhancement of a Power Semiconductor With Optimized Solder Layer Thickness. *R, E.*, +, *TPEL June 2020 6397-6404*
Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*
Spark gaps
Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic. *Zhang, Q.*, +, *TPEL March 2020 2908-2916*
Spectral analysis
Analytic Spectral Analysis Technique for Converters Operating With Oscillatory DC-Link Voltage Components. *Townsend, C.D.*, +, *TPEL Dec. 2020 13540-13553*
Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations. *Milovanovic, S.*, +, *TPEL Dec. 2020 12898-12908*
Spectral analyzers
Prediction and Analysis of EMI Spectrum Based on the Operating Principle of EMC Spectrum Analyzers. *Yang, L.*, +, *TPEL Jan. 2020 263-275*
SPICE
A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*
Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation. *Sato, Y.*, +, *TPEL Sept. 2020 9661-9668*
Fast SPICE-Compatible Simulation of Low-Power On-Chip PWM DC–DC Converters With Improved Ripple Accuracy. *Burcea, F.*, +, *TPEL Aug. 2020 8173-8185*
Investigation on the Short-Circuit Oscillation of Cascode GaN HEMTs. *Xue, P.*, +, *TPEL June 2020 6292-6300*
Nonlinear Compact Thermal Model of the IGBT Dedicated to SPICE. *Gorecki, K.*, +, *TPEL Dec. 2020 13420-13428*
Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*
Physics-Oriented Device Model for Packaged GaN Devices. *Mahajan, D.D.*, +, *TPEL June 2020 6332-6339*
Square-wave generators
Tapped-Inductor-Based Single-Magnetic Bidirectional PWM Converter Integrating Cell Voltage Equalizer for Series-Connected Supercapacitors. *Uno, M.*, +, *TPEL Dec. 2020 13157-13171*
Squirrel cage motors
Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines. *Ayaz Khoshhava, M.*, +, *TPEL July 2020 6658-6662*
Stability
A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range. *Kim, D.*, +, *TPEL Dec. 2020 13441-13454*
A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter. *Hou, S.*, +, *TPEL July 2020 7640-7652*
Active Voltage Sharing Module for Input-Series Connected Modular DC/DC Converters. *Duan, J.*, +, *TPEL June 2020 5987-6000*
Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*
Analytical Factorized Model for Stability Analysis and Optimization of Shunt *RC* Damped *LCL* Filter for Grid-Connected Voltage Source Inverters. *Koran, A.*, +, *TPEL July 2020 6830-6841*
Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5397-5407*
Control Conflict Suppressing and Stability Improving for an MMC Distributed Control System. *Yang, S.*, +, *TPEL Dec. 2020 13735-13747*
Dynamic Improvement of Inductive Power Transfer Systems With Maximum Energy Efficiency Tracking Using Model Predictive Control: Analysis and Experimental Verification. *Liu, S.*, +, *TPEL Dec. 2020 12752-12764*
Enabling Grid-Feeding Converters With a Dissonant-Resonant Controller for Negative-Sequence Voltage Elimination. *Velasco, M.*, +, *TPEL April 2020 4342-4352*
Harmonic-Domain SISO Equivalent Impedance Modeling and Stability Analysis of a Single-Phase Grid-Connected VSC. *Zhang, C.*, +, *TPEL Sept. 2020 9770-9783*
Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*
Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Second-Time Fault-Tolerant Topology and Control Strategy for the Open-Winding PMSM System Based on Shared Bridge Arm. *Zhang, X.*, +, *TPEL Nov. 2020 12181-12193*
Sensorless Ripple Current Mode Control to Achieve Inductor-Deviation-Tolerant BCM Operation for Boost Converter. *Lyu, D.*, +, *TPEL Nov. 2020 12359-12369*
Stability Analysis of Power Systems With Multiple STATCOMs in Close Proximity. *Li, C.*, +, *TPEL March 2020 2268-2283*
Stability Assessment of DFIG Subsynchronous Oscillation Based on Energy Dissipation Intensity Analysis. *Ma, J.*, +, *TPEL Aug. 2020 8074-8087*
Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*
Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*
Virtual-Flux-Based Passivation of Current Control for Grid-Connected VSCs. *Wu, H.*, +, *TPEL Dec. 2020 12673-12677*
Stability analysis
Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications. *C., K.*, +, *TPEL Feb. 2020 2100-2118*

Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia. *Hou, X.*, +, *TPEL Feb. 2020 1589-1602*
Internal Dynamics Stabilization of Single-Phase Power Converters With Lyapunov-Based Automatic-Power-Decoupling Control. *Yuan, H.*, +, *TPEL Feb. 2020 2160-2169*
Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive. *Uddin, M.N.*, +, *TPEL Feb. 2020 1742-1752*
Symmetrical PLL for SISO Impedance Modeling and Enhanced Stability in Weak Grids. *Yang, D.*, +, *TPEL Feb. 2020 1473-1483*

Stability criteria
Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies. *Bessegato, L.*, +, *TPEL March 2020 2411-2423*
Two-Variable Admittance Model for D-PMSG-Based Wind Turbine and Stability Criterion Based on Magnitude and Phase Contour Plot. *Zou, X.*, +, *TPEL Feb. 2020 1484-1498*

Stainless steel
Continuously Variable Multi-Permeability Inductor for Improving the Efficiency of High-Frequency DC–DC Converter. *Liu, J.*, +, *TPEL Jan. 2020 826-834*

Standards
Optimal Design of Diode-Bridge Bidirectional Solid-State Switch Using Standard Recovery Diodes for 500-kV High-Voltage DC Breaker. *Zhang, X.*, +, *TPEL Feb. 2020 1165-1170*

Starting
Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*
Rotor Position Estimation for Aviation Three-Stage Starter/Generators in the Low-Speed Region Without High-Frequency Signal Injection. *Meng, T.*, +, *TPEL Aug. 2020 8405-8416*
Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*
Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range. *Mao, S.*, +, *TPEL Aug. 2020 8347-8360*

State feedback
Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*
Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*
Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*
State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*
Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*

State-space methods
A Complete HSS-Based Impedance Model of MMC Considering Grid Impedance Coupling. *Xu, Z.*, +, *TPEL Dec. 2020 12929-12948*
A Unified State-Space Modeling Method for a Phase-Shift Controlled Bidirectional Dual-Active Half-Bridge Converter. *Shi, H.*, +, *TPEL March 2020 3254-3265*
Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*
State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*
The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*
Time-Domain Modeling and Analysis of Switched-Capacitor Converters. *Jawalikar, P.*, +, *TPEL Aug. 2020 8276-8286*
Unified Modular State-Space Modeling of Grid-Connected Voltage-Source Converters. *Yang, D.*, +, *TPEL Sept. 2020 9700-9715*

Static VAr compensators
Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*
An Enhanced Static Compensator With DC-Link Voltage Shaping Method. *Jeon, Y.*, +, *TPEL March 2020 2488-2500*
Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters. *Rodriguez, E.*, +, *TPEL Aug. 2020 8819-8832*
Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*
Development and Verification Test of the 6.6-kV 200-kVA Transformerless SDBC-Based STATCOM Using SiC-MOSFET Modules. *Maharjan, L.*, +, *TPEL Dec. 2020 13687-13696*
Fault Detection and Localization for Cascaded H-Bridge Multilevel Converter With Model Predictive Control. *Chai, M.*, +, *TPEL Oct. 2020 10109-10120*
Incremental Passivity Control in Multilevel Cascaded H-Bridge Converters. *Ramos, E.R.*, +, *TPEL Aug. 2020 8766-8778*
Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*
Stability Analysis of Power Systems With Multiple STATCOMs in Close Proximity. *Li, C.*, +, *TPEL March 2020 2268-2283*

Statistical analysis
On the Calculation of the Leakage Inductance in Transformers With Nonideal Windings. *Aghaei, M.*, +, *TPEL Aug. 2020 8460-8471*
Online Anomaly Detection in DC/DC Converters by Statistical Feature Estimation Using GPR and GA. *Jiang, Y.*, +, *TPEL Oct. 2020 10945-10957*
Overview of Real-Time Lifetime Prediction and Extension for SiC Power Converters. *Ni, Z.*, +, *TPEL Aug. 2020 7765-7794*

Stator windings
DC-Current Injection With Minimum Torque Ripple in Interior Permanent-Magnet Synchronous Motors. *Baneira, F.*, +, *TPEL Feb. 2020 1176-1181*
Model Predictive Flux Control With Cost Function-Based Field Weakening Strategy for Permanent Magnet Synchronous Motor. *Zheng, Z.*, +, *TPEL Feb. 2020 2151-2159*
Research on Vector Control Strategy of Surface-Mounted Permanent Magnet Synchronous Machine Drive System With High-Resistance Connection. *Hang, J.*, +, *TPEL Feb. 2020 2023-2033*

Stators
A DC-Flux-Injection Method for Fault Diagnosis of High-Resistance Connection in Direct-Torque-Controlled PMSM Drive System. *Hang, J.*, +, *TPEL March 2020 3029-3042*
A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*
A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*
A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*
A Modified Flux Sliding-Mode Observer for the Sensorless Control of PMSMs With Online Stator Resistance and Inductance Estimation. *Ye, S.*, +, *TPEL Aug. 2020 8652-8662*
A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss. *Zhang, H.*, +, *TPEL March 2020 2831-2842*
A Simplified Stator Frequency and Power Control Method of DFIG-DC System Without Stator Voltage and Current Sensors. *Wu, C.*, +, *TPEL June 2020 5562-5566*

A Snubberless Solid-State Tap Changer for Permanent Magnet Synchronous Motors. *Im, S.*, +, *TPEL Nov. 2020 12143-12152*

A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*

A Two-Step Strategy for Online Fault Detection of High-Resistance Connection in BLDC Motor. *Wang, H.*, +, *TPEL March 2020 3043-3053*

A Unified Power Control Method for Standalone and Grid-Connected DFIG-DC System. *Wu, C.*, +, *TPEL Dec. 2020 12663-12667*

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control. *Devanshu, A.*, +, *TPEL Jan. 2020 652-666*

An Online Global Fault-Tolerant Control Strategy for Symmetrical Multiphase Machines With Minimum Losses in Full Torque Production Range. *Sun, J.*, +, *TPEL March 2020 2819-2830*

Binary Diagnosis of Hall Effect Sensors in Brushless DC Motor Drives. *Mousmi, A.*, +, *TPEL April 2020 3859-3868*

Common-Mode Voltage Elimination for Dual Two-Level Inverter-Fed Asymmetrical Six-Phase PMSM. *Shen, Z.*, +, *TPEL April 2020 3828-3840*

Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*

Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*

Damping Method of High-Frequency Resonance for Stator Current Controlled DFIG System Under Parallel Compensation Grid. *Pang, B.*, +, *TPEL Oct. 2020 10260-10270*

DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle. *Yu, Z.*, +, *TPEL Oct. 2020 10614-10628*

Deadbeat Direct Torque and Flux Control for Permanent Magnet Synchronous Motor Based on Stator Flux Oriented. *Lin, X.*, +, *TPEL May 2020 5078-5092*

Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*

Decoupled Floating Capacitor Voltage Control of a Dual Inverter Drive for an Open-Ended Winding Induction Motor. *Perera, C.*, +, *TPEL July 2020 7305-7316*

Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*

Direct Thrust Force Control of Primary Permanent-Magnet Linear Motors With Single DC-Link Current Sensor for Subway Applications. *Wang, W.*, +, *TPEL Feb. 2020 1365-1376*

Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation. *Lin, X.*, +, *TPEL April 2020 4216-4232*

Distortion-Minimizing Flux Observer for IPMSM Based on Frequency-Adaptive Observers. *Kim, H.*, +, *TPEL Feb. 2020 2077-2087*

High Performance Model Predictive Control for PMSM by Using Stator Current Mathematical Model Self-Regulation Technique. *Wang, F.*, +, *TPEL Dec. 2020 13652-13662*

Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives. *Tarvirdilu-Asl, R.*, +, *TPEL Oct. 2020 10654-10672*

Improved Transient-Based Overmodulation Method for Increased Torque Capability of Direct Torque Control With Constant Torque-Switching Regulator of Induction Machines. *Alsofyani, I.M.*, +, *TPEL April 2020 3928-3938*

Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*

Linear Quadratic Regulator Control for PMSM Drive Systems Using Nonlinear Disturbance Observer. *Shi, T.*, +, *TPEL May 2020 5093-5101*

Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*

Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives. *Lin, Z.*, +, *TPEL Dec. 2020 13345-13355*

Model Predictive Current Control for an Open-Winding PMSM System With a Common DC Bus in 3-D Space. *Cheng, Y.*, +, *TPEL Sept. 2020 9597-9607*

Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*

Model-Free Predictive Current Control of DFIG Based on an Extended State Observer Under Unbalanced and Distorted Grid. *Zhang, Y.*, +, *TPEL Aug. 2020 8130-8139*

Multiple Reference Frame-Based Torque Ripple Reduction in DFIG-DC System. *Xiao, Y.*, +, *TPEL May 2020 4971-4983*

Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor. *Tang, Q.*, +, *TPEL Jan. 2020 699-708*

Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines. *Ayaz Khoshhava, M.*, +, *TPEL July 2020 6658-6662*

Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits. *Liu, Z.*, +, *TPEL May 2020 5290-5303*

Overmodulation Strategy for Electrolytic Capacitorless PMSM Drives: Voltage Distortion Analysis and Boundary Optimization. *Wang, G.*, +, *TPEL Sept. 2020 9574-9585*

Parallel Predictive Torque Control for Induction Machines Without Weighting Factors. *Wang, F.*, +, *TPEL Feb. 2020 1779-1788*

Permeance Distribution Function: A Powerful Tool to Analyze Electromagnetic Forces Induced by PWM Current Harmonics in Multiphase Surface Permanent-Magnet Motors. *Lv, Y.*, +, *TPEL July 2020 7379-7391*

Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*

Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*

Post-Fault Operation of Bearingless Multisector SPM Machines by Space Vector Control. *Sala, G.*, +, *TPEL April 2020 4168-4177*

Power-Electronic-Based Electric Machine Emulator Using Direct Impedance Regulation. *Ma, K.*, +, *TPEL Oct. 2020 10673-10680*

Real-Time Maximum Torque per Ampere Control of Brushless DC Motor Drive With Minimum Torque Ripple. *Khazaee, A.*, +, *TPEL Feb. 2020 1194-1199*

Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*

Rotor Position Estimation for Aviation Three-Stage Starter/Generators in the Low-Speed Region Without High-Frequency Signal Injection. *Meng, T.*, +, *TPEL Aug. 2020 8405-8416*

Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*

Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor. *Ji, J.*, +, *TPEL Oct. 2020 10681-10689*

Stator Short-Circuit Fault Detection and Location Methods for Brushless DFIMs Using Nested-Loop Rotor Slot Harmonics. *Afshar, M.*, +, *TPEL Aug. 2020 8559-8568*

Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*

The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine. *Wei, J.*, +, *TPEL Aug. 2020 8384-8395*

Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*

Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault. *Zhou, H.*, +, *TPEL May 2020 5007-5017*

Zynq Implemented Luenberger Disturbance Observer Based Predictive Control Scheme for PMSM Drives. *He, L.*, +, *TPEL Feb. 2020 1770-1778*

Steady-state

Cascaded MVDC Integration Interface for Multiple DERs With Enhanced Wide-Range Operation Capability: Concepts and Small-Signal Analysis. *Li, X.*, +, *TPEL Feb. 2020 1182-1188*

Inductor Saturation Compensation With Resistive Decoupling for Single-Phase Controlled VSC Systems. *Ozkan, Z.*, +, *TPEL Feb. 2020 1993-2007*

Input-Independent and Output-Series Connected Modular DC–DC Converter With Intermodule Power Balancing Units for MVdc Integration of Distributed PV. *Li, X.*, +, *TPEL Feb. 2020 1622-1636*

Internal Dynamics Stabilization of Single-Phase Power Converters With Lyapunov-Based Automatic-Power-Decoupling Control. *Yuan, H.*, +, *TPEL Feb. 2020 2160-2169*

Step response

Reference-Feedforward Power-Synchronization Control. *Harnefors, L.*, +, *TPEL Sept. 2020 8878-8881*

Stress

A Leakage-Inductor Parameter Compensation Method for Paralleled Current-Fed Isolated DC/DC System. *Zhang, Y.*, +, *TPEL Feb. 2020 1160-1164*

A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC–DC Converter With Coupled Inductor. *Zhang, Y.*, +, *TPEL Feb. 2020 1525-1535*

A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs. *Zhang, Y.*, +, *TPEL Feb. 2020 1536-1547*

Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter. *Liu, D.*, +, *TPEL Feb. 2020 2008-2022*

Modularized Differential Power Processing Architecture Based on Switched Capacitor Converter to Virtually Unify Mismatched Photovoltaic Panel Characteristics. *Uno, M.*, +, *TPEL Feb. 2020 1563-1575*

Three Phase Current-Fed Semi Dual Active Bridge DC–DC Converter With Hybrid Operating Mode Control. *Chen, D.*, +, *TPEL Feb. 2020 1649-1658*

Substations

Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*

Subsynchronous resonance

Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*

Supercapacitors

A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*

A Modular Fast Cell-to-Cell Battery Voltage Equalizer. *Dam, S.K.*, +, *TPEL Sept. 2020 9443-9461*

A Power Distribution Strategy for Hybrid Energy Storage System Using Adaptive Model Predictive Control. *Wang, L.*, +, *TPEL June 2020 5897-5906*

A Wireless EV Charging Topology With Integrated Energy Storage. *Ruddell, S.*, +, *TPEL Sept. 2020 8965-8972*

Analysis and Control of Modular Multilevel Converter With Split Energy Storage for Railway Traction Power Conditioner. *Guo, P.*, +, *TPEL Feb. 2020 1239-1255*

Braking Torque Control Strategy for Brushless DC Motor With a Noninductive Hybrid Energy Storage Topology. *Cao, Y.*, +, *TPEL Aug. 2020 8417-8428*

Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*

Experimental Study on a Semi-Active Battery-Supercapacitor Hybrid Energy Storage System for Electric Vehicle Application. *Zhang, Q.*, +, *TPEL Jan. 2020 1014-1021*

Hybrid Energy Storage System Based on a Novel Reduced Rating Multi-Input Converter. *Kurm, S.*, +, *TPEL Nov. 2020 12133-12142*

Reconfigurable Hybrid Energy Storage System for an Electric Vehicle DC–AC Inverter. *Salari, O.*, +, *TPEL Dec. 2020 12846-12860*

Tapped-Inductor-Based Single-Magnetic Bidirectional PWM Converter Integrating Cell Voltage Equalizer for Series-Connected Supercapacitors. *Uno, M.*, +, *TPEL Dec. 2020 13157-13171*

Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

Supervised learning

Design of Hybrid Artificial Bee Colony Algorithm and Semi-Supervised Extreme Learning Machine for PV Fault Diagnoses by Considering Dust Impact. *Huang, J.*, +, *TPEL July 2020 7086-7099*

Support vector machines

A General Constant-Switching-Frequency Model-Predictive Control of Multilevel Converters With Quasi-PS-PWM/LS-PWM Output. *Zhou, D.*, +, *TPEL Nov. 2020 12429-12441*

A Novel Space-Vector Modulation Method for Nine-Switch Converter. *Pan, L.*, +, *TPEL Feb. 2020 1789-1804*

A Simplified SVM-Based Fault-Tolerant Strategy for Cascaded H-Bridge Multilevel Converters. *Lin, H.*, +, *TPEL Nov. 2020 11310-11315*

Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*

Multiobjective Optimization of Data-Driven Model for Lithium-Ion Battery SOH Estimation With Short-Term Feature. *Cai, L.*, +, *TPEL Nov. 2020 11855-11864*

Rotor Displacement Self-Sensing Modeling of Six-Pole Radial Hybrid Magnetic Bearing Using Improved Particle Swarm Optimization Support Vector Machine. *Zhu, H.*, +, *TPEL Nov. 2020 12296-12306*

State-of-Health Estimation Based on Differential Temperature for Lithium Ion Batteries. *Tian, J.*, +, *TPEL Oct. 2020 10363-10373*

Surface morphology

Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

Surface mount technology

Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*

Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets. *Yang, C.*, +, *TPEL Dec. 2020 13356-13366*

Suspensions (mechanical components)

Rotor Displacement Self-Sensing Modeling of Six-Pole Radial Hybrid Magnetic Bearing Using Improved Particle Swarm Optimization Support Vector Machine. *Zhu, H.*, +, *TPEL Nov. 2020 12296-12306*

Switched capacitor networks

A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*

A Multiphase Switched-Capacitor Converter for Fully Integrated AMLED Microdisplay System. *Jiang, J.*, +, *TPEL June 2020 6001-6011*

AC–AC Hybrid Boost Switched-Capacitor Converter. *Schramm Dall'Asta, M.*, +, *TPEL Dec. 2020 13115-13125*

Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain. *Lee, S.S.*, +, *TPEL Sept. 2020 9522-9529*

Improved Bootstrap Methods for Powering Floating Gate Drivers of Flying Capacitor Multilevel Converters and Hybrid Switched-Capacitor Converters. *Ye, Z.*, +, *TPEL June 2020 5965-5977*

Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Charac-

teristics for Electric Double-Layer Capacitor Modules. *Uno, M.*, +, *TPEL Oct. 2020 10271-10284*

Multisource Switched Capacitor Based Boost Multilevel Inverter for Photovoltaic-Based Systems. *Ramaiah, S.*, +, *TPEL March 2020 2558-2570*

New Expandable Switched-Capacitor/Switched-Inductor High-Voltage Conversion Ratio Bidirectional DC–DC Converter. *Fardahar, S.M.*, +, *TPEL March 2020 2480-2487*

Switched Capacitor Integrated $(2n+1)$-Level Step-Up Single-Phase Inverter. *Khan, M.N.H.*, +, *TPEL Aug. 2020 8248-8260*

Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*

The Cascaded Resonant Converter: A Hybrid Switched-Capacitor Topology With High Power Density and Efficiency. *Ye, Z.*, +, *TPEL May 2020 4946-4958*

Time-Domain Modeling and Analysis of Switched-Capacitor Converters. *Jawalikar, P.*, +, *TPEL Aug. 2020 8276-8286*

Switched mode power supplies

Erratum to "Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications". *Komathi, C.*, +, *TPEL May 2020 5543*

Mixed Analog–Digital (MAD) Converters for High Power Density DC–DC Conversions. *Zhao, H.*, +, *TPEL Aug. 2020 7742-7748*

Sensorless Ripple Current Mode Control to Achieve Inductor-Deviation-Tolerant BCM Operation for Boost Converter. *Lyu, D.*, +, *TPEL Nov. 2020 12359-12369*

Switches

A Device-Level Transient Modeling Approach for the FPGA-Based Real-Time Simulation of Power Converters. *Bai, H.*, +, *TPEL Feb. 2020 1282-1292*

A Flexible Mode Electrolytic Capacitor-Free LED Driver With High Efficiency Over a Wide Range of Input Voltage. *Zeng, J.*, +, *TPEL Aug. 2020 8490-8500*

A Four-Switch Three-Phase AC–DC Converter With Galvanic Isolation. *Khodabakhsh, J.*, +, *TPEL Feb. 2020 1699-1710*

A General Constant-Switching-Frequency Model-Predictive Control of Multilevel Converters With Quasi-PS-PWM/LS-PWM Output. *Zhou, D.*, +, *TPEL Nov. 2020 12429-12441*

A Leakage-Inductor Parameter Compensation Method for Paralleled Current-Fed Isolated DC/DC System. *Zhang, Y.*, +, *TPEL Feb. 2020 1160-1164*

A Nine-Level Inverter for Low-Voltage Applications. *Zhang, Y.*, +, *TPEL Feb. 2020 1659-1671*

A Nine-Level T-Type Packed U-Cell Inverter. *Niu, D.*, +, *TPEL Feb. 2020 1171-1175*

A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System. *Xu, C.*, +, *TPEL May 2020 4483-4488*

A Novel Space-Vector Modulation Method for Nine-Switch Converter. *Pan, L.*, +, *TPEL Feb. 2020 1789-1804*

A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs. *Zhang, Y.*, +, *TPEL Feb. 2020 1536-1547*

Adaptive Multi-Level Active Gate Drivers for SiC Power Devices. *Zhao, S.*, +, *TPEL Feb. 2020 1882-1898*

An Argument for the Relationship Between Spectral Spreading and Probability Spreading for EMI-Reduction in DC–DC Converter. *Dove, A.*, +, *TPEL Feb. 2020 1459-1472*

An Enhanced Multiple Harmonics Analysis Method for Wireless Power Transfer Systems. *Fang, Y.*, +, *TPEL Feb. 2020 1205-1216*

An Ideal DC Transformer for Active DC Distribution Networks Based on Constant-Transformation-Ratio DABC. *Wang, X.*, +, *TPEL Feb. 2020 2170-2183*

An Ultrahigh Voltage Gain Hybrid-Connected Boost Converter With Ultralow Distributed Voltage Stress. *Hu, X.*, +, *TPEL Oct. 2020 10385-10395*

Cascaded MVDC Integration Interface for Multiple DERs With Enhanced Wide-Range Operation Capability: Concepts and Small-Signal Analysis. *Li, X.*, +, *TPEL Feb. 2020 1182-1188*

Coupled Inductor-Based High Voltage Gain DC–DC Converter For Renewable Energy Applications. *Mirzaee, A.*, +, *TPEL July 2020 7045-7057*

Derivation of Single-Input Dual-Output Converters With Simple Control and No Cross Regulation. *Dong, Z.*, +, *TPEL Nov. 2020 11930-11941*

Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications. *C., K.*, +, *TPEL Feb. 2020 2100-2118*

Elimination of the Interaction of the Converters in Switch-Linear Hybrid Envelope Tracking Power Supplies. *Wang, Y.*, +, *TPEL Feb. 2020 2053-2066*

Input-Independent and Output-Series Connected Modular DC–DC Converter With Intermodule Power Balancing Units for MVdc Integration of Distributed PV. *Li, X.*, +, *TPEL Feb. 2020 1622-1636*

Instantaneous Flux and Current Control for a Three-Phase Dual-Active Bridge DC–DC Converter. *Hu, J.*, +, *TPEL Feb. 2020 2184-2195*

Minimizing Ripples of Inductor Currents in Coupled SIDO Boost Converter by Shift of Gate Pulses. *Nupur, .*, +, *TPEL Feb. 2020 1217-1226*

Model Predictive Control for Dual-Active-Bridge Converters Supplying Pulsed Power Loads in Naval DC Micro-Grids. *Chen, L.*, +, *TPEL Feb. 2020 1957-1966*

Model Predictive Flux Control With Cost Function-Based Field Weakening Strategy for Permanent Magnet Synchronous Motor. *Zheng, Z.*, +, *TPEL Feb. 2020 2151-2159*

Modified Auxiliary-Resonant Commutated Pole Applied in a Three-Phase Dual-Active Bridge DC/DC Converter. *Voss, J.*, +, *TPEL Feb. 2020 1256-1268*

Modularized Differential Power Processing Architecture Based on Switched Capacitor Converter to Virtually Unify Mismatched Photovoltaic Panel Characteristics. *Uno, M.*, +, *TPEL Feb. 2020 1563-1575*

Multi-Resonance-Core-Based Dickson Resonant Switched-Capacitor Converters With Wide Regulation. *Li, S.*, +, *TPEL Feb. 2020 1685-1698*

Non-inverting and Non-isolated Magnetically Coupled Buck–Boost Bidirectional DC–DC Converter. *Rodriguez-Lorente, A.*, +, *TPEL Nov. 2020 11942-11954*

Parallel Predictive Torque Control for Induction Machines Without Weighting Factors. *Wang, F.*, +, *TPEL Feb. 2020 1779-1788*

Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Resonant Inductance Design and Loss Analysis of a Novel Resonant DC Link Inverter. *Chu, E.*, +, *TPEL Feb. 2020 1392-1405*

Robust ZAD Sliding Mode Control for an 8-Phase Step-Down Converter. *Repecho, V.*, +, *TPEL Feb. 2020 2222-2232*

Subtraction-Mode Switched-Capacitor Converters With Parasitic Loss Reduction. *Jiang, J.*, +, *TPEL Feb. 2020 1200-1204*

Three-Legged High-Gain Phase-Modulated DC–AC Converter for Mitigation of Device Capacitance Induced Ringing Voltage. *Kummari, N.*, +, *TPEL Feb. 2020 1306-1321*

Variable-Parameter T-Circuit-Based IPT System Charging Battery With Constant Current or Constant Voltage Output. *Chen, Y.*, +, *TPEL Feb. 2020 1672-1684*

Switching

Improved Transient-Based Overmodulation Method for Increased Torque Capability of Direct Torque Control With Constant Torque-Switching Regulator of Induction Machines. *Alsofyani, I.M.*, +, *TPEL April 2020 3928-3938*

Switching circuits

High-Power Nanosecond Pulse Generators With Improved Reliability by Adopting Auxiliary Triggering Topology. *Yan, J.*, +, *TPEL Feb. 2020 1353-1364*

Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*

Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*

Switching converters

1-kW Boost-type PFC Using a Low-Voltage Series Pass Module for Input Current Shaping. *Tung, C.*, +, *TPEL July 2020 7596-7611*

99% Efficient Isolated Three-Phase Matrix-Type DAB Buck–Boost PFC Rectifier. *Schrittwieser, L.*, +, *TPEL Jan. 2020 138-157*

C_{oss} Loss Tangent of Field-Effect Transistors: Generalizing High-Frequency Soft-Switching Losses. *Perera, N.*, +, *TPEL Dec. 2020 12585-12589*

A 100-kW SiC Switched Tank Converter for Transportation Electrification. *Ni, Z.*, +, *TPEL June 2020 5770-5784*

A 2-kV Charge-Based ZVS Three-Level Inverter. *Settels, S.J.*, +, *TPEL April 2020 3450-3465*

A Bidirectional Communicating Power Supply Circuit for Smart Gate Driver Boards. *Weckbrodt, J.*, +, *TPEL Aug. 2020 8540-8549*

A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*

A Capacitor-Free Control Scheme for a Primary-Side Controlled Flyback Converter. *Li, Y.*, +, *TPEL Sept. 2020 9482-9493*

A Constant On-Time Buck Converter With Analog Time-Optimized On-Time Control. *Li, Y.*, +, *TPEL April 2020 3754-3765*

A Double-Modulation-Wave PWM for Dead-Time-Effect Elimination and Synchronous Rectification in SiC-Device-Based High-Switching-Frequency Converters. *Yan, Q.*, +, *TPEL Dec. 2020 13500-13513*

A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance. *Chakraborty, S.*, +, *TPEL March 2020 2615-2628*

A Dual-Switch Discontinuous Current-Source Gate Driver Overcoming the Current Diversion Problem for a Buck VRM. *Mashhadi, I.A.*, +, *TPEL April 2020 3778-3793*

A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*

A Family of Step-Up Series–Parallel Dual Resonant Switched-Capacitor Converters With Wide Regulation Range. *Xie, W.*, +, *TPEL March 2020 2724-2736*

A Family of ZVT DC–DC Converters With Low-Voltage Ringing. *Tran, H.N.*, +, *TPEL Jan. 2020 59-69*

A Fault-Tolerant Control Strategy for T-Type Three-Level Rectifier With Neutral Point Voltage Balance and Loss Reduction. *Chen, J.*, +, *TPEL July 2020 7492-7505*

A Fault-Tolerant Hybrid Cascaded H-Bridge Multilevel Inverter. *Mhiesan, H.*, +, *TPEL Dec. 2020 12702-12715*

A Five-Level Space Vector Modulation Scheme for Parallel Operated Three-Level Inverters With Reduced Line Current Distortion. *Li, W.*, +, *TPEL Oct. 2020 11235-11249*

A Flexible Mode Electrolytic Capacitor-Free LED Driver With High Efficiency Over a Wide Range of Input Voltage. *Zeng, J.*, +, *TPEL Aug. 2020 8490-8500*

A Fully Soft Switched Point-of-Load Converter for Resource Constraint Drone Applications. *Qu, Y.*, +, *TPEL March 2020 2705-2713*

A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress. *Hassan, W.*, +, *TPEL Nov. 2020 11827-11842*

A High Efficiency and Fast Transient Digital Low-Dropout Regulator With the Burst Mode Corresponding to the Power-Saving Modes of DC–DC Switching Converters. *Lin, J.*, +, *TPEL April 2020 3997-4008*

A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*

A High Voltage Gain DC–DC Converter Based on Three Winding Coupled Inductor and Voltage Multiplier Cell. *Azizkandi, M.E.*, +, *TPEL May 2020 4558-4567*

A Hybrid Modulation Method for Single-Stage Soft-Switching Inverter Based on Series Resonant Converter. *Yeh, C.*, +, *TPEL June 2020 5785-5796*

A Hybrid Modulation Strategy Providing Lower Inductor Current for the DAB Converter With the Aid of DC Blocking Capacitors. *Liu, P.*, +, *TPEL April 2020 4309-4320*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Joint Control With Variable ZVS Angles for Dynamic Efficiency Optimization in Wireless Power Transfer System. *Jiang, Y.*, +, *TPEL Oct. 2020 11064-11081*

A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*

A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications. *Huang, Y.*, +, *TPEL May 2020 4613-4621*

A Modified Y-Source DC–DC Converter With High Voltage-Gains and Low Switch Stresses. *Yuan, J.*, +, *TPEL Aug. 2020 7716-7720*

A Modular Low Current Ripple Electrolysis Power Supply Based on Multiphase Half-Bridge High-Frequency Inverters. *Xiao, H., TPEL Oct. 2020 10088-10096*

A Modular Multilevel Resonant DC–DC Converter. *Shao, S.*, +, *TPEL Aug. 2020 7921-7932*

A New Primary PWM Control Strategy for CCM Synchronous Rectification Flyback Converter. *Dong, H.*, +, *TPEL May 2020 4457-4461*

A New Soft-Switched Three-Port DC/DC Converter With High Voltage Gain and Reduced Number of Semiconductors for Hybrid Energy Applications. *Dobakhshari, S.S.*, +, *TPEL April 2020 3590-3600*

A Novel Converter-Breaker Integrated Voltage Source Converter Based on High-Surge IGCT and Fault Self-Clearing Strategy for DC Grid. *Xu, C.*, +, *TPEL Dec. 2020 12668-12672*

A Novel DCM Soft-Switched SEPIC-Based High-Frequency Converter With High Step-Up Capacity. *Gao, S.*, +, *TPEL Oct. 2020 10444-10454*

A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*

A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*

A Novel Single-Phase Three-Level Dual-Buck Inverter. *Nguyen, T.*, +, *TPEL April 2020 3365-3376*

A Novel Volt-Second Self-Balancing SVPWM Scheme to Eliminate Steady-State DC Bias for a Three-Phase Isolated AC–DC Matrix Converter. *Hu, W.*, +, *TPEL Nov. 2020 11518-11532*

A Novel ZVS High-Step-Up Converter With Built-In Transformer Voltage Multiplier Cell. *Nouri, T.*, +, *TPEL Dec. 2020 12871-12886*

A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*

A QR-ZCS Boost Converter With Tapped Inductor and Active Edge-Resonant Cell. *Harasimczuk, M., TPEL Dec. 2020 13085-13095*

A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives. *Diab, M.S.*, +, *TPEL Dec. 2020 12639-12645*

A Reduced-Switch-Count Family of Soft-Switched High-Frequency Inductive AC-Link Converters. *Mozaffari, K.*, +, *TPEL Aug. 2020 7972-7990*

A Redundant Unit to Form T-Type Three-Level Inverters Tolerant of IGBT Open-Circuit Faults in Multiple Legs. *Wang, B.*, +, *TPEL Jan. 2020 924-939*

A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*

A SiC MOSFET and Si IGBT Hybrid Modular Multilevel Converter With Specialized Modulation Scheme. *Yin, T.*, +, *TPEL Dec. 2020 12623-12628*

A Simplified 3-D NLM-Based SVPWM Technique With Voltage-Balancing Capability for 3LNPC Cascaded Multilevel Converter. *Lin, H.*, +, *TPEL April 2020 3506-3518*

A Single Carrier-Based Pulsewidth Modulation Technique for Three-to-Three Phase Indirect Matrix Converter. *Patel, P.P.*, +, *TPEL Nov. 2020 11589-11601*

A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*

A Single-Stage Fault-Tolerant Three-Phase Bidirectional AC/DC Converter With Symmetric High-Frequency Y-Δ Connected Transformers. *Gu, L.*, +, *TPEL Sept. 2020 9226-9237*

A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder. *Pal, A.*, +, *TPEL April 2020 3601-3615*

A Single-Switch High-Gain PV Microconverter With Low-Switch-Voltage-to-High-Voltage-Bus Ratio. *Kanathipan, K.*, +, *TPEL Sept. 2020 9530-9540*

A Single-Switch Single-Magnetic Core High Conversion Ratio Converter With Low Input Current Ripple and Wide Soft-Switching Range for Photovoltaic Applications. *Heidari, M.*, +, *TPEL July 2020 7226-7234*

A Soft-Switched Modulation for a Single-Phase Quasi-Z-Source-Integrated Charger in Electric Vehicle Application. *Na, T.*, +, *TPEL May 2020 4602-4612*

A Step-Up Nonisolated Modular Multilevel DC–DC Converter With Self-Voltage Balancing and Soft Switching. *Sun, C.*, +, *TPEL Dec. 2020 13017-13030*

A Study of T-Type and ZVS-PWM Full-Bridge Converters for Switch-Mode Power Supplies. *Khodabakhsh, J.*, +, *TPEL July 2020 7145-7159*

A Thorough Analysis for the Impact of the Coupling Coefficient on the Behavior of the Coupled Inductor High Step-Up Converters. *Zaoskoufis, K.*, +, *TPEL Aug. 2020 8287-8302*

A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding. *Pal, A.*, +, *TPEL Nov. 2020 11758-11769*

A True-Random-Number-Based Pseudohysteresis Controller for Buck DC–DC Converter in High-Security Internet-of-Everything Devices. *Yang, W.*, +, *TPEL March 2020 2969-2978*

A Unified State-Space Modeling Method for a Phase-Shift Controlled Bidirectional Dual-Active Half-Bridge Converter. *Shi, H.*, +, *TPEL March 2020 3254-3265*

A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*

A Zero-Voltage-Switching, Physically Flexible Multilevel GaN DC–DC Converter. *Chou, D.*, +, *TPEL Jan. 2020 1064-1073*

AC–AC Hybrid Boost Switched-Capacitor Converter. *Schramm Dall'Asta, M.*, +, *TPEL Dec. 2020 13115-13125*

Accurate Calculation and Sensitivity Analysis of Leakage Inductance of High-Frequency Transformer With Litz Wire Winding. *Zhang, K.*, +, *TPEL April 2020 3951-3962*

Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter. *Li, K.*, +, *TPEL Sept. 2020 9650-9660*

Active Saturation Mitigation in High-Density Dual-Active-Bridge DC–DC Converter for On-Board EV Charger Applications. *Assadi, S.A.*, +, *TPEL April 2020 4376-4387*

Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*

Affine Nonlinear Control of a Multivariate Inductive Power Transfer System With Exact Linearization. *Cheng, C.*, +, *TPEL Dec. 2020 12728-12740*

An *LLC*-Based Highly Efficient S2M and C2C Hybrid Hierarchical Battery Equalizer. *Peng, F.*, +, *TPEL June 2020 5928-5937*

An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives. *Tian, H.*, +, *TPEL March 2020 2372-2388*

An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*

An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*

An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table. *Kodumur Meesala, R.E.*, +, *TPEL April 2020 3906-3917*

An Improved Simplified PWM for Three-Level Neutral Point Clamped Inverter Based on Two-Level Common-Mode Voltage Reduction PWM. *Zhang, X.*, +, *TPEL Oct. 2020 11143-11154*

An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications. *Zhang, Z.*, +, *TPEL Nov. 2020 11544-11556*

An Integrated Permanent-Magnet-Synchronous Generator–Rectifier Architecture for Limited-Speed-Range Applications. *Huynh, P.T.*, +, *TPEL May 2020 4767-4779*

An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*

An Optimized Model Predictive Control for Three-Phase Four-Level Hybrid-Clamped Converters. *Yang, Y.*, +, *TPEL June 2020 6470-6481*

An Overview and Comprehensive Comparative Evaluation of Current-Fed-Isolated-Bidirectional DC/DC Converter. *Pan, X.*, +, *TPEL March 2020 2737-2763*

Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*

Analysis and Design of *LLC* Converter Considering Output Voltage Regulation Under No-Load Condition. *Kim, J.*, +, *TPEL Jan. 2020 522-534*

Analysis and Design of a Single-Switch High Step-Up Coupled-Inductor Boost Converter. *Zheng, Y.*, +, *TPEL Jan. 2020 535-545*

Analysis and Design of the LLC LED Driver Based on State-Space Representation Direct Time-Domain Solution. *Menke, M.F.*, +, *TPEL Dec. 2020 12686-12701*

Analysis and Modeling of a New Coupled-Inductor Buck–Boost DC–DC Converter for Renewable Energy Applications. *Hasanpour, S.*, +, *TPEL Aug. 2020 8088-8101*

Analysis and Suppression of the Frequency-Decrease Effect in the Capacitor Voltage Related to the Low Modulation Frequency Ratio in an MMC System. *Wang, C.*, +, *TPEL Sept. 2020 9119-9132*

Analysis of Current Flowing Through Disabled Converters in Parallel AC/DC Power Conversion System. *Son, Y.*, +, *TPEL Nov. 2020 11625-11633*

Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter. *Pineda, C.*, +, *TPEL July 2020 6906-6915*

Auxiliary Power Supply for Medium-/High-Voltage and High-Power Solid-State Transformers. *Liu, J.*, +, *TPEL May 2020 4791-4803*

Backstepping Control for Large Signal Stability of High Boost Ratio Interleaved Converter Interfaced DC Microgrids With Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5397-5407*

Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*

Bidirectional Buck–Boost Current-Fed Isolated DC–DC Converter and Its Modulation. *Wu, F.*, +, *TPEL May 2020 5506-5516*

Bidirectional LCLL Resonant Converter With Wide Output Voltage Range. *Zhang, Y.*, +, *TPEL Nov. 2020 11813-11826*

Bifurcation Limits and Non-Idealities Effects in a Three-Phase Dynamic IPT System. *Iruretagoyena, U.*, +, *TPEL Jan. 2020 208-219*

Buck–Boost–Buck-Type Single-Switch Multistring Resonant LED Driver With High Power Factor and Passive Current Balancing. *Liu, X.*, +, *TPEL May 2020 5132-5143*

Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*

Capacitor Voltage Fluctuation Minimization for Four-Level Hybrid Clamped Converter Using Improved Common-Mode Voltage Injection. *Pan, J.*, +, *TPEL July 2020 7563-7573*

Carrier-Based Discontinuous PWM for a Five-Level Unidirectional Rectifier. *Mukherjee, D.*, +, *TPEL June 2020 5601-5614*

Cascode GaN/SiC: A Wide-Bandgap Heterogenous Power Device for High-Frequency Applications. *Xu, J.*, +, *TPEL June 2020 6340-6349*

Characterization and Modeling of Frequency-Dependent On-Resistance for GaN Devices at High Frequencies. *Wang, K.*, +, *TPEL May 2020 4925-4933*

Circulating Harmonic Currents Suppression of Level-Increased NLM Based Modular Multilevel Converter With Deadbeat Control. *Chen, X.*, +, *TPEL Nov. 2020 11418-11429*

Class-E Isolated DC–DC Converter With High-Rate and Cost-Effective Bidirectional Data Channel. *Pareschi, F.*, +, *TPEL May 2020 5304-5318*

Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*

Compound Voltage Clamped Class-E Converter With ZVS and Flexible Power Transfer for WPT System. *He, L.*, +, *TPEL July 2020 7123-7133*

Comprehensive Analytics for Reliability Evaluation of Conventional Isolated Multiswitch PWM DC–DC Converters. *Tarzamni, H.*, +, *TPEL May 2020 5254-5266*

Comprehensive Coordinated Frequency Control of Symmetrical CLLC-DC Transformer in Hybrid AC/DC Microgrids. *Huang, J.*, +, *TPEL Oct. 2020 10374-10384*

Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations. *Milovanovic, S.*, +, *TPEL Dec. 2020 12898-12908*

Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*

Coupled Inductor-Based High Voltage Gain DC–DC Converter For Renewable Energy Applications. *Mirzaee, A.*, +, *TPEL July 2020 7045-7057*

Coupled-Inductor Buck–Boost Inverter With Reduced Current Ripple. *Khan, A.A.*, +, *TPEL Aug. 2020 7933-7946*

Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*

Current Balancing Control Methods Using Advanced Carrier-Based Modulation for Five-Level Current Source Rectifiers. *Ries, L.K.*, +, *TPEL Oct. 2020 10213-10226*

Current Control of a Seven-Level Voltage Source Inverter. *Bahrami, A.*, +, *TPEL March 2020 2308-2316*

Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*

Deadband Effect and Accurate ZVS Boundaries of GaN-Based Dual-Active-Bridge Converters With Multiple-Phase-Shift Control. *Shi, H.*, +, *TPEL Sept. 2020 9886-9903*

Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*

Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*

Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*

Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

Design of a Grid-Tie Photovoltaic System With a Controlled Total Harmonic Distortion and Tri Maximum Power Point Tracking. *Hussein, A.A.*, +, *TPEL May 2020 4780-4790*

Design of a High Accuracy PSR CC/CV AC–DC Converter Without Auxiliary Winding. *He, L.*, +, *TPEL Aug. 2020 8165-8172*

Design of a Paralleled SiC MOSFET Half-Bridge Unit With Distributed Arrangement of DC Capacitors. *Qu, J.*, +, *TPEL Oct. 2020 10879-10891*

Design of New SVPWM Mechanism for Three-Level NPC ZSI via Line-Voltage Coordinate System. *Zhang, J.*, +, *TPEL Aug. 2020 8593-8606*

Development of High-Power High Switching Frequency Cryogenically Cooled Inverter for Aircraft Applications. *Gui, H.*, +, *TPEL June 2020 5670-5682*

Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation. *Lin, X.*, +, *TPEL April 2020 4216-4232*

Dual T-Type Four-Level Converter. *Chen, J.*, +, *TPEL June 2020 5594-5600*

Dual-Mode Modulation Scheme With Seamless Transition for a Tunable Immittance-Based DAB Converter Featuring High-Efficiency Performance Over Whole Output Power Range. *Chan, Y.P.*, +, *TPEL Sept. 2020 9184-9201*

Duty Ratio Stability and Average Steady-State Error of Two-Level Current-Mode Wide-Bandwidth Switching Power Amplifiers. *Yu, Z.*, +, *TPEL April 2020 4094-4104*

Effective Current Limitation for Multifrequency Current Control With Distortion-Free Voltage Saturation and Antiwindup. *Yepes, A.G.*, +, *TPEL Dec. 2020 13697-13713*

Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*

Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*

Efficient High Step-Up Operation in Boost Converters Based on Impulse Rectification. *Samizadeh Nikoo, M.*, +, *TPEL Nov. 2020 11287-11293*

Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*

Electrothermal Cosimulation for Predicting the Power Loss and Temperature of SiC MOSFET Dies Assembled in a Power Module. *Nakamura, Y.*, +, *TPEL March 2020 2950-2958*

Enhanced One-Cycle Control for Multicell Power Converters. *Zhang, G.*, +, *TPEL Aug. 2020 8846-8856*

Evaluation of DC-Link Voltage Switching Ripple in Multiphase PWM Voltage Source Inverters. *Vujacic, M.*, +, *TPEL April 2020 3478-3490*

Evaluation of Different Si/SiC Hybrid Three-Level Active NPC Inverters for High Power Density. *Zhang, L.*, +, *TPEL Aug. 2020 8224-8236*

Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*

Fast SPICE-Compatible Simulation of Low-Power On-Chip PWM DC–DC Converters With Improved Ripple Accuracy. *Burcea, F.*, +, *TPEL Aug. 2020 8173-8185*

Feedforward Modulation for the Neutral-Point-Clamped Converter With Confined Capacitor Voltage Ripples and Reduced Switching Power Losses. *Beniwal, N.*, +, *TPEL April 2020 4426-4438*

Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control. *Han, Y.*, +, *TPEL March 2020 3221-3241*

Fractal Approach Based Simplified and Generalized Sector Detection in Current Error Space Phasor Based Hysteresis Controller Applied to Multilevel Front-End Converters. *Shah, M.T.*, +, *TPEL Oct. 2020 11082-11095*

Full-Bridge Current-Fed PV Microinverter With DLFCR Reduction Ability. *Wu, D.*, +, *TPEL Sept. 2020 9541-9552*

Fully Integrated Buck and Boost Converter as a High Efficiency, High-Power-Density Off-Line LED Driver. *Abdelmessih, G.Z.*, +, *TPEL Nov. 2020 12238-12251*

General Method for Synthesizing High Gain Step-Up DC–DC Converters Based on Differential Connections. *de Andrade, J.M.*, +, *TPEL Dec. 2020 13239-13254*

Generalized Three-Level Optimal Pulse Patterns With Lower Harmonic Distortion. *Birth, A.*, +, *TPEL June 2020 5741-5752*

High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*

High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application. *Liu, T.*, +, *TPEL Nov. 2020 11770-11782*

High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles. *Ta, L.A.D.*, +, *TPEL Aug. 2020 8324-8334*

High-Efficiency T-Source Inverter With Low Voltage Spikes Across the Switch Bridge. *Liu, H.*, +, *TPEL Oct. 2020 10554-10566*

High-Precision Control for ZVS Inverter to Reduce Nonlinear Distortion of Semiconductor Voltage Drop. *Zhang, H.*, +, *TPEL April 2020 3337-3342*

High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*

Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages. *Bai, C.*, +, *TPEL April 2020 3636-3650*

Hold-Up Time Compensation Circuit of Half-Bridge LLC Resonant Converter for High Light-Load Efficiency. *Jeong, Y.*, +, *TPEL Dec. 2020 13126-13135*

Hold-Up Time Extension Method for *LLC* Resonant Converter by Detecting Operation Region. *Park, M.*, +, *TPEL Oct. 2020 9949-9952*

Hybrid Model Predictive Control of ANPC Converters With Decoupled Low-Frequency and High-Frequency Cells. *Zhou, D.*, +, *TPEL Aug. 2020 8569-8580*

Hybrid Modulation Technique With DC-Bus Voltage Control for Multiphase NPC Converters. *Cervone, A.*, +, *TPEL Dec. 2020 13528-13539*

Hysteresis Voltage Prediction Control for Multilevel Converter in the Series-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Li, Y.*, +, *TPEL Dec. 2020 13663-13672*

Impact on ZVS Operation by Splitting Inductance to Both Sides of Transformer for 1-MHz GaN Based DAB Converter. *Xiao, Y.*, +, *TPEL Nov. 2020 11988-12002*

Improved Bootstrap Methods for Powering Floating Gate Drivers of Flying Capacitor Multilevel Converters and Hybrid Switched-Capacitor Converters. *Ye, Z.*, +, *TPEL June 2020 5965-5977*

Improved Modulation Strategy for Single-Phase Single-Stage Isolated AC–DC Converter Considering Power Reversion Zone. *Wu, F.*, +, *TPEL April 2020 4157-4167*

Improvement of ZVS Range and Current Quality of the Nine-Switch Single-Stage AC–DC Converter. *Ali, K.*, +, *TPEL May 2020 4658-4668*

Integrated Coupled Inductors With Functionality of Current Balancing Transformer for Two-Phase Synchronous DC–DC Converters. *Dou, Y.*, +, *TPEL May 2020 4472-4476*

Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter. *Nandi, P.*, +, *TPEL Nov. 2020 11965-11975*

Interleaved Current-Fed Switched Inverter. *Acharya, S.*, +, *TPEL July 2020 7015-7030*

Isolated Ultrafast Gate Driver with Variable Duty Cycle for Pulse and VHF Power Electronics. *Zan, X.*, +, *TPEL Dec. 2020 12678-12685*

Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*

Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*

Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*

Minimum Distortion Point Tracking. *Poon, J.*, +, *TPEL Oct. 2020 11013-11025*

Model Predictive Current Control of a Seven-Level Inverter With Reduced Computational Burden. *Bahrami, A.*, +, *TPEL June 2020 5729-5740*

Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters. *Fan, J.W.*, +, *TPEL March 2020 2519-2533*

Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*

Modeling, Analysis, and Reduction of Harmonics in Paralleled and Interleaved Three-Level Neutral Point Clamped Inverters With Space Vector Modulation. *Chen, R.*, +, *TPEL April 2020 4411-4425*

Modified Discontinuous PWM Strategy for Three-Phase Grid-Connected PV Inverters With Hybrid Active–Passive Damping Scheme. *Giacomini, J.C.*, +, *TPEL Aug. 2020 8063-8073*

Modified Single-Edge SVPWM Technique to Reduce the Switching Losses and Increase PWM Harmonics Frequency for Three-Phase VSIs. *Huang, Y.*, +, *TPEL Oct. 2020 10643-10653*

Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Characteristics for Electric Double-Layer Capacitor Modules. *Uno, M.*, +, *TPEL Oct. 2020 10271-10284*

Modulated Model Predictive Control for Modular Multilevel Converters With Easy Implementation and Enhanced Steady-State Performance. *Wang, J.*, +, *TPEL Sept. 2020 9107-9118*

Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*

Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*

Moving Discretized Control Set Model-Predictive Control for Dual-Active Bridge With the Triple-Phase Shift. *Chen, L.*, +, *TPEL Aug. 2020 8624-8637*

Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function. *Wang, X.*, +, *TPEL Dec. 2020 13602-13620*

Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*

Multimode Smooth Switching Strategy for Eliminating the Operational Dead Zone in Noninverting Buck–Boost Converter. *Jia, L.*, +, *TPEL March 2020 3106-3113*

Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor. *Tang, Q.*, +, *TPEL Jan. 2020 699-708*

Multipower-Level Hysteresis Control for the Class E DC–DC Converters. *Li, Y.*, +, *TPEL May 2020 5279-5289*

Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*

Multisource Switched Capacitor Based Boost Multilevel Inverter for Photovoltaic-Based Systems. *Ramaiah, S.*, +, *TPEL March 2020 2558-2570*

New Expandable Switched-Capacitor/Switched-Inductor High-Voltage Conversion Ratio Bidirectional DC–DC Converter. *Fardahar, S.M.*, +, *TPEL March 2020 2480-2487*

Nonisolated Multiport Converters Based on Integration of PWM Converter and Phase-Shift-Switched Capacitor Converter. *Sato, Y.*, +, *TPEL Jan. 2020 455-470*

Novel Active-Neutral-Point-Clamped Inverters With Improved Voltage-Boosting Capability. *Lee, S.S.*, +, *TPEL June 2020 5978-5986*

Novel High Step-Up Soft-Switching DC–DC Converter Based on Switched Capacitor and Coupled Inductor. *Zhang, X.*, +, *TPEL Sept. 2020 9471-9481*

Novel High-Efficiency Frequency-Variable Buck–Boost AC–AC Converter With Safe-Commutation and Continuous Current. *He, L.*, +, *TPEL Dec. 2020 13225-13238*

Online Boundary Computation Using Sampled Voltage Reference for Bus Clamping PWM-Based Hysteresis-Controlled VSI-Fed IM Drive. *Peter, J.*, +, *TPEL April 2020 3939-3950*

Optimal Modulation for a Fifth-Order Dual-Active-Bridge Resonant Immittance DC–DC Converter. *Yaqoob, M.*, +, *TPEL Jan. 2020 70-82*

Optimization of *LCL* Filter With Integrated Intercell Transformer for Two-Interleaved High-Power Grid-Tied Converters. *Park, K.*, +, *TPEL March 2020 2317-2333*

Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*

Optimized Design for AC Filter and Switching Frequency of Parallel-Connected Inverters With Global Synchronous Pulsewidth Modulation. *Xu, T.*, +, *TPEL Nov. 2020 11843-11854*

Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*

Optimized Switching Finite Control Set Model Predictive Control of NPC Single-Phase Three-Level Rectifiers. *Zhang, X.*, +, *TPEL Oct. 2020 10097-10108*

Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*

Output Impedance Modeling and High-Frequency Impedance Shaping Method for Distributed Bidirectional DC–DC Converters in DC Microgrids. *Zhang, Q.*, +, *TPEL July 2020 7001-7014*

Output-Series Modular DC–DC Converter With Self-Voltage Balancing for Integrating Variable Energy Sources. *Sun, C.*, +, *TPEL Nov. 2020 11321-11327*

Parametric Optimization of a Three-Phase MCR WPT System With Cylinder-Shaped Coils Oriented by Soft-Switching Range and Stable Output Power. *Liu, F.*, +, *TPEL Jan. 2020 1036-1044*

Passive Damping Optimization of the Integrated-Magnetics-Based Differential-Mode Ćuk Rectifier. *Kumar, N.*, +, *TPEL Oct. 2020 10008-10012*
Planar Transformers in LLC Resonant Converters: High-Frequency Fringing Losses Modeling. *Shafaei, R.*, +, *TPEL Sept. 2020 9632-9649*
Properties and Synthesis of Lossless Snubbers and Passive Soft-Switching PWM Converters. *Yu, X.*, +, *TPEL April 2020 3807-3827*
Push–Pull Class Φ_2 RF Power Amplifier. *Gu, L.*, +, *TPEL Oct. 2020 10515-10531*
PWM Resonant Converter With Asymmetric Modulation for ZVS Active Voltage Doubler Rectifier and Forced Half Resonance in PV Application. *Kim, J.*, +, *TPEL Jan. 2020 508-521*
Reconfigurable Hybrid Energy Storage System for an Electric Vehicle DC–AC Inverter. *Salari, O.*, +, *TPEL Dec. 2020 12846-12860*
Reconfigurable Nonisolated DC–DC Converter With Fault-Tolerant Capability. *Soon, J.L.*, +, *TPEL Sept. 2020 8934-8943*
Recovering Partial Three-Level Operation in a T-Type Inverter With Fault Management Redundant Unit. *Wang, B.*, +, *TPEL Sept. 2020 8944-8955*
Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*
Research on Single-Stage High-Frequency-Link SST Topology and Its Optimization Control. *Sun, X.*, +, *TPEL Aug. 2020 8701-8711*
Resonant Current Estimation and Phase-Locked Loop Feedback Design for Piezoelectric Transformer-Based Power Supplies. *Yang, Z.*, +, *TPEL Oct. 2020 10466-10476*
Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*
Semiresonant Half-Bridge Zeta Converter With Reduced Turn-OFF Currents for High-Efficiency Power Supply. *Baek, J.*, +, *TPEL May 2020 4547-4557*
Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters. *Abdelhamid, E.*, +, *TPEL March 2020 3208-3220*
Series-Connected Current Source Inverters With Less Switches. *Xing, L.*, +, *TPEL June 2020 5553-5556*
SiC-Based 4 MHz 10 kW ZVS Inverter With Fast Resonance Frequency Tracking Control for High-Density Plasma Generators. *Park, S.*, +, *TPEL March 2020 3266-3275*
Sigmoid Function Model for a PFM Power Electronic Converter. *Lu, Y.*, +, *TPEL April 2020 4233-4241*
Simplified Predictive Duty Cycle Control of Multilevel Converters With Internal Identical Structure. *Zhou, D.*, +, *TPEL Nov. 2020 12416-12428*
Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*
Single-Phase AC–DC Converter With Dual-Output Rectifier, Dual-Input DC Transformer, and Voltage-Split/Sigma Principle. *Jia, Y.*, +, *TPEL Jan. 2020 158-168*
Single-Phase AC–DC–AC Three-Level Three-Leg Converter With Reduced Switch Count. *da Costa, A.E.L.*, +, *TPEL March 2020 2295-2307*
Single-Phase Split-Inductor Differential Boost Inverters. *Khan, A.A.*, +, *TPEL Jan. 2020 107-120*
Small Signal Modeling and Design Analysis for Boost Converter With Valley V^2 Control. *Leng, M.*, +, *TPEL Dec. 2020 13475-13487*
Space Vector Modulation for SiC and Si Hybrid ANPC Converter in Medium-Voltage High-Speed Drive System. *Li, C.*, +, *TPEL April 2020 3390-3401*
Strategy and Implementation of Harmonic-Reduced Synchronized SVPWM for High-Power Traction Machine Drives. *Xiao, L.*, +, *TPEL Nov. 2020 12457-12471*
Switched Capacitor Integrated $(2n + 1)$-Level Step-Up Single-Phase Inverter. *Khan, M.N.H.*, +, *TPEL Aug. 2020 8248-8260*
Switching and Conduction Loss Reduction of Dual-Buck Full-Bridge Inverter Through ZVT Soft-Switching Under Full-Cycle Modulation. *Kou, B.*, +, *TPEL May 2020 5031-5046*
Symmetric Dual-Switch Converter. *Tang, Y.*, +, *TPEL Nov. 2020 11955-11964*
Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*
The Cascaded Resonant Converter: A Hybrid Switched-Capacitor Topology With High Power Density and Efficiency. *Ye, Z.*, +, *TPEL May 2020 4946-4958*
The Three-Terminal Converter Cell, Graphs, and Generation of DC-to-DC Converter Families. *Marquez, R.*, +, *TPEL Aug. 2020 7725-7728*
Thermal Modeling of Inductor and Transformer Windings Including Litz Wire. *Kyaw, P.A.*, +, *TPEL Jan. 2020 867-881*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*
Time-Domain Modeling and Analysis of Switched-Capacitor Converters. *Jawalikar, P.*, +, *TPEL Aug. 2020 8276-8286*
Topology and Control of a Four-Level ANPC Inverter. *Wang, K.*, +, *TPEL March 2020 2342-2352*
Trapezoidal Current Modulation for Bidirectional High-Step-Ratio Modular DC–DC Converters. *Qiao, Y.*, +, *TPEL April 2020 3402-3415*
Tunable Matching Networks Based on Phase-Switched Impedance Modulation[1]. *Jurkov, A.S.*, +, *TPEL Oct. 2020 10150-10167*
Ultra-Wide Output Voltage Range Power Supply Based on Modular Switched-Converter Principle. *Lu, Y.*, +, *TPEL Jan. 2020 94-106*
Ultrahigh-Voltage Switch for Bidirectional DC–DC Converter Driving Dielectric Elastomer Actuator. *Pniak, L.*, +, *TPEL Dec. 2020 13172-13181*
Unified Selective Harmonic Elimination Control for Four-Level Hybrid-Clamped Inverters. *Wu, M.*, +, *TPEL Nov. 2020 11488-11501*
Unified SVPWM Algorithm and Optimization for Single-Phase Three-Level NPC Converters. *Wang, S.*, +, *TPEL July 2020 7702-7712*
Variable Switching Frequency PWM Strategy for High-Frequency Circulating Current Control in Paralleled Inverters With Coupled Inductors. *Li, Q.*, +, *TPEL May 2020 5366-5380*
Variable Switching Periods Based Space Vector Phase-Shifted Modulation for DAB Based Three-Phase Single-Stage Isolated AC–DC Converter. *Wu, F.*, +, *TPEL Dec. 2020 13725-13734*
Variable-Width Hysteretic Analog Control for QSW-ZVS and TCM Source/Sink Converters. *Vazquez, A.*, +, *TPEL March 2020 3195-3207*
Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*
Voltage Self-Balance Mechanism Based on Zero-Voltage Switching for Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL Oct. 2020 10078-10087*
Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. *Yang, Q.*, +, *TPEL Dec. 2020 13053-13067*
Zero-Voltage and Zero-Current Switching Dual-Transformer-Based Full-Bridge Converter With Current Doubler Rectifier. *Zhao, L.*, +, *TPEL Dec. 2020 12949-12958*

Switching frequency

A General Constant-Switching-Frequency Model-Predictive Control of Multilevel Converters With Quasi-PS-PWM/LS-PWM Output. *Zhou, D.*, +, *TPEL Nov. 2020 12429-12441*
An Improved Phase-Shifted-Carrier Technique for Hybrid Modular Multilevel Converter With Boosted Modulation Index. *Xu, C.*, +, *TPEL Feb. 2020 1340-1352*
Constrained Modulated Model-Predictive Control of an *LC*-Filtered Voltage-Source Converter. *Zheng, C.*, +, *TPEL Feb. 2020 1967-1977*
High Power Density 48–12 V DCX With 3-D PCB Winding Transformer. *Li, G.*, +, *TPEL Feb. 2020 1189-1193*
Robust ZAD Sliding Mode Control for an 8-Phase Step-Down Converter. *Repecho, V.*, +, *TPEL Feb. 2020 2222-2232*

Switching loss

A 12- or 48-V Input, 0.9-V Output Active-Clamp Forward Converter Power Block for Servers and Datacenters. *Zhang, X.*, +, *TPEL Feb. 2020 1721-1731*

Switching systems (control)
A High Efficiency and Fast Transient Digital Low-Dropout Regulator With the Burst Mode Corresponding to the Power-Saving Modes of DC–DC Switching Converters. *Lin, J.*, +, *TPEL April 2020 3997-4008*
An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*
Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*
Variable Switching Sequence PWM Strategy of Dual Three-Phase Machine Drive for High-Frequency Current Harmonic Suppression. *Ye, D.*, +, *TPEL May 2020 4984-4995*
Switching transients
A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives. *Diab, M.S.*, +, *TPEL Dec. 2020 12639-12645*
Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*
Synchronization
A Digital Interconnected Bus Providing Voltage Synchronization for the Modular Series-Connected Inverters. *Liu, P.*, +, *TPEL Dec. 2020 12590-12594*
A Discrete-Time Frequency-Locked Loop for Single-Phase Grid Synchronization Under Harmonic Distortion. *Escobar, G.*, +, *TPEL May 2020 4647-4657*
A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters. *Chamanian, S.*, +, *TPEL Jan. 2020 901-912*
A Synchronization Method for the Modular Series-Connected Inverters. *Liu, P.*, +, *TPEL July 2020 6686-6690*
An Adaptive Frequency-Fixed Second-Order Generalized Integrator-Quadrature Signal Generator Using Fractional-Order Conformal Mapping Based Approach. *Akhtar, M.A.*, +, *TPEL June 2020 5548-5552*
Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*
High-Voltage Charging Power Supply Based on an LCC-Type Resonant Converter Operating at Continuous Conduction Mode. *Jafari, H.*, +, *TPEL May 2020 5461-5478*
Reference-Feedforward Power-Synchronization Control. *Harnefors, L.*, +, *TPEL Sept. 2020 8878-8881*
Selective Harmonic Current Rejection for Virtual Oscillator Controlled Grid-Forming Voltage Source Converters. *Awal, M.A.*, +, *TPEL Aug. 2020 8805-8818*
Strategy and Implementation of Harmonic-Reduced Synchronized SVPWM for High-Power Traction Machine Drives. *Xiao, L.*, +, *TPEL Nov. 2020 12457-12471*
Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*
Synchronous generators
A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*
Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*
An Integrated Permanent-Magnet-Synchronous Generator–Rectifier Architecture for Limited-Speed-Range Applications. *Huynh, P.T.*, +, *TPEL May 2020 4767-4779*
Analysis and Mitigation of Subsynchronous Resonance in Series-Compensated Grid-Connected System Controlled by a Virtual Synchronous Generator. *Li, G.*, +, *TPEL Oct. 2020 11096-11107*
Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters. *Wu, H.*, +, *TPEL April 2020 3573-3589*
Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia. *Hou, X.*, +, *TPEL Feb. 2020 1589-1602*
Inertia Response Improvement in AC Microgrids: A Fuzzy-Based Virtual Synchronous Generator Control. *Karimi, A.*, +, *TPEL April 2020 4321-4331*
Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*
Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*
Sensorless Starting Control of Brushless Synchronous Starter/Generators for the Full-Speed Range. *Mao, S.*, +, *TPEL Aug. 2020 8347-8360*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*
Transient Angle Stability of Paralleled Synchronous and Virtual Synchronous Generators in Islanded Microgrids. *Cheng, H.*, +, *TPEL Aug. 2020 8751-8765*
Synchronous machines
A DC-Flux-Injection Method for Fault Diagnosis of High-Resistance Connection in Direct-Torque-Controlled PMSM Drive System. *Hang, J.*, +, *TPEL March 2020 3029-3042*
Accurate FCS Model Predictive Current Control Technique for Surface-Mounted PMSMs at Low Control Frequency. *Gong, C.*, +, *TPEL June 2020 5567-5572*
An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*
Compensation of Current Measurement Offset Error for Permanent Magnet Synchronous Machines. *Hu, M.*, +, *TPEL Oct. 2020 11119-11128*
Computation-Efficient Decoupled Multiparameter Estimation of PMSMs From Massive Redundant Measurements. *Lai, C.*, +, *TPEL Oct. 2020 10729-10740*
DC-Current Injection With Minimum Torque Ripple in Interior Permanent-Magnet Synchronous Motors. *Baneira, F.*, +, *TPEL Feb. 2020 1176-1181*
Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*
Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*
Grey Wolf Optimization Algorithm Based State Feedback Control for a Bearingless Permanent Magnet Synchronous Machine. *Sun, X.*, +, *TPEL Dec. 2020 13631-13640*
Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*
Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*
Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*
Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor. *Tang, Q.*, +, *TPEL Jan. 2020 699-708*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Post-Fault Operation of Bearingless Multisector SPM Machines by Space Vector Control. *Sala, G.*, +, *TPEL April 2020 4168-4177*
Power-Electronic-Based Electric Machine Emulator Using Direct Impedance Regulation. *Ma, K.*, +, *TPEL Oct. 2020 10673-10680*
PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*
Selective Torque Harmonic Elimination for Dual Three-Phase PMSMs Based on PWM Carrier Phase Shift. *Wang, X.*, +, *TPEL Dec. 2020 13255-13269*
Sequence Impedance Modeling and Stability Analysis for Load Converters With Inertial Support. *Liu, Y.*, +, *TPEL Dec. 2020 13031-13041*

SM Load Torque Observer-Based FCS-MPDSC With Single Prediction Horizon for High Dynamics of Surface-Mounted PMSM. *Gong, C.*, +, *TPEL Jan. 2020 20-24*

Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control. *Ye, D.*, +, *TPEL Jan. 2020 640-651*

The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*

The Rotor Position Estimation Error Improved Method for Sensorless Starting Control of Brushless Synchronous Machine. *Wei, J.*, +, *TPEL Aug. 2020 8384-8395*

Variable Action Period Predictive Flux Control Strategy for Permanent Magnet Synchronous Machines. *Song, Z.*, +, *TPEL June 2020 6185-6197*

Synchronous motor drives

A Model-Based Strategy With Robust Parameter Mismatch for Online HRC Diagnosis and Location in PMSM Drive System. *Hang, J.*, +, *TPEL Oct. 2020 10917-10929*

A Modified Flux Sliding-Mode Observer for the Sensorless Control of PMSMs With Online Stator Resistance and Inductance Estimation. *Ye, S.*, +, *TPEL Aug. 2020 8652-8662*

A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*

A Novel Variable DC-Link Voltage Control Method for PMSM Driven by a Quasi-Z-Source Inverter. *Xiao, S.*, +, *TPEL April 2020 3878-3890*

A Virtual HF Signal Injection Based Maximum Efficiency per Ampere Tracking Control for IPMSM Drive. *Li, M.*, +, *TPEL June 2020 6102-6113*

Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*

An Asymmetric Nine-Phase Induction Motor for LCI-Fed Medium Voltage Drive Applications. *Titus, J.*, +, *TPEL May 2020 5047-5056*

An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*

Common-Mode Voltage Elimination for Dual Two-Level Inverter-Fed Asymmetrical Six-Phase PMSM. *Shen, Z.*, +, *TPEL April 2020 3828-3840*

Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*

Deadbeat Direct Torque and Flux Control for Permanent Magnet Synchronous Motor Based on Stator Flux Oriented. *Lin, X.*, +, *TPEL May 2020 5078-5092*

Design and Analysis of Electrical Braking Torque Limit Trajectory for Regenerative Braking in Electric Vehicles With PMSM Drive Systems. *Choo, K.*, +, *TPEL Dec. 2020 13308-13321*

Diagnosis-Free Self-Healing Scheme for Open-Circuit Faults in Dual Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Nov. 2020 12053-12071*

Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation. *Lin, X.*, +, *TPEL April 2020 4216-4232*

Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*

Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation. *Ding, D.*, +, *TPEL March 2020 2895-2907*

Efficient Permanent Magnet Temperature Modeling and Estimation for Dual Three-Phase PMSM Considering Inverter Nonlinearity. *Feng, G.*, +, *TPEL July 2020 7328-7340*

Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*

Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*

FCS-MPC-Based Fault-Tolerant Control of Five-Phase IPMSM for MTPA Operation. *Liu, G.*, +, *TPEL March 2020 2882-2894*

Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*

Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*

Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*

Linear Quadratic Regulator Control for PMSM Drive Systems Using Nonlinear Disturbance Observer. *Shi, T.*, +, *TPEL May 2020 5093-5101*

Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*

Low-Noise Initial Position Detection Method for Sensorless Permanent Magnet Synchronous Motor Drives. *Bi, G.*, +, *TPEL Dec. 2020 13333-13344*

Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives. *Lin, Z.*, +, *TPEL Dec. 2020 13345-13355*

Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*

Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges. *Xia, Z.*, +, *TPEL Sept. 2020 9753-9769*

Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*

Overmodulation Strategy for Electrolytic Capacitorless PMSM Drives: Voltage Distortion Analysis and Boundary Optimization. *Wang, G.*, +, *TPEL Sept. 2020 9574-9585*

Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*

Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*

Vibration Reduction for Dual-Branch Three-Phase Permanent Magnet Synchronous Motor With Carrier Phase-Shift Technique. *Zhang, W.*, +, *TPEL Jan. 2020 607-618*

Synchronous motors

A Direct Redundancy Approach to Fault-Tolerant Control of BLDC Motor With a Damaged Hall-Effect Sensor. *Aqil, M.*, +, *TPEL Feb. 2020 1732-1741*

A Dual-Loop Predictive Control Structure for Permanent Magnet Synchronous Machines With Enhanced Attenuation of Periodic Disturbances. *Song, Z.*, +, *TPEL Jan. 2020 760-774*

A Fast Estimation of Initial Rotor Position for Low-Speed Free-Running IPMSM. *Wu, T.*, +, *TPEL July 2020 7664-7673*

A Magnetic Equivalent Circuit Based Modeling Framework for Electric Motors Applied to a PMSM With Winding Short Circuit. *Forstner, G.*, +, *TPEL Nov. 2020 12285-12295*

A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System. *Wang, Y.*, +, *TPEL April 2020 4117-4126*

A Snubberless Solid-State Tap Changer for Permanent Magnet Synchronous Motors. *Im, S.*, +, *TPEL Nov. 2020 12143-12152*

A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*

A Study of Rotational Movement and Charging Torque of Reconfigured On-Board Charger. *Xiao, Y.*, +, *TPEL Oct. 2020 10720-10728*

An Envelope-Prediction-Based Sensorless Rotor Position Observation Scheme for LCI-Fed EESM at Zero and Low Speed. *Kou, J.*, +, *TPEL July 2020 7356-7365*

Current Harmonic Suppression in Dual Three-Phase Permanent Magnet Synchronous Machine With Extended State Observer. *Xu, Y.*, +, *TPEL Nov. 2020 12166-12180*
DC-Link-Fluctuation-Resistant Predictive Torque Control for Railway Traction Permanent Magnet Synchronous Motor in the Six-Step Operation. *Zhao, S.*, +, *TPEL Oct. 2020 10982-10993*
Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*
FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*
High-Precision Rotor Position Correction Strategy for High-Speed Permanent Magnet Synchronous Motor Based on Resolver. *Chen, S.*, +, *TPEL Sept. 2020 9716-9726*
Local Demagnetization Fault Recognition of Permanent Magnet Synchronous Linear Motor Based on S-Transform and PSO–LSSVM. *Song, X.*, +, *TPEL Aug. 2020 7816-7825*
Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*
Model Predictive Current Control for an Open-Winding PMSM System With a Common DC Bus in 3-D Space. *Cheng, Y.*, +, *TPEL Sept. 2020 9597-9607*
Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*
Multidomain Analysis and *n*th-Order Synchronous Reference Vector Adaptive Control of the Doubly Salient Motor. *Hu, Y.*, +, *TPEL Sept. 2020 9563-9573*
Nonlinear Magnetic Field Vector Control With Dynamic-Variant Parameters for High-Power Electrically Excited Synchronous Motor. *Han, Y.*, +, *TPEL Oct. 2020 11053-11063*
Nonparametric Predictive Current Control for PMSM. *Yuan, X.*, +, *TPEL Sept. 2020 9332-9341*
Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*
Parameters Compensation of Permanent Magnet Synchronous Motor in Flux-Weakening Region for Rail Transit. *Zhang, Z.*, +, *TPEL Nov. 2020 12509-12521*
PMSM Open-Phase Fault-Tolerant Control Strategy Based on Four-Leg Inverter. *Zhou, X.*, +, *TPEL March 2020 2799-2808*
Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive. *Uddin, M.N.*, +, *TPEL Feb. 2020 1742-1752*
Position Sensorless Drive and Online Parameter Estimation for Surface-Mounted PMSMs Based on Adaptive Full-State Feedback Control. *Yao, Y.*, +, *TPEL July 2020 7341-7355*
Robust Predictive Current Control of Permanent-Magnet Synchronous Motors With Newly Designed Cost Function. *Liu, X.*, +, *TPEL Oct. 2020 10778-10788*
Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*
Second-Time Fault-Tolerant Topology and Control Strategy for the Open-Winding PMSM System Based on Shared Bridge Arm. *Zhang, X.*, +, *TPEL Nov. 2020 12181-12193*
Signal-Injection Sensorless Control With Tilted Current Reference for Heavily Saturated IPMSMs. *Lee, J.*, +, *TPEL Nov. 2020 12100-12109*
Simplified Modulation Scheme for Open-End Winding PMSM System With Common DC Bus Under Open-Phase Fault Based on Circulating Current Suppression. *Hu, W.*, +, *TPEL Jan. 2020 10-14*
State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

System-on-chip
Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*
Subtraction-Mode Switched-Capacitor Converters With Parasitic Loss Reduction. *Jiang, J.*, +, *TPEL Feb. 2020 1200-1204*

T

Table lookup
A Simple Phase-Shift Modulation Using Parabolic Carrier for Dual Active Bridge DC–DC Converter. *Liu, Y.*, +, *TPEL Aug. 2020 7729-7734*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives. *Tarvirdilu-Asl, R.*, +, *TPEL Oct. 2020 10654-10672*
Minimizing Total Harmonic Distortion of a Two-Level Voltage Source Inverter Using Optimal Third Harmonic Injection. *Albatran, S.*, +, *TPEL March 2020 3287-3297*

Telecommunication channels
Class-E Isolated DC–DC Converter With High-Rate and Cost-Effective Bidirectional Data Channel. *Pareschi, F.*, +, *TPEL May 2020 5304-5318*

Telecommunication network topology
A Hybrid Transmitter-Based Efficiency Improvement Controller With Full-Bridge Dual Resonant Tank for Misalignment Condition. *Mai, R.*, +, *TPEL Jan. 2020 1124-1135*
Dual-Band Wireless Power Transfer With Reactance Steering Network and Reconfigurable Receivers. *Liu, M.*, +, *TPEL Jan. 2020 496-507*

Telecommunication power management
A High Peak Output Power and High Power Conversion Efficiency SIMIMO Converter Using Optimal on-Time Control and Hybrid Zero Current Switching for Energy Harvesting Systems in IoT Applications. *Jung, J.*, +, *TPEL Aug. 2020 8261-8275*

Telecommunication security
Distributed Screening of Hijacking Attacks in DC Microgrids. *Sahoo, S.*, +, *TPEL July 2020 7574-7582*
Wireless Energy-On-Demand Using Magnetic Quasi-Resonant Coupling. *Liu, W.*, +, *TPEL Sept. 2020 9057-9069*

Temperature
Accurate Temperature Estimation of SiC Power mosfets Under Extreme Operating Conditions. *Tsibizov, A.*, +, *TPEL Feb. 2020 1855-1865*

Temperature control
Active Motor Rotor Temperature Management Based on One-Node Thermal Network Model Predictive Control. *Sun, T.*, +, *TPEL Oct. 2020 11213-11221*

Temperature dependence
Accurate Temperature Estimation of SiC Power mosfets Under Extreme Operating Conditions. *Tsibizov, A.*, +, *TPEL Feb. 2020 1855-1865*

Temperature distribution
Cost-Effective Prognostics of IGBT Bond Wires With Consideration of Temperature Swing. *Hu, K.*, +, *TPEL July 2020 6773-6784*
Design of a Paralleled SiC MOSFET Half-Bridge Unit With Distributed Arrangement of DC Capacitors. *Qu, J.*, +, *TPEL Oct. 2020 10879-10891*
Dynamic Temperature Measurements of a GaN DC–DC Boost Converter at MHz Frequencies. *Matei, C.*, +, *TPEL Aug. 2020 8303-8310*
Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries. *Xie, Y.*, +, *TPEL March 2020 2595-2614*

Temperature measurement
A 12- or 48-V Input, 0.9-V Output Active-Clamp Forward Converter Power Block for Servers and Datacenters. *Zhang, X.*, +, *TPEL Feb. 2020 1721-1731*
Accurate Temperature Estimation of SiC Power mosfets Under Extreme Operating Conditions. *Tsibizov, A.*, +, *TPEL Feb. 2020 1855-1865*
Advanced Discontinuous Modulation for Thermally Compensated Modular Smart Transformers. *Ko, Y.*, +, *TPEL March 2020 2445-2457*
Dynamic Temperature Measurements of a GaN DC–DC Boost Converter at MHz Frequencies. *Matei, C.*, +, *TPEL Aug. 2020 8303-8310*
Electroluminescence-Based Junction Temperature Measurement Approach for SiC Power MOSFETs. *Winkler, J.*, +, *TPEL March 2020 2990-2998*
Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*

PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*

Thermally Compensated Discontinuous Modulation for MVAC/LVDC Building Blocks of Modular Smart Transformers. *Ko, Y.*, +, *TPEL Jan. 2020 220-231*

Temperature sensors

PWM-Based Flux Linkage and Rotor Temperature Estimations for Permanent Magnet Synchronous Machines. *Xiao, S.*, +, *TPEL June 2020 6061-6069*

Thermal analysis

Electrothermal Cosimulation for Predicting the Power Loss and Temperature of SiC MOSFET Dies Assembled in a Power Module. *Nakamura, Y.*, +, *TPEL March 2020 2950-2958*

Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*

Thermal conductivity

Accurate Temperature Estimation of SiC Power mosfets Under Extreme Operating Conditions. *Tsibizov, A.*, +, *TPEL Feb. 2020 1855-1865*

Fast and Accurate Thermal Modeling of Magnetic Components by FEA-Based Homogenization. *Salinas Lopez, G.*, +, *TPEL Feb. 2020 1830-1844*

Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries. *Xie, Y.*, +, *TPEL March 2020 2595-2614*

Thermal management (packaging)

A Method for Improving the Thermal Shock Fatigue Failure Resistance of IGBT Modules. *Zhang, X.*, +, *TPEL Aug. 2020 8532-8539*

A Zero-Voltage-Switching, Physically Flexible Multilevel GaN DC–DC Converter. *Chou, D.*, +, *TPEL Jan. 2020 1064-1073*

Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*

Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*

Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*

Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*

Thermal Management of High-Power Switching Transistors Using Thick CVD-Grown Graphene Nanomaterial. *Talesara, V.*, +, *TPEL Jan. 2020 578-590*

Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Thermal resistance

Compact Sandwiched Press-Pack SiC Power Module With Low Stray Inductance and Balanced Thermal Stress. *Chang, Y.*, +, *TPEL March 2020 2237-2241*

Efficient Microchannel Cooling of Multiple Power Devices With Compact Flow Distribution for High Power-Density Converters. *van Erp, R.*, +, *TPEL July 2020 7235-7245*

Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*

Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Thermal Modeling of Inductor and Transformer Windings Including Litz Wire. *Kyaw, P.A.*, +, *TPEL Jan. 2020 867-881*

Thermal stability

Passivity-Based Design of Plug-and-Play Current-Controlled Grid-Connected Inverters. *Akhavan, A.*, +, *TPEL Feb. 2020 2135-2150*

Thermal stress cracking

A Method for Improving the Thermal Shock Fatigue Failure Resistance of IGBT Modules. *Zhang, X.*, +, *TPEL Aug. 2020 8532-8539*

Thermal stresses

A Thermal Modeling Method Considering Ambient Temperature Dynamics. *Wang, H.*, +, *TPEL Jan. 2020 6-9*

Active Motor Rotor Temperature Management Based on One-Node Thermal Network Model Predictive Control. *Sun, T.*, +, *TPEL Oct. 2020 11213-11221*

Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*

Advanced Discontinuous Modulation for Thermally Compensated Modular Smart Transformers. *Ko, Y.*, +, *TPEL March 2020 2445-2457*

Compact Sandwiched Press-Pack SiC Power Module With Low Stray Inductance and Balanced Thermal Stress. *Chang, Y.*, +, *TPEL March 2020 2237-2241*

Desynchronizing Paralleled GaN HEMTs to Reduce Light-Load Switching Loss. *Shen, Y.*, +, *TPEL Sept. 2020 9151-9170*

Investigation and Failure Mode of Asymmetric and Double Trench SiC mosfets Under Avalanche Conditions. *Deng, X.*, +, *TPEL Aug. 2020 8524-8531*

Mission Profile-Based System-Level Reliability Prediction Method for Modular Multilevel Converters. *Zhang, Y.*, +, *TPEL July 2020 6916-6930*

Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*

Thermally Compensated Discontinuous Modulation for MVAC/LVDC Building Blocks of Modular Smart Transformers. *Ko, Y.*, +, *TPEL Jan. 2020 220-231*

Thermodynamics

A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*

Thermoelectric conversion

A High-Efficiency Charger With Adaptive Input Ripple MPPT for Low-Power Thermoelectric Energy Harvesting Achieving 21% Efficiency Improvement. *Jeong, J.*, +, *TPEL Jan. 2020 347-358*

Fully Integrated Autonomous Interface With Maximum Power Point Tracking for Energy Harvesting TEGs With High Power Capacity. *Tabrizi, H.O.*, +, *TPEL May 2020 4905-4914*

Thermomechanical treatment

Effects of Creep Failure Mechanisms on Thermomechanical Reliability of Solder Joints in Power Semiconductors. *Samavatian, V.*, +, *TPEL Sept. 2020 8956-8964*

How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*

Thermoreflectance

Dynamic Temperature Measurements of a GaN DC–DC Boost Converter at MHz Frequencies. *Matei, C.*, +, *TPEL Aug. 2020 8303-8310*

Thin film capacitors

Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*

Thin film inductors

Study of Thin-Film Magnetic Inductors Applied to Integrated Voltage Regulators. *Lambert, W.J.*, +, *TPEL June 2020 6208-6220*

Thin film resistors

Review of Power Electronics Components at Cryogenic Temperatures. *Gui, H.*, +, *TPEL May 2020 5144-5156*

Three-dimensional displays

High Power Density 48–12 V DCX With 3-D PCB Winding Transformer. *Li, G.*, +, *TPEL Feb. 2020 1189-1193*

Three-dimensional printing

Design and Fabrication of Three-Dimensional Printed Air-Core Transformers for High-Frequency Power Applications. *Tong, Z.*, +, *TPEL Aug. 2020 8472-8489*

Three-term control

A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*

Generalized Cockcroft-Walton Multiplier Voltage Z-Source Inverters. *Ding, X.*, +, *TPEL July 2020 7175-7190*

ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*

Model Predictive Control for the Receiving-Side DC–DC Converter of Dynamic Wireless Power Transfer. *Zhou, Z.*, +, *TPEL Sept. 2020 8985-8997*
State Feedback Control for a PM Hub Motor Based on Gray Wolf Optimization Algorithm. *Sun, X.*, +, *TPEL Jan. 2020 1136-1146*

Threshold voltage
Application of EMR Signature in Health Assessment and Monitoring of IGBT-Based Converters. *Biswas, R.*, +, *TPEL Feb. 2020 1899-1906*

Thyristor applications
A Thyristor Full-Bridge-Based DC Circuit Breaker. *Guo, Y.*, +, *TPEL Jan. 2020 1111-1123*

Thyristor converters
A Novel Converter-Breaker Integrated Voltage Source Converter Based on High-Surge IGCT and Fault Self-Clearing Strategy for DC Grid. *Xu, C.*, +, *TPEL Dec. 2020 12668-12672*

Thyristors
A Load Commutated Multilevel Current Source Inverter Fed Open-End Winding Induction Motor Drive With Regeneration Capability. *Richu, S.C.*, +, *TPEL Jan. 2020 816-825*
Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*
An Active Z-Source DC Circuit Breaker Combined With SCR and IGBT. *Shu, J.*, +, *TPEL Oct. 2020 10003-10007*
Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids. *Zhou, Z.*, +, *TPEL March 2020 2959-2968*
Design and Optimization of High-Failure-Current Dual-Direction SCR for Industrial-Level ESD Protection. *Wang, Y.*, +, *TPEL May 2020 4669-4677*
Hybrid Alternate-Common Arm Converter With High Power Capability: Potential and Limitations. *Bakas, P.*, +, *TPEL Dec. 2020 12909-12928*

Time-domain analysis
A Thermal Modeling Method Considering Ambient Temperature Dynamics. *Wang, H.*, +, *TPEL Jan. 2020 6-9*
Accurate Impedance Modeling and Control Strategy for Improving the Stability of DC System in Multiterminal MMC-Based DC Grid. *Li, Z.*, +, *TPEL Oct. 2020 10026-10049*
Accurate Rectifier Characterization and Improved Modeling of Constant Power Load Wireless Power Transfer Systems. *Sun, J.*, +, *TPEL Aug. 2020 7840-7852*
Analysis and Design of the LLC LED Driver Based on State-Space Representation Direct Time-Domain Solution. *Menke, M.F.*, +, *TPEL Dec. 2020 12686-12701*
Design-Oriented Comprehensive Time-Domain Model for *CLLC* Class Isolated Bidirectional DC-DC Converter for Various Operation Modes. *Sun, J.*, +, *TPEL April 2020 3491-3505*
Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters. *Wu, H.*, +, *TPEL April 2020 3573-3589*
Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*
Minimizing Total Harmonic Distortion of a Two-Level Voltage Source Inverter Using Optimal Third Harmonic Injection. *Albatran, S.*, +, *TPEL March 2020 3287-3297*
Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*
Novel Analytical Method for Dynamic Design of Renewable SSG SPC Unit to Mitigate Low-Frequency Electromechanical Oscillations. *Abdollahi, M.*, +, *TPEL July 2020 7532-7544*
Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*
Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*
Output Voltage Range of a Power-Loaded Series–Series Compensated Inductive Wireless Power Transfer Link Operating in Load-Independent Regime. *Frechter, Y.*, +, *TPEL June 2020 6586-6593*
Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters. *Wu, X.*, +, *TPEL Sept. 2020 9865-9885*
Time-Domain Modeling and Analysis of Switched-Capacitor Converters. *Jawalikar, P.*, +, *TPEL Aug. 2020 8276-8286*
Variable Switching Frequency PWM Strategy for High-Frequency Circulating Current Control in Paralleled Inverters With Coupled Inductors. *Li, Q.*, +, *TPEL May 2020 5366-5380*

Time-domain reflectometry
Bond Wire Damage Detection and SOH Estimation of a Dual-Pack IGBT Power Module Using Active Power Cycling and Reflectometry. *Hanif, A.*, +, *TPEL July 2020 6761-6772*

Time-frequency analysis
Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*

Time-varying networks
Small-Signal Modeling of *LLC* Converters Using Homopolarity Cycle. *Mohammadi, M.*, +, *TPEL April 2020 4076-4093*

Time-varying systems
Data-Driven Modeling of Wireless Power Transfer Systems With Slowly Time-Varying Parameters. *Chen, F.*, +, *TPEL Nov. 2020 12442-12456*
Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*
Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*
Switching-Sequence Control of a Higher Order Power-Electronic System Driving a Pulsating Load. *Chatterjee, D.*, +, *TPEL Jan. 2020 1096-1110*

Tin compounds
Two-Dimensional Hexagonal SnSe Nanosheets as Binder-Free Electrode Material for High-Performance Supercapacitors. *Pandit, B.*, +, *TPEL Nov. 2020 11344-11351*

Topology
A Dual Half-Bridge *LLC* Resonant Converter With Magnetic Control for Battery Charger Application. *Wei, Y.*, +, *TPEL Feb. 2020 2196-2207*
A Lithium-Ion Battery Balancing Circuit Based on Synchronous Rectification. *Shang, Y.*, +, *TPEL Feb. 2020 1637-1648*
A Nine-Level Inverter for Low-Voltage Applications. *Zhang, Y.*, +, *TPEL Feb. 2020 1659-1671*
A Nine-Level T-Type Packed U-Cell Inverter. *Niu, D.*, +, *TPEL Feb. 2020 1171-1175*
A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs. *Zhang, Y.*, +, *TPEL Feb. 2020 1536-1547*
A Three-Phase Dual-Active-Bridge DC–DC Converter With Reconfigurable Resonant Network for Efficient Wide Voltage Range Operation. *Khan, A.Z.*, +, *TPEL Feb. 2020 1322-1339*
An Isolated Modular Multilevel Converter (I-M^{2}C) Topology Based on High-Frequency Link (HFL) Concept. *Liu, C.*, +, *TPEL Feb. 2020 1576-1588*
An Overview of Capacitive DC-Links-Topology Derivation and Scalability Analysis. *Wang, H.*, +, *TPEL Feb. 2020 1805-1829*
Derivation of Single-Input Dual-Output Converters With Simple Control and No Cross Regulation. *Dong, Z.*, +, *TPEL Nov. 2020 11930-11941*
Direct Power Flow Controller—A New Concept in Power Transmission. *Zhang, Y.*, +, *TPEL Feb. 2020 2067-2076*
Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain. *Lee, S.S.*, +, *TPEL Sept. 2020 9522-9529*
Effect of Averaging Voltage Regulation Control on Steady-State Analysis of Modular Multilevel Converters. *Song, S.*, +, *TPEL Sept. 2020 9215-9225*
Fault Diagnosis and Tolerance Control of Five-Level Nested NPP Converter Using Wavelet Packet and LSTM. *Ye, S.*, +, *TPEL Feb. 2020 1907-1921*
Inductor Saturation Compensation With Resistive Decoupling for Single-Phase Controlled VSC Systems. *Ozkan, Z.*, +, *TPEL Feb. 2020 1993-2007*
Input-Independent and Output-Series Connected Modular DC–DC Converter With Intermodule Power Balancing Units for MVdc Integration of Distributed PV. *Li, X.*, +, *TPEL Feb. 2020 1622-1636*
Minimizing Ripples of Inductor Currents in Coupled SIDO Boost Converter by Shift of Gate Pulses. *Nupur, .*, +, *TPEL Feb. 2020 1217-1226*

Model Predictive Current Control of a Seven-Level Inverter With Reduced Computational Burden. *Bahrami, A.*, +, *TPEL June 2020 5729-5740*
Modularized Differential Power Processing Architecture Based on Switched Capacitor Converter to Virtually Unify Mismatched Photovoltaic Panel Characteristics. *Uno, M.*, +, *TPEL Feb. 2020 1563-1575*
Modulation Scheme for the Bidirectional Operation of the Phase-Shift Full-Bridge Power Converter. *Escudero, M.*, +, *TPEL Feb. 2020 1377-1391*
Multi-Resonance-Core-Based Dickson Resonant Switched-Capacitor Converters With Wide Regulation. *Li, S.*, +, *TPEL Feb. 2020 1685-1698*
Non-inverting and Non-isolated Magnetically Coupled Buck–Boost Bidirectional DC–DC Converter. *Rodriguez-Lorente, A.*, +, *TPEL Nov. 2020 11942-11954*
Optimal Design of Diode-Bridge Bidirectional Solid-State Switch Using Standard Recovery Diodes for 500-kV High-Voltage DC Breaker. *Zhang, X.*, +, *TPEL Feb. 2020 1165-1170*
Run-to-Run Control for Active Balancing of Lithium Iron Phosphate Battery Packs. *Tang, X.*, +, *TPEL Feb. 2020 1499-1512*
Series-Connected Current Source Inverters With Less Switches. *Xing, L.*, +, *TPEL June 2020 5553-5556*
Simplified Resonant Parameter Design of the Asymmetrical *CLLC*-Type DC Transformer in the Renewable Energy System via Semi-Artificial Intelligent Optimal Scheme. *Huang, J.*, +, *TPEL Feb. 2020 1548-1562*
Subtraction-Mode Switched-Capacitor Converters With Parasitic Loss Reduction. *Jiang, J.*, +, *TPEL Feb. 2020 1200-1204*
Three Phase Current-Fed Semi Dual Active Bridge DC–DC Converter With Hybrid Operating Mode Control. *Chen, D.*, +, *TPEL Feb. 2020 1649-1658*
Unified SVPWM Algorithm and Optimization for Single-Phase Three-Level NPC Converters. *Wang, S.*, +, *TPEL July 2020 7702-7712*
Variable-Parameter T-Circuit-Based IPT System Charging Battery With Constant Current or Constant Voltage Output. *Chen, Y.*, +, *TPEL Feb. 2020 1672-1684*

Torque

A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss. *Zhang, H.*, +, *TPEL March 2020 2831-2842*
A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor. *Achary, R.K.*, +, *TPEL March 2020 2809-2818*
A Switched Capacitive Filter-Based Harmonic Elimination Technique by Generating a 30-Sided Voltage Space Vector Structure for IM Drive. *R, R.*, +, *TPEL March 2020 2402-2410*
A Three-Phase Integrated Battery Charger for EVs Based on Six-Phase Open-End Winding Machine. *Raherimihaja, H.J.*, +, *TPEL Nov. 2020 12122-12132*
An Asymmetric Nine-Phase Induction Motor for LCI-Fed Medium Voltage Drive Applications. *Titus, J.*, +, *TPEL May 2020 5047-5056*
An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers. *Xiao, Y.*, +, *TPEL March 2020 2776-2786*
An Online Global Fault-Tolerant Control Strategy for Symmetrical Multiphase Machines With Minimum Losses in Full Torque Production Range. *Sun, J.*, +, *TPEL March 2020 2819-2830*
DC-Current Injection With Minimum Torque Ripple in Interior Permanent-Magnet Synchronous Motors. *Baneira, F.*, +, *TPEL Feb. 2020 1176-1181*
Decoupled Floating Capacitor Voltage Control of a Dual Inverter Drive for an Open-Ended Winding Induction Motor. *Perera, C.*, +, *TPEL July 2020 7305-7316*
Design and Analysis of Electrical Braking Torque Limit Trajectory for Regenerative Braking in Electric Vehicles With PMSM Drive Systems. *Choo, K.*, +, *TPEL Dec. 2020 13308-13321*
Design and Control Method for a Surface-Mounted Permanent Magnet Motor Drive System With Passive Output Power Network. *Choi, H.*, +, *TPEL April 2020 3891-3905*
Efficient Permanent Magnet Temperature Modeling and Estimation for Dual Three-Phase PMSM Considering Inverter Nonlinearity. *Feng, G.*, +, *TPEL July 2020 7328-7340*
Erratum to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System". *Lu, W.*, +, *TPEL May 2020 5544*
Model Predictive Flux Control With Cost Function-Based Field Weakening Strategy for Permanent Magnet Synchronous Motor. *Zheng, Z.*, +, *TPEL Feb. 2020 2151-2159*
Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges. *Xia, Z.*, +, *TPEL Sept. 2020 9753-9769*
Parallel Predictive Torque Control for Induction Machines Without Weighting Factors. *Wang, F.*, +, *TPEL Feb. 2020 1779-1788*
Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive. *Uddin, M.N.*, +, *TPEL Feb. 2020 1742-1752*
Post-Fault Operation of Bearingless Multisector SPM Machines by Space Vector Control. *Sala, G.*, +, *TPEL April 2020 4168-4177*
Predictive Torque Control Algorithm for a Five-Phase Induction Motor Drive for Reduced Torque Ripple With Switching Frequency Control. *Bhowate, A.*, +, *TPEL July 2020 7282-7294*
Real-Time Maximum Torque per Ampere Control of Brushless DC Motor Drive With Minimum Torque Ripple. *Khazaee, A.*, +, *TPEL Feb. 2020 1194-1199*
Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*
Second-Time Fault-Tolerant Topology and Control Strategy for the Open-Winding PMSM System Based on Shared Bridge Arm. *Zhang, X.*, +, *TPEL Nov. 2020 12181-12193*
Selective Torque Harmonic Elimination for Dual Three-Phase PMSMs Based on PWM Carrier Phase Shift. *Wang, X.*, +, *TPEL Dec. 2020 13255-13269*
The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*

Torque control

A DC-Flux-Injection Method for Fault Diagnosis of High-Resistance Connection in Direct-Torque-Controlled PMSM Drive System. *Hang, J.*, +, *TPEL March 2020 3029-3042*
A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*
A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*
A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*
A Virtual HF Signal Injection Based Maximum Efficiency per Ampere Tracking Control for IPMSM Drive. *Li, M.*, +, *TPEL June 2020 6102-6113*
Active Motor Rotor Temperature Management Based on One-Node Thermal Network Model Predictive Control. *Sun, T.*, +, *TPEL Oct. 2020 11213-11221*
Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*
An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table. *Kodumur Meesala, R.E.*, +, *TPEL April 2020 3906-3917*
An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control. *Devanshu, A.*, +, *TPEL Jan. 2020 652-666*
An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*
An Interval Type-2 Fuzzy-Based DTC of IMD Using Hybrid Duty Ratio Control. *Naik N, V.*, +, *TPEL Aug. 2020 8443-8451*
An Online Global Fault-Tolerant Control Strategy for Symmetrical Multiphase Machines With Minimum Losses in Full Torque Production Range. *Sun, J.*, +, *TPEL March 2020 2819-2830*

Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region. *Zhang, X.*, +, *TPEL Sept. 2020 8860-8866*

Braking Torque Control Strategy for Brushless DC Motor With a Noninductive Hybrid Energy Storage Topology. *Cao, Y.*, +, *TPEL Aug. 2020 8417-8428*

Corrections to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System" [Aug 19 7852-7862]. *Lu, W.*, +, *TPEL Jan. 2020 1156*

DC-Biased Sinusoidal Current Excited Switched Reluctance Motor Drives Based on Flux Modulation Principle. *Yu, Z.*, +, *TPEL Oct. 2020 10614-10628*

DC-Link-Fluctuation-Resistant Predictive Torque Control for Railway Traction Permanent Magnet Synchronous Motor in the Six-Step Operation. *Zhao, S.*, +, *TPEL Oct. 2020 10982-10993*

Deadbeat Direct Torque and Flux Control for Permanent Magnet Synchronous Motor Based on Stator Flux Oriented. *Lin, X.*, +, *TPEL May 2020 5078-5092*

Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement. *Yan, L.*, +, *TPEL March 2020 2257-2262*

Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*

Design of Zero-Sequence Current Controller for Open-End Winding PMSMs Considering Current Measurement Errors. *Song, Z.*, +, *TPEL June 2020 6127-6139*

Direct Torque Control for Three-Phase Open-End Winding PMSM With Common DC Bus Based on Duty Ratio Modulation. *Lin, X.*, +, *TPEL April 2020 4216-4232*

Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation. *Ding, D.*, +, *TPEL March 2020 2895-2907*

Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*

Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives. *Tarvirdilu-Asl, R.*, +, *TPEL Oct. 2020 10654-10672*

Improved Transient-Based Overmodulation Method for Increased Torque Capability of Direct Torque Control With Constant Torque-Switching Regulator of Induction Machines. *Alsofyani, I.M.*, +, *TPEL April 2020 3928-3938*

Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*

Linear Quadratic Regulator Control for PMSM Drive Systems Using Nonlinear Disturbance Observer. *Shi, T.*, +, *TPEL May 2020 5093-5101*

Loss-Minimization Strategy of Nonsinusoidal Back EMF PMSM in Multiple Synchronous Reference Frames. *Zhang, H.*, +, *TPEL Aug. 2020 8335-8346*

Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*

Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives. *Lin, Z.*, +, *TPEL Dec. 2020 13345-13355*

Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*

Multidomain Analysis and *n*th-Order Synchronous Reference Vector Adaptive Control of the Doubly Salient Motor. *Hu, Y.*, +, *TPEL Sept. 2020 9563-9573*

Multiobjective Finite Control Set Model Predictive Control Using Novel Delay Compensation Technique for PMSM. *Han, Y.*, +, *TPEL Oct. 2020 11193-11204*

Multiple Reference Frame-Based Torque Ripple Reduction in DFIG-DC System. *Xiao, Y.*, +, *TPEL May 2020 4971-4983*

Multiple-Positions-Coupled Sampling Method for PMSM Three-Phase Current Reconstruction With a Single Current Sensor. *Tang, Q.*, +, *TPEL Jan. 2020 699-708*

Nonlinear Magnetic Field Vector Control With Dynamic-Variant Parameters for High-Power Electrically Excited Synchronous Motor. *Han, Y.*, +, *TPEL Oct. 2020 11053-11063*

Optimal Reference Frame Angle Approach for Air-Gap Flux Minimization in Dual Stator Winding Induction Machines. *Ayaz Khoshhava, M.*, +, *TPEL July 2020 6658-6662*

Parallel Predictive Torque Control for Induction Machines Without Weighting Factors. *Wang, F.*, +, *TPEL Feb. 2020 1779-1788*

Parameters Compensation of Permanent Magnet Synchronous Motor in Flux-Weakening Region for Rail Transit. *Zhang, Z.*, +, *TPEL Nov. 2020 12509-12521*

Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*

Predictive Torque Control Algorithm for a Five-Phase Induction Motor Drive for Reduced Torque Ripple With Switching Frequency Control. *Bhowate, A.*, +, *TPEL July 2020 7282-7294*

Predictive Torque Control and Capacitor Balancing of a SiC-Based Dual T-Type Drive System. *Salem, A.*, +, *TPEL March 2020 2871-2881*

Robust Loss Minimization for Predictive Direct Torque and Flux Control of an Induction Motor With Electrical Circuit Model. *Eftekhari, S.R.*, +, *TPEL May 2020 5417-5426*

Robust Predictive Torque Control of *N**3-Phase PMSM for High-Power Traction Application. *Wu, G.*, +, *TPEL Oct. 2020 10799-10809*

Rotor Position Estimation of Brushless Synchronous Starter/Generators by Using the Main Exciter as a Position Sensor. *Mao, S.*, +, *TPEL Jan. 2020 800-815*

Simplified Three-Vector-Based Model Predictive Thrust Force Control With Cascaded Optimization Process for a Double-Side Linear Vernier Permanent Magnet Motor. *Ji, J.*, +, *TPEL Oct. 2020 10681-10689*

SM Load Torque Observer-Based FCS-MPDSC With Single Prediction Horizon for High Dynamics of Surface-Mounted PMSM. *Gong, C.*, +, *TPEL Jan. 2020 20-24*

Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*

Synchronous Commutation Control of Doubly Salient Motor Drive With Adaptive Angle Optimization. *Bian, Z.*, +, *TPEL June 2020 6070-6081*

Torque Ripple and Efficiency Online Optimization of Switched Reluctance Machine Based on Torque per Ampere Characteristics. *Song, S.*, +, *TPEL Sept. 2020 9608-9616*

Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique. *Kiran, K.*, +, *TPEL Aug. 2020 8396-8404*

Virtual-Stator-Flux-Based Direct Torque Control of Five-Phase Fault-Tolerant Permanent-Magnet Motor With Open-Circuit Fault. *Zhou, H.*, +, *TPEL May 2020 5007-5017*

Torque measurement

DC-Current Injection With Minimum Torque Ripple in Interior Permanent-Magnet Synchronous Motors. *Baneira, F.*, +, *TPEL Feb. 2020 1176-1181*

Real-Time Maximum Torque per Ampere Control of Brushless DC Motor Drive With Minimum Torque Ripple. *Khazaee, A.*, +, *TPEL Feb. 2020 1194-1199*

Tracking

Improved Online Optimization-Based Optimal Tracking Control Method for Induction Motor Drives. *Tarvirdilu-Asl, R.*, +, *TPEL Oct. 2020 10654-10672*

Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits. *Liu, Z.*, +, *TPEL May 2020 5290-5303*

Traction

An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*

Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application. *Li, D.*, +, *TPEL Dec. 2020 13429-13440*

Comprehensive Analysis and Experimental Validation of 240°-Clamped Space Vector PWM Technique Eliminating Zero States for EV Traction Inverters With Dynamic DC Link. *Wu, D.*, +, *TPEL Dec. 2020 13295-13307*

DC-Link-Fluctuation-Resistant Predictive Torque Control for Railway Traction Permanent Magnet Synchronous Motor in the Six-Step Operation. *Zhao, S.*, +, *TPEL Oct. 2020 10982-10993*

Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems. *Wang, W.*, +, *TPEL Dec. 2020 13673-13686*

Power-Linked Predictive Control Strategy for Power Electronic Traction Transformer. *Zhao, N.*, +, *TPEL June 2020 6559-6571*

Voltage Difference Residual-Based Open-Circuit Fault Diagnosis Approach for Three-Level Converters in Electric Traction Systems. *Yang, C.*, +, *TPEL March 2020 3012-3028*

Traction motor drives

Strategy and Implementation of Harmonic-Reduced Synchronized SVPWM for High-Power Traction Machine Drives. *Xiao, L.*, +, *TPEL Nov. 2020 12457-12471*

Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*

Traction motors

Direct Thrust Force Control of Primary Permanent-Magnet Linear Motors With Single DC-Link Current Sensor for Subway Applications. *Wang, W.*, +, *TPEL Feb. 2020 1365-1376*

Traction power supplies

A Dual Half-Bridge Converter With Hybrid Rectifier for DC Power Supply in Railway Systems. *Zhao, L.*, +, *TPEL May 2020 4579-4587*

Decentralized Cooperative Control of Multiple Energy Storage Systems in Urban Railway Based on Multiagent Deep Reinforcement Learning. *Zhu, F.*, +, *TPEL Sept. 2020 9368-9379*

High-Order Harmonic Resonances in Traction Power Supplies: A Review Based on Railway Operational Data, Measurements, and Experience. *Song, K.*, +, *TPEL March 2020 2501-2518*

Trajectory

Instantaneous Flux and Current Control for a Three-Phase Dual-Active Bridge DC–DC Converter. *Hu, J.*, +, *TPEL Feb. 2020 2184-2195*

Trajectory control

Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region. *Zhang, X.*, +, *TPEL Sept. 2020 8860-8866*

Optimized Current Trajectory Tracking Control of a Five-Phase Induction Machine Under Asymmetrical Current Limits. *Liu, Z.*, +, *TPEL May 2020 5290-5303*

Transducers

A Multiphase Resonance-Based Boosting Rectifier With Dual Outputs for Wireless Power Transmission. *Lim, J.*, +, *TPEL March 2020 2680-2689*

Transfer functions

A Generalized Multifrequency Small-Signal Model for High-Bandwidth Buck Converters Under Constant-Frequency Voltage-Mode Control. *Cheng, X.*, +, *TPEL Aug. 2020 8186-8199*

A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*

Comparison of Basic Inductive Power Transfer Systems With Linear Control Achieving Optimized Efficiency. *Huang, Z.*, +, *TPEL March 2020 3276-3286*

Control of Smart Transformer Under Single-Phase to Ground Fault Condition. *Zhu, R.*, +, *TPEL Feb. 2020 2034-2043*

Data-Driven Modeling of Wireless Power Transfer Systems With Multiple Transmitters. *Chen, F.*, +, *TPEL Nov. 2020 11363-11379*

Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*

Design Methodology for Three-Phase Buck-Type and Boost-Type Rectifiers to Comply With the DO-160G Current Distortion Test. *Borovic, U.*, +, *TPEL Jan. 2020 33-47*

Graph Sets Method for Multicoil Wireless Power Transfer Systems—Part I: Principles. *Farajizadeh, F.*, +, *TPEL Oct. 2020 10741-10756*

Harmonic-Domain SISO Equivalent Impedance Modeling and Stability Analysis of a Single-Phase Grid-Connected VSC. *Zhang, C.*, +, *TPEL Sept. 2020 9770-9783*

Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control. *Ye, D.*, +, *TPEL Jan. 2020 640-651*

Symmetrical PLL for SISO Impedance Modeling and Enhanced Stability in Weak Grids. *Yang, D.*, +, *TPEL Feb. 2020 1473-1483*

Variable-Parameter T-Circuit-Based IPT System Charging Battery With Constant Current or Constant Voltage Output. *Chen, Y.*, +, *TPEL Feb. 2020 1672-1684*

Transformer cores

A Magnetic Core Permeance Model for Inductive Power Harvesting. *Vos, M.J., TPEL April 2020 3627-3635*

Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*

Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer. *Chen, B.*, +, *TPEL Nov. 2020 11557-11573*

High Power Density 48–12 V DCX With 3-D PCB Winding Transformer. *Li, G.*, +, *TPEL Feb. 2020 1189-1193*

Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*

Transformer windings

A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*

A Modular Battery Voltage-Balancing System Using a Series-Connected Topology. *Tavakoli, A.*, +, *TPEL June 2020 5952-5964*

A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*

Accurate Calculation and Sensitivity Analysis of Leakage Inductance of High-Frequency Transformer With Litz Wire Winding. *Zhang, K.*, +, *TPEL April 2020 3951-3962*

Analytical Optimization of Nonsaturated Thermally Limited High-Frequency Transformer/Inductor Design Considering Discreteness of Design Variables. *Yu, X.*, +, *TPEL June 2020 6231-6250*

Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*

Cauer-Equivalent Circuit for Inductors Considering Hysteresis Magnetic Properties for SPICE Simulation. *Sato, Y.*, +, *TPEL Sept. 2020 9661-9668*

Control Method for Avoiding Transformer Saturation in High-Power Three-Phase Dual-Active Bridge DC–DC Converters. *Voss, J.*, +, *TPEL April 2020 4332-4341*

Design and Fabrication of Three-Dimensional Printed Air-Core Transformers for High-Frequency Power Applications. *Tong, Z.*, +, *TPEL Aug. 2020 8472-8489*

Design and Implementation of Half-Bridge Resonant Converter With Novel Primary-Side Control. *Liang, T.*, +, *TPEL May 2020 5408-5416*

Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer. *Chen, B.*, +, *TPEL Nov. 2020 11557-11573*

Effects of Secondary Leakage Inductance on the *LLC* Resonant Converter. *Noah, M.*, +, *TPEL Jan. 2020 835-852*

Efficiency Improvement of Multichannel LED Driver With Selective Dimming. *Ye, C.*, +, *TPEL June 2020 6280-6291*

Free-Positioning Wireless Power Transfer System Based on One-to-Multiple Topology. *Chen, J.*, +, *TPEL Oct. 2020 9959-9964*

High-Efficiency High-Power-Density *CLLC* Resonant Converter With Low-Stray-Capacitance and Well-Heat-Dissipated Planar Transformer for EV On-Board Charger. *Zhang, Z.*, +, *TPEL Oct. 2020 10831-10851*

Multicell Reconfigurable Multi-Input Multi-Output Energy Router Architecture. *Chen, Y.*, +, *TPEL Dec. 2020 13210-13224*

On the Calculation of the Leakage Inductance in Transformers With Nonideal Windings. *Aghaei, M.*, +, *TPEL Aug. 2020 8460-8471*

The Faraday Shields Loss of Transformers. *Shen, Z.*, +, *TPEL Nov. 2020 12194-12206*

Thermal Modeling of Inductor and Transformer Windings Including Litz Wire. *Kyaw, P.A.*, +, *TPEL Jan. 2020 867-881*

Transformers

A PEEC-Based Concise Broadband Physical Circuit Modeling Method With Parameter Extraction for PCB Inductive Components. *He, J.*, +, *TPEL Oct. 2020 10852-10862*

Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*

Resonant Current Estimation and Phase-Locked Loop Feedback Design for Piezoelectric Transformer-Based Power Supplies. *Yang, Z.*, +, *TPEL Oct. 2020 10466-10476*

Transient analysis

A Device-Level Transient Modeling Approach for the FPGA-Based Real-Time Simulation of Power Converters. *Bai, H.*, +, *TPEL Feb. 2020 1282-1292*

A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*

An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*

Applying Stray Inductance Model to Study Turn-off Current in Multi-Turn Loop of Shallow Transient Electromagnetic Systems. *Liu, L.*, +, *TPEL Feb. 2020 1711-1720*

Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*

Impedance-Oriented Transient Instability Modeling of SiC mosfet Intruded by Measurement Probes. *Zeng, Z.*, +, *TPEL Feb. 2020 1866-1881*

Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia. *Hou, X.*, +, *TPEL Feb. 2020 1589-1602*

Instantaneous Flux and Current Control for a Three-Phase Dual-Active Bridge DC–DC Converter. *Hu, J.*, +, *TPEL Feb. 2020 2184-2195*

Multi-Resonance-Core-Based Dickson Resonant Switched-Capacitor Converters With Wide Regulation. *Li, S.*, +, *TPEL Feb. 2020 1685-1698*

Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*

Transient response

A 0.46 mm^2 On-Chip Compensated Type-III Buck Converter Using an Inner Feedback Loop With a Seamless CCM/DCM Transition Technique. *Park, J.*, +, *TPEL May 2020 4477-4482*

A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range. *Kim, D.*, +, *TPEL Dec. 2020 13441-13454*

A Capacitor-Free Control Scheme for a Primary-Side Controlled Flyback Converter. *Li, Y.*, +, *TPEL Sept. 2020 9482-9493*

A Constant On-Time Buck Converter With Analog Time-Optimized On-Time Control. *Li, Y.*, +, *TPEL April 2020 3754-3765*

A High Efficiency and Fast Transient Digital Low-Dropout Regulator With the Burst Mode Corresponding to the Power-Saving Modes of DC–DC Switching Converters. *Lin, J.*, +, *TPEL April 2020 3997-4008*

A High-Efficiency and Fast-Transient Low-Dropout Regulator With Adaptive Pole Tracking Frequency Compensation Technique. *Ming, X.*, +, *TPEL Nov. 2020 12401-12415*

A New Geometric Vector Optimization of Predictive Direct Power Control. *Yan, S.*, +, *TPEL May 2020 5427-5436*

A New THD Measurement Method With Small Computational Burden Using a SOGI-FLL Grid Monitoring System. *Matas, J.*, +, *TPEL June 2020 5797-5811*

A Novel Accurate Adaptive Constant On-Time Buck Converter for a Wide-Range Operation. *Liu, W.*, +, *TPEL April 2020 3729-3739*

A Synchronous Reference Frame PI Current Controller With Dead Beat Response. *Busada, C.A.*, +, *TPEL March 2020 3097-3105*

A True-Random-Number-Based Pseudohysteresis Controller for Buck DC–DC Converter in High-Security Internet-of-Everything Devices. *Yang, W.*, +, *TPEL March 2020 2969-2978*

Adaptive Backstepping Control for Synchronous Reluctance Motor Based on Intelligent Current Angle Control. *Lin, F.*, +, *TPEL July 2020 7465-7479*

An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*

An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters. *Rodriguez, E.*, +, *TPEL Aug. 2020 8819-8832*

Dual Active-Feedback Frequency Compensation for Output-Capacitorless LDO With Transient and Stability Enhancement in 65-nm CMOS. *Li, G.*, +, *TPEL Jan. 2020 415-429*

High-Efficiency Hybrid Dual-Path Step-Up DC–DC Converter With Continuous Output-Current Delivery for Low Output Voltage Ripple. *Shin, S.*, +, *TPEL June 2020 6025-6038*

Load Transient Response Analysis of Constant On-Time DC–DC Converters Using a State-Variables Approach. *Bizzarri, F.*, +, *TPEL May 2020 4489-4499*

Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*

MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*

Noninverting Buck–Boost DC–DC Converter Using a Duobinary-Encoded Single-Bit Delta-Sigma Modulator. *Cho, Y.*, +, *TPEL Jan. 2020 484-495*

Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures. *Roy, R.*, +, *TPEL March 2020 3127-3138*

Study of Thin-Film Magnetic Inductors Applied to Integrated Voltage Regulators. *Lambert, W.J.*, +, *TPEL June 2020 6208-6220*

Transients

Simple and Affordable Method for Fast Transient Measurements of SiC Devices. *Garrido, D.*, +, *TPEL March 2020 2933-2942*

Transistors

An Improved Three-Phase Buck Rectifier Topology With Reduced Voltage Stress on Transistors. *Lei, J.*, +, *TPEL March 2020 2458-2466*

High-Power Nanosecond Pulse Generators With Improved Reliability by Adopting Auxiliary Triggering Topology. *Yan, J.*, +, *TPEL Feb. 2020 1353-1364*

Single-Inductor Dual-Input Triple-Output Buck–Boost Converter With Clockless Shortest Power Path Control Strategy for IoT Nodes. *Wang, C.*, +, *TPEL Feb. 2020 2044-2052*

Transmitters

Comparative Analysis of Frequency-Selective Wireless Power Transfer for Multiple-Rx Systems. *Lee, K.*, +, *TPEL May 2020 5122-5131*

Design of DD Coil With High Misalignment Tolerance and Low EMF Emissions for Wireless Electric Vehicle Charging Systems. *Song, K.*, +, *TPEL Sept. 2020 9034-9045*

Efficiency Improvement of Wireless Power Transfer Based on Multitransmitter System. *Yan, Z.*, +, *TPEL Sept. 2020 9011-9023*

Expandable N-Legged Converter to Drive Closely Spaced Multitransmitter Wireless Power Transfer Systems for Dynamic Charging. *Farajizadeh, F.*, +, *TPEL April 2020 3794-3806*

Fast Hardware Approach to Determining Mutual Coupling of Series–Series-Compensated Wireless Power Transfer Systems With Active Rectifiers. *Yang, Y.*, +, *TPEL Oct. 2020 11026-11038*

Transport protocols
Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*
Transportation
A 100-kW SiC Switched Tank Converter for Transportation Electrification. *Ni, Z.*, +, *TPEL June 2020 5770-5784*
Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*
Trees (mathematics)
Systematic Design and Optimization Method of Multimode Hybrid Electric Vehicles Based on Equivalent Tree Graph. *Deng, T.*, +, *TPEL Dec. 2020 13465-13474*
Triboelectricity
A Leaf-Shaped Triboelectric Nanogenerator for Multiple Ambient Mechanical Energy Harvesting. *Jiang, D.*, +, *TPEL Jan. 2020 25-32*
An SSHI Rectifier for Triboelectric Energy Harvesting. *Li, X.*, +, *TPEL April 2020 3663-3678*
Tumors
A Novel High-Frequency Bipolar Pulsed Power Generator for Biological Applications. *Zeng, W.*, +, *TPEL Dec. 2020 12861-12870*
Tuning
Robust Predictive Current Control of PMLSM With Extended State Modeling Based Kalman Filter: For Time-Varying Disturbance Rejection. *Yang, R.*, +, *TPEL Feb. 2020 2208-2221*
Tunneling magnetoresistance
Tunnel Magnetoresistance-Based Short-Circuit and Over-Current Protection for IGBT Module. *Shao, S.*, +, *TPEL Oct. 2020 10930-10944*
Turning
Resonant Inductance Design and Loss Analysis of a Novel Resonant DC Link Inverter. *Chu, E.*, +, *TPEL Feb. 2020 1392-1405*
Two-phase flow
Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*
Two-port networks
Two-Port Network Modeling and Stability Analysis of Grid-Connected Current-Controlled VSCs. *Chou, S.*, +, *TPEL April 2020 3519-3529*

U

UHF antennas
A Self-Biased Adaptive Reconfigurable Rectenna for Microwave Power Transmission. *Lu, P.*, +, *TPEL Aug. 2020 7749-7754*
Ultrasonic transducers
A High-Tolerance Matching Method Against Load Fluctuation for Ultrasonic Transducers. *Wang, J.*, +, *TPEL Jan. 2020 1147-1155*
Uncertain systems
A Leakage-Inductor Parameter Compensation Method for Paralleled Current-Fed Isolated DC/DC System. *Zhang, Y.*, +, *TPEL Feb. 2020 1160-1164*
A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter. *Hou, S.*, +, *TPEL July 2020 7640-7652*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Parameters Uncertainty Immunization of Global Synchronous Pulsewidth Modulated VSIs With Round P&O Algorithm. *Xu, T.*, +, *TPEL Nov. 2020 11281-11286*
Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*
Robust Control for the IPT System With Parametric Uncertainty Using LMI Pole Constraints. *Li, Y.*, +, *TPEL Jan. 2020 1022-1035*
Underwater sound
Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*
Unified modeling language
Direct Power Flow Controller—A New Concept in Power Transmission. *Zhang, Y.*, +, *TPEL Feb. 2020 2067-2076*
Uninterruptible power supplies
An Adaptive Dual-Loop Lyapunov-Based Control Scheme for a Single-Phase UPS Inverter. *He, J.*, +, *TPEL Sept. 2020 8886-8891*
MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*
Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*
Unsupervised learning
Data-Driven Approach for Fault Prognosis of SiC MOSFETs. *Chen, W.*, +, *TPEL April 2020 4048-4062*

V

Variable speed drives
7-kV 1-MVA SiC-Based Modular Multilevel Converter Prototype for Medium-Voltage Electric Machine Drives. *Pan, J.*, +, *TPEL Oct. 2020 10137-10149*
A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*
Capacitor Voltage Ripple Estimation and Optimal Sizing of Modular Multi-Level Converters for Variable-Speed Drives. *Ke, Z.*, +, *TPEL Nov. 2020 12544-12554*
Optimized SVM and Remedial Control Strategy for Cascaded Current-Source-Converters-Based Dual Three-Phase PMSM Drives System. *Liu, P.*, +, *TPEL June 2020 6153-6164*
Variable structure systems
A Modified Flux Sliding-Mode Observer for the Sensorless Control of PMSMs With Online Stator Resistance and Inductance Estimation. *Ye, S.*, +, *TPEL Aug. 2020 8652-8662*
A New Intelligent Hybrid Control Approach for DC–DC Converters in Zero-Emission Ferry Ships. *Khooban, M.H.*, +, *TPEL June 2020 5832-5841*
A New Reaching Law for Antidisturbance Sliding-Mode Control of PMSM Speed Regulation System. *Wang, Y.*, +, *TPEL April 2020 4117-4126*
A Self-Organizing Global Sliding Mode Control and Its Application to Active Power Filter. *Hou, S.*, +, *TPEL July 2020 7640-7652*
Adaptive Speed Control of PMSM Drive System Based a New Sliding-Mode Reaching Law. *Junejo, A.K.*, +, *TPEL Nov. 2020 12110-12121*
An Enhanced Linear Active Disturbance Rejection Rotor Position Sensorless Control for Permanent Magnet Synchronous Motors. *Qu, L.*, +, *TPEL June 2020 6175-6184*
An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*
Analysis of a Sliding Mode DC–DC Boost Converter Through LPRS of a Nonlinear Plant. *AlZawaideh, A.*, +, *TPEL Nov. 2020 12321-12331*
Corrections to "A New Load Torque Identification Sliding Mode Observer for Permanent Magnet Synchronous Machine Drive System" [Aug 19 7852-7862]. *Lu, W.*, +, *TPEL Jan. 2020 1156*
Design of PWM-SMC Controller Using Linearized Model for Grid-Connected Inverter With *LCL* Filter. *Li, H.*, +, *TPEL Dec. 2020 12773-12786*
Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*
Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter. *Fei, J.*, +, *TPEL March 2020 3069-3084*
Dynamic Performance Improving Sliding-Mode Control-Based Feedback Linearization for PV System Under LVRT Condition. *Zhang, Y.*, +, *TPEL Nov. 2020 11745-11757*
Dynamic Terminal Sliding-Mode Control for Single-Phase Active Power Filter Using New Feedback Recurrent Neural Network. *Fei, J.*, +, *TPEL Sept. 2020 9904-9922*

Enhanced Position Sensorless Control Using Bilinear Recursive Least Squares Adaptive Filter for Interior Permanent Magnet Synchronous Motor. *Wu, X.*, +, *TPEL Jan. 2020 681-698*
FPGA-Based Continuous Control Set Model Predictive Current Control for PMSM System Using Multistep Error Tracking Technique. *Wang, F.*, +, *TPEL Dec. 2020 13455-13464*
Integral Sliding Mode Control for Starting Speed Sensorless Controlled Induction Motor in the Rotating Condition. *Gou, L.*, +, *TPEL April 2020 4105-4116*
Integration of Improved Flux Linkage Observer and *I–f* Starting Method for Wide-Speed-Range Sensorless SPMSM Drives. *Tang, Q.*, +, *TPEL Aug. 2020 8374-8383*
ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. *Guo, B.*, +, *TPEL Dec. 2020 13000-13016*
SM Load Torque Observer-Based FCS-MPDSC With Single Prediction Horizon for High Dynamics of Surface-Mounted PMSM. *Gong, C.*, +, *TPEL Jan. 2020 20-24*
Supertwisting Sliding-Mode Direct Torque and Flux Control of Induction Machine Drives. *Lascu, C.*, +, *TPEL May 2020 5057-5065*
Time Delay Estimation Based Discrete-Time Super-Twisting Current Control for a Six-Phase Induction Motor. *Kali, Y.*, +, *TPEL Nov. 2020 12570-12580*

Varistors
A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System. *Xu, C.*, +, *TPEL May 2020 4483-4488*

Vectors
A New Geometric Vector Optimization of Predictive Direct Power Control. *Yan, S.*, +, *TPEL May 2020 5427-5436*
A Novel Finite-Control-Set Model Predictive Current Control for Five-Phase PM Motor With Continued Modulation. *Zhao, W.*, +, *TPEL July 2020 7261-7270*
Recovering Partial Three-Level Operation in a T-Type Inverter With Fault Management Redundant Unit. *Wang, B.*, +, *TPEL Sept. 2020 8944-8955*
Simplified Fault-Tolerant Model Predictive Control for a Five-Phase Permanent-Magnet Motor With Reduced Computation Burden. *Tao, T.*, +, *TPEL April 2020 3850-3858*

Vehicle-to-grid
A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*
An Integrated Boost Active Bridge Based Secondary Inductive Power Transfer Converter. *Kalra, G.R.*, +, *TPEL Dec. 2020 12716-12727*
An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*
Highly Efficient Bidirectional Series-Resonant DC/DC Converter Over Wide Range of Battery Voltages. *Bai, C.*, +, *TPEL April 2020 3636-3650*
On-Board Single-Phase Integrated Electric Vehicle Charger With V2G Functionality. *Semsar, S.*, +, *TPEL Nov. 2020 12072-12084*

Vehicles
Design and Control for Catenary Charged Light Rail Vehicle Based on Wireless Power Transfer and Hybrid Energy Storage System. *Geng, Y.*, +, *TPEL Aug. 2020 7894-7903*

Velocity
Online Optimal Tracking Method for Interior Permanent Magnet Machines With Improved MTPA and MTPV in Whole Speed and Torque Ranges. *Xia, Z.*, +, *TPEL Sept. 2020 9753-9769*

Velocity control
A Nonlinear Extended State Observer for Rotor Position and Speed Estimation for Sensorless IPMSM Drives. *Xu, Z.*, +, *TPEL Jan. 2020 733-743*
An Improved Nonlinear Flux Observer Based Sensorless FOC IM Drive With Adaptive Predictive Current Control. *Devanshu, A.*, +, *TPEL Jan. 2020 652-666*
An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs. *Xu, W.*, +, *TPEL July 2020 7271-7281*
Disturbance-Observer-Based Sensorless Control of PMSM Using Integral State Feedback Controller. *Apte, A.*, +, *TPEL June 2020 6082-6090*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*
Zynq Implemented Luenberger Disturbance Observer Based Predictive Control Scheme for PMSM Drives. *He, L.*, +, *TPEL Feb. 2020 1770-1778*

Vias
Thermal Modeling and Design Optimization of PCB Vias and Pads. *Shen, Y.*, +, *TPEL Jan. 2020 882-900*

Vibration control
Active Power Oscillation and Suppression Techniques Between Two Parallel Synchronverters During Load Fluctuations. *Shuai, Z.*, +, *TPEL April 2020 4127-4142*
Vibration Reduction for Dual-Branch Three-Phase Permanent Magnet Synchronous Motor With Carrier Phase-Shift Technique. *Zhang, W.*, +, *TPEL Jan. 2020 607-618*

Vibrations
A Leaf-Shaped Triboelectric Nanogenerator for Multiple Ambient Mechanical Energy Harvesting. *Jiang, D.*, +, *TPEL Jan. 2020 25-32*
A Self-Adapting Synchronized-Switch Interface Circuit for Piezoelectric Energy Harvesters. *Chamanian, S.*, +, *TPEL Jan. 2020 901-912*
Inductorless Synchronized Switch Harvesting Using a Piezoelectric Oscillator. *Lallart, M.*, +, *TPEL March 2020 2585-2594*
Vibration Reduction for Dual-Branch Three-Phase Permanent Magnet Synchronous Motor With Carrier Phase-Shift Technique. *Zhang, W.*, +, *TPEL Jan. 2020 607-618*

Video recording
Subtraction-Mode Switched-Capacitor Converters With Parasitic Loss Reduction. *Jiang, J.*, +, *TPEL Feb. 2020 1200-1204*

Virtual instrumentation
Identification of Pre-existing/Undetected Line-to-Line Faults in PV Array Based on Preturn on/off Condition of the PV Inverter. *Boggarapu, P.K.*, +, *TPEL Nov. 2020 11865-11878*

Virtual private networks
A Four-Switch Three-Phase AC–DC Converter With Galvanic Isolation. *Khodabakhsh, J.*, +, *TPEL Feb. 2020 1699-1710*

Voltage control
A Broad Frequency Range Harmonic Reduction for Cascaded-Power-Cell-Based Islanded Microgrid With Lumped PCC Filter. *He, J.*, +, *TPEL Sept. 2020 9251-9266*
A Comprehensive Study of Common Mode Voltage Reduction and Neutral Point Potential Balance for a Back-to-Back Three-Level NPC Converter. *Xu, X.*, +, *TPEL Aug. 2020 7910-7920*
A Constant On-Time Buck Converter With Analog Time-Optimized On-Time Control. *Li, Y.*, +, *TPEL April 2020 3754-3765*
A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*
A Digital Interconnected Bus Providing Voltage Synchronization for the Modular Series-Connected Inverters. *Liu, P.*, +, *TPEL Dec. 2020 12590-12594*
A Dual-Loop Control to Ensure Fast and Stable Fault-Tolerant Operation of Series Resonant DAB Converters. *Pan, Y.*, +, *TPEL Oct. 2020 10994-11012*
A Dynamic Priority Factor Loop for Fast Voltage Equalization Applied to High Power Density DC–DC Converter System. *Zhang, R.*, +, *TPEL Jan. 2020 198-207*
A Dynamic WPT System With High Efficiency and High Power Factor for Electric Vehicles. *Zakerian, A.*, +, *TPEL July 2020 6732-6740*

A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*

A Family of Step-Up Series–Parallel Dual Resonant Switched-Capacitor Converters With Wide Regulation Range. *Xie, W.*, +, *TPEL March 2020 2724-2736*

A Fast and Robust Diagnostic Method for Multiple Open-Circuit Faults of Voltage-Source Inverters Through Line Voltage Magnitudes Analysis. *Wu, X.*, +, *TPEL May 2020 5205-5220*

A Fast Diagnosis Method for Both IGBT Faults and Current Sensor Faults in Grid-Tied Three-Phase Inverters With Two Current Sensors. *Li, Z.*, +, *TPEL May 2020 5267-5278*

A Fault-Tolerant Control Strategy for T-Type Three-Level Rectifier With Neutral Point Voltage Balance and Loss Reduction. *Chen, J.*, +, *TPEL July 2020 7492-7505*

A Fully Soft Switched Point-of-Load Converter for Resource Constraint Drone Applications. *Qu, Y.*, +, *TPEL March 2020 2705-2713*

A Gate Drive Circuit and Dynamic Voltage Balancing Control Method Suitable for Series-Connected SiC mosfets. *Yang, C.*, +, *TPEL June 2020 6625-6635*

A General Constant-Switching-Frequency Model-Predictive Control of Multilevel Converters With Quasi-PS-PWM/LS-PWM Output. *Zhou, D.*, +, *TPEL Nov. 2020 12429-12441*

A Generalized Carrier-Overlapped PWM Method for Neutral-Point-Clamped Multilevel Converters. *Wang, K.*, +, *TPEL Sept. 2020 9095-9106*

A Generalized Multifrequency Small-Signal Model for High-Bandwidth Buck Converters Under Constant-Frequency Voltage-Mode Control. *Cheng, X.*, +, *TPEL Aug. 2020 8186-8199*

A Hierarchical Energy Balance Control Method for M^3C Based on Injecting Output Frequency Circulating Currents. *Ma, J.*, +, *TPEL March 2020 2424-2435*

A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*

A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*

A Hybrid Modular DC Solid-State Transformer Combining High Efficiency and Control Flexibility. *Sun, Y.*, +, *TPEL April 2020 3434-3449*

A Joint Control With Variable ZVS Angles for Dynamic Efficiency Optimization in Wireless Power Transfer System. *Jiang, Y.*, +, *TPEL Oct. 2020 11064-11081*

A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications. *Huang, Y.*, +, *TPEL May 2020 4613-4621*

A Modified Closed-Loop Voltage Model Observer Based on Adaptive Direct Flux Magnitude Estimation in Sensorless Predictive Direct Voltage Control of an Induction Motor. *Aliaskari, A.*, +, *TPEL Jan. 2020 630-639*

A Modular Multilevel Converter With Active Power Filter for Submodule Capacitor Voltage Ripples and Power Losses Reduction. *Jia, G.*, +, *TPEL Nov. 2020 11401-11417*

A Multiple Modular Isolated DC/DC Converter With Bidirectional Fault Handling and Efficient Energy Conversion for DC Distribution Network. *Wang, Y.*, +, *TPEL Nov. 2020 11502-11517*

A New Energy Management Control Method for Energy Storage Systems in Microgrids. *Hajebrahimi, H.*, +, *TPEL Nov. 2020 11612-11624*

A New Geometric Vector Optimization of Predictive Direct Power Control. *Yan, S.*, +, *TPEL May 2020 5427-5436*

A New Primary PWM Control Strategy for CCM Synchronous Rectification Flyback Converter. *Dong, H.*, +, *TPEL May 2020 4457-4461*

A New Single-Stage 48-V-Input VRM Topology Using an Isolated Stacked Half-Bridge Converter. *Khatua, S.*, +, *TPEL Nov. 2020 11976-11987*

A Nine-Level Inverter for Low-Voltage Applications. *Zhang, Y.*, +, *TPEL Feb. 2020 1659-1671*

A Novel Accurate Adaptive Constant On-Time Buck Converter for a Wide-Range Operation. *Liu, W.*, +, *TPEL April 2020 3729-3739*

A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*

A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*

A Novel Variable DC-Link Voltage Control Method for PMSM Driven by a Quasi-Z-Source Inverter. *Xiao, S.*, +, *TPEL April 2020 3878-3890*

A Novel Voltage Balancing Control With *dv/dt* Reduction for 10-kV SiC MOSFET-Based Medium Voltage Modular Multilevel Converter. *Ji, S.*, +, *TPEL Nov. 2020 12533-12543*

A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*

A Small-AC-Signal Injection-Based Decentralized Secondary Frequency Control for Droop-Controlled Islanded Microgrids. *Liu, B.*, +, *TPEL Nov. 2020 11634-11651*

A Stator Flux Observer With Phase Self-Tuning for Direct Torque Control of Permanent Magnet Synchronous Motor. *Lin, X.*, +, *TPEL June 2020 6140-6152*

A Symmetrical Control Method for Grid-Connected Converters to Suppress the Frequency Coupling Under Weak Grid Conditions. *Zhang, X.*, +, *TPEL Dec. 2020 13488-13499*

A Synchronization Method for the Modular Series-Connected Inverters. *Liu, P.*, +, *TPEL July 2020 6686-6690*

A Unidirectional Insulated AC–DC Converter Based on the Hexverter and Multipulse-Rectifier. *Lambert, G.*, +, *TPEL March 2020 2363-2371*

A Universal Controller Under Different Operating States for Parallel Inverters With Seamless Transfer Capability. *Meng, X.*, +, *TPEL Sept. 2020 9794-9812*

A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*

Active Power Oscillation and Suppression Techniques Between Two Parallel Synchronverters During Load Fluctuations. *Shuai, Z.*, +, *TPEL April 2020 4127-4142*

Active Voltage Sharing Module for Input-Series Connected Modular DC/DC Converters. *Duan, J.*, +, *TPEL June 2020 5987-6000*

Active-Damping Virtual Circuit Control for Grid-Tied Converters With Differential-Mode and Common-Mode Output Filters. *Niyomsatian, K.*, +, *TPEL July 2020 7583-7595*

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

An Active Boost Power Converter for Improving the Performance of Switched Reluctance Generators in DC Generating Systems. *Wang, Q.*, +, *TPEL May 2020 4741-4755*

An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives. *Tian, H.*, +, *TPEL March 2020 2372-2388*

An Adaptive Dual-Loop Lyapunov-Based Control Scheme for a Single-Phase UPS Inverter. *He, J.*, +, *TPEL Sept. 2020 8886-8891*

An Enhanced Static Compensator With DC-Link Voltage Shaping Method. *Jeon, Y.*, +, *TPEL March 2020 2488-2500*

An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*

An Ideal DC Transformer for Active DC Distribution Networks Based on Constant-Transformation-Ratio DABC. *Wang, X.*, +, *TPEL Feb. 2020 2170-2183*

An Impedance-Based Stability Assessment Methodology for DC Distribution Power System With Multivoltage Levels. *Pan, P.*, +, *TPEL April 2020 4033-4047*

An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*

An Improved Simplified PWM for Three-Level Neutral Point Clamped Inverter Based on Two-Level Common-Mode Voltage Reduction PWM. *Zhang, X.*, +, *TPEL Oct. 2020 11143-11154*

An Integrated Power Conversion System for Electric Traction and V2G Operation in Electric Vehicles With a Small Film Capacitor. *Wang, Z.*, +, *TPEL May 2020 5066-5077*

An Isolated Modular Multilevel Converter (I-M^2C) Topology Based on High-Frequency Link (HFL) Concept. *Liu, C.*, +, *TPEL Feb. 2020 1576-1588*

An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

An ISOP Hybrid DC Transformer Combining Multiple SRCs and DAB Converters to Interconnect MVDC and LVDC Distribution Networks. *Yao, J.*, +, *TPEL Nov. 2020 11442-11452*

An Offset-Free Composite Model Predictive Control Strategy for DC/DC Buck Converter Feeding Constant Power Loads. *Xu, Q.*, +, *TPEL May 2020 5331-5342*

An Optimized Model Predictive Control for Three-Phase Four-Level Hybrid-Clamped Converters. *Yang, Y.*, +, *TPEL June 2020 6470-6481*

Analysis and Design of *LLC* Converter Considering Output Voltage Regulation Under No-Load Condition. *Kim, J.*, +, *TPEL Jan. 2020 522-534*

Analysis and Optimization of Current Dynamic Control in Induction Motor Field-Weakening Region. *Zhang, X.*, +, *TPEL Sept. 2020 8860-8866*

Analysis and Suppression of the Frequency-Decrease Effect in the Capacitor Voltage Related to the Low Modulation Frequency Ratio in an MMC System. *Wang, C.*, +, *TPEL Sept. 2020 9119-9132*

Balanced Submodule Operation of Modular Multilevel Converter-Based Induction Motor Drive for Wide-Speed Range. *Kumar, Y.S.*, +, *TPEL April 2020 3918-3927*

Band-Limited Three-Level Modulation for Balancing Capacitor Voltages in Neutral-Point-Clamped Converters. *Beniwal, N.*, +, *TPEL Sept. 2020 9737-9752*

Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*

Capacitor Voltage Fluctuation Minimization for Four-Level Hybrid Clamped Converter Using Improved Common-Mode Voltage Injection. *Pan, J.*, +, *TPEL July 2020 7563-7573*

Capacitor Voltage Ripple Estimation and Optimal Sizing of Modular Multi-Level Converters for Variable-Speed Drives. *Ke, Z.*, +, *TPEL Nov. 2020 12544-12554*

Capacitor Voltage Ripple Suppression in a Modular Multilevel Converter Using Frequency-Adaptive Spatial Repetitive-Based Circulating Current Controller. *Kolluri, S.*, +, *TPEL Sept. 2020 9839-9849*

Carrier-Based Discontinuous PWM for a Five-Level Unidirectional Rectifier. *Mukherjee, D.*, +, *TPEL June 2020 5601-5614*

Cascaded MVDC Integration Interface for Multiple DERs With Enhanced Wide-Range Operation Capability: Concepts and Small-Signal Analysis. *Li, X.*, +, *TPEL Feb. 2020 1182-1188*

Circulating Current Control for Modular Multilevel Converters With (N+1) Selective Harmonic Elimination—PWM. *Perez-Basante, A.*, +, *TPEL Aug. 2020 8712-8725*

Closed-Loop Analytic Filtering Scheme of Capacitor Voltage Ripple in Multilevel Cascaded H-Bridge Converters. *Rodriguez, E.*, +, *TPEL Aug. 2020 8819-8832*

Communication-Independent Power Balance Control for Solid State Transformer Interfaced Multiple Power Conversion Systems. *Nie, J.*, +, *TPEL April 2020 4256-4271*

Compensation of Current Measurement Offset Error for Permanent Magnet Synchronous Machines. *Hu, M.*, +, *TPEL Oct. 2020 11119-11128*

Comprehensive Spectral Analysis of PWM Waveforms With Compensated DC-Link Oscillations. *Milovanovic, S.*, +, *TPEL Dec. 2020 12898-12908*

Constrained Modulated Model-Predictive Control of an *LC*-Filtered Voltage-Source Converter. *Zheng, C.*, +, *TPEL Feb. 2020 1967-1977*

Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids. *Cui, S.*, +, *TPEL March 2020 2353-2362*

Control of Smart Transformer Under Single-Phase to Ground Fault Condition. *Zhu, R.*, +, *TPEL Feb. 2020 2034-2043*

Control Techniques for the Back-to-Back Neutral-Point Clamped Converter in Asynchronous Operation. *Tsai, M.*, +, *TPEL March 2020 2334-2341*

Control-Oriented Modeling of Wireless Power Transfer Systems With Phase-Shift Control. *Chen, F.*, +, *TPEL Feb. 2020 2119-2134*

Converter-Based Power System Protection Against DC in Transmission and Distribution Networks. *Nazir, M.*, +, *TPEL July 2020 6701-6704*

Cooperative Regulation of Imbalances in Three-Phase Four-Wire Microgrids Using Single-Phase Droop Control and Secondary Control Algorithms. *Espina, E.*, +, *TPEL Feb. 2020 1978-1992*

Coupling of AC Grids via VSC-HVDC Interconnections for Oscillation Damping Based on Differential and Common Power Control. *Rodriguez-Cabero, A.*, +, *TPEL June 2020 6548-6558*

Current Balancing Control Methods Using Advanced Carrier-Based Modulation for Five-Level Current Source Rectifiers. *Ries, L.K.*, +, *TPEL Oct. 2020 10213-10226*

Current Control of a Seven-Level Voltage Source Inverter. *Bahrami, A.*, +, *TPEL March 2020 2308-2316*

Current Ripple Analysis of Three-Phase Vienna Rectifier Considering Inductance Variation of Powder Core Inductor. *Wang, T.*, +, *TPEL May 2020 4568-4578*

DC Voltage Ripple Optimization of a Single-Stage Solid-State Transformer Based on the Modular Multilevel Matrix Converter. *Liu, J.*, +, *TPEL Dec. 2020 12801-12815*

Deadbeat Predictive Current Control for Modular Multilevel Converters With Enhanced Steady-State Performance and Stability. *Wang, J.*, +, *TPEL July 2020 6878-6894*

Deadbeat Predictive Current Control for Permanent Magnet Synchronous Machines With Closed-Form Error Compensation. *Xu, C.*, +, *TPEL May 2020 5018-5030*

Decentralized Control of DC Electric Springs for Storage Reduction in DC Microgrids. *Wang, M.*, +, *TPEL May 2020 4634-4646*

Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*

Decoupled Floating Capacitor Voltage Control of a Dual Inverter Drive for an Open-Ended Winding Induction Motor. *Perera, C.*, +, *TPEL July 2020 7305-7316*

Derivation of Single-Input Dual-Output Converters With Simple Control and No Cross Regulation. *Dong, Z.*, +, *TPEL Nov. 2020 11930-11941*

Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*

Design of a Protection Concept for a 100-kVA Hybrid Transformer. *Burkard, J.*, +, *TPEL April 2020 3543-3557*

Design of Control System for Smooth Mode-Transfer of Grid-Tied Mode and Islanding Mode in Microgrid. *Gao, M.*, +, *TPEL June 2020 6419-6435*

Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications. *C., K.*, +, *TPEL Feb. 2020 2100-2118*

Design of New SVPWM Mechanism for Three-Level NPC ZSI via Line-Voltage Coordinate System. *Zhang, J.*, +, *TPEL Aug. 2020 8593-8606*

Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique. *Jayaraman, K.*, +, *TPEL March 2020 2861-2870*

Development and Verification Test of the 6.6-kV 200-kVA Transformerless SDBC-Based STATCOM Using SiC-MOSFET Modules. *Maharjan, L.*, +, *TPEL Dec. 2020 13687-13696*

Digital CPM Controller for a Non-Inverting Buck–Boost Converter With Unified Hardware for Steady-State and Optimized Transient Conditions. *Urkin, T.*, +, *TPEL Aug. 2020 8794-8804*

Direct Power Flow Controller—A New Concept in Power Transmission. *Zhang, Y.*, +, *TPEL Feb. 2020 2067-2076*

Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*

Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation. *Ding, D.*, +, *TPEL March 2020 2895-2907*

Dual T-Type Four-Level Converter. *Chen, J.*, +, *TPEL June 2020 5594-5600*

Dual-Level Located Feedforward Control for Five-Leg Two-Mover Permanent-Magnet Linear Motor Traction Systems. *Wang, W.*, +, *TPEL Dec. 2020 13673-13686*

Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain. *Lee, S.S.*, +, *TPEL Sept. 2020 9522-9529*

Dynamic Improvement of Inductive Power Transfer Systems With Maximum Energy Efficiency Tracking Using Model Predictive Control: Analysis and Experimental Verification. *Liu, S.*, +, *TPEL Dec. 2020 12752-12764*

Effect of Averaging Voltage Regulation Control on Steady-State Analysis of Modular Multilevel Converters. *Song, S.*, +, *TPEL Sept. 2020 9215-9225*

Effective Current Limitation for Multifrequency Current Control With Distortion-Free Voltage Saturation and Antiwindup. *Yepes, A.G.*, +, *TPEL Dec. 2020 13697-13713*

Elimination of the Interaction of the Converters in Switch-Linear Hybrid Envelope Tracking Power Supplies. *Wang, Y.*, +, *TPEL Feb. 2020 2053-2066*

Enabling Grid-Feeding Converters With a Dissonant-Resonant Controller for Negative-Sequence Voltage Elimination. *Velasco, M.*, +, *TPEL April 2020 4342-4352*

Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*

Enhanced One-Cycle Control for Multicell Power Converters. *Zhang, G.*, +, *TPEL Aug. 2020 8846-8856*

Equivalent Circuit Modeling of *LLC* Resonant Converter. *Tian, S.*, +, *TPEL Aug. 2020 8833-8845*

Fault Localization Strategy for Modular Multilevel Converters Under Submodule Lower Switch Open-Circuit Fault. *Liu, C.*, +, *TPEL May 2020 5190-5204*

Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control. *Han, Y.*, +, *TPEL March 2020 3221-3241*

Fractal Approach Based Simplified and Generalized Sector Detection in Current Error Space Phasor Based Hysteresis Controller Applied to Multilevel Front-End Converters. *Shah, M.T.*, +, *TPEL Oct. 2020 11082-11095*

Full-Bridge Current-Fed PV Microinverter With DLFCR Reduction Ability. *Wu, D.*, +, *TPEL Sept. 2020 9541-9552*

Fuse-Based Short-Circuit Protection of Converter Controlled Low-Voltage DC Grids. *Ravyts, S.*, +, *TPEL Nov. 2020 11694-11706*

Generalized Cockcroft-Walton Multiplier Voltage Z-Source Inverters. *Ding, X.*, +, *TPEL July 2020 7175-7190*

Grid-Voltage Sensorless Model Predictive Control of Three-Phase PWM Rectifier Under Unbalanced and Distorted Grid Voltages. *Zhang, Y.*, +, *TPEL Aug. 2020 8663-8672*

Harmonic-Domain SISO Equivalent Impedance Modeling and Stability Analysis of a Single-Phase Grid-Connected VSC. *Zhang, C.*, +, *TPEL Sept. 2020 9770-9783*

HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*

Hierarchical Control for Virtual Oscillator Based Grid-Connected and Islanded Microgrids. *Awal, M.A.*, +, *TPEL Jan. 2020 988-1001*

High-Efficiency Control Strategy for 10-kV/1-MW Solid-State Transformer in PV Application. *Liu, T.*, +, *TPEL Nov. 2020 11770-11782*

High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*

High-Power Nanosecond Pulse Generators With Improved Reliability by Adopting Auxiliary Triggering Topology. *Yan, J.*, +, *TPEL Feb. 2020 1353-1364*

Highly Effective Cell Equalization in a Lithium-Ion Battery Management System. *Koseoglou, M.*, +, *TPEL Feb. 2020 2088-2099*

Hybrid Distributed and Decentralized Secondary Control Strategy to Attain Accurate Power Sharing and Improved Voltage Restoration in DC Microgrids. *da Silva, W.W.A.G.*, +, *TPEL June 2020 6458-6469*

Hybrid Modulation Technique With DC-Bus Voltage Control for Multiphase NPC Converters. *Cervone, A.*, +, *TPEL Dec. 2020 13528-13539*

Hysteresis Voltage Prediction Control for Multilevel Converter in the Series-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Li, Y.*, +, *TPEL Dec. 2020 13663-13672*

Impact of Inductors Saturation on Peak-Current Mode Control Operation. *Femia, N.*, +, *TPEL Oct. 2020 10969-10981*

Impedance and Stability Analysis of Voltage-Source Converter Interconnection Based on a Universal Admittance Model. *Guo, H., TPEL Oct. 2020 10064-10077*

Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*

Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters. *Xu, W.*, +, *TPEL May 2020 4959-4970*

Improved Finite-State Model Predictive Current Control With Zero-Sequence Current Suppression for OEW-SPMSM Drives. *Yuan, X.*, +, *TPEL May 2020 4996-5006*

Improved Model Predictive Control for High-Power Current-Source Rectifiers Under Normal and Distorted Grid Conditions. *Xue, C.*, +, *TPEL May 2020 4588-4601*

Integration of Boost-Type Active Power Decoupling Topology With Single-Phase Switched Boost Inverter. *Nandi, P.*, +, *TPEL Nov. 2020 11965-11975*

Intelligent Control of Microgrid With Virtual Inertia Using Recurrent Probabilistic Wavelet Fuzzy Neural Network. *Tan, K.*, +, *TPEL July 2020 7451-7464*

Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*

IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*

ISMC for Boost-Derived DC–DC–AC Converter: Mitigation of 2ω-Ripple and Uncertainty, and Improvement in Dynamic Performance. *Gautam, A.R.*, +, *TPEL April 2020 4353-4364*

Low-Complexity Deadbeat Model Predictive Current Control With Duty Ratio for Five-Phase PMSM Drives. *Saeed, M.S.R.*, +, *TPEL Nov. 2020 12085-12099*

Low-Complexity Power Balancing Point-Based Optimization for Photovoltaic Differential Power Processing. *Chu, G.*, +, *TPEL Oct. 2020 10306-10322*

Methods to Estimate Load-Transient Response of Buck Converter Under Direct-Duty-Ratio and Peak-Current-Mode Control. *Suntio, T., TPEL June 2020 6436-6446*

Minimization of Additional High-Frequency Torque Ripple for Square-Wave Voltage Injection IPMSM Sensorless Drives. *Lin, Z.*, +, *TPEL Dec. 2020 13345-13355*

Model Predictive Current Control for an Open-Winding PMSM System With a Common DC Bus in 3-D Space. *Cheng, Y.*, +, *TPEL Sept. 2020 9597-9607*

Model Predictive Torque Control With SVM for Five-Phase PMSM Under Open-Circuit Fault Condition. *Huang, W.*, +, *TPEL May 2020 5531-5540*

Model Predictive Voltage and Power Control of Islanded PV-Battery Microgrids With Washout-Filter-Based Power Sharing Strategy. *Shan, Y.*, +, *TPEL Feb. 2020 1227-1238*

Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*

Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters. *Fan, J.W.*, +, *TPEL March 2020 2519-2533*

Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Characteristics for Electric Double-Layer Capacitor Modules. *Uno, M.*, +, *TPEL Oct. 2020 10271-10284*

Modulated Model Predictive Control for Modular Multilevel Converters With Easy Implementation and Enhanced Steady-State Performance. *Wang, J.*, +, *TPEL Sept. 2020 9107-9118*

Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*

Moving Discretized Control Set Model-Predictive Control for Dual-Active Bridge With the Triple-Phase Shift. *Chen, L.*, +, *TPEL Aug. 2020 8624-8637*

MRAC-Based Voltage Controller for Three-Phase CVCF Inverters to Attenuate Parameter Uncertainties Under Critical Load Conditions. *Kim, J.*, +, *TPEL Jan. 2020 1002-1013*

Multi resonant Component-Based Grid-Voltage-Weighted Feedforward Scheme for Grid-Connected Inverter to Suppress the Injected Grid Current Harmonics Under Weak Grid. *Lin, Z.*, +, *TPEL Sept. 2020 9784-9793*

Multifunction Control Strategy for Single-Phase AC/DC Power Conversion Systems With Voltage-Sensorless Power-Decoupling Function. *Wang, X.*, +, *TPEL Dec. 2020 13602-13620*

Multimode Smooth Switching Strategy for Eliminating the Operational Dead Zone in Noninverting Buck–Boost Converter. *Jia, L.*, +, *TPEL March 2020 3106-3113*

Multiple-Objective Control Scheme for Input-Series–Output-Series *LCL*-Filtered Grid-Connected Inverter System. *Fang, T.*, +, *TPEL Aug. 2020 8689-8700*

Negative Sequence Voltage Compensating for Unbalanced Standalone Brushless Doubly-Fed Induction Generator. *Xu, W.*, +, *TPEL Jan. 2020 667-680*

New Digital Control Method for Improving Dynamic Response of Synchronous Rectified PSR Flyback Converter With CCM and DCM Modes. *Xu, S.*, +, *TPEL Nov. 2020 12347-12358*

Online Boundary Computation Using Sampled Voltage Reference for Bus Clamping PWM-Based Hysteresis-Controlled VSI-Fed IM Drive. *Peter, J.*, +, *TPEL April 2020 3939-3950*

Online Multiparameter Identification Method for Sensorless Control of SPMSM. *Wang, Y.*, +, *TPEL Oct. 2020 10601-10613*

Operational Analyses and Control Scheme of Nine-Arm Modular Multilevel Converter. *Qin, F.*, +, *TPEL April 2020 3416-3433*

Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*

Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. *He, J.*, +, *TPEL Aug. 2020 8581-8592*

Parameter Identification and Lyapunov Function Based Adaptive Switched Control for Underwater Electroacoustic Transduction System. *Wei, X.*, +, *TPEL June 2020 6572-6585*

Pinning-Based Hierarchical and Distributed Cooperative Control for AC Microgrid Clusters. *Wu, X.*, +, *TPEL Sept. 2020 9865-9885*

Power Management Strategy Based on Virtual Inertia for DC Microgrids. *Neto, P.J.d.S.*, +, *TPEL Nov. 2020 12472-12485*

Power-Linked Predictive Control Strategy for Power Electronic Traction Transformer. *Zhao, N.*, +, *TPEL June 2020 6559-6571*

Predictive Delta Sigma Modulation for Three-Phase to Three-Phase Matrix Converters. *Mir, T.N.*, +, *TPEL Jan. 2020 968-976*

Predictive Direct Control of SPMS Generators Applied to the Machine Side Converter of an OWC Power Plant. *Zarei, M.E.*, +, *TPEL July 2020 6719-6731*

Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*

Recovering Partial Three-Level Operation in a T-Type Inverter With Fault Management Redundant Unit. *Wang, B.*, +, *TPEL Sept. 2020 8944-8955*

Reduced Common-Mode Voltage PWM Scheme for Full-SiC Three-Level Uninterruptible Power Supply With Small DC-Link Capacitors. *Ohn, S.*, +, *TPEL Aug. 2020 8638-8651*

Resistive–Capacitive Output Impedance Shaping for Droop-Controlled Converters in DC Microgrids With Reduced Output Capacitance. *Liu, G.*, +, *TPEL June 2020 6501-6511*

Review and Comparison of Grid-Tied Inverter Controllers in Microgrids. *Liu, Q.*, +, *TPEL July 2020 7624-7639*

Robust Loss Minimization for Predictive Direct Torque and Flux Control of an Induction Motor With Electrical Circuit Model. *Eftekhari, S.R.*, +, *TPEL May 2020 5417-5426*

Robust Model Predictive Direct Speed Control for SPMSM Drives Based on Full Parameter Disturbances and Load Observer. *Zhang, X.*, +, *TPEL Aug. 2020 8361-8373*

Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*

Robust ZAD Sliding Mode Control for an 8-Phase Step-Down Converter. *Repecho, V.*, +, *TPEL Feb. 2020 2222-2232*

Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*

Sequence Impedance Modeling and Stability Analysis for Load Converters With Inertial Support. *Liu, Y.*, +, *TPEL Dec. 2020 13031-13041*

Single-Inductor Dual-Input Triple-Output Buck–Boost Converter With Clockless Shortest Power Path Control Strategy for IoT Nodes. *Wang, C.*, +, *TPEL Feb. 2020 2044-2052*

Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*

Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*

Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*

Small Signal Modeling and Design Analysis for Boost Converter With Valley V^2 Control. *Leng, M.*, +, *TPEL Dec. 2020 13475-13487*

Smart Resistor: Stabilization of DC Microgrids Containing Constant Power Loads Using High-Bandwidth Power Converters and Energy Storage. *Potty, K.A.*, +, *TPEL Jan. 2020 957-967*

Soft-Start Procedure for a Three-Stage Smart Transformer Based on Dual-Active Bridge and Cascaded H-Bridge Converters. *Pugliese, S.*, +, *TPEL Oct. 2020 11039-11052*

Stability Blind-Area-Free Control Design for Microgrid-Interfaced Voltage Source Inverters Under Dual-Mode Operation. *Zhou, Z.*, +, *TPEL Nov. 2020 12555-12569*

Study on Steady-State Errors for Asymmetrical Six-Phase Permanent Magnet Synchronous Machine Fault-Tolerant Predictive Current Control. *Ye, D.*, +, *TPEL Jan. 2020 640-651*

Switched Capacitor Integrated $(2n + 1)$-Level Step-Up Single-Phase Inverter. *Khan, M.N.H.*, +, *TPEL Aug. 2020 8248-8260*

Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*

The Electronic Realization of Synchronous Machines: Model Matching, Angle Tracking, and Energy Shaping Techniques. *Arghir, C.*, +, *TPEL April 2020 4398-4410*

The Two-Dimensional Short-Circuit Detection Protection For SiC MOSFETs in Urban Rail Transit Application. *Hofstetter, P.*, +, *TPEL June 2020 5692-5701*

Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter. *Thakur, S.S.*, +, *TPEL Sept. 2020 9291-9305*

Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*

Unified Modular State-Space Modeling of Grid-Connected Voltage-Source Converters. *Yang, D.*, +, *TPEL Sept. 2020 9700-9715*

Unified Selective Harmonic Elimination Control for Four-Level Hybrid-Clamped Inverters. *Wu, M.*, +, *TPEL Nov. 2020 11488-11501*

Variable Speed Operation of Brushless Doubly Fed Reluctance Machine Drive Using Model Predictive Current Control Technique. *Kiran, K.*, +, *TPEL Aug. 2020 8396-8404*

Voltage Modulation and Current Control of Boost Inverters for Stand-Alone or Grid-Tied Operation. *Chen, W.*, +, *TPEL Aug. 2020 8726-8736*

Voltage Sensorless Control Scheme Based on Extended-State Estimator for a Grid-Connected Inverter. *Lai, N.B.*, +, *TPEL June 2020 5873-5882*

Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. *Yang, Q.*, +, *TPEL Dec. 2020 13053-13067*

Voltage measurement

A Reference Submodule Based Capacitor Condition Monitoring Method for Modular Multilevel Converters. *Wang, Z.*, +, *TPEL July 2020 6691-6696*

Detection and Classification of Turn Fault and High Resistance Connection Fault in Permanent Magnet Machines Based on Zero Sequence Voltage. *Hu, R.*, +, *TPEL Feb. 2020 1922-1933*

Enhancing Low-Speed Sensorless Control of PMSM Using Phase Voltage Measurements and Online Multiple Parameter Identification. *Wu, C.*, +, *TPEL Oct. 2020 10700-10710*

Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*

Reducing Common-Mode Voltage and Bearing Currents in Quasi-Resonant DC-Link Inverter. *Turzynski, M.*, +, *TPEL Sept. 2020 9553-9562*

Robust Power Sharing Control for Parallel Three-phase Inverters Against Voltage Measurement Errors. *Qi, Y.*, +, *TPEL Dec. 2020 13590-13601*

Robust ZAD Sliding Mode Control for an 8-Phase Step-Down Converter. *Repecho, V.*, +, *TPEL Feb. 2020 2222-2232*

Simple and Affordable Method for Fast Transient Measurements of SiC Devices. *Garrido, D.*, +, *TPEL March 2020 2933-2942*

Voltage multipliers

A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*

A High Voltage Gain DC–DC Converter Based on Three Winding Coupled Inductor and Voltage Multiplier Cell. *Azizkandi, M.E.*, +, *TPEL May 2020 4558-4567*

A Hybrid Cockcroft–Walton/Dickson Multiplier for High Voltage Generation. *Park, S.*, +, *TPEL March 2020 2714-2723*

A Novel ZVS High-Step-Up Converter With Built-In Transformer Voltage Multiplier Cell. *Nouri, T.*, +, *TPEL Dec. 2020 12871-12886*

An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*

An Ultrahigh Voltage Gain Hybrid-Connected Boost Converter With Ultralow Distributed Voltage Stress. *Hu, X.*, +, *TPEL Oct. 2020 10385-10395*

Design and Model of Series-Connected High-Voltage DC Multipliers. *Quraan, M.*, +, *TPEL July 2020 7160-7174*

Generalized Cockcroft-Walton Multiplier Voltage Z-Source Inverters. *Ding, X.*, +, *TPEL July 2020 7175-7190*

High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*

Interleaved Multilevel Boost Converter With Minimal Voltage Multiplier Components for High-Voltage Step-Up Applications. *Meraj, M.*, +, *TPEL Dec. 2020 12816-12833*

Modular Equalization System Based on Star-Connected Phase-Shift Switched Capacitor Converters With Inherent Constant Current Characteristics for Electric Double-Layer Capacitor Modules. *Uno, M.*, +, *TPEL Oct. 2020 10271-10284*

Tapped-Inductor-Based Single-Magnetic Bidirectional PWM Converter Integrating Cell Voltage Equalizer for Series-Connected Supercapacitors. *Uno, M.*, +, *TPEL Dec. 2020 13157-13171*

Voltage regulators

A BGR-Recursive Low-Dropout Regulator Achieving High PSR in the Low- to Mid-Frequency Range. *Kim, D.*, +, *TPEL Dec. 2020 13441-13454*

A Constant On-Time Buck Converter With Analog Time-Optimized On-Time Control. *Li, Y.*, +, *TPEL April 2020 3754-3765*

A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging. *Singh, A.*, +, *TPEL March 2020 3242-3253*

A Dual-Switch Discontinuous Current-Source Gate Driver Overcoming the Current Diversion Problem for a Buck VRM. *Mashhadi, I.A.*, +, *TPEL April 2020 3778-3793*

A High-Efficiency and Fast-Transient Low-Dropout Regulator With Adaptive Pole Tracking Frequency Compensation Technique. *Ming, X.*, +, *TPEL Nov. 2020 12401-12415*

A New Single-Stage 48-V-Input VRM Topology Using an Isolated Stacked Half-Bridge Converter. *Khatua, S.*, +, *TPEL Nov. 2020 11976-11987*

A Novel Assorted Nonlinear Stabilizer for DC–DC Multilevel Boost Converter With Constant Power Load in DC Microgrid. *Li, X.*, +, *TPEL Oct. 2020 11181-11192*

A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*

Adaptive Observer Based Control for Rooftop Solar PV System. *Shah, P.*, +, *TPEL Sept. 2020 9402-9415*

An Extremely Low Ripple High Voltage Power Supply for Pulsed Current Applications. *Zarghani, M.*, +, *TPEL Aug. 2020 7991-8001*

An Isolated Multilevel Quasi-Resonant Multiphase Single-Stage Topology for 380-V VRM Applications. *Rizzolatti, R.*, +, *TPEL Jan. 2020 430-442*

DC/DC Power Converter Control-Based Deep Machine Learning Techniques: Real-Time Implementation. *Hajihosseini, M.*, +, *TPEL Oct. 2020 9971-9977*

Decentralized Quasi-Fixed-Frequency Control of Multiphase Interleaved Hybrid Dickson Converters for Fault-Tolerant Automotive Applications. *Ashourloo, M.*, +, *TPEL July 2020 7653-7663*

Design of an Adaptively Biased Low-Dropout Regulator With a Current Reusing Current-Mode OTA Using an Intuitive Analysis Method. *Dong, L.*, +, *TPEL Oct. 2020 10477-10488*

Digital CPM Controller for a Non-Inverting Buck–Boost Converter With Unified Hardware for Steady-State and Optimized Transient Conditions. *Urkin, T.*, +, *TPEL Aug. 2020 8794-8804*

Distributed Tie-Line Power Flow Control of Autonomous DC Microgrid Clusters. *Mudaliyar, S.*, +, *TPEL Oct. 2020 11250-11266*

Dual Active-Feedback Frequency Compensation for Output-Capacitorless LDO With Transient and Stability Enhancement in 65-nm CMOS. *Li, G.*, +, *TPEL Jan. 2020 415-429*

Impact of Inductors Saturation on Peak-Current Mode Control Operation. *Femia, N.*, +, *TPEL Oct. 2020 10969-10981*

Moving Discretized Control Set Model-Predictive Control for Dual-Active Bridge With the Triple-Phase Shift. *Chen, L.*, +, *TPEL Aug. 2020 8624-8637*

Reconfigurable Control of the Quasi-Parallel Voltage Regulator for Powering Laptop Processors. *Vangalapudi, B.G.T.*, +, *TPEL June 2020 5938-5951*

Single-Inductor Multiple-Output Inverter With Precise and Independent Output Voltage Regulation. *Jin, W.*, +, *TPEL Oct. 2020 11222-11234*

Stability Analysis of Power Systems With Multiple STATCOMs in Close Proximity. *Li, C.*, +, *TPEL March 2020 2268-2283*

Study of Thin-Film Magnetic Inductors Applied to Integrated Voltage Regulators. *Lambert, W.J.*, +, *TPEL June 2020 6208-6220*

Voltage-source converters

7-kV 1-MVA SiC-Based Modular Multilevel Converter Prototype for Medium-Voltage Electric Machine Drives. *Pan, J.*, +, *TPEL Oct. 2020 10137-10149*

A Complete HSS-Based Impedance Model of MMC Considering Grid Impedance Coupling. *Xu, Z.*, +, *TPEL Dec. 2020 12929-12948*

A Coordinated Strategy of Low-Speed and Start-Up Operation for Medium-Voltage Variable-Speed Drives With a Modular Multilevel Converter. *Zhao, F.*, +, *TPEL Jan. 2020 709-724*

A Hybrid Modular DC/DC Converter for HVDC Applications. *Li, B.*, +, *TPEL April 2020 3377-3389*

A Modular Multilevel Resonant DC–DC Converter. *Shao, S.*, +, *TPEL Aug. 2020 7921-7932*

A Nearly Decoupled Admittance Model for Grid-Tied VSCs Under Variable Operating Conditions. *Liu, W.*, +, *TPEL Sept. 2020 9380-9389*

A Novel Converter-Breaker Integrated Voltage Source Converter Based on High-Surge IGCT and Fault Self-Clearing Strategy for DC Grid. *Xu, C.*, +, *TPEL Dec. 2020 12668-12672*

A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System. *Xu, C.*, +, *TPEL May 2020 4483-4488*

A Novel Fault Ride-Through Strategy Based on Capacitor Energy Storage Inside MMC. *Xiao, Y.*, +, *TPEL Aug. 2020 7960-7971*

A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives. *Diab, M.S.*, +, *TPEL Dec. 2020 12639-12645*

A Reference Submodule Based Capacitor Condition Monitoring Method for Modular Multilevel Converters. *Wang, Z.*, +, *TPEL July 2020 6691-6696*
A Single- and Three-Phase Grid Compatible Converter for Electric Vehicle On-Board Chargers. *Zhao, H.*, +, *TPEL July 2020 7545-7562*
Active Thermal Control for Hybrid Modular Multilevel Converter Under Overmodulation Operation. *Sheng, J.*, +, *TPEL April 2020 4242-4255*
An Accurate and Fast Method for Conducted EMI Modeling and Simulation of MMC-Based HVdc Converter Station. *Zhu, R.*, +, *TPEL May 2020 4689-4702*
An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives. *Tian, H.*, +, *TPEL March 2020 2372-2388*
An Asymmetric Nine-Phase Induction Motor for LCI-Fed Medium Voltage Drive Applications. *Titus, J.*, +, *TPEL May 2020 5047-5056*
An Improved Direct Torque Control of Three-Level Dual Inverter Fed Open-Ended Winding Induction Motor Drive Based on Modified Look-Up Table. *Kodumur Meesala, R.E.*, +, *TPEL April 2020 3906-3917*
Capacitor Condition Monitoring Based on the DC-Side Start-Up of Modular Multilevel Converters. *Wang, Z.*, +, *TPEL June 2020 5589-5593*
Capacitor ESR and *C* Monitoring in Modular Multilevel Converters. *Deng, F.*, +, *TPEL April 2020 4063-4075*
Capacitor Voltage Ripple Estimation and Optimal Sizing of Modular Multi-Level Converters for Variable-Speed Drives. *Ke, Z.*, +, *TPEL Nov. 2020 12544-12554*
Circulating Current Control for Modular Multilevel Converters With (N+1) Selective Harmonic Elimination—PWM. *Perez-Basante, A.*, +, *TPEL Aug. 2020 8712-8725*
Common-Mode Voltage Elimination for Dual Two-Level Inverter-Fed Asymmetrical Six-Phase PMSM. *Shen, Z.*, +, *TPEL April 2020 3828-3840*
Complete Family of Two-Stage Single-Input Multioutput Configurations of Interconnected Power Converters. *Li, X.L.*, +, *TPEL April 2020 3713-3728*
Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies. *Bessegato, L.*, +, *TPEL March 2020 2411-2423*
Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications. *Diez, C.M.*, +, *TPEL March 2020 2389-2401*
Control Conflict Suppressing and Stability Improving for an MMC Distributed Control System. *Yang, S.*, +, *TPEL Dec. 2020 13735-13747*
Current Control of a Seven-Level Voltage Source Inverter. *Bahrami, A.*, +, *TPEL March 2020 2308-2316*
Current Error Space Vector Based Hysteresis Controller for VSI Fed PMSM Drive. *Jayaprakasan, S.*, +, *TPEL Oct. 2020 10690-10699*
Current-Sensorless Finite-Set Model Predictive Control for *LC*-Filtered Voltage Source Inverters. *Zheng, C.*, +, *TPEL Jan. 2020 1086-1095*
Deadbeat Predictive Current Control for Modular Multilevel Converters With Enhanced Steady-State Performance and Stability. *Wang, J.*, +, *TPEL July 2020 6878-6894*
Design and Control Method for a Surface-Mounted Permanent Magnet Motor Drive System With Passive Output Power Network. *Choi, H.*, +, *TPEL April 2020 3891-3905*
Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications. *Su, Y.*, +, *TPEL March 2020 3139-3147*
Design of Multifrequency Proportional–Resonant Current Controllers for Voltage-Source Converters. *Hans, F.*, +, *TPEL Dec. 2020 13573-13589*
Design-Oriented Transient Stability Analysis of PLL-Synchronized Voltage-Source Converters. *Wu, H.*, +, *TPEL April 2020 3573-3589*
Dual-T-Type Five-Level Cascaded Multilevel Inverter With Double Voltage Boosting Gain. *Lee, S.S.*, +, *TPEL Sept. 2020 9522-9529*
Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current. *Xu, S.*, +, *TPEL July 2020 6668-6672*
Effects of Parasitic Resistances on Magnetically Coupled Impedance-Source Networks. *Kong, X.*, +, *TPEL Sept. 2020 9171-9183*
Efficiency Optimization of Two Dual Active Bridge Converters Operating in Parallel. *Rolak, M.*, +, *TPEL June 2020 6523-6532*
Finite-Level-State Model Predictive Control for Sensorless Three-Phase Four-Arm Modular Multilevel Converter. *Liu, X.*, +, *TPEL May 2020 4462-4466*
Hardware Emulation of Energization of a Long Transmission Line by High-Frequency Power Electronic Converter. *Mazumdar, S.*, +, *TPEL Sept. 2020 9267-9280*
HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*
High-Frequency Oscillation Mechanism Analysis and Suppression Method of VSC-HVDC. *Zhu, J.*, +, *TPEL Sept. 2020 8892-8896*
Impedance-Based Analysis of Digital Control Delay in Grid-Tied Voltage Source Inverters. *Tu, Y.*, +, *TPEL Nov. 2020 11666-11681*
Improved Power Quality On-Board Integrated Charger With Reduced Switching Stress. *Gupta, J.*, +, *TPEL Oct. 2020 10810-10820*
Inter Harmonic THD Amplification of Voltage Source Converter: Concept and Case Study. *Hou, C.*, +, *TPEL Dec. 2020 12651-12656*
Interconnected Autonomous AC Microgrids via Back-to-Back Converters—Part I: Small-Signal Modeling. *Naderi, M.*, +, *TPEL May 2020 4728-4740*
Interconnected Autonomous ac Microgrids via Back-to-Back Converters—Part II: Stability Analysis. *Naderi, M.*, +, *TPEL Nov. 2020 11801-11812*
Mission Profile-Based System-Level Reliability Prediction Method for Modular Multilevel Converters. *Zhang, Y.*, +, *TPEL July 2020 6916-6930*
Modeling and Analysis of DC Terminal Impedance of Voltage-Source Converters With Different Control Modes. *Xue, D.*, +, *TPEL June 2020 5883-5896*
Multirate Harmonic Compensation Control for Low Switching Frequency Converters: Scheme, Modeling, and Analysis. *Tian, H.*, +, *TPEL April 2020 4143-4156*
On the Modeling and Design of Modular Multilevel Converters With Parametric and Model-Form Uncertainty Quantification. *Rashidi, N.*, +, *TPEL Oct. 2020 10168-10179*
Online Capacitance Estimation of Submodule Capacitors for Modular Multilevel Converter With Nearest Level Modulation. *Wang, K.*, +, *TPEL July 2020 6678-6681*
Optimization of *LCL* Filter With Integrated Intercell Transformer for Two-Interleaved High-Power Grid-Tied Converters. *Park, K.*, +, *TPEL March 2020 2317-2333*
Overview of Modulation Strategies for *LLC* Resonant Converter. *Wei, Y.*, +, *TPEL Oct. 2020 10423-10443*
Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition. *Gao, F.*, +, *TPEL March 2020 2284-2294*
Reference-Feedforward Power-Synchronization Control. *Harnefors, L.*, +, *TPEL Sept. 2020 8878-8881*
Reflected Wave Phenomenon in SiC Motor Drives: Consequences, Boundaries, and Mitigation. *Narayanasamy, B.*, +, *TPEL Oct. 2020 10629-10642*
Selective Harmonic Current Rejection for Virtual Oscillator Controlled Grid-Forming Voltage Source Converters. *Awal, M.A.*, +, *TPEL Aug. 2020 8805-8818*
Self-Circulating Testing Method for Both Rectifying and Inverting Submodules of Modular Multilevel Converter With Low DC Supply Voltage. *Jiang, S.*, +, *TPEL Aug. 2020 7795-7803*
Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*
Series Bridge Converter: Energy Rating Optimality for VSC-HVDC Applications. *Briff, P., TPEL Oct. 2020 9987-9991*
Series Chain-Link Modular Multilevel AC–DC Converter (SCC) for HVDC Applications. *Tardelli, F.*, +, *TPEL June 2020 5714-5728*
Suppression of DC-Link Current Ripple for Modular Multilevel Converters Under Phase-Disposition PWM. *Deng, F.*, +, *TPEL March 2020 3310-3324*
Switched-Capacitor Voltage Boost Converter for Electric and Hybrid Electric Vehicle Drives. *Janabi, A.*, +, *TPEL June 2020 5615-5624*
Synchronization for an MMC Distributed Control System Considering Disturbances Introduced by Submodule Asynchrony. *Wang, H.*, +, *TPEL Dec. 2020 12834-12845*

Systematic Synthesis and Derivation of Multilevel Converters Using Common Topological Structures With Unified Matrix Models. *Li, Y.*, +, *TPEL June 2020 5639-5659*

The Current Shaping Modular Multilevel DC–DC Converter. *Gray, P.A.*, +, *TPEL Oct. 2020 10050-10063*

The Modular Multilevel DC Converter With Inherent Minimization of Arm Current Stresses. *Li, Y.*, +, *TPEL Dec. 2020 12787-12800*

The Series Bridge Converter (SBC): AC Faults. *Farr, E.M.*, +, *TPEL May 2020 4467-4471*

Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter. *Thakur, S.S.*, +, *TPEL Sept. 2020 9291-9305*

Thermal Stress Based Power Routing of Smart Transformer With CHB and DAB Converters. *Raveendran, V.*, +, *TPEL April 2020 4205-4215*

Three-Phase Split-Source Inverter-Fed PV Systems: Analysis and Mitigation of Common-Mode Voltage. *Hassan, M.S.*, +, *TPEL Sept. 2020 9824-9838*

Virtual-Flux-Based Passivation of Current Control for Grid-Connected VSCs. *Wu, H.*, +, *TPEL Dec. 2020 12673-12677*

Windowed PWM: A Configurable Modulation Scheme for Modular Multilevel Converter-Based Traction Drives. *De Simone, D.*, +, *TPEL Sept. 2020 9727-9736*

W

Water pumps

Single-Stage PV-Grid Interactive Induction Motor Drive With Improved Flux Estimation Technique for Water Pumping With Reduced Sensors. *Shukla, S.*, +, *TPEL Dec. 2020 12988-12999*

Water treatment

Design and Implementation of Ozone Production Power Supply for the Application of Microbial Purification of Water. *Pourhadi Abkenar, P.*, +, *TPEL Aug. 2020 8215-8223*

Power Electronic Pulse Generators for Water Treatment Application: A Review. *Guo, X.*, +, *TPEL Oct. 2020 10285-10305*

Wave power generation

Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*

Wave power plants

Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*

Wavelet transforms

High-Frequency Fault Component-Based Distance Protection for Large Renewable Power Plants. *Yang, Z.*, +, *TPEL Oct. 2020 10352-10362*

Interturn Fault Diagnosis for Model-Predictive-Controlled-PMSM Based on Cost Function and Wavelet Transform. *Hang, J.*, +, *TPEL June 2020 6405-6418*

Online Estimation of *ESR* for DC-Link Capacitor of Boost PFC Converter Using Wavelet Transform Based Time–Frequency Analysis Method. *Lu, W.*, +, *TPEL Aug. 2020 7755-7764*

Weapons

Model Predictive Control for Dual-Active-Bridge Converters Supplying Pulsed Power Loads in Naval DC Micro-Grids. *Chen, L.*, +, *TPEL Feb. 2020 1957-1966*

Wear

A Guideline for Reliability Prediction in Power Electronic Converters. *Peyghami, S.*, +, *TPEL Oct. 2020 10958-10968*

Wide band gap semiconductors

10-kV SiC MOSFET Power Module With Reduced Common-Mode Noise and Electric Field. *DiMarino, C.M.*, +, *TPEL June 2020 6050-6060*

7-kV 1-MVA SiC-Based Modular Multilevel Converter Prototype for Medium-Voltage Electric Machine Drives. *Pan, J.*, +, *TPEL Oct. 2020 10137-10149*

A 5.8-GHz High-Power and High-Efficiency Rectifier Circuit With Lateral GaN Schottky Diode for Wireless Power Transfer. *Dang, K.*, +, *TPEL March 2020 2247-2252*

A Bidirectional Communicating Power Supply Circuit for Smart Gate Driver Boards. *Weckbrodt, J.*, +, *TPEL Aug. 2020 8540-8549*

A Double-Modulation-Wave PWM for Dead-Time-Effect Elimination and Synchronous Rectification in SiC-Device-Based High-Switching-Frequency Converters. *Yan, Q.*, +, *TPEL Dec. 2020 13500-13513*

A Gate Drive Circuit and Dynamic Voltage Balancing Control Method Suitable for Series-Connected SiC mosfets. *Yang, C.*, +, *TPEL June 2020 6625-6635*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. *Lyu, G.*, +, *TPEL Sept. 2020 9669-9679*

A Novel Voltage Balancing Control With *dv/dt* Reduction for 10-kV SiC MOSFET-Based Medium Voltage Modular Multilevel Converter. *Ji, S.*, +, *TPEL Nov. 2020 12533-12543*

A Quasi-Three-Level PWM Scheme to Combat Motor Overvoltage in SiC-Based Single-Phase Drives. *Diab, M.S.*, +, *TPEL Dec. 2020 12639-12645*

A Reliable Ultrafast Short-Circuit Protection Method for E-Mode GaN HEMT. *Lyu, X.*, +, *TPEL Sept. 2020 8926-8933*

A Review of Switching Oscillations of Wide Bandgap Semiconductor Devices. *Chen, J.*, +, *TPEL Dec. 2020 13182-13199*

A Si/SiC Hybrid Five-Level Active NPC Inverter With Improved Modulation Scheme. *Zhang, L.*, +, *TPEL May 2020 4835-4846*

A SiC CMOS Linear Voltage Regulator for High-Temperature Applications. *Murphree, R.C.*, +, *TPEL Jan. 2020 913-923*

A SiC MOSFET and Si IGBT Hybrid Modular Multilevel Converter With Specialized Modulation Scheme. *Yin, T.*, +, *TPEL Dec. 2020 12623-12628*

A Wire Bondless SiC Switching Cell With a Vertically Integrated Gate Driver. *Seal, S.*, +, *TPEL Sept. 2020 9690-9699*

A Zero-Voltage-Switching, Physically Flexible Multilevel GaN DC–DC Converter. *Chou, D.*, +, *TPEL Jan. 2020 1064-1073*

Accurate Analytical Switching-On Loss Model of SiC MOSFET Considering Dynamic Transfer Characteristic and Q_{gd}. *Dong, Z.*, +, *TPEL Nov. 2020 12264-12273*

Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter. *Li, K.*, +, *TPEL Sept. 2020 9650-9660*

Active Gate Delay Time Control of Si/SiC Hybrid Switch for Junction Temperature Balance Over a Wide Power Range. *Li, Z.*, +, *TPEL May 2020 5354-5365*

An Automated Model Tuning Procedure for Optimizing Prediction of Transient and Dispersive Behavior in Wide Bandgap Semiconductor FETs. *Sellers, A.J.*, +, *TPEL Nov. 2020 12252-12263*

Analysis and Cancellation of Leakage Current Through Power Module Baseplate Capacitance. *Brovont, A.D.*, +, *TPEL May 2020 4678-4688*

Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*

Analysis and Design of a Low-Cost Well-Performance and Easy-to-Design Current Sensing Circuit Suitable for SiC mosfets. *Yang, C.*, +, *TPEL Dec. 2020 13356-13366*

Analysis and Design of an *RC* Snubber Circuit to Suppress False Triggering Oscillation for GaN Devices in Half-Bridge Circuits. *Chen, J.*, +, *TPEL March 2020 2690-2704*

Cascode GaN/SiC: A Wide-Bandgap Heterogenous Power Device for High-Frequency Applications. *Xu, J.*, +, *TPEL June 2020 6340-6349*

Characterization and Modeling of Frequency-Dependent On-Resistance for GaN Devices at High Frequencies. *Wang, K.*, +, *TPEL May 2020 4925-4933*

Characterization of a 3.3-kV Si-SiC Hybrid Power Module in Half-Bridge Topology for Traction Inverter Application. *Li, D.*, +, *TPEL Dec. 2020 13429-13440*

Charge Pump Gate Drive to Reduce Turn-ON Switching Loss of SiC MOSFETs. *Gui, H.*, +, *TPEL Dec. 2020 13136-13147*

Chips Classification for Suppressing Transient Current Imbalance of Parallel-Connected Silicon Carbide MOSFETs. *Ke, J.*, +, *TPEL April 2020 3963-3972*

CMOS Active Gate Driver for Closed-Loop dv/dt Control of GaN Transistors. *Bau, P.*, +, *TPEL Dec. 2020 13322-13332*

Compact Sandwiched Press-Pack SiC Power Module With Low Stray Inductance and Balanced Thermal Stress. *Chang, Y.*, +, *TPEL March 2020 2237-2241*

Comparative Temperature Dependent Evaluation and Analysis of 1.2-kV SiC Power Diodes for Extreme Temperature Applications. *Qi, J.*, +, *TPEL Dec. 2020 13384-13399*

Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*

Current Balancing of Paralleled SiC mosfets for a Resonant Pulsed Power Converter. *Wu, Q.*, +, *TPEL June 2020 5557-5561*

Design and Assessment of External Insulation for Critical Components in a Medium Voltage SiC-Based Converter via Optical Method. *Zhang, C.*, +, *TPEL Dec. 2020 12887-12897*

Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC–DC Converter Using SiC-MOSFET/SBD H-Bridge Modules. *Haneda, R.*, +, *TPEL Oct. 2020 10013-10025*

Design of a GaN-Based Interleaved Nine-Level Flying Capacitor Multilevel Inverter for Electric Aircraft Applications. *Modeer, T.*, +, *TPEL Nov. 2020 12153-12165*

Design of a Paralleled SiC MOSFET Half-Bridge Unit With Distributed Arrangement of DC Capacitors. *Qu, J.*, +, *TPEL Oct. 2020 10879-10891*

Design, Analysis, and Discussion of Short Circuit and Overload Gate-Driver Dual-Protection Scheme for 1.2-kV, 400-A SiC MOSFET Modules. *Sun, K.*, +, *TPEL March 2020 3054-3068*

Design, Operation, and Loss Characterization of a 1-kW GaN-Based Three-Level Converter at Cryogenic Temperatures. *Barth, C.B.*, +, *TPEL Nov. 2020 12040-12052*

Diode Evaluation and Series Diode Balancing for High-Voltage High-Frequency Power Converters. *He, Y.*, +, *TPEL June 2020 6301-6314*

Dynamic on-Resistance in GaN-on-Si HEMTs: Origins, Dependencies, and Future Characterization Frameworks. *Zulauf, G.*, +, *TPEL June 2020 5581-5588*

Dynamic Switching of SiC Power MOSFETs Based on Analytical Subcircuit Model. *Talesara, V.*, +, *TPEL Sept. 2020 9680-9689*

Effect of Asymmetric Layout and Unequal Junction Temperature on Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Zhao, C.*, +, *TPEL July 2020 7392-7404*

Electroluminescence-Based Junction Temperature Measurement Approach for SiC Power MOSFETs. *Winkler, J.*, +, *TPEL March 2020 2990-2998*

Electrothermal Cosimulation for Predicting the Power Loss and Temperature of SiC MOSFET Dies Assembled in a Power Module. *Nakamura, Y.*, +, *TPEL March 2020 2950-2958*

Evaluation of Aging's Effect on Temperature-Sensitive Electrical Parameters in SiC mosfets. *Yang, F.*, +, *TPEL June 2020 6315-6331*

Evaluation of Different Si/SiC Hybrid Three-Level Active NPC Inverters for High Power Density. *Zhang, L.*, +, *TPEL Aug. 2020 8224-8236*

High Off-State Impedance Gate Driver of SiC MOSFETs for Crosstalk Voltage Elimination Considering Common-Source Inductance. *Li, C.*, +, *TPEL March 2020 2999-3011*

High-Efficiency SiC-Based Isolated Three-Port DC/DC Converters for Hybrid Charging Stations. *Dao, N.D.*, +, *TPEL Oct. 2020 10455-10465*

High-Scalability Enhanced Gate Drivers for SiC MOSFET Modules With Transient Immunity Beyond 100 V/ns. *Wang, J.*, +, *TPEL Oct. 2020 10180-10199*

How Can a Cutting-Edge Gallium Nitride High-Electron-Mobility Transistor Encounter Catastrophic Failure Within the Acceptable Temperature Range?. *Song, S.*, +, *TPEL July 2020 6711-6718*

Impact on ZVS Operation by Splitting Inductance to Both Sides of Transformer for 1-MHz GaN Based DAB Converter. *Xiao, Y.*, +, *TPEL Nov. 2020 11988-12002*

Improved Methodology for Parasitic Characterization of High-Performance Power Modules. *DeBoi, B.T.*, +, *TPEL Dec. 2020 13400-13408*

Improving Surge Current Capability of SiC Merged PiN Schottky Diode by Adding Plasma Spreading Layers. *Ren, N.*, +, *TPEL Nov. 2020 11316-11320*

Integrated Coupled Inductors With Functionality of Current Balancing Transformer for Two-Phase Synchronous DC–DC Converters. *Dou, Y.*, +, *TPEL May 2020 4472-4476*

Investigation and Failure Mode of Asymmetric and Double Trench SiC mosfets Under Avalanche Conditions. *Deng, X.*, +, *TPEL Aug. 2020 8524-8531*

Investigation on the Short-Circuit Oscillation of Cascode GaN HEMTs. *Xue, P.*, +, *TPEL June 2020 6292-6300*

Isolated Ultrafast Gate Driver with Variable Duty Cycle for Pulse and VHF Power Electronics. *Zan, X.*, +, *TPEL Dec. 2020 12678-12685*

Measurement of Large-Signal C_{OSS} and C_{OSS} Losses of Transistors Based on Nonlinear Resonance. *Samizadeh Nikoo, M.*, +, *TPEL March 2020 2242-2246*

Mechanism Model and Prediction Method of Common Mode Radiation for a Nonisolated Very-High-Frequency DC–DC Converter With Cables. *He, J.*, +, *TPEL Oct. 2020 10227-10237*

Microchannel Thermal Management System With Two-Phase Flow for Power Electronics Over 500 W/cm^2 Heat Dissipation. *Hou, F.*, +, *TPEL Oct. 2020 10592-10600*

Modeling and Mitigation of Multiloops Related Device Overvoltage in Three-Level Active Neutral Point Clamped Converter. *Gui, H.*, +, *TPEL Aug. 2020 7947-7959*

Modeling and Validation of Common-Mode Emissions in Wide Bandgap-Based Converter Structures. *Lemmon, A.N.*, +, *TPEL Aug. 2020 8034-8049*

Modeling Avalanche Induced Degradation for 4H-SiC Power MOSFETs. *Wei, J.*, +, *TPEL Nov. 2020 11299-11303*

Negative Resistance in Cascode Transistors. *Nikoo, M.S.*, +, *TPEL Oct. 2020 9978-9981*

New Insights on Output Capacitance Losses in Wide-Band-Gap Transistors. *Nikoo, M.S.*, +, *TPEL July 2020 6663-6667*

On the Optimization of a Class-E Power Amplifier With GaN HEMTs at Megahertz Operation. *Surakitbovorn, K.N.*, +, *TPEL April 2020 4009-4023*

Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*

Optimized Design of Multi-MHz Frequency Isolated Auxiliary Power Supply for Gate Drivers in Medium-Voltage Converters. *Spro, O.C.*, +, *TPEL Sept. 2020 9494-9509*

Overview of Digital Design and Finite-Element Analysis in Modern Power Electronic Packaging. *Jorgensen, A.B.*, +, *TPEL Oct. 2020 10892-10905*

Passive Resonant Level Shifter for Suppression of Crosstalk Effect and Reduction of Body Diode Loss of SiC MOSFETs in Bridge Legs. *Tang, H.*, +, *TPEL July 2020 7204-7225*

Physics-Oriented Device Model for Packaged GaN Devices. *Mahajan, D.D.*, +, *TPEL June 2020 6332-6339*

Piezoelectric Properties of GaN-on-Si Heterostructures and Their Implications on Lifetime During Switching Operation. *Pribahsnik, F.P.*, +, *TPEL Oct. 2020 10873-10878*

Power Loss Model and Device Sizing Optimization of Si/SiC Hybrid Switches. *Li, Z.*, +, *TPEL Aug. 2020 8512-8523*

Progress of Ultra-Wide Bandgap Ga_2O_3 Semiconductor Materials in Power MOSFETs. *Zhang, H.*, +, *TPEL May 2020 5157-5179*

Push–Pull Class Φ_2 RF Power Amplifier. *Gu, L.*, +, *TPEL Oct. 2020 10515-10531*

Reducing Migration of Sintered Ag for Power Devices Operating at High Temperature. *Li, D.*, +, *TPEL Dec. 2020 12646-12650*

Reflected Wave Phenomenon in SiC Motor Drives: Consequences, Boundaries, and Mitigation. *Narayanasamy, B.*, +, *TPEL Oct. 2020 10629-10642*

Review of Loss Distribution, Analysis, and Measurement Techniques for GaN HEMTs. *Gareau, J.*, +, *TPEL July 2020 7405-7418*

Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*

Semiconductor-Based Galvanic Isolation: Touch Current Suppression. *Yao, C.*, +, *TPEL Jan. 2020 48-58*
SiC-Based 4 MHz 10 kW ZVS Inverter With Fast Resonance Frequency Tracking Control for High-Density Plasma Generators. *Park, S.*, +, *TPEL March 2020 3266-3275*
Simple and Affordable Method for Fast Transient Measurements of SiC Devices. *Garrido, D.*, +, *TPEL March 2020 2933-2942*
Single Pulse Unclamped-Inductive-Switching Induced Failure and Analysis for 650 V p-GaN HEMT. *Liu, S.*, +, *TPEL Nov. 2020 11328-11331*
Single-Pulse Avalanche Failure Investigations of Si-SJ-mosfet and SiC-mosfet by Step-Control Infrared Thermography Method. *Liu, S.*, +, *TPEL May 2020 5180-5189*
Stepwise Design Methodology and Heterogeneous Integration Routine of Air-Cooled SiC Inverter for Electric Vehicle. *Zeng, Z.*, +, *TPEL April 2020 3973-3988*
Surge-Energy and Overvoltage Ruggedness of P-Gate GaN HEMTs. *Zhang, R.*, +, *TPEL Dec. 2020 13409-13419*
Three-Terminal Si/SiC Hybrid Switch. *Song, X.*, +, *TPEL Sept. 2020 8867-8871*
Voltage Balancing Control of Series-Connected SiC MOSFETs by Using Energy Recovery Snubber Circuits. *Zhang, F.*, +, *TPEL Oct. 2020 10200-10212*
Wide-Bandgap Semiconductor HF-Oscillation Attenuation Method With Tuned Gate *R+L+C* Filter. *Aretxabaleta, I.*, +, *TPEL Aug. 2020 8025-8033*

Wind power plants
A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*
A Novel DC Chopper With MOV-Based Modular Solid-State Switch and Concentrated Dissipation Resistor for ±400 kV/1100 MW Offshore Wind VSC-HVDC System. *Xu, C.*, +, *TPEL May 2020 4483-4488*
An Inductive Filtering-Based Parallel Operating Transformer With Shared Filter for Power Quality Improvement of Wind Farm. *Liu, Q.*, +, *TPEL Sept. 2020 9281-9290*
An MRAS Speed Observer Based on Control Winding Flux for Sensorless Control of Stand-Alone BDFIGs. *Xu, W.*, +, *TPEL July 2020 7271-7281*
Drift-Free Perturb and Observe MPPT Algorithm With Improved Performance for SEIG-Based Stand-Alone Wind Energy Generation System. *Mishra, J.*, +, *TPEL June 2020 5842-5849*
Grounding Fault in Series-Connection-Based Offshore Wind Farms: Fault Clearance. *Guo, G.*, +, *TPEL Sept. 2020 9357-9367*
HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm. *Guo, G.*, +, *TPEL March 2020 2646-2658*
Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters. *Xu, W.*, +, *TPEL May 2020 4959-4970*
Modeling of Nine-Switch-Converter Based on Virtual Leg and Its Application in DFIG Wind Generation System. *Wang, K.*, +, *TPEL July 2020 7674-7688*
Nonlinear Control Operation of DFIG-Based WECS Incorporated With Machine Loss Reduction Scheme. *Amin, I.K.*, +, *TPEL July 2020 7031-7044*
Sequence Impedance Modeling and Analysis of MMC in Single-Star Configuration. *Zhang, Y.*, +, *TPEL Jan. 2020 334-346*
Stability Assessment of DFIG Subsynchronous Oscillation Based on Energy Dissipation Intensity Analysis. *Ma, J.*, +, *TPEL Aug. 2020 8074-8087*
Three-Phase Four-Switch Converter for SPMS Generators Based on Model Predictive Current Control for Wave Energy Applications. *Zarei, M.E.*, +, *TPEL Jan. 2020 289-302*

Wind speed
Two-Variable Admittance Model for D-PMSG-Based Wind Turbine and Stability Criterion Based on Magnitude and Phase Contour Plot. *Zou, X.*, +, *TPEL Feb. 2020 1484-1498*

Wind turbines
A Highly Effective Fault-Ride-Through Strategy for a Wind Energy Conversion System With a Doubly Fed Induction Generator. *Jabbour, N.*, +, *TPEL Aug. 2020 8154-8164*
A Power Module for Grid Inverter With In-Built Short-Circuit Fault Current Capability. *Shao, W.*, +, *TPEL Oct. 2020 10567-10579*
Accurate Rotor Speed Estimation for Low-Power Wind Turbines. *Guerrero, J.M.*, +, *TPEL Jan. 2020 373-381*
Analysis and Reshaping on Impedance Characteristic of DFIG System Based on Symmetrical PLL. *Nian, H.*, +, *TPEL Nov. 2020 11720-11730*
Dynamic Stability Analysis and Improved LVRT Schemes of DFIG-Based Wind Turbines During a Symmetrical Fault in a Weak Grid. *Liu, R.*, +, *TPEL Jan. 2020 303-318*
Improved Collaborative Control of Standalone Brushless Doubly Fed Induction Generator Under Unbalanced and Nonlinear Loads Considering Voltage Rating of Converters. *Xu, W.*, +, *TPEL May 2020 4959-4970*
Perturbation Estimation Based Nonlinear Adaptive Power Decoupling Control for DFIG Wind Turbine. *Shi, K.*, +, *TPEL Jan. 2020 319-333*
Two-Variable Admittance Model for D-PMSG-Based Wind Turbine and Stability Criterion Based on Magnitude and Phase Contour Plot. *Zou, X.*, +, *TPEL Feb. 2020 1484-1498*

Windings
A 50-kW Three-Phase Wireless Power Transfer System Using Bipolar Windings and Series Resonant Networks for Rotating Magnetic Fields. *Pries, J.*, +, *TPEL May 2020 4500-4517*
A Lithium-Ion Battery Balancing Circuit Based on Synchronous Rectification. *Shang, Y.*, +, *TPEL Feb. 2020 1637-1648*
Analysis and Comparison of Push–Pull Class-E Inverters With Magnetic Integration for Megahertz Wireless Power Transfer. *Huang, X.*, +, *TPEL Jan. 2020 565-577*
Design Guidelines of Inductive Coils Using a Polymer Bonded Magnetic Composite for Inductive Power Transfer Systems in Electric Vehicles. *Delgado, A.*, +, *TPEL Aug. 2020 7884-7893*
Design Methodology for Inductor-Integrated Litz-Wired High-Power Medium-Frequency Transformer With the Nanocrystalline Core Material for Isolated DC-Link Stage of Solid-State Transformer. *Chen, B.*, +, *TPEL Nov. 2020 11557-11573*
Detection and Classification of Turn Fault and High Resistance Connection Fault in Permanent Magnet Machines Based on Zero Sequence Voltage. *Hu, R.*, +, *TPEL Feb. 2020 1922-1933*
Fast and Accurate Thermal Modeling of Magnetic Components by FEA-Based Homogenization. *Salinas Lopez, G.*, +, *TPEL Feb. 2020 1830-1844*
High Power Density 48–12 V DCX With 3-D PCB Winding Transformer. *Li, G.*, +, *TPEL Feb. 2020 1189-1193*
Novel Highly Efficient/Compact Automotive PCB Winding Inductors Based on the Compensating Air-Gap Fringing Field Concept. *Schafer, J.*, +, *TPEL Sept. 2020 9617-9631*

Wireless LAN
IoT-Based DC/DC Deep Learning Power Converter Control: Real-Time Implementation. *Gheisarnejad, M.*, +, *TPEL Dec. 2020 13621-13630*

Wireless power transfer
An Enhanced Multiple Harmonics Analysis Method for Wireless Power Transfer Systems. *Fang, Y.*, +, *TPEL Feb. 2020 1205-1216*

Wireless sensor networks
A Leaf-Shaped Triboelectric Nanogenerator for Multiple Ambient Mechanical Energy Harvesting. *Jiang, D.*, +, *TPEL Jan. 2020 25-32*

Wires
Fast and Accurate Thermal Modeling of Magnetic Components by FEA-Based Homogenization. *Salinas Lopez, G.*, +, *TPEL Feb. 2020 1830-1844*

Wires (electric)
Accurate Calculation and Sensitivity Analysis of Leakage Inductance of High-Frequency Transformer With Litz Wire Winding. *Zhang, K.*, +, *TPEL April 2020 3951-3962*
Conversion Efficiency of the Buck Three-Level DC–DC Converter in Unbalanced Bipolar DC Microgrids. *Broeck, G.V.d.*, +, *TPEL Sept. 2020 9306-9319*
Equivalent Conductor Layer for Fast 3-D Finite Element Simulations of Inductive Power Transfer Coils. *Delgado, A.*, +, *TPEL June 2020 6221-6230*
Thermal Modeling of Inductor and Transformer Windings Including Litz Wire. *Kyaw, P.A.*, +, *TPEL Jan. 2020 867-881*

X

X-ray diffraction

Reliability Enhancement of a Power Semiconductor With Optimized Solder Layer Thickness. *R, E.*, +, *TPEL June 2020 6397-6404*

Z

Zero current switching

C_{oss} Loss Tangent of Field-Effect Transistors: Generalizing High-Frequency Soft-Switching Losses. *Perera, N.*, +, *TPEL Dec. 2020 12585-12589*

A 100-kW SiC Switched Tank Converter for Transportation Electrification. *Ni, Z.*, +, *TPEL June 2020 5770-5784*

A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*

A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*

A Family of Step-Up Series–Parallel Dual Resonant Switched-Capacitor Converters With Wide Regulation Range. *Xie, W.*, +, *TPEL March 2020 2724-2736*

A Fully Soft Switched Point-of-Load Converter for Resource Constraint Drone Applications. *Qu, Y.*, +, *TPEL March 2020 2705-2713*

A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress. *Hassan, W.*, +, *TPEL Nov. 2020 11827-11842*

A High Peak Output Power and High Power Conversion Efficiency SIMIMO Converter Using Optimal on-Time Control and Hybrid Zero Current Switching for Energy Harvesting Systems in IoT Applications. *Jung, J.*, +, *TPEL Aug. 2020 8261-8275*

A Hybrid Control of a Semidual-Active-Bridge DC–DC Converter With Minimum Current Stress. *Lu, M.*, +, *TPEL March 2020 3085-3096*

A Hybrid Modulation Method for Single-Stage Soft-Switching Inverter Based on Series Resonant Converter. *Yeh, C.*, +, *TPEL June 2020 5785-5796*

A Hybrid Modulation Strategy Providing Lower Inductor Current for the DAB Converter With the Aid of DC Blocking Capacitors. *Liu, P.*, +, *TPEL April 2020 4309-4320*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Magnetically Controlled Single-Stage AC–DC Converter. *Wei, Y.*, +, *TPEL Sept. 2020 8872-8877*

A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications. *Huang, Y.*, +, *TPEL May 2020 4613-4621*

A New Soft-Switched Three-Port DC/DC Converter With High Voltage Gain and Reduced Number of Semiconductors for Hybrid Energy Applications. *Dobakhshari, S.S.*, +, *TPEL April 2020 3590-3600*

A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*

A QR-ZCS Boost Converter With Tapped Inductor and Active Edge-Resonant Cell. *Harasimczuk, M., TPEL Dec. 2020 13085-13095*

A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*

A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder. *Pal, A.*, +, *TPEL April 2020 3601-3615*

A Single-Switch High-Gain PV Microconverter With Low-Switch-Voltage-to-High-Voltage-Bus Ratio. *Kanathipan, K.*, +, *TPEL Sept. 2020 9530-9540*

A Single-Switch Single-Magnetic Core High Conversion Ratio Converter With Low Input Current Ripple and Wide Soft-Switching Range for Photovoltaic Applications. *Heidari, M.*, +, *TPEL July 2020 7226-7234*

A Soft-Switched Modulation for a Single-Phase Quasi-Z-Source-Integrated Charger in Electric Vehicle Application. *Na, T.*, +, *TPEL May 2020 4602-4612*

A Step-Up Nonisolated Modular Multilevel DC–DC Converter With Self-Voltage Balancing and Soft Switching. *Sun, C.*, +, *TPEL Dec. 2020 13017-13030*

A Zero-Voltage and Zero-Current Switching Interleaved Two-Switch Forward Converter With Passive Auxiliary Resonant Circuit. *Chu, E.*, +, *TPEL May 2020 4859-4876*

Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*

An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*

An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*

An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications. *Zhang, Z.*, +, *TPEL Nov. 2020 11544-11556*

An Ultrahigh Step-Up Quadratic Boost Converter Based on Coupled-Inductor. *Hu, R.*, +, *TPEL Dec. 2020 13200-13209*

Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter. *Pineda, C.*, +, *TPEL July 2020 6906-6915*

Auxiliary Power Supply for Medium-/High-Voltage and High-Power Solid-State Transformers. *Liu, J.*, +, *TPEL May 2020 4791-4803*

Bidirectional LCLL Resonant Converter With Wide Output Voltage Range. *Zhang, Y.*, +, *TPEL Nov. 2020 11813-11826*

Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*

Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*

Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*

Efficient High Step-Up Operation in Boost Converters Based on Impulse Rectification. *Samizadeh Nikoo, M.*, +, *TPEL Nov. 2020 11287-11293*

Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*

Full-Range Soft-Switching Pulse Frequency Modulated Wireless Power Transfer. *Liu, W.*, +, *TPEL June 2020 6533-6547*

Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*

Multi-Resonance-Core-Based Dickson Resonant Switched-Capacitor Converters With Wide Regulation. *Li, S.*, +, *TPEL Feb. 2020 1685-1698*

Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*

Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*

Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load. *Fernandez, M.*, +, *TPEL May 2020 5221-5237*

Properties and Synthesis of Lossless Snubbers and Passive Soft-Switching PWM Converters. *Yu, X.*, +, *TPEL April 2020 3807-3827*

Reactive Power Optimization Control for Bidirectional Dual-Tank Resonant DC–DC Converters for Fuel Cells Systems. *Wu, J.*, +, *TPEL Sept. 2020 9202-9214*

Resonant Bridgeless AC/DC Rectifier With High Switching Frequency and Inherent PFC Capability. *Valipour, H.*, +, *TPEL Jan. 2020 232-246*

Soft-Switching Techniques for Single-Inductor Multiple-Output LED Drivers. *Qu, Y.*, +, *TPEL Dec. 2020 13748-13756*

Switching and Conduction Loss Reduction of Dual-Buck Full-Bridge Inverter Through ZVT Soft-Switching Under Full-Cycle Modulation. *Kou, B.*, +, *TPEL May 2020 5031-5046*

The Cascaded Resonant Converter: A Hybrid Switched-Capacitor Topology With High Power Density and Efficiency. *Ye, Z.*, +, *TPEL May 2020 4946-4958*

Zero-Voltage and Zero-Current Switching Dual-Transformer-Based Full-Bridge Converter With Current Doubler Rectifier. *Zhao, L.*, +, *TPEL Dec. 2020 12949-12958*

ZVZCS Full-Bridge Three-Level DC/DC Converter With Reduced Device Count. *Liu, D.*, +, *TPEL Oct. 2020 9965-9970*

Zero voltage switching

C_{oss} Loss Tangent of Field-Effect Transistors: Generalizing High-Frequency Soft-Switching Losses. *Perera, N.*, +, *TPEL Dec. 2020 12585-12589*

A 2-kV Charge-Based ZVS Three-Level Inverter. *Settels, S.J.*, +, *TPEL April 2020 3450-3465*

A Bridgeless AC/DC High Voltage Gain Converter With Three-Phase Modular Series-Output Connected Configuration for MVDC Grid Applications. *Abbasi, M.*, +, *TPEL Oct. 2020 10323-10337*

A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance. *Chakraborty, S.*, +, *TPEL March 2020 2615-2628*

A Family of Dual Resonant Switched-Capacitor Converter With Passive Regenerative Snubber. *Xie, W.*, +, *TPEL May 2020 4891-4904*

A Family of ZVT DC–DC Converters With Low-Voltage Ringing. *Tran, H.N.*, +, *TPEL Jan. 2020 59-69*

A Flexible Mode Electrolytic Capacitor-Free LED Driver With High Efficiency Over a Wide Range of Input Voltage. *Zeng, J.*, +, *TPEL Aug. 2020 8490-8500*

A Fully Soft Switched Point-of-Load Converter for Resource Constraint Drone Applications. *Qu, Y.*, +, *TPEL March 2020 2705-2713*

A High Conversion Ratio and High-Efficiency Bidirectional DC–DC Converter With Reduced Voltage Stress. *Hassan, W.*, +, *TPEL Nov. 2020 11827-11842*

A High Gain Multiport DC–DC Converter for Integrating Energy Storage Devices to DC Microgrid. *Chaudhury, T.*, +, *TPEL Oct. 2020 10501-10514*

A Hybrid Boundary Conduction Modulation for a Single-Phase H-bridge Inverter to Alleviate Zero-Crossing Distortion and Enable Reactive Power Capability. *Yin, H.*, +, *TPEL Aug. 2020 8311-8323*

A Hybrid Control of a Semidual-Active-Bridge DC–DC Converter With Minimum Current Stress. *Lu, M.*, +, *TPEL March 2020 3085-3096*

A Hybrid Modulation Method for Single-Stage Soft-Switching Inverter Based on Series Resonant Converter. *Yeh, C.*, +, *TPEL June 2020 5785-5796*

A Hybrid Modulation Strategy Providing Lower Inductor Current for the DAB Converter With the Aid of DC Blocking Capacitors. *Liu, P.*, +, *TPEL April 2020 4309-4320*

A Hybrid String-Inverter/Rectifier Soft-Switched Bidirectional DC/DC Converter. *Emamalipour, R.*, +, *TPEL Aug. 2020 8200-8214*

A Joint Control With Variable ZVS Angles for Dynamic Efficiency Optimization in Wireless Power Transfer System. *Jiang, Y.*, +, *TPEL Oct. 2020 11064-11081*

A Magnetically Controlled Single-Stage AC–DC Converter. *Wei, Y.*, +, *TPEL Sept. 2020 8872-8877*

A Modified Asymmetrical Half-Bridge Flyback Converter for Step-Down AC–DC Applications. *Huang, Y.*, +, *TPEL May 2020 4613-4621*

A New Soft-Switched Three-Port DC/DC Converter With High Voltage Gain and Reduced Number of Semiconductors for Hybrid Energy Applications. *Dobakhshari, S.S.*, +, *TPEL April 2020 3590-3600*

A Novel DCM Soft-Switched SEPIC-Based High-Frequency Converter With High Step-Up Capacity. *Gao, S.*, +, *TPEL Oct. 2020 10444-10454*

A Novel Interleaved Nonisolated Bidirectional DC–DC Converter With High Voltage-Gain and Full-Range ZVS. *Yan, Z.*, +, *TPEL July 2020 7191-7203*

A Novel Multiresonant DC–DC Converter With Wide Output-Voltage Range. *Zhao, Q.*, +, *TPEL June 2020 5625-5638*

A Novel ZVS High-Step-Up Converter With Built-In Transformer Voltage Multiplier Cell. *Nouri, T.*, +, *TPEL Dec. 2020 12871-12886*

A Push–Pull Parallel Resonant Converter-Based Bidirectional IPT System. *Zhao, L.*, +, *TPEL March 2020 2659-2667*

A Reduced-Switch-Count Family of Soft-Switched High-Frequency Inductive AC-Link Converters. *Mozaffari, K.*, +, *TPEL Aug. 2020 7972-7990*

A Single-Stage Dynamically Compensated IPT Converter With Unity Power Factor and Constant Output Voltage Under Varying Coupling Condition. *Wong, C.S.*, +, *TPEL Oct. 2020 10121-10136*

A Single-Stage Inductive-Power-Transfer Converter for Constant-Power and Maximum-Efficiency Battery Charging. *Huang, Z.*, +, *TPEL Sept. 2020 8973-8984*

A Single-Stage Soft-Switched Isolated Three-Phase DC–AC Converter With Three-Phase Unfolder. *Pal, A.*, +, *TPEL April 2020 3601-3615*

A Single-Switch High-Gain PV Microconverter With Low-Switch-Voltage-to-High-Voltage-Bus Ratio. *Kanathipan, K.*, +, *TPEL Sept. 2020 9530-9540*

A Single-Switch Single-Magnetic Core High Conversion Ratio Converter With Low Input Current Ripple and Wide Soft-Switching Range for Photovoltaic Applications. *Heidari, M.*, +, *TPEL July 2020 7226-7234*

A Soft-Switched Modulation for a Single-Phase Quasi-Z-Source-Integrated Charger in Electric Vehicle Application. *Na, T.*, +, *TPEL May 2020 4602-4612*

A Step-Up Nonisolated Modular Multilevel DC–DC Converter With Self-Voltage Balancing and Soft Switching. *Sun, C.*, +, *TPEL Dec. 2020 13017-13030*

A Study of T-Type and ZVS-PWM Full-Bridge Converters for Switch-Mode Power Supplies. *Khodabakhsh, J.*, +, *TPEL July 2020 7145-7159*

A Three-Phase Dual-Active-Bridge DC–DC Converter With Reconfigurable Resonant Network for Efficient Wide Voltage Range Operation. *Khan, A.Z.*, +, *TPEL Feb. 2020 1322-1339*

A Three-Phase Three-Level Isolated DC–AC Converter With Line Frequency Unfolding. *Pal, A.*, +, *TPEL Nov. 2020 11758-11769*

A Wireless Power Transfer System With Dual Switch-Controlled Capacitors for Efficiency Optimization. *Zhang, J.*, +, *TPEL June 2020 6091-6101*

A Zero-Voltage and Zero-Current Switching Interleaved Two-Switch Forward Converter With Passive Auxiliary Resonant Circuit. *Chu, E.*, +, *TPEL May 2020 4859-4876*

A Zero-Voltage-Switching, Physically Flexible Multilevel GaN DC–DC Converter. *Chou, D.*, +, *TPEL Jan. 2020 1064-1073*

Accurate Measurement of Dynamic on-State Resistances of GaN Devices Under Reverse and Forward Conduction in High Frequency Power Converter. *Li, K.*, +, *TPEL Sept. 2020 9650-9660*

Active Magnetizing Current Splitting ZVS Modulation of a 7 kV/400 V DC Transformer. *Guillod, T.*, +, *TPEL Feb. 2020 1293-1305*

Active-Clamped Zero-Current Switching Current-Fed Half-Bridge Converter. *Moraes, C.F.*, +, *TPEL July 2020 7100-7109*

Affine Nonlinear Control of a Multivariate Inductive Power Transfer System With Exact Linearization. *Cheng, C.*, +, *TPEL Dec. 2020 12728-12740*

An *LLC*-Based Highly Efficient S2M and C2C Hybrid Hierarchical Battery Equalizer. *Peng, F.*, +, *TPEL June 2020 5928-5937*

An Improved *LLC* Resonant Converter With Reconfigurable Hybrid Voltage Multiplier and PWM-Plus-PFM Hybrid Control for Wide Output Range Applications. *Tang, X.*, +, *TPEL Jan. 2020 185-197*

An Improved Pulse Density Modulation Strategy Based on Harmonics for ICPT System. *Sheng, X.*, +, *TPEL July 2020 6810-6819*

An Integrated Inductive Power Transfer System Design With a Variable Inductor for Misalignment Tolerance and Battery Charging Applications. *Zhang, Z.*, +, *TPEL Nov. 2020 11544-11556*

An Optimal Variable Frequency Phase Shift Control Strategy for ZVS Operation Within Wide Power Range in IPT Systems. *Hu, H.*, +, *TPEL May 2020 5517-5530*

Analysis and Comparison of Push–Pull Class-E Inverters With Magnetic Integration for Megahertz Wireless Power Transfer. *Huang, X.*, +, *TPEL Jan. 2020 565-577*

Analysis and Comparison of the Radiated Electromagnetic Interference Generated by Power Converters With Si MOSFETs and GaN HEMTs. *Zhang, Y.*, +, *TPEL Aug. 2020 8050-8062*

Analysis and Design of the LLC LED Driver Based on State-Space Representation Direct Time-Domain Solution. *Menke, M.F.*, +, *TPEL Dec. 2020 12686-12701*

Asymmetrical Triangular Current Mode (ATCM) for Bidirectional High Step Ratio Modular Multilevel Dc–Dc Converter. *Pineda, C.*, +, *TPEL July 2020 6906-6915*

Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter. *Liu, D.*, +, *TPEL Feb. 2020 2008-2022*

Bidirectional LCLL Resonant Converter With Wide Output Voltage Range. *Zhang, Y.*, +, *TPEL Nov. 2020 11813-11826*

Bifurcation Limits and Non-Idealities Effects in a Three-Phase Dynamic IPT System. *Iruretagoyena, U.*, +, *TPEL Jan. 2020 208-219*

Capacitor Voltage Balancing for Neutral Point Clamped Dual Active Bridge Converters. *Awal, M.A.*, +, *TPEL Oct. 2020 11267-11276*

Cascode GaN/SiC: A Wide-Bandgap Heterogenous Power Device for High-Frequency Applications. *Xu, J.*, +, *TPEL June 2020 6340-6349*

Comparison of Wide-Band-Gap Technologies for Soft-Switching Losses at High Frequencies. *Jafari, A.*, +, *TPEL Dec. 2020 12595-12600*

Compound Voltage Clamped Class-E Converter With ZVS and Flexible Power Transfer for WPT System. *He, L.*, +, *TPEL July 2020 7123-7133*

Coupled Inductor-Based High Voltage Gain DC–DC Converter For Renewable Energy Applications. *Mirzaee, A.*, +, *TPEL July 2020 7045-7057*

Critical-Conduction-Mode-Based Soft-Switching Modulation for Three-Phase PV Inverters With Reactive Power Transfer Capability. *Huang, Z.*, +, *TPEL June 2020 5702-5713*

Deadband Effect and Accurate ZVS Boundaries of GaN-Based Dual-Active-Bridge Converters With Multiple-Phase-Shift Control. *Shi, H.*, +, *TPEL Sept. 2020 9886-9903*

Design and Analysis of Single-Phase Grid-Tied Inverter With PDM MPPT-Controlled Converter. *Karafil, A.*, +, *TPEL May 2020 4756-4766*

Desynchronizing Paralleled GaN HEMTs to Reduce Light-Load Switching Loss. *Shen, Y.*, +, *TPEL Sept. 2020 9151-9170*

Dual-Mode Modulation Scheme With Seamless Transition for a Tunable Immittance-Based DAB Converter Featuring High-Efficiency Performance Over Whole Output Power Range. *Chan, Y.P.*, +, *TPEL Sept. 2020 9184-9201*

Efficient High Step-Up Operation in Boost Converters Based on Impulse Rectification. *Samizadeh Nikoo, M.*, +, *TPEL Nov. 2020 11287-11293*

Enhanced DAB for Efficiency Preservation Using Adjustable-Tap High-Frequency Transformer. *Jafari, A.*, +, *TPEL July 2020 6673-6677*

Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. *Mohammed, M.S.*, +, *TPEL Nov. 2020 11332-11343*

Full-Range Soft-Switching Pulse Frequency Modulated Wireless Power Transfer. *Liu, W.*, +, *TPEL June 2020 6533-6547*

High Step-Up DC–DC Converter With Zero Voltage Switching and Low Input Current Ripple. *Zheng, Y.*, +, *TPEL Sept. 2020 9416-9429*

High-Efficiency Hybrid LLC Resonant Converter for On-Board Chargers of Plug-In Electric Vehicles. *Ta, L.A.D.*, +, *TPEL Aug. 2020 8324-8334*

High-Precision Control for ZVS Inverter to Reduce Nonlinear Distortion of Semiconductor Voltage Drop. *Zhang, H.*, +, *TPEL April 2020 3337-3342*

Hold-Up Time Extension Method for *LLC* Resonant Converter by Detecting Operation Region. *Park, M.*, +, *TPEL Oct. 2020 9949-9952*

Impact on ZVS Operation by Splitting Inductance to Both Sides of Transformer for 1-MHz GaN Based DAB Converter. *Xiao, Y.*, +, *TPEL Nov. 2020 11988-12002*

Improvement of ZVS Range and Current Quality of the Nine-Switch Single-Stage AC–DC Converter. *Ali, K.*, +, *TPEL May 2020 4658-4668*

Integrated Coupled Inductors With Functionality of Current Balancing Transformer for Two-Phase Synchronous DC–DC Converters. *Dou, Y.*, +, *TPEL May 2020 4472-4476*

Leakage Inductor Current Peak Optimization for Dual-Transformer Current-Fed Dual Active Bridge DC–DC Converter With Wide Input and Output Voltage Range. *Sha, D.*, +, *TPEL June 2020 6012-6024*

Modulation Method and Control Strategy for Full-Bridge-Based Swiss Rectifier to Achieve ZVS Operation and Suppress Low-Order Harmonics of Injected Current. *Zhang, B.*, +, *TPEL June 2020 6512-6522*

Modulation of Bidirectional AC/DC Converters Based on Half-Bridge Direct-Matrix Structure. *Dao, N.D.*, +, *TPEL Dec. 2020 12657-12662*

Modulation Scheme for the Bidirectional Operation of the Phase-Shift Full-Bridge Power Converter. *Escudero, M.*, +, *TPEL Feb. 2020 1377-1391*

Multimode Modulation With ZVS for a Single-Phase Single-Stage Inverter. *Serrano, D.*, +, *TPEL May 2020 5319-5330*

Multipower-Level Hysteresis Control for the Class E DC–DC Converters. *Li, Y.*, +, *TPEL May 2020 5279-5289*

Nonisolated Multiport Converters Based on Integration of PWM Converter and Phase-Shift-Switched Capacitor Converter. *Sato, Y.*, +, *TPEL Jan. 2020 455-470*

Novel High Step-Up Soft-Switching DC–DC Converter Based on Switched Capacitor and Coupled Inductor. *Zhang, X.*, +, *TPEL Sept. 2020 9471-9481*

Optimization of Extended Phase-Shift Control for Full-Bridge CLLC Resonant Converter With Improved Light-Load Efficiency. *Zhu, T.*, +, *TPEL Oct. 2020 11129-11142*

Optimum Hybrid Modulation for Improvement of Efficiency Over Wide Operating Range for Triple-Phase-Shift Dual-Active-Bridge Converter. *Bhattacharjee, A.K.*, +, *TPEL May 2020 4804-4818*

Output-Series Modular DC–DC Converter With Self-Voltage Balancing for Integrating Variable Energy Sources. *Sun, C.*, +, *TPEL Nov. 2020 11321-11327*

Parametric Optimization of a Three-Phase MCR WPT System With Cylinder-Shaped Coils Oriented by Soft-Switching Range and Stable Output Power. *Liu, F.*, +, *TPEL Jan. 2020 1036-1044*

Power Losses and Current Distribution Studies by Infrared Thermal Imaging in Soft- and Hard-Switched IGBTs Under Resonant Load. *Fernandez, M.*, +, *TPEL May 2020 5221-5237*

Properties and Synthesis of Lossless Snubbers and Passive Soft-Switching PWM Converters. *Yu, X.*, +, *TPEL April 2020 3807-3827*

Push–Pull Class Φ_2 RF Power Amplifier. *Gu, L.*, +, *TPEL Oct. 2020 10515-10531*

PWM Resonant Converter With Asymmetric Modulation for ZVS Active Voltage Doubler Rectifier and Forced Half Resonance in PV Application. *Kim, J.*, +, *TPEL Jan. 2020 508-521*

Reactive Power Optimization Control for Bidirectional Dual-Tank Resonant DC–DC Converters for Fuel Cells Systems. *Wu, J.*, +, *TPEL Sept. 2020 9202-9214*

Research on Single-Stage High-Frequency-Link SST Topology and Its Optimization Control. *Sun, X.*, +, *TPEL Aug. 2020 8701-8711*

Resonant Current Estimation and Phase-Locked Loop Feedback Design for Piezoelectric Transformer-Based Power Supplies. *Yang, Z.*, +, *TPEL Oct. 2020 10466-10476*

Resonant Inductance Design and Loss Analysis of a Novel Resonant DC Link Inverter. *Chu, E.*, +, *TPEL Feb. 2020 1392-1405*

Securing Full-Power-Range Zero-Voltage Switching in Both Steady-State and Transient Operations for a Dual-Active-Bridge-Based Bidirectional Electric Vehicle Charger. *Yan, Y.*, +, *TPEL July 2020 7506-7519*

SiC-Based 4 MHz 10 kW ZVS Inverter With Fast Resonance Frequency Tracking Control for High-Density Plasma Generators. *Park, S.*, +, *TPEL March 2020 3266-3275*

Single-Phase AC–DC Converter With Dual-Output Rectifier, Dual-Input DC Transformer, and Voltage-Split/Sigma Principle. *Jia, Y.*, +, *TPEL Jan. 2020 158-168*

Single-Stage Regulated Resonant WPT Receiver With Low Input Harmonic Distortion. *Li, K.*, +, *TPEL July 2020 6820-6829*

Switching and Conduction Loss Reduction of Dual-Buck Full-Bridge Inverter Through ZVT Soft-Switching Under Full-Cycle Modulation. *Kou, B.*, +, *TPEL May 2020 5031-5046*

Synchronous Rectifiers Drain Voltage Overshoot Reduction in PSFB Converters. *Escudero, M.*, +, *TPEL July 2020 7419-7433*

The Cascaded Resonant Converter: A Hybrid Switched-Capacitor Topology With High Power Density and Efficiency. *Ye, Z.*, +, *TPEL May 2020 4946-4958*

Three Phase Current-Fed Semi Dual Active Bridge DC–DC Converter With Hybrid Operating Mode Control. *Chen, D.*, +, *TPEL Feb. 2020 1649-1658*

Tunable Matching Networks Based on Phase-Switched Impedance Modulation[1]. *Jurkov, A.S.*, +, *TPEL Oct. 2020 10150-10167*

Variable-Width Hysteretic Analog Control for QSW-ZVS and TCM Source/Sink Converters. *Vazquez, A.*, +, *TPEL March 2020 3195-3207*

Varying Switching Frequency Control for Current-Fed Dual-Active Bridge DC–DC Converter With Constant Flux Density Change for Transformers. *Sha, D.*, +, *TPEL April 2020 3766-3777*

Voltage Self-Balance Mechanism Based on Zero-Voltage Switching for Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL Oct. 2020 10078-10087*

Zero-Voltage and Zero-Current Switching Dual-Transformer-Based Full-Bridge Converter With Current Doubler Rectifier. *Zhao, L.*, +, *TPEL Dec. 2020 12949-12958*

ZVZCS Full-Bridge Three-Level DC/DC Converter With Reduced Device Count. *Liu, D.*, +, *TPEL Oct. 2020 9965-9970*

Zinc compounds

Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites. *Wu, G.*, +, *TPEL Feb. 2020 1845-1854*