2025 Index
IEEE Transactions on Power Electronics
Vol. 40

This index covers all technical items—papers, correspondence, reviews, etc.—that appeared in this periodical during 2025, and items from previous years that were commented upon or corrected in 2025. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

Author Index

A

Abbasian, S., Gohari, H.S., Farsijani, M., Ahmadian, S., and Roinila, T., Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems; *TPEL Sept. 2025 13403-13414*

Abbaskhanian, K., *see* Salehi, M., *TPEL Feb. 2025 3210-3224*

Abdelghany, M.B., *see* Al Talaq, M., *TPEL Oct. 2025 15064-15079*

Abdelmessih, G.Z., *see* Li, X., *TPEL Oct. 2025 15182-15198*

Abdoli, I., *see* Ahmed, H.F., *TPEL June 2025 8356-8366*

Aboutaleb, A.M., Desmet, J., and Knockaert, J., A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters; *TPEL June 2025 8109-8124*

Abu-Rub, H., *see* Sharida, A., *TPEL Aug. 2025 11690-11700*

Abulanwar, S., *see* Lv, Y., *TPEL Aug. 2025 11655-11672*

Abulanwar, S., *see* Gardouh, A.S., *TPEL Oct. 2025 14710-14721*

Abuogo, J., Franke, J., Lutz, J., and Basler, T., Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs; *TPEL Aug. 2025 10555-10566*

Aciego, J.J., *see* Carrillo-Rios, J., *TPEL Feb. 2025 3419-3429*

Acuna, P., *see* Poblete, P., *TPEL Jan. 2025 625-637*

Adda, R., *see* Iyer, V.G., *TPEL Jan. 2025 227-240*

Adda, R., *see* Iyer, V.G., *TPEL Aug. 2025 10496-10508*

Adib, E., *see* Heidari, R., *TPEL July 2025 9543-9555*

Adib, E., *see* Soleymani, B., *TPEL Nov. 2025 16664-16675*

Adib, E., *see* Akhlaghi, Z., *TPEL Dec. 2025 18330-18339*

Affolter, M., *see* Stolt, E., *TPEL Sept. 2025 12730-12738*

Afonso, J.L., *see* Perez-Estevez, D., *TPEL Sept. 2025 12977-12997*

Afshar, M., *see* Deshmukh, A.V., *TPEL March 2025 4358-4373*

Agarwal, A.K., *see* Yu, H., *TPEL Oct. 2025 14496-14507*

Agarwal, V., *see* Kalvapalli, S.R., *TPEL May 2025 6436-6441*

Aggarwal, A., *see* Niu, F., *TPEL Feb. 2025 3530-3542*

Agrawal, N., *see* Rajput, N., *TPEL Aug. 2025 11257-11267*

Aguida, M.E., *see* Aouiche, E.M., *TPEL Oct. 2025 14662-14674*

Aguilera, R.P., *see* Poblete, P., *TPEL Jan. 2025 625-637*

Aguilera, R.P., *see* Poblete, P., *TPEL Jan. 2025 500-515*

Ahmadi, M., Shekhar, A., and Bauer, P., Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures; *TPEL Sept. 2025 13311-13323*

Ahmadian, S., *see* Abbasian, S., *TPEL Sept. 2025 13403-13414*

Ahmed, A., *see* Fayyaz, S., *TPEL April 2025 5595-5608*

Ahmed, H.F., *see* Oppong, F.N., *TPEL Jan. 2025 1074-1084*

Ahmed, H.F., Eshkevari, A.L., and Abdoli, I., Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components; *TPEL June 2025 8356-8366*

Ahmed, H.F., An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range; *TPEL June 2025 8395-8404*

Ahmed, M.R., *see* Chen, Q., *TPEL Dec. 2025 18237-18250*

Ahn, C.K., *see* Kim, Y., *TPEL Oct. 2025 14746-14754*

Ahn, J., Jeong, W., Lee, J., Lee, Y., Song, S., and Ryoo, H., Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement; *TPEL Aug. 2025 11012-11020*

Ahn, J., Kim, J., Jeong, S., Kwon, D., Lee, S., Kim, D., and Kim, J., New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter; *TPEL Aug. 2025 10899-10911*

Ahn, S., *see* Rhee, J., *TPEL Jan. 2025 969-983*

Ahn, S., *see* Woo, S., *TPEL April 2025 4701-4705*

Ai, J., *see* Bi, K., *TPEL Nov. 2025 17203-17217*

Ai, S., *see* Pan, B., *TPEL Sept. 2025 12475-12487*

Akbari, A., *see* Ebrahimi, J., *TPEL July 2025 9234-9248*

Akhlaghi, Z., Montazerolghaem, R., Adib, E., Wheeler, P., and Pahlevani, M., A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor; *TPEL Dec. 2025 18330-18339*

Akin, B., *see* Deshmukh, A.V., *TPEL March 2025 4358-4373*

Akin, B., *see* Sezer, M.M., *TPEL Nov. 2025 16512-16524*

Al Bastami, A., *see* Zhang, H., *TPEL Jan. 2025 290-302*

Al Durra, A., *see* Ashraf, M.N., *TPEL June 2025 7634-7639*

Al Hassan, H.A., *see* Liao, M., *TPEL April 2025 6370-6384*

Al Hosani, K., *see* Ashraf, M.N., *TPEL June 2025 7634-7639*

Al Hosani, K., *see* Lin, Z., *TPEL July 2025 8944-8949*

Al Talaq, M., Abdelghany, M.B., Al-Durra, A., Zeineldin, H., and EL-Fouly, T., A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability; *TPEL Oct. 2025 15064-15079*

Al-Durra, A., *see* Al Talaq, M., *TPEL Oct. 2025 15064-15079*

Alam, M.M., Koohestani, M., Ramdani, M., and Perdriau, R., Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation; *TPEL June 2025 8553-8565*

Alatise, O., *see* Deb, A., *TPEL Nov. 2025 16341-16351*

Albert, T.B., *see* Austrup, I., *TPEL March 2025 4386-4398*

Alcaide, A.M., *see* Poblete, P., *TPEL Jan. 2025 625-637*

Alcaide, A.M., *see* Poblete, P., *TPEL Jan. 2025 500-515*

Alessandro, A.A., *see* Iob, F., *TPEL May 2025 6629-6642*

Alevoor, S., *see* Nayak, R.D., *TPEL Dec. 2025 17604-17618*

Alkahtani, M., *see* Gao, C., *TPEL Nov. 2025 16963-16978*

Allamsetty, H.C., *see* Murugan, K., *TPEL Aug. 2025 10355-10360*

Almakhles, D., *see* Priyadarshi, N., *TPEL Jan. 2025 2371-2384*

Almanza, M., Baron, C., Lan, G., Wei, Y., Civet, Y., Perriard, Y., and LoBue, M., An Efficient and Compact Supply for Electroactive Polymers; *TPEL Aug. 2025 11197-11205*

Almeida, G., Hillesheim, M.M., and Cousineau, M., Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace; *TPEL April 2025 5583-5592*

Almeida, G., Serpaud, S., Santos, V.D., Cougo, B., and Coccetti, F., Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement; *TPEL Oct. 2025 14962-14973*

Altun, O., *see* Ayaz, E., *TPEL Jan. 2025 135-141*

Alvarez, J., *see* Lopez, O., *TPEL Jan. 2025 8-22*

Aly, M., *see* Carnielutti, F., *TPEL Jan. 2025 540-550*

Amenedo, J.L.R., *see* Fernandez, J.D., *TPEL Jan. 2025 303-315*

Amin, M., *see* Shah, C.R., *TPEL Aug. 2025 10481-10495*

Amirabadi, M., *see* Salehi, M., *TPEL Feb. 2025 3210-3224*

Amirat, Y., *see* Du, X., *TPEL Aug. 2025 11739-11748*

Amorim Torres, R., Lee, S., Dai, H., Lee, W., Jahns, T.M., and Sarlioglu, B., Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives; *TPEL March 2025 4345-4357*

An, F., *see* Ma, Y., *TPEL July 2025 9439-9451*

An, H., *see* Zhao, C., *TPEL Dec. 2025 17552-17557*
An, J., *see* Wang, D., *TPEL Jan. 2025 1135-1152*
An, J., *see* Hwang, Y., *TPEL Oct. 2025 14282-14288*
An, Q., *see* Yao, F., *TPEL Sept. 2025 13202-13216*
An, R., *see* Shi, Y., *TPEL Aug. 2025 11564-11582*
An, R., *see* Feng, K., *TPEL Oct. 2025 15620-15637*
An, S., Wu, Q., Wang, H., Wang, B., and Yang, F., Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer; *TPEL April 2025 5544-5553*
An, S., *see* Wang, Y., *TPEL Oct. 2025 15203-15214*
An, W., *see* He, Y., *TPEL Dec. 2025 18365-18377*
An, X., *see* Lu, F., *TPEL Aug. 2025 11369-11379*
Andersen, M.A.E., *see* Wang, P., *TPEL Oct. 2025 15306-15315*
Anderson, F., Pelka, K., Walgern, J., Lichtenstein, T., and Fischer, K., Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis; *TPEL May 2025 7286-7297*
Anderson, J.R., and Ranjram, M.K., The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches; *TPEL Oct. 2025 14854-14867*
Anderson, O.B., Barry, B.C., Hogan, D.N., and Duffy, M.C., Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter; *TPEL May 2025 6771-6786*
Andrade, A.M.S.S., *see* Loureiro, P.H.C.d.S.B., *TPEL Jan. 2025 1457-1466*
Anees, M., Tu, H., and Lukic, S., Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads; *TPEL April 2025 4734-4739*
Angulo, A., *see* Gonzalez, C., *TPEL Sept. 2025 12719-12729*
Anurag, A., Wang, R., and Barbosa, P., Matrix-Based Inductor Structure for MV Applications; *TPEL Aug. 2025 10361-10365*
Anwar, A., *see* Mirza, A.B., *TPEL April 2025 5768-5786*
Anwar, M.N., *see* Ram, M.K., *TPEL Oct. 2025 15226-15237*
Aouiche, A., *see* Aouiche, E.M., *TPEL Oct. 2025 14662-14674*
Aouiche, E.M., Liu, X., Aouiche, A., Aguida, M.E., and Cao, Y., Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration; *TPEL Oct. 2025 14662-14674*
Apolinario, G.F.D., *see* Hong, Y., *TPEL Nov. 2025 17218-17233*
Apsari, D.P., *see* Jung, J., *TPEL Feb. 2025 3553-3565*
Arjmand, E., *see* Zhang, Z., *TPEL Aug. 2025 10324-10329*
Arrieta-Paternina, M.R., *see* Avila-Becerril, S., *TPEL Aug. 2025 11537-11551*
Arsalan, A., Papari, B., Timilsina, L., Muriithi, G., Moghassemi, A., Rahman, S.I., Buraimoh, E., Ozkan, G., and Edrington, C.S., Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System; *TPEL July 2025 9824-9839*
Arya, S.R., Mahesh, P., and Ray, P., Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters; *TPEL June 2025 8480-8489*
Ashraf, M.N., Moursi, M.S.E., Al Hosani, K., and Al Durra, A., Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters; *TPEL June 2025 7634-7639*
Assuncao, G.d.O., Yazdani, A., and Wu, B., Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain; *TPEL Sept. 2025 13931-13940*
Asvadi-Kermani, O., Oshnoei, A., and Blaabjerg, F., Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter; *TPEL Feb. 2025 2901-2915*
Atef Tawfik, M., *see* Fayyaz, S., *TPEL April 2025 5595-5608*
Atiq, S., Kim, B., Eom, D., Jung, J., and Kim, M., High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge; *TPEL Feb. 2025 3286-3299*
Aunsborg, T.S., *see* Gao, Y., *TPEL April 2025 5999-6009*
Aunsborg, T.S., *see* Liu, G., *TPEL Aug. 2025 10531-10542*
Aunsborg, T.S., *see* Yan, Z., *TPEL Dec. 2025 17650-17663*
Austrup, I., van der Broeck, C.H., Kalker, S., Albert, T.B., Janoth, F., and De Doncker, R.W., Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing; *TPEL March 2025 4386-4398*
Avila-Becerril, S., Rodriguez-Rodriguez, J.R., Velazquez-Ibanez, A., and Arrieta-Paternina, M.R., Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions; *TPEL Aug. 2025 11537-11551*
Ayaz, E., Altun, O., Gulsuna, O., and Keysan, O., Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter; *TPEL Jan. 2025 135-141*
Azam, F., *see* Priyadarshi, N., *TPEL Jan. 2025 2371-2384*
Azzopardi, S., *see* Picot-Digoix, M., *TPEL Jan. 2025 142-145*

B

Ba, D., Yu, F., Wang, Y., Chen, X., Niu, Y., and Lyu, X., Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers; *TPEL Oct. 2025 14894-14907*
Baars, N.H., *see* Pouresmaeil, K., *TPEL June 2025 8139-8152*
Babaei, E., *see* Zargariafshar, D., *TPEL Feb. 2025 2726-2735*
Babaei, E., *see* Falahi, F., *TPEL March 2025 4244-4254*
Babaei, E., *see* Imanlou, A., *TPEL April 2025 5554-5565*
Babaei, E., *see* Daneshgar, S., *TPEL Dec. 2025 17858-17868*
Babayomi, O., Li, Y., Zhang, Z., and Park, K., Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends; *TPEL June 2025 7681-7708*
Babayomi, O., Madonski, R., Zhang, Z., Rodriguez, J., Davidson, I., and Kim, D., Robust Model Predictive Control of Converter-Based Microgrids; *TPEL Nov. 2025 17124-17146*
Bae, S., *see* Kumar, K., *TPEL Sept. 2025 13383-13402*
Baeckeland, N., Yang, B., and Seo, G., Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting; *TPEL May 2025 6714-6725*
Baghdadi, M., *see* Tazehkand, M.Z., *TPEL Sept. 2025 13767-13777*
Baghdadi, M., *see* Grimm, F., *TPEL Dec. 2025 17988-17997*
Bagheri, O., *see* Soleymani, B., *TPEL Nov. 2025 16664-16675*
Bahrami-Fard, M., Chen, T., Winchell, E.A., and Fahimi, B., Integrated Induction Motor Drive for Variable Speed Industrial Applications; *TPEL May 2025 7176-7188*
Bahrami-Fard, M., Korrani, M.G., Rastegar, M., and Fahimi, B., Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps; *TPEL Sept. 2025 12402-12415*
Bai, C., *see* Zhang, Y., *TPEL Sept. 2025 12257-12267*
Bai, J., *see* Lang, J., *TPEL Jan. 2025 340-350*
Bai, L., Wang, J., Chen, C., Zhou, Q., Zhang, J., Tian, L., Qiu, G., and Cheng, Y., Direct Capture of Switching Mechanical Wave on IGBT Bare Dies; *TPEL March 2025 4131-4141*
Bai, L., *see* Luo, B., *TPEL April 2025 6307-6318*
Bai, L., *see* Luo, B., *TPEL Dec. 2025 17569-17574*
Bai, R., *see* Zhao, B., *TPEL Sept. 2025 12033-12037*
Bai, X., *see* Cheng, Z., *TPEL Jan. 2025 1654-1668*
Bai, X., *see* Cheng, Z., *TPEL April 2025 4984-4996*
Bai, X., *see* Zhang, Y., *TPEL Sept. 2025 13490-13498*
Bajpai, P., *see* Mondal, A., *TPEL Oct. 2025 15652-15669*
Bak, C.L., *see* Gao, Y., *TPEL April 2025 5999-6009*
Bak, C.L., *see* Wang, Z., *TPEL April 2025 5646-5660*
Bak, C.L., *see* Wang, Z., *TPEL Sept. 2025 13142-13156*
Bak, C.L., *see* Dai, X., *TPEL Oct. 2025 15399-15421*
Bakhshai, A., *see* Ebrahimi, J., *TPEL July 2025 9234-9248*
Bakkaloglu, B., *see* Nayak, R.D., *TPEL Dec. 2025 17604-17618*
Ballo, A., Grasso, A.D., and Palumbo, G., Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy; *TPEL Sept. 2025 13991-13999*
Banavath, S.N., *see* Pithanisetty, P., *TPEL Aug. 2025 11428-11441*
Banerjee, A., *see* Maheshwari, A., *TPEL Jan. 2025 652-664*
Banerjee, A., *see* Mukherjee, D., *TPEL Sept. 2025 13584-13602*
Banerjee, S., *see* Rana, D., *TPEL Sept. 2025 12614-12625*
Bao, B., *see* Zhang, X., *TPEL Sept. 2025 12893-12905*
Bao, H., *see* Zhang, X., *TPEL Sept. 2025 12893-12905*
Bao, J., Li, Y., Liu, B., and Duan, S., Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications; *TPEL April 2025 5371-5383*

Bao, J., Wang, F., Li, Y., Liu, B., and Duan, S., Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter; *TPEL Oct. 2025 15238-15253*
Bao, Q., *see* Lu, L., *TPEL Feb. 2025 3385-3394*
Bao, S., *see* Liu, Z., *TPEL March 2025 4536-4545*
Bao, S., *see* Liu, Z., *TPEL July 2025 10265*
Bao, S., *see* Liu, Z., *TPEL Sept. 2025 14014-14026*
Bao, W., *see* Wang, T., *TPEL March 2025 4314-4323*
Bao, X., Wang, X., Jiang, B., Shi, T., and Ding, Q., Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System; *TPEL Aug. 2025 10824-10835*
Baquero, R.S., *see* Barresi, M., *TPEL Dec. 2025 17674-17689*
Baraia-Etxaburu, I., *see* Udabe, A., *TPEL May 2025 6883-6897*
Barbosa, P., *see* Anurag, A., *TPEL Aug. 2025 10361-10365*
Barg, S., and Bertilsson, K., A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms; *TPEL Jan. 2025 1609-1621*
Barg, S., *see* Barg, S., *TPEL Jan. 2025 1609-1621*
Barman, D., Santra, S.B., and Pillay, P., Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit; *TPEL May 2025 7423-7438*
Baron, C., *see* Almanza, M., *TPEL Aug. 2025 11197-11205*
Baronian, A., *see* Wang, D., *TPEL Jan. 2025 1135-1152*
Barresi, M., De Simone, D., Piegari, L., Baquero, R.S., and Toscani, N., Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter; *TPEL Dec. 2025 17674-17689*
Barry, B.C., *see* Anderson, O.B., *TPEL May 2025 6771-6786*
Barzegarkhoo, R., Groon, F., Sengupta, A., and Liserre, M., Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer; *TPEL Nov. 2025 17366-17383*
Bashaireh, A., *see* Shawartamimi, A., *TPEL Aug. 2025 10419-10432*
Basler, T., *see* Xie, D., *TPEL Jan. 2025 2028-2041*
Basler, T., *see* Abuogo, J., *TPEL Aug. 2025 10555-10566*
Basu, K., *see* Dey, P., *TPEL Nov. 2025 16870-16893*
Basu, T.S., *see* Bhowmick, S., *TPEL June 2025 7829-7843*
Batmani, Y., *see* Rafiee, R., *TPEL June 2025 8206-8215*
Bauer, J., *see* Baum, F., *TPEL May 2025 6740-6752*
Bauer, L., *see* Li, W., *TPEL May 2025 7370-7384*
Bauer, P., *see* van der Sande, R., *TPEL June 2025 8179-8193*
Bauer, P., *see* Zhu, G., *TPEL July 2025 10095-10110*
Bauer, P., *see* Ahmadi, M., *TPEL Sept. 2025 13311-13323*
Bauer, R., *see* Baumgartner, T., *TPEL Jan. 2025 691-703*
Baum, F., Lipcak, O., Kucera, J., and Bauer, J., Digital Implementation of Discontinuous PWMs: Mitigating Parasitic Active Vectors for Improved Load Current Quality in Inverter Systems; *TPEL May 2025 6740-6752*
Bauman, J., *see* Wang, C., *TPEL June 2025 8674-8690*
Bauman, J., *see* Sadeghi, Z., *TPEL Dec. 2025 17879-17893*
Baumgartner, T., Seeber, R., Bauer, R., and Horn, M., Compensating Frequency Converter Nonlinearity; *TPEL Jan. 2025 691-703*
Bayati, M., *see* Hashemi-Zadeh, A., *TPEL April 2025 5279-5291*
Bayhan, S., *see* Sharida, A., *TPEL Aug. 2025 11690-11700*
Bayindir, A.B., *see* Sharida, A., *TPEL Aug. 2025 11690-11700*
Bayliss, R.S., Brooks, N.C., and Pilawa-Podgurski, R.C.N., On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter; *TPEL Feb. 2025 3275-3285*
Bayliss, R.S., *see* Iyer, R.K., *TPEL Dec. 2025 18097-18112*
Beach, M., *see* Sheikhi, A., *TPEL Aug. 2025 11117-11125*
Beatrice, C., *see* Ravera, A., *TPEL Jan. 2025 1563-1576*
Bech, M.M., *see* Liu, G., *TPEL Aug. 2025 10531-10542*
Bech, M.M., *see* Yan, Z., *TPEL Dec. 2025 17650-17663*
Beczkowski, S., *see* Kubulus, P.P., *TPEL April 2025 5201-5211*
Behera, S., N., V.R.N., Panda, A.K., Behera, S.K., and Tiwary, N., An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach; *TPEL July 2025 9775-9785*
Behera, S.K., *see* Behera, S., *TPEL July 2025 9775-9785*
Beiranvand, H., *see* Groon, F., *TPEL Nov. 2025 17309-17324*
Beleggia, M., *see* Sanusi, B.N., *TPEL Dec. 2025 18148-18163*
Belko, V., *see* Cheng, L., *TPEL Oct. 2025 15339-15347*
Belliveau, E.T., *see* Herpers, C., *TPEL April 2025 6248-6259*
Ben-Yaakov, S., and Semidotskih, Y., Modified Gyrator–Capacitor Model for Circuit Simulation; *TPEL March 2025 3850-3853*
Benbouzid, M., *see* Du, X., *TPEL Aug. 2025 11739-11748*
Benson, M., *see* Lee, K., *TPEL Oct. 2025 15003-15012*
Benzine, M., Salhi, I., Gaillard, A., and Gao, F., Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications; *TPEL June 2025 8592-8603*
Berbel, N., *see* Vilella, M., *TPEL Nov. 2025 16639-16650*
Berger, J.G., Rojas, C.A., Wilson-Veas, A.H., Bugueno, R.A., Peralta, A., Salinas, S., Marin, J., Young, H., and Callegaro, L., On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters; *TPEL April 2025 5518-5530*
Bertilsson, K., *see* Barg, S., *TPEL Jan. 2025 1609-1621*
Bertolini, A., *see* Melillo, P., *TPEL Jan. 2025 328-339*
Bertolini, V., *see* Corti, F., *TPEL March 2025 3899-3915*
Bevilaqua, M.A., *see* De Soysa, G.S., *TPEL Jan. 2025 241-251*
Bhaskar, M.S., *see* Priyadarshi, N., *TPEL Jan. 2025 2371-2384*
Bhattacharya, M., *see* Yu, H., *TPEL Oct. 2025 14496-14507*
Bhattacharya, S., *see* Das, P.P., *TPEL April 2025 5685-5699*
Bhattacharya, S., *see* Pandey, V., *TPEL June 2025 8125-8138*
Bhattacharya, S., *see* Rai, A., *TPEL Aug. 2025 10609-10622*
Bhattacharya, T., *see* Singh, S., *TPEL Oct. 2025 15478-15490*
Bhowmick, S., Mukherjee, D., Basu, T.S., and Chakraborty, C., A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation; *TPEL June 2025 7829-7843*
Bhowmik, M., *see* Chatterjee, D., *TPEL Nov. 2025 16740-16751*
Bi, C., *see* Wang, T., *TPEL March 2025 4314-4323*
Bi, G., Chen, Y., Wang, K., Cao, S., and Yang, T., Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications; *TPEL Nov. 2025 16169-16183*
Bi, K., Wang, C., Ai, J., Wu, F., Li, J., and Fan, Q., Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy; *TPEL Nov. 2025 17203-17217*
Bi, M., *see* Cui, S., *TPEL June 2025 8430-8447*
Bi, W., *see* Mai, J., *TPEL Oct. 2025 14337-14342*
Bi, X., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Bi, Y., Wu, W., Xu, J., Chen, J., Cai, J., Cao, K., Shu, G., and Wang, Y., Modified Harmonic Current Control and Load Range Extension Method for Single-Stage Isolated DCM Boost AC–DC Converter; *TPEL Jan. 2025 263-278*
Biadene, D., *see* Farag, A.Y., *TPEL Nov. 2025 16074-16079*
Biel, D., *see* Repecho, V., *TPEL Oct. 2025 15852-15864*
Biela, J., *see* Meng, Q., *TPEL Feb. 2025 3302-3312*
Bifaretti, S., *see* Zhang, H., *TPEL July 2025 9370-9387*
Blaabjerg, F., *see* Jiang, Y., *TPEL Jan. 2025 435-450*
Blaabjerg, F., *see* Li, C., *TPEL Jan. 2025 82-86*
Blaabjerg, F., *see* Kong, L., *TPEL Jan. 2025 2284-2299*
Blaabjerg, F., *see* Li, H., *TPEL Feb. 2025 3670-3683*
Blaabjerg, F., *see* Jamali, M., *TPEL Feb. 2025 2746-2760*
Blaabjerg, F., *see* Qin, X., *TPEL Feb. 2025 2874-2886*
Blaabjerg, F., *see* Asvadi-Kermani, O., *TPEL Feb. 2025 2901-2915*
Blaabjerg, F., *see* Xiao, C., *TPEL March 2025 4437-4448*
Blaabjerg, F., *see* Huang, L., *TPEL April 2025 6135-6146*
Blaabjerg, F., *see* Kong, R., *TPEL April 2025 5037-5051*
Blaabjerg, F., *see* Song, Y., *TPEL May 2025 7251-7260*
Blaabjerg, F., *see* Ou, S., *TPEL Aug. 2025 11339-11354*
Blaabjerg, F., *see* Kong, R., *TPEL Aug. 2025 11170-11181*
Blaabjerg, F., *see* Geng, J., *TPEL Aug. 2025 11218-11229*
Blaabjerg, F., *see* Yu, Q., *TPEL Sept. 2025 13363-13382*
Blackwell, M.E., *see* Krishnan, S., *TPEL July 2025 9266-9277*
Blaquiere, J., *see* Picot-Digoix, M., *TPEL Jan. 2025 142-145*
Boldea, I., *see* Zhang, M., *TPEL July 2025 9660-9671*

Bolonne, S., Kish, G.J., and Salmon, J., A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies; *TPEL May 2025 6470-6475*
Bonanno, G., *see* Iyer, R.K., *TPEL Dec. 2025 18070-18082*
Bormann, D., *see* Schroder, A., *TPEL Oct. 2025 15265-15277*
Borras, A., *see* Repecho, V., *TPEL Oct. 2025 15852-15864*
Borrell, A., *see* Miret, J., *TPEL Dec. 2025 18040-18053*
Boutry, A., *see* DeBoi, B.T., *TPEL Sept. 2025 13075-13085*
Bradde, T., *see* Schroder, A., *TPEL Oct. 2025 15265-15277*
Brooks, N.C., *see* Bayliss, R.S., *TPEL Feb. 2025 3275-3285*
Bu, J., *see* Zhang, Y., *TPEL Aug. 2025 10378-10384*
Bu, S., Yan, L., Du, N., Yu, Z., He, X., and Chen, I., Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher; *TPEL June 2025 7893-7903*
Bu, Z., *see* Wang, Z., *TPEL Jan. 2025 1697-1716*
Bu, Z., *see* Yang, L., *TPEL April 2025 6359-6369*
Bucknall, R., *see* Grimm, F., *TPEL Dec. 2025 17988-17997*
Bugueno, R.A., *see* Berger, J.G., *TPEL April 2025 5518-5530*
Buja, G., *see* Fu, W., *TPEL May 2025 7200-7214*
Buraimoh, E., *see* Arsalan, A., *TPEL July 2025 9824-9839*
Burgos, R., *see* Chang, C., *TPEL Jan. 2025 1215-1233*
Burgos, R., *see* Zhao, X., *TPEL May 2025 6403-6412*
Burgos, R., *see* Sanchez-Squella, A., *TPEL Sept. 2025 13941-13951*
Burgos, R., *see* Li, T., *TPEL Oct. 2025 15013-15029*
Busarello, T.D.C., *see* Carnielutti, F., *TPEL July 2025 9080-9089*
Buso, S., *see* Cvetanovic, R., *TPEL Sept. 2025 13880-13894*
Buso, S., *see* Stojanovic, L., *TPEL Nov. 2025 17400-17413*
Buso, S., *see* Iyer, R.K., *TPEL Dec. 2025 18070-18082*
Buticchi, G., *see* Peng, Q., *TPEL Jan. 2025 599-610*
Buticchi, G., *see* Cai, Y., *TPEL April 2025 5622-5634*
Buticchi, G., *see* Yang, J., *TPEL June 2025 8709-8725*

C

Cabizza, S., and Spiazzi, G., Accurate Magnetic Core Losses Measurement Under Arbitrary Excitation Waveforms; *TPEL Jan. 2025 34-39*
Cai, C., *see* Xie, D., *TPEL Jan. 2025 2028-2041*
Cai, C., Wang, J., Wan, L., Wu, X., Yuan, Z., Xue, M., Zhang, P., Lin, H., and Saeedifard, M., Robust Wide-Area Wireless Charging of Multipath Movable Receivers: A Coupling Mechanism and Simplified Configuration Strategy; *TPEL Jan. 2025 2527-2541*
Cai, C., Chen, T., Ren, X., Jiao, Y., Liu, X., Li, C., Yu, J., and Wu, S., Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants; *TPEL Feb. 2025 3726-3737*
Cai, C., *see* Yang, L., *TPEL Feb. 2025 2680-2684*
Cai, C., *see* Liu, X., *TPEL March 2025 4640-4651*
Cai, C., *see* Wang, J., *TPEL April 2025 6319-6333*
Cai, C., *see* Li, C., *TPEL June 2025 7603-7614*
Cai, C., *see* Yuan, Z., *TPEL Sept. 2025 14146-14158*
Cai, C., *see* Li, J., *TPEL Sept. 2025 14181-14192*
Cai, C., Du, Y., Wang, J., Jiang, Y., Yuan, Z., Zhang, X., Wan, L., and Wu, X., A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection; *TPEL Oct. 2025 14363-14367*
Cai, C., *see* Wang, J., *TPEL Oct. 2025 14247-14252*
Cai, F., *see* Wang, F., *TPEL Sept. 2025 13977-13990*
Cai, F., *see* Wang, Z., *TPEL Nov. 2025 16687-16695*
Cai, H., *see* Gao, L., *TPEL March 2025 3885-3898*
Cai, H., *see* Kong, D., *TPEL July 2025 9068-9079*
Cai, J., Dou, X., Cheok, A.D., Ding, W., Yan, Y., and Zhang, X., Model Predictive Control Strategies in Switched Reluctance Motor Drives—An Overview; *TPEL Jan. 2025 1669-1685*
Cai, J., *see* Bi, Y., *TPEL Jan. 2025 263-278*
Cai, J., Wang, Y., Cheok, A.D., Yan, Y., Chen, Z., and Zhang, X., Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection; *TPEL June 2025 8516-8527*
Cai, J., Fu, M., and Zhang, X., A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered; *TPEL July 2025 9577-9587*
Cai, J., *see* Gao, H., *TPEL July 2025 9921-9932*
Cai, J., Li, B., Chen, Y., Song, S., and Zhang, X., Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System; *TPEL July 2025 9709-9722*
Cai, J., Gu, Y., Liu, Z., and Song, S., Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation; *TPEL Dec. 2025 17664-17673*
Cai, S., *see* Liang, Z., *TPEL Oct. 2025 15922-15936*
Cai, W., *see* Tang, Y., *TPEL Oct. 2025 15780-15794*
Cai, X., *see* Xu, S., *TPEL Feb. 2025 3657-3669*
Cai, X., *see* Wu, X., *TPEL April 2025 4889-4901*
Cai, X., *see* Zhang, J., *TPEL April 2025 5265-5278*
Cai, X., *see* Chen, J., *TPEL April 2025 5423-5439*
Cai, X., *see* Cao, B., *TPEL June 2025 7646-7650*
Cai, X., *see* Zhang, X., *TPEL Aug. 2025 10330-10334*
Cai, X., *see* Yu, Q., *TPEL Sept. 2025 13363-13382*
Cai, X., *see* Deng, Z., *TPEL Sept. 2025 13448-13458*
Cai, X., *see* Yan, Y., *TPEL Oct. 2025 14415-14424*
Cai, X., *see* Qiu, H., *TPEL Oct. 2025 15820-15834*
Cai, X., *see* Shi, X., *TPEL Oct. 2025 15450-15465*
Cai, X., *see* Gao, L., *TPEL Nov. 2025 16837-16852*
Cai, X., *see* Sun, Q., *TPEL Nov. 2025 17040-17050*
Cai, Y., Gu, C., Li, J., Yang, J., Guenter, S., Buticchi, G., and Zhang, H., A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters; *TPEL April 2025 5622-5634*
Cai, Y., *see* Han, W., *TPEL April 2025 4793-4804*
Cai, Y., *see* Chen, J., *TPEL Dec. 2025 18202-18213*
Cai, Y., *see* Huang, X., *TPEL Dec. 2025 18461-18473*
Cairoli, P., *see* Zhao, S., *TPEL Sept. 2025 12043-12047*
Caldognetto, T., *see* Gallo, E., *TPEL April 2025 4757-4761*
Caldognetto, T., *see* Farag, A.Y., *TPEL Nov. 2025 16074-16079*
Callegaro, L., *see* Berger, J.G., *TPEL April 2025 5518-5530*
Cao, B., *see* Tian, Y., *TPEL Jan. 2025 1346-1358*
Cao, B., Wu, C., Zhai, H., Xu, K., Chen, Z., Zhou, R., Yang, T., Cai, X., and Li, G., A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT; *TPEL June 2025 7646-7650*
Cao, D., *see* Qiu, M., *TPEL Jan. 2025 1359-1375*
Cao, D., Zhang, Y., Han, L., and Wang, Y., Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction; *TPEL Feb. 2025 2833-2846*
Cao, G., *see* Guo, Z., *TPEL Aug. 2025 10594-10608*
Cao, H., *see* Zuo, Y., *TPEL Jan. 2025 787-800*
Cao, H., Deng, Y., Liu, J., Zuo, Y., Liu, X., Wang, H., and Lee, C.H.T., Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer; *TPEL Jan. 2025 801-812*
Cao, H., *see* Fang, Z., *TPEL March 2025 3873-3884*
Cao, H., *see* Darvish, P., *TPEL Oct. 2025 15976-16003*
Cao, H., *see* Zhao, C., *TPEL Nov. 2025 16158-16168*
Cao, H., *see* Xu, Y., *TPEL Nov. 2025 16548-16559*
Cao, J., *see* Zhang, Z., *TPEL July 2025 9591-9605*
Cao, K., *see* Zhang, Y., *TPEL Jan. 2025 1836-1848*
Cao, K., *see* Bi, Y., *TPEL Jan. 2025 263-278*
Cao, L., *see* Wang, W., *TPEL Sept. 2025 12829-12844*
Cao, L., *see* Song, Y., *TPEL Oct. 2025 14937-14948*
Cao, L., *see* Yin, H., *TPEL Oct. 2025 15519-15528*
Cao, P., *see* Shi, H., *TPEL Oct. 2025 15316-15328*
Cao, Q., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*
Cao, S., *see* Deng, Z., *TPEL Sept. 2025 13448-13458*
Cao, S., *see* Bi, G., *TPEL Nov. 2025 16169-16183*
Cao, T., Kong, D., Hu, C., Long, B., and Lobo Heldwein, M., Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters; *TPEL Dec. 2025 18214-18225*

Cao, W., *see* Luo, M., *TPEL Jan. 2025 851-861*
Cao, W., *see* Li, H., *TPEL Jan. 2025 2342-2354*
Cao, W., *see* Xiong, Y., *TPEL Sept. 2025 11969-11973*
Cao, W., *see* Hu, C., *TPEL Sept. 2025 13643-13658*
Cao, X., *see* Luo, Z., *TPEL March 2025 3927-3937*
Cao, X., *see* Wang, S., *TPEL June 2025 8253-8263*
Cao, Y., *see* Gu, X., *TPEL Jan. 2025 1826-1835*
Cao, Y., *see* Xia, C., *TPEL Jan. 2025 2604-2618*
Cao, Y., *see* Ye, M., *TPEL Feb. 2025 3405-3418*
Cao, Y., *see* Tang, S., *TPEL April 2025 5731-5742*
Cao, Y., Wang, G., Li, J., Yan, D., and Shi, T., A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM; *TPEL April 2025 5700-5714*
Cao, Y., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Cao, Y., *see* Aouiche, E.M., *TPEL Oct. 2025 14662-14674*
Cao, Y., *see* Xu, M., *TPEL Oct. 2025 15080-15092*
Cao, Y., *see* Li, H., *TPEL Nov. 2025 16123-16128*
Cao, Y., *see* Rong, Q., *TPEL Nov. 2025 16780-16789*
Cao, Z., *see* Kurdkandi, N.V., *TPEL Nov. 2025 17281-17294*
Capella, G., *see* Vilella, M., *TPEL Nov. 2025 16639-16650*
Capponi, F.G., *see* Tornello, L.D.D., *TPEL June 2025 8468-8479*
Cardelli, E., *see* Corti, F., *TPEL March 2025 3899-3915*
Carnielutti, F., Aly, M., Norambuena, M., Hu, J., Guerrero, J., and Rodriguez, J., A Master-Slave Model Predictive Control Approach for Microgrids; *TPEL Jan. 2025 540-550*
Carnielutti, F., Busarello, T.D.C., Resende, E.C., Ullah, Q., and Simoes, M.G., Fixed Switching Frequency Model Predictive Control for Grid-Forming Inverters; *TPEL July 2025 9080-9089*
Carrillo-Rios, J., Gonzalez-Prieto, A., Gonzalez-Prieto, I., Aciego, J.J., Lara-Lopez, R., Mora-Moreno, P., and Duran, M.J., Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives; *TPEL Feb. 2025 3419-3429*
Carvalho, E.L., *see* Pithanisetty, P., *TPEL Aug. 2025 11428-11441*
Cassidy, G., *see* Zhang, H., *TPEL Jan. 2025 290-302*
Castilla, M., *see* Miret, J., *TPEL Dec. 2025 18040-18053*
Cecati, C., *see* Rajesh, R., *TPEL Nov. 2025 16752-16763*
Cervone, A., Li, Z., and Dujic, D., Modularized Diode Rectifiers: A New Family of Solid-State Transformers; *TPEL April 2025 4747-4751*
Cervone, A., Darvishzadeh, A., and Dujic, D., Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters; *TPEL Oct. 2025 14908-14922*
Chabukswar, A., and Wandhare, R., Modified Back-Stepping Sliding Mode Controller With Robust Observer-Less Disturbance Rejection for DC Microgrid Applications; *TPEL Jan. 2025 451-466*
Chae, D., Jung, W., Kim, K., Seok, W., and Shim, M., A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction; *TPEL April 2025 4740-4746*
Chae, J., *see* Kim, D., *TPEL May 2025 7488-7499*
Chai, F., *see* Cui, M., *TPEL Jan. 2025 217-226*
Chai, F., *see* Tang, Y., *TPEL Oct. 2025 15780-15794*
Chai, J., *see* Fan, Z., *TPEL April 2025 4767-4774*
Chai, W., *see* Li, J., *TPEL Sept. 2025 14181-14192*
Chai, Y., *see* Xu, S., *TPEL June 2025 8631-8647*
Chai, Z., Zuo, Y., Zhu, S., Guan, M., Sun, Y., Li, W., and Liu, C., Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance; *TPEL Nov. 2025 16431-16442*
Chakraborty, A., and Maity, A., A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective; *TPEL Sept. 2025 14072-14083*
Chakraborty, C., *see* Karpana, S., *TPEL Jan. 2025 2300-2314*
Chakraborty, C., *see* Bhowmick, S., *TPEL June 2025 7829-7843*
Chakraborty, C., *see* Chatterjee, D., *TPEL Sept. 2025 12873-12892*
Chan, W., *see* Guo, J., *TPEL March 2025 4652-4663*
Chandrarathna, S.C., *see* Moon, S., *TPEL Feb. 2025 3225-3239*
Chang, C., Spieler, M., EL-Refaie, A.M., Torres, R.A., Burgos, R., and Dong, D., A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection; *TPEL Jan. 2025 1215-1233*
Chang, C., and Dong, D., Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs; *TPEL July 2025 9492-9506*
Chang, E., *see* Liu, C., *TPEL Feb. 2025 3370-3384*
Chang, E.Y., *see* Lai, J., *TPEL April 2025 5190-5200*
Chang, G., *see* Li, X., *TPEL Feb. 2025 3129-3137*
Chang, H., Wang, Z., Yang, J., Li, S., and Lu, S., Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer; *TPEL Aug. 2025 10877-10888*
Chang, J., *see* Wang, L., *TPEL April 2025 5177-5189*
Chang, L., *see* Fang, J., *TPEL April 2025 4830-4847*
Chang, L., *see* Fang, J., *TPEL Sept. 2025 13459-13473*
Chang, L., *see* Yu, Z., *TPEL Nov. 2025 16764-16779*
Chang, Q., *see* Lu, Y., *TPEL March 2025 4324-4334*
Chang, X., Wang, G., Chen, Y., Yang, H., and Zhao, R., Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids; *TPEL July 2025 9249-9265*
Chang, Y., *see* Jie, H., *TPEL Jan. 2025 920-943*
Chang-Hasnain, C.J., *see* Zeng, Y., *TPEL Oct. 2025 14277-14281*
Chatterjee, A., *see* Gautam, K.K., *TPEL Jan. 2025 64-70*
Chatterjee, D., Chakraborty, C., and Dalapati, S., Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter; *TPEL Sept. 2025 12873-12892*
Chatterjee, D., *see* Singh, S., *TPEL Oct. 2025 15478-15490*
Chatterjee, D., Kapat, S., Kar, I.N., and Bhowmik, M., Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability; *TPEL Nov. 2025 16740-16751*
Chau, K., *see* Niu, S., *TPEL Jan. 2025 152-156*
Chau, K., *see* Guo, J., *TPEL March 2025 4652-4663*
Chau, K.T., *see* Lyu, Z., *TPEL March 2025 3844-3849*
Chau, K.T., *see* Li, S., *TPEL July 2025 10140-10153*
Chau, K.T., *see* Lyu, Z., *TPEL Sept. 2025 11957-11962*
Chau, K.T., *see* Guo, J., *TPEL Oct. 2025 14868-14880*
Chau, K.T., *see* Sun, Z., *TPEL Nov. 2025 16195-16205*
Chaudhury, T., and Kastha, D., A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger; *TPEL Nov. 2025 17339-17354*
Chavali, R.V., *see* Goel, R., *TPEL March 2025 3861-3872*
Chavez, D., *see* Sal y Rosas, D., *TPEL July 2025 9034-9047*
Chen, A., *see* Wang, W., *TPEL June 2025 7709-7726*
Chen, B., *see* Jiang, J., *TPEL Jan. 2025 2017-2027*
Chen, C., *see* Zheng, Z., *TPEL Jan. 2025 1542-1553*
Chen, C., *see* Zhang, B., *TPEL Jan. 2025 2593-2603*
Chen, C., Wang, Z., Ye, X., Hu, Y., Wang, H., Chen, H., and Leon, J.I., Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability; *TPEL Feb. 2025 3566-3577*
Chen, C., *see* Zhao, Y., *TPEL Feb. 2025 2651-2667*
Chen, C., *see* Tsai, C., *TPEL Feb. 2025 3251-3261*
Chen, C., *see* Bai, L., *TPEL March 2025 4131-4141*
Chen, C., Jiang, C.Q., Ren, S., Guo, W., Ma, T., and Luo, Z., Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution; *TPEL April 2025 5661-5671*
Chen, C., *see* Guan, J., *TPEL June 2025 8328-8343*
Chen, C., *see* Mei, K., *TPEL June 2025 7980-7993*
Chen, C., Li, M., Jiao, J., and Zhang, K., Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter; *TPEL June 2025 7844-7860*
Chen, C., *see* Xiang, F., *TPEL Aug. 2025 10793-10803*
Chen, C., *see* Ren, S., *TPEL Oct. 2025 14345-14350*
Chen, C., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Chen, C., Tao, Z., Ding, S., Su, L., Li, Z., and Zhai, G., Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs; *TPEL Nov. 2025 16315-16326*
Chen, C., *see* Sun, Q., *TPEL Nov. 2025 17040-17050*

Chen, C., Chiu, P., Wu, X., Huang, Y., Wang, T., Hung, S., Go, C., Chen, K., Lin, Y., Tsai, T., and Lin, S., A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard; *TPEL Dec. 2025 17637-17649*
Chen, C., *see* Liu, B., *TPEL Dec. 2025 17619-17636*
Chen, D., *see* Li, Z., *TPEL Jan. 2025 1305-1321*
Chen, D., Problem Analysis and Improvement of Traditional Efficiency Optimization Method for Inductive Power Transfer Systems; *TPEL May 2025 7466-7476*
Chen, E., *see* Yao, F., *TPEL Sept. 2025 13202-13216*
Chen, F., Khong, S.Z., Harnefors, L., Wang, X., Wang, D., Sandberg, H., Zhao, L., Routimo, M., Kukkola, J., Sou, K.C., and Johansson, K.H., An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters; *TPEL Feb. 2025 2943-2957*
Chen, F., *see* Xia, Z., *TPEL July 2025 10221-10241*
Chen, F., *see* Hu, H., *TPEL Sept. 2025 14038-14049*
Chen, F., *see* Li, J., *TPEL Oct. 2025 14222-14227*
Chen, F., Khong, S.Z., Wang, X., and Harnefors, L., Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems; *TPEL Oct. 2025 14307-14312*
Chen, F., *see* Hu, H., *TPEL Nov. 2025 16704-16717*
Chen, F., *see* Li, Y., *TPEL Nov. 2025 17488-17502*
Chen, G., *see* Mo, L., *TPEL Jan. 2025 1376-1388*
Chen, G., *see* Wang, S., *TPEL Jan. 2025 2397-2418*
Chen, G., *see* Zhang, S., *TPEL May 2025 7354-7369*
Chen, G., *see* Zhang, Z., *TPEL June 2025 7872-7892*
Chen, G., *see* Liu, C., *TPEL Nov. 2025 17147-17159*
Chen, H., *see* Chen, C., *TPEL Feb. 2025 3566-3577*
Chen, H., *see* Tsai, C., *TPEL Feb. 2025 3251-3261*
Chen, H., Zhang, K., Wang, L., Sun, K., and Li, Y., A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters; *TPEL March 2025 4008-4019*
Chen, H., *see* Guo, N., *TPEL May 2025 7042-7057*
Chen, H., Liu, J., Du, S., Lv, S., and Deng, Z., Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application; *TPEL July 2025 9315-9328*
Chen, H., Wang, S., Li, L., Zhou, H., Yan, X., Chen, S., and Liu, H., A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms; *TPEL Sept. 2025 12167-12190*
Chen, H., Yang, H., Yang, F., Sheng, J., Luo, H., Li, W., and He, X., Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics; *TPEL Sept. 2025 12920-12936*
Chen, H., *see* Deng, Z., *TPEL Dec. 2025 18011-18026*
Chen, I., *see* Bu, S., *TPEL June 2025 7893-7903*
Chen, J., Gong, L., Li, J., Shao, Z., Wang, J., Xu, J., Peng, Y., and Wang, Y., A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control; *TPEL Jan. 2025 704-715*
Chen, J., *see* Bi, Y., *TPEL Jan. 2025 263-278*
Chen, J., *see* Jiang, J., *TPEL Jan. 2025 2017-2027*
Chen, J., *see* Gao, L., *TPEL March 2025 3885-3898*
Chen, J., Xu, J., Zhang, Y., Wang, J., Li, J., Peng, Y., and Wang, Y., A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation; *TPEL April 2025 4997-5013*
Chen, J., Zhang, J., Zhou, J., Shi, G., Jia, Y., Wang, H., and Cai, X., An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation; *TPEL April 2025 5423-5439*
Chen, J., *see* Geng, A., *TPEL May 2025 6454-6458*
Chen, J., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Chen, J., *see* Yue, H., *TPEL Aug. 2025 10567-10580*
Chen, J., Mao, J., Liu, Z., Zhu, X., and Fu, Y., An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply; *TPEL Aug. 2025 10443-10455*
Chen, J., *see* Song, W., *TPEL Aug. 2025 10623-10634*
Chen, J., Tian, T., Gu, C., Zeng, H., Hou, F., Zhang, G., and Fan, J., Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application; *TPEL Aug. 2025 10509-10530*
Chen, J., *see* Wang, K., *TPEL Sept. 2025 12428-12439*
Chen, J., *see* Shao, Z., *TPEL Oct. 2025 14755-14770*
Chen, J., *see* Xu, P., *TPEL Oct. 2025 14401-14414*
Chen, J., *see* Yang, K., *TPEL Oct. 2025 15422-15432*
Chen, J., *see* Wang, S., *TPEL Nov. 2025 16456-16468*
Chen, J., *see* Tang, T., *TPEL Nov. 2025 16300-16314*
Chen, J., Hao, L., Cai, Y., Duan, X., He, P., Xiong, G., and Wang, G., Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis; *TPEL Dec. 2025 18202-18213*
Chen, J., *see* Chen, Q., *TPEL Dec. 2025 18027-18039*
Chen, K., *see* Ge, X., *TPEL Jan. 2025 2042-2056*
Chen, K., *see* Wu, F., *TPEL April 2025 5983-5998*
Chen, K., *see* Nie, Z., *TPEL April 2025 4685-4694*
Chen, K., *see* Lin, S., *TPEL May 2025 6898-6907*
Chen, K., *see* Wu, F., *TPEL Sept. 2025 13231-13245*
Chen, K., Yang, X., and Chen, W., Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC; *TPEL Oct. 2025 14241-14246*
Chen, K., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Chen, K., *see* Huynh, K.K.N., *TPEL Dec. 2025 18164-18177*
Chen, K.J., *see* Shu, J., *TPEL April 2025 4752-4756*
Chen, K.J., *see* Shu, J., *TPEL May 2025 6874-6882*
Chen, L., *see* Cui, M., *TPEL Jan. 2025 217-226*
Chen, L., Wang, J., Zhang, X., Wang, L., Chen, Z., Zhao, B., Wu, J., Yu, Z., and Qi, L., Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation; *TPEL Feb. 2025 3168-3176*
Chen, L., Wang, J., Li, Z., Guo, C., Zhang, B., and Li, Z., Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission; *TPEL Feb. 2025 3177-3188*
Chen, L., *see* Kuo, C., *TPEL April 2025 5120-5129*
Chen, L., *see* Wang, J., *TPEL April 2025 5309-5318*
Chen, L., *see* Zhan, L., *TPEL Sept. 2025 11979-11984*
Chen, L., *see* Ding, S., *TPEL Sept. 2025 12514-12526*
Chen, L., *see* Hou, J., *TPEL Nov. 2025 16853-16869*
Chen, M., *see* Tian, H., *TPEL Jan. 2025 92-97*
Chen, M., *see* Wu, Y., *TPEL Feb. 2025 3043-3061*
Chen, M., *see* Liao, M., *TPEL April 2025 6370-6384*
Chen, M., *see* Wang, P., *TPEL May 2025 6726-6739*
Chen, M., *see* Zhou, D.H., *TPEL May 2025 6578-6592*
Chen, M., *see* Rong, C., *TPEL June 2025 8859-8868*
Chen, M., *see* Deng, C., *TPEL June 2025 7967-7979*
Chen, M., Jia, L., Li, B., Zhang, D., and Jiang, F., A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter; *TPEL June 2025 7800-7813*
Chen, M., *see* Wang, H., *TPEL July 2025 9811-9823*
Chen, M., *see* Ding, Y., *TPEL July 2025 9864-9875*
Chen, M., *see* Tian, H., *TPEL Aug. 2025 10335-10342*
Chen, M., *see* Sun, X., *TPEL Sept. 2025 12191-12203*
Chen, M., *see* Sen, T., *TPEL Oct. 2025 15700-15717*
Chen, P., *see* Li, G., *TPEL March 2025 4557-4568*
Chen, P., *see* Kuo, C., *TPEL April 2025 5120-5129*
Chen, P., *see* Liu, J., *TPEL Aug. 2025 10931-10944*
Chen, P., Zhao, J., Liu, K., and Li, Y., Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode; *TPEL Dec. 2025 18292-18304*
Chen, Q., Zhou, P., Pei, X., Yu, Y., and Kang, Y., A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability; *TPEL Feb. 2025 3138-3149*
Chen, Q., *see* Lan, Y., *TPEL March 2025 4156-4169*
Chen, Q., *see* Liu, J., *TPEL Aug. 2025 10931-10944*

Chen, Q., Wang, S., Li, Y., Zhang, X., and Ma, M., High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range; *TPEL Nov. 2025 16937-16952*
Chen, Q., Li, Y., Klumpner, C., and Ahmed, M.R., An Interleaved Soft-Switching Bidirectional Converter for EV Application; *TPEL Dec. 2025 18237-18250*
Chen, Q., Zhou, P., Pei, X., Yu, Y., Zhang, Z., Chen, J., and Kang, Y., Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters; *TPEL Dec. 2025 18027-18039*
Chen, Q., *see* Chen, X.F., *TPEL Dec. 2025 18474-18488*
Chen, R., *see* Zhang, J., *TPEL Jan. 2025 2114-2125*
Chen, R., *see* Li, D., *TPEL Feb. 2025 3456-3468*
Chen, R., *see* Chen, S., *TPEL Feb. 2025 3020-3032*
Chen, R., *see* Ren, S., *TPEL Nov. 2025 16538-16547*
Chen, S., Cheng, X., Wang, S., Wang, Y., and Liang, J., 3-MHz High-Voltage Pulse Generator With Novel Multilevel LC Resonant Network for Adjustable Pulsewidth; *TPEL Jan. 2025 1012-1022*
Chen, S., Yang, Y., Chen, R., Hu, J., Wen, H., Wang, Y., Wu, W., Fang, G., and Rodriguez, J., Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters; *TPEL Feb. 2025 3020-3032*
Chen, S., *see* Yang, H., *TPEL March 2025 3938-3951*
Chen, S., Wang, Y., Tian, Z., Xiao, X., Xie, X., and Gomis-Bellmunt, O., Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems; *TPEL Aug. 2025 11628-11640*
Chen, S., *see* Liu, J., *TPEL Aug. 2025 10931-10944*
Chen, S., *see* Chen, H., *TPEL Sept. 2025 12167-12190*
Chen, S., *see* Xu, M., *TPEL Oct. 2025 15080-15092*
Chen, S., *see* Li, Y., *TPEL Nov. 2025 17488-17502*
Chen, S., *see* Paul, K.C., *TPEL Dec. 2025 18189-18201*
Chen, T., *see* Cai, C., *TPEL Feb. 2025 3726-3737*
Chen, T., *see* Bahrami-Fard, M., *TPEL May 2025 7176-7188*
Chen, T., Xiao, H., and Cheng, M., Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression; *TPEL Dec. 2025 18350-18364*
Chen, W., *see* Li, X., *TPEL Jan. 2025 129-134*
Chen, W., *see* Zhang, Z., *TPEL Jan. 2025 840-850*
Chen, W., Zhu, L., Li, X., Wang, Z., Li, C., and Shi, T., Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor; *TPEL Jan. 2025 638-651*
Chen, W., *see* Li, H., *TPEL Jan. 2025 176-194*
Chen, W., *see* Wang, Y., *TPEL Jan. 2025 1974-1990*
Chen, W., *see* Ye, M., *TPEL Feb. 2025 3405-3418*
Chen, W., *see* Zhou, W., *TPEL Feb. 2025 2715-2720*
Chen, W., *see* Lan, Y., *TPEL March 2025 4156-4169*
Chen, W., *see* Zhao, H., *TPEL March 2025 4213-4226*
Chen, W., *see* Henneron, T., *TPEL May 2025 7095-7105*
Chen, W., *see* Jin, H., *TPEL May 2025 6933-6950*
Chen, W., *see* Xu, C., *TPEL May 2025 6813-6828*
Chen, W., *see* Wang, J., *TPEL June 2025 8405-8415*
Chen, W., *see* Mei, K., *TPEL June 2025 7980-7993*
Chen, W., *see* He, B., *TPEL June 2025 7861-7871*
Chen, W., *see* Yao, Z., *TPEL July 2025 9278-9288*
Chen, W., *see* Wang, H., *TPEL July 2025 8950-8955*
Chen, W., *see* Wang, H., *TPEL July 2025 8950-8955*
Chen, W., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Chen, W., *see* Wang, H., *TPEL Sept. 2025 11963-11968*
Chen, W., *see* Wang, H., *TPEL Sept. 2025 11963-11968*
Chen, W., *see* Li, X., *TPEL Sept. 2025 13007-13022*
Chen, W., *see* Luo, S., *TPEL Sept. 2025 13703-13715*
Chen, W., *see* Li, X., *TPEL Oct. 2025 14571-14584*
Chen, W., *see* Chen, K., *TPEL Oct. 2025 14241-14246*
Chen, W., *see* Cui, W., *TPEL Nov. 2025 16596-16610*
Chen, X., *see* Liu, R., *TPEL Jan. 2025 71-75*
Chen, X., *see* McGrew, T., *TPEL Jan. 2025 944-957*
Chen, X., *see* Tang, H., *TPEL March 2025 4630-4639*
Chen, X., *see* Yang, L., *TPEL April 2025 6359-6369*
Chen, X., *see* Zhang, Y., *TPEL April 2025 4711-4715*
Chen, X., *see* Zheng, Y., *TPEL May 2025 6459-6463*
Chen, X., *see* Zhang, Y., *TPEL May 2025 7512-7522*
Chen, X., *see* Zeng, Y., *TPEL June 2025 8792-8811*
Chen, X., *see* Zhang, Y., *TPEL July 2025 8923-8927*
Chen, X., and Feng, Z., Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation; *TPEL July 2025 9889-9897*
Chen, X., *see* Wang, W., *TPEL Aug. 2025 10865-10876*
Chen, X., Ling, Z., Li, T., Liu, H., Zhou, F., and Ouyang, X., High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set; *TPEL Sept. 2025 12242-12256*
Chen, X., *see* Pan, W., *TPEL Sept. 2025 14159-14168*
Chen, X., *see* Ba, D., *TPEL Oct. 2025 14894-14907*
Chen, X., *see* Dong, S., *TPEL Oct. 2025 16022-16031*
Chen, X., Liu, Z., and Feng, Z., Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection; *TPEL Nov. 2025 17051-17060*
Chen, X., Loo, K., Liu, J., Mou, D., and Song, Q., Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple; *TPEL Dec. 2025 18251-18264*
Chen, X.F., *see* Wang, X., *TPEL July 2025 10165-10175*
Chen, X.F., Tse, C.K., Jiang, C.Q., Chen, Q., and Lai, C., Dual Matrix Converter Based Wireless Power Transfer System; *TPEL Dec. 2025 18474-18488*
Chen, Y., *see* Zhang, Y., *TPEL Jan. 2025 87-91*
Chen, Y., Wang, X., and Saeedifard, M., Editorial 2025: Four Decades of TPEL; *TPEL Jan. 2025 4-7*
Chen, Y., *see* Xiao, Y., *TPEL Jan. 2025 879-891*
Chen, Y., *see* Zhang, Z., *TPEL Jan. 2025 23-27*
Chen, Y., *see* Luo, C., *TPEL Jan. 2025 2472-2483*
Chen, Y., *see* Fang, Y., *TPEL Feb. 2025 3240-3250*
Chen, Y., *see* Gao, L., *TPEL March 2025 3885-3898*
Chen, Y., *see* Wang, Q., *TPEL March 2025 4581-4591*
Chen, Y., and Liu, X., A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances; *TPEL April 2025 5787-5798*
Chen, Y., Ruan, X., He, Y., and Yan, Y., Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design; *TPEL April 2025 6084-6096*
Chen, Y., *see* Li, R., *TPEL April 2025 5810-5822*
Chen, Y., *see* Wu, P., *TPEL April 2025 4706-4710*
Chen, Y., *see* Huang, M., *TPEL April 2025 5094-5108*
Chen, Y., *see* Luo, C., *TPEL April 2025 4780-4786*
Chen, Y., *see* Du, X., *TPEL May 2025 6908-6920*
Chen, Y., *see* Ma, J., *TPEL May 2025 7398-7413*
Chen, Y., *see* Chang, X., *TPEL July 2025 9249-9265*
Chen, Y., *see* Tong, L., *TPEL July 2025 9388-9406*
Chen, Y., *see* Tang, C., *TPEL July 2025 9908-9920*
Chen, Y., *see* Zheng, X., *TPEL July 2025 9685-9698*
Chen, Y., *see* Cai, J., *TPEL July 2025 9709-9722*
Chen, Y., *see* Lu, F., *TPEL Aug. 2025 11369-11379*
Chen, Y., *see* Tan, Y., *TPEL Aug. 2025 11182-11196*
Chen, Y., *see* Gu, Y., *TPEL Aug. 2025 11076-11087*
Chen, Y., *see* Wang, H., *TPEL Aug. 2025 10385-10390*
Chen, Y., Chen, W., Zhao, H., Hao, Z., Lan, J., Wang, X., Li, X., Sha, R., Wang, J., Li, X., Jiang, W., and Yuan, Y., Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume; *TPEL Aug. 2025 10988-11000*
Chen, Y., *see* Yan, Y., *TPEL Sept. 2025 12555-12565*
Chen, Y., *see* Yan, Y., *TPEL Sept. 2025 13434-13447*
Chen, Y., *see* Li, K., *TPEL Oct. 2025 14585-14597*
Chen, Y., *see* Luo, T., *TPEL Oct. 2025 15104-15117*
Chen, Y., *see* Meng, F., *TPEL Oct. 2025 15160-15171*
Chen, Y., *see* Li, J., *TPEL Oct. 2025 14222-14227*
Chen, Y., *see* Shuai, Y., *TPEL Oct. 2025 14560-14570*
Chen, Y., *see* Shen, Z., *TPEL Oct. 2025 14842-14853*
Chen, Y., *see* Meng, F., *TPEL Oct. 2025 15768-15779*
Chen, Y., *see* Du, Z., *TPEL Nov. 2025 16116-16122*
Chen, Y., *see* Bi, G., *TPEL Nov. 2025 16169-16183*

Chen, Y., *see* Lin, M., *TPEL Nov. 2025 17091-17104*
Chen, Z., *see* Shen, Y., *TPEL Jan. 2025 1686-1696*
Chen, Z., *see* Guo, Z., *TPEL Jan. 2025 526-539*
Chen, Z., *see* Du, Z., *TPEL Jan. 2025 2070-2085*
Chen, Z., *see* Chen, L., *TPEL Feb. 2025 3168-3176*
Chen, Z., Sun, X., Song, W., Wheeler, P., Liu, J., and Ren, B., Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm; *TPEL March 2025 4602-4612*
Chen, Z., *see* Xiong, J., *TPEL March 2025 4461-4472*
Chen, Z., *see* Cai, J., *TPEL June 2025 8516-8527*
Chen, Z., *see* Cao, B., *TPEL June 2025 7646-7650*
Chen, Z., *see* Zhang, H., *TPEL July 2025 9370-9387*
Chen, Z., Li, Z., Huang, S., Sun, X., Zhu, X., and Zhang, Z., A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters; *TPEL July 2025 10027-10037*
Chen, Z., *see* Wang, X., *TPEL July 2025 10038-10048*
Chen, Z., *see* Lin, T., *TPEL Aug. 2025 11355-11368*
Chen, Z., *see* Huang, S., *TPEL Aug. 2025 11763-11774*
Chen, Z., *see* Liang, B., *TPEL Aug. 2025 10635-10648*
Chen, Z., *see* Geng, J., *TPEL Aug. 2025 11218-11229*
Chen, Z., *see* Zhang, Y., *TPEL Aug. 2025 10378-10384*
Chen, Z., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*
Chen, Z., Geng, C., Shen, Y., Wang, M., and Yang, X., Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay; *TPEL Sept. 2025 12230-12241*
Chen, Z., *see* Li, M., *TPEL Sept. 2025 11918-11922*
Chen, Z., Wang, Y., Shen, Y., and Wang, M., An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction; *TPEL Sept. 2025 12337-12349*
Chen, Z., *see* Yu, Q., *TPEL Sept. 2025 13363-13382*
Chen, Z., *see* Ma, C., *TPEL Sept. 2025 13035-13049*
Chen, Z., *see* Wei, Y., *TPEL Sept. 2025 14084-14098*
Chen, Z., *see* Wang, J., *TPEL Oct. 2025 14638-14650*
Chen, Z., *see* Tang, W., *TPEL Oct. 2025 14524-14535*
Chen, Z., *see* Xu, F., *TPEL Oct. 2025 14196-14209*
Chen, Z., Hao, X., Li, Z., Ma, Y., Wang, J., Liu, X., Du, S., Han, J., and Zeng, X., An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array; *TPEL Oct. 2025 15949-15958*
Chen, Z., *see* Zhu, X., *TPEL Nov. 2025 16728-16739*
Cheng, C., *see* Wang, W., *TPEL June 2025 7709-7726*
Cheng, C., Zhang, Y., Zheng, X., and Hua, W., A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output; *TPEL June 2025 7663-7667*
Cheng, C., *see* Tong, L., *TPEL July 2025 9388-9406*
Cheng, F., *see* Wang, M., *TPEL Feb. 2025 3543-3552*
Cheng, H., *see* Zhang, Y., *TPEL Jan. 2025 87-91*
Cheng, H., *see* Xia, Y., *TPEL May 2025 7385-7397*
Cheng, H., *see* Sun, J., *TPEL Aug. 2025 11206-11217*
Cheng, K.W.E., *see* Leung, C.P., *TPEL Feb. 2025 3738-3749*
Cheng, K.W.E., *see* Li, K., *TPEL Oct. 2025 16004-16021*
Cheng, L., *see* Yang, C., *TPEL Jan. 2025 2170-2183*
Cheng, L., *see* Wu, Y., *TPEL Feb. 2025 3043-3061*
Cheng, L., *see* Zhang, Y., *TPEL June 2025 7640-7645*
Cheng, L., Wei, G., Hao, L., Zhang, Y., and Zhang, J., A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System; *TPEL July 2025 10242-10253*
Cheng, L., Li, Z., Liu, W., and Belko, V., Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics; *TPEL Oct. 2025 15339-15347*
Cheng, M., *see* Huang, X., *TPEL May 2025 7275-7285*
Cheng, M., *see* Fu, W., *TPEL May 2025 7200-7214*
Cheng, M., *see* Feng, X., *TPEL Sept. 2025 12440-12451*
Cheng, M., *see* Li, C., *TPEL Nov. 2025 16926-16936*
Cheng, M., *see* Chen, T., *TPEL Dec. 2025 18350-18364*
Cheng, P., *see* Wang, Z., *TPEL Jan. 2025 2442-2456*
Cheng, R., *see* Wang, H., *TPEL July 2025 8950-8955*
Cheng, S., Liu, C., Yuan, W., Xiang, C., Hu, Y., Xie, W., and Wang, W., Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature; *TPEL April 2025 6055-6068*
Cheng, S., *see* Wang, W., *TPEL June 2025 7709-7726*
Cheng, X., *see* Chen, S., *TPEL Jan. 2025 1012-1022*
Cheng, X., *see* Shen, Z., *TPEL April 2025 4722-4726*
Cheng, X., *see* Tian, Y., *TPEL May 2025 6860-6873*
Cheng, X., *see* Zheng, Y., *TPEL May 2025 6459-6463*
Cheng, X., *see* Zhang, Y., *TPEL July 2025 8923-8927*
Cheng, X., Yu, F., Liu, L., and Zhu, Z., Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger; *TPEL July 2025 10049-10058*
Cheng, X., *see* Yu, X., *TPEL Sept. 2025 11998-12002*
Cheng, X., *see* Yu, Y., *TPEL Sept. 2025 13050-13062*
Cheng, Y., *see* Du, B., *TPEL Jan. 2025 2184-2195*
Cheng, Y., *see* Bai, L., *TPEL March 2025 4131-4141*
Cheng, Y., *see* Wu, P., *TPEL April 2025 4706-4710*
Cheng, Y., Guan, Y., Yao, T., Zong, J., Wang, Y., and Xu, D., A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics; *TPEL May 2025 7029-7041*
Cheng, Y., *see* Shi, X., *TPEL Oct. 2025 15450-15465*
Cheng, Z., Li, L., Liu, X., Bai, X., and Liu, J., Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter; *TPEL Jan. 2025 1654-1668*
Cheng, Z., and He, L., Hybrid Control Strategy With Neural-Network-Assisted Synchronous Rectification for Efficient Wide-Gain *CLLC* Converter; *TPEL Jan. 2025 389-405*
Cheng, Z., *see* Dou, R., *TPEL Jan. 2025 2513-2526*
Cheng, Z., *see* Wang, Z., *TPEL April 2025 6345-6358*
Cheng, Z., Li, L., Zhong, C., Wang, J., Bai, X., and Liu, J., Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples; *TPEL April 2025 4984-4996*
Cheng, Z., *see* Yang, F., *TPEL July 2025 9357-9369*
Cheok, A.D., *see* Cai, J., *TPEL Jan. 2025 1669-1685*
Cheok, A.D., *see* Cai, J., *TPEL June 2025 8516-8527*
Chieng, W., *see* Liu, C., *TPEL Feb. 2025 3370-3384*
Chieng, W., *see* Lai, J., *TPEL April 2025 5190-5200*
Chiu, P., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Cho, B., *see* Park, G., *TPEL July 2025 9004-9018*
Cho, H., Sul, K., Kim, K., Jung, J., and Kim, H., Carrier-Based Minimum-Loss Discontinuous PWM With Neutral-Point Voltage Balancing for Three-Level NPC Inverters; *TPEL Sept. 2025 13895-13906*
Cho, H., *see* Song, B., *TPEL Oct. 2025 14613-14625*
Cho, J.S., *see* Yang, J., *TPEL March 2025 4522-4535*
Choi, J., *see* Choi, S., *TPEL Jan. 2025 46-50*
Choi, J., *see* Kim, M., *TPEL April 2025 6296-6306*
Choi, J., *see* Lee, D., *TPEL July 2025 9876-9888*
Choi, M., Park, S., Jang, E., Ouk, M., Park, K., Lee, S., and Noh, G., Fabrication-Specific Simulation of Mn-Zn Ferrite Core-Loss for Machine Learning-Based Surrogate Modeling With Limited Experimental Data; *TPEL Jan. 2025 1519-1531*
Choi, S., Warnakulasooriya, T., Choi, J., Yonezawa, Y., Imaoka, J., and Yamamoto, M., Novel Vertical Shunt Resistor: Integration and Optimization in Power Modules; *TPEL Jan. 2025 46-50*
Choi, S., *see* Kieu, H., *TPEL March 2025 4268-4278*
Choi, S., *see* Do, N., *TPEL Oct. 2025 14210-14221*
Choi, U., *see* Lee, D., *TPEL July 2025 9876-9888*
Choksi, K., *see* Mirza, A.B., *TPEL April 2025 5768-5786*
Chowdhury, A., Haque, M.E., Das, S., and Sozer, Y., Dynamic Interleaving Strategy to Reduce DC-Link Ripple of Dual Three-Phase Permanent Magnet Synchronous Machine Drives by Using Discontinuous Space Vector Modulation; *TPEL Jan. 2025 1762-1773*
Chowdhury, S.A., *see* Li, A.L., *TPEL Sept. 2025 14061-14071*
Chowdhury, S.A., *see* Han, M.E., *TPEL Sept. 2025 14027-14037*
Chowdhury, S.A., *see* Han, M.E., *TPEL Dec. 2025 18226-18236*
Chu, E., *see* Song, J., *TPEL Jan. 2025 1099-1110*

Chu, E., *see* Shen, Q., *TPEL Feb. 2025 3636-3656*
Chu, E., *see* Li, J., *TPEL Sept. 2025 12690-12702*
Chu, J., *see* Liu, Z., *TPEL March 2025 4536-4545*
Chu, J., *see* Liang, C., *TPEL April 2025 6230-6247*
Chu, J., *see* Liu, Z., *TPEL July 2025 10265*
Chu, J., *see* Liu, Z., *TPEL Sept. 2025 14014-14026*
Chu, X., *see* Li, Y., *TPEL Oct. 2025 16032-16041*
Chung, C.Y., *see* Guo, R., *TPEL Aug. 2025 10272-10285*
Chung, C.Y., *see* Meng, H., *TPEL Sept. 2025 12015-12020*
Chung, H.S., *see* Xiang, Y., *TPEL Jan. 2025 2235-2247*
Chung, H.S., *see* Xiao, C., *TPEL March 2025 4437-4448*
Chung, H.S., *see* Wei, Z., *TPEL April 2025 6162-6176*
Chung, H.S., *see* Lin, Z., *TPEL July 2025 8944-8949*
Chung, Y., *see* Rim, C.T., *TPEL Nov. 2025 16953-16962*
Ci, S., *see* Luo, L., *TPEL Aug. 2025 11452-11466*
Civet, Y., *see* Almanza, M., *TPEL Aug. 2025 11197-11205*
Clenet, S., *see* Henneron, T., *TPEL May 2025 7095-7105*
Cobaleda, D.B., *see* Shen, X., *TPEL Oct. 2025 15254-15264*
Coccetti, F., *see* Almeida, G., *TPEL Oct. 2025 14962-14973*
Colado Barreto, L.H.S., *see* de Oliveira, R.N.M., *TPEL July 2025 9407-9417*
Cong, S., *see* Zhang, T., *TPEL Oct. 2025 14265-14270*
Conte, F., *see* Torchio, R., *TPEL May 2025 6977-6987*
Corbitt, A., *see* Farnell, C., *TPEL Dec. 2025 18437-18447*
Corti, F., Bertolini, V., Reatti, A., Faba, A., and Cardelli, E., Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model; *TPEL March 2025 3899-3915*
Cougo, B., *see* Almeida, G., *TPEL Oct. 2025 14962-14973*
Cousineau, M., *see* Almeida, G., *TPEL April 2025 5583-5592*
Covic, G.A., *see* Lin, F.J., *TPEL Nov. 2025 17514-17528*
Cruz, M.F., *see* Pradhan, R., *TPEL Dec. 2025 17894-17910*
Cui, B., *see* Ma, Y., *TPEL July 2025 9439-9451*
Cui, B., *see* Zhao, B., *TPEL Sept. 2025 12033-12037*
Cui, B., *see* Wang, Y., *TPEL Oct. 2025 14356-14362*
Cui, D., *see* Jiang, J., *TPEL Jan. 2025 2017-2027*
Cui, G., *see* Sun, A., *TPEL Sept. 2025 12661-12675*
Cui, H., Wei, Z., and Wang, R., Sensor Fusion-Enabled State of Charge Estimation of Smart Battery Module; *TPEL Jan. 2025 2273-2283*
Cui, H., *see* Lu, Y., *TPEL April 2025 6044-6054*
Cui, H., *see* Kong, H., *TPEL April 2025 5241-5251*
Cui, H., *see* Tian, H., *TPEL Aug. 2025 10335-10342*
Cui, M., Chen, L., Pei, Y., and Chai, F., The Active Gate Driver Based on Hardware Closed-Loop Control for Crosstalk Suppression of SiC MOSFETs With Kelvin-Source Connection; *TPEL Jan. 2025 217-226*
Cui, M., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Cui, N., *see* Song, C., *TPEL Oct. 2025 15607-15619*
Cui, P., *see* Yu, Z., *TPEL Nov. 2025 16764-16779*
Cui, Q., *see* Liu, X., *TPEL March 2025 4640-4651*
Cui, S., *see* Hwang, I., *TPEL Jan. 2025 574-587*
Cui, S., *see* Du, B., *TPEL Jan. 2025 2184-2195*
Cui, S., *see* Yun, J., *TPEL April 2025 5014-5024*
Cui, S., *see* Kim, S., *TPEL May 2025 6423-6428*
Cui, S., Wang, M., Ye, J., Bi, M., Zhang, C., and Li, L., Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices; *TPEL June 2025 8430-8447*
Cui, S., *see* Ye, J., *TPEL June 2025 8448-8467*
Cui, S., *see* Zhang, C., *TPEL June 2025 8604-8616*
Cui, S., *see* Park, G., *TPEL July 2025 9004-9018*
Cui, S., *see* Yun, J., *TPEL July 2025 9019-9033*
Cui, S., *see* Zhang, C., *TPEL Sept. 2025 13276-13288*
Cui, S., *see* Lee, J., *TPEL Oct. 2025 14235-14240*
Cui, W., Shao, S., Zong, Y., Chen, W., and Zhang, J., Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices; *TPEL Nov. 2025 16596-16610*
Cui, X., *see* Zheng, F., *TPEL Feb. 2025 3112-3128*
Cui, X., *see* Yang, T., *TPEL Aug. 2025 10945-10956*
Cui, X., *see* Liang, B., *TPEL Aug. 2025 10635-10648*
Cui, X., *see* Zhang, L., *TPEL Sept. 2025 12154-12166*
Cui, Y., Yin, Z., Zhang, Y., and Yang, H., Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer; *TPEL Aug. 2025 11296-11313*
Cui, Z., *see* Wu, C., *TPEL Sept. 2025 13337-13362*
Cuzmar, R.H., *see* Poblete, P., *TPEL Jan. 2025 625-637*
Cuzmar, R.H., *see* Poblete, P., *TPEL Jan. 2025 500-515*
Cvetanovic, R., Petric, I.Z., Mattavelli, P., and Buso, S., All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters; *TPEL Sept. 2025 13880-13894*
Cvetanovic, R., *see* Stojanovic, L., *TPEL Nov. 2025 17400-17413*
Cyriac, S., Jayaprakasan, S., and Ramchand, R., Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter; *TPEL Oct. 2025 14811-14820*

D

D'Arco, S., *see* Shah, C.R., *TPEL Aug. 2025 10481-10495*
Da, C., Li, F., Nie, M., Li, S., Tao, C., and Wang, L., Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications; *TPEL Jan. 2025 2630-2642*
da Silva, F.F., *see* Wang, Z., *TPEL April 2025 5646-5660*
da Silva, F.F., *see* Wang, Z., *TPEL Sept. 2025 13142-13156*
da Silva, R.L., de Andrade, J.M., Dias, J.C., and Lazzarin, T.B., Medium Voltage Auxiliary Power Supply Using Forward Converter Integrated With Switched Capacitor Cells; *TPEL Jan. 2025 1404-1417*
Daenen, M., *see* Deckers, M., *TPEL Jan. 2025 2219-2234*
Dahneem, A., *see* Qiu, M., *TPEL Jan. 2025 1359-1375*
Dai, B., Wang, Z., Zhao, J., and Li, S., Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function; *TPEL Oct. 2025 15093-15103*
Dai, B., *see* Ning, G., *TPEL Nov. 2025 16626-16638*
Dai, C., *see* Yao, Z., *TPEL April 2025 5109-5119*
Dai, D., *see* Wang, K., *TPEL Aug. 2025 10581-10593*
Dai, H., *see* Amorim Torres, R., *TPEL March 2025 4345-4357*
Dai, L., Wen, H., Yang, Y., Xu, P., Han, X., Zhu, Y., Mao, J., Wang, P., Jiang, L., Khan, S.S., and Rodriguez, J., High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation; *TPEL Aug. 2025 11701-11714*
Dai, N., *see* Yin, J., *TPEL Jan. 2025 1085-1098*
Dai, N., *see* Huang, D., *TPEL Dec. 2025 17575-17581*
Dai, W., *see* Xia, J., *TPEL April 2025 6260-6271*
Dai, X., *see* Sun, M., *TPEL May 2025 7477-7487*
Dai, X., *see* Xia, Z., *TPEL July 2025 10221-10241*
Dai, X., *see* Lv, X., *TPEL Aug. 2025 10372-10377*
Dai, X., *see* Hu, H., *TPEL Sept. 2025 14038-14049*
Dai, X., *see* Wang, H., *TPEL Oct. 2025 14324-14330*
Dai, X., Hao, J., Liao, R., and Bak, C.L., Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review; *TPEL Oct. 2025 15399-15421*
Dai, Y., *see* Xie, W., *TPEL Jan. 2025 1441-1456*
Dai, Z., *see* Li, M., *TPEL Sept. 2025 11918-11922*
Dajaku, G., *see* Zhao, Y., *TPEL Oct. 2025 15808-15819*
Dalapati, S., *see* Chatterjee, D., *TPEL Sept. 2025 12873-12892*
Dan, H., *see* Li, J., *TPEL Jan. 2025 588-598*
Dan, H., *see* Hao, Y., *TPEL Dec. 2025 18083-18096*
Daneshgar, S., Babaei, E., and Sharifian, M.B.B., Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell; *TPEL Dec. 2025 17858-17868*
Dang, C., Dou, M., Yan, S., Dang, M., Zhao, D., and Hua, Z., An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller; *TPEL Sept. 2025 12378-12392*
Dang, C., *see* Yan, S., *TPEL Oct. 2025 14598-14612*
Dang, M., *see* Dang, C., *TPEL Sept. 2025 12378-12392*
Dang, Y., *see* Liu, Z., *TPEL April 2025 5609-5621*

Dang, Y., Zhu, L., Liu, F., Zhang, F., Liu, Z., and Ji, S., Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings; *TPEL April 2025 5566-5582*

Dang, Y., *see* Liu, Z., *TPEL Sept. 2025 13126-13141*

Dang, Y., Zhu, L., Liu, F., Li, S., Liu, Z., and Ji, S., Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes; *TPEL Oct. 2025 14785-14796*

Darvish, P., Cao, H., Uddin, M.F., Wang, H., and Zhao, Y., A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications; *TPEL Oct. 2025 15976-16003*

Darvishzadeh, A., Iman-Eini, H., and Neyshabouri, Y., Diagnosis and Ride Through of Single-Switch Open-Circuit Fault in Low-Capacitance STATCOM; *TPEL Jan. 2025 1952-1963*

Darvishzadeh, A., *see* Cervone, A., *TPEL Oct. 2025 14908-14922*

Das, P.P., Satpathy, S., and Bhattacharya, S., Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region; *TPEL April 2025 5685-5699*

Das, S., *see* Chowdhury, A., *TPEL Jan. 2025 1762-1773*

Davari, M., *see* Jamali, M., *TPEL Feb. 2025 2746-2760*

Davari, P., *see* Xue, P., *TPEL Jan. 2025 892-905*

Davari, P., *see* Xue, P., *TPEL June 2025 8062-8074*

Davari, S.A., *see* Mousavi, M.S., *TPEL May 2025 6801-6812*

Davidson, I., *see* Babayomi, O., *TPEL Nov. 2025 17124-17146*

de Andrade, J.M., *see* da Silva, R.L., *TPEL Jan. 2025 1404-1417*

de Araujo, J.W.M., *see* de Oliveira, R.N.M., *TPEL July 2025 9407-9417*

De Carne, G., *see* Maroufi, S.M., *TPEL July 2025 9944-9956*

De Carne, G., *see* Pithanisetty, P., *TPEL Aug. 2025 11428-11441*

De Donato, G., *see* Karimzada, O., *TPEL April 2025 5496-5504*

De Donato, G., *see* Tornello, L.D.D., *TPEL June 2025 8468-8479*

De Doncker, R.W., *see* Austrup, I., *TPEL March 2025 4386-4398*

De Doncker, R.W., *see* Kowalewski, P., *TPEL June 2025 7740-7753*

De Guglielmo, L., *see* Femia, N., *TPEL Jan. 2025 1532-1541*

De Martin, I.D., Tinazzi, F., and Zigliotto, M., Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients; *TPEL Sept. 2025 12393-12401*

de Oliveira, L.S., *see* Mayer, R., *TPEL Aug. 2025 11051-11063*

de Oliveira, R.N.M., de Araujo, J.W.M., Colado Barreto, L.H.S., Honorio, D.d.A., Oliveira, D.d.S., Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers; *TPEL July 2025 9407-9417*

de Pontes, G.P., Gehrke, C.S., Piardi, A.B., and Ramos, R.A., Enhanced Power Injection Strategies for Voltage Sag Minimization: Integrating the Maximum Apparent Power of the Converter and the Thévenin Equivalent; *TPEL Jan. 2025 351-360*

De Simone, D., *see* Barresi, M., *TPEL Dec. 2025 17674-17689*

De Soysa, G.S., Madawala, U.K., Bevilaqua, M.A., and Patel, N.D., Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs; *TPEL Jan. 2025 241-251*

Deb, A., Ortiz Gonzalez, J., Jahdi, S., Wu, R., Yuan, X., and Alatise, O., SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis; *TPEL Nov. 2025 16341-16351*

Deb, D., *see* Joshi, D., *TPEL Dec. 2025 17832-17843*

Debbadi, K., *see* Sancio, R., *TPEL Nov. 2025 17025-17039*

DeBoi, B.T., Lemmon, A.N., and Boutry, A., An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs; *TPEL Sept. 2025 13075-13085*

Debouza, M., *see* Viswambharan, A., *TPEL Feb. 2025 2761-2779*

Deckers, M., Van Cappellen, L., Moschner, J., Daenen, M., and Driesen, J., Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter; *TPEL Jan. 2025 2219-2234*

Deckers, M., and Driesen, J., Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search; *TPEL April 2025 6147-6161*

Dekka, A., *see* Le, H., *TPEL Jan. 2025 1272-1288*

Dekka, A., *see* Le, H., *TPEL Sept. 2025 11945-11950*

Deng, C., *see* Liu, Y., *TPEL May 2025 6476-6491*

Deng, C., Chen, M., Zhang, F., Zheng, R., and Jiang, F., A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter; *TPEL June 2025 7967-7979*

Deng, E., *see* Xie, L., *TPEL Jan. 2025 2086-2098*

Deng, E., Sun, H., Sun, Y., Wu, L., Zhong, Y., Pan, M., Yan, Y., and Huang, Y., The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance; *TPEL Oct. 2025 14949-14961*

Deng, F., *see* Xiao, Z., *TPEL Jan. 2025 1289-1304*

Deng, F., *see* Li, C., *TPEL March 2025 4034-4050*

Deng, F., *see* Yao, Z., *TPEL April 2025 5109-5119*

Deng, F., *see* Sun, T., *TPEL May 2025 6700-6713*

Deng, F., *see* Xiao, Z., *TPEL May 2025 6988-7001*

Deng, F., *see* Wang, N., *TPEL May 2025 6963-6976*

Deng, F., *see* Li, H., *TPEL July 2025 9840-9852*

Deng, F., *see* Lv, Y., *TPEL Aug. 2025 11655-11672*

Deng, F., *see* Geng, J., *TPEL Aug. 2025 11218-11229*

Deng, F., *see* Yu, Q., *TPEL Sept. 2025 13363-13382*

Deng, F., *see* Xiao, Z., *TPEL Sept. 2025 13835-13851*

Deng, F., *see* Geng, J., *TPEL Oct. 2025 15118-15129*

Deng, F., *see* Gardouh, A.S., *TPEL Oct. 2025 14710-14721*

Deng, G., Bi, X., Shen, J., Liu, R., Yan, Y., Yang, C., Xie, X., Wei, J., Zhang, B., Zheng, C., Liu, Y., and Luo, X., Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance; *TPEL Oct. 2025 14425-14436*

Deng, H., *see* Deng, Q., *TPEL July 2025 10111-10122*

Deng, J., *see* Lu, S., *TPEL April 2025 5456-5466*

Deng, L., *see* Peng, H., *TPEL May 2025 6539-6554*

Deng, P., *see* Sun, M., *TPEL May 2025 7477-7487*

Deng, Q., *see* Xie, D., *TPEL Jan. 2025 2028-2041*

Deng, Q., *see* Li, Y., *TPEL Feb. 2025 3750-3769*

Deng, Q., Huang, Q., Li, Z., Deng, H., Li, S., and Hu, W., AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire; *TPEL July 2025 10111-10122*

Deng, R., *see* Fei, Y., *TPEL Sept. 2025 14000-14013*

Deng, S., *see* Nielsen, M.R., *TPEL Jan. 2025 987-1011*

Deng, S., *see* Wang, J., *TPEL April 2025 6319-6333*

Deng, W., *see* Xiao, Q., *TPEL April 2025 6385-6397*

Deng, W., *see* Huang, H., *TPEL Sept. 2025 13177-13186*

Deng, X., *see* Xu, F., *TPEL Oct. 2025 14196-14209*

Deng, Y., *see* Cao, H., *TPEL Jan. 2025 801-812*

Deng, Y., *see* Zhang, H., *TPEL Jan. 2025 2457-2471*

Deng, Y., *see* Qin, H., *TPEL Oct. 2025 15466-15477*

Deng, Y., *see* Nie, J., *TPEL Nov. 2025 16090-16095*

Deng, Y., *see* Xu, Y., *TPEL Nov. 2025 16548-16559*

Deng, Z., *see* Liu, Z., *TPEL March 2025 4449-4460*

Deng, Z., *see* Guo, N., *TPEL May 2025 7042-7057*

Deng, Z., *see* Chen, H., *TPEL July 2025 9315-9328*

Deng, Z., *see* Zhu, G., *TPEL July 2025 10095-10110*

Deng, Z., *see* Wu, X., *TPEL Sept. 2025 13514-13528*

Deng, Z., Cao, S., Ma, K., Wang, H., Zhou, D., and Cai, X., Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters; *TPEL Sept. 2025 13448-13458*

Deng, Z., *see* Hou, J., *TPEL Nov. 2025 16853-16869*

Deng, Z., Liu, J., Du, S., Wu, T., Chen, H., Li, C., and Guo, N., A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation; *TPEL Dec. 2025 18011-18026*

Denissenko, P., *see* Iosifidis, N., *TPEL Oct. 2025 15381-15398*

Derakhshan, S., and Lam, J., A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger; *TPEL Aug. 2025 10912-10930*

Desai, M.A., *see* He, X., *TPEL March 2025 3980-4007*

Deshmukh, A.V., Afshar, M., Jena, S., Hava, A.M., Yu, Z., and Akin, B., A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor; *TPEL March 2025 4358-4373*

Desmet, J., *see* Aboutaleb, A.M., *TPEL June 2025 8109-8124*

Deutschmann-Olek, A., *see* Fuchs, G., *TPEL Oct. 2025 14697-14709*

Dey, A., *see* Goel, R., *TPEL March 2025 3861-3872*
Dey, P., Paul, S., and Basu, K., Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter; *TPEL Nov. 2025 16870-16893*
Dey, S., and Mallik, A., Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB; *TPEL Oct. 2025 14821-14841*
Di, Z., *see* Wu, Q., *TPEL Nov. 2025 16105-16110*
Di Capua, G., *see* Femia, N., *TPEL Jan. 2025 1532-1541*
Diao, N., *see* Guo, X., *TPEL July 2025 10000-10026*
Diao, Q., *see* Sun, Y., *TPEL April 2025 6107-6118*
Diao, X., *see* Zhuang, Y., *TPEL July 2025 9933-9943*
Diao, X., *see* Wang, C., *TPEL Nov. 2025 16243-16254*
Dias, J.C., *see* da Silva, R.L., *TPEL Jan. 2025 1404-1417*
Dieckerhoff, S., *see* Geng, X., *TPEL April 2025 5231-5240*
Diez, D.G., *see* Udabe, A., *TPEL May 2025 6883-6897*
Dijkhuizen, F., *see* Wang, X., *TPEL Sept. 2025 12031-12032*
Ding, B., *see* Tong, Z., *TPEL July 2025 9764-9774*
Ding, B., *see* Lu, Y., *TPEL Sept. 2025 11934-11939*
Ding, B., *see* Tong, Z., *TPEL Sept. 2025 11991-11997*
Ding, B., *see* Lu, Y., *TPEL Dec. 2025 17690-17702*
Ding, C., Ruan, J., Li, R., Yuan, K., Jiang, J., Wu, Y., Li, G., Leung, K.N., and Liu, X., A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition; *TPEL Nov. 2025 16111-16115*
Ding, D., *see* Gao, R., *TPEL April 2025 4848-4861*
Ding, D., *see* Ren, Z., *TPEL June 2025 8005-8015*
Ding, F., *see* Zhang, S., *TPEL Aug. 2025 11526-11536*
Ding, H., *see* Wang, T., *TPEL Sept. 2025 12542-12554*
Ding, J., *see* Xie, Y., *TPEL June 2025 8093-8108*
Ding, J., *see* Shuai, Y., *TPEL Oct. 2025 14560-14570*
Ding, L., *see* Zhang, M., *TPEL Feb. 2025 3077-3089*
Ding, L., *see* Jiao, Y., *TPEL April 2025 5412-5422*
Ding, L., *see* Qi, X., *TPEL April 2025 5319-5335*
Ding, M., Li, H., Zhao, L., Wang, Z., Ye, Y., and Yang, D., Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications; *TPEL Sept. 2025 12594-12605*
Ding, Q., *see* Bao, X., *TPEL Aug. 2025 10824-10835*
Ding, S., *see* Hang, J., *TPEL Feb. 2025 3395-3404*
Ding, S., Huang, X., Hang, J., and Li, W., Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System; *TPEL May 2025 7162-7175*
Ding, S., *see* Mei, K., *TPEL June 2025 7980-7993*
Ding, S., *see* Liu, Q., *TPEL July 2025 8871-8885*
Ding, S., *see* Li, C., *TPEL Aug. 2025 10694-10704*
Ding, S., Chen, L., Qian, Q., and Sun, W., High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption; *TPEL Sept. 2025 12514-12526*
Ding, S., *see* Hou, Q., *TPEL Nov. 2025 16255-16264*
Ding, S., Wang, X., Li, Y., Wu, Z., and Hang, J., Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference; *TPEL Nov. 2025 16219-16230*
Ding, S., *see* Chen, C., *TPEL Nov. 2025 16315-16326*
Ding, W., *see* Cai, J., *TPEL Jan. 2025 1669-1685*
Ding, W., *see* Xu, B., *TPEL Sept. 2025 13659-13672*
Ding, X., *see* Ge, L., *TPEL Jan. 2025 40-45*
Ding, X., Jiang, K., Zhang, C., Zhang, P., and Yan, Z., A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell; *TPEL June 2025 8292-8304*
Ding, Y., Wang, Y., Chen, M., Fan, L., and Yin, Y., Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature; *TPEL July 2025 9864-9875*
Divan, D., *see* Zeng, Z., *TPEL July 2025 8934-8938*
Djekanovic, N., *see* Wang, R., *TPEL Aug. 2025 11616-11627*
Dmitruk, K., and Sikorski, A., A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter; *TPEL Sept. 2025 12095-12111*
Do, N., *see* Kieu, H., *TPEL March 2025 4268-4278*
Do, N., Lee, C., Kieu, H., and Choi, S., New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application; *TPEL Oct. 2025 14210-14221*
Dong, D., *see* Chang, C., *TPEL Jan. 2025 1215-1233*
Dong, D., *see* Zhao, X., *TPEL May 2025 6403-6412*
Dong, D., *see* Chang, C., *TPEL July 2025 9492-9506*
Dong, D., *see* Li, T., *TPEL Oct. 2025 15013-15029*
Dong, G., *see* Liu, S., *TPEL July 2025 9518-9542*
Dong, H., and Xie, X., Review of Current-Sharing Schemes for Multiphase LLC Resonant Converter; *TPEL Jan. 2025 1322-1345*
Dong, J., *see* Zhu, G., *TPEL July 2025 10095-10110*
Dong, J., *see* Wang, Q., *TPEL Nov. 2025 16265-16280*
Dong, K., *see* Yang, L., *TPEL Feb. 2025 2680-2684*
Dong, L., *see* Wang, Z., *TPEL Nov. 2025 16687-16695*
Dong, M., *see* Zhou, J., *TPEL Jan. 2025 1862-1871*
Dong, M., Li, M., Zhou, J., Wu, Z., and Li, L., 3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System; *TPEL June 2025 8812-8823*
Dong, M., *see* Wang, K., *TPEL Aug. 2025 10581-10593*
Dong, M., He, H., Zhou, J., Wu, Z., Song, D., Liang, R., Li, L., Xu, C., and Sui, Y., Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio; *TPEL Aug. 2025 11001-11011*
Dong, R., *see* Xiao, L., *TPEL Aug. 2025 11157-11169*
Dong, S., *see* Ma, J., *TPEL Jan. 2025 1111-1122*
Dong, S., *see* Yang, Q., *TPEL Jan. 2025 1247-1257*
Dong, S., *see* Ma, J., *TPEL Oct. 2025 15215-15225*
Dong, S., Chen, X., Liu, J., Zhang, B., and Zhu, C., Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control; *TPEL Oct. 2025 16022-16031*
Dong, S., *see* Zhang, B., *TPEL Nov. 2025 16096-16099*
Dong, X., *see* Zheng, C., *TPEL Jan. 2025 1872-1885*
Dong, X., *see* Han, J., *TPEL Jan. 2025 2248-2258*
Dong, X., *see* Wang, H., *TPEL May 2025 7227-7238*
Dong, X., Wang, L., Zhou, Q., Jin, H., Yang, Q., and Yuan, L., Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs; *TPEL Sept. 2025 11951-11956*
Dong, X., *see* Quan, X., *TPEL Sept. 2025 13919-13930*
Dong, X., *see* Lee, K., *TPEL Oct. 2025 15003-15012*
Dong, Z., *see* Du, J., *TPEL Jan. 2025 2139-2148*
Dong, Z., *see* Zhang, B., *TPEL March 2025 3854-3860*
Dong, Z., *see* Wei, Z., *TPEL May 2025 7414-7422*
Dong, Z., *see* Liu, X., *TPEL Oct. 2025 15745-15756*
Dong, Z., *see* Du, Z., *TPEL Nov. 2025 16116-16122*
Dong, Z., *see* Liu, Y., *TPEL Nov. 2025 16131-16145*
Dongye, Z., Fan, J., Xiao, Y., Li, T., Qi, L., and Yang, D., An Analytical Formula for the PETT Oscillation Over a Wide Voltage Range in NPT Planar IGBT Chips; *TPEL Jan. 2025 958-968*
Dongye, Z., *see* Lu, Y., *TPEL Jan. 2025 2210-2218*
Dongye, Z., *see* Lu, Y., *TPEL April 2025 6044-6054*
Dongye, Z., *see* Yang, T., *TPEL Aug. 2025 10945-10956*
Dongye, Z., *see* Shen, X., *TPEL Oct. 2025 15371-15380*
Dongye, Z., *see* Du, Z., *TPEL Nov. 2025 16116-16122*
Donnal, J.S., *see* Maheshwari, A., *TPEL Jan. 2025 652-664*
Dorfler, F., *see* He, X., *TPEL March 2025 3980-4007*
Dou, H., *see* Lu, F., *TPEL Aug. 2025 11369-11379*
Dou, J., Wang, Z., Xin, G., and Shi, X., High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator; *TPEL April 2025 4775-4779*
Dou, M., *see* Dang, C., *TPEL Sept. 2025 12378-12392*
Dou, M., *see* Yan, S., *TPEL Oct. 2025 14598-14612*
Dou, R., Li, Y., Zhang, X., Yang, Q., Zhang, P., Zhao, L., Cheng, Z., Li, A., and Hu, A.P., Nanocrystalline Power Loss and Thermal Mitigation for 11.1 kW Inductive Power Transfer Pads: A Novel Frequency-Dependent Optimization; *TPEL Jan. 2025 2513-2526*

Dou, X., *see* Cai, J., *TPEL Jan. 2025 1669-1685*
Dou, Y., *see* Huang, Q., *TPEL July 2025 9625-9637*
Dou, Z., *see* Lu, F., *TPEL Aug. 2025 11369-11379*
Doval-Gandoy, J., *see* Lopez, O., *TPEL Jan. 2025 8-22*
Doval-Gandoy, J., *see* Fernandez-Abraldes, P.M., *TPEL April 2025 4668-4684*
Doval-Gandoy, J., *see* Perez-Estevez, D., *TPEL Sept. 2025 12977-12997*
Doval-Gandoy, J., *see* Rios-Castro, D., *TPEL Oct. 2025 15042-15063*
Dragicevic, T., *see* Zheng, C., *TPEL Jan. 2025 1872-1885*
Driesen, J., *see* Deckers, M., *TPEL Jan. 2025 2219-2234*
Driesen, J., *see* Deckers, M., *TPEL April 2025 6147-6161*
Dsa, D., *see* Pithanisetty, P., *TPEL Aug. 2025 11428-11441*
Du, B., Huang, W., Li, T., Hu, R., Cheng, Y., and Cui, S., A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image; *TPEL Jan. 2025 2184-2195*
Du, B., *see* Guo, Z., *TPEL April 2025 4762-4766*
Du, B., *see* Zhang, C., *TPEL June 2025 8604-8616*
Du, B., *see* Zhang, C., *TPEL Sept. 2025 13276-13288*
Du, B., *see* Wu, Z., *TPEL Oct. 2025 15491-15503*
Du, B., Zhu, J., Hu, J., Guo, Z., Li, Y., and Guo, J., Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability; *TPEL Nov. 2025 17172-17185*
Du, B., Zhu, J., Hu, J., Guo, Z., Li, Y., and Guo, J., Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design; *TPEL Nov. 2025 17186-17202*
Du, C., Yang, S., Qiu, L., Ma, J., Fang, Y., and Rodriguez, J., A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator; *TPEL April 2025 5715-5730*
Du, C., *see* Li, Z., *TPEL May 2025 7315-7328*
Du, H., He, Y., Zhao, Z., Zhuang, S., and Liu, J., Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters; *TPEL May 2025 7215-7226*
Du, J., Sun, C., Tang, Q., Jiang, B., Dong, Z., Wu, X., and Yang, S., An Efficient Switching Transient Analytical Model for P-GaN Gate HEMTs With Dynamic $C_G(V_{DS}, V_{GS})$; *TPEL Jan. 2025 2139-2148*
Du, J., *see* Niu, Z., *TPEL April 2025 5871-5882*
Du, L., *see* Du, X., *TPEL May 2025 6908-6920*
Du, L., and Ma, D.B., Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation; *TPEL Nov. 2025 16718-16727*
Du, N., *see* Ge, L., *TPEL Jan. 2025 195-216*
Du, N., *see* Bu, S., *TPEL June 2025 7893-7903*
Du, Q., *see* Yan, Q., *TPEL June 2025 7628-7633*
Du, Q., *see* Zhao, R., *TPEL Aug. 2025 11477-11489*
Du, S., *see* Guo, N., *TPEL May 2025 7042-7057*
Du, S., *see* Yue, X., *TPEL June 2025 8283-8291*
Du, S., *see* Song, Q., *TPEL June 2025 8242-8252*
Du, S., *see* Chen, H., *TPEL July 2025 9315-9328*
Du, S., *see* Chen, Z., *TPEL Oct. 2025 15949-15958*
Du, S., *see* Qiu, Z., *TPEL Oct. 2025 15937-15948*
Du, S., *see* Wei, Y., *TPEL Nov. 2025 16409-16418*
Du, S., *see* Deng, Z., *TPEL Dec. 2025 18011-18026*
Du, W., *see* Wang, H., *TPEL July 2025 8950-8955*
Du, X., *see* Zhang, J., *TPEL Jan. 2025 2114-2125*
Du, X., *see* Yi, B., *TPEL Feb. 2025 3033-3042*
Du, X., *see* Luo, T., *TPEL March 2025 4170-4185*
Du, X., Du, L., Chen, Y., Stratta, A., and Mantooth, H.A., Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices; *TPEL May 2025 6908-6920*
Du, X., Meng, J., Amirat, Y., Gao, F., and Benbouzid, M., In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications; *TPEL Aug. 2025 11739-11748*
Du, X., *see* Wang, Z., *TPEL Nov. 2025 16995-17012*
Du, Y., *see* Zhu, Y., *TPEL Jan. 2025 1023-1034*
Du, Y., *see* Wang, J., *TPEL April 2025 6319-6333*
Du, Y., *see* Shu, J., *TPEL May 2025 6874-6882*
Du, Y., *see* Wu, J., *TPEL Aug. 2025 10349-10354*
Du, Y., Lu, K., Zhang, B., Iqbal, A., Wang, S., Qiu, J., Liu, K., Zhao, H., Long, T., and Jiang, C., Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design; *TPEL Sept. 2025 12003-12010*
Du, Y., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Du, Y., *see* Sun, X., *TPEL Sept. 2025 12191-12203*
Du, Y., *see* Cai, C., *TPEL Oct. 2025 14363-14367*
Du, Z., Zhang, Y., Wang, Y., Chen, Z., Wang, Y., Wu, R., Zhao, D., Zhang, X., and Yin, W., A Time Series Characterization of IGBT Junction Temperature Method Based on LSTM Network; *TPEL Jan. 2025 2070-2085*
Du, Z., Dong, Z., Dongye, Z., Chen, Y., Geng, H., and Qi, L., FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems; *TPEL Nov. 2025 16116-16122*
Duan, B., *see* Xu, B., *TPEL Sept. 2025 13659-13672*
Duan, S., *see* Bao, J., *TPEL April 2025 5371-5383*
Duan, S., *see* Bao, J., *TPEL Oct. 2025 15238-15253*
Duan, X., *see* Chen, J., *TPEL Dec. 2025 18202-18213*
Duan, Z., Meng, Y., Zhao, P., Yan, S., Wang, X., and Wang, X., Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method; *TPEL July 2025 9986-9999*
Duffy, M., Long, T., Ouyang, Z., Luo, Z., and Jiang, C., Guest Editorial: Special Section on Power Electronics Letters: Fabrication and Design of High-Power Density and High-Frequency Passive Components; *TPEL Oct. 2025 14343-14344*
Duffy, M.C., *see* Anderson, O.B., *TPEL May 2025 6771-6786*
Dujic, D., *see* Cervone, A., *TPEL April 2025 4747-4751*
Dujic, D., *see* Wang, R., *TPEL Aug. 2025 11616-11627*
Dujic, D., *see* Cervone, A., *TPEL Oct. 2025 14908-14922*
Dujic, D., *see* Wang, R., *TPEL Oct. 2025 15572-15582*
Duran, M.J., *see* Carrillo-Rios, J., *TPEL Feb. 2025 3419-3429*
Dymond, H.C.P., *see* Yan, J., *TPEL Sept. 2025 13260-13275*

E

Ebrahimi, J., Akbari, A., Eren, S., and Bakhshai, A., A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors; *TPEL July 2025 9234-9248*
Edrington, C.S., *see* Arsalan, A., *TPEL July 2025 9824-9839*
Ehsani, M., *see* Shawartamimi, A., *TPEL Aug. 2025 10419-10432*
EL-Fouly, T., *see* Al Talaq, M., *TPEL Oct. 2025 15064-15079*
EL-Refaie, A.M., *see* Chang, C., *TPEL Jan. 2025 1215-1233*
Elasser, Y., *see* Liao, M., *TPEL April 2025 6370-6384*
Elasser, Y., *see* Sen, T., *TPEL Oct. 2025 15700-15717*
Elezab, A., *see* Pradhan, R., *TPEL Dec. 2025 17894-17910*
Eloy-Garcia, J., *see* Fernandez, J.D., *TPEL Jan. 2025 303-315*
Elsisi, M., *see* Joshi, D., *TPEL Dec. 2025 17832-17843*
Emadi, A., *see* Wang, D., *TPEL Jan. 2025 1135-1152*
Emadi, A., *see* Pradhan, R., *TPEL Dec. 2025 17894-17910*
Eom, D., *see* Atiq, S., *TPEL Feb. 2025 3286-3299*
Eren, S., *see* Ebrahimi, J., *TPEL July 2025 9234-9248*
Eren, S., *see* Soleymani, B., *TPEL Nov. 2025 16664-16675*
Errouissi, R., *see* Viswambharan, A., *TPEL Feb. 2025 2761-2779*
Escalera, S., *see* Humblot-Renaux, G., *TPEL Nov. 2025 16055-16060*
Esfandiari, S., *see* Goudarzhagh, H., *TPEL April 2025 6097-6106*
Eshkevari, A.L., *see* Ahmed, H.F., *TPEL June 2025 8356-8366*
Esmaeili, S., Oppong, F.N., Khan, A.A., and Quaicoe, J.E., Magnetized Dickson Charge Pump Inverters; *TPEL Dec. 2025 18265-18280*
Etta, D., *see* Goel, R., *TPEL March 2025 3861-3872*

F

Faba, A., *see* Corti, F., *TPEL March 2025 3899-3915*
Fahimi, B., *see* Bahrami-Fard, M., *TPEL May 2025 7176-7188*
Fahimi, B., *see* Bahrami-Fard, M., *TPEL Sept. 2025 12402-12415*

Falahi, F., Nikbakht, M., and Babaei, E., A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability; *TPEL March 2025 4244-4254*
Fan, C., *see* Zhong, K., *TPEL Sept. 2025 13741-13751*
Fan, G., *see* Xu, Y., *TPEL Dec. 2025 18340-18349*
Fan, H., Wang, S., Li, Z., and Huang, L., Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling; *TPEL May 2025 6653-6662*
Fan, J., *see* Dongye, Z., *TPEL Jan. 2025 958-968*
Fan, J., *see* Qin, X., *TPEL Feb. 2025 2874-2886*
Fan, J., Wen, W., Sun, Q., and Li, B., Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System; *TPEL March 2025 4546-4556*
Fan, J., *see* Wang, R., *TPEL April 2025 5400-5411*
Fan, J., *see* Wen, W., *TPEL May 2025 6838-6846*
Fan, J., *see* Zeng, Z., *TPEL Aug. 2025 10973-10987*
Fan, J., *see* Chen, J., *TPEL Aug. 2025 10509-10530*
Fan, L., *see* Ding, Y., *TPEL July 2025 9864-9875*
Fan, M., *see* Li, X., *TPEL May 2025 6492-6505*
Fan, Q., *see* Bi, K., *TPEL Nov. 2025 17203-17217*
Fan, R., *see* Yang, Q., *TPEL Oct. 2025 14881-14893*
Fan, S., *see* Li, B., *TPEL Jan. 2025 1168-1182*
Fan, S., *see* Wang, J., *TPEL Jan. 2025 1234-1246*
Fan, T., *see* Hui, X., *TPEL Dec. 2025 17911-17923*
Fan, X., *see* Zhang, J., *TPEL Jan. 2025 1198-1214*
Fan, X., *see* Zhang, J., *TPEL April 2025 5265-5278*
Fan, X., *see* Yang, B., *TPEL Sept. 2025 12937-12952*
Fan, Y., *see* Sun, Y., *TPEL April 2025 6107-6118*
Fan, Y., *see* Yi, H., *TPEL May 2025 7189-7199*
Fan, Y., *see* Zhang, S., *TPEL Oct. 2025 14313-14317*
Fan, Y., *see* Yi, H., *TPEL Nov. 2025 16367-16378*
Fan, Y., *see* Liu, Z., *TPEL Dec. 2025 18499-18511*
Fan, Z., *see* Ge, L., *TPEL Jan. 2025 195-216*
Fan, Z., Lu, H., Chai, J., and Sun, X., Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain; *TPEL April 2025 4767-4774*
Fang, G., *see* Chen, S., *TPEL Feb. 2025 3020-3032*
Fang, H., *see* Wang, P., *TPEL Oct. 2025 14675-14685*
Fang, J., *see* Liu, S., *TPEL Jan. 2025 1153-1167*
Fang, J., *see* Li, H., *TPEL Jan. 2025 176-194*
Fang, J., *see* Lu, M., *TPEL Jan. 2025 1964-1973*
Fang, J., *see* Jiang, Y., *TPEL Feb. 2025 3062-3076*
Fang, J., *see* Li, W., *TPEL April 2025 5939-5948*
Fang, J., Yang, S., Xie, Z., Zhang, X., and Chang, L., Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details; *TPEL April 2025 4830-4847*
Fang, J., Yang, S., Xie, Z., Zhang, X., and Chang, L., General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter; *TPEL Sept. 2025 13459-13473*
Fang, L., *see* Fang, Z., *TPEL March 2025 3873-3884*
Fang, L., *see* Zhang, R., *TPEL July 2025 9638-9648*
Fang, M., *see* Qi, X., *TPEL April 2025 5319-5335*
Fang, S., *see* Song, Z., *TPEL Sept. 2025 13792-13804*
Fang, S., *see* Zou, J., *TPEL Oct. 2025 14547-14559*
Fang, X., Sun, P., He, C., and Wang, B., Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method; *TPEL Jan. 2025 157-161*
Fang, X., *see* Jiao, L., *TPEL July 2025 8905-8910*
Fang, X., Li, L., and Wang, C., Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses; *TPEL Sept. 2025 12038-12042*
Fang, Y., *see* Liu, X., *TPEL Jan. 2025 563-573*
Fang, Y., Chen, Y., Zhang, B., and Qiu, D., Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities; *TPEL Feb. 2025 3240-3250*
Fang, Y., *see* Zhang, K., *TPEL March 2025 3916-3926*
Fang, Y., *see* Du, C., *TPEL April 2025 5715-5730*
Fang, Y., *see* Liu, X., *TPEL April 2025 4914-4926*
Fang, Y., *see* Zhao, P., *TPEL Oct. 2025 15757-15767*
Fang, Z., Liu, S., Li, R., Zhao, Y., Fang, L., Cao, H., and Luo, J., Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency; *TPEL March 2025 3873-3884*
Fang, Z., *see* Jin, S., *TPEL Aug. 2025 10299-10312*
Farag, A.Y., Biadene, D., Caldognetto, T., Magnone, P., and Mattavelli, P., Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter; *TPEL Nov. 2025 16074-16079*
Fard, M.T., He, J., Wei, L., Ilka, R., Mirafzal, B., and Fateh, F., Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils; *TPEL March 2025 4335-4344*
Farivar, G.G., *see* Liang, G., *TPEL March 2025 4080-4089*
Farivar, G.G., *see* Sarda, R., *TPEL July 2025 9479-9491*
Farnell, C., Corbitt, A., Schwartz, W.G., Faruque, A., Zhao, Y., Huitink, D., Miljkovic, N., and Mantooth, H.A., Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application; *TPEL Dec. 2025 18437-18447*
Farsijani, M., *see* Abbasian, S., *TPEL Sept. 2025 13403-13414*
Faruque, A., *see* Farnell, C., *TPEL Dec. 2025 18437-18447*
Farzanehfard, H., *see* Hajilou, M., *TPEL May 2025 7086-7094*
Fateh, F., *see* Fard, M.T., *TPEL March 2025 4335-4344*
Fathi, S.H., *see* Goudarzhagh, H., *TPEL April 2025 6097-6106*
Fawad, Shah, S.A.A., Park, Y., and Kim, Y., Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume; *TPEL Oct. 2025 15880-15890*
Fayyaz, S., Munir, U., Atef Tawfik, M., Kim, K., Jeon, J., Ahmed, A., and Park, J., Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters; *TPEL April 2025 5595-5608*
Fei, H., *see* Zhang, Z., *TPEL April 2025 6033-6043*
Fei, Y., Tang, C., Deng, R., Wu, Y., and Wang, Z., Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting; *TPEL Sept. 2025 14000-14013*
Femia, N., Di Capua, G., Oliva, N., and De Guglielmo, L., Performance-Based Experimental Characterization and Maximum Efficiency Point Detection of Power Inductors; *TPEL Jan. 2025 1532-1541*
Feng, B., *see* Yang, L., *TPEL April 2025 6359-6369*
Feng, C., *see* Lin, M., *TPEL Nov. 2025 17091-17104*
Feng, G., *see* Yi, H., *TPEL May 2025 7189-7199*
Feng, G., *see* Tong, Z., *TPEL July 2025 9764-9774*
Feng, G., *see* Lu, Y., *TPEL Sept. 2025 11934-11939*
Feng, G., *see* Tong, Z., *TPEL Sept. 2025 11991-11997*
Feng, G., *see* Yi, H., *TPEL Nov. 2025 16367-16378*
Feng, G., *see* Lu, Y., *TPEL Dec. 2025 17690-17702*
Feng, H., *see* Zhang, Y., *TPEL Jan. 2025 112-117*
Feng, H., *see* Zhang, F., *TPEL Aug. 2025 11235-11245*
Feng, H., *see* Xie, J., *TPEL Sept. 2025 11940-11944*
Feng, J., *see* Tian, Y., *TPEL May 2025 6860-6873*
Feng, K., Liu, J., Liu, Z., Wang, J., Wu, T., An, R., Wang, X., and Zhao, J., A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters; *TPEL Oct. 2025 15620-15637*
Feng, P., *see* Li, X., *TPEL July 2025 8990-9003*
Feng, P., *see* Ling, Y., *TPEL Sept. 2025 13474-13489*
Feng, Q., *see* He, H., *TPEL Jan. 2025 2315-2326*
Feng, Q., Yang, P., Xia, Y., Wei, W., and Han, Y., Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network; *TPEL Oct. 2025 14985-15002*
Feng, T., *see* Shi, K., *TPEL Oct. 2025 15959-15975*
Feng, T., *see* Shi, K., *TPEL Dec. 2025 17924-17936*
Feng, X., Wang, B., Wang, Z., Hua, W., and Cheng, M., Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines; *TPEL Sept. 2025 12440-12451*
Feng, X., *see* Jia, Z., *TPEL Nov. 2025 17013-17024*
Feng, Y., *see* Lu, G., *TPEL Jan. 2025 2149-2157*
Feng, Y., *see* Li, Y., *TPEL Jan. 2025 2619-2629*

Feng, Z., *see* Chen, X., *TPEL July 2025 9889-9897*
Feng, Z., *see* Chen, X., *TPEL Nov. 2025 17051-17060*
Fernandez, J.D., Eloy-Garcia, J., Navarro, E.R., Gomez, S.A., and Amenedo, J.L.R., Low-Voltage Ride-Through Algorithm for Grid-Forming Converters; *TPEL Jan. 2025 303-315*
Fernandez-Abraldes, P.M., Rios-Castro, D., Perez-Estevez, D., and Doval-Gandoy, J., New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling; *TPEL April 2025 4668-4684*
Fernandez-Abraldes, P.M., *see* Perez-Estevez, D., *TPEL Sept. 2025 12977-12997*
Fernandez-Abraldes, P.M., *see* Rios-Castro, D., *TPEL Oct. 2025 15042-15063*
Fernando, T., *see* Jin, F., *TPEL May 2025 6593-6604*
Fernando, T., *see* Lin, Z., *TPEL June 2025 8726-8738*
Ferrara, E., *see* Ravera, A., *TPEL Jan. 2025 1563-1576*
Filippini, M., *see* Torchio, R., *TPEL May 2025 6977-6987*
Finney, S., *see* Parker, M., *TPEL Jan. 2025 1035-1050*
Finney, S., *see* Xia, P., *TPEL Sept. 2025 12321-12336*
Finney, S., *see* Yan, J., *TPEL Sept. 2025 13260-13275*
Fiorillo, F., *see* Ravera, A., *TPEL Jan. 2025 1563-1576*
Fischer, K., *see* Anderson, F., *TPEL May 2025 7286-7297*
Flores-Bahamonde, F., *see* Mousavi, M.S., *TPEL May 2025 6801-6812*
Forster, N., *see* Kirchgassner, W., *TPEL Feb. 2025 3326-3335*
Foster, M.P., *see* Naghibi, J., *TPEL Dec. 2025 18178-18188*
Foyen, S., *see* Shah, C.R., *TPEL Aug. 2025 10481-10495*
Frandsen, C., *see* Sanusi, B.N., *TPEL Dec. 2025 18148-18163*
Franke, J., *see* Abuogo, J., *TPEL Aug. 2025 10555-10566*
Franquelo, L.G., *see* Yin, J., *TPEL Jan. 2025 1085-1098*
Franquelo, L.G., *see* M., M.A., *TPEL April 2025 4927-4937*
Freijedo, F.D., *see* Morales-Munoz, A., *TPEL May 2025 6675-6684*
Fritz, N., *see* Kowalewski, P., *TPEL June 2025 7740-7753*
Fu, B., *see* Qu, D., *TPEL April 2025 4818-4829*
Fu, C., *see* Meng, X., *TPEL May 2025 6506-6518*
Fu, M., *see* Li, C., *TPEL Feb. 2025 3262-3274*
Fu, M., *see* Xiong, Y., *TPEL April 2025 5025-5036*
Fu, M., *see* Cai, J., *TPEL July 2025 9577-9587*
Fu, M., *see* Zhang, H., *TPEL Sept. 2025 13716-13729*
Fu, M., *see* Li, Z., *TPEL Oct. 2025 14368-14373*
Fu, M., *see* Wang, X., *TPEL Nov. 2025 16587-16595*
Fu, P., *see* Tan, D., *TPEL June 2025 8776-8791*
Fu, R., *see* Jiang, J., *TPEL Jan. 2025 2017-2027*
Fu, S., Sun, Y., Hou, X., Zhou, F., Su, M., Zhang, X., and Sun, K., Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance; *TPEL Feb. 2025 3697-3709*
Fu, W., Wang, Q., Hua, W., Cheng, M., and Buja, G., A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage; *TPEL May 2025 7200-7214*
Fu, X., Zhou, D., Liu, X., Zou, J., and Shen, Z., Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive; *TPEL Nov. 2025 16146-16157*
Fu, Y., *see* Chen, J., *TPEL Aug. 2025 10443-10455*
Fu, Y., Zhao, Y., Qi, J., Xie, W., Li, S., Sun, K., and Smedley, K.M., A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System; *TPEL Nov. 2025 16572-16586*
Fu, Y., Zhao, Y., Qi, J., Xie, W., Li, S., Sun, K., and Smedley, K.M., A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application; *TPEL Dec. 2025 17958-17971*
Fu, Z., *see* Ge, X., *TPEL Jan. 2025 2042-2056*
Fu, Z., *see* Liu, X., *TPEL Oct. 2025 15745-15756*
Fuchs, G., Deutschmann-Olek, A., Kugi, A., and Kemmetmuller, W., High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor; *TPEL Oct. 2025 14697-14709*
Fukushima, K., *see* Yamakaji, Y., *TPEL Feb. 2025 3313-3325*
Fukushima, M., *see* Ngo, M.C., *TPEL Sept. 2025 13300-13310*

G

G, J., *see* Rahman, S.H., *TPEL Oct. 2025 15172-15181*
Gaillard, A., *see* Benzine, M., *TPEL June 2025 8592-8603*
Gajare, P.M., *see* Zeng, Z., *TPEL July 2025 8934-8938*
Gallo, E., and Caldognetto, T., A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling; *TPEL April 2025 4757-4761*
Gan, C., *see* Wang, H., *TPEL Aug. 2025 11268-11282*
Gan, T.H., *see* Jie, H., *TPEL July 2025 9329-9342*
Gan, Y., *see* Zhang, T., *TPEL Nov. 2025 16327-16340*
Ganesan, P., *see* Rai, A., *TPEL Aug. 2025 10609-10622*
Gao, C., *see* Li, Y., *TPEL Jan. 2025 486-499*
Gao, C., *see* Kong, R., *TPEL April 2025 5037-5051*
Gao, C., Li, K., Zhang, Z., Yuan, F., Zhang, S., You, X., and Wang, C., Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port; *TPEL April 2025 5292-5308*
Gao, C., *see* Zhang, D., *TPEL Aug. 2025 11820-11835*
Gao, C., *see* Shao, W., *TPEL Sept. 2025 12953-12963*
Gao, C., Liu, W., Sang, X., Xu, X., Si, J., and Alkahtani, M., A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit; *TPEL Nov. 2025 16963-16978*
Gao, C., *see* Zhang, Z., *TPEL Dec. 2025 18421-18436*
Gao, D., *see* Zhou, X., *TPEL Sept. 2025 14050-14060*
Gao, F., *see* Zhang, Y., *TPEL Jan. 2025 2419-2428*
Gao, F., *see* Wang, Z., *TPEL April 2025 6345-6358*
Gao, F., *see* Qu, J., *TPEL April 2025 4902-4913*
Gao, F., *see* Benzine, M., *TPEL June 2025 8592-8603*
Gao, F., *see* Yin, H., *TPEL July 2025 9048-9067*
Gao, F., *see* Zhuo, S., *TPEL July 2025 9853-9863*
Gao, F., *see* Du, X., *TPEL Aug. 2025 11739-11748*
Gao, F., *see* Wu, T., *TPEL Aug. 2025 10836-10845*
Gao, F., *see* Zhang, Y., *TPEL Nov. 2025 17256-17266*
Gao, F., *see* He, K., *TPEL Nov. 2025 17529-17548*
Gao, F., *see* He, K., *TPEL Dec. 2025 18390-18406*
Gao, G., *see* Kong, R., *TPEL Aug. 2025 11170-11181*
Gao, H., *see* Li, X., *TPEL Jan. 2025 129-134*
Gao, H., Hai, D., Xiang, L., Luo, H., Li, W., and He, X., Modeling and Design Guideline of Optimal Split Inductance Range for Split-Output Power Module Considering Normal and Fault Conditions; *TPEL Jan. 2025 828-839*
Gao, H., Lv, Y., Wang, Z., and Cai, J., Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit; *TPEL July 2025 9921-9932*
Gao, J., *see* Zhang, Y., *TPEL Jan. 2025 1645-1653*
Gao, J., Su, W., Guan, M., Liu, J., Ni, Y., Du, Y., Cao, Y., Wu, J., Sun, X., Xu, Y., Hu, Z., and Liu, M., Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect; *TPEL Sept. 2025 12626-12633*
Gao, J., Gui, W., Xie, X., Wan, R., Yin, S., and Yang, C., Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs; *TPEL Sept. 2025 13324-13336*
Gao, J., *see* Tang, Y., *TPEL Oct. 2025 15780-15794*
Gao, J., *see* Sun, Q., *TPEL Nov. 2025 17040-17050*
Gao, L., Liu, K., Chen, Y., Luan, H., Zhou, S., Cai, H., Chen, J., Zhou, J., and Huang, C., Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network; *TPEL March 2025 3885-3898*
Gao, L., *see* Wu, J., *TPEL April 2025 4862-4877*
Gao, L., Liu, C., Xiao, Y., Qi, C., and Huo, M., Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data; *TPEL Nov. 2025 16068-16073*
Gao, L., Lyu, J., Zong, X., Wang, H., and Cai, X., Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids; *TPEL Nov. 2025 16837-16852*
Gao, L., Liu, C., Wu, F., Qin, Y., Wang, Y., and Huo, M., Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning; *TPEL Nov. 2025 16676-16686*
Gao, P., *see* Li, H., *TPEL Feb. 2025 2822-2832*

Gao, R., Ding, D., Wang, G., Wang, Q., Zhang, G., and Xu, D., Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance; *TPEL April 2025 4848-4861*
Gao, R., *see* Zhai, Y., *TPEL Sept. 2025 14099-14109*
Gao, S., *see* Zhou, J., *TPEL Jan. 2025 1862-1871*
Gao, S., *see* Lian, C., *TPEL Feb. 2025 2847-2859*
Gao, S., Xu, J., Wang, Y., Zhang, X., Liu, J., Huang, C., and Xu, D., A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress; *TPEL Sept. 2025 12061-12071*
Gao, X., *see* Zhou, X., *TPEL July 2025 10209-10220*
Gao, X., *see* Zhang, T., *TPEL Oct. 2025 14265-14270*
Gao, X., *see* Zhang, B., *TPEL Nov. 2025 16096-16099*
Gao, Y., Yin, Z., Zhang, Y., Li, Y., and Liu, J., Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure; *TPEL Jan. 2025 1886-1899*
Gao, Y., *see* Tian, Y., *TPEL Feb. 2025 2930-2942*
Gao, Y., Yin, K., Bak, C.L., Jorgensen, A.B., Zhang, Z., Zhao, H., Munk-Nielsen, S., Uhrenfeldt, C., and Aunsborg, T.S., Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules; *TPEL April 2025 5999-6009*
Gao, Y., *see* Yan, Z., *TPEL June 2025 8194-8205*
Gao, Y., *see* Guo, X., *TPEL July 2025 10000-10026*
Gao, Y., *see* Xue, M., *TPEL Aug. 2025 11849-11862*
Gao, Y., *see* Lin, X., *TPEL Aug. 2025 10682-10693*
Gao, Y., *see* Li, Y., *TPEL Aug. 2025 10769-10782*
Gao, Y., *see* Zhang, Y., *TPEL Sept. 2025 13490-13498*
Gao, Y., *see* Xu, R., *TPEL Oct. 2025 14536-14546*
Gao, Z., *see* Liu, G., *TPEL Aug. 2025 11394-11406*
Garcia, C., *see* Wang, F., *TPEL Aug. 2025 10846-10864*
Gardouh, A.S., Abulanwar, S., Deng, F., Gouda, E., and Ghanem, A., Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System; *TPEL Oct. 2025 14710-14721*
Gasparini, A., *see* Melillo, P., *TPEL Jan. 2025 328-339*
Gautam, K.K., Chatterjee, A., Santra, S.B., and Prasad, D., Constant Frequency CC–CV Operation of Isolated *LLC* Resonant DC-DC Converter Using Switched Capacitor Network for WCS; *TPEL Jan. 2025 64-70*
Ge, H., *see* Xiong, L., *TPEL Feb. 2025 3441-3455*
Ge, J., *see* Zhang, M., *TPEL July 2025 9660-9671*
Ge, J., *see* Guo, Y., *TPEL Aug. 2025 10746-10757*
Ge, L., *see* Jiao, N., *TPEL Jan. 2025 1813-1825*
Ge, L., Du, N., Song, J., Zhang, J., Fan, Z., Zhang, D., and Song, S., Advanced Technology of Switched Reluctance Machines in More Electric Aircraft: A Review; *TPEL Jan. 2025 195-216*
Ge, L., Guo, J., Gong, C., Zhang, G., Ding, X., and Song, S., Model Predictive Torque Control of Switched Reluctance Machines With Torque Sharing Function and PWM Control Signals Based on Linear Polynomial Fitting; *TPEL Jan. 2025 40-45*
Ge, L., *see* Ma, C., *TPEL April 2025 5857-5870*
Ge, L., *see* Liu, X., *TPEL Oct. 2025 15745-15756*
Ge, Q., *see* Zhao, M., *TPEL Feb. 2025 3189-3209*
Ge, S., *see* Wang, C., *TPEL Sept. 2025 12350-12364*
Ge, S., *see* Yang, Z., *TPEL Sept. 2025 12416-12427*
Ge, W., *see* Zheng, J., *TPEL June 2025 7657-7662*
Ge, X., *see* Zuo, Y., *TPEL Jan. 2025 787-800*
Ge, X., *see* Xie, D., *TPEL Jan. 2025 2028-2041*
Ge, X., Chen, K., Wang, H., Xu, Z., and Fu, Z., Failure Mechanism Investigations of Bond Wires Lifting-Off and Die-Attach Solder Aging Considering the Thermal Coupling Effects; *TPEL Jan. 2025 2042-2056*
Ge, X., *see* Gou, B., *TPEL Feb. 2025 3505-3517*
Ge, Y., *see* Geng, A., *TPEL May 2025 6454-6458*
Gehrke, C.S., *see* de Pontes, G.P., *TPEL Jan. 2025 351-360*
Geiger, J., *see* Sezer, M.M., *TPEL Nov. 2025 16512-16524*
Geng, A., Hu, H., Chen, J., Ge, Y., and He, Z., Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires; *TPEL May 2025 6454-6458*
Geng, C., *see* Chen, Z., *TPEL Sept. 2025 12230-12241*
Geng, H., *see* Du, Z., *TPEL Nov. 2025 16116-16122*
Geng, J., Mandrioli, R., Jiang, C.Q., and Ricco, M., Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery; *TPEL May 2025 7002-7014*
Geng, J., Deng, F., Yu, Q., Zhang, Y., Chen, Z., and Blaabjerg, F., Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules; *TPEL Aug. 2025 11218-11229*
Geng, J., Deng, F., Hou, K., Yu, Q., Zhang, Y., Xie, Y., Mei, J., and Zhang, G., Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module; *TPEL Oct. 2025 15118-15129*
Geng, L., *see* Guo, Z., *TPEL Jan. 2025 1483-1497*
Geng, L., *see* Xiong, Y., *TPEL Sept. 2025 11969-11973*
Geng, Q., *see* Zhou, Z., *TPEL Sept. 2025 12463-12474*
Geng, X., Wolf, M., Kuring, C., Wieczorek, N., Hilt, O., and Dieckerhoff, S., Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate; *TPEL April 2025 5231-5240*
Geng, Y., *see* Wang, Y., *TPEL July 2025 10123-10139*
Gerling, D., *see* Zhao, Y., *TPEL Oct. 2025 15808-15819*
Ghanbari, M.A., *see* Heidari, R., *TPEL July 2025 9543-9555*
Ghanem, A., *see* Gardouh, A.S., *TPEL Oct. 2025 14710-14721*
Gharehpetian, G.B., *see* Karimzadeh, M.S., *TPEL July 2025 9898-9907*
Ghioni, M., *see* Melillo, P., *TPEL Jan. 2025 328-339*
Ghosh, G., Vyapari, S., and R, V.N., Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L*+*L*+*C* Resonant Converters; *TPEL Sept. 2025 12906-12919*
Ghoshal, A., *see* Panda, B., *TPEL June 2025 7777-7788*
Gili, L.C., *see* Mayer, R., *TPEL Aug. 2025 11051-11063*
Gill, L., Rodriguez, L.A.G., Kaplar, R., and Michaels, A.J., Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices; *TPEL Oct. 2025 15433-15449*
Giri, A.K., *see* Joshi, D., *TPEL Dec. 2025 17832-17843*
Go, C., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Go, H., *see* Wang, Y., *TPEL Sept. 2025 12634-12647*
Goel, R., Etta, D., Chavali, R.V., and Dey, A., A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault; *TPEL March 2025 3861-3872*
Goetz, S.M., *see* Lu, M., *TPEL Jan. 2025 1964-1973*
Goetz, S.M., *see* Jiang, W., *TPEL Jan. 2025 2327-2341*
Goetz, S.M., *see* Hashemi-Zadeh, A., *TPEL April 2025 5279-5291*
Gohari, H.S., *see* Abbasian, S., *TPEL Sept. 2025 13403-13414*
Gohil, D., *see* Yadav, G., *TPEL Sept. 2025 12770-12778*
Gomez, A.A., *see* Rodriguez, A., *TPEL April 2025 4805-4817*
Gomez, S.A., *see* Fernandez, J.D., *TPEL Jan. 2025 303-315*
Gomis-Bellmunt, O., *see* Chen, S., *TPEL Aug. 2025 11628-11640*
Gong, C., *see* Ge, L., *TPEL Jan. 2025 40-45*
Gong, C., *see* Pang, Y., *TPEL April 2025 5384-5399*
Gong, C., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*
Gong, C., *see* Sun, J., *TPEL Aug. 2025 11206-11217*
Gong, C., and Lam, C., Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter; *TPEL Sept. 2025 12845-12857*
Gong, C., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Gong, J., *see* Wang, Y., *TPEL Jan. 2025 862-878*
Gong, J., Wang, Y., Wang, L., Zou, M., Sun, P., Liang, Y., Gong, Y., Zheng, H., and Zeng, Z., Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET; *TPEL May 2025 6847-6859*
Gong, J., *see* Shao, Z., *TPEL Aug. 2025 11775-11786*
Gong, J., *see* Wang, Y., *TPEL Oct. 2025 14478-14495*
Gong, J., Wang, Y., Liang, Y., Zou, M., Wang, L., Sun, P., and Zeng, Z., Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High d*v*/d*t* Immunity for WBG Device; *TPEL Oct. 2025 14301-14306*
Gong, J., *see* Zou, M., *TPEL Nov. 2025 16281-16299*
Gong, J., *see* Liang, Y., *TPEL Dec. 2025 17563-17568*
Gong, L., *see* Chen, J., *TPEL Jan. 2025 704-715*
Gong, L., *see* Jiang, L., *TPEL June 2025 7936-7953*

Gong, L., *see* Li, Y., *TPEL Sept. 2025 12676-12689*
Gong, L., *see* Shao, Z., *TPEL Oct. 2025 14755-14770*
Gong, X., *see* Liu, Q., *TPEL Feb. 2025 2691-2696*
Gong, X., *see* Wang, Y., *TPEL March 2025 4100-4111*
Gong, X., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Gong, Y., *see* Wang, Y., *TPEL Jan. 2025 862-878*
Gong, Y., *see* Gong, J., *TPEL May 2025 6847-6859*
Gong, Y., *see* Ouyang, T., *TPEL May 2025 7125-7135*
Gong, Y., *see* Liang, Y., *TPEL Dec. 2025 17563-17568*
Gong, Z., Zhang, L., Liu, C., Yang, Z., and Wu, X., Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions; *TPEL Jan. 2025 1258-1271*
Gong, Z., *see* Zheng, C., *TPEL Jan. 2025 1872-1885*
Gonzalez, C., Angulo, A., and Mancilla-David, F., Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation; *TPEL Sept. 2025 12719-12729*
Gonzalez-Prieto, A., *see* Carrillo-Rios, J., *TPEL Feb. 2025 3419-3429*
Gonzalez-Prieto, I., *see* Carrillo-Rios, J., *TPEL Feb. 2025 3419-3429*
Gopakumar, K., *see* Nair, S.S., *TPEL Jan. 2025 1787-1796*
Gopalan, S., Vasudevan, K., and Kumar, D., A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics; *TPEL April 2025 5823-5834*
Gou, B., Wang, Y., Yu, J., Xiong, W., Lin, C., and Ge, X., A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis; *TPEL Feb. 2025 3505-3517*
Gouda, E., *see* Gardouh, A.S., *TPEL Oct. 2025 14710-14721*
Goudarzhagh, H., Fathi, S.H., and Esfandiari, S., A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple; *TPEL April 2025 6097-6106*
Goudarzhagh, H., *see* Karimzadeh, M.S., *TPEL July 2025 9898-9907*
Goykhman, M., *see* Wang, D., *TPEL Jan. 2025 1135-1152*
Grasso, A.D., *see* Ballo, A., *TPEL Sept. 2025 13991-13999*
Gray, C.T., *see* Prakash, P.R., *TPEL Oct. 2025 14771-14784*
Grebennikov, A., *see* Sheikhi, A., *TPEL Aug. 2025 11117-11125*
Greidanus, M.D.R., *see* Sur, D., *TPEL Feb. 2025 2674-2679*
Grimm, F., Kolahian, P., Bucknall, R., and Baghdadi, M., A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters; *TPEL Dec. 2025 17988-17997*
Grivet-Talocia, S., *see* Schroder, A., *TPEL Oct. 2025 15265-15277*
Groon, F., *see* Barzegarkhoo, R., *TPEL Nov. 2025 17366-17383*
Groon, F., Beiranvand, H., Metschies, D., Schikowski, S., and Liserre, M., Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter; *TPEL Nov. 2025 17309-17324*
Gu, B., *see* Shen, X., *TPEL Oct. 2025 15371-15380*
Gu, C., *see* Cai, Y., *TPEL April 2025 5622-5634*
Gu, C., *see* Yang, J., *TPEL June 2025 8709-8725*
Gu, C., *see* Chen, J., *TPEL Aug. 2025 10509-10530*
Gu, D., *see* Xie, L., *TPEL Jan. 2025 2086-2098*
Gu, L., *see* Yang, F., *TPEL July 2025 9649-9659*
Gu, M., Wang, Z., Li, Z., and Shen, Y., Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults; *TPEL Nov. 2025 16080-16084*
Gu, P., Guo, X., Hao, Y., Wang, X., Zhang, J., Yang, D., and Wang, Y., Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection; *TPEL Oct. 2025 15891-15904*
Gu, W., *see* Xu, M., *TPEL Oct. 2025 15080-15092*
Gu, X., Liu, Y., Zhang, G., Cao, Y., and Xia, C., Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources; *TPEL Jan. 2025 1826-1835*
Gu, X., Li, Y., Wang, Z., Li, X., Lin, Z., and Shi, T., A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions; *TPEL Aug. 2025 10731-10745*
Gu, Y., *see* Song, Q., *TPEL June 2025 8242-8252*
Gu, Y., Huang, W., Chen, Y., Zhou, W., and Mai, R., Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components; *TPEL Aug. 2025 11076-11087*
Gu, Y., *see* Cai, J., *TPEL Dec. 2025 17664-17673*
Guan, J., Zhu, S., Sun, X., Wen, J., Muhammad, T., Yan, Y., Chen, C., and Kang, Y., A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation; *TPEL June 2025 8328-8343*
Guan, M., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Guan, M., *see* Chai, Z., *TPEL Nov. 2025 16431-16442*
Guan, Q., *see* Lin, Z., *TPEL June 2025 8726-8738*
Guan, R., *see* Xiao, Y., *TPEL Jan. 2025 879-891*
Guan, R., *see* Shen, Z., *TPEL Oct. 2025 14842-14853*
Guan, W., *see* Huang, S., *TPEL Aug. 2025 11763-11774*
Guan, Y., Li, X., Yao, T., Yang, W., Wang, Y., Wang, W., and Xu, D., A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method; *TPEL April 2025 4952-4968*
Guan, Y., *see* Cheng, Y., *TPEL May 2025 7029-7041*
Guan, Y., Qiao, Y., Mai, J., Wang, Y., and Xu, D., Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field; *TPEL May 2025 7537-7548*
Guan, Y., *see* Liu, C., *TPEL June 2025 7994-8004*
Guan, Y., *see* Shi, G., *TPEL Aug. 2025 10402-10418*
Guan, Y., *see* Li, X., *TPEL Oct. 2025 15182-15198*
Guan, Y., Qiao, Y., Mai, J., Wang, Y., and Xu, D., Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field; *TPEL Oct. 2025 15865-15879*
Guan, Y., *see* Sun, Z., *TPEL Oct. 2025 15905-15921*
Guenter, S., *see* Peng, Q., *TPEL Jan. 2025 599-610*
Guenter, S., *see* Cai, Y., *TPEL April 2025 5622-5634*
Guenter, S., *see* Yang, J., *TPEL June 2025 8709-8725*
Guerrero, J., *see* Carnielutti, F., *TPEL Jan. 2025 540-550*
Guerrero, J.M., *see* Xu, Z., *TPEL June 2025 8751-8765*
Guerrero, J.M., *see* Zhang, Z., *TPEL July 2025 9591-9605*
Guerrero, J.M., *see* Shi, G., *TPEL Aug. 2025 10402-10418*
Gui, W., *see* Gao, J., *TPEL Sept. 2025 13324-13336*
Gui, Y., *see* Wang, J., *TPEL Oct. 2025 15529-15544*
Gulsuna, O., *see* Ayaz, E., *TPEL Jan. 2025 135-141*
Gunawardane, K., *see* Moradian, M., *TPEL Jan. 2025 516-525*
Gunawardena, P., Li, Y., and Li, Y., Transformer-Less Converters Using Capacitive Isolated Network; *TPEL Sept. 2025 11974-11978*
Guo, C., *see* Chen, L., *TPEL Feb. 2025 3177-3188*
Guo, C., *see* He, B., *TPEL Oct. 2025 14271-14276*
Guo, D., *see* Tao, J., *TPEL Aug. 2025 11836-11848*
Guo, D., *see* Yang, Z., *TPEL Sept. 2025 12416-12427*
Guo, H., *see* Zeng, Y., *TPEL Jan. 2025 2495-2512*
Guo, H., *see* Zeng, Y., *TPEL June 2025 8792-8811*
Guo, H., *see* Xu, B., *TPEL Sept. 2025 13659-13672*
Guo, J., *see* Ge, L., *TPEL Jan. 2025 40-45*
Guo, J., Chau, K., Liu, W., Hou, Y., and Chan, W., Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer; *TPEL March 2025 4652-4663*
Guo, J., *see* Guo, Z., *TPEL April 2025 4762-4766*
Guo, J., *see* Liu, L., *TPEL July 2025 9153-9166*
Guo, J., *see* Li, S., *TPEL July 2025 10140-10153*
Guo, J., Chau, K.T., Liu, W., Hou, Y., and Pang, H., Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer; *TPEL Oct. 2025 14868-14880*
Guo, J., Wang, H., Xu, G., Sun, Y., and Su, M., Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core; *TPEL Oct. 2025 15562-15571*
Guo, J., *see* Wu, Z., *TPEL Oct. 2025 15491-15503*
Guo, J., *see* Xu, J., *TPEL Nov. 2025 16651-16663*
Guo, J., *see* Du, B., *TPEL Nov. 2025 17172-17185*
Guo, J., *see* Du, B., *TPEL Nov. 2025 17186-17202*
Guo, L., *see* Lian, C., *TPEL Feb. 2025 2847-2859*
Guo, L., Xu, W., Jin, N., and Xiao, H., A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy; *TPEL April 2025 5163-5176*

Guo, L., *see* Yang, X., *TPEL June 2025 7615-7627*
Guo, L., *see* Wang, Z., *TPEL Sept. 2025 13615-13631*
Guo, M., *see* Zhao, G., *TPEL Aug. 2025 11809-11819*
Guo, N., Liu, J., Du, S., Li, C., Chen, H., and Deng, Z., Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency; *TPEL May 2025 7042-7057*
Guo, N., *see* Deng, Z., *TPEL Dec. 2025 18011-18026*
Guo, P., *see* Mo, N., *TPEL Jan. 2025 406-421*
Guo, P., *see* Hu, J., *TPEL Jan. 2025 375-388*
Guo, P., *see* Yang, L., *TPEL Feb. 2025 2680-2684*
Guo, P., *see* Tang, C., *TPEL July 2025 9908-9920*
Guo, P., *see* Mo, N., *TPEL Oct. 2025 15504-15518*
Guo, Q., *see* Xiao, C., *TPEL March 2025 4437-4448*
Guo, Q., *see* Wang, X., *TPEL July 2025 10038-10048*
Guo, Q., *see* Lu, F., *TPEL Aug. 2025 11369-11379*
Guo, Q., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*
Guo, Q., *see* Huang, Z., *TPEL Aug. 2025 10313-10323*
Guo, R., Zhang, K., He, S., Tao, S., Zhang, X., Liu, K., Li, X., Tian, J., Shen, W., and Chung, C.Y., Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach; *TPEL Aug. 2025 10272-10285*
Guo, T., *see* Liu, J., *TPEL Aug. 2025 10931-10944*
Guo, W., Xiao, G., and Wang, L., Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement; *TPEL March 2025 4425-4436*
Guo, W., *see* Chen, C., *TPEL April 2025 5661-5671*
Guo, W., *see* Wang, Y., *TPEL May 2025 6464-6469*
Guo, W., *see* Yang, F., *TPEL July 2025 9649-9659*
Guo, W., *see* Yue, Y., *TPEL Oct. 2025 15583-15594*
Guo, X., *see* Sun, Z., *TPEL April 2025 4695-4700*
Guo, X., *see* Wu, Z., *TPEL April 2025 4727-4733*
Guo, X., Tang, Q., Zhu, D., Zhou, Y., Zou, X., Hu, J., and Kang, Y., Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines; *TPEL May 2025 6429-6435*
Guo, X., *see* Wei, X., *TPEL June 2025 8658-8673*
Guo, X., Zhang, S., Gao, Y., Teng, Y., Diao, N., Hua, C., and Terzija, V., Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches; *TPEL July 2025 10000-10026*
Guo, X., *see* Zhang, S., *TPEL Aug. 2025 11526-11536*
Guo, X., *see* Tan, G., *TPEL Aug. 2025 11088-11106*
Guo, X., Tang, Q., Zhu, D., Zhou, Y., Zou, X., Hu, J., and Kang, Y., Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines; *TPEL Sept. 2025 13673-13685*
Guo, X., *see* Wang, S., *TPEL Sept. 2025 13063-13074*
Guo, X., *see* Wu, C., *TPEL Oct. 2025 15795-15807*
Guo, X., *see* Gu, P., *TPEL Oct. 2025 15891-15904*
Guo, X., *see* Wei, Y., *TPEL Nov. 2025 16409-16418*
Guo, Y., *see* Li, Y., *TPEL Jan. 2025 2619-2629*
Guo, Y., *see* Liu, Y., *TPEL April 2025 5743-5755*
Guo, Y., *see* Rong, C., *TPEL June 2025 8859-8868*
Guo, Y., *see* Xue, M., *TPEL Aug. 2025 11849-11862*
Guo, Y., Xu, W., Ge, J., Xiao, H., Tang, Y., and Shangguan, Y., A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine; *TPEL Aug. 2025 10746-10757*
Guo, Y., *see* Ren, J., *TPEL Oct. 2025 14974-14984*
Guo, Z., Wang, R., Zhang, Y., Xue, Z., Tang, B., Zhang, B., Liu, X., Xiong, Y., and Geng, L., A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response; *TPEL Jan. 2025 1483-1497*
Guo, Z., Huang, Z., and Chen, Z., Small-Signal Modeling and Comparisons of the Pulse Frequency Modulation and Time Shift Control for the *LLC* Converters; *TPEL Jan. 2025 526-539*
Guo, Z., *see* Ma, C., *TPEL April 2025 5857-5870*
Guo, Z., Zhu, J., Hu, J., Zhao, G., Wu, Z., Du, B., and Guo, J., HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System; *TPEL April 2025 4762-4766*
Guo, Z., Qu, X., Liu, J., Li, Y., and Tse, C.K., Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output; *TPEL July 2025 10189-10197*
Guo, Z., *see* Jin, S., *TPEL Aug. 2025 10299-10312*
Guo, Z., Yang, H., and Cao, G., A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters; *TPEL Aug. 2025 10594-10608*
Guo, Z., *see* Xiong, Y., *TPEL Sept. 2025 11969-11973*
Guo, Z., *see* Wu, Z., *TPEL Oct. 2025 15491-15503*
Guo, Z., *see* Du, B., *TPEL Nov. 2025 17172-17185*
Guo, Z., Zhang, Z., and Zou, G., Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters; *TPEL Nov. 2025 17105-17123*
Guo, Z., *see* Du, B., *TPEL Nov. 2025 17186-17202*
Gupta, J., *see* Singh, V.K., *TPEL Nov. 2025 16498-16511*
Gupta, S., *see* Rad, S.E., *TPEL Jan. 2025 1467-1482*
Gupta, S., *see* Sur, D., *TPEL Feb. 2025 2674-2679*
Gupta, S., and Mazumder, S.K., Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer; *TPEL July 2025 9121-9136*
Gurudiwan, S., Zade, A., Wang, H., and Zane, R., Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters; *TPEL April 2025 4716-4721*
Gurudiwan, S., Zade, A., Wang, H., and Zane, R., Erratum to "Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters" *TPEL Oct. 2025 16042*
Guzman, R., *see* Miret, J., *TPEL Dec. 2025 18040-18053*

H

Ha, J., *see* Lee, J., *TPEL July 2025 9137-9152*
Hagiwara, M., *see* Nasution, G.A.M., *TPEL April 2025 5440-5455*
Hagiwara, M., *see* Hamdan, N.A.K., *TPEL Nov. 2025 17325-17338*
Hai, D., *see* Gao, H., *TPEL Jan. 2025 828-839*
Hajilou, M., and Farzanehfard, H., Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress; *TPEL May 2025 7086-7094*
Hamad, M.S., *see* Zhou, Y., *TPEL Nov. 2025 16483-16497*
Hamdan, N.A.K., and Hagiwara, M., Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit; *TPEL Nov. 2025 17325-17338*
Han, D., Wen, R., YAN, G., Qian, D., KUANG, S., JIANG, P., and WANG, Z., Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs; *TPEL June 2025 8824-8833*
Han, G., *see* Xu, S., *TPEL April 2025 6010-6019*
Han, H., *see* Liu, C.C., *TPEL Jan. 2025 749-763*
Han, H., *see* Ning, G., *TPEL Aug. 2025 10469-10480*
Han, H., *see* Ning, G., *TPEL Nov. 2025 16626-16638*
Han, J., Liu, C., Liu, Z., Jatskevich, J., Shang, L., and Dong, X., Dynamic-Tracking Damping Controller for DFIG-Based Wind Farms to Mitigate Sub-Synchronous Control Interactions; *TPEL Jan. 2025 2248-2258*
Han, J., *see* Liu, Z., *TPEL Feb. 2025 3610-3621*
Han, J., *see* Liu, Y., *TPEL May 2025 6476-6491*
Han, J., *see* Chen, Z., *TPEL Oct. 2025 15949-15958*
Han, L., *see* Cao, D., *TPEL Feb. 2025 2833-2846*
Han, L., *see* Wang, C., *TPEL Aug. 2025 11490-11508*
Han, M.E., *see* Li, A.L., *TPEL Sept. 2025 14061-14071*
Han, M.E., Long, B., Li, A.L., Chowdhury, S.A., and Hu, A.P., A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System; *TPEL Sept. 2025 14027-14037*
Han, M.E., Li, A.L., Chowdhury, S.A., and Hu, A.P., Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Trans-

fer by Utilizing Reflected Third-Order Harmonics; *TPEL Dec. 2025 18226-18236*
Han, R., *see* Pang, Y., *TPEL April 2025 5384-5399*
Han, R., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*
Han, S., *see* Kim, H., *TPEL Jan. 2025 1431-1440*
Han, W., *see* Tian, H., *TPEL Jan. 2025 92-97*
Han, W., *see* Hu, Y., *TPEL Feb. 2025 3798-3809*
Han, W., Cai, Y., Yu, C., Ren, Y., Wang, W., and Yin, Z., Synchronous Vibration Control of MSCSG Based on High-Precision Closed-Loop Synchronous Rotating Frame Transformation; *TPEL April 2025 4793-4804*
Han, W., *see* Han, W., *TPEL April 2025 4793-4804*
Han, W., *see* Zhang, B., *TPEL July 2025 8917-8922*
Han, W., *see* Hu, W., *TPEL Aug. 2025 10366-10371*
Han, W., *see* Tian, H., *TPEL Aug. 2025 10335-10342*
Han, X., *see* Wei, X., *TPEL June 2025 8658-8673*
Han, X., *see* Jiang, T., *TPEL July 2025 9452-9462*
Han, X., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Han, Y., *see* Ren, Q., *TPEL Feb. 2025 3469-3489*
Han, Y., *see* Qin, X., *TPEL Feb. 2025 2874-2886*
Han, Y., *see* Zhang, X., *TPEL Aug. 2025 10330-10334*
Han, Y., *see* Feng, Q., *TPEL Oct. 2025 14985-15002*
Han, Z., *see* Hao, Y., *TPEL Sept. 2025 12488-12498*
Hang, J., Wang, X., Li, W., and Ding, S., Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals; *TPEL Feb. 2025 3395-3404*
Hang, J., *see* Ding, S., *TPEL May 2025 7162-7175*
Hang, J., *see* Ding, S., *TPEL Nov. 2025 16219-16230*
Hang, L., *see* Zheng, X., *TPEL July 2025 9685-9698*
Hao, J., *see* Yu, Y., *TPEL Sept. 2025 13050-13062*
Hao, J., *see* Dai, X., *TPEL Oct. 2025 15399-15421*
Hao, L., *see* Zhang, T., *TPEL Feb. 2025 3810-3820*
Hao, L., *see* Zhang, Y., *TPEL June 2025 7640-7645*
Hao, L., *see* Cheng, L., *TPEL July 2025 10242-10253*
Hao, L., *see* Zhang, T., *TPEL Oct. 2025 14265-14270*
Hao, L., *see* Chen, J., *TPEL Dec. 2025 18202-18213*
Hao, R., *see* Yuan, F., *TPEL Sept. 2025 12499-12513*
Hao, X., *see* Chen, Z., *TPEL Oct. 2025 15949-15958*
Hao, X., *see* Liang, Z., *TPEL Oct. 2025 15922-15936*
Hao, Y., *see* Zhao, J., *TPEL June 2025 8416-8429*
Hao, Y., Zhou, H., Qiu, S., Xu, C., and Liu, Q., Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination; *TPEL July 2025 9418-9428*
Hao, Y., Wang, X., Han, Z., Huang, C., Xie, H., and Zhou, B., A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme; *TPEL Sept. 2025 12488-12498*
Hao, Y., *see* Gu, P., *TPEL Oct. 2025 15891-15904*
Hao, Y., Dan, H., Sun, Y., Xie, S., Xiong, W., and Su, M., Power Decoupling Control of Single-Phase Differential Cuk Inverters; *TPEL Dec. 2025 18083-18096*
Hao, Z., *see* Wang, Y., *TPEL Jan. 2025 1974-1990*
Hao, Z., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Hao, Z., *see* Luo, S., *TPEL Sept. 2025 13703-13715*
Haque, M.E., *see* Chowdhury, A., *TPEL Jan. 2025 1762-1773*
Harnefors, L., *see* Chen, F., *TPEL Feb. 2025 2943-2957*
Harnefors, L., *see* Chen, F., *TPEL Oct. 2025 14307-14312*
Hasanpour, S., and Nouri, T., A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress; *TPEL Aug. 2025 11509-11525*
Hashemi-Zadeh, A., Tashakor, N., Bayati, M., and Goetz, S.M., Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output; *TPEL April 2025 5279-5291*
Hasnain, A., *see* Shen, Y., *TPEL Sept. 2025 13499-13513*
Hassan, M.I., *see* Pradhan, R., *TPEL Dec. 2025 17894-17910*
Hassan, W., *see* Qin, L., *TPEL April 2025 5480-5495*
Hassan, W., *see* Qin, L., *TPEL Oct. 2025 15670-15686*
Hassanifar, M., *see* Ou, S., *TPEL Aug. 2025 11339-11354*
Hata, K., *see* Horii, K., *TPEL Jan. 2025 467-485*
Hatta, S.F.W.M., *see* Tan, Y., *TPEL Aug. 2025 11182-11196*
Hatua, K., *see* Pandey, V., *TPEL June 2025 8125-8138*
Hatua, K., *see* Rai, A., *TPEL Aug. 2025 10609-10622*
Hava, A.M., *see* Deshmukh, A.V., *TPEL March 2025 4358-4373*
Hava, A.M., *see* Sezer, M.M., *TPEL Nov. 2025 16512-16524*
Hayashi, S., *see* Horii, K., *TPEL Jan. 2025 467-485*
He, B., *see* Jin, H., *TPEL May 2025 6933-6950*
He, B., Chen, W., Xu, J., Mu, H., and Zhao, C., Immittance-Based Stability and Instability Participation Analysis for DC Microgrids; *TPEL June 2025 7861-7871*
He, B., Xu, J., Wu, M., Guo, C., and Zhao, C., A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases; *TPEL Oct. 2025 14271-14276*
He, C., *see* Fang, X., *TPEL Jan. 2025 157-161*
He, D., *see* Li, H., *TPEL April 2025 5252-5264*
He, H., *see* Zhang, Z., *TPEL Jan. 2025 840-850*
He, H., Xia, Y., Li, L., Feng, Q., and Wei, W., Adaptive Power Coordination Control for Electrolysis Hydrogen Directly Driven by Wind Turbines; *TPEL Jan. 2025 2315-2326*
He, H., *see* Xia, Y., *TPEL April 2025 6119-6134*
He, H., *see* Wei, Z., *TPEL May 2025 7414-7422*
He, H., Liao, C., He, Z., Yan, L., and Liu, C., An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network; *TPEL July 2025 8939-8943*
He, H., *see* Dong, M., *TPEL Aug. 2025 11001-11011*
He, H., *see* He, Z., *TPEL Nov. 2025 16100-16104*
He, J., *see* Fard, M.T., *TPEL March 2025 4335-4344*
He, J., *see* Yan, Q., *TPEL June 2025 7628-7633*
He, J., *see* Zhao, R., *TPEL Aug. 2025 11477-11489*
He, J., *see* Zhu, J., *TPEL Aug. 2025 11064-11075*
He, J., *see* Wang, W., *TPEL Sept. 2025 12829-12844*
He, J., *see* Wang, Q., *TPEL Sept. 2025 12703-12718*
He, J., *see* Jiang, S., *TPEL Nov. 2025 17426-17437*
He, J., *see* Wang, L., *TPEL Dec. 2025 17946-17957*
He, K., Gao, F., Liu, X., Jiang, Y., Yang, X., and Rogers, D.J., Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range; *TPEL Nov. 2025 17529-17548*
He, K., Gao, F., Jiang, Y., Yang, X., and Liu, H., Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems; *TPEL Dec. 2025 18390-18406*
He, L., *see* Cheng, Z., *TPEL Jan. 2025 389-405*
He, L., *see* Zheng, X., *TPEL May 2025 6787-6800*
He, L., Kang, J., Ke, D., and Wang, F., D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors; *TPEL Nov. 2025 17061-17072*
He, M., *see* Tian, Q., *TPEL Sept. 2025 13686-13702*
He, P., *see* Chen, J., *TPEL Dec. 2025 18202-18213*
He, Q., *see* Lan, Y., *TPEL March 2025 4156-4169*
He, Q., *see* Yan, Y., *TPEL Sept. 2025 12555-12565*
He, S., *see* Zhu, J., *TPEL Feb. 2025 2708-2714*
He, S., *see* Guo, R., *TPEL Aug. 2025 10272-10285*
He, X., *see* Gao, H., *TPEL Jan. 2025 828-839*
He, X., *see* Liu, B., *TPEL Feb. 2025 2987-3004*
He, X., *see* Hu, X., *TPEL March 2025 4227-4243*
He, X., Desai, M.A., Huang, L., and Dorfler, F., Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters; *TPEL March 2025 3980-4007*
He, X., *see* Yao, Z., *TPEL April 2025 5109-5119*
He, X., *see* Bu, S., *TPEL June 2025 7893-7903*
He, X., *see* Sheng, J., *TPEL July 2025 9463-9478*
He, X., *see* Chen, H., *TPEL Sept. 2025 12920-12936*
He, X., *see* Wang, J., *TPEL Oct. 2025 14247-14252*
He, Y., *see* Li, Z., *TPEL Jan. 2025 1305-1321*
He, Y., *see* Chen, Y., *TPEL April 2025 6084-6096*
He, Y., *see* Zheng, X., *TPEL May 2025 6787-6800*
He, Y., *see* Du, H., *TPEL May 2025 7215-7226*

He, Y., *see* Li, J., *TPEL June 2025 8577-8591*
He, Y., *see* Zheng, X., *TPEL July 2025 9685-9698*
He, Y., *see* Yan, Y., *TPEL Sept. 2025 13434-13447*
He, Y., Li, Z., Hu, J., Xie, H., Lu, M., and Zhu, G., Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter; *TPEL Oct. 2025 14331-14336*
He, Y., *see* Zhao, X., *TPEL Nov. 2025 17073-17090*
He, Y., Zhang, L., Lei, Z., Zheng, Z., and An, W., Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness; *TPEL Dec. 2025 18365-18377*
He, Z., *see* Zhang, Y., *TPEL Jan. 2025 87-91*
He, Z., *see* Xiao, Y., *TPEL Jan. 2025 879-891*
He, Z., *see* Zhang, Z., *TPEL Jan. 2025 23-27*
He, Z., *see* Wang, Q., *TPEL March 2025 4581-4591*
He, Z., and Shinshi, T., Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models; *TPEL April 2025 5672-5684*
He, Z., *see* Sun, T., *TPEL May 2025 6700-6713*
He, Z., *see* Geng, A., *TPEL May 2025 6454-6458*
He, Z., *see* Li, Y., *TPEL May 2025 7523-7536*
He, Z., *see* Xiao, Z., *TPEL July 2025 9343-9356*
He, Z., *see* He, H., *TPEL July 2025 8939-8943*
He, Z., *see* Tang, C., *TPEL July 2025 9908-9920*
He, Z., *see* Yang, T., *TPEL Aug. 2025 10945-10956*
He, Z., *see* Liu, Y., *TPEL Sept. 2025 12072-12083*
He, Z., *see* Shen, Z., *TPEL Oct. 2025 14842-14853*
He, Z., He, H., Yan, L., and Liu, C., A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting; *TPEL Nov. 2025 16100-16104*
Heidari, R., Ghanbari, M.A., Adib, E., and Rivera, M., Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications; *TPEL July 2025 9543-9555*
Heldwein, M.L., *see* Kong, D., *TPEL Sept. 2025 13965-13976*
Hemming, S., *see* Wang, D., *TPEL Jan. 2025 1135-1152*
Hemming, S., *see* Pradhan, R., *TPEL Dec. 2025 17894-17910*
Henneron, T., Chen, W., Pace, L., Tomezyk, J., Clenet, S., and Taha, H., Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors; *TPEL May 2025 7095-7105*
Hernando, M.M., *see* Rodriguez, A., *TPEL April 2025 4805-4817*
Herpers, C., MacMillan, M., Belliveau, E.T., and Rouse, C.D., Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load; *TPEL April 2025 6248-6259*
Heydari-doostabad, H., *see* Hosseini, H.M., *TPEL Sept. 2025 11880-11896*
Heydari-doostabad, H., *see* Sabetfar, T., *TPEL Oct. 2025 15130-15148*
Heynmoller, P., *see* Kowalewski, P., *TPEL June 2025 7740-7753*
Hillesheim, M.M., *see* Almeida, G., *TPEL April 2025 5583-5592*
Hilt, O., *see* Geng, X., *TPEL April 2025 5231-5240*
Himker, N., Sourkounis, P., Willich, V., Lindemann, G., and Mertens, A., Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control; *TPEL Feb. 2025 2887-2900*
Hinkkanen, M., *see* Mourouvin, R., *TPEL June 2025 7789-7799*
Hirao, K., *see* Ngo, M.C., *TPEL Sept. 2025 13300-13310*
Hobbs, K., *see* Qiu, M., *TPEL Jan. 2025 1359-1375*
Hoeher, P.A., *see* Leng, Y., *TPEL June 2025 7954-7966*
Hoeher, P.A., *see* Leng, Y., *TPEL Oct. 2025 15292-15305*
Hogan, D.N., *see* Anderson, O.B., *TPEL May 2025 6771-6786*
Holmes, D.G., *see* Zhang, W., *TPEL Dec. 2025 17761-17775*
Hong, F., *see* Ji, B., *TPEL Sept. 2025 13113-13125*
Hong, L., *see* Peng, H., *TPEL May 2025 6539-6554*
Hong, Q., *see* Zhao, G., *TPEL Aug. 2025 11809-11819*
Hong, S., *see* Lee, C., *TPEL Sept. 2025 12021-12025*
Hong, S., *see* Park, H., *TPEL Sept. 2025 12011-12014*
Hong, Y., *see* Liu, C., *TPEL Feb. 2025 3370-3384*
Hong, Y., Apolinario, G.F.D., Lee, Y., Jiang, J., and Yeh, J., Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes; *TPEL Nov. 2025 17218-17233*
Hong, Z., *see* Shi, H., *TPEL Oct. 2025 15316-15328*
Honorio, D.d.A., *see* de Oliveira, R.N.M., *TPEL July 2025 9407-9417*
Horii, K., Hata, K., Hayashi, S., Wada, K., Omura, I., and Takamiya, M., Single-Input Dual-Output Digital Gate Driver IC Automatically Equalizing Drain Current Variations of Two Parallel-Connected SiC MOSFETs; *TPEL Jan. 2025 467-485*
Horn, M., *see* Baumgartner, T., *TPEL Jan. 2025 691-703*
Horsley, E.L., *see* Parker, M., *TPEL Jan. 2025 1035-1050*
Hosseini, H.M., Hosseinpour, M., Pourmahdi, M., O'Donnell, T., and Heydari-doostabad, H., Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features; *TPEL Sept. 2025 11880-11896*
Hosseininasab, S., *see* Li, W., *TPEL May 2025 7370-7384*
Hosseinpour, M., *see* Hosseini, H.M., *TPEL Sept. 2025 11880-11896*
Hosseinpour, M., *see* Sabetfar, T., *TPEL Oct. 2025 15130-15148*
Hossen, M.S., *see* Luo, J., *TPEL Nov. 2025 16206-16218*
Hota, A.R., *see* Mondal, A., *TPEL Oct. 2025 15652-15669*
Hou, F., *see* Chen, J., *TPEL Aug. 2025 10509-10530*
Hou, F., *see* Sun, X., *TPEL Sept. 2025 12191-12203*
Hou, J., *see* Shi, K., *TPEL Oct. 2025 15959-15975*
Hou, J., Jiang, Y., Liu, J., Li, P., Xiang, S., Chen, L., and Deng, Z., Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon; *TPEL Nov. 2025 16853-16869*
Hou, J., *see* Shi, K., *TPEL Dec. 2025 17924-17936*
Hou, K., *see* Geng, J., *TPEL Oct. 2025 15118-15129*
Hou, L., *see* Xiao, H., *TPEL May 2025 7573-7585*
Hou, L., Peng, H., Xiao, H., and Zhao, Y., A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation; *TPEL Aug. 2025 10543-10554*
Hou, L., Lan, X., Ren, Y., and Zhang, P., Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System; *TPEL Dec. 2025 17844-17857*
Hou, N., *see* Zhang, Y., *TPEL March 2025 3968-3979*
Hou, N., *see* Wang, S., *TPEL April 2025 6192-6202*
Hou, N., Wu, X., Huang, Z., and Li, Y., A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter; *TPEL Aug. 2025 10391-10395*
Hou, N., Qin, K., and Li, Y.R., A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit; *TPEL Dec. 2025 17937-17945*
Hou, Q., Wang, H., Lee, C.H.T., and Ding, S., Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications; *TPEL Nov. 2025 16255-16264*
Hou, X., *see* Fu, S., *TPEL Feb. 2025 3697-3709*
Hou, Y., *see* Guo, J., *TPEL March 2025 4652-4663*
Hou, Y., *see* Wang, X., *TPEL July 2025 10038-10048*
Hou, Y., *see* Li, S., *TPEL July 2025 10140-10153*
Hou, Y., *see* Huang, Z., *TPEL Aug. 2025 10313-10323*
Hou, Y., *see* Guo, J., *TPEL Oct. 2025 14868-14880*
Hou, Z., Jiao, D., and Lai, J., An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers; *TPEL April 2025 6216-6229*
Hou, Z., Jiao, D., and Lai, J., A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress; *TPEL Aug. 2025 11749-11762*
Houshmand, S., *see* Yu, H., *TPEL Oct. 2025 14496-14507*
Hsiao, Y., *see* Kuo, C., *TPEL April 2025 5120-5129*
Hsieh, H., *see* Lai, J., *TPEL April 2025 5190-5200*
Hsu, C., *see* Lai, J., *TPEL April 2025 5190-5200*
Hu, A.P., *see* Dou, R., *TPEL Jan. 2025 2513-2526*
Hu, A.P., *see* Li, A.L., *TPEL Sept. 2025 14061-14071*
Hu, A.P., *see* Wang, J., *TPEL Sept. 2025 14124-14133*
Hu, A.P., *see* Han, M.E., *TPEL Sept. 2025 14027-14037*
Hu, A.P., *see* Han, M.E., *TPEL Dec. 2025 18226-18236*
Hu, B., *see* Jiang, Y., *TPEL Feb. 2025 3062-3076*
Hu, B., *see* Zhan, L., *TPEL Sept. 2025 11979-11984*
Hu, B., *see* Zhang, S., *TPEL Oct. 2025 14313-14317*
Hu, B., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*

Hu, C., *see* Luo, M., *TPEL Jan. 2025 851-861*
Hu, C., *see* Li, H., *TPEL Jan. 2025 2342-2354*
Hu, C., *see* Wang, H., *TPEL July 2025 9811-9823*
Hu, C., Yang, W., Liu, B., Lin, H., Wang, P., and Cao, W., Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation; *TPEL Sept. 2025 13643-13658*
Hu, C., *see* Yan, X., *TPEL Oct. 2025 14388-14400*
Hu, C., *see* Cao, T., *TPEL Dec. 2025 18214-18225*
Hu, G., Xiao, Y., Xin, H., Yang, Y., Yuan, H., Yaermaimaiti, A., and Zhuang, K., An Extended Impedance Model for Power Electronics Converters Retaining Explicit Synchronization Dynamics; *TPEL Jan. 2025 2355-2370*
Hu, H., *see* Xiang, D., *TPEL Jan. 2025 1577-1588*
Hu, H., *see* Wu, Y., *TPEL March 2025 4090-4099*
Hu, H., *see* Geng, A., *TPEL May 2025 6454-6458*
Hu, H., Chen, F., Dai, X., and Sun, Y., Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems; *TPEL Sept. 2025 14038-14049*
Hu, H., *see* Hu, H., *TPEL Sept. 2025 14038-14049*
Hu, H., Lin, T., Su, J., Zhang, X., Chen, F., Zhao, L., and Sun, Y., A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems; *TPEL Nov. 2025 16704-16717*
Hu, J., *see* Mo, N., *TPEL Jan. 2025 406-421*
Hu, J., *see* Ma, Y., *TPEL Jan. 2025 76-81*
Hu, J., *see* Zhou, Y., *TPEL Jan. 2025 51-56*
Hu, J., *see* Carnielutti, F., *TPEL Jan. 2025 540-550*
Hu, J., Xu, Q., Guo, P., Jia, Y., Tang, C., and Luo, A., Asymmetrical Interleaved Switching Power Amplifier Based on Arm Multiplexing; *TPEL Jan. 2025 375-388*
Hu, J., *see* Li, L., *TPEL Feb. 2025 2697-2701*
Hu, J., *see* Chen, S., *TPEL Feb. 2025 3020-3032*
Hu, J., *see* Zhou, Y., *TPEL April 2025 6177-6191*
Hu, J., *see* Huang, M., *TPEL April 2025 5094-5108*
Hu, J., *see* Guo, Z., *TPEL April 2025 4762-4766*
Hu, J., *see* Guo, X., *TPEL May 2025 6429-6435*
Hu, J., *see* Zheng, X., *TPEL May 2025 6787-6800*
Hu, J., *see* Li, X., *TPEL May 2025 6492-6505*
Hu, J., *see* Ma, Y., *TPEL July 2025 9439-9451*
Hu, J., *see* Tang, C., *TPEL July 2025 9908-9920*
Hu, J., *see* Zhang, Z., *TPEL July 2025 9591-9605*
Hu, J., *see* Lv, X., *TPEL Aug. 2025 10372-10377*
Hu, J., *see* Lu, M., *TPEL Sept. 2025 12055-12060*
Hu, J., *see* Guo, X., *TPEL Sept. 2025 13673-13685*
Hu, J., *see* He, Y., *TPEL Oct. 2025 14331-14336*
Hu, J., *see* Wang, H., *TPEL Oct. 2025 14324-14330*
Hu, J., *see* Wu, Z., *TPEL Oct. 2025 15491-15503*
Hu, J., *see* Mo, N., *TPEL Oct. 2025 15504-15518*
Hu, J., *see* Du, B., *TPEL Nov. 2025 17172-17185*
Hu, J., *see* Du, B., *TPEL Nov. 2025 17186-17202*
Hu, K., Yang, M., and Zhang, X., A Multilevel Self-Driving Gate Driver of SiC MOSFET for Crosstalk Suppression Considering Common-Source Inductance; *TPEL Jan. 2025 906-919*
Hu, M., *see* Hu, Y., *TPEL April 2025 5846-5856*
Hu, M., *see* Pei, Y., *TPEL Sept. 2025 13556-13567*
Hu, P., *see* Li, X., *TPEL July 2025 8990-9003*
Hu, P., *see* Rong, Q., *TPEL Nov. 2025 16780-16789*
Hu, Q., *see* Liu, Z., *TPEL Jan. 2025 679-690*
Hu, Q., *see* Yi, B., *TPEL Feb. 2025 3033-3042*
Hu, Q., *see* Luo, Z., *TPEL March 2025 3927-3937*
Hu, Q., *see* Luo, Z., *TPEL June 2025 8305-8314*
Hu, Q., *see* Yue, H., *TPEL Aug. 2025 10567-10580*
Hu, R., *see* Du, B., *TPEL Jan. 2025 2184-2195*
Hu, R., *see* Zheng, J., *TPEL June 2025 7657-7662*
Hu, R., *see* Yang, Y., *TPEL July 2025 9200-9210*
Hu, R., *see* Man, C., *TPEL July 2025 9211-9222*
Hu, S., *see* Qin, H., *TPEL Oct. 2025 15466-15477*
Hu, T., *see* Song, W., *TPEL Aug. 2025 10623-10634*
Hu, T., *see* Tang, T., *TPEL Nov. 2025 16300-16314*
Hu, W., Wang, Z., Tang, X., Zhang, Z., and Zhang, Z., A Simplified Switch Short-Circuit Fault-Tolerant Scheme for Three-Phase Six-Switch Current Source Rectifier; *TPEL Jan. 2025 105-111*
Hu, W., *see* Hu, Y., *TPEL Feb. 2025 3798-3809*
Hu, W., *see* Qin, X., *TPEL Feb. 2025 2874-2886*
Hu, W., *see* Song, C., *TPEL May 2025 6555-6565*
Hu, W., *see* Zhang, B., *TPEL July 2025 8917-8922*
Hu, W., *see* Deng, Q., *TPEL July 2025 10111-10122*
Hu, W., Zhang, B., Hu, Y., and Han, W., Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases; *TPEL Aug. 2025 10366-10371*
Hu, W., *see* Wang, M., *TPEL Sept. 2025 13086-13098*
Hu, W., *see* Li, K., *TPEL Oct. 2025 14585-14597*
Hu, W., *see* Shao, Z., *TPEL Oct. 2025 14755-14770*
Hu, X., *see* Yi, B., *TPEL Feb. 2025 3033-3042*
Hu, X., Jia, J., He, X., and Xu, Z., An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple; *TPEL March 2025 4227-4243*
Hu, X., *see* Xie, Y., *TPEL May 2025 7453-7465*
Hu, X., *see* Ma, C., *TPEL July 2025 9107-9120*
Hu, Y., *see* Chen, C., *TPEL Feb. 2025 3566-3577*
Hu, Y., Han, W., Zhang, B., and Hu, W., An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization; *TPEL Feb. 2025 3798-3809*
Hu, Y., *see* Sun, P., *TPEL March 2025 4112-4130*
Hu, Y., Luo, Y., Hua, W., Hu, M., Wang, Y., and Yu, W., Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch; *TPEL April 2025 5846-5856*
Hu, Y., *see* Cheng, S., *TPEL April 2025 6055-6068*
Hu, Y., *see* Peng, H., *TPEL May 2025 6539-6554*
Hu, Y., *see* Zhang, B., *TPEL July 2025 8917-8922*
Hu, Y., *see* Hu, W., *TPEL Aug. 2025 10366-10371*
Hu, Y., *see* Zhang, X., *TPEL Sept. 2025 12893-12905*
Hu, Y., *see* Liu, L., *TPEL Nov. 2025 16419-16430*
Hu, Z., *see* Ke, R., *TPEL Feb. 2025 3518-3529*
Hu, Z., *see* Zhao, J., *TPEL June 2025 8416-8429*
Hu, Z., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Hu, Z., *see* Nie, J., *TPEL Nov. 2025 16090-16095*
Hua, C., *see* Guo, X., *TPEL July 2025 10000-10026*
Hua, C., *see* Zhang, S., *TPEL Aug. 2025 11526-11536*
Hua, C., *see* Wei, Y., *TPEL Nov. 2025 16409-16418*
Hua, W., *see* Hu, Y., *TPEL April 2025 5846-5856*
Hua, W., *see* Fu, W., *TPEL May 2025 7200-7214*
Hua, W., *see* Cheng, C., *TPEL June 2025 7663-7667*
Hua, W., *see* Feng, X., *TPEL Sept. 2025 12440-12451*
Hua, Z., *see* Dang, C., *TPEL Sept. 2025 12378-12392*
Hua, Z., *see* Yan, S., *TPEL Oct. 2025 14598-14612*
Huai, R., *see* Yu, Z., *TPEL Nov. 2025 16764-16779*
Huan, W., *see* Kong, C., *TPEL May 2025 6663-6674*
Huang, B., *see* Li, T., *TPEL Nov. 2025 17246-17255*
Huang, C., *see* Gao, L., *TPEL March 2025 3885-3898*
Huang, C., *see* Liu, Z., *TPEL March 2025 4449-4460*
Huang, C., *see* Hao, Y., *TPEL Sept. 2025 12488-12498*
Huang, C., *see* Gao, S., *TPEL Sept. 2025 12061-12071*
Huang, C., Mannen, T., and Isobe, T., Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters; *TPEL Oct. 2025 15835-15851*
Huang, D., *see* Li, R., *TPEL April 2025 5810-5822*
Huang, D., *see* Zhang, X., *TPEL Sept. 2025 13730-13740*
Huang, D., *see* Wang, F., *TPEL Sept. 2025 13977-13990*
Huang, D., Zhou, Z., and Dai, N., CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters; *TPEL Dec. 2025 17575-17581*
Huang, G., *see* Wang, J., *TPEL Jan. 2025 1234-1246*
Huang, G., *see* Yang, Q., *TPEL Oct. 2025 14881-14893*
Huang, H., *see* Shen, Y., *TPEL Jan. 2025 1686-1696*

Huang, H., *see* Wang, N., *TPEL Sept. 2025 11897-11907*
Huang, H., Jing, X., Tan, J., Zhang, H., Deng, W., and Sun, M., An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination; *TPEL Sept. 2025 13177-13186*
Huang, J., *see* Yang, L., *TPEL April 2025 6359-6369*
Huang, J., *see* Qiao, S., *TPEL July 2025 9672-9684*
Huang, L., *see* He, X., *TPEL March 2025 3980-4007*
Huang, L., and Blaabjerg, F., A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid; *TPEL April 2025 6135-6146*
Huang, L., *see* Fan, H., *TPEL May 2025 6653-6662*
Huang, L., *see* Xin, H., *TPEL Dec. 2025 18378-18389*
Huang, M., *see* Liu, C.C., *TPEL Jan. 2025 749-763*
Huang, M., *see* Sun, P., *TPEL Feb. 2025 2780-2796*
Huang, M., *see* Wang, J., *TPEL March 2025 4592-4601*
Huang, M., Hu, J., Chen, Y., Li, Z., and Lin, C., Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation; *TPEL April 2025 5094-5108*
Huang, M., *see* Luo, C., *TPEL April 2025 4780-4786*
Huang, M., *see* Xu, C., *TPEL May 2025 6813-6828*
Huang, M., *see* Li, X., *TPEL July 2025 8990-9003*
Huang, M., *see* Ling, Y., *TPEL Sept. 2025 13474-13489*
Huang, P., *see* Ye, Y., *TPEL Feb. 2025 2685-2690*
Huang, P., *see* Wen, S., *TPEL June 2025 8617-8630*
Huang, P., *see* Zhu, X., *TPEL Nov. 2025 16728-16739*
Huang, Q., *see* Qin, X., *TPEL Feb. 2025 2874-2886*
Huang, Q., Li, Y., Dou, Y., Li, Y., Zhu, J., and Li, S., History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms; *TPEL July 2025 9625-9637*
Huang, Q., *see* Deng, Q., *TPEL July 2025 10111-10122*
Huang, R., and Liu, C., Improved PWM Control With Wide Speed Range for a Double-Side Asynchronous Rotor AFPMM Series-End Winding Drive; *TPEL Jan. 2025 1728-1738*
Huang, R., *see* Zhang, B., *TPEL March 2025 3854-3860*
Huang, S., *see* Yang, M., *TPEL Jan. 2025 1717-1727*
Huang, S., *see* Yang, M., *TPEL Jan. 2025 1717-1727*
Huang, S., *see* Niu, F., *TPEL Feb. 2025 3530-3542*
Huang, S., *see* Wen, S., *TPEL June 2025 8617-8630*
Huang, S., *see* Chen, Z., *TPEL July 2025 10027-10037*
Huang, S., Luo, G., Guan, W., Liu, C., Zhang, M., and Chen, Z., A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation; *TPEL Aug. 2025 11763-11774*
Huang, S., *see* Wu, T., *TPEL Aug. 2025 10836-10845*
Huang, T., *see* Pan, C., *TPEL March 2025 4473-4485*
Huang, T., Ren, J., and Zhong, W., General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding; *TPEL May 2025 7549-7559*
Huang, T., *see* Wang, Y., *TPEL July 2025 10123-10139*
Huang, T., *see* Liu, Z., *TPEL Sept. 2025 13187-13201*
Huang, W., *see* Du, B., *TPEL Jan. 2025 2184-2195*
Huang, W., *see* Xu, Y., *TPEL March 2025 4374-4385*
Huang, W., *see* Lin, Z., *TPEL April 2025 5052-5068*
Huang, W., *see* Jia, Z., *TPEL May 2025 7239-7250*
Huang, W., *see* Gu, Y., *TPEL Aug. 2025 11076-11087*
Huang, W., *see* Yao, Y., *TPEL Oct. 2025 15359-15370*
Huang, W., *see* Jia, Z., *TPEL Nov. 2025 17013-17024*
Huang, W., *see* Huynh, K.K.N., *TPEL Dec. 2025 18164-18177*
Huang, X., *see* Wang, A., *TPEL Jan. 2025 774-786*
Huang, X., *see* Wu, Z., *TPEL Jan. 2025 727-737*
Huang, X., *see* Liu, Z., *TPEL Jan. 2025 679-690*
Huang, X., *see* Li, D., *TPEL Feb. 2025 3456-3468*
Huang, X., *see* Zhou, W., *TPEL Feb. 2025 2715-2720*
Huang, X., *see* Zhang, J., *TPEL April 2025 5265-5278*
Huang, X., *see* Ding, S., *TPEL May 2025 7162-7175*
Huang, X., Zhang, J., Wu, Y., Xu, Z., and Cheng, M., Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions; *TPEL May 2025 7275-7285*
Huang, X., *see* Zhang, S., *TPEL Oct. 2025 14313-14317*
Huang, X., *see* Tang, W., *TPEL Oct. 2025 14524-14535*
Huang, X., Sun, Y., Ning, G., and Liu, Y., Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks; *TPEL Nov. 2025 17234-17245*
Huang, X., Zhu, P., Pan, J., Cai, Y., Sun, H., and Lin, F., Overview of IGBT Driving Technology for High Voltage and High Capacity Applications; *TPEL Dec. 2025 18461-18473*
Huang, Y., *see* Xie, L., *TPEL Jan. 2025 2086-2098*
Huang, Y., *see* Wang, X., *TPEL Feb. 2025 3710-3725*
Huang, Y., *see* Zhou, J., *TPEL Feb. 2025 2916-2929*
Huang, Y., *see* Sun, P., *TPEL March 2025 4112-4130*
Huang, Y., *see* Tang, L., *TPEL May 2025 6921-6932*
Huang, Y., Zhang, G., Wang, G., Wang, Q., Wang, S., and Xu, D., Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives; *TPEL May 2025 7150-7161*
Huang, Y., *see* Li, Q., *TPEL Aug. 2025 10717-10730*
Huang, Y., *see* Deng, E., *TPEL Oct. 2025 14949-14961*
Huang, Y., *see* Rong, Q., *TPEL Nov. 2025 16780-16789*
Huang, Y., *see* Jiang, S., *TPEL Nov. 2025 17426-17437*
Huang, Y., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Huang, Z., *see* Guo, Z., *TPEL Jan. 2025 526-539*
Huang, Z., *see* Yang, R., *TPEL April 2025 4878-4888*
Huang, Z., *see* Zou, B., *TPEL May 2025 7500-7511*
Huang, Z., *see* Zhang, Y., *TPEL May 2025 7512-7522*
Huang, Z., *see* Zhang, Y., *TPEL Aug. 2025 11715-11724*
Huang, Z., Zhu, R., Zhang, Y., and Zanchetta, P., Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback; *TPEL Aug. 2025 11787-11798*
Huang, Z., *see* Hou, N., *TPEL Aug. 2025 10391-10395*
Huang, Z., Guo, Q., Xiao, Z., Tu, C., Sun, K., Wang, L., Zhu, D., and Hou, Y., Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method; *TPEL Aug. 2025 10313-10323*
Huang, Z., *see* Zhang, Y., *TPEL Sept. 2025 13490-13498*
Huang, Z., *see* Xu, H., *TPEL Sept. 2025 14134-14145*
Huang, Z., Xie, J., Yang, Q., and Zhang, M., A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS; *TPEL Oct. 2025 15348-15358*
Huang, Z., *see* Zhang, Y., *TPEL Nov. 2025 17256-17266*
Huang, Z., *see* Li, T., *TPEL Nov. 2025 17246-17255*
Huangfu, Y., *see* Zhuo, S., *TPEL July 2025 9853-9863*
Huber, J., *see* Nain, N., *TPEL July 2025 9167-9186*
Hui, J., *see* Wang, X., *TPEL Feb. 2025 3710-3725*
Hui, S.R., *see* Li, K., *TPEL Oct. 2025 16004-16021*
Hui, S.Y.R., *see* Zeng, J., *TPEL Jan. 2025 2569-2580*
Hui, S.Y.R., *see* Yuan, H., *TPEL July 2025 9289-9300*
Hui, S.Y.R., *see* Wang, Y., *TPEL Nov. 2025 17469-17487*
Hui, X., Ning, P., Fan, T., Kang, Y., Wang, K., and Mei, Y., A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics; *TPEL Dec. 2025 17911-17923*
Huisman, H., *see* Kosesoy, Y., *TPEL Sept. 2025 12527-12541*
Huitink, D., *see* Farnell, C., *TPEL Dec. 2025 18437-18447*
Humblot-Renaux, G., Wu, Y., Escalera, S., Moeslund, T.B., Wang, X., and Wu, H., Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks; *TPEL Nov. 2025 16055-16060*
Hung, S., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Huo, F., *see* Zhang, X., *TPEL Sept. 2025 13730-13740*
Huo, M., *see* Gao, L., *TPEL Nov. 2025 16068-16073*
Huo, M., *see* Gao, L., *TPEL Nov. 2025 16676-16686*
Huo, W., *see* Tang, Y., *TPEL Oct. 2025 14459-14477*
Huo, Y., *see* Wang, H., *TPEL July 2025 8950-8955*
Huo, Y., *see* Wang, H., *TPEL Sept. 2025 11963-11968*
Husev, O., *see* Kurdkandi, N.V., *TPEL Nov. 2025 17281-17294*

Huwyler, A., *see* van der Sande, R., *TPEL June 2025 8179-8193*

Huynh, K.K.N., Chen, K., Liang, T., and Huang, W., Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor; *TPEL Dec. 2025 18164-18177*

Hwang, I., Lee, J., and Cui, S., Time-Step-Adaptive Filter Discretization for Variable Sampling Frequency Control of Power Converters; *TPEL Jan. 2025 574-587*

Hwang, Y., *see* Jung, S., *TPEL Oct. 2025 14318-14323*

Hwang, Y., Song, M., Kwon, Y., An, J., and Park, J., A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications; *TPEL Oct. 2025 14282-14288*

Hwang, Y., *see* Lee, J., *TPEL Oct. 2025 14508-14523*

Hwang, Y., *see* Song, M., *TPEL Oct. 2025 14253-14258*

Hwang, Y.S., *see* Kang, S.H., *TPEL Nov. 2025 17384-17399*

I

Iam, I., *see* Zou, B., *TPEL May 2025 7500-7511*

Iam, I., *see* Wu, M., *TPEL May 2025 7560-7572*

Iam, I., *see* Wu, M., *TPEL June 2025 8834-8846*

Igarashi, S., *see* Liu, Y., *TPEL Aug. 2025 10957-10972*

Ikenari, T., *see* Komiyama, Y., *TPEL Nov. 2025 16822-16836*

Ilka, R., *see* Fard, M.T., *TPEL March 2025 4335-4344*

Iman-Eini, H., *see* Darvishzadeh, A., *TPEL Jan. 2025 1952-1963*

Iman-Eini, H., Pourfaraj, A., and Liserre, M., Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions; *TPEL Sept. 2025 12566-12580*

Imanlou, A., and Babaei, E., A New High Voltage Gain Transformerless Dual-Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components; *TPEL April 2025 5554-5565*

Imaoka, J., *see* Choi, S., *TPEL Jan. 2025 46-50*

Iob, F., Scaduto, S., Alessandro, A.A., Santagati, C.A., and Saggini, S., Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters; *TPEL May 2025 6629-6642*

Iosifidis, N., Wan, H., Zhang, X., Saeibehrouzi, A., Smailes, M., Denissenko, P., Mawby, P.A., and Ran, L., Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation; *TPEL Oct. 2025 15381-15398*

Iosifidis, N., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*

Iqbal, A., *see* Du, Y., *TPEL Sept. 2025 12003-12010*

Iqbal, A., *see* Ram, M.K., *TPEL Oct. 2025 15226-15237*

Ishraq, N., *see* Reece, C., *TPEL Feb. 2025 3150-3167*

Isobe, T., *see* Huang, C., *TPEL Oct. 2025 15835-15851*

Iu, H.H., *see* Lin, Z., *TPEL June 2025 8726-8738*

Iu, H.H.C., *see* Zeng, Y., *TPEL Jan. 2025 2495-2512*

Iu, H.H.C., *see* Jin, F., *TPEL May 2025 6593-6604*

Iu, H.H.C., *see* Zeng, Y., *TPEL June 2025 8792-8811*

Iyer, R.K., Bayliss, R.S., Petric, I.Z., Sanders, S.R., and Pilawa-Podgurski, R.C.N., Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters; *TPEL Dec. 2025 18097-18112*

Iyer, R.K., Bonanno, G., Buso, S., Mattavelli, P., and Pilawa-Podgurski, R.C.N., A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters; *TPEL Dec. 2025 18070-18082*

Iyer, V.G., and Adda, R., Novel Single-Loop dq Control for *LC* Filter-Based Single-Phase Standalone Inverter Systems Under Nonlinear Loads; *TPEL Jan. 2025 227-240*

Iyer, V.G., and Adda, R., Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application; *TPEL Aug. 2025 10496-10508*

Iyer, V.M., *see* Rajput, N., *TPEL Aug. 2025 11257-11267*

J

J, R., and R, N., Delta and Inverse Delta Coupler Optimization Using Machine Learning for Wireless Power Transfer Electric Vehicle Charging Application; *TPEL Jan. 2025 2556-2568*

Jahdi, S., *see* Deb, A., *TPEL Nov. 2025 16341-16351*

Jahns, T.M., *see* Amorim Torres, R., *TPEL March 2025 4345-4357*

Jamali, M., Sadabadi, M.S., Davari, M., Sahoo, S., and Blaabjerg, F., Resilient-by-Design Control for in Situ Primary Controller of Grid-Following Inverter-Based Resources by a Novel State Augmentation to Tolerate False Data Injection Cyberattacks; *TPEL Feb. 2025 2746-2760*

Jang, E., *see* Choi, M., *TPEL Jan. 2025 1519-1531*

Jang, W., Kim, I., and Park, J., Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units; *TPEL Oct. 2025 14797-14810*

Janoth, F., *see* Austrup, I., *TPEL March 2025 4386-4398*

Jatskevich, J., *see* Han, J., *TPEL Jan. 2025 2248-2258*

Jayalath, S., *see* Maile, P., *TPEL Jan. 2025 57-63*

Jayaprakasan, S., *see* Cyriac, S., *TPEL Oct. 2025 14811-14820*

Jena, P., Singh, R.K., and Lal, V.N., Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation; *TPEL May 2025 7015-7028*

Jena, S., *see* Deshmukh, A.V., *TPEL March 2025 4358-4373*

Jeon, J., *see* Fayyaz, S., *TPEL April 2025 5595-5608*

Jeon, M., *see* Kim, B., *TPEL Nov. 2025 16061-16067*

Jeong, D., *see* Lee, C., *TPEL Sept. 2025 12021-12025*

Jeong, D., *see* Park, H., *TPEL Sept. 2025 12011-12014*

Jeong, E., *see* Lee, C., *TPEL Sept. 2025 12021-12025*

Jeong, H., *see* Lee, C., *TPEL Sept. 2025 12021-12025*

Jeong, M., *see* Kim, H., *TPEL Jan. 2025 1431-1440*

Jeong, S., *see* Ahn, J., *TPEL Aug. 2025 10899-10911*

Jeong, S.Y., *see* Rim, C.T., *TPEL Nov. 2025 16953-16962*

Jeong, T., *see* Jo, C., *TPEL Jan. 2025 2484-2494*

Jeong, W., *see* Ahn, J., *TPEL Aug. 2025 11012-11020*

Jeyasenthil, R., *see* Kalvapalli, S.R., *TPEL May 2025 6436-6441*

Ji, B., *see* Luo, M., *TPEL Jan. 2025 851-861*

Ji, B., *see* Zhao, Y., *TPEL Feb. 2025 2651-2667*

Ji, B., Xu, W., Yang, C., and Hong, F., A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter; *TPEL Sept. 2025 13113-13125*

Ji, G., *see* Wu, H., *TPEL Aug. 2025 11246-11256*

Ji, H., *see* Xi, H., *TPEL March 2025 4569-4580*

Ji, M., *see* Park, H., *TPEL Feb. 2025 2958-2970*

Ji, S., Xie, W., Xiao, Y., Lu, R., Zhao, Z., Sheng, C., and Yang, W., A Compact DC–200 MHz Hybrid Current Measurement Approach for Fast Switching Power Semiconductor Modules; *TPEL Jan. 2025 2158-2169*

Ji, S., *see* Liu, Z., *TPEL April 2025 5609-5621*

Ji, S., *see* Dang, Y., *TPEL April 2025 5566-5582*

Ji, S., *see* Yang, M., *TPEL June 2025 8016-8035*

Ji, S., *see* Xiao, Y., *TPEL Sept. 2025 12123-12142*

Ji, S., *see* Liu, Z., *TPEL Sept. 2025 13126-13141*

Ji, S., *see* Tang, Y., *TPEL Oct. 2025 14459-14477*

Ji, S., *see* Dang, Y., *TPEL Oct. 2025 14785-14796*

Ji, Y., *see* Pang, Y., *TPEL April 2025 5384-5399*

Ji, Y., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*

Ji, Y., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*

Ji, Z., *see* Jin, C., *TPEL Nov. 2025 16790-16808*

Jia, D., *see* Wang, Y., *TPEL March 2025 4100-4111*

Jia, D., *see* Zhang, Y., *TPEL Sept. 2025 12309-12320*

Jia, H., *see* Wang, N., *TPEL Sept. 2025 11897-11907*

Jia, J., *see* Hu, X., *TPEL March 2025 4227-4243*

Jia, L., *see* Wang, Z., *TPEL Jan. 2025 2442-2456*

Jia, L., *see* Kong, H., *TPEL April 2025 5241-5251*

Jia, L., *see* Chen, M., *TPEL June 2025 7800-7813*

Jia, L., *see* Yang, F., *TPEL July 2025 9357-9369*

Jia, P., Zhang, Y., Liu, M., and Xing, Y., Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter; *TPEL July 2025 9556-9576*

Jia, P., and Liu, M., A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer; *TPEL Aug. 2025 10396-10401*
Jia, R., *see* Wang, Z., *TPEL April 2025 5467-5479*
Jia, S., Yang, D., Sun, P., Liang, D., and Si, J., Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines; *TPEL June 2025 8503-8515*
Jia, S., Shi, B., Zhao, Z., and Yuan, L., A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation; *TPEL Oct. 2025 14259-14264*
Jia, Y., *see* Zhang, J., *TPEL Jan. 2025 1198-1214*
Jia, Y., *see* Hu, J., *TPEL Jan. 2025 375-388*
Jia, Y., *see* Chen, J., *TPEL April 2025 5423-5439*
Jia, Y., *see* Tang, C., *TPEL July 2025 9908-9920*
Jia, Z., Song, W., Ma, C., Lu, T., and Huang, W., A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs; *TPEL May 2025 7239-7250*
Jia, Z., *see* Wang, Y., *TPEL July 2025 10123-10139*
Jia, Z., Song, W., Lu, T., Ma, C., Huang, W., and Feng, X., Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs; *TPEL Nov. 2025 17013-17024*
Jian, L., *see* Niu, S., *TPEL Jan. 2025 152-156*
Jiang, A., *see* Wang, S., *TPEL June 2025 7765-7776*
Jiang, B., *see* Du, J., *TPEL Jan. 2025 2139-2148*
Jiang, B., *see* Bao, X., *TPEL Aug. 2025 10824-10835*
Jiang, C., *see* Mo, L., *TPEL Jan. 2025 1376-1388*
Jiang, C., *see* Luo, B., *TPEL April 2025 6307-6318*
Jiang, C., *see* Du, Y., *TPEL Sept. 2025 12003-12010*
Jiang, C., *see* Duffy, M., *TPEL Oct. 2025 14343-14344*
Jiang, C., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Jiang, C.Q., *see* Zhang, B., *TPEL Jan. 2025 2593-2603*
Jiang, C.Q., *see* Chen, C., *TPEL April 2025 5661-5671*
Jiang, C.Q., *see* Wang, Y., *TPEL May 2025 6464-6469*
Jiang, C.Q., *see* Geng, J., *TPEL May 2025 7002-7014*
Jiang, C.Q., *see* Wang, X., *TPEL July 2025 10165-10175*
Jiang, C.Q., *see* Ren, S., *TPEL Oct. 2025 14345-14350*
Jiang, C.Q., *see* Chen, X.F., *TPEL Dec. 2025 18474-18488*
Jiang, D., *see* Liu, Z., *TPEL Jan. 2025 1748-1761*
Jiang, D., *see* Xie, Y., *TPEL Jan. 2025 1849-1861*
Jiang, D., *see* Zhu, H., *TPEL Jan. 2025 716-726*
Jiang, D., *see* Xu, H., *TPEL Jan. 2025 2099-2113*
Jiang, D., *see* Qu, H., *TPEL Feb. 2025 3490-3504*
Jiang, D., *see* Xie, Y., *TPEL June 2025 8093-8108*
Jiang, D., *see* Shen, L., *TPEL Aug. 2025 10672-10681*
Jiang, D., *see* Xiong, Y., *TPEL Sept. 2025 13217-13230*
Jiang, D., *see* Wang, P., *TPEL Oct. 2025 14675-14685*
Jiang, D., *see* Shuai, Y., *TPEL Oct. 2025 14560-14570*
Jiang, F., *see* Wang, L., *TPEL April 2025 5177-5189*
Jiang, F., *see* Wang, P., *TPEL May 2025 6726-6739*
Jiang, F., *see* Deng, C., *TPEL June 2025 7967-7979*
Jiang, F., *see* Chen, M., *TPEL June 2025 7800-7813*
Jiang, H., Liang, S., Xu, Y., and Ramachandran, S., Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis; *TPEL Feb. 2025 3600-3609*
Jiang, H., *see* Tang, L., *TPEL May 2025 6921-6932*
Jiang, J., Cui, D., Liu, J., Chen, B., Chen, J., and Fu, R., Partial Discharge Characteristics of Epoxy Resin Under High-Frequency Pulse Electrical Stress; *TPEL Jan. 2025 2017-2027*
Jiang, J., Li, Z., Liu, F., Pan, S., Zhao, E., Liu, G., and Qu, K., A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method; *TPEL Sept. 2025 13099-13112*
Jiang, J., *see* Yan, X., *TPEL Oct. 2025 14388-14400*
Jiang, J., *see* Shi, K., *TPEL Oct. 2025 15959-15975*
Jiang, J., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Jiang, J., *see* Ding, C., *TPEL Nov. 2025 16111-16115*
Jiang, J., *see* Hong, Y., *TPEL Nov. 2025 17218-17233*
Jiang, J., *see* Shi, K., *TPEL Dec. 2025 17924-17936*
Jiang, K., *see* Ding, X., *TPEL June 2025 8292-8304*
Jiang, L., *see* Yu, T., *TPEL Jan. 2025 2005-2016*
Jiang, L., Gong, L., Li, Y., Zhu, D., and Wang, Y., Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation; *TPEL June 2025 7936-7953*
Jiang, L., *see* Yao, Z., *TPEL July 2025 9278-9288*
Jiang, L., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Jiang, L., *see* Li, Y., *TPEL Sept. 2025 12676-12689*
Jiang, L., *see* Ning, G., *TPEL Dec. 2025 17869-17878*
Jiang, M., Wu, Q., Wang, Q., Xiao, L., and Niu, H., Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter; *TPEL Sept. 2025 11985-11990*
JIANG, P., *see* Han, D., *TPEL June 2025 8824-8833*
Jiang, R., *see* Shen, H., *TPEL Dec. 2025 17972-17987*
Jiang, S., *see* Xu, T., *TPEL April 2025 4969-4983*
Jiang, S., *see* Zeng, Y., *TPEL May 2025 6566-6577*
Jiang, S., Zhu, Y., Xu, T., Wang, X., and Konstantinou, G., Frequency Domain Inertia Design of Grid-Forming Converters; *TPEL July 2025 8886-8898*
Jiang, S., Huang, Y., He, J., and Zhou, D., Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids; *TPEL Nov. 2025 17426-17437*
Jiang, T., *see* Yu, J., *TPEL Feb. 2025 3622-3635*
Jiang, T., Zhang, S., Yang, C., Xin, Q., Liang, J., and Han, X., A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter; *TPEL July 2025 9452-9462*
Jiang, T., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Jiang, W., Tashakor, N., Pourhadi Abkenar, P., Koehler, A., Wang, H., and Goetz, S.M., Optimizing PV–Battery Hybrid Systems: A Reconfigurable Approach With Module-Level Maximum-Power-Point Tracking and Load Sharing; *TPEL Jan. 2025 2327-2341*
Jiang, W., *see* Yi, B., *TPEL Feb. 2025 3033-3042*
Jiang, W., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Jiang, X., Yi, H., Li, Y., Zhuo, F., Wang, Z., Yu, D., and Zhang, Z., Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization; *TPEL Feb. 2025 2860-2873*
Jiang, X., *see* Liu, Q., *TPEL Feb. 2025 2691-2696*
Jiang, X., *see* Wang, Y., *TPEL March 2025 4100-4111*
Jiang, X., *see* Zhang, Z., *TPEL April 2025 5922-5938*
Jiang, X., *see* Wu, X., *TPEL April 2025 4889-4901*
Jiang, X., Wu, Y., Yuan, S., Li, X., Yan, Z., Chen, J., Jiang, T., Zhang, S., Gong, X., Niu, H., and Wang, J., Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization; *TPEL Aug. 2025 11314-11325*
Jiang, Y., Sun, Y., Lin, J., Zhou, F., Li, X., Su, M., and Blaabjerg, F., Effects of Modulator-Injected Zero-Sequence Signals on System Stability in Three-Phase Voltage Source Converters; *TPEL Jan. 2025 435-450*
Jiang, Y., *see* Li, Y., *TPEL Feb. 2025 3770-3784*
Jiang, Y., Li, R., Fang, J., Wang, H., and Hu, B., A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range; *TPEL Feb. 2025 3062-3076*
Jiang, Y., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Jiang, Y., *see* Liu, Z., *TPEL March 2025 4449-4460*
Jiang, Y., *see* Wang, J., *TPEL April 2025 6319-6333*
Jiang, Y., *see* Wang, Z., *TPEL April 2025 6345-6358*
Jiang, Y., *see* Wang, G., *TPEL April 2025 5895-5906*
Jiang, Y., *see* Zhang, R., *TPEL April 2025 5336-5351*
Jiang, Y., *see* Li, Y., *TPEL May 2025 7523-7536*
Jiang, Y., *see* Yao, Z., *TPEL July 2025 8956-8961*
Jiang, Y., *see* Cai, C., *TPEL Oct. 2025 14363-14367*
Jiang, Y., *see* Hou, J., *TPEL Nov. 2025 16853-16869*
Jiang, Y., Shu, L., Yang, D., and Liu, C., Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer; *TPEL Nov. 2025 16911-16925*
Jiang, Y., *see* He, K., *TPEL Nov. 2025 17529-17548*

Jiang, Y., Wu, Y., Li, Y., Wang, N., Yu, X., Wang, X., and Tang, Y., Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging; *TPEL Nov. 2025 17451-17468*
Jiang, Y., *see* He, K., *TPEL Dec. 2025 18390-18406*
Jiao, D., *see* Hou, Z., *TPEL April 2025 6216-6229*
Jiao, D., *see* Hou, Z., *TPEL Aug. 2025 11749-11762*
Jiao, J., *see* Chen, C., *TPEL June 2025 7844-7860*
Jiao, L., Li, L., Wang, C., Fang, X., and Zeng, Z., A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency; *TPEL July 2025 8905-8910*
Jiao, N., Shen, H., Wang, K., Pang, J., Ge, L., and Liu, W., Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents; *TPEL Jan. 2025 1813-1825*
Jiao, N., *see* Li, X., *TPEL April 2025 5799-5809*
Jiao, Y., *see* Wang, Z., *TPEL Jan. 2025 1183-1197*
Jiao, Y., *see* Liao, Z., *TPEL Jan. 2025 1991-2004*
Jiao, Y., *see* Cai, C., *TPEL Feb. 2025 3726-3737*
Jiao, Y., Ding, L., Li, B., and Xu, D., An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm; *TPEL April 2025 5412-5422*
Jiao, Y., *see* Wang, N., *TPEL May 2025 6963-6976*
Jiao, Y., *see* Li, B., *TPEL Aug. 2025 11598-11615*
Jie, G., *see* Yang, B., *TPEL Sept. 2025 12937-12952*
Jie, H., Zhao, Z., Li, H., Wang, C., Chang, Y., and See, K.Y., Characterization and Circuit Modeling of Electromagnetic Interference Filtering Chokes in Power Electronics: A Review; *TPEL Jan. 2025 920-943*
Jie, H., *see* Rong, C., *TPEL June 2025 8859-8868*
Jie, H., Zhao, Z., Li, H., Gan, T.H., and See, K.Y., A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles; *TPEL July 2025 9329-9342*
Jimenez, C., *see* Sanchez-Squella, A., *TPEL Sept. 2025 13941-13951*
Jin, A., *see* Yang, H., *TPEL March 2025 3938-3951*
Jin, C., Liu, K., Ji, Z., Wang, P., Jin, H., and Zhao, J., A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems; *TPEL Nov. 2025 16790-16808*
Jin, D., *see* Liu, S., *TPEL Aug. 2025 10889-10898*
Jin, F., Qie, T., Liu, Y., Yang, Y., Watts, J., Iu, H.H.C., Fernando, T., and Zhang, X., A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation; *TPEL May 2025 6593-6604*
Jin, H., *see* Wang, Y., *TPEL Jan. 2025 1974-1990*
Jin, H., *see* Wen, W., *TPEL May 2025 6838-6846*
Jin, H., Li, X., Chen, W., He, B., Luo, S., and Wang, Y., Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation; *TPEL May 2025 6933-6950*
Jin, H., *see* Zhang, Y., *TPEL June 2025 7727-7739*
Jin, H., *see* Liu, Y., *TPEL July 2025 8972-8989*
Jin, H., *see* Dong, X., *TPEL Sept. 2025 11951-11956*
Jin, H., *see* Luo, S., *TPEL Sept. 2025 13703-13715*
Jin, H., *see* Jin, C., *TPEL Nov. 2025 16790-16808*
Jin, L., *see* Lu, L., *TPEL Feb. 2025 3385-3394*
Jin, M., *see* Yu, H., *TPEL Oct. 2025 14496-14507*
Jin, N., *see* Guo, L., *TPEL April 2025 5163-5176*
Jin, R., *see* Liang, B., *TPEL Aug. 2025 10635-10648*
Jin, R., *see* Zhang, L., *TPEL Sept. 2025 12154-12166*
Jin, S., *see* Xu, Y., *TPEL Jan. 2025 1622-1635*
Jin, S., *see* Ouyang, T., *TPEL May 2025 7125-7135*
Jin, S., Zhao, S., Zou, C., Guo, Z., Li, Z., Zhang, J., Zhao, Y., and Fang, Z., High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply; *TPEL Aug. 2025 10299-10312*
Jin, S., *see* Li, B., *TPEL Sept. 2025 12295-12308*
Jin, S., *see* You, L., *TPEL Oct. 2025 15638-15651*
Jin, T., *see* Lin, M., *TPEL Nov. 2025 17091-17104*
Jing, H., *see* Lai, W., *TPEL April 2025 6020-6032*
Jing, L., *see* Sun, R., *TPEL Sept. 2025 12794-12815*
Jing, R., *see* Wang, H., *TPEL Aug. 2025 10758-10768*
Jing, S., *see* Zhang, Y., *TPEL Nov. 2025 17256-17266*
Jing, X., *see* Huang, H., *TPEL Sept. 2025 13177-13186*
Jo, C., Jeong, T., Li, G., and Kim, D., A Novel Integrated OBC and LDC System With Flux Path Reconfiguration for Electric Vehicles; *TPEL Jan. 2025 2484-2494*
Jo, C., and Kim, D., Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles; *TPEL June 2025 7651-7656*
Johansson, K.H., *see* Chen, F., *TPEL Feb. 2025 2943-2957*
Jorgensen, A.B., *see* Nielsen, M.R., *TPEL Jan. 2025 987-1011*
Jorgensen, A.B., *see* Gao, Y., *TPEL April 2025 5999-6009*
Jorgensen, A.B., *see* Kubulus, P.P., *TPEL April 2025 5201-5211*
Joshi, D., Deb, D., Giri, A.K., and Elsisi, M., Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives; *TPEL Dec. 2025 17832-17843*
Judge, P.D., *see* Parker, M., *TPEL Jan. 2025 1035-1050*
Judge, P.D., *see* Xia, P., *TPEL Sept. 2025 12321-12336*
Judge, P.D., *see* Yan, J., *TPEL Sept. 2025 13260-13275*
Jung, H., *see* Kim, D., *TPEL Nov. 2025 16395-16408*
Jung, J., Apsari, D.P., and Lee, D., Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection; *TPEL Feb. 2025 3553-3565*
Jung, J., *see* Atiq, S., *TPEL Feb. 2025 3286-3299*
Jung, J., *see* Kim, S., *TPEL May 2025 6423-6428*
Jung, J., *see* Cho, H., *TPEL Sept. 2025 13895-13906*
Jung, J., *see* Lee, J., *TPEL Oct. 2025 14235-14240*
Jung, S., Hwang, Y., and Park, J., A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction; *TPEL Oct. 2025 14318-14323*
Jung, S., *see* Song, M., *TPEL Oct. 2025 14253-14258*
Jung, W., *see* Chae, D., *TPEL April 2025 4740-4746*
Jurkov, A.S., *see* Zhang, H., *TPEL Jan. 2025 290-302*

K

Kaddah, S.S., *see* Lv, Y., *TPEL Aug. 2025 11655-11672*
Kakosimos, P., Saberi, A.N., and Peretti, L., An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning; *TPEL Nov. 2025 16048-16054*
Kalker, S., *see* Austrup, I., *TPEL March 2025 4386-4398*
Kallelapu, R., Peddapati, S., and Naresh, S.V.K., A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications; *TPEL Dec. 2025 18407-18420*
Kallfass, I., *see* Weiser, M.C.J., *TPEL Sept. 2025 13289-13299*
Kalvapalli, S.R., Jeyasenthil, R., Kobaku, T., and Agarwal, V., QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression; *TPEL May 2025 6436-6441*
Kang, H., *see* Lee, Y., *TPEL Oct. 2025 14437-14446*
Kang, J., *see* Yang, M., *TPEL Jan. 2025 1717-1727*
Kang, J., *see* Xin, Z., *TPEL Jan. 2025 2126-2138*
Kang, J., *see* Shi, Y., *TPEL Jan. 2025 2057-2069*
Kang, J., *see* He, L., *TPEL Nov. 2025 17061-17072*
Kang, S., *see* Kim, G., *TPEL June 2025 8367-8379*
Kang, S., *see* Kim, D., *TPEL Nov. 2025 16395-16408*
Kang, S.H., Kim, H.S., Hwang, Y.S., and Lee, B.K., An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles; *TPEL Nov. 2025 17384-17399*
Kang, Y., *see* Zheng, Z., *TPEL Jan. 2025 1542-1553*
Kang, Y., *see* Ma, Y., *TPEL Jan. 2025 76-81*
Kang, Y., *see* Zhou, Y., *TPEL Jan. 2025 51-56*
Kang, Y., *see* Liu, C., *TPEL Feb. 2025 2668-2673*
Kang, Y., *see* Li, L., *TPEL Feb. 2025 2697-2701*
Kang, Y., *see* Chen, Q., *TPEL Feb. 2025 3138-3149*
Kang, Y., *see* Zhou, D., *TPEL Feb. 2025 2702-2707*
Kang, Y., *see* Zhou, Y., *TPEL April 2025 6177-6191*
Kang, Y., *see* Guo, X., *TPEL May 2025 6429-6435*
Kang, Y., *see* Guan, J., *TPEL June 2025 8328-8343*

Kang, Y., *see* Zhang, Y., *TPEL June 2025 7727-7739*
Kang, Y., *see* Tong, L., *TPEL July 2025 9388-9406*
Kang, Y., *see* Zhang, T., *TPEL Sept. 2025 11928-11933*
Kang, Y., *see* Guo, X., *TPEL Sept. 2025 13673-13685*
Kang, Y., *see* Song, S., *TPEL Oct. 2025 14447-14458*
Kang, Y., *see* Xu, Y., *TPEL Nov. 2025 16548-16559*
Kang, Y., *see* Liu, B., *TPEL Dec. 2025 17619-17636*
Kang, Y., *see* Hui, X., *TPEL Dec. 2025 17911-17923*
Kang, Y., *see* Chen, Q., *TPEL Dec. 2025 18027-18039*
Kapat, S., *see* Chatterjee, D., *TPEL Nov. 2025 16740-16751*
Kaplar, R., *see* Gill, L., *TPEL Oct. 2025 15433-15449*
Kar, I.N., *see* Chatterjee, D., *TPEL Nov. 2025 16740-16751*
Karakaya, F., *see* Maheshwari, A., *TPEL Jan. 2025 652-664*
Kargaran, M., Rad, A.B., and Medi, A., An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller; *TPEL Sept. 2025 12112-12122*
Karimzada, O., and De Donato, G., Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter; *TPEL April 2025 5496-5504*
Karimzadeh, M.S., Goudarzhagh, H., Mahdavi, M.S., and Gharehpetian, G.B., A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter; *TPEL July 2025 9898-9907*
Karneddi, H., Ronanki, D., and Rodriguez, J., Universal Integrated Onboard Charger With Model Predictive Current Control for Plug-In EV Charging; *TPEL Jan. 2025 28-33*
Karpana, S., Maiti, S., and Chakraborty, C., A Soft-Switched Multiport Converter for Distributed PV Application With Energy Storage; *TPEL Jan. 2025 2300-2314*
Karrari, S., *see* Maroufi, S.M., *TPEL July 2025 9944-9956*
Kastha, D., *see* Mondal, A., *TPEL Oct. 2025 15652-15669*
Kastha, D., *see* Chaudhury, T., *TPEL Nov. 2025 17339-17354*
Kattel, M.B.E., *see* Mayer, R., *TPEL Aug. 2025 11051-11063*
Ke, D., *see* Wang, F., *TPEL Sept. 2025 13977-13990*
Ke, D., *see* He, L., *TPEL Nov. 2025 17061-17072*
Ke, R., Hu, Z., Tao, J., Yang, Z., and Liu, C., A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication; *TPEL Feb. 2025 3518-3529*
Ke, R., Tao, J., and Liu, C., Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time; *TPEL July 2025 8928-8933*
Ke, Z., *see* Ye, Y., *TPEL Feb. 2025 2685-2690*
Ke, Z., *see* Song, Y., *TPEL Oct. 2025 14937-14948*
Ke, Z., *see* Ni, Q., *TPEL Nov. 2025 17355-17365*
Kemmetmuller, W., *see* Fuchs, G., *TPEL Oct. 2025 14697-14709*
Kennel, R., *see* Kong, D., *TPEL Jan. 2025 1925-1935*
Kennel, R., *see* Kong, D., *TPEL Sept. 2025 13965-13976*
Keysan, O., *see* Ayaz, E., *TPEL Jan. 2025 135-141*
Khadkikar, V., *see* Qiu, G., *TPEL Sept. 2025 12739-12753*
Khajehoddin, S.A., *see* Mazloum, N., *TPEL Jan. 2025 1589-1608*
Khaligh, A., *see* Zakzewski, D., *TPEL Sept. 2025 12648-12660*
Khaligh, A., *see* Shen, Y., *TPEL Sept. 2025 13499-13513*
Khan, A., Nag, S.S., and Singh, B., A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application; *TPEL May 2025 7439-7452*
Khan, A.A., *see* Oppong, F.N., *TPEL Jan. 2025 1074-1084*
Khan, A.A., *see* Esmaeili, S., *TPEL Dec. 2025 18265-18280*
Khan, M.M., *see* Yin, H., *TPEL July 2025 9048-9067*
Khan, S.S., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Khater, H., *see* Qin, X., *TPEL Feb. 2025 2874-2886*
Khong, S.Z., *see* Chen, F., *TPEL Feb. 2025 2943-2957*
Khong, S.Z., *see* Chen, F., *TPEL Oct. 2025 14307-14312*
Kieu, H., Do, N., and Choi, S., Dual Floating Based Three Port DC-DC Converter for EV-APM; *TPEL March 2025 4268-4278*
Kieu, H., *see* Do, N., *TPEL Oct. 2025 14210-14221*
Kim, B., *see* Atiq, S., *TPEL Feb. 2025 3286-3299*
Kim, B., Kim, W., Jeon, M., Song, S., and Park, H., Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems; *TPEL Nov. 2025 16061-16067*
Kim, C., *see* Kim, H., *TPEL Jan. 2025 1431-1440*
Kim, D., *see* Jo, C., *TPEL Jan. 2025 2484-2494*
Kim, D., *see* Park, H., *TPEL Feb. 2025 2958-2970*
Kim, D., Chae, J., Park, K., and Moon, G., Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers; *TPEL May 2025 7488-7499*
Kim, D., *see* Jo, C., *TPEL June 2025 7651-7656*
Kim, D., *see* Ahn, J., *TPEL Aug. 2025 10899-10911*
Kim, D., Park, J., Kang, S., Mun, H., Kim, M., and Jung, H., Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers; *TPEL Nov. 2025 16395-16408*
Kim, D., *see* Babayomi, O., *TPEL Nov. 2025 17124-17146*
Kim, G., Kang, S., Kim, H., and Won, J., Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter; *TPEL June 2025 8367-8379*
Kim, H., Park, T., Kim, S., Han, S., Jeong, M., Kim, J., Park, I., and Kim, C., An Asynchronous Geometric Sequence Array-Based Binary Search Digital Low-Dropout Regulator for$O(\log n)$-Complexity Coarse Searching Operations; *TPEL Jan. 2025 1431-1440*
Kim, H., *see* Rhee, J., *TPEL Jan. 2025 969-983*
Kim, H., *see* Yang, J., *TPEL March 2025 4522-4535*
Kim, H., *see* Woo, S., *TPEL April 2025 4701-4705*
Kim, H., *see* Kim, G., *TPEL June 2025 8367-8379*
Kim, H., *see* Park, G., *TPEL July 2025 9004-9018*
Kim, H., *see* Cho, H., *TPEL Sept. 2025 13895-13906*
Kim, H., *see* Song, B., *TPEL Oct. 2025 14613-14625*
Kim, H.S., *see* Kang, S.H., *TPEL Nov. 2025 17384-17399*
Kim, I., *see* Jang, W., *TPEL Oct. 2025 14797-14810*
Kim, J., *see* Kim, H., *TPEL Jan. 2025 1431-1440*
Kim, J., *see* Rhee, J., *TPEL Jan. 2025 969-983*
Kim, J., *see* Ahn, J., *TPEL Aug. 2025 10899-10911*
Kim, J., *see* Ahn, J., *TPEL Aug. 2025 10899-10911*
Kim, J.J., and Lee, E.S., High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications; *TPEL Dec. 2025 18318-18329*
Kim, K., *see* Fayyaz, S., *TPEL April 2025 5595-5608*
Kim, K., *see* Chae, D., *TPEL April 2025 4740-4746*
Kim, K., *see* Kim, S., *TPEL May 2025 6423-6428*
Kim, K., *see* Cho, H., *TPEL Sept. 2025 13895-13906*
Kim, M., *see* Atiq, S., *TPEL Feb. 2025 3286-3299*
Kim, M., and Choi, J., Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System; *TPEL April 2025 6296-6306*
Kim, M., *see* Wang, Y., *TPEL Sept. 2025 12634-12647*
Kim, M., *see* Kim, D., *TPEL Nov. 2025 16395-16408*
Kim, R., *see* Park, H., *TPEL Feb. 2025 2958-2970*
Kim, S., *see* Kim, H., *TPEL Jan. 2025 1431-1440*
Kim, S., Lim, S., and Lee, K., Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications; *TPEL Jan. 2025 764-773*
Kim, S., *see* Yang, J., *TPEL March 2025 4522-4535*
Kim, S., Kim, K., Cui, S., and Jung, J., Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions; *TPEL May 2025 6423-6428*
Kim, S., *see* Kim, Y., *TPEL Oct. 2025 14746-14754*
Kim, T., Lee, J., Kim, Y., and Lee, J., PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss; *TPEL March 2025 4303-4313*
Kim, W., *see* Kim, B., *TPEL Nov. 2025 16061-16067*
Kim, Y., *see* Kim, T., *TPEL March 2025 4303-4313*
Kim, Y., Kim, S., Liu, J., Qiu, J., and Ahn, C.K., Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer; *TPEL Oct. 2025 14746-14754*
Kim, Y., *see* Fawad, ., *TPEL Oct. 2025 15880-15890*
Kiran, A.S., *see* Kumar, A., *TPEL Sept. 2025 13907-13918*
Kirchgassner, W., Forster, N., Piepenbrock, T., Schweins, O., and Wallscheid, O., HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores; *TPEL Feb. 2025 3326-3335*

Kish, G.J., *see* Wang, H., *TPEL March 2025 4399-4410*
Kish, G.J., *see* Bolonne, S., *TPEL May 2025 6470-6475*
Kish, G.J., *see* Wei, R., *TPEL Nov. 2025 17160-17171*
Kjaersgaard, B.F., *see* Nielsen, M.R., *TPEL Jan. 2025 987-1011*
Kjaersgaard, B.F., *see* Yan, Z., *TPEL Dec. 2025 17650-17663*
Kjarsgaard, B.F., *see* Yan, Z., *TPEL June 2025 8194-8205*
Klumpner, C., *see* Chen, Q., *TPEL Dec. 2025 18237-18250*
Knapp, E., *see* Liao, M., *TPEL April 2025 6370-6384*
Knockaert, J., *see* Aboutaleb, A.M., *TPEL June 2025 8109-8124*
Kobaku, T., *see* Kalvapalli, S.R., *TPEL May 2025 6436-6441*
Koehler, A., *see* Lu, M., *TPEL Jan. 2025 1964-1973*
Koehler, A., *see* Jiang, W., *TPEL Jan. 2025 2327-2341*
Kolahian, P., *see* Grimm, F., *TPEL Dec. 2025 17988-17997*
Kolar, J.W., *see* Nain, N., *TPEL July 2025 9167-9186*
Komanaka, A., *see* Komiyama, Y., *TPEL Nov. 2025 16822-16836*
Komiyama, Y., Zhu, W., Konishi, A., Komanaka, A., Xie, Y., Nguyen, K., Sekiya, H., and Ikenari, T., Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations; *TPEL Nov. 2025 16822-16836*
Kong, C., Huan, W., Wang, J., Li, D., Sun, H., Zhang, X., Ye, F., and Lin, K., A Vertical Power Delivery Architecture for High-Performance Computing; *TPEL May 2025 6663-6674*
Kong, D., Li, S., Liu, C., Zhang, Z., Sun, Y., Kennel, R., and Lobo Heldwein, M., Model-Free Predictive Control Based on Data-Driven for Fast and Accurate Power Allocation in Solid-State DC Transformers; *TPEL Jan. 2025 1925-1935*
Kong, D., Cai, H., and Zeng, W., A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives; *TPEL July 2025 9068-9079*
Kong, D., Sun, Y., Zhang, Z., Li, H., Kennel, R., and Heldwein, M.L., Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference; *TPEL Sept. 2025 13965-13976*
Kong, D., *see* Cao, T., *TPEL Dec. 2025 18214-18225*
Kong, H., Jia, L., Wang, L., Yao, Y., Yang, F., and Cui, H., A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance; *TPEL April 2025 5241-5251*
Kong, L., Tang, H., Wu, C., Wang, J., Wu, P., Wang, Y., and Blaabjerg, F., Analysis and Damping of Subsynchronous Oscillations for Cascaded Grid-Forming Converters Considering DC-Link Dynamics; *TPEL Jan. 2025 2284-2299*
Kong, L., *see* Zhang, Y., *TPEL Nov. 2025 16184-16194*
Kong, P., *see* Song, Q., *TPEL April 2025 5212-5222*
Kong, R., Sahoo, S., Song, Y., Xiao, Y., Gao, C., and Blaabjerg, F., Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification; *TPEL April 2025 5037-5051*
Kong, R., Sahoo, S., Ou, S., Meng, X., Gao, G., and Blaabjerg, F., Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters; *TPEL Aug. 2025 11170-11181*
Kong, W., *see* Yang, Y., *TPEL March 2025 3830-3837*
Kong, W., *see* Yang, Y., *TPEL July 2025 9200-9210*
Kong, W., *see* Pan, B., *TPEL Sept. 2025 12475-12487*
Konishi, A., *see* Komiyama, Y., *TPEL Nov. 2025 16822-16836*
Konstantinou, G., *see* Poblete, P., *TPEL Jan. 2025 500-515*
Konstantinou, G., *see* Xu, T., *TPEL April 2025 4969-4983*
Konstantinou, G., *see* Zeng, Y., *TPEL May 2025 6566-6577*
Konstantinou, G., *see* Jiang, S., *TPEL July 2025 8886-8898*
Konstantinou, G., *see* Nie, J., *TPEL Nov. 2025 16090-16095*
Koohestani, M., *see* Alam, M.M., *TPEL June 2025 8553-8565*
Korrani, M.G., *see* Bahrami-Fard, M., *TPEL Sept. 2025 12402-12415*
Kosesoy, Y., Huisman, H., and Schellekens, J., Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter; *TPEL Sept. 2025 12527-12541*
Kou, B., *see* Wei, J., *TPEL Oct. 2025 15030-15041*
Kou, X., *see* Wang, X., *TPEL Nov. 2025 16587-16595*
Kouro, S., *see* M., M.A., *TPEL April 2025 4927-4937*
Koutroulis, E., *see* Xiao, C., *TPEL March 2025 4437-4448*
Kowalewski, P., Tissen, A., Heynmoller, P., Thonnessen, A., Fritz, N., and De Doncker, R.W., Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment; *TPEL June 2025 7740-7753*
Kozitsky, V., *see* Zhang, H., *TPEL Jan. 2025 290-302*
Krishnan, S., Blackwell, M.E., and Pilawa-Podgurski, R.C.N., An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter; *TPEL July 2025 9266-9277*
Kuan, Z., *see* Lin, F., *TPEL Sept. 2025 12754-12769*
KUANG, S., *see* Han, D., *TPEL June 2025 8824-8833*
Kubulus, P.P., Meinert, J.D., Beczkowski, S., Jorgensen, A.B., Munk-Nielsen, S., and Peftitsis, D., Approximate SPICE Modeling of SiC MOSFETs; *TPEL April 2025 5201-5211*
Kucera, J., *see* Baum, F., *TPEL May 2025 6740-6752*
Kudva, S., *see* Prakash, P.R., *TPEL Oct. 2025 14771-14784*
Kugi, A., *see* Fuchs, G., *TPEL Oct. 2025 14697-14709*
Kukkola, J., *see* Chen, F., *TPEL Feb. 2025 2943-2957*
Kuldip, C., and N, L.N., Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications; *TPEL May 2025 7070-7085*
Kumar, A., Sekhar, K.R., and Kiran, A.S., The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity; *TPEL Sept. 2025 13907-13918*
Kumar, A., *see* Qin, H., *TPEL Oct. 2025 15466-15477*
Kumar, B., *see* Naresh, S.V.K., *TPEL Jan. 2025 1418-1430*
Kumar, D., *see* Gopalan, S., *TPEL April 2025 5823-5834*
Kumar, K., Lee, C., and Bae, S., Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids; *TPEL Sept. 2025 13383-13402*
Kumar, S., *see* Panda, B., *TPEL June 2025 7777-7788*
Kuo, C., Wang, T., Chen, L., Tu, C., Hsiao, Y., and Chen, P., Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices; *TPEL April 2025 5120-5129*
Kuo, H., *see* Liu, C., *TPEL Feb. 2025 3370-3384*
Kuperman, A., Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids" *TPEL Jan. 2025 2643-2647*
Kurboniyon, M.S., *see* Wu, X., *TPEL Sept. 2025 13514-13528*
Kurdkandi, N.V., Lee, S.S., Husev, O., Cao, Z., and Mi, C.C., A Novel Flying Inductor-Based Universal Converter Topology; *TPEL Nov. 2025 17281-17294*
Kuring, C., *see* Geng, X., *TPEL April 2025 5231-5240*
Kutorasinski, K., *see* Leszczynski, P., *TPEL Jan. 2025 1554-1562*
Kwon, D., *see* Ahn, J., *TPEL Aug. 2025 10899-10911*
Kwon, J., Lim, S., Park, S., and Park, J., Novel Topology for Single-Input Triple Output Three-Level Buck Converter; *TPEL Oct. 2025 14295-14300*
Kwon, T., *see* Liu, A., *TPEL Feb. 2025 2809-2821*
Kwon, Y., *see* Hwang, Y., *TPEL Oct. 2025 14282-14288*
Kwon, Y., *see* Song, B., *TPEL Oct. 2025 14613-14625*

L

Lai, A., Zhou, D., Li, F., Shen, Z., Zou, J., and Liu, X., A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes; *TPEL June 2025 8847-8858*
Lai, C., *see* Liu, S., *TPEL July 2025 9518-9542*
Lai, C., *see* Lu, Y., *TPEL Sept. 2025 11934-11939*
Lai, C., *see* Chen, X.F., *TPEL Dec. 2025 18474-18488*
Lai, G., *see* Luo, T., *TPEL Oct. 2025 15104-15117*
Lai, J., *see* Hou, Z., *TPEL April 2025 6216-6229*
Lai, J., Hsieh, H., Liu, C., Chieng, W., Yang, C., Hsu, C., and Chang, E.Y., Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions; *TPEL April 2025 5190-5200*
Lai, J., *see* Hou, Z., *TPEL Aug. 2025 11749-11762*
Lai, L., *see* Lin, J., *TPEL Jan. 2025 1123-1134*
Lai, L., Zhang, B., and Lin, J., Modeling and Optimization of Axial Winding Segmented Coreless Transformers; *TPEL April 2025 6069-6083*
Lai, L.L., *see* Ni, Q., *TPEL Nov. 2025 17355-17365*
Lai, N.S., *see* Tan, Y., *TPEL Aug. 2025 11182-11196*

Lai, Q., *see* Peng, H., *TPEL May 2025 6539-6554*
Lai, W., Shangguan, M., Shi, J., Li, H., Wu, Y., Yao, R., Wang, H., Jing, H., and Li, Y., Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage; *TPEL April 2025 6020-6032*
Lai, W., Wu, Y., Liu, A., Yuan, Z., Ma, K., Li, H., Xiong, Y., Li, Y., and Yao, R., Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions; *TPEL Aug. 2025 11416-11427*
Lai, Y., *see* Shi, Y., *TPEL Jan. 2025 2057-2069*
Laird, I., *see* Wang, K., *TPEL Dec. 2025 18133-18147*
Lakhimsetty, S., *see* Yadav, G., *TPEL Sept. 2025 12770-12778*
Lal, V.N., *see* Jena, P., *TPEL May 2025 7015-7028*
Lam, C., *see* Leong, C., *TPEL Jan. 2025 2196-2209*
Lam, C., *see* Zou, B., *TPEL May 2025 7500-7511*
Lam, C., *see* Wu, M., *TPEL May 2025 7560-7572*
Lam, C., *see* Wu, M., *TPEL June 2025 8834-8846*
Lam, C., *see* Gong, C., *TPEL Sept. 2025 12845-12857*
Lam, J., *see* Derakhshan, S., *TPEL Aug. 2025 10912-10930*
Lamar, D.G., *see* Rodriguez, A., *TPEL April 2025 4805-4817*
Lamich, M., *see* Vilella, M., *TPEL Nov. 2025 16639-16650*
Lan, G., *see* Almanza, M., *TPEL Aug. 2025 11197-11205*
Lan, J., *see* Zhao, H., *TPEL March 2025 4213-4226*
Lan, J., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Lan, X., *see* Hou, L., *TPEL Dec. 2025 17844-17857*
Lan, Y., Chen, W., He, Q., and Chen, Q., Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes; *TPEL March 2025 4156-4169*
Lan, Y., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Lang, J., Tong, C., Zheng, Y., Bai, J., and Zheng, P., Decoupled Dead-Time Compensation Method Using Revised-Resonant Control-Based Disturbance Observer in PMSM Drives; *TPEL Jan. 2025 340-350*
Langwasser, M., *see* Ou, S., *TPEL Aug. 2025 11339-11354*
Lao, K., *see* Liu, L., *TPEL June 2025 8566-8576*
Lara-Lopez, R., *see* Carrillo-Rios, J., *TPEL Feb. 2025 3419-3429*
Lawton, P., *see* Lin, F.J., *TPEL Nov. 2025 17514-17528*
Lazzarin, T.B., *see* da Silva, R.L., *TPEL Jan. 2025 1404-1417*
Le, H., and Dekka, A., Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters; *TPEL Jan. 2025 1272-1288*
Le, H., and Dekka, A., Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters; *TPEL Sept. 2025 11945-11950*
Le, T., *see* Picot-Digoix, M., *TPEL Jan. 2025 142-145*
Lee, B.K., *see* Kang, S.H., *TPEL Nov. 2025 17384-17399*
Lee, C., *see* Rhee, J., *TPEL Jan. 2025 969-983*
Lee, C., Jeong, H., Oh, Y., Jeong, D., Jeong, E., Park, W., and Hong, S., A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter; *TPEL Sept. 2025 12021-12025*
Lee, C., *see* Kumar, K., *TPEL Sept. 2025 13383-13402*
Lee, C., *see* Do, N., *TPEL Oct. 2025 14210-14221*
Lee, C., *see* Song, B., *TPEL Oct. 2025 14613-14625*
Lee, C., and Xu, D., Guest Editorial: Special Section on Drives and Control of Electric Machines in Electric and Hybrid Aircraft Applications; *TPEL Nov. 2025 16129-16130*
Lee, C.H.T., *see* Zuo, Y., *TPEL Jan. 2025 787-800*
Lee, C.H.T., *see* Cao, H., *TPEL Jan. 2025 801-812*
Lee, C.H.T., *see* Wu, X., *TPEL Aug. 2025 11283-11295*
Lee, C.H.T., *see* Yu, K., *TPEL Oct. 2025 14733-14745*
Lee, C.H.T., *see* Hou, Q., *TPEL Nov. 2025 16255-16264*
Lee, C.H.T., *see* Zhao, C., *TPEL Nov. 2025 16158-16168*
Lee, D., *see* Jung, J., *TPEL Feb. 2025 3553-3565*
Lee, D., *see* Lee, J., *TPEL July 2025 9137-9152*
Lee, D., Choi, J., and Choi, U., Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index; *TPEL July 2025 9876-9888*
Lee, D., *see* Nigam, A., *TPEL Sept. 2025 13952-13964*
Lee, E.S., *see* Kim, J.J., *TPEL Dec. 2025 18318-18329*
Lee, G., *see* Park, H., *TPEL Feb. 2025 2958-2970*
Lee, H., *see* Yang, J., *TPEL March 2025 4522-4535*
Lee, H., *see* Woo, S., *TPEL April 2025 4701-4705*
Lee, J., *see* Hwang, I., *TPEL Jan. 2025 574-587*
Lee, J., *see* Moon, S., *TPEL Feb. 2025 3225-3239*
Lee, J., *see* Kim, T., *TPEL March 2025 4303-4313*
Lee, J., *see* Kim, T., *TPEL March 2025 4303-4313*
Lee, J., Lee, D., and Ha, J., Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current; *TPEL July 2025 9137-9152*
Lee, J., *see* Ahn, J., *TPEL Aug. 2025 11012-11020*
Lee, J., Lee, Y., Song, M., Hwang, Y., and Park, J., A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements; *TPEL Oct. 2025 14508-14523*
Lee, J., Maeng, J., Jung, J., and Cui, S., Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence; *TPEL Oct. 2025 14235-14240*
Lee, K., Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus; *TPEL Jan. 2025 124-128*
Lee, K., *see* Kim, S., *TPEL Jan. 2025 764-773*
Lee, K., Benson, M., Dong, X., Yi, L., Moon, J., and Lee, W., Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter; *TPEL Oct. 2025 15003-15012*
Lee, S., *see* Choi, M., *TPEL Jan. 2025 1519-1531*
Lee, S., *see* Rhee, J., *TPEL Jan. 2025 969-983*
Lee, S., *see* Amorim Torres, R., *TPEL March 2025 4345-4357*
Lee, S., *see* Ahn, J., *TPEL Aug. 2025 10899-10911*
Lee, S., *see* Wang, Y., *TPEL Sept. 2025 12634-12647*
Lee, S.R., *see* Shu, J., *TPEL May 2025 6874-6882*
Lee, S.S., *see* Kurdkandi, N.V., *TPEL Nov. 2025 17281-17294*
Lee, T., *see* Song, M., *TPEL Oct. 2025 14253-14258*
Lee, W., *see* Amorim Torres, R., *TPEL March 2025 4345-4357*
Lee, W., *see* Lee, K., *TPEL Oct. 2025 15003-15012*
Lee, Y., *see* Ahn, J., *TPEL Aug. 2025 11012-11020*
Lee, Y., *see* Lee, J., *TPEL Oct. 2025 14508-14523*
Lee, Y., and Kang, H., On the Analysis of Asymmetrical Switching of SiC MOSFETs; *TPEL Oct. 2025 14437-14446*
Lee, Y., *see* Hong, Y., *TPEL Nov. 2025 17218-17233*
Lei, J., *see* Song, S., *TPEL March 2025 4199-4212*
Lei, J., *see* Sun, R., *TPEL Sept. 2025 12794-12815*
Lei, T., *see* Li, H., *TPEL Jan. 2025 2342-2354*
Lei, Y., *see* Li, K., *TPEL Oct. 2025 14585-14597*
Lei, Z., *see* He, Y., *TPEL Dec. 2025 18365-18377*
Lemmon, A.N., *see* DeBoi, B.T., *TPEL Sept. 2025 13075-13085*
Leng, M., *see* Tian, Q., *TPEL Sept. 2025 13686-13702*
Leng, Y., Zhu, R., Hoeher, P.A., and Liserre, M., DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation; *TPEL June 2025 7954-7966*
Leng, Y., Zhu, R., Liu, Y., Hoeher, P.A., and Liserre, M., Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion; *TPEL Oct. 2025 15292-15305*
Leng, Z., *see* Li, Z., *TPEL April 2025 5352-5370*
Leon, J.I., *see* Yin, J., *TPEL Jan. 2025 1085-1098*
Leon, J.I., *see* Chen, C., *TPEL Feb. 2025 3566-3577*
Leon, J.I., *see* M., M.A., *TPEL April 2025 4927-4937*
Leoncini, M., *see* Melillo, P., *TPEL Jan. 2025 328-339*
Leong, C., Wong, C., and Lam, C., An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor; *TPEL Jan. 2025 2196-2209*
Leszczynski, P., Kutorasinski, K., Szewczyk, M., and Pawlowski, J., Machine-Learned Models for Power Magnetic Material Characteristics; *TPEL Jan. 2025 1554-1562*
Leung, C.P., and Cheng, K.W.E., A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer; *TPEL Feb. 2025 3738-3749*

Leung, K.N., *see* Ding, C., *TPEL Nov. 2025 16111-16115*
Levantino, S., *see* Melillo, P., *TPEL Jan. 2025 328-339*
Levi, E., *see* Peric, L.S., *TPEL Feb. 2025 3005-3019*
Li, A., *see* Dou, R., *TPEL Jan. 2025 2513-2526*
Li, A.L., Han, M.E., Chowdhury, S.A., and Hu, A.P., Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations; *TPEL Sept. 2025 14061-14071*
Li, A.L., *see* Han, M.E., *TPEL Sept. 2025 14027-14037*
Li, A.L., *see* Han, M.E., *TPEL Dec. 2025 18226-18236*
Li, B., *see* Wang, Z., *TPEL Jan. 2025 1183-1197*
Li, B., Sheng, J., Xu, L., Shi, T., Fan, S., Xiang, X., Zhang, X., and Li, W., Power Flow Control of Bidirectional Modular Multilevel Resonant Converters in MVDC and LVDC Distribution Networks; *TPEL Jan. 2025 1168-1182*
Li, B., *see* Liao, Z., *TPEL Jan. 2025 1991-2004*
Li, B., *see* Li, G., *TPEL March 2025 4557-4568*
Li, B., *see* Ma, X., *TPEL March 2025 4289-4302*
Li, B., *see* Fan, J., *TPEL March 2025 4546-4556*
Li, B., *see* Jiao, Y., *TPEL April 2025 5412-5422*
Li, B., *see* Qu, D., *TPEL April 2025 4818-4829*
Li, B., *see* Wang, N., *TPEL May 2025 6963-6976*
Li, B., *see* Wen, W., *TPEL May 2025 6838-6846*
Li, B., *see* Ren, Z., *TPEL June 2025 8005-8015*
Li, B., *see* Chen, M., *TPEL June 2025 7800-7813*
Li, B., *see* Cai, J., *TPEL July 2025 9709-9722*
Li, B., Wang, Y., Jiao, Y., Zhao, X., Suo, Z., Li, R., and Xu, D., Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System; *TPEL Aug. 2025 11598-11615*
Li, B., *see* Wang, H., *TPEL Aug. 2025 10758-10768*
Li, B., Zou, J., Xu, Y., Li, S., and Jin, S., Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect; *TPEL Sept. 2025 12295-12308*
Li, B., *see* Sun, X., *TPEL Sept. 2025 12191-12203*
Li, B., *see* Zeng, H., *TPEL Oct. 2025 14722-14732*
Li, B., *see* Wang, D., *TPEL Oct. 2025 15329-15338*
Li, B., *see* Wang, S., *TPEL Nov. 2025 16456-16468*
Li, B., *see* Qu, D., *TPEL Nov. 2025 16443-16455*
Li, C., *see* Ma, J., *TPEL Jan. 2025 1111-1122*
Li, C., *see* Chen, W., *TPEL Jan. 2025 638-651*
Li, C., Yang, Y., Li, Y., Liu, Y., and Blaabjerg, F., Modeling for Oscillation Propagation With Frequency-Voltage Coupling Effect in Grid-Connected Virtual Synchronous Generator; *TPEL Jan. 2025 82-86*
Li, C., *see* Cai, C., *TPEL Feb. 2025 3726-3737*
Li, C., Wang, L., Zheng, G., Fu, M., and Wang, H., Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control; *TPEL Feb. 2025 3262-3274*
Li, C., *see* Li, G., *TPEL March 2025 4557-4568*
Li, C., Zhang, Q., Zhu, R., Deng, F., Zhang, J., Yang, H., and Sun, X., Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters; *TPEL March 2025 4034-4050*
Li, C., *see* Liu, X., *TPEL March 2025 4640-4651*
Li, C., Wang, R., Liu, H., Wheeler, P., Wu, F., and Xiong, Z., A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy; *TPEL April 2025 5130-5146*
Li, C., *see* Guo, N., *TPEL May 2025 7042-7057*
Li, C., *see* Lin, S., *TPEL May 2025 6898-6907*
Li, C., *see* Wen, W., *TPEL May 2025 6838-6846*
Li, C., *see* Wang, L., *TPEL June 2025 8315-8327*
Li, C., Ren, X., Liu, X., Wu, S., Qi, M., Yu, J., and Cai, C., Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor; *TPEL June 2025 7603-7614*
Li, C., *see* Zhang, P., *TPEL July 2025 9429-9438*
Li, C., Pan, T., and Ding, S., Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM; *TPEL Aug. 2025 10694-10704*
Li, C., *see* Liu, K., *TPEL Sept. 2025 13805-13821*
Li, C., *see* Li, H., *TPEL Nov. 2025 16123-16128*
Li, C., Cheng, M., Qin, W., Wang, Z., Ma, X., and Wang, W., Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory; *TPEL Nov. 2025 16926-16936*
Li, C., *see* Deng, Z., *TPEL Dec. 2025 18011-18026*
Li, D., *see* Liu, N., *TPEL Jan. 2025 146-151*
Li, D., Sun, Q., Wang, R., and Sui, Z., Transient Stability Analysis and Enhancement of Inverter-Based Microgrid Considering Current Limitation; *TPEL Jan. 2025 2429-2441*
Li, D., Huang, X., Nie, C., Chen, R., Lin, M., Wang, F., and Tolbert, L.M., Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid; *TPEL Feb. 2025 3456-3468*
Li, D., *see* Kong, C., *TPEL May 2025 6663-6674*
Li, D., *see* Sui, Z., *TPEL July 2025 9606-9624*
Li, D., *see* Zhang, M., *TPEL July 2025 9660-9671*
Li, D., *see* Zhou, X., *TPEL July 2025 10209-10220*
Li, F., *see* Da, C., *TPEL Jan. 2025 2630-2642*
Li, F., *see* Wang, T., *TPEL March 2025 4314-4323*
Li, F., *see* Wu, J., *TPEL April 2025 4862-4877*
Li, F., *see* Lai, A., *TPEL June 2025 8847-8858*
Li, F., *see* Wang, G., *TPEL July 2025 9187-9199*
Li, F., *see* Wang, H., *TPEL Aug. 2025 10385-10390*
Li, F., *see* Yang, Z., *TPEL Sept. 2025 11923-11927*
Li, G., *see* Jo, C., *TPEL Jan. 2025 2484-2494*
Li, G., *see* Zhao, Y., *TPEL Feb. 2025 2651-2667*
Li, G., Li, B., Wang, S., Chen, P., Li, C., and Liu, B., A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery; *TPEL March 2025 4557-4568*
Li, G., *see* Ma, X., *TPEL March 2025 4289-4302*
Li, G., *see* Pang, Y., *TPEL April 2025 5384-5399*
Li, G., *see* Cao, B., *TPEL June 2025 7646-7650*
Li, G., *see* Zhang, H., *TPEL July 2025 9370-9387*
Li, G., *see* Wang, H., *TPEL July 2025 9811-9823*
Li, G., *see* Zheng, X., *TPEL July 2025 9685-9698*
Li, G., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*
Li, G., *see* Liu, Y., *TPEL Sept. 2025 13632-13642*
Li, G., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Li, G., *see* Ding, C., *TPEL Nov. 2025 16111-16115*
Li, H., *see* Xiang, D., *TPEL Jan. 2025 1577-1588*
Li, H., *see* Jie, H., *TPEL Jan. 2025 920-943*
Li, H., *see* Zhang, Z., *TPEL Jan. 2025 118-123*
Li, H., Wang, K., Fang, J., Chen, W., and Yang, X., High-Order Generalized Averaging Method for Power Electronics Modeling From DC to Above Half the Switching Frequency; *TPEL Jan. 2025 176-194*
Li, H., Lei, T., Hu, C., Zhu, X., Tan, K., Tang, X., Ren, X., Zhang, Z., and Cao, W., A Digital Real-Time Computation Algorithm Utilizing Time-Domain Analytic Model for Bidirectional CLLC Synchronous Rectifier in 6.6-kW 300-kHz SiC Portable EV Chargers; *TPEL Jan. 2025 2342-2354*
Li, H., Sun, Y., Lin, J., Zhang, G., Liu, Y., Su, M., and Blaabjerg, F., Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect; *TPEL Feb. 2025 3670-3683*
Li, H., *see* Li, S., *TPEL Feb. 2025 3430-3440*
Li, H., Ma, J., Xiang, D., Gao, P., Zhu, S., and Zhang, P., An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature; *TPEL Feb. 2025 2822-2832*
Li, H., *see* Zhang, M., *TPEL Feb. 2025 3077-3089*
Li, H., *see* Song, P., *TPEL March 2025 4067-4079*
Li, H., *see* Wang, Z., *TPEL April 2025 6345-6358*
Li, H., *see* Lai, W., *TPEL April 2025 6020-6032*
Li, H., *see* Wang, R., *TPEL April 2025 5400-5411*
Li, H., *see* Qi, X., *TPEL April 2025 5319-5335*
Li, H., Wang, S., He, D., Zhao, Z., and Su, W., A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation; *TPEL April 2025 5252-5264*
Li, H., *see* Zhang, P., *TPEL May 2025 7110-7124*
Li, H., *see* Jie, H., *TPEL July 2025 9329-9342*

Li, H., Deng, F., Zhu, Z., Lin, J., Li, Q., and Zou, Q., Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems; *TPEL July 2025 9840-9852*
Li, H., *see* Lai, W., *TPEL Aug. 2025 11416-11427*
Li, H., *see* Liang, B., *TPEL Aug. 2025 10635-10648*
Li, H., *see* Sun, A., *TPEL Sept. 2025 12661-12675*
Li, H., *see* Ding, M., *TPEL Sept. 2025 12594-12605*
Li, H., *see* Wang, X., *TPEL Sept. 2025 12031-12032*
Li, H., *see* Zhan, L., *TPEL Sept. 2025 11979-11984*
Li, H., *see* Wang, H., *TPEL Sept. 2025 12964-12976*
Li, H., *see* Quan, X., *TPEL Sept. 2025 13919-13930*
Li, H., *see* Kong, D., *TPEL Sept. 2025 13965-13976*
Li, H., *see* Zhou, Y., *TPEL Oct. 2025 14626-14637*
Li, H., *see* Xu, M., *TPEL Oct. 2025 15080-15092*
Li, H., *see* Wang, K., *TPEL Nov. 2025 16809-16821*
Li, H., Wang, G., Shi, T., Cao, Y., Li, C., and Xia, C., Self-Supervised Learning-Based Multiparameters Optimization Framework in Servo Systems; *TPEL Nov. 2025 16123-16128*
Li, H., *see* Lin, M., *TPEL Nov. 2025 17091-17104*
Li, J., Sun, Y., Lin, J., Li, X., Zhou, F., and Dan, H., Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM; *TPEL Jan. 2025 588-598*
Li, J., *see* Chen, J., *TPEL Jan. 2025 704-715*
Li, J., *see* Luo, T., *TPEL March 2025 4170-4185*
Li, J., *see* Niu, Z., *TPEL April 2025 5871-5882*
Li, J., *see* Cai, Y., *TPEL April 2025 5622-5634*
Li, J., *see* Cao, Y., *TPEL April 2025 5700-5714*
Li, J., *see* Chen, J., *TPEL April 2025 4997-5013*
Li, J., *see* Wen, H., *TPEL May 2025 7586-7598*
Li, J., He, Y., and Liu, J., Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid; *TPEL June 2025 8577-8591*
Li, J., *see* Yan, Y., *TPEL June 2025 8344-8355*
Li, J., *see* Ma, C., *TPEL July 2025 9107-9120*
Li, J., *see* Yuan, H., *TPEL July 2025 9289-9300*
Li, J., Zhang, K., Yan, Z., Wen, H., Peng, B., and Wang, J., A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient; *TPEL July 2025 10198-10208*
Li, J., *see* Zou, M., *TPEL Aug. 2025 11583-11597*
Li, J., *see* Yao, Y., *TPEL Aug. 2025 11725-11738*
Li, J., *see* Liu, S., *TPEL Aug. 2025 10456-10468*
Li, J., *see* Liu, J., *TPEL Aug. 2025 10931-10944*
Li, J., Chu, E., Song, J., and Liu, W., No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter; *TPEL Sept. 2025 12690-12702*
Li, J., *see* Yan, Y., *TPEL Sept. 2025 12555-12565*
Li, J., *see* Sun, X., *TPEL Sept. 2025 12191-12203*
Li, J., *see* Li, X., *TPEL Sept. 2025 13007-13022*
Li, J., *see* Zhu, H., *TPEL Sept. 2025 12998-13006*
Li, J., *see* Wang, L., *TPEL Sept. 2025 13568-13583*
Li, J., Wu, S., Ren, X., Liang, C., Chai, W., Yu, J., and Cai, C., Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances; *TPEL Sept. 2025 14181-14192*
Li, J., *see* Zeng, H., *TPEL Oct. 2025 14722-14732*
Li, J., *see* Luo, T., *TPEL Oct. 2025 15104-15117*
Li, J., *see* Shao, Z., *TPEL Oct. 2025 14755-14770*
Li, J., Chen, F., Zhu, R., Chen, Y., and Mai, R., 3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System; *TPEL Oct. 2025 14222-14227*
Li, J., *see* Pan, A., *TPEL Nov. 2025 16231-16242*
Li, J., *see* Nie, J., *TPEL Nov. 2025 16090-16095*
Li, J., *see* Bi, K., *TPEL Nov. 2025 17203-17217*
Li, J., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*
Li, K., *see* Zhang, Z., *TPEL Jan. 2025 840-850*
Li, K., *see* Zeng, J., *TPEL Jan. 2025 2569-2580*
Li, K., *see* Gao, C., *TPEL April 2025 5292-5308*
Li, K., *see* Zhang, R., *TPEL July 2025 9638-9648*
Li, K., *see* Shao, W., *TPEL Sept. 2025 12953-12963*
Li, K., *see* Wang, S., *TPEL Sept. 2025 13063-13074*
Li, K., Liu, K., Hu, W., Zhou, J., Chen, Y., Wei, D., Luan, H., Lei, Y., and Peng, X., A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters; *TPEL Oct. 2025 14585-14597*
Li, K., Wu, J., Tan, S., Cheng, K.W.E., and Hui, S.R., Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer; *TPEL Oct. 2025 16004-16021*
Li, K., *see* Ma, J., *TPEL Oct. 2025 15215-15225*
Li, K., *see* Zhang, Z., *TPEL Dec. 2025 18421-18436*
Li, L., *see* Cheng, Z., *TPEL Jan. 2025 1654-1668*
Li, L., Xu, S., Zhang, H., Qian, Y., and Sun, W., Modeling and Design of Load Current Based Adaptive Voltage Positioning (AVP) Control for Multiphase Buck Converter Using Digital Current Estimation Algorithm; *TPEL Jan. 2025 316-327*
Li, L., *see* Wang, A., *TPEL Jan. 2025 774-786*
Li, L., *see* He, H., *TPEL Jan. 2025 2315-2326*
Li, L., Zhu, D., Hu, J., Lin, L., Zou, X., and Kang, Y., Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop; *TPEL Feb. 2025 2697-2701*
Li, L., *see* Shao, F., *TPEL March 2025 4255-4267*
Li, L., *see* Cheng, Z., *TPEL April 2025 4984-4996*
Li, L., *see* Cui, S., *TPEL June 2025 8430-8447*
Li, L., *see* Ye, J., *TPEL June 2025 8448-8467*
Li, L., *see* Dong, M., *TPEL June 2025 8812-8823*
Li, L., *see* Zhang, Y., *TPEL June 2025 8036-8048*
Li, L., *see* Jiao, L., *TPEL July 2025 8905-8910*
Li, L., *see* Zhao, W., *TPEL July 2025 9699-9708*
Li, L., Xia, Y., and Wei, W., Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy; *TPEL July 2025 9957-9971*
Li, L., *see* Zou, M., *TPEL Aug. 2025 11583-11597*
Li, L., *see* Mei, Y., *TPEL Aug. 2025 11107-11116*
Li, L., *see* Dong, M., *TPEL Aug. 2025 11001-11011*
Li, L., *see* Wang, X., *TPEL Aug. 2025 10816-10823*
Li, L., *see* Chen, H., *TPEL Sept. 2025 12167-12190*
Li, L., *see* Fang, X., *TPEL Sept. 2025 12038-12042*
Li, L., *see* Zeng, H., *TPEL Oct. 2025 14722-14732*
Li, M., *see* Li, P., *TPEL Jan. 2025 1498-1507*
Li, M., *see* Liu, J., *TPEL Jan. 2025 611-624*
Li, M., *see* Lu, Y., *TPEL Jan. 2025 2210-2218*
Li, M., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Li, M., *see* Zhang, M., *TPEL March 2025 3952-3967*
Li, M., *see* Tang, X., *TPEL March 2025 4498-4509*
Li, M., *see* Wang, S., *TPEL April 2025 6192-6202*
Li, M., Xie, X., and Nian, H., Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index; *TPEL May 2025 7329-7341*
Li, M., *see* Dong, M., *TPEL June 2025 8812-8823*
Li, M., *see* Tan, D., *TPEL June 2025 8776-8791*
Li, M., *see* Chen, C., *TPEL June 2025 7844-7860*
Li, M., *see* Yi, Z., *TPEL July 2025 10154-10164*
Li, M., Zhang, X., Chen, Z., Dai, Z., and Zhao, L., A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy; *TPEL Sept. 2025 11918-11922*
Li, M., *see* Zhong, K., *TPEL Sept. 2025 13741-13751*
Li, M., *see* Yi, Z., *TPEL Sept. 2025 14110-14123*
Li, M., *see* Mai, J., *TPEL Oct. 2025 14337-14342*
Li, P., Zhao, X., Zhang, X., Li, M., and Wen, B., General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique; *TPEL Jan. 2025 1498-1507*
Li, P., *see* Zhou, W., *TPEL Feb. 2025 2715-2720*
Li, P., *see* Wu, X., *TPEL Sept. 2025 13514-13528*
Li, P., *see* Hou, J., *TPEL Nov. 2025 16853-16869*
Li, Q., *see* McGrew, T., *TPEL Jan. 2025 944-957*
Li, Q., *see* Xin, Z., *TPEL Jan. 2025 2126-2138*

Li, Q., *see* Zhang, Y., *TPEL Jan. 2025 2419-2428*
Li, Q., *see* Xie, B., *TPEL Feb. 2025 3336-3356*
Li, Q., *see* Song, Q., *TPEL April 2025 5212-5222*
Li, Q., *see* Mei, K., *TPEL June 2025 7980-7993*
Li, Q., *see* Li, H., *TPEL July 2025 9840-9852*
Li, Q., *see* Zhang, Y., *TPEL Aug. 2025 11715-11724*
Li, Q., Zhang, Z., Zhang, X., Xie, B., Huang, Y., and Yuan, C., A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors; *TPEL Aug. 2025 10717-10730*
Li, Q., *see* Yang, Q., *TPEL Oct. 2025 14881-14893*
Li, Q., *see* Prakash, P.R., *TPEL Oct. 2025 14771-14784*
Li, R., *see* Jiang, Y., *TPEL Feb. 2025 3062-3076*
Li, R., *see* Fang, Z., *TPEL March 2025 3873-3884*
Li, R., Huang, D., Chen, Y., and Zhao, Q., A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives; *TPEL April 2025 5810-5822*
Li, R., *see* Wu, X., *TPEL April 2025 4889-4901*
Li, R., *see* Wang, N., *TPEL May 2025 6963-6976*
Li, R., *see* Li, B., *TPEL Aug. 2025 11598-11615*
Li, R., *see* Yao, Y., *TPEL Oct. 2025 15359-15370*
Li, R., *see* Shi, X., *TPEL Oct. 2025 15450-15465*
Li, R., *see* Ding, C., *TPEL Nov. 2025 16111-16115*
Li, S., *see* Xu, Y., *TPEL Jan. 2025 1622-1635*
Li, S., *see* Zhang, Y., *TPEL Jan. 2025 1836-1848*
Li, S., *see* Xie, W., *TPEL Jan. 2025 1441-1456*
Li, S., *see* Da, C., *TPEL Jan. 2025 2630-2642*
Li, S., *see* Wu, T.X., *TPEL Jan. 2025 1915-1924*
Li, S., *see* Kong, D., *TPEL Jan. 2025 1925-1935*
Li, S., *see* Rong, E., *TPEL Jan. 2025 2542-2555*
Li, S., Xiang, X., Li, H., and Wu, Y., An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation; *TPEL Feb. 2025 3430-3440*
Li, S., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Li, S., *see* Yu, K., *TPEL March 2025 4020-4033*
Li, S., *see* Xia, J., *TPEL April 2025 6260-6271*
Li, S., Xia, K., Li, T., Lu, S., Xia, J., and Liu, Z., A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System; *TPEL April 2025 4787-4792*
Li, S., *see* Lu, S., *TPEL April 2025 5456-5466*
Li, S., *see* Wen, S., *TPEL June 2025 8617-8630*
Li, S., *see* Liu, Z., *TPEL July 2025 8911-8916*
Li, S., *see* Yuan, H., *TPEL July 2025 9289-9300*
Li, S., *see* Huang, Q., *TPEL July 2025 9625-9637*
Li, S., Chau, K.T., Liu, W., Guo, J., Liu, C., and Hou, Y., A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation; *TPEL July 2025 10140-10153*
Li, S., *see* Deng, Q., *TPEL July 2025 10111-10122*
Li, S., *see* Xiang, F., *TPEL Aug. 2025 10793-10803*
Li, S., *see* Chang, H., *TPEL Aug. 2025 10877-10888*
Li, S., *see* Li, B., *TPEL Sept. 2025 12295-12308*
Li, S., *see* Wang, L., *TPEL Sept. 2025 13568-13583*
Li, S., *see* Yi, Z., *TPEL Sept. 2025 14110-14123*
Li, S., *see* Dang, Y., *TPEL Oct. 2025 14785-14796*
Li, S., *see* Dai, B., *TPEL Oct. 2025 15093-15103*
Li, S., *see* Shi, K., *TPEL Oct. 2025 15959-15975*
Li, S., *see* Fu, Y., *TPEL Nov. 2025 16572-16586*
Li, S., *see* Fu, Y., *TPEL Dec. 2025 17958-17971*
Li, S., *see* Liu, Z., *TPEL Dec. 2025 18499-18511*
Li, S., *see* Shi, K., *TPEL Dec. 2025 17924-17936*
Li, S., *see* Yu, K., *TPEL Dec. 2025 17750-17760*
Li, T., *see* Dongye, Z., *TPEL Jan. 2025 958-968*
Li, T., *see* Zhang, Y., *TPEL Jan. 2025 2419-2428*
Li, T., *see* Du, B., *TPEL Jan. 2025 2184-2195*
Li, T., *see* Xia, J., *TPEL April 2025 6260-6271*
Li, T., *see* Li, S., *TPEL April 2025 4787-4792*
Li, T., *see* Lu, S., *TPEL April 2025 5456-5466*
Li, T., *see* Liu, Z., *TPEL July 2025 8911-8916*
Li, T., *see* Zhang, Y., *TPEL Aug. 2025 11715-11724*
Li, T., *see* Chen, X., *TPEL Sept. 2025 12242-12256*
Li, T., Ngo, M., Burgos, R., and Dong, D., Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters; *TPEL Oct. 2025 15013-15029*
Li, T., Zhang, Y., Sun, J., Huang, Z., Su, X., and Huang, B., Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation; *TPEL Nov. 2025 17246-17255*
Li, T., *see* Liu, Z., *TPEL Dec. 2025 18499-18511*
Li, W., *see* Li, B., *TPEL Jan. 2025 1168-1182*
Li, W., *see* Gao, H., *TPEL Jan. 2025 828-839*
Li, W., *see* Hang, J., *TPEL Feb. 2025 3395-3404*
Li, W., *see* Liu, B., *TPEL Feb. 2025 2987-3004*
Li, W., Si, W., Lu, M., and Fang, J., Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters; *TPEL April 2025 5939-5948*
Li, W., *see* Liu, Y., *TPEL May 2025 6476-6491*
Li, W., *see* Zheng, X., *TPEL May 2025 6787-6800*
Li, W., *see* Ding, S., *TPEL May 2025 7162-7175*
Li, W., *see* Xie, Y., *TPEL May 2025 7453-7465*
Li, W., Lin, C., Hosseininasab, S., Bauer, L., and Pischinger, S., Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data; *TPEL May 2025 7370-7384*
Li, W., *see* Xu, Z., *TPEL June 2025 8751-8765*
Li, W., *see* Xue, X., *TPEL June 2025 7919-7935*
Li, W., *see* Sheng, J., *TPEL July 2025 9463-9478*
Li, W., *see* Yuan, H., *TPEL July 2025 9289-9300*
Li, W., *see* Chen, H., *TPEL Sept. 2025 12920-12936*
Li, W., *see* Ma, J., *TPEL Oct. 2025 15215-15225*
Li, W., *see* Chai, Z., *TPEL Nov. 2025 16431-16442*
Li, W., *see* Zhang, W., *TPEL Dec. 2025 17761-17775*
Li, X., *see* Wang, Z., *TPEL Jan. 2025 1697-1716*
Li, X., Gao, H., Chen, W., Shi, T., and Xia, C., Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance; *TPEL Jan. 2025 129-134*
Li, X., *see* Jiang, Y., *TPEL Jan. 2025 435-450*
Li, X., *see* Li, J., *TPEL Jan. 2025 588-598*
Li, X., *see* Chen, W., *TPEL Jan. 2025 638-651*
Li, X., *see* Wang, Z., *TPEL Jan. 2025 665-678*
Li, X., *see* Wang, Y., *TPEL Jan. 2025 1974-1990*
Li, X., Chang, G., Packwood, M., Xiao, Q., Luo, H., and Liu, G., Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules; *TPEL Feb. 2025 3129-3137*
Li, X., *see* Zheng, F., *TPEL Feb. 2025 3112-3128*
Li, X., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Li, X., *see* Zhang, S., *TPEL March 2025 4142-4155*
Li, X., *see* Wang, K., *TPEL March 2025 4613-4629*
Li, X., Liu, W., Mao, S., Jiao, N., Ma, C., Zhang, X., and Sun, C., Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes; *TPEL April 2025 5799-5809*
Li, X., *see* Qu, J., *TPEL April 2025 4902-4913*
Li, X., *see* Guan, Y., *TPEL April 2025 4952-4968*
Li, X., *see* Jin, H., *TPEL May 2025 6933-6950*
Li, X., Yang, Y., Sun, J., Xiao, Y., Fan, M., Ni, K., Hu, J., Wen, H., Yang, H., and Rodriguez, J., Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive; *TPEL May 2025 6492-6505*
Li, X., *see* Li, Z., *TPEL May 2025 7315-7328*
Li, X., *see* Wang, J., *TPEL June 2025 8405-8415*
Li, X., *see* Pan, Y., *TPEL June 2025 8216-8241*
Li, X., Feng, P., Zhang, R., Tian, Z., Huang, M., Zha, X., Xiong, X., and Hu, P., Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control; *TPEL July 2025 8990-9003*
Li, X., *see* Liu, Z., *TPEL July 2025 9800-9810*

Li, X., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Li, X., Liu, J., Zhou, X., and Liu, J., A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress; *TPEL Aug. 2025 11673-11689*
Li, X., *see* Xia, S., *TPEL Aug. 2025 11407-11415*
Li, X., *see* Liang, B., *TPEL Aug. 2025 10635-10648*
Li, X., *see* Gu, X., *TPEL Aug. 2025 10731-10745*
Li, X., *see* Guo, R., *TPEL Aug. 2025 10272-10285*
Li, X., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Li, X., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Li, X., *see* Lv, X., *TPEL Aug. 2025 10372-10377*
Li, X., *see* Sun, A., *TPEL Sept. 2025 12661-12675*
Li, X., *see* Zhang, L., *TPEL Sept. 2025 12154-12166*
Li, X., Yao, P., Li, J., Yuan, P., Wang, J., Chen, W., and Tang, Y., Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control; *TPEL Sept. 2025 13007-13022*
Li, X., *see* Wang, H., *TPEL Sept. 2025 12964-12976*
Li, X., *see* Wang, Z., *TPEL Sept. 2025 13615-13631*
Li, X., Chen, W., Liu, K., and Wang, Z., Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range; *TPEL Oct. 2025 14571-14584*
Li, X., *see* Li, X., *TPEL Oct. 2025 14571-14584*
Li, X., *see* Wang, H., *TPEL Oct. 2025 14324-14330*
Li, X., *see* Zhu, H., *TPEL Oct. 2025 14374-14387*
Li, X., Guan, Y., Yao, T., Abdelmessih, G.Z., Yang, W., Wang, Y., and Xu, D., A High-Performance Step-Down DC–DC Converter With Low Output Impedance; *TPEL Oct. 2025 15182-15198*
Li, X., *see* Wang, Y., *TPEL Oct. 2025 15687-15699*
Li, X., *see* Pan, A., *TPEL Nov. 2025 16231-16242*
Li, X., *see* Liu, C., *TPEL Nov. 2025 17147-17159*
Li, X., *see* Zeng, Y., *TPEL Nov. 2025 17503-17513*
Li, Y., *see* Nielsen, M.R., *TPEL Jan. 2025 987-1011*
Li, Y., *see* Tian, Y., *TPEL Jan. 2025 1346-1358*
Li, Y., *see* Gao, Y., *TPEL Jan. 2025 1886-1899*
Li, Y., *see* Zhang, H., *TPEL Jan. 2025 813-827*
Li, Y., *see* Li, C., *TPEL Jan. 2025 82-86*
Li, Y., *see* Shan, P., *TPEL Jan. 2025 162-175*
Li, Y., *see* Liu, X., *TPEL Jan. 2025 563-573*
Li, Y., Xu, J., Xu, B., Gao, C., and Wen, T., A Power Losses and Thermal Energy Optimization Method for Hybrid DC Chopper Based on Hysteresis Control Strategy; *TPEL Jan. 2025 486-499*
Li, Y., Feng, Y., and Guo, Y., Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System; *TPEL Jan. 2025 2619-2629*
Li, Y., *see* Pang, J., *TPEL Jan. 2025 1936-1951*
Li, Y., *see* Dou, R., *TPEL Jan. 2025 2513-2526*
Li, Y., Sun, P., Liang, Y., Wu, X., Sun, J., Rong, E., Liu, Y., and Deng, Q., Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output; *TPEL Feb. 2025 3750-3769*
Li, Y., *see* Wu, H., *TPEL Feb. 2025 3578-3599*
Li, Y., Wang, S., Wu, Y., Jiang, Y., Xiao, Z., and Tang, Y., Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer; *TPEL Feb. 2025 3770-3784*
Li, Y., *see* Jiang, X., *TPEL Feb. 2025 2860-2873*
Li, Y., *see* Liu, B., *TPEL Feb. 2025 2987-3004*
Li, Y., *see* Chen, H., *TPEL March 2025 4008-4019*
Li, Y., *see* Zhang, Y., *TPEL March 2025 3968-3979*
Li, Y., *see* Zhang, Z., *TPEL April 2025 5922-5938*
Li, Y., *see* Yang, J., *TPEL April 2025 5907-5921*
Li, Y., *see* Lai, W., *TPEL April 2025 6020-6032*
Li, Y., *see* Wu, P., *TPEL April 2025 4706-4710*
Li, Y., *see* Bao, J., *TPEL April 2025 5371-5383*
Li, Y., *see* Liu, X., *TPEL April 2025 4914-4926*
Li, Y., *see* Sun, M., *TPEL May 2025 7477-7487*
Li, Y., Jiang, Y., Liu, W., Zhao, J., and He, Z., Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration; *TPEL May 2025 7523-7536*
Li, Y., *see* Li, Y., *TPEL May 2025 7523-7536*
Li, Y., *see* Zheng, J., *TPEL June 2025 7657-7662*
Li, Y., *see* Babayomi, O., *TPEL June 2025 7681-7708*
Li, Y., *see* Jiang, L., *TPEL June 2025 7936-7953*
Li, Y., *see* Yao, Z., *TPEL July 2025 8956-8961*
Li, Y., *see* Zhu, G., *TPEL July 2025 10095-10110*
Li, Y., *see* Xue, C., *TPEL July 2025 9749-9763*
Li, Y., *see* Xue, C., *TPEL July 2025 9749-9763*
Li, Y., *see* Xia, Z., *TPEL July 2025 10221-10241*
Li, Y., *see* Huang, Q., *TPEL July 2025 9625-9637*
Li, Y., *see* Huang, Q., *TPEL July 2025 9625-9637*
Li, Y., *see* Guo, Z., *TPEL July 2025 10189-10197*
Li, Y., *see* Lai, W., *TPEL Aug. 2025 11416-11427*
Li, Y., *see* Hou, N., *TPEL Aug. 2025 10391-10395*
Li, Y., *see* Wen, Y., *TPEL Aug. 2025 10661-10671*
Li, Y., Yin, Z., Yuan, D., Zhang, Y., Gao, Y., and Yang, H., A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control; *TPEL Aug. 2025 10769-10782*
Li, Y., *see* Xing, L., *TPEL Aug. 2025 10343-10348*
Li, Y., *see* Gu, X., *TPEL Aug. 2025 10731-10745*
Li, Y., *see* Wu, J., *TPEL Aug. 2025 10349-10354*
Li, Y., *see* Liu, Y., *TPEL Sept. 2025 12072-12083*
Li, Y., *see* Gunawardena, P., *TPEL Sept. 2025 11974-11978*
Li, Y., *see* Gunawardena, P., *TPEL Sept. 2025 11974-11978*
Li, Y., Jiang, L., Wang, Z., Gong, L., and Xu, J., A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application; *TPEL Sept. 2025 12676-12689*
Li, Y., *see* Wang, C., *TPEL Sept. 2025 12350-12364*
Li, Y., *see* Zhai, Y., *TPEL Sept. 2025 14099-14109*
Li, Y., Lin, C., Xing, J., and Xu, Y., An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function; *TPEL Sept. 2025 13822-13834*
Li, Y., *see* Liu, K., *TPEL Sept. 2025 13805-13821*
Li, Y., *see* Wang, J., *TPEL Oct. 2025 14638-14650*
Li, Y., *see* Wu, C., *TPEL Oct. 2025 15795-15807*
Li, Y., *see* Wu, Z., *TPEL Oct. 2025 15491-15503*
Li, Y., *see* Bao, J., *TPEL Oct. 2025 15238-15253*
Li, Y., Chu, X., Li, Z., Zhai, Y., and Qin, H., A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability; *TPEL Oct. 2025 16032-16041*
Li, Y., *see* Wu, Q., *TPEL Nov. 2025 16105-16110*
Li, Y., *see* Ding, S., *TPEL Nov. 2025 16219-16230*
Li, Y., *see* Zou, Z., *TPEL Nov. 2025 16379-16394*
Li, Y., *see* Zhu, X., *TPEL Nov. 2025 16728-16739*
Li, Y., Zuo, Z., Chen, F., Tang, C., Xiao, J., and Chen, S., Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater; *TPEL Nov. 2025 17488-17502*
Li, Y., *see* Wei, R., *TPEL Nov. 2025 17160-17171*
Li, Y., *see* Du, B., *TPEL Nov. 2025 17172-17185*
Li, Y., *see* Jiang, Y., *TPEL Nov. 2025 17451-17468*
Li, Y., *see* Chen, Q., *TPEL Nov. 2025 16937-16952*
Li, Y., *see* Du, B., *TPEL Nov. 2025 17186-17202*
Li, Y., *see* Chen, Q., *TPEL Dec. 2025 18237-18250*
Li, Y., *see* Chen, P., *TPEL Dec. 2025 18292-18304*
Li, Y.R., *see* Lin, Z., *TPEL Aug. 2025 11442-11451*
Li, Y.R., *see* Hou, N., *TPEL Dec. 2025 17937-17945*
Li, Z., Zhang, S., Chen, D., Sun, P., He, Y., Luo, Q., Liu, J., and Wei, Y., An Accurate, Universal, and Fast Time Domain Model for Different Types of Resonant Converters by Considering Parasitic Capacitors and Deadtime; *TPEL Jan. 2025 1305-1321*
Li, Z., *see* Liu, S., *TPEL Jan. 2025 1153-1167*
Li, Z., *see* Liu, R., *TPEL Jan. 2025 71-75*
Li, Z., *see* Xiao, Y., *TPEL Jan. 2025 879-891*
Li, Z., *see* Luo, M., *TPEL Jan. 2025 851-861*
Li, Z., *see* Wang, Z., *TPEL Jan. 2025 665-678*
Li, Z., *see* Zhang, Z., *TPEL Jan. 2025 23-27*

Li, Z., *see* Wu, T.X., *TPEL Jan. 2025 1915-1924*
Li, Z., *see* Tian, Y., *TPEL Feb. 2025 2930-2942*
Li, Z., *see* Chen, L., *TPEL Feb. 2025 3177-3188*
Li, Z., *see* Chen, L., *TPEL Feb. 2025 3177-3188*
Li, Z., *see* Wang, Q., *TPEL March 2025 4581-4591*
Li, Z., *see* Sun, Z., *TPEL April 2025 4695-4700*
Li, Z., *see* Cervone, A., *TPEL April 2025 4747-4751*
Li, Z., *see* Huang, M., *TPEL April 2025 5094-5108*
Li, Z., Pei, Y., Liu, J., Wang, L., and Leng, Z., Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer; *TPEL April 2025 5352-5370*
Li, Z., *see* Zhang, Y., *TPEL April 2025 4711-4715*
Li, Z., *see* Fan, H., *TPEL May 2025 6653-6662*
Li, Z., Zhang, S., Wang, Z., Qu, S., Liu, J., and Wei, Y., A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation; *TPEL May 2025 6448-6453*
Li, Z., Xing, X., Du, C., Li, X., Liu, C., and Zhang, R., Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System; *TPEL May 2025 7315-7328*
Li, Z., *see* Xiao, Z., *TPEL July 2025 9343-9356*
Li, Z., *see* Zhang, Y., *TPEL July 2025 8923-8927*
Li, Z., *see* Chen, Z., *TPEL July 2025 10027-10037*
Li, Z., *see* Deng, Q., *TPEL July 2025 10111-10122*
Li, Z., *see* Jin, S., *TPEL Aug. 2025 10299-10312*
Li, Z., *see* Wang, X., *TPEL Aug. 2025 10816-10823*
Li, Z., *see* Liu, Y., *TPEL Sept. 2025 12072-12083*
Li, Z., Yang, R., Zhou, Y., Wang, C., and Wang, Z., A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC; *TPEL Sept. 2025 12779-12793*
Li, Z., *see* Jiang, J., *TPEL Sept. 2025 13099-13112*
Li, Z., Liang, J., Fu, M., Long, T., and Wang, H., Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators; *TPEL Oct. 2025 14368-14373*
Li, Z., *see* Tang, Y., *TPEL Oct. 2025 14459-14477*
Li, Z., *see* He, Y., *TPEL Oct. 2025 14331-14336*
Li, Z., *see* Shen, Z., *TPEL Oct. 2025 14842-14853*
Li, Z., *see* Cheng, L., *TPEL Oct. 2025 15339-15347*
Li, Z., *see* Chen, Z., *TPEL Oct. 2025 15949-15958*
Li, Z., and Wang, C., Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods; *TPEL Oct. 2025 15718-15729*
Li, Z., *see* Li, Y., *TPEL Oct. 2025 16032-16041*
Li, Z., *see* Gu, M., *TPEL Nov. 2025 16080-16084*
Li, Z., *see* Chen, C., *TPEL Nov. 2025 16315-16326*
Li, Z., *see* Sun, Z., *TPEL Nov. 2025 16894-16905*
Li, Z., *see* Liu, C., *TPEL Nov. 2025 17147-17159*
Li, Z., Zhang, Y., Sun, Z., and Zhang, Z., Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode; *TPEL Dec. 2025 18113-18132*
Lian, C., Guo, L., Xu, G., Xiao, F., Wang, R., Gao, S., Liu, J., and Zhang, W., Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter; *TPEL Feb. 2025 2847-2859*
Lian, C., *see* Xu, G., *TPEL Dec. 2025 17715-17725*
Lian, H., *see* Lv, Y., *TPEL Dec. 2025 17998-18010*
Lian, Z., *see* Luo, C., *TPEL Jan. 2025 2472-2483*
Liang, B., *see* Zheng, F., *TPEL Feb. 2025 3112-3128*
Liang, B., Cui, X., Zheng, F., Li, X., Li, H., Chen, Z., Jin, R., and Tang, X., Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant; *TPEL Aug. 2025 10635-10648*
Liang, B., *see* Wang, J., *TPEL Sept. 2025 14124-14133*
Liang, C., Liu, M., Zhao, F., Wang, D., Wang, X., Yuan, H., Yang, A., Chu, J., and Rong, M., A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance; *TPEL April 2025 6230-6247*
Liang, C., *see* Li, J., *TPEL Sept. 2025 14181-14192*
Liang, D., *see* Jia, S., *TPEL June 2025 8503-8515*
Liang, D., *see* Liu, Y., *TPEL July 2025 8972-8989*
Liang, D., *see* Liu, S., *TPEL Aug. 2025 10889-10898*
Liang, D., *see* Liu, S., *TPEL Sept. 2025 12268-12279*
Liang, D., *see* Wen, Q., *TPEL Sept. 2025 13754-13766*
Liang, G., *see* Yang, M., *TPEL Jan. 2025 1717-1727*
Liang, G., *see* Tian, H., *TPEL Jan. 2025 92-97*
Liang, G., Rodriguez, E., Farivar, G.G., and Pou, J., Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter; *TPEL March 2025 4080-4089*
Liang, G., *see* Tian, H., *TPEL Aug. 2025 10335-10342*
Liang, J., *see* Chen, S., *TPEL Jan. 2025 1012-1022*
Liang, J., *see* Wang, L., *TPEL June 2025 8315-8327*
Liang, J., *see* Jiang, T., *TPEL July 2025 9452-9462*
Liang, J., *see* Zhang, H., *TPEL Sept. 2025 13716-13729*
Liang, J., *see* Zhang, H., *TPEL Sept. 2025 13716-13729*
Liang, J., *see* Li, Z., *TPEL Oct. 2025 14368-14373*
Liang, L., *see* Zhang, Z., *TPEL April 2025 6033-6043*
Liang, L., *see* Zhang, Z., *TPEL May 2025 6829-6837*
Liang, L., *see* Zhang, Z., *TPEL June 2025 8049-8061*
Liang, L., *see* Wen, K., *TPEL June 2025 8153-8167*
Liang, M., *see* Wang, C., *TPEL Aug. 2025 11490-11508*
Liang, M., *see* Shi, H., *TPEL Oct. 2025 15316-15328*
Liang, N., *see* Wang, Y., *TPEL April 2025 4938-4951*
Liang, R., *see* Yang, Q., *TPEL Jan. 2025 1247-1257*
Liang, R., *see* Dong, M., *TPEL Aug. 2025 11001-11011*
Liang, S., *see* Wang, X., *TPEL Feb. 2025 3710-3725*
Liang, S., *see* Jiang, H., *TPEL Feb. 2025 3600-3609*
Liang, S., *see* Liang, Y., *TPEL Dec. 2025 17563-17568*
Liang, T., *see* Shen, H., *TPEL Dec. 2025 17972-17987*
Liang, T., *see* Huynh, K.K.N., *TPEL Dec. 2025 18164-18177*
Liang, Y., *see* Wang, Y., *TPEL Jan. 2025 862-878*
Liang, Y., *see* Li, Y., *TPEL Feb. 2025 3750-3769*
Liang, Y., *see* Liu, Q., *TPEL Feb. 2025 2971-2986*
Liang, Y., *see* Yin, Z., *TPEL May 2025 6753-6770*
Liang, Y., *see* Gong, J., *TPEL May 2025 6847-6859*
Liang, Y., *see* Wen, Q., *TPEL Sept. 2025 13754-13766*
Liang, Y., *see* Prakash, P.R., *TPEL Oct. 2025 14771-14784*
Liang, Y., *see* Gong, J., *TPEL Oct. 2025 14301-14306*
Liang, Y., *see* Zou, M., *TPEL Nov. 2025 16281-16299*
Liang, Y., *see* Wang, X., *TPEL Dec. 2025 17738-17749*
Liang, Y., Sun, P., Gong, Y., Liang, S., Gong, J., Zheng, H., Zeng, Z., and Ran, L., Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability; *TPEL Dec. 2025 17563-17568*
Liang, Z., *see* Wen, Q., *TPEL Sept. 2025 13754-13766*
Liang, Z., Luo, Z., and Zhang, B., An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems; *TPEL Oct. 2025 14351-14355*
Liang, Z., Yang, L., Hao, X., Yang, C., Cai, S., and Ma, X., Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers; *TPEL Oct. 2025 15922-15936*
Liao, C., *see* Lin, S., *TPEL May 2025 6898-6907*
Liao, C., *see* He, H., *TPEL July 2025 8939-8943*
Liao, G., *see* Zhang, M., *TPEL July 2025 9660-9671*
Liao, K., *see* Zhang, M., *TPEL July 2025 9660-9671*
Liao, M., Sen, T., Elasser, Y., Al Hassan, H.A., Pigney, A., Knapp, E., and Chen, M., UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer; *TPEL April 2025 6370-6384*
Liao, M., *see* Sen, T., *TPEL Oct. 2025 15700-15717*
Liao, R., *see* Tang, L., *TPEL May 2025 6921-6932*
Liao, R., *see* Dai, X., *TPEL Oct. 2025 15399-15421*
Liao, S., *see* Luo, C., *TPEL Jan. 2025 2472-2483*
Liao, S., *see* Luo, C., *TPEL April 2025 4780-4786*
Liao, W., *see* Yang, M., *TPEL Jan. 2025 1717-1727*
Liao, Y., Xie, B., and Liu, J., Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage; *TPEL March 2025 4051-4066*

Liao, Y., *see* Yang, Y., *TPEL July 2025 9200-9210*
Liao, Y., *see* Man, C., *TPEL July 2025 9211-9222*
Liao, Z., Li, B., Yuan, Y., Jiao, Y., Zhao, X., Zhang, Y., and Xu, D., Isolated MVdc-HVdc-AC Three-Port Power Router for High-Power Large-Scale PV Applications; *TPEL Jan. 2025 1991-2004*
Lichtenstein, T., *see* Anderson, F., *TPEL May 2025 7286-7297*
Lie, T.T., *see* Moradian, M., *TPEL Jan. 2025 516-525*
Lim, C., *see* Tan, Y., *TPEL Aug. 2025 11182-11196*
Lim, K., *see* Yang, J., *TPEL March 2025 4522-4535*
Lim, S., *see* Kim, S., *TPEL Jan. 2025 764-773*
Lim, S., *see* Kwon, J., *TPEL Oct. 2025 14295-14300*
Lin, B., *see* Wang, J., *TPEL March 2025 4592-4601*
Lin, B., *see* Shi, Q., *TPEL June 2025 8168-8178*
Lin, C., *see* Xie, D., *TPEL Jan. 2025 2028-2041*
Lin, C., *see* Liu, C., *TPEL Feb. 2025 3370-3384*
Lin, C., *see* Gou, B., *TPEL Feb. 2025 3505-3517*
Lin, C., *see* Huang, M., *TPEL April 2025 5094-5108*
Lin, C., *see* Li, W., *TPEL May 2025 7370-7384*
Lin, C., *see* Li, Y., *TPEL Sept. 2025 13822-13834*
Lin, D., *see* Xiao, Q., *TPEL April 2025 6385-6397*
Lin, F., *see* Wang, Y., *TPEL July 2025 10123-10139*
Lin, F., Tan, K., Kuan, Z., and Wang, C., Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement; *TPEL Sept. 2025 12754-12769*
Lin, F., *see* Qin, L., *TPEL Oct. 2025 15670-15686*
Lin, F., *see* Huang, X., *TPEL Dec. 2025 18461-18473*
Lin, F.J., Covic, G.A., and Lawton, P., A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications; *TPEL Nov. 2025 17514-17528*
Lin, G., *see* Zhang, X., *TPEL Aug. 2025 10330-10334*
Lin, H., *see* Xie, D., *TPEL Jan. 2025 2028-2041*
Lin, H., *see* Xiang, Y., *TPEL Jan. 2025 2235-2247*
Lin, H., *see* Cai, C., *TPEL Jan. 2025 2527-2541*
Lin, H., *see* Wang, G., *TPEL May 2025 6643-6652*
Lin, H., *see* Lin, Z., *TPEL July 2025 8944-8949*
Lin, H., *see* Hu, C., *TPEL Sept. 2025 13643-13658*
Lin, H., *see* Yuan, Z., *TPEL Sept. 2025 14146-14158*
Lin, J., *see* Liu, S., *TPEL Jan. 2025 1153-1167*
Lin, J., Zhang, B., and Lai, L., Coreless DC Transformer With Near-Unity Power Factor by a Reactive Power Injector; *TPEL Jan. 2025 1123-1134*
Lin, J., *see* Jiang, Y., *TPEL Jan. 2025 435-450*
Lin, J., *see* Li, J., *TPEL Jan. 2025 588-598*
Lin, J., *see* Li, H., *TPEL Feb. 2025 3670-3683*
Lin, J., *see* Lai, L., *TPEL April 2025 6069-6083*
Lin, J., *see* Wang, R., *TPEL April 2025 5400-5411*
Lin, J., *see* Pang, Y., *TPEL April 2025 5384-5399*
Lin, J., *see* Li, H., *TPEL July 2025 9840-9852*
Lin, J., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*
Lin, J., *see* Wang, H., *TPEL Sept. 2025 12964-12976*
Lin, J., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Lin, J., *see* Wang, C., *TPEL Sept. 2025 13023-13034*
Lin, J., *see* Pan, A., *TPEL Nov. 2025 16231-16242*
Lin, K., *see* Kong, C., *TPEL May 2025 6663-6674*
Lin, L., *see* Li, L., *TPEL Feb. 2025 2697-2701*
Lin, L., *see* Liu, T., *TPEL Sept. 2025 11908-11917*
Lin, L., *see* Liu, Y., *TPEL Sept. 2025 12072-12083*
Lin, M., *see* Li, D., *TPEL Feb. 2025 3456-3468*
Lin, M., *see* Liu, G., *TPEL Aug. 2025 11394-11406*
Lin, M., Feng, C., Chen, Y., Li, H., and Jin, T., Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges; *TPEL Nov. 2025 17091-17104*
Lin, P., *see* Ma, J., *TPEL May 2025 7398-7413*
Lin, P., *see* Yu, H., *TPEL Oct. 2025 15730-15744*
Lin, P., *see* Wei, Z., *TPEL Dec. 2025 17776-17788*
Lin, Q., Liu, L., and Liu, S., Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive; *TPEL June 2025 7814-7828*
Lin, Q., *see* Liu, S., *TPEL Aug. 2025 10889-10898*
Lin, Q., *see* Liu, S., *TPEL Sept. 2025 12268-12279*
Lin, S., Tseng, N., Shih, Y., Liao, C., Li, C., Chen, K., Zheng, K., Lin, Y., and Tsai, T., High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs; *TPEL May 2025 6898-6907*
Lin, S., *see* Lin, S., *TPEL May 2025 6898-6907*
Lin, S., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Lin, S., *see* Tang, Y., *TPEL Dec. 2025 18489-18498*
Lin, T., Chen, Z., and Zhou, S., A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs; *TPEL Aug. 2025 11355-11368*
Lin, T., *see* Hu, H., *TPEL Nov. 2025 16704-16717*
Lin, X., *see* Wang, Z., *TPEL Jan. 2025 1697-1716*
Lin, X., *see* Xi, H., *TPEL March 2025 4569-4580*
Lin, X., Liu, J., Liu, Z., Gao, Y., Peretti, L., and Wu, L., Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method; *TPEL Aug. 2025 10682-10693*
Lin, X., *see* Xu, R., *TPEL Oct. 2025 14536-14546*
Lin, X., *see* Zhao, Y., *TPEL Oct. 2025 15808-15819*
Lin, Y., *see* Lin, S., *TPEL May 2025 6898-6907*
Lin, Y., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Lin, Z., *see* Zeng, Y., *TPEL Jan. 2025 2495-2512*
Lin, Z., Huang, W., Yu, M., Tai, N., Zhang, Y., and Senkov, A., A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems; *TPEL April 2025 5052-5068*
Lin, Z., Sun, Q., Guan, Q., Iu, H.H., Fernando, T., and Zhang, X., A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters; *TPEL June 2025 8726-8738*
Lin, Z., Yao, B., Chung, H.S., Lin, H., Al Hosani, K., and Wang, H., A Unified Variable Active Impedance Module With Minimum Power Processing; *TPEL July 2025 8944-8949*
Lin, Z., Liu, R., and Li, Y.R., Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault; *TPEL Aug. 2025 11442-11451*
Lin, Z., *see* Gu, X., *TPEL Aug. 2025 10731-10745*
Lin, Z., *see* Yan, Y., *TPEL Sept. 2025 13434-13447*
Lindemann, G., *see* Himker, N., *TPEL Feb. 2025 2887-2900*
Ling, J., *see* Zhao, W., *TPEL June 2025 8528-8539*
Ling, Y., Huang, M., Feng, P., Peng, M., Tian, Z., Shu, S., Zha, X., and Ma, X., Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint; *TPEL Sept. 2025 13474-13489*
Ling, Z., *see* Chen, X., *TPEL Sept. 2025 12242-12256*
Lipcak, O., *see* Baum, F., *TPEL May 2025 6740-6752*
Liserre, M., *see* Morales-Munoz, A., *TPEL May 2025 6675-6684*
Liserre, M., *see* Yang, J., *TPEL June 2025 8709-8725*
Liserre, M., *see* Leng, Y., *TPEL June 2025 7954-7966*
Liserre, M., *see* Ou, S., *TPEL Aug. 2025 11339-11354*
Liserre, M., *see* Iman-Eini, H., *TPEL Sept. 2025 12566-12580*
Liserre, M., *see* Leng, Y., *TPEL Oct. 2025 15292-15305*
Liserre, M., *see* Barzegarkhoo, R., *TPEL Nov. 2025 17366-17383*
Liserre, M., *see* Sancio, R., *TPEL Nov. 2025 17025-17039*
Liserre, M., *see* Groon, F., *TPEL Nov. 2025 17309-17324*
Litchford, E., *see* Song, Q., *TPEL April 2025 5212-5222*
Liu, A., Wang, Y., Kwon, T., and Park, S., Two-Segment High-Performance PV Grid-Connected Inverter; *TPEL Feb. 2025 2809-2821*
Liu, A., *see* Lai, W., *TPEL Aug. 2025 11416-11427*
Liu, B., *see* Xiao, Y., *TPEL Jan. 2025 879-891*
Liu, B., Xiang, X., Li, Y., Yang, H., Li, W., and He, X., Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment; *TPEL Feb. 2025 2987-3004*
Liu, B., *see* Li, G., *TPEL March 2025 4557-4568*
Liu, B., *see* Bao, J., *TPEL April 2025 5371-5383*
Liu, B., Shi, T., Zhang, G., Yan, Y., and Xia, C., Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region; *TPEL June 2025 8540-8552*

Liu, B., Shi, T., Yan, Y., Zhang, G., and Xia, C., Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current; *TPEL Sept. 2025 12280-12294*
Liu, B., *see* Hu, C., *TPEL Sept. 2025 13643-13658*
Liu, B., *see* Yang, K., *TPEL Oct. 2025 15422-15432*
Liu, B., *see* Bao, J., *TPEL Oct. 2025 15238-15253*
Liu, B., Liu, Y., Yan, Y., Lv, J., Zheng, Z., Lv, W., Chen, C., Liu, J., and Kang, Y., A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications; *TPEL Dec. 2025 17619-17636*
Liu, C., *see* Huang, R., *TPEL Jan. 2025 1728-1738*
Liu, C., *see* Gong, Z., *TPEL Jan. 2025 1258-1271*
Liu, C., *see* Ma, J., *TPEL Jan. 2025 1111-1122*
Liu, C., *see* Zhou, M., *TPEL Jan. 2025 1508-1518*
Liu, C., *see* Kong, D., *TPEL Jan. 2025 1925-1935*
Liu, C., *see* Han, J., *TPEL Jan. 2025 2248-2258*
Liu, C., *see* Liu, Z., *TPEL Feb. 2025 3610-3621*
Liu, C., Lin, C., Kuo, H., Tang, L., Hong, Y., Tu, C., Chang, E., and Chieng, W., High-Frequency Pulsed Laser Driver Using Complementary GaN HEMTs; *TPEL Feb. 2025 3370-3384*
Liu, C., *see* Ke, R., *TPEL Feb. 2025 3518-3529*
Liu, C., Zou, X., Zhou, S., Peng, H., and Kang, Y., Pulse Injection Modulation Method for Current-Fed Dual Active Bridge Converter With Full Load Range ZVS Under Wide Input-Voltage Range; *TPEL Feb. 2025 2668-2673*
Liu, C., *see* Zhang, S., *TPEL March 2025 4142-4155*
Liu, C., *see* Liu, Z., *TPEL March 2025 4536-4545*
Liu, C., *see* Zhang, B., *TPEL March 2025 3854-3860*
Liu, C., *see* Tang, H., *TPEL March 2025 4630-4639*
Liu, C., *see* Xu, S., *TPEL April 2025 6010-6019*
Liu, C., *see* Cheng, S., *TPEL April 2025 6055-6068*
Liu, C., *see* Wu, P., *TPEL April 2025 4706-4710*
Liu, C., *see* Lai, J., *TPEL April 2025 5190-5200*
Liu, C., *see* Shen, Z., *TPEL April 2025 4722-4726*
Liu, C., *see* Li, Z., *TPEL May 2025 7315-7328*
Liu, C., Guan, Y., Yao, T., Wang, Y., and Xu, D., Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy; *TPEL June 2025 7994-8004*
Liu, C., *see* Ke, R., *TPEL July 2025 8928-8933*
Liu, C., *see* He, H., *TPEL July 2025 8939-8943*
Liu, C., *see* Li, S., *TPEL July 2025 10140-10153*
Liu, C., *see* Liu, Z., *TPEL July 2025 10265*
Liu, C., *see* Huang, S., *TPEL Aug. 2025 11763-11774*
Liu, C., *see* Sun, J., *TPEL Aug. 2025 11206-11217*
Liu, C., *see* Zhang, T., *TPEL Sept. 2025 11928-11933*
Liu, C., *see* Zhang, T., *TPEL Oct. 2025 14265-14270*
Liu, C., *see* Zhao, P., *TPEL Oct. 2025 15757-15767*
Liu, C., *see* Wang, J., *TPEL Nov. 2025 16696-16703*
Liu, C., *see* He, Z., *TPEL Nov. 2025 16100-16104*
Liu, C., *see* Chai, Z., *TPEL Nov. 2025 16431-16442*
Liu, C., *see* Gao, L., *TPEL Nov. 2025 16068-16073*
Liu, C., *see* Liu, Y., *TPEL Nov. 2025 16131-16145*
Liu, C., *see* Gao, L., *TPEL Nov. 2025 16676-16686*
Liu, C., Luo, W., Li, X., Li, Z., and Chen, G., Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters; *TPEL Nov. 2025 17147-17159*
Liu, C., *see* Jiang, Y., *TPEL Nov. 2025 16911-16925*
Liu, C.C., Tse, C.K., Huang, M., Wu, Z., Han, H., and Yang, J., Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods; *TPEL Jan. 2025 749-763*
Liu, D., *see* Yin, H., *TPEL July 2025 9048-9067*
Liu, F., *see* Zhu, J., *TPEL Feb. 2025 2708-2714*
Liu, F., *see* Dang, Y., *TPEL April 2025 5566-5582*
Liu, F., *see* Zhuang, Y., *TPEL July 2025 9933-9943*
Liu, F., *see* Xiao, L., *TPEL Aug. 2025 11157-11169*
Liu, F., *see* Jiang, J., *TPEL Sept. 2025 13099-13112*
Liu, F., *see* Dang, Y., *TPEL Oct. 2025 14785-14796*
Liu, G., *see* Li, X., *TPEL Feb. 2025 3129-3137*
Liu, G., *see* Wu, X., *TPEL March 2025 4411-4424*
Liu, G., *see* Zhao, S., *TPEL May 2025 7261-7274*
Liu, G., *see* Yan, Z., *TPEL June 2025 8194-8205*
Liu, G., Gao, Z., Lin, M., Liu, X., and Wu, J., Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis; *TPEL Aug. 2025 11394-11406*
Liu, G., *see* Song, W., *TPEL Aug. 2025 10623-10634*
Liu, G., Yan, Z., Nielsen, M.R., Aunsborg, T.S., Rannestad, B., Zhao, H., Bech, M.M., and Munk-Nielsen, S., Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs; *TPEL Aug. 2025 10531-10542*
Liu, G., *see* Jiang, J., *TPEL Sept. 2025 13099-13112*
Liu, G., *see* Yan, X., *TPEL Oct. 2025 14388-14400*
Liu, G., *see* Tang, T., *TPEL Nov. 2025 16300-16314*
Liu, G., *see* Yan, Z., *TPEL Dec. 2025 17650-17663*
Liu, H., *see* Yang, Q., *TPEL Jan. 2025 1247-1257*
Liu, H., *see* Xie, Y., *TPEL Jan. 2025 1849-1861*
Liu, H., *see* Zhu, Y., *TPEL Jan. 2025 1023-1034*
Liu, H., *see* Xie, L., *TPEL Jan. 2025 2086-2098*
Liu, H., *see* Wang, R., *TPEL April 2025 5400-5411*
Liu, H., *see* Zhang, X., *TPEL April 2025 5080-5093*
Liu, H., *see* Li, C., *TPEL April 2025 5130-5146*
Liu, H., *see* Chen, H., *TPEL Sept. 2025 12167-12190*
Liu, H., *see* Yan, C., *TPEL Sept. 2025 12048-12054*
Liu, H., *see* Chen, X., *TPEL Sept. 2025 12242-12256*
Liu, H., *see* Wang, Y., *TPEL Oct. 2025 15687-15699*
Liu, H., *see* Zhang, X., *TPEL Nov. 2025 16525-16537*
Liu, H., *see* He, K., *TPEL Dec. 2025 18390-18406*
Liu, J., *see* Li, Z., *TPEL Jan. 2025 1305-1321*
Liu, J., *see* Gao, Y., *TPEL Jan. 2025 1886-1899*
Liu, J., *see* Zheng, Z., *TPEL Jan. 2025 1542-1553*
Liu, J., *see* Cheng, Z., *TPEL Jan. 2025 1654-1668*
Liu, J., *see* Mo, N., *TPEL Jan. 2025 406-421*
Liu, J., *see* Wang, Z., *TPEL Jan. 2025 665-678*
Liu, J., Li, M., and Xie, E., Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO; *TPEL Jan. 2025 611-624*
Liu, J., *see* Cao, H., *TPEL Jan. 2025 801-812*
Liu, J., *see* Jiang, J., *TPEL Jan. 2025 2017-2027*
Liu, J., *see* Lian, C., *TPEL Feb. 2025 2847-2859*
Liu, J., *see* Chen, Z., *TPEL March 2025 4602-4612*
Liu, J., *see* Liao, Y., *TPEL March 2025 4051-4066*
Liu, J., *see* Wang, Y., *TPEL April 2025 5959-5970*
Liu, J., *see* Wu, J., *TPEL April 2025 5223-5230*
Liu, J., *see* Cheng, Z., *TPEL April 2025 4984-4996*
Liu, J., *see* Li, Z., *TPEL April 2025 5352-5370*
Liu, J., *see* Wang, J., *TPEL April 2025 5309-5318*
Liu, J., *see* Guo, N., *TPEL May 2025 7042-7057*
Liu, J., *see* Li, Z., *TPEL May 2025 6448-6453*
Liu, J., *see* Du, H., *TPEL May 2025 7215-7226*
Liu, J., *see* Li, J., *TPEL June 2025 8577-8591*
Liu, J., *see* Ni, Q., *TPEL June 2025 8766-8775*
Liu, J., *see* Zhou, Z., *TPEL June 2025 7904-7918*
Liu, J., *see* Zheng, J., *TPEL June 2025 7657-7662*
Liu, J., *see* Song, Q., *TPEL June 2025 8242-8252*
Liu, J., *see* Shi, Q., *TPEL June 2025 8168-8178*
Liu, J., *see* Chen, H., *TPEL July 2025 9315-9328*
Liu, J., *see* Guo, Z., *TPEL July 2025 10189-10197*
Liu, J., *see* Shi, Y., *TPEL Aug. 2025 11564-11582*
Liu, J., *see* Li, X., *TPEL Aug. 2025 11673-11689*
Liu, J., *see* Li, X., *TPEL Aug. 2025 11673-11689*
Liu, J., *see* Lin, X., *TPEL Aug. 2025 10682-10693*
Liu, J., Chen, S., Guo, T., Chen, P., Li, J., and Chen, Q., A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method; *TPEL Aug. 2025 10931-10944*
Liu, J., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*
Liu, J., *see* Meng, H., *TPEL Sept. 2025 12015-12020*
Liu, J., *see* Gao, S., *TPEL Sept. 2025 12061-12071*

Liu, J., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Liu, J., *see* Zhai, Y., *TPEL Sept. 2025 14099-14109*
Liu, J., *see* Kim, Y., *TPEL Oct. 2025 14746-14754*
Liu, J., *see* Xu, R., *TPEL Oct. 2025 14536-14546*
Liu, J., *see* Xu, M., *TPEL Oct. 2025 15080-15092*
Liu, J., *see* Yao, Y., *TPEL Oct. 2025 15359-15370*
Liu, J., *see* Mo, N., *TPEL Oct. 2025 15504-15518*
Liu, J., *see* Ma, J., *TPEL Oct. 2025 15215-15225*
Liu, J., *see* Feng, K., *TPEL Oct. 2025 15620-15637*
Liu, J., *see* Dong, S., *TPEL Oct. 2025 16022-16031*
Liu, J., *see* Hou, J., *TPEL Nov. 2025 16853-16869*
Liu, J., *see* Ni, Q., *TPEL Nov. 2025 17355-17365*
Liu, J., *see* Liu, B., *TPEL Dec. 2025 17619-17636*
Liu, J., *see* Deng, Z., *TPEL Dec. 2025 18011-18026*
Liu, J., *see* Xu, G., *TPEL Dec. 2025 17715-17725*
Liu, J., *see* Chen, X., *TPEL Dec. 2025 18251-18264*
Liu, K., *see* Gao, L., *TPEL March 2025 3885-3898*
Liu, K., *see* Liu, Z., *TPEL July 2025 9800-9810*
Liu, K., *see* Guo, R., *TPEL Aug. 2025 10272-10285*
Liu, K., *see* Du, Y., *TPEL Sept. 2025 12003-12010*
Liu, K., Li, C., Zheng, Z., and Li, Y., Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance; *TPEL Sept. 2025 13805-13821*
Liu, K., *see* Li, K., *TPEL Oct. 2025 14585-14597*
Liu, K., *see* Li, X., *TPEL Oct. 2025 14571-14584*
Liu, K., *see* Zeng, Y., *TPEL Oct. 2025 14277-14281*
Liu, K., *see* Jin, C., *TPEL Nov. 2025 16790-16808*
Liu, K., *see* Chen, P., *TPEL Dec. 2025 18292-18304*
Liu, K., *see* Wei, Z., *TPEL Dec. 2025 17776-17788*
Liu, L., *see* Zhang, Y., *TPEL Jan. 2025 1645-1653*
Liu, L., *see* Wu, T.X., *TPEL Jan. 2025 1915-1924*
Liu, L., *see* Xia, C., *TPEL Jan. 2025 2604-2618*
Liu, L., Shan, M., Qin, L., Wu, X., and Lao, K., Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact; *TPEL June 2025 8566-8576*
Liu, L., *see* Lin, Q., *TPEL June 2025 7814-7828*
Liu, L., Luo, X., Xiong, L., Guo, J., Liu, X., Liu, Y., and Zhang, H., Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances; *TPEL July 2025 9153-9166*
Liu, L., *see* Cheng, X., *TPEL July 2025 10049-10058*
Liu, L., Zhou, D., Zou, J., and Shen, Z., Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter; *TPEL Aug. 2025 11552-11563*
Liu, L., *see* Liu, S., *TPEL Aug. 2025 10889-10898*
Liu, L., *see* Liu, S., *TPEL Sept. 2025 12268-12279*
Liu, L., Hu, Y., Liu, X., Ma, R., and Ma, X., A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic; *TPEL Nov. 2025 16419-16430*
Liu, L., *see* Yu, Z., *TPEL Nov. 2025 16764-16779*
Liu, M., *see* Liang, C., *TPEL April 2025 6230-6247*
Liu, M., *see* Liu, W., *TPEL June 2025 8380-8394*
Liu, M., *see* Jia, P., *TPEL July 2025 9556-9576*
Liu, M., *see* Yao, Z., *TPEL July 2025 8956-8961*
Liu, M., *see* Jia, P., *TPEL Aug. 2025 10396-10401*
Liu, M., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Liu, N., Ruan, X., and Li, D., Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply; *TPEL Jan. 2025 146-151*
Liu, P., *see* Yang, X., *TPEL June 2025 7615-7627*
Liu, Q., Liang, Y., Zhang, Z., Wang, M., and Zhao, X., Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics; *TPEL Feb. 2025 2971-2986*
Liu, Q., Jiang, X., Gong, X., Yuan, S., Yang, L., Wang, Y., and Yan, Z., A Novel Control Scheme for Light Load Power Reduction of Flyback Converter; *TPEL Feb. 2025 2691-2696*
Liu, Q., Xu, Q., Qian, Q., Ding, S., and Sun, W., A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter; *TPEL July 2025 8871-8885*
Liu, Q., *see* Hao, Y., *TPEL July 2025 9418-9428*
Liu, Q., *see* Liu, Y., *TPEL Sept. 2025 12072-12083*
Liu, Q., *see* Zhao, X., *TPEL Nov. 2025 17073-17090*
Liu, R., *see* Zhang, H., *TPEL Jan. 2025 813-827*
Liu, R., Xie, R., Chen, X., Mao, X., Li, Z., and Zhang, Y., Current Sharing for a Multiphase Inverter Based on Coupled External Parallel Resonant Branches for Wireless Power Transfer System; *TPEL Jan. 2025 71-75*
Liu, R., *see* Ma, Y., *TPEL Jan. 2025 76-81*
Liu, R., *see* Pan, W., *TPEL April 2025 6272-6281*
Liu, R., *see* Lin, Z., *TPEL Aug. 2025 11442-11451*
Liu, R., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Liu, S., Niu, D., Zhang, L., Lin, J., Fang, J., and Li, Z., Low-Capacitance Operation and Its Hierarchical Control for STATCOM Based on T-Type Converter With MMDTC; *TPEL Jan. 2025 1153-1167*
Liu, S., Wang, Y., Wang, S., Zhao, W., and Shang, Y., A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs; *TPEL Jan. 2025 738-748*
Liu, S., *see* Zeng, Y., *TPEL Jan. 2025 2495-2512*
Liu, S., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Liu, S., *see* Fang, Z., *TPEL March 2025 3873-3884*
Liu, S., *see* Zeng, Y., *TPEL June 2025 8792-8811*
Liu, S., *see* Wang, S., *TPEL June 2025 8253-8263*
Liu, S., *see* Lin, Q., *TPEL June 2025 7814-7828*
Liu, S., Dong, G., Ying, Y., Lai, C., and Mishima, T., Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications; *TPEL July 2025 9518-9542*
Liu, S., *see* Xiao, L., *TPEL Aug. 2025 11157-11169*
Liu, S., Wan, Y., Zhong, Y., Zhou, X., Wang, Y., and Li, J., A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle; *TPEL Aug. 2025 10456-10468*
Liu, S., Liu, L., Lin, Q., Jin, D., and Liang, D., A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme; *TPEL Aug. 2025 10889-10898*
Liu, S., Liu, L., Lin, Q., and Liang, D., K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control; *TPEL Sept. 2025 12268-12279*
Liu, S., *see* Wang, Y., *TPEL Oct. 2025 14356-14362*
Liu, S., *see* Wang, Y., *TPEL Oct. 2025 15687-15699*
Liu, S., *see* Liu, X., *TPEL Oct. 2025 15745-15756*
Liu, S., *see* Wang, Z., *TPEL Nov. 2025 16611-16625*
Liu, S., *see* Zhou, D., *TPEL Dec. 2025 18448-18460*
Liu, T., *see* Wang, P., *TPEL Jan. 2025 361-374*
Liu, T., *see* Wang, S., *TPEL April 2025 6192-6202*
Liu, T., *see* Zhang, R., *TPEL April 2025 5336-5351*
Liu, T., *see* Wang, W., *TPEL June 2025 7709-7726*
Liu, T., *see* Wang, S., *TPEL June 2025 7765-7776*
Liu, T., *see* Peng, Q., *TPEL July 2025 9972-9985*
Liu, T., Shi, X., Yan, J., Wang, Z., Yin, T., and Lin, L., Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control; *TPEL Sept. 2025 11908-11917*
Liu, T., *see* Yu, H., *TPEL Oct. 2025 14496-14507*
Liu, T., *see* Shi, S., *TPEL Dec. 2025 17582-17586*
Liu, W., *see* Jiao, N., *TPEL Jan. 2025 1813-1825*
Liu, W., *see* Niu, S., *TPEL Jan. 2025 152-156*
Liu, W., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Liu, W., *see* Guo, J., *TPEL March 2025 4652-4663*
Liu, W., *see* Ma, C., *TPEL April 2025 5857-5870*
Liu, W., *see* Li, X., *TPEL April 2025 5799-5809*
Liu, W., *see* Li, Y., *TPEL May 2025 7523-7536*
Liu, W., Zhu, Y., and Liu, M., A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier; *TPEL June 2025 8380-8394*
Liu, W., *see* Wang, G., *TPEL July 2025 9187-9199*

Liu, W., *see* Li, S., *TPEL July 2025 10140-10153*
Liu, W., *see* Li, J., *TPEL Sept. 2025 12690-12702*
Liu, W., *see* Guo, J., *TPEL Oct. 2025 14868-14880*
Liu, W., *see* Xu, M., *TPEL Oct. 2025 15080-15092*
Liu, W., *see* Cheng, L., *TPEL Oct. 2025 15339-15347*
Liu, W., *see* Gao, C., *TPEL Nov. 2025 16963-16978*
Liu, W.B., and Mercier, P.P., Design and Analysis of a Frontside Series/Parallel Piezoelectric Resonator-Based DC–DC Converter; *TPEL Jan. 2025 1389-1403*
Liu, X., *see* Qiu, M., *TPEL Jan. 2025 1359-1375*
Liu, X., *see* Guo, Z., *TPEL Jan. 2025 1483-1497*
Liu, X., *see* Cheng, Z., *TPEL Jan. 2025 1654-1668*
Liu, X., Qiu, L., Fang, Y., Wang, K., Li, Y., and Rodriguez, J., Combining Data-Driven and Event-Driven for Online Learning Predictive Control in Power Converters; *TPEL Jan. 2025 563-573*
Liu, X., *see* Cao, H., *TPEL Jan. 2025 801-812*
Liu, X., *see* Cai, C., *TPEL Feb. 2025 3726-3737*
Liu, X., *see* Zhang, K., *TPEL March 2025 3916-3926*
Liu, X., *see* Lv, Y., *TPEL March 2025 4186-4198*
Liu, X., Cai, C., Wu, S., Li, C., Cui, Q., and Ren, X., Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater; *TPEL March 2025 4640-4651*
Liu, X., *see* Chen, Y., *TPEL April 2025 5787-5798*
Liu, X., *see* Wang, Z., *TPEL April 2025 6345-6358*
Liu, X., Qiu, L., Fang, Y., Wang, K., Li, Y., and Rodriguez, J., Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators; *TPEL April 2025 4914-4926*
Liu, X., *see* Wang, L., *TPEL April 2025 5177-5189*
Liu, X., *see* Zheng, X., *TPEL May 2025 6787-6800*
Liu, X., *see* Xu, C., *TPEL May 2025 6813-6828*
Liu, X., *see* Lai, A., *TPEL June 2025 8847-8858*
Liu, X., *see* Li, C., *TPEL June 2025 7603-7614*
Liu, X., *see* Liu, L., *TPEL July 2025 9153-9166*
Liu, X., *see* Liu, G., *TPEL Aug. 2025 11394-11406*
Liu, X., *see* Zhang, D., *TPEL Aug. 2025 11820-11835*
Liu, X., *see* Zhang, Y., *TPEL Aug. 2025 11715-11724*
Liu, X., *see* Zhang, J., *TPEL Aug. 2025 10433-10442*
Liu, X., *see* Xiong, Y., *TPEL Sept. 2025 11969-11973*
Liu, X., *see* Zhong, K., *TPEL Sept. 2025 13741-13751*
Liu, X., *see* Aouiche, E.M., *TPEL Oct. 2025 14662-14674*
Liu, X., *see* Yan, X., *TPEL Oct. 2025 14388-14400*
Liu, X., *see* Chen, Z., *TPEL Oct. 2025 15949-15958*
Liu, X., *see* Zhao, P., *TPEL Oct. 2025 15757-15767*
Liu, X., Liu, S., Dong, Z., Fu, Z., and Ge, L., An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs; *TPEL Oct. 2025 15745-15756*
Liu, X., *see* Mo, N., *TPEL Oct. 2025 15504-15518*
Liu, X., *see* Fu, X., *TPEL Nov. 2025 16146-16157*
Liu, X., *see* Ding, C., *TPEL Nov. 2025 16111-16115*
Liu, X., *see* Xu, Y., *TPEL Nov. 2025 16548-16559*
Liu, X., *see* Liu, L., *TPEL Nov. 2025 16419-16430*
Liu, X., *see* He, K., *TPEL Nov. 2025 17529-17548*
Liu, X., *see* Lv, Y., *TPEL Dec. 2025 17998-18010*
Liu, X., *see* Zhou, D., *TPEL Dec. 2025 18448-18460*
Liu, Y., *see* Gu, X., *TPEL Jan. 2025 1826-1835*
Liu, Y., *see* Wang, Z., *TPEL Jan. 2025 1183-1197*
Liu, Y., *see* Shen, Y., *TPEL Jan. 2025 1686-1696*
Liu, Y., *see* Wang, X., *TPEL Jan. 2025 1900-1909*
Liu, Y., *see* Zhu, H., *TPEL Jan. 2025 716-726*
Liu, Y., *see* Li, C., *TPEL Jan. 2025 82-86*
Liu, Y., *see* Xiao, Y., *TPEL Jan. 2025 879-891*
Liu, Y., *see* Zeng, Y., *TPEL Jan. 2025 2495-2512*
Liu, Y., *see* Li, Y., *TPEL Feb. 2025 3750-3769*
Liu, Y., *see* Li, H., *TPEL Feb. 2025 3670-3683*
Liu, Y., *see* Wu, H., *TPEL Feb. 2025 3578-3599*
Liu, Y., *see* Wu, H., *TPEL Feb. 2025 3578-3599*
Liu, Y., *see* Zhang, K., *TPEL March 2025 3916-3926*
Liu, Y., Zhang, Y., Zhang, M., Xu, W., Shao, S., and Guo, Y., Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault; *TPEL April 2025 5743-5755*
Liu, Y., *see* Wang, Y., *TPEL April 2025 5959-5970*
Liu, Y., *see* Wang, Z., *TPEL April 2025 6345-6358*
Liu, Y., Li, W., Zhou, L., Deng, C., Han, J., Yang, Z., and Zhao, X., Output Voltage Chopping Compensation Control Method and Current Fluctuation Suppression Strategy for High-Rate Discharge LBESS; *TPEL May 2025 6476-6491*
Liu, Y., *see* Wei, L., *TPEL May 2025 6605-6628*
Liu, Y., *see* Jin, F., *TPEL May 2025 6593-6604*
Liu, Y., *see* Zeng, Y., *TPEL June 2025 8792-8811*
Liu, Y., Xue, Y., Liang, D., and Jin, H., Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control; *TPEL July 2025 8972-8989*
Liu, Y., *see* Liu, L., *TPEL July 2025 9153-9166*
Liu, Y., *see* Zhang, M., *TPEL July 2025 9660-9671*
Liu, Y., *see* Wu, H., *TPEL Aug. 2025 11246-11256*
Liu, Y., *see* Ning, G., *TPEL Aug. 2025 10469-10480*
Liu, Y., *see* Xing, L., *TPEL Aug. 2025 10343-10348*
Liu, Y., Yang, X., Mu, W., Xie, L., Zheng, T.Q., and Igarashi, S., Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC; *TPEL Aug. 2025 10957-10972*
Liu, Y., He, Z., Zeng, J., Qiu, J., Lin, L., Tang, Z., Liu, Q., Li, Z., Zhang, X., and Li, Y., A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop; *TPEL Sept. 2025 12072-12083*
Liu, Y., *see* Wang, N., *TPEL Sept. 2025 11897-11907*
Liu, Y., Xu, J., Zhu, Y., Tian, Z., Zhao, C., and Li, G., Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations; *TPEL Sept. 2025 13632-13642*
Liu, Y., *see* Zhu, H., *TPEL Oct. 2025 14374-14387*
Liu, Y., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Liu, Y., *see* Wang, Y., *TPEL Oct. 2025 15203-15214*
Liu, Y., *see* Leng, Y., *TPEL Oct. 2025 15292-15305*
Liu, Y., Zhang, B., Dong, Z., and Liu, C., A Novel Wireless Switched Reluctance Motor With Improved Current Commutation; *TPEL Nov. 2025 16131-16145*
Liu, Y., *see* Wang, S., *TPEL Nov. 2025 16352-16366*
Liu, Y., *see* Ning, G., *TPEL Nov. 2025 16626-16638*
Liu, Y., *see* Yu, Z., *TPEL Nov. 2025 16764-16779*
Liu, Y., *see* Huang, X., *TPEL Nov. 2025 17234-17245*
Liu, Y., *see* Liu, B., *TPEL Dec. 2025 17619-17636*
Liu, Y., *see* Ning, G., *TPEL Dec. 2025 17869-17878*
Liu, Z., Wang, Z., Yang, G., Ren, S., You, J., Jiang, D., and Qu, R., Common-Mode Analysis and Suppression Method for Series-End Winding Motor Drive; *TPEL Jan. 2025 1748-1761*
Liu, Z., *see* Xie, Y., *TPEL Jan. 2025 1849-1861*
Liu, Z., Huang, X., Hu, Q., Yang, G., Wang, Y., and Shen, J., Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer; *TPEL Jan. 2025 679-690*
Liu, Z., *see* Xu, H., *TPEL Jan. 2025 2099-2113*
Liu, Z., *see* Rong, E., *TPEL Jan. 2025 2542-2555*
Liu, Z., *see* Han, J., *TPEL Jan. 2025 2248-2258*
Liu, Z., Liu, C., and Han, J., Adaptive Coupling Reshaping Controller for Mitigating Unstable SSCI Between Renewable Energy Power Plants and Power Grids; *TPEL Feb. 2025 3610-3621*
Liu, Z., *see* Zhu, J., *TPEL Feb. 2025 2708-2714*
Liu, Z., Zheng, L., Bao, S., Liu, C., Yang, A., Chu, J., Yuan, H., Rong, M., and Wang, X., Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines; *TPEL March 2025 4536-4545*
Liu, Z., Deng, Z., Xiao, S., Zhang, C., Yang, Y., Jiang, Y., Huang, C., Wang, J., and Shen, Z.J., Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration; *TPEL March 2025 4449-4460*
Liu, Z., *see* Xia, J., *TPEL April 2025 6260-6271*

Liu, Z., Zhu, L., Dang, Y., Zhan, C., and Ji, S., Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer; *TPEL April 2025 5609-5621*
Liu, Z., *see* Wang, G., *TPEL April 2025 5895-5906*
Liu, Z., *see* Li, S., *TPEL April 2025 4787-4792*
Liu, Z., *see* Dang, Y., *TPEL April 2025 5566-5582*
Liu, Z., *see* Zhang, S., *TPEL May 2025 7354-7369*
Liu, Z., *see* Xiong, W., *TPEL June 2025 8739-8750*
Liu, Z., *see* Xue, X., *TPEL June 2025 7919-7935*
Liu, Z., *see* Zhou, Z., *TPEL June 2025 7904-7918*
Liu, Z., *see* Xie, Y., *TPEL June 2025 8093-8108*
Liu, Z., *see* Shi, Q., *TPEL June 2025 8168-8178*
Liu, Z., Zuo, C., Li, S., Lu, S., Xia, J., Zhao, Y., Rong, E., and Li, T., A Large-Area Free-Positioning SCC-WPT System for Movable Receivers; *TPEL July 2025 8911-8916*
Liu, Z., *see* Zhang, P., *TPEL July 2025 9429-9438*
Liu, Z., Long, J., Wei, H., Liu, K., Zhang, Y., and Li, X., A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning; *TPEL July 2025 9800-9810*
Liu, Z., *see* Zhang, R., *TPEL July 2025 9638-9648*
Liu, Z., Liu, C., Bao, S., Zheng, L., Yang, A., Zhou, D., Chu, J., Yuan, H., Rong, M., and Wang, X., Corrections to "Mathematical Modeling and Optimization for the Power Density of the Free-Standing Magnetic Field Energy Harvester" *TPEL July 2025 10265*
Liu, Z., *see* Xiong, W., *TPEL July 2025 10176-10188*
Liu, Z., *see* Shi, Y., *TPEL Aug. 2025 11564-11582*
Liu, Z., *see* Zhang, H., *TPEL Aug. 2025 11641-11654*
Liu, Z., *see* Chen, J., *TPEL Aug. 2025 10443-10455*
Liu, Z., *see* Lin, X., *TPEL Aug. 2025 10682-10693*
Liu, Z., *see* Yan, C., *TPEL Sept. 2025 12048-12054*
Liu, Z., Zhu, L., Dang, Y., and Ji, S., Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition; *TPEL Sept. 2025 13126-13141*
Liu, Z., *see* Wang, H., *TPEL Sept. 2025 12964-12976*
Liu, Z., *see* Wu, X., *TPEL Sept. 2025 13514-13528*
Liu, Z., *see* Zhong, K., *TPEL Sept. 2025 13741-13751*
Liu, Z., Xiao, Y., Yuan, Y., Xu, X., Luo, B., and Huang, T., Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation; *TPEL Sept. 2025 13187-13201*
Liu, Z., *see* Xiong, Y., *TPEL Sept. 2025 13217-13230*
Liu, Z., Zheng, L., Bao, S., Yang, A., Zhou, D., Chu, J., Yuan, H., Rong, M., and Wang, X., Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability; *TPEL Sept. 2025 14014-14026*
Liu, Z., *see* Zeng, Y., *TPEL Oct. 2025 14277-14281*
Liu, Z., *see* Wang, P., *TPEL Oct. 2025 14675-14685*
Liu, Z., *see* Xu, R., *TPEL Oct. 2025 14536-14546*
Liu, Z., *see* Zhu, H., *TPEL Oct. 2025 14374-14387*
Liu, Z., *see* Shuai, Y., *TPEL Oct. 2025 14560-14570*
Liu, Z., *see* Yan, X., *TPEL Oct. 2025 14388-14400*
Liu, Z., *see* Mao, K., *TPEL Oct. 2025 14651-14661*
Liu, Z., *see* Dang, Y., *TPEL Oct. 2025 14785-14796*
Liu, Z., *see* Feng, K., *TPEL Oct. 2025 15620-15637*
Liu, Z., *see* Zeng, Y., *TPEL Nov. 2025 17503-17513*
Liu, Z., *see* Chen, X., *TPEL Nov. 2025 17051-17060*
Liu, Z., Nie, R., Xiao, Z., Li, T., Lu, S., Rong, E., Fan, Y., Yu, X., and Li, S., A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application; *TPEL Dec. 2025 18499-18511*
Liu, Z., *see* Cai, J., *TPEL Dec. 2025 17664-17673*
Lobo Heldwein, M., *see* Kong, D., *TPEL Jan. 2025 1925-1935*
Lobo Heldwein, M., *see* Cao, T., *TPEL Dec. 2025 18214-18225*
LoBue, M., *see* Almanza, M., *TPEL Aug. 2025 11197-11205*
Lodhi, E., *see* Wang, L., *TPEL April 2025 5177-5189*
Lodi, M., *see* Ravera, A., *TPEL Jan. 2025 1563-1576*
Long, B., *see* Xiong, W., *TPEL July 2025 10176-10188*
Long, B., *see* Han, M.E., *TPEL Sept. 2025 14027-14037*
Long, B., *see* Cao, T., *TPEL Dec. 2025 18214-18225*
Long, J., *see* Liu, Z., *TPEL July 2025 9800-9810*
Long, T., *see* Wang, Y., *TPEL May 2025 6464-6469*
Long, T., *see* Du, Y., *TPEL Sept. 2025 12003-12010*
Long, T., *see* Li, Z., *TPEL Oct. 2025 14368-14373*
Long, T., *see* Duffy, M., *TPEL Oct. 2025 14343-14344*
Long, T., *see* Xu, Y., *TPEL Dec. 2025 18340-18349*
Loo, K., *see* Chen, X., *TPEL Dec. 2025 18251-18264*
Loo, K.H., *see* Yin, H., *TPEL Oct. 2025 15519-15528*
Lopez, O., Alvarez, J., Yepes, A.G., Medina-Sanchez, M., and Doval-Gandoy, J., Postfault Operation Strategy With Minimum Harmonic Injection for Cascaded H-Bridge Inverters Driving a Multiphase Motor; *TPEL Jan. 2025 8-22*
Loureiro, P.H.C.d.S.B., and Andrade, A.M.S.S., Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection; *TPEL Jan. 2025 1457-1466*
Lu, C., *see* Zhao, S., *TPEL Jan. 2025 2581-2592*
Lu, C., *see* Xia, C., *TPEL Jan. 2025 2604-2618*
Lu, D., *see* Poblete, P., *TPEL Jan. 2025 500-515*
Lu, D.D., *see* Poblete, P., *TPEL Jan. 2025 625-637*
Lu, F., Guo, Q., Dou, Z., Chen, Y., Wang, Q., An, X., and Dou, H., A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter; *TPEL Aug. 2025 11369-11379*
Lu, G., *see* Xiang, D., *TPEL Jan. 2025 1577-1588*
Lu, G., Ma, K., and Feng, Y., Calibration and Measurement of V_{ce}-T_j Correlation With Temperature Distribution of IGBT and Interconnections; *TPEL Jan. 2025 2149-2157*
Lu, G., *see* Wang, M., *TPEL Sept. 2025 13086-13098*
Lu, H., *see* Fan, Z., *TPEL April 2025 4767-4774*
Lu, J., *see* Zhang, K., *TPEL March 2025 3916-3926*
Lu, J., *see* Zhang, Z., *TPEL July 2025 9591-9605*
Lu, K., *see* Du, Y., *TPEL Sept. 2025 12003-12010*
Lu, L., Wang, X., Jin, L., Mao, Y., Bao, Q., and Wang, Z., Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range; *TPEL Feb. 2025 3385-3394*
Lu, L., *see* Zhang, Y., *TPEL Nov. 2025 16184-16194*
Lu, M., Mu, W., Qin, M., Koehler, A., Fang, J., and Goetz, S.M., Differential Detection of Feeder and Mesh Impedances Through a Series–Parallel Direct-Injection Soft Open Point; *TPEL Jan. 2025 1964-1973*
Lu, M., *see* Li, W., *TPEL April 2025 5939-5948*
Lu, M., Hu, J., Xie, H., and Zhou, Z., DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing; *TPEL Sept. 2025 12055-12060*
Lu, M., *see* He, Y., *TPEL Oct. 2025 14331-14336*
Lu, Q., *see* Zou, Z., *TPEL Nov. 2025 16379-16394*
Lu, R., *see* Ji, S., *TPEL Jan. 2025 2158-2169*
Lu, S., *see* Lv, Y., *TPEL March 2025 4186-4198*
Lu, S., *see* Xia, J., *TPEL April 2025 6260-6271*
Lu, S., *see* Li, S., *TPEL April 2025 4787-4792*
Lu, S., *see* Yao, Z., *TPEL April 2025 5109-5119*
Lu, S., Xu, S., Deng, J., Li, T., Li, S., Xia, J., and Zhao, D., A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications; *TPEL April 2025 5456-5466*
Lu, S., *see* Liu, Z., *TPEL July 2025 8911-8916*
Lu, S., *see* Chang, H., *TPEL Aug. 2025 10877-10888*
Lu, S., *see* Lv, Y., *TPEL Dec. 2025 17998-18010*
Lu, S., *see* Liu, Z., *TPEL Dec. 2025 18499-18511*
Lu, S., *see* Raherimihaja, H.J., *TPEL Dec. 2025 17789-17802*
Lu, T., *see* Jia, Z., *TPEL May 2025 7239-7250*
Lu, T., *see* Jia, Z., *TPEL Nov. 2025 17013-17024*
Lu, W., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Lu, W., *see* Tian, Y., *TPEL May 2025 6860-6873*
Lu, W., *see* Wang, S., *TPEL Nov. 2025 16352-16366*
Lu, W., *see* Zhao, C., *TPEL Dec. 2025 17552-17557*
Lu, X., *see* Yang, Q., *TPEL June 2025 8075-8092*

Lu, X., and Wang, L., A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time; *TPEL Aug. 2025 11326-11338*
Lu, Y., *see* Zhang, B., *TPEL Jan. 2025 2593-2603*
Lu, Y., Shen, H., Dongye, Z., Li, M., Su, H., Zhang, X., and Qi, L., High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves; *TPEL Jan. 2025 2210-2218*
Lu, Y., *see* Wang, Q., *TPEL March 2025 4581-4591*
Lu, Y., Zhou, B., Chang, Q., and Yu, X., A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor; *TPEL March 2025 4324-4334*
Lu, Y., Shen, H., Qi, L., Cui, H., Dongye, Z., and Zhang, X., Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils; *TPEL April 2025 6044-6054*
Lu, Y., *see* Yi, H., *TPEL May 2025 7189-7199*
Lu, Y., *see* Tong, Z., *TPEL July 2025 9764-9774*
Lu, Y., Tong, Z., Lai, C., Ding, B., and Feng, G., Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault; *TPEL Sept. 2025 11934-11939*
Lu, Y., *see* Tong, Z., *TPEL Sept. 2025 11991-11997*
Lu, Y., *see* Zhang, X., *TPEL Sept. 2025 13730-13740*
Lu, Y., *see* Yi, H., *TPEL Nov. 2025 16367-16378*
Lu, Y., Tong, Z., Feng, G., and Ding, B., Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault; *TPEL Dec. 2025 17690-17702*
Lu, Z., *see* Yu, T., *TPEL Jan. 2025 2005-2016*
Luan, H., *see* Gao, L., *TPEL March 2025 3885-3898*
Luan, H., *see* Li, K., *TPEL Oct. 2025 14585-14597*
Luan, M., *see* You, L., *TPEL Oct. 2025 15638-15651*
Luan, S., *see* Yan, Z., *TPEL June 2025 8194-8205*
Luan, X., and Wang, Y., Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop; *TPEL July 2025 8962-8971*
Lubbe, J., *see* Nayak, R.D., *TPEL Dec. 2025 17604-17618*
Lukic, S., *see* Anees, M., *TPEL April 2025 4734-4739*
Luo, A., *see* Mo, N., *TPEL Jan. 2025 406-421*
Luo, A., *see* Hu, J., *TPEL Jan. 2025 375-388*
Luo, A., *see* Tang, C., *TPEL July 2025 9908-9920*
Luo, A., *see* Mo, N., *TPEL Oct. 2025 15504-15518*
Luo, B., *see* Zhang, Y., *TPEL Jan. 2025 1836-1848*
Luo, B., *see* Zhang, Y., *TPEL Jan. 2025 87-91*
Luo, B., *see* Xiong, X., *TPEL Jan. 2025 422-434*
Luo, B., Wu, H., Wang, M., Wang, F., Bai, L., Jiang, C., and You, J., Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System; *TPEL April 2025 6307-6318*
Luo, B., *see* Liu, Z., *TPEL Sept. 2025 13187-13201*
Luo, B., Wang, M., Tang, J., Wang, T., Bai, L., and You, J., An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System; *TPEL Dec. 2025 17569-17574*
Luo, C., Chen, Y., Liao, S., Wang, Z., Xie, Z., and Lian, Z., Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit; *TPEL Jan. 2025 2472-2483*
Luo, C., Wang, Y., Yang, K., and Xiong, F., Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries; *TPEL April 2025 5883-5894*
Luo, C., Liao, S., Chen, Y., and Huang, M., Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control; *TPEL April 2025 4780-4786*
Luo, D., *see* Qu, H., *TPEL Feb. 2025 3490-3504*
Luo, D., *see* Wang, X., *TPEL May 2025 6519-6528*
Luo, F., *see* Nielsen, M.R., *TPEL Jan. 2025 987-1011*
Luo, F., *see* Mirza, A.B., *TPEL April 2025 5768-5786*
Luo, F., *see* Xiong, W., *TPEL June 2025 8739-8750*
Luo, F., *see* Ren, J., *TPEL Oct. 2025 14974-14984*
Luo, G., *see* Ma, C., *TPEL April 2025 5857-5870*
Luo, G., *see* Huang, S., *TPEL Aug. 2025 11763-11774*
Luo, H., *see* Gao, H., *TPEL Jan. 2025 828-839*
Luo, H., *see* Li, X., *TPEL Feb. 2025 3129-3137*
Luo, H., *see* Ma, Y., *TPEL April 2025 5756-5767*
Luo, H., *see* Ni, Q., *TPEL June 2025 8766-8775*
Luo, H., *see* Chen, H., *TPEL Sept. 2025 12920-12936*
Luo, J., *see* Zhang, J., *TPEL Jan. 2025 1198-1214*
Luo, J., *see* Fang, Z., *TPEL March 2025 3873-3884*
Luo, J., *see* Wang, X., *TPEL July 2025 10038-10048*
Luo, J., Luo, Y., Yang, K., Hossen, M.S., and Yu, J., Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor; *TPEL Nov. 2025 16206-16218*
Luo, K., Zhou, D., Zhang, Z., Zou, J., and Zhou, X., Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives; *TPEL Aug. 2025 10705-10716*
Luo, L., Wang, J., Zhou, Y., and Ci, S., Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings; *TPEL Aug. 2025 11452-11466*
Luo, M., Tan, K., Tang, X., Hu, C., Li, Z., Ji, B., Zhang, Z., and Cao, W., Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs; *TPEL Jan. 2025 851-861*
Luo, M., *see* Zhang, Y., *TPEL June 2025 8036-8048*
Luo, N., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Luo, P., *see* Xu, S., *TPEL Aug. 2025 10804-10815*
Luo, P., *see* Zhang, Y., *TPEL Sept. 2025 12309-12320*
Luo, Q., *see* Li, Z., *TPEL Jan. 2025 1305-1321*
Luo, Q., *see* Luo, T., *TPEL March 2025 4170-4185*
Luo, Q., *see* Yan, Y., *TPEL June 2025 8344-8355*
Luo, Q., *see* Yan, Y., *TPEL Sept. 2025 12555-12565*
Luo, Q., *see* Luo, T., *TPEL Oct. 2025 15104-15117*
Luo, S., *see* Wang, Y., *TPEL Jan. 2025 1974-1990*
Luo, S., *see* Wang, T., *TPEL March 2025 4314-4323*
Luo, S., *see* Jin, H., *TPEL May 2025 6933-6950*
Luo, S., Chen, W., Jin, H., Wang, Y., and Hao, Z., Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters; *TPEL Sept. 2025 13703-13715*
Luo, T., Luo, Q., Yin, M., Li, J., Yan, Y., Wei, Y., Sun, P., and Du, X., An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current; *TPEL March 2025 4170-4185*
Luo, T., Niasar, M.G., and Vaessen, P., A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils; *TPEL March 2025 4279-4288*
Luo, T., *see* Yan, Y., *TPEL June 2025 8344-8355*
Luo, T., *see* Yan, Y., *TPEL Sept. 2025 12555-12565*
Luo, T., *see* Wang, Z., *TPEL Sept. 2025 13142-13156*
Luo, T., Li, J., Chen, Y., Yan, Y., Xiong, J., Lai, G., and Luo, Q., An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model; *TPEL Oct. 2025 15104-15117*
Luo, W., *see* Nie, J., *TPEL June 2025 8264-8280*
Luo, W., *see* Liu, C., *TPEL Nov. 2025 17147-17159*
Luo, X., *see* Xi, H., *TPEL March 2025 4569-4580*
Luo, X., *see* Liu, L., *TPEL July 2025 9153-9166*
Luo, X., *see* Xu, S., *TPEL Aug. 2025 10804-10815*
Luo, X., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Luo, Y., *see* Hu, Y., *TPEL April 2025 5846-5856*
Luo, Y., *see* Xie, Y., *TPEL May 2025 7453-7465*
Luo, Y., *see* Luo, J., *TPEL Nov. 2025 16206-16218*
Luo, Z., Wu, Z., Xie, X., Quan, X., Hu, Q., and Cao, X., Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization; *TPEL March 2025 3927-3937*
Luo, Z., *see* Chen, C., *TPEL April 2025 5661-5671*
Luo, Z., Wu, Z., Quan, X., and Hu, Q., An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation; *TPEL June 2025 8305-8314*
Luo, Z., *see* Duffy, M., *TPEL Oct. 2025 14343-14344*
Luo, Z., *see* Liang, Z., *TPEL Oct. 2025 14351-14355*
Lutz, J., *see* Abuogo, J., *TPEL Aug. 2025 10555-10566*
Luu, K., *see* Zhang, H., *TPEL Jan. 2025 290-302*

Lv, J., *see* Zheng, Z., *TPEL Jan. 2025 1542-1553*
Lv, J., *see* Liu, B., *TPEL Dec. 2025 17619-17636*
Lv, S., *see* Chen, H., *TPEL July 2025 9315-9328*
Lv, W., *see* Liu, B., *TPEL Dec. 2025 17619-17636*
Lv, X., *see* Zou, M., *TPEL Aug. 2025 11583-11597*
Lv, X., Dai, X., Yu, F., Li, X., Wang, H., Sun, Y., and Hu, J., A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications; *TPEL Aug. 2025 10372-10377*
Lv, Y., Liu, X., Wang, Y., Lu, S., Zhang, J., and Zhang, H., High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application; *TPEL March 2025 4186-4198*
Lv, Y., *see* Gao, H., *TPEL July 2025 9921-9932*
Lv, Y., Deng, F., Shen, Z., Kaddah, S.S., Yu, Q., and Abulanwar, S., Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density; *TPEL Aug. 2025 11655-11672*
Lv, Y., Wang, H., Liu, X., Lu, S., and Lian, H., A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application; *TPEL Dec. 2025 17998-18010*
Lyu, F., *see* Wu, C., *TPEL Sept. 2025 13337-13362*
Lyu, J., *see* Niu, S., *TPEL Jan. 2025 152-156*
Lyu, J., *see* Gao, L., *TPEL Nov. 2025 16837-16852*
Lyu, R., *see* Niu, S., *TPEL Jan. 2025 152-156*
Lyu, X., *see* Ba, D., *TPEL Oct. 2025 14894-14907*
Lyu, Z., Niu, S., Wang, T., Wu, L., and Chau, K.T., Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs; *TPEL March 2025 3844-3849*
Lyu, Z., Niu, S., Zhan, H., Wang, T., Wu, L., and Chau, K.T., Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement; *TPEL Sept. 2025 11957-11962*

M

M., M.A., Vazquez, S., Wilson-Veas, A.H., Kouro, S., Rojas, C.A., Leon, J.I., and Franquelo, L.G., Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters; *TPEL April 2025 4927-4937*
Ma, C., Mao, S., Luo, G., Liu, W., Guo, Z., and Ge, L., Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter; *TPEL April 2025 5857-5870*
Ma, C., *see* Li, X., *TPEL April 2025 5799-5809*
Ma, C., *see* Jia, Z., *TPEL May 2025 7239-7250*
Ma, C., Wu, Y., Song, W., Li, J., and Hu, X., Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages; *TPEL July 2025 9107-9120*
Ma, C., Zhu, X., Chen, Z., and Zhang, B., Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter; *TPEL Sept. 2025 13035-13049*
Ma, C., *see* Jia, Z., *TPEL Nov. 2025 17013-17024*
Ma, D.B., *see* Du, L., *TPEL Nov. 2025 16718-16727*
Ma, E., *see* Song, P., *TPEL March 2025 4067-4079*
Ma, F., *see* Wang, J., *TPEL Jan. 2025 1234-1246*
Ma, F., *see* Yang, Q., *TPEL Oct. 2025 14881-14893*
Ma, G., *see* Sun, Z., *TPEL Nov. 2025 16195-16205*
Ma, H., Zhang, P., Zhang, J., Pang, J., Zhang, N., and Tan, Q., Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks; *TPEL July 2025 10077-10094*
Ma, J., Yao, C., Yu, L., Li, C., Liu, C., Zhao, L., and Dong, S., Compact Nanosecond Pulse Generator Based on Distributed Inductive Energy Storage of Twisted Pair Wire; *TPEL Jan. 2025 1111-1122*
Ma, J., *see* Wang, P., *TPEL Jan. 2025 361-374*
Ma, J., *see* Li, H., *TPEL Feb. 2025 2822-2832*
Ma, J., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Ma, J., *see* Zhang, K., *TPEL March 2025 3916-3926*
Ma, J., *see* Du, C., *TPEL April 2025 5715-5730*
Ma, J., *see* Wang, S., *TPEL April 2025 6192-6202*
Ma, J., *see* Zhang, R., *TPEL April 2025 5336-5351*
Ma, J., *see* Peng, H., *TPEL May 2025 6539-6554*
Ma, J., Zou, Y., Zhu, M., Wen, S., Chen, Y., and Lin, P., Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids; *TPEL May 2025 7398-7413*
Ma, J., *see* Wang, S., *TPEL June 2025 7765-7776*
Ma, J., *see* Xia, Z., *TPEL July 2025 10221-10241*
Ma, J., *see* Sheikhi, A., *TPEL Aug. 2025 11117-11125*
Ma, J., *see* Shen, X., *TPEL Oct. 2025 15545-15561*
Ma, J., *see* Zhao, P., *TPEL Oct. 2025 15757-15767*
Ma, J., Yao, C., Li, K., Dong, S., Liu, J., and Li, W., A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component; *TPEL Oct. 2025 15215-15225*
Ma, J., *see* Zhao, X., *TPEL Nov. 2025 17073-17090*
Ma, K., *see* Lu, G., *TPEL Jan. 2025 2149-2157*
Ma, K., *see* Lai, W., *TPEL Aug. 2025 11416-11427*
Ma, K., *see* Xia, S., *TPEL Aug. 2025 11407-11415*
Ma, K., *see* Deng, Z., *TPEL Sept. 2025 13448-13458*
Ma, L., *see* Nie, J., *TPEL June 2025 8264-8280*
Ma, M., *see* Xu, S., *TPEL June 2025 8631-8647*
Ma, M., *see* Wang, H., *TPEL Aug. 2025 10385-10390*
Ma, M., *see* Wang, L., *TPEL Aug. 2025 10649-10660*
Ma, M., *see* Yan, Y., *TPEL Oct. 2025 14415-14424*
Ma, M., *see* Chen, Q., *TPEL Nov. 2025 16937-16952*
Ma, N., *see* Wang, Y., *TPEL March 2025 4100-4111*
Ma, P., and Sha, D., A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency; *TPEL Nov. 2025 17414-17425*
Ma, R., *see* Liu, L., *TPEL Nov. 2025 16419-16430*
Ma, S., *see* Yang, H., *TPEL May 2025 6413-6422*
Ma, S., *see* Zhao, W., *TPEL June 2025 8528-8539*
Ma, T., *see* Chen, C., *TPEL April 2025 5661-5671*
Ma, T., *see* Wang, X., *TPEL July 2025 10165-10175*
Ma, T., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Ma, W., *see* Song, S., *TPEL March 2025 4199-4212*
Ma, W., *see* Xie, Y., *TPEL May 2025 7453-7465*
Ma, W., *see* Zhang, Y., *TPEL June 2025 8036-8048*
Ma, X., *see* Sun, P., *TPEL Feb. 2025 2780-2796*
Ma, X., Li, B., Li, G., and Yao, Y., Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation; *TPEL March 2025 4289-4302*
Ma, X., *see* Wang, Y., *TPEL April 2025 4938-4951*
Ma, X., *see* Ling, Y., *TPEL Sept. 2025 13474-13489*
Ma, X., *see* Yuan, Z., *TPEL Sept. 2025 14146-14158*
Ma, X., *see* Liang, Z., *TPEL Oct. 2025 15922-15936*
Ma, X., *see* Liu, L., *TPEL Nov. 2025 16419-16430*
Ma, X., *see* Li, C., *TPEL Nov. 2025 16926-16936*
Ma, Y., Zhu, D., Hu, J., Liu, R., Zou, X., and Kang, Y., Optimized Design of Demagnetization Control for DFIG-Based Wind Turbines to Enhance Transient Stability During Weak Grid Faults; *TPEL Jan. 2025 76-81*
Ma, Y., Li, S., Li, M., Lu, W., Wang, L., Ma, J., Ye, R., Wei, J., Zhang, L., Zhang, C., Liu, S., and Sun, W., Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology; *TPEL Feb. 2025 2721-2725*
Ma, Y., Yin, Q., and Luo, H., A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems; *TPEL April 2025 5756-5767*
Ma, Y., *see* Wang, G., *TPEL April 2025 5895-5906*
Ma, Y., *see* Yang, R., *TPEL April 2025 4878-4888*
Ma, Y., *see* Mao, Y., *TPEL June 2025 8648-8657*
Ma, Y., Zhao, B., Cui, B., Hu, J., Tang, X., An, F., Zhang, Y., Qu, L., Yu, Z., and Zeng, R., A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application; *TPEL July 2025 9439-9451*
Ma, Y., *see* Zhuo, S., *TPEL July 2025 9853-9863*
Ma, Y., *see* Wang, J., *TPEL Sept. 2025 14124-14133*
Ma, Y., *see* Chen, Z., *TPEL Oct. 2025 15949-15958*
Ma, Z., *see* Wang, H., *TPEL May 2025 7227-7238*

Ma, Z., *see* Yang, Q., *TPEL June 2025 8075-8092*
Ma, Z., *see* Shao, Z., *TPEL Aug. 2025 11775-11786*
Ma, Z., *see* Zhang, X., *TPEL Aug. 2025 10330-10334*
MacMillan, M., *see* Herpers, C., *TPEL April 2025 6248-6259*
Madawala, U.K., *see* De Soysa, G.S., *TPEL Jan. 2025 241-251*
Madawala, U.K., *see* Wang, H., *TPEL Oct. 2025 14324-14330*
Madonski, R., *see* Babayomi, O., *TPEL Nov. 2025 17124-17146*
Maeng, J., *see* Lee, J., *TPEL Oct. 2025 14235-14240*
Magnone, P., *see* Farag, A.Y., *TPEL Nov. 2025 16074-16079*
Magod, R., *see* Nayak, R.D., *TPEL Dec. 2025 17604-17618*
Mahdavi, M.S., *see* Karimzadeh, M.S., *TPEL July 2025 9898-9907*
Mahesh, P., *see* Arya, S.R., *TPEL June 2025 8480-8489*
Maheshwari, A., Karakaya, F., Banerjee, A., and Donnal, J.S., Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current; *TPEL Jan. 2025 652-664*
Mai, J., *see* Guan, Y., *TPEL May 2025 7537-7548*
Mai, J., Yang, A., Bi, W., Wang, Y., Zhang, G., Li, M., and Xu, D., A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability; *TPEL Oct. 2025 14337-14342*
Mai, J., *see* Guan, Y., *TPEL Oct. 2025 15865-15879*
Mai, R., *see* Zhang, Y., *TPEL Jan. 2025 87-91*
Mai, R., *see* Zhang, Z., *TPEL Jan. 2025 23-27*
Mai, R., *see* Wang, Q., *TPEL March 2025 4581-4591*
Mai, R., *see* Gu, Y., *TPEL Aug. 2025 11076-11087*
Mai, R., *see* Li, J., *TPEL Oct. 2025 14222-14227*
Maile, P., and Jayalath, S., Parameter Estimation Using Total Harmonic Distortion in a WPT System; *TPEL Jan. 2025 57-63*
Maiti, S., *see* Pillai, S.K., *TPEL Jan. 2025 1051-1063*
Maiti, S., *see* Karpana, S., *TPEL Jan. 2025 2300-2314*
Maity, A., *see* Chakraborty, A., *TPEL Sept. 2025 14072-14083*
Mak, P., *see* Tan, Y., *TPEL Aug. 2025 11182-11196*
Maksimovic, D., *see* Reese, S., *TPEL Aug. 2025 11126-11142*
Mallik, A., *see* Reece, C., *TPEL Feb. 2025 3150-3167*
Mallik, A., *see* Dey, S., *TPEL Oct. 2025 14821-14841*
Man, C., Wang, Z., Liao, Y., Shi, X., Xin, G., Yao, Y., and Hu, R., An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules; *TPEL July 2025 9211-9222*
Mancilla-David, F., *see* Gonzalez, C., *TPEL Sept. 2025 12719-12729*
Mandrioli, R., *see* Geng, J., *TPEL May 2025 7002-7014*
Maniyil, S., *see* Qiu, Z., *TPEL Oct. 2025 15937-15948*
Mannen, T., *see* Huang, C., *TPEL Oct. 2025 15835-15851*
Mantooth, H.A., *see* Du, X., *TPEL May 2025 6908-6920*
Mantooth, H.A., *see* Farnell, C., *TPEL Dec. 2025 18437-18447*
Mao, B., *see* Zhu, H., *TPEL Jan. 2025 716-726*
Mao, J., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Mao, J., *see* Chen, J., *TPEL Aug. 2025 10443-10455*
Mao, K., Liu, Z., Zhou, C., Wang, D., and Zheng, S., Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation; *TPEL Oct. 2025 14651-14661*
Mao, S., *see* Ma, C., *TPEL April 2025 5857-5870*
Mao, S., *see* Li, X., *TPEL April 2025 5799-5809*
Mao, S., *see* Wang, R., *TPEL April 2025 5400-5411*
Mao, X., *see* Zhou, M., *TPEL Jan. 2025 1508-1518*
Mao, X., *see* Liu, R., *TPEL Jan. 2025 71-75*
Mao, X., *see* Wu, Y., *TPEL April 2025 6334-6344*
Mao, X., *see* Pan, W., *TPEL April 2025 6272-6281*
Mao, X., *see* Zhang, Y., *TPEL April 2025 4711-4715*
Mao, X., *see* Zheng, Y., *TPEL May 2025 6459-6463*
Mao, X., *see* Zhang, Y., *TPEL May 2025 7512-7522*
Mao, X., *see* Pan, W., *TPEL Sept. 2025 14159-14168*
Mao, Y., *see* Lu, L., *TPEL Feb. 2025 3385-3394*
Mao, Y., Zhang, H., Ma, Y., Wang, H., Sun, H., and Yuan, C., Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs; *TPEL June 2025 8648-8657*
Mao, Y., *see* Zhang, Y., *TPEL Nov. 2025 16184-16194*
Mao, Z., *see* Wang, J., *TPEL Sept. 2025 14124-14133*
Marin, J., *see* Berger, J.G., *TPEL April 2025 5518-5530*
Maroufi, S.M., Karrari, S., Rajashekaraiah, K., and De Carne, G., Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate; *TPEL July 2025 9944-9956*
Marson, E., *see* Torchio, R., *TPEL May 2025 6977-6987*
Martinez, W., *see* Zuo, Y., *TPEL March 2025 3838-3843*
Martinez, W., *see* Wouters, H., *TPEL Sept. 2025 13157-13176*
Martinez, W., *see* Shen, X., *TPEL Oct. 2025 15254-15264*
Martins, R.P., *see* Tan, Y., *TPEL Aug. 2025 11182-11196*
Marz, M., *see* Zettelmeier, J., *TPEL Sept. 2025 12606-12613*
Marzang, V., *see* Qiu, M., *TPEL Jan. 2025 1359-1375*
Mattavelli, P., *see* Cvetanovic, R., *TPEL Sept. 2025 13880-13894*
Mattavelli, P., *see* Farag, A.Y., *TPEL Nov. 2025 16074-16079*
Mattavelli, P., *see* Stojanovic, L., *TPEL Nov. 2025 17400-17413*
Mattavelli, P., *see* Iyer, R.K., *TPEL Dec. 2025 18070-18082*
Maurya, V.P., and Singh, R.K., A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles; *TPEL Sept. 2025 13778-13791*
Mawby, P.A., *see* Iosifidis, N., *TPEL Oct. 2025 15381-15398*
Mawby, P.A., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*
Mayer, R., de Oliveira, L.S., Kattel, M.B.E., Gili, L.C., and Oliveira, S.V.G., An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic; *TPEL Aug. 2025 11051-11063*
Mazaheri, H., *see* Shawartamimi, A., *TPEL Aug. 2025 10419-10432*
Mazgaj, W., and Szular, Z., Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter; *TPEL Jan. 2025 1797-1812*
Mazloum, N., and Khajehoddin, S.A., An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters; *TPEL Jan. 2025 1589-1608*
Mazumder, S.K., *see* Rad, S.E., *TPEL Jan. 2025 1467-1482*
Mazumder, S.K., *see* Sur, D., *TPEL Feb. 2025 2674-2679*
Mazumder, S.K., *see* Gupta, S., *TPEL July 2025 9121-9136*
McGrew, T., Chen, X., and Li, Q., PCB Inductor With Integrated Shielding to Contain Switching Electric Field and Reduce CM Noise; *TPEL Jan. 2025 944-957*
Medi, A., *see* Kargaran, M., *TPEL Sept. 2025 12112-12122*
Medina-Sanchez, M., *see* Lopez, O., *TPEL Jan. 2025 8-22*
Mehran, K., *see* Naghibi, J., *TPEL Dec. 2025 18178-18188*
Mei, J., *see* Geng, J., *TPEL Oct. 2025 15118-15129*
Mei, K., Li, Q., Chen, W., Chen, C., and Ding, S., Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation; *TPEL June 2025 7980-7993*
Mei, Y., Zhang, L., Zhao, Y., Pei, Y., Ning, P., Li, L., and Zhu, G., An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance; *TPEL Aug. 2025 11107-11116*
Mei, Y., *see* Wang, M., *TPEL Sept. 2025 13086-13098*
Mei, Y., *see* Hui, X., *TPEL Dec. 2025 17911-17923*
Meineri, N.A., Santana, I., and Zurbriggen, I.G., Ultra-Fast MPPT for Residential PV Systems With Low DC-Link Capacitance and Differential Power Processing; *TPEL Feb. 2025 2736-2745*
Meinert, J.D., *see* Kubulus, P.P., *TPEL April 2025 5201-5211*
Mekhilef, S., *see* Tian, H., *TPEL Jan. 2025 92-97*
Mekhilef, S., *see* Tian, H., *TPEL Aug. 2025 10335-10342*
Melillo, P., Leoncini, M., Bertolini, A., Gasparini, A., Levantino, S., and Ghioni, M., A 96.3% Efficient, 6mV_{pp} Line Transient Response Time-Based Boost Converter With Feedback-PID for AMOLED Displays; *TPEL Jan. 2025 328-339*
Meng, F., *see* Wu, J., *TPEL April 2025 4862-4877*
Meng, F., Yong, S., Wu, J., Shu, Y., and Chen, Y., ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC; *TPEL Oct. 2025 15160-15171*
Meng, F., Shu, Y., Wu, J., Yong, S., and Chen, Y., A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter; *TPEL Oct. 2025 15768-15779*
Meng, H., *see* Qiu, M., *TPEL Jan. 2025 1359-1375*

Meng, H., Liu, J., Zhang, Y., and Chung, C.Y., An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate; *TPEL Sept. 2025 12015-12020*
Meng, J., *see* Peng, Q., *TPEL July 2025 9972-9985*
Meng, J., *see* Du, X., *TPEL Aug. 2025 11739-11748*
Meng, J., *see* Pan, A., *TPEL Nov. 2025 16231-16242*
Meng, J., *see* Shi, S., *TPEL Dec. 2025 17582-17586*
Meng, L., *see* Wang, S., *TPEL Jan. 2025 98-104*
Meng, L., *see* Nie, J., *TPEL June 2025 8264-8280*
Meng, L., *see* Zou, M., *TPEL Aug. 2025 11583-11597*
Meng, L., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*
Meng, Q., and Biela, J., Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements; *TPEL Feb. 2025 3302-3312*
Meng, X., Yu, H., Zhang, J., Yang, Q., and Fu, C., Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances; *TPEL May 2025 6506-6518*
Meng, X., *see* Kong, R., *TPEL Aug. 2025 11170-11181*
Meng, X., Yu, H., Zhang, J., Wang, S., and Yang, Q., Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults; *TPEL Nov. 2025 16469-16482*
Meng, Y., *see* Xu, Y., *TPEL April 2025 5505-5517*
Meng, Y., *see* Duan, Z., *TPEL July 2025 9986-9999*
Mercier, P.P., *see* Liu, W.B., *TPEL Jan. 2025 1389-1403*
Merlin, M.M.C., *see* Xia, P., *TPEL Sept. 2025 12321-12336*
Mertens, A., *see* Himker, N., *TPEL Feb. 2025 2887-2900*
Metschies, D., *see* Groon, F., *TPEL Nov. 2025 17309-17324*
Mi, C.C., *see* Kurdkandi, N.V., *TPEL Nov. 2025 17281-17294*
Miao, M., Xiao, C., and Yu, J., Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions; *TPEL July 2025 9786-9799*
Miao, Y., *see* Zhang, X., *TPEL May 2025 7136-7149*
Michaels, A.J., *see* Gill, L., *TPEL Oct. 2025 15433-15449*
Miljkovic, N., *see* Farnell, C., *TPEL Dec. 2025 18437-18447*
Min, F., *see* Yang, W., *TPEL May 2025 7342-7353*
Min, R., *see* Zhang, S., *TPEL March 2025 4142-4155*
Min, R., *see* Song, S., *TPEL Oct. 2025 14447-14458*
Ming, Y., *see* Yang, J., *TPEL April 2025 5907-5921*
Mirafzal, B., *see* Fard, M.T., *TPEL March 2025 4335-4344*
Miret, J., Castilla, M., Guzman, R., Borrell, A., and Velasco, M., Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit; *TPEL Dec. 2025 18040-18053*
Mirza, A.B., *see* Nielsen, M.R., *TPEL Jan. 2025 987-1011*
Mirza, A.B., Choksi, K., Vala, S.S., Anwar, A., and Luo, F., Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives; *TPEL April 2025 5768-5786*
Mishima, T., *see* Liu, S., *TPEL July 2025 9518-9542*
Mishra, M.K., *see* Muraleedharan, N., *TPEL Nov. 2025 17438-17450*
Mishra, S.K., *see* Rana, D., *TPEL Sept. 2025 12614-12625*
Miyazaki, H., *see* Ngo, M.C., *TPEL Sept. 2025 13300-13310*
Mo, L., Jiang, C., Wang, X., Zhang, B., Wang, Y., and Chen, G., A Novel Systematic Topology Derivation Method for Single-Inductor Three-Port DC–DC Converters from Separate Components; *TPEL Jan. 2025 1376-1388*
Mo, L., *see* Wang, Y., *TPEL May 2025 6464-6469*
Mo, L., *see* Ren, S., *TPEL Oct. 2025 14345-14350*
Mo, N., Hu, J., Xu, Q., Guo, P., Liu, J., Zhou, G., and Luo, A., Modulation-Independent Initial Current Control of DAB-Based Single-Stage AC–DC Converter for DC Bias Elimination; *TPEL Jan. 2025 406-421*
Mo, N., Xu, Q., Hu, J., Guo, P., Zhou, G., Liu, J., Liu, X., and Luo, A., A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter; *TPEL Oct. 2025 15504-15518*
Modi, G., and Singh, B., A Control to Address Issues of Synchronization and Voltage Rise in Grid Integrated Solar Photovoltaic-Battery Storage System; *TPEL Jan. 2025 2385-2396*
Moeslund, T.B., *see* Humblot-Renaux, G., *TPEL Nov. 2025 16055-16060*
Moghassemi, A., *see* Arsalan, A., *TPEL July 2025 9824-9839*
Mohan, N., *see* Vipin, V.N., *TPEL June 2025 8691-8708*
Mohsenzade, S., *see* Naghibi, J., *TPEL Dec. 2025 18178-18188*
Molinas, M., *see* Shah, C.R., *TPEL Aug. 2025 10481-10495*
Mondal, A., Kastha, D., Hota, A.R., and Bajpai, P., Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings; *TPEL Oct. 2025 15652-15669*
Montazerolghaem, R., *see* Akhlaghi, Z., *TPEL Dec. 2025 18330-18339*
Monteiro, V., *see* Perez-Estevez, D., *TPEL Sept. 2025 12977-12997*
Moon, G., *see* Kim, D., *TPEL May 2025 7488-7499*
Moon, J., *see* Lee, K., *TPEL Oct. 2025 15003-15012*
Moon, S., Shafique, A., Chandrarathna, S.C., and Lee, J., A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators; *TPEL Feb. 2025 3225-3239*
Moon, S., *see* Song, M., *TPEL Oct. 2025 14253-14258*
Mora, A., *see* Rubio, F., *TPEL April 2025 5069-5079*
Mora-Moreno, P., *see* Carrillo-Rios, J., *TPEL Feb. 2025 3419-3429*
Moradian, M., Peykarporsan, R., Lie, T.T., and Gunawardane, K., Low-Voltage Solid State DCCB Design Based on Bypassed Bidirectional Thyristor-Capacitor Suppressor; *TPEL Jan. 2025 516-525*
Morales, F., *see* Sanchez-Squella, A., *TPEL Sept. 2025 13941-13951*
Morales-Munoz, A., Freijedo, F.D., Pugliese, S., and Liserre, M., Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency; *TPEL May 2025 6675-6684*
Mosa, M., *see* Prakash, P.R., *TPEL Oct. 2025 14771-14784*
Moschner, J., *see* Deckers, M., *TPEL Jan. 2025 2219-2234*
Mou, D., *see* Chen, X., *TPEL Dec. 2025 18251-18264*
Mourouvin, R., Nurminen, T., Hinkkanen, M., and Routimo, M., Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters; *TPEL June 2025 7789-7799*
Moursi, M.S.E., *see* Ashraf, M.N., *TPEL June 2025 7634-7639*
Mousavi, M.S., Nikmaram, B., Nassaji, A., Davari, S.A., Flores-Bahamonde, F., and Rodriguez, J., Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor; *TPEL May 2025 6801-6812*
Mousavi, S.M.J., *see* Zargariafshar, D., *TPEL Feb. 2025 2726-2735*
Mu, H., *see* He, B., *TPEL June 2025 7861-7871*
Mu, W., *see* Lu, M., *TPEL Jan. 2025 1964-1973*
Mu, W., *see* Liu, Y., *TPEL Aug. 2025 10957-10972*
Muhammad, T., *see* Guan, J., *TPEL June 2025 8328-8343*
Mukherjee, D., *see* Bhowmick, S., *TPEL June 2025 7829-7843*
Mukherjee, D., Paximadas, J., and Banerjee, A., A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid; *TPEL Sept. 2025 13584-13602*
Mun, H., *see* Kim, D., *TPEL Nov. 2025 16395-16408*
Munir, U., *see* Fayyaz, S., *TPEL April 2025 5595-5608*
Munk-Nielsen, S., *see* Nielsen, M.R., *TPEL Jan. 2025 987-1011*
Munk-Nielsen, S., *see* Gao, Y., *TPEL April 2025 5999-6009*
Munk-Nielsen, S., *see* Kubulus, P.P., *TPEL April 2025 5201-5211*
Munk-Nielsen, S., *see* Yan, Z., *TPEL June 2025 8194-8205*
Munk-Nielsen, S., *see* Liu, G., *TPEL Aug. 2025 10531-10542*
Munk-Nielsen, S., *see* Yan, Z., *TPEL Dec. 2025 17650-17663*
Muraleedharan, N., and Mishra, M.K., Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions; *TPEL Nov. 2025 17438-17450*
Muriithi, G., *see* Arsalan, A., *TPEL July 2025 9824-9839*
Murugan, K., Pedapati, P.K., and Allamsetty, H.C., High Step-Down Bidirectional Multiport Converter; *TPEL Aug. 2025 10355-10360*

N

N, L.N., *see* Kuldip, C., *TPEL May 2025 7070-7085*
N., V.R.N., *see* Behera, S., *TPEL July 2025 9775-9785*
Nabih, A., *see* Prakash, P.R., *TPEL Oct. 2025 14771-14784*
Nag, S.S., *see* Khan, A., *TPEL May 2025 7439-7452*
Naghibi, J., Mohsenzade, S., Mehran, K., and Foster, M.P., A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets; *TPEL Dec. 2025 18178-18188*

Nain, N., Zhang, D., Kolar, J.W., and Huber, J., Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter; *TPEL July 2025 9167-9186*
Nair, S., *see* Rana, D., *TPEL Sept. 2025 12614-12625*
Nair, S.S., Surana, P., Pottekkat, R., R.S, V., Gopakumar, K., and Umanand, L., Modulating and Carrier-Based Dodecagonal Space Vector Pulse Width Modulation Technique With Fifth and Seventh Order Harmonic Elimination for Split-Phase OEIM; *TPEL Jan. 2025 1787-1796*
Naresh, S.V.K., Shareef, H., Kumar, B., and Peddapati, S., Family of Capacitor–Diode Network Extended High Gain Quadratic Boost Converters for Microgrid Applications; *TPEL Jan. 2025 1418-1430*
Naresh, S.V.K., *see* Kallelapu, R., *TPEL Dec. 2025 18407-18420*
Nasab, P.S., *see* Torchio, R., *TPEL May 2025 6977-6987*
Nassaji, A., *see* Mousavi, M.S., *TPEL May 2025 6801-6812*
Nasution, G.A.M., and Hagiwara, M., AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter; *TPEL April 2025 5440-5455*
Navarro, E.R., *see* Fernandez, J.D., *TPEL Jan. 2025 303-315*
Nawafleh, Y., Rahman, M.D., and Song, X., A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design; *TPEL July 2025 8899-8904*
Nayak, R.D., Alevoor, S., Magod, R., Pereira, A., Lubbe, J., and Bakkaloglu, B., A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating Iq of 5.17 μA; *TPEL Dec. 2025 17604-17618*
Neira, S., *see* Parker, M., *TPEL Jan. 2025 1035-1050*
Neira, S., *see* Yan, J., *TPEL Sept. 2025 13260-13275*
Neti, S.S., and Singh, V., Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application; *TPEL Sept. 2025 13603-13614*
Neyshabouri, Y., *see* Darvishzadeh, A., *TPEL Jan. 2025 1952-1963*
Ng, W.T., *see* Wang, L., *TPEL June 2025 8315-8327*
Ngo, M., *see* Li, T., *TPEL Oct. 2025 15013-15029*
Ngo, M.C., Miyazaki, H., Hirao, K., Ohji, T., and Fukushima, M., Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation; *TPEL Sept. 2025 13300-13310*
Nguyen, K., *see* Komiyama, Y., *TPEL Nov. 2025 16822-16836*
Nguyen, T., *see* Zhao, X., *TPEL May 2025 6403-6412*
Ni, K., *see* Li, X., *TPEL May 2025 6492-6505*
Ni, Q., Liu, J., Zhang, J., Luo, H., Sheng, H., and Tao, J., A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive; *TPEL June 2025 8766-8775*
Ni, Q., Liu, J., Zhan, Z., Ke, Z., Sheng, H., and Lai, L.L., A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System; *TPEL Nov. 2025 17355-17365*
Ni, Y., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Ni, Y., *see* Zhang, D., *TPEL Dec. 2025 17558-17562*
Nian, H., *see* Li, M., *TPEL May 2025 7329-7341*
Nian, H., *see* Zhan, L., *TPEL Sept. 2025 11979-11984*
Nian, H., *see* Zhang, S., *TPEL Oct. 2025 14313-14317*
Niasar, M.G., *see* Luo, T., *TPEL March 2025 4279-4288*
Niasar, M.G., *see* Wang, Z., *TPEL Sept. 2025 13142-13156*
Nie, C., *see* Li, D., *TPEL Feb. 2025 3456-3468*
Nie, H., *see* Wang, Z., *TPEL Nov. 2025 16995-17012*
Nie, J., *see* Wang, S., *TPEL Jan. 2025 98-104*
Nie, J., *see* Zhang, H., *TPEL Jan. 2025 2457-2471*
Nie, J., *see* Yang, J., *TPEL April 2025 5907-5921*
Nie, J., *see* Wang, S., *TPEL June 2025 8253-8263*
Nie, J., Luo, W., Zhang, C., Yang, J., Meng, L., Ma, L., and Shu, Z., A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range; *TPEL June 2025 8264-8280*
Nie, J., *see* Zou, M., *TPEL Aug. 2025 11583-11597*
Nie, J., Li, J., Konstantinou, G., Deng, Y., Hu, Z., and Shu, Z., An L2C2 Resonant Converter With Reduced Components and Wide Gain Range; *TPEL Nov. 2025 16090-16095*
Nie, M., *see* Da, C., *TPEL Jan. 2025 2630-2642*
Nie, R., *see* Liu, Z., *TPEL Dec. 2025 18499-18511*
Nie, Z., Chen, K., Song, Y., and Pan, J., Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers; *TPEL April 2025 4685-4694*
Nie, Z., *see* Zhou, Y., *TPEL Oct. 2025 14626-14637*
Nielsen, M.R., Deng, S., Mirza, A.B., Kjaersgaard, B.F., Jorgensen, A.B., Zhao, H., Li, Y., Munk-Nielsen, S., and Luo, F., High-Power Electronic Applications Enabled by Medium Voltage Silicon-Carbide Technology: An Overview; *TPEL Jan. 2025 987-1011*
Nielsen, M.R., *see* Yan, Z., *TPEL June 2025 8194-8205*
Nielsen, M.R., *see* Liu, G., *TPEL Aug. 2025 10531-10542*
Nigam, A., and Lee, D., Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults; *TPEL Sept. 2025 13952-13964*
Nikbakht, M., *see* Falahi, F., *TPEL March 2025 4244-4254*
Nikmaram, B., *see* Mousavi, M.S., *TPEL May 2025 6801-6812*
Nilsen, R., *see* Shah, C.R., *TPEL Aug. 2025 10481-10495*
Ning, G., *see* Xiong, W., *TPEL May 2025 6951-6962*
Ning, G., Pi, H., Han, H., Liu, Y., Sun, Y., and Su, M., Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids; *TPEL Aug. 2025 10469-10480*
Ning, G., Yang, S., Dai, B., Xu, G., Sun, Y., Liu, Y., Han, H., Su, M., and Sun, K., Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids; *TPEL Nov. 2025 16626-16638*
Ning, G., *see* Huang, X., *TPEL Nov. 2025 17234-17245*
Ning, G., Zhang, R., Jiang, L., Liu, Y., Sun, Y., and Su, M., Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids; *TPEL Dec. 2025 17869-17878*
Ning, P., *see* Mei, Y., *TPEL Aug. 2025 11107-11116*
Ning, P., *see* Hui, X., *TPEL Dec. 2025 17911-17923*
Ning, Y., *see* Wang, K., *TPEL Nov. 2025 16809-16821*
Niu, D., *see* Liu, S., *TPEL Jan. 2025 1153-1167*
Niu, F., Xu, M., Zhou, F., Huang, S., Xu, Z., Zhang, L., and Aggarwal, A., Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation; *TPEL Feb. 2025 3530-3542*
Niu, H., *see* Wang, Y., *TPEL March 2025 4100-4111*
Niu, H., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Niu, H., *see* Jiang, M., *TPEL Sept. 2025 11985-11990*
Niu, S., Lyu, R., Lyu, J., Chau, K., Liu, W., and Jian, L., Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics; *TPEL Jan. 2025 152-156*
Niu, S., *see* Lyu, Z., *TPEL March 2025 3844-3849*
Niu, S., *see* Wang, W., *TPEL June 2025 7709-7726*
Niu, S., *see* Zhou, X., *TPEL July 2025 9223-9233*
Niu, S., *see* Lyu, Z., *TPEL Sept. 2025 11957-11962*
Niu, S., *see* Tang, X., *TPEL Oct. 2025 14686-14696*
Niu, S., *see* Sun, Z., *TPEL Nov. 2025 16195-16205*
Niu, X., *see* Wang, S., *TPEL Nov. 2025 16352-16366*
Niu, Y., *see* Ba, D., *TPEL Oct. 2025 14894-14907*
Niu, Z., Wang, H., Wu, Z., Li, J., and Du, J., Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy; *TPEL April 2025 5871-5882*
Noh, G., *see* Choi, M., *TPEL Jan. 2025 1519-1531*
Norambuena, M., *see* Carnielutti, F., *TPEL Jan. 2025 540-550*
Norwood, D., *see* Sezer, M.M., *TPEL Nov. 2025 16512-16524*
Nouri, T., *see* Hasanpour, S., *TPEL Aug. 2025 11509-11525*
Nurminen, T., *see* Mourouvin, R., *TPEL June 2025 7789-7799*

O

O'Donnell, T., *see* Hosseini, H.M., *TPEL Sept. 2025 11880-11896*
Oh, Y., *see* Lee, C., *TPEL Sept. 2025 12021-12025*
Ohji, T., *see* Ngo, M.C., *TPEL Sept. 2025 13300-13310*
Oliva, N., *see* Femia, N., *TPEL Jan. 2025 1532-1541*
Oliveira, D.d.S., *see* de Oliveira, R.N.M., *TPEL July 2025 9407-9417*
Oliveira, S.V.G., *see* Mayer, R., *TPEL Aug. 2025 11051-11063*
Oliveri, A., *see* Ravera, A., *TPEL Jan. 2025 1563-1576*

Omura, I., *see* Horii, K., *TPEL Jan. 2025 467-485*
Oppong, F.N., Ahmed, H.F., Khan, A.A., and Quaicoe, J.E., High-Gain Single-Stage Single-Phase Common-Ground Buck–Boost Inverter; *TPEL Jan. 2025 1074-1084*
Oppong, F.N., *see* Esmaeili, S., *TPEL Dec. 2025 18265-18280*
Orabi, M., *see* Xiao, C., *TPEL March 2025 4437-4448*
Ortiz Gonzalez, J., *see* Deb, A., *TPEL Nov. 2025 16341-16351*
Oshnoei, A., *see* Asvadi-Kermani, O., *TPEL Feb. 2025 2901-2915*
Ota, J.I.Y., *see* Queiroz, E.D., *TPEL July 2025 9301-9314*
Ou, J., *see* Shi, G., *TPEL Aug. 2025 10402-10418*
Ou, S., Hassanifar, M., Votava, M., Sangwongwanich, A., Sahoo, S., Langwasser, M., Liserre, M., and Blaabjerg, F., Monolithic Data-Driven Condition Monitoring Strategy for MMC Considering*C*and ESR; *TPEL Aug. 2025 11339-11354*
Ou, S., *see* Kong, R., *TPEL Aug. 2025 11170-11181*
Ouk, M., *see* Choi, M., *TPEL Jan. 2025 1519-1531*
Ouyang, B., *see* Wei, L., *TPEL May 2025 6605-6628*
Ouyang, C., *see* Zhang, Y., *TPEL Jan. 2025 1645-1653*
Ouyang, H., *see* Zhang, Y., *TPEL July 2025 8923-8927*
Ouyang, R., *see* Wang, Y., *TPEL March 2025 4100-4111*
Ouyang, T., Gong, Y., Su, Y., and Jin, S., State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update; *TPEL May 2025 7125-7135*
Ouyang, X., *see* Chen, X., *TPEL Sept. 2025 12242-12256*
Ouyang, Z., *see* Duffy, M., *TPEL Oct. 2025 14343-14344*
Ouyang, Z., *see* Wang, P., *TPEL Oct. 2025 15306-15315*
Ouyang, Z., *see* Sanusi, B.N., *TPEL Oct. 2025 15278-15291*
Ouyang, Z., *see* Sanusi, B.N., *TPEL Dec. 2025 18148-18163*
Ozkan, G., *see* Arsalan, A., *TPEL July 2025 9824-9839*

P

Pace, L., *see* Henneron, T., *TPEL May 2025 7095-7105*
Packwood, M., *see* Li, X., *TPEL Feb. 2025 3129-3137*
Pahlevani, M., *see* Akhlaghi, Z., *TPEL Dec. 2025 18330-18339*
Pal, A.K., and Singha, A.K., A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver; *TPEL Feb. 2025 2797-2808*
Palumbo, G., *see* Ballo, A., *TPEL Sept. 2025 13991-13999*
Pan, A., Su, M., Lin, J., Li, J., Meng, J., Li, X., and Sun, Y., Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control; *TPEL Nov. 2025 16231-16242*
Pan, B., Wang, D., Ai, S., Zhang, Z., and Kong, W., Direct Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor; *TPEL Sept. 2025 12475-12487*
Pan, C., Peng, Z., Yang, S., Wen, G., and Huang, T., Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon; *TPEL March 2025 4473-4485*
Pan, H., *see* Wang, Z., *TPEL Jan. 2025 2442-2456*
Pan, J., *see* Wu, J., *TPEL April 2025 5223-5230*
Pan, J., *see* Nie, Z., *TPEL April 2025 4685-4694*
Pan, J., *see* Zhang, F., *TPEL Aug. 2025 11235-11245*
Pan, J., *see* Wang, C., *TPEL Sept. 2025 13023-13034*
Pan, J., *see* Huang, X., *TPEL Dec. 2025 18461-18473*
Pan, M., *see* Deng, E., *TPEL Oct. 2025 14949-14961*
Pan, R., *see* Tian, Y., *TPEL May 2025 6860-6873*
Pan, S., *see* Jiang, J., *TPEL Sept. 2025 13099-13112*
Pan, T., *see* Li, C., *TPEL Aug. 2025 10694-10704*
Pan, W., *see* Tang, H., *TPEL March 2025 4630-4639*
Pan, W., *see* Wu, Y., *TPEL April 2025 6334-6344*
Pan, W., Liu, R., Xie, R., Zhuang, Y., Mao, X., and Zhang, Y., A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic; *TPEL April 2025 6272-6281*
Pan, W., *see* Yang, Z., *TPEL Aug. 2025 10783-10792*
Pan, W., Shen, Z., Yu, X., Xie, R., Zheng, F., Chen, X., Mao, X., and Zhang, Y., An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance; *TPEL Sept. 2025 14159-14168*
Pan, X., *see* Sun, P., *TPEL March 2025 4112-4130*
Pan, X., *see* Sun, T., *TPEL May 2025 6700-6713*
Pan, X., *see* Yin, H., *TPEL Oct. 2025 15519-15528*
Pan, Y., Yang, C., Teng, J., Zhao, W., Qi, L., Li, X., and Sun, X., The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST; *TPEL June 2025 8216-8241*
Pan, Y., *see* Wu, J., *TPEL Aug. 2025 10349-10354*
Pan, Z., *see* Wang, L., *TPEL Sept. 2025 12215-12229*
Panda, A.K., *see* Behera, S., *TPEL July 2025 9775-9785*
Panda, B., Kumar, S., and Ghoshal, A., Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive; *TPEL June 2025 7777-7788*
Pandey, V., Hatua, K., and Bhattacharya, S., Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology; *TPEL June 2025 8125-8138*
Pang, H., *see* Guo, J., *TPEL Oct. 2025 14868-14880*
Pang, J., *see* Jiao, N., *TPEL Jan. 2025 1813-1825*
Pang, J., Wang, K., Wu, M., Zhou, W., Zheng, Z., and Li, Y., Modulation and Soft-Switching Optimization Control of Multilevel Dual Active Bridge DC–DC Converters; *TPEL Jan. 2025 1936-1951*
Pang, J., *see* Ma, H., *TPEL July 2025 10077-10094*
Pang, Y., Ji, Y., Zhang, X., Zhu, Y., Li, G., Gong, C., Xiang, Z., Han, R., Zhou, H., Wong, M., and Lin, J., An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement; *TPEL April 2025 5384-5399*
Pang, Y., Zhu, Y., Ji, Y., Li, G., Xiang, Z., Gong, C., Han, R., Tian, W., Guo, Q., Wong, M., and Lin, J., An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration; *TPEL Aug. 2025 11032-11050*
Pang, Y., Yang, H., Ji, Y., Zhang, X., Zhu, Y., Li, G., Xiang, Z., Gong, C., Qiu, S., Zhou, H., Wong, M., and Lin, J., A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage; *TPEL Sept. 2025 13415-13433*
Pantic, Z., *see* Pratik, U., *TPEL Dec. 2025 18054-18069*
Papafotiou, G.A., *see* Pouresmaeil, K., *TPEL June 2025 8139-8152*
Papari, B., *see* Arsalan, A., *TPEL July 2025 9824-9839*
Parisini, T., *see* Zeng, J., *TPEL Jan. 2025 2569-2580*
Park, G., Kim, H., Cho, B., and Cui, S., ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis; *TPEL July 2025 9004-9018*
Park, H., Ji, M., Kim, D., Lee, G., and Kim, R., Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC; *TPEL Feb. 2025 2958-2970*
Park, H., Jeong, D., Park, W., and Hong, S., Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail; *TPEL Sept. 2025 12011-12014*
Park, H., *see* Park, H., *TPEL Sept. 2025 12011-12014*
Park, H., *see* Kim, B., *TPEL Nov. 2025 16061-16067*
Park, H.J., *see* Rim, C.T., *TPEL Nov. 2025 16953-16962*
Park, I., *see* Kim, H., *TPEL Jan. 2025 1431-1440*
Park, J., *see* Fayyaz, S., *TPEL April 2025 5595-5608*
Park, J., *see* Kwon, J., *TPEL Oct. 2025 14295-14300*
Park, J., *see* Jung, S., *TPEL Oct. 2025 14318-14323*
Park, J., *see* Hwang, Y., *TPEL Oct. 2025 14282-14288*
Park, J., *see* Lee, J., *TPEL Oct. 2025 14508-14523*
Park, J., *see* Jang, W., *TPEL Oct. 2025 14797-14810*
Park, J., *see* Song, M., *TPEL Oct. 2025 14253-14258*
Park, J., *see* Kim, D., *TPEL Nov. 2025 16395-16408*
Park, K., *see* Choi, M., *TPEL Jan. 2025 1519-1531*
Park, K., *see* Kim, D., *TPEL May 2025 7488-7499*
Park, K., *see* Babayomi, O., *TPEL June 2025 7681-7708*

Park, S., *see* Choi, M., *TPEL Jan. 2025 1519-1531*
Park, S., *see* Liu, A., *TPEL Feb. 2025 2809-2821*
Park, S., *see* Wang, Y., *TPEL Sept. 2025 12634-12647*
Park, S., *see* Kwon, J., *TPEL Oct. 2025 14295-14300*
Park, T., *see* Kim, H., *TPEL Jan. 2025 1431-1440*
Park, W., *see* Lee, C., *TPEL Sept. 2025 12021-12025*
Park, W., *see* Park, H., *TPEL Sept. 2025 12011-12014*
Park, Y., *see* Fawad, ., *TPEL Oct. 2025 15880-15890*
Parker, M., Neira, S., Horsley, E.L., Finney, S., and Judge, P.D., Reduced Overshoots, Oscillations, and *dV/dt* Generation in Parallel Connected SiC MOSFET Modules With Optional Active Current Balancing; *TPEL Jan. 2025 1035-1050*
Pascal, Y., *see* Sancio, R., *TPEL Nov. 2025 17025-17039*
Pase, F., *see* Torchio, R., *TPEL May 2025 6977-6987*
Patel, N.D., *see* De Soysa, G.S., *TPEL Jan. 2025 241-251*
Paul, K.C., Zhou, J., Chen, S., and Zhao, T., PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration; *TPEL Dec. 2025 18189-18201*
Paul, S., *see* Dey, P., *TPEL Nov. 2025 16870-16893*
Pawlowski, J., *see* Leszczynski, P., *TPEL Jan. 2025 1554-1562*
Paximadas, J., *see* Mukherjee, D., *TPEL Sept. 2025 13584-13602*
Pearce, M.G., *see* Wadsworth, A., *TPEL Feb. 2025 3357-3369*
Pedapati, P.K., *see* Murugan, K., *TPEL Aug. 2025 10355-10360*
Peddapati, S., *see* Naresh, S.V.K., *TPEL Jan. 2025 1418-1430*
Peddapati, S., *see* Kallelapu, R., *TPEL Dec. 2025 18407-18420*
Peftitsis, D., *see* Kubulus, P.P., *TPEL April 2025 5201-5211*
Pei, X., *see* Chen, Q., *TPEL Feb. 2025 3138-3149*
Pei, X., *see* Zhang, Y., *TPEL June 2025 7727-7739*
Pei, X., *see* Chen, Q., *TPEL Dec. 2025 18027-18039*
Pei, Y., *see* Cui, M., *TPEL Jan. 2025 217-226*
Pei, Y., *see* Wang, Y., *TPEL April 2025 5959-5970*
Pei, Y., *see* Li, Z., *TPEL April 2025 5352-5370*
Pei, Y., *see* Mei, Y., *TPEL Aug. 2025 11107-11116*
Pei, Y., Tang, Y., Hu, M., and Zhang, Z., Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters; *TPEL Sept. 2025 13556-13567*
Pei, Y., *see* Zhang, T., *TPEL Nov. 2025 16327-16340*
Pelka, K., *see* Anderson, F., *TPEL May 2025 7286-7297*
Peng, B., *see* Wang, Z., *TPEL April 2025 5467-5479*
Peng, B., *see* Li, J., *TPEL July 2025 10198-10208*
Peng, C., *see* Yu, J., *TPEL Feb. 2025 3622-3635*
Peng, F., *see* Zhou, J., *TPEL Feb. 2025 2916-2929*
Peng, H., *see* Liu, C., *TPEL Feb. 2025 2668-2673*
Peng, H., *see* Zhang, S., *TPEL March 2025 4142-4155*
Peng, H., Zhou, X., Zhang, L., Hong, L., Zhang, Z., Shao, J., Lai, Q., Deng, L., Ma, J., Hu, Y., and Zhu, R., A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters; *TPEL May 2025 6539-6554*
Peng, H., *see* Xiao, H., *TPEL May 2025 7573-7585*
Peng, H., *see* Zhou, W., *TPEL Aug. 2025 11143-11156*
Peng, H., *see* Hou, L., *TPEL Aug. 2025 10543-10554*
Peng, H., Yu, Y., Stevic, S., and Steentjes, S., High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence; *TPEL Sept. 2025 12816-12828*
Peng, H., *see* Song, S., *TPEL Oct. 2025 14447-14458*
Peng, J., Zhang, B., and Su, W., A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range; *TPEL April 2025 6282-6295*
Peng, J., *see* Wu, C., *TPEL Oct. 2025 15795-15807*
Peng, J., *see* Zhao, X., *TPEL Nov. 2025 17073-17090*
Peng, L., *see* Wen, S., *TPEL June 2025 8617-8630*
Peng, L., Ying, Y., and Wang, Z., Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC; *TPEL Sept. 2025 12863-12872*
Peng, L., *see* Zhou, Y., *TPEL Oct. 2025 14626-14637*
Peng, M., *see* Ling, Y., *TPEL Sept. 2025 13474-13489*
Peng, Q., Sun, J., Yang, J., Buticchi, G., Guenter, S., Tan, N.M.L., and Wheeler, P., Online Harmonic Reduction for Aircraft Electrical Power Distribution System With Global Phase-Shifted Carrier PWM; *TPEL Jan. 2025 599-610*
Peng, Q., Yang, J., Wan, X., Liu, T., Meng, J., and Yang, Y., Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting; *TPEL July 2025 9972-9985*
Peng, Q., *see* Shi, S., *TPEL Dec. 2025 17582-17586*
Peng, S., *see* Yin, Z., *TPEL Aug. 2025 11380-11393*
Peng, W., *see* Qiu, Z., *TPEL Oct. 2025 15937-15948*
Peng, X., *see* Shi, Q., *TPEL June 2025 8168-8178*
Peng, X., *see* Li, K., *TPEL Oct. 2025 14585-14597*
Peng, Y., *see* Chen, J., *TPEL Jan. 2025 704-715*
Peng, Y., *see* Chen, J., *TPEL April 2025 4997-5013*
Peng, Y., *see* Shao, Z., *TPEL Aug. 2025 11775-11786*
Peng, Z., *see* Pan, C., *TPEL March 2025 4473-4485*
Peralta, A., *see* Berger, J.G., *TPEL April 2025 5518-5530*
Perdriau, R., *see* Alam, M.M., *TPEL June 2025 8553-8565*
Pereda, J., *see* Poblete, P., *TPEL Jan. 2025 625-637*
Pereda, J., *see* Poblete, P., *TPEL Jan. 2025 500-515*
Pereda, J., *see* Rubio, F., *TPEL April 2025 5069-5079*
Pereira, A., *see* Nayak, R.D., *TPEL Dec. 2025 17604-17618*
Peretti, L., *see* Lin, X., *TPEL Aug. 2025 10682-10693*
Peretti, L., *see* Kakosimos, P., *TPEL Nov. 2025 16048-16054*
Perez, M.A., *see* Yin, J., *TPEL Jan. 2025 1085-1098*
Perez-Estevez, D., *see* Fernandez-Abraldes, P.M., *TPEL April 2025 4668-4684*
Perez-Estevez, D., Rios-Castro, D., Fernandez-Abraldes, P.M., Monteiro, V., Pinto, J.G., Afonso, J.L., and Doval-Gandoy, J., Asymmetric Impedance Model for Grid-Forming Converters With Droop Control; *TPEL Sept. 2025 12977-12997*
Perez-Estevez, D., *see* Rios-Castro, D., *TPEL Oct. 2025 15042-15063*
Peric, L.S., Levi, E., and Vukosavic, S.N., Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters; *TPEL Feb. 2025 3005-3019*
Perreault, D.J., *see* Zhang, H., *TPEL Jan. 2025 290-302*
Perriard, Y., *see* Almanza, M., *TPEL Aug. 2025 11197-11205*
Petric, I.Z., Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors; *TPEL Sept. 2025 13529-13542*
Petric, I.Z., *see* Cvetanovic, R., *TPEL Sept. 2025 13880-13894*
Petric, I.Z., *see* Iyer, R.K., *TPEL Dec. 2025 18097-18112*
Peykarporsan, R., *see* Moradian, M., *TPEL Jan. 2025 516-525*
Pi, D., *see* Wu, C., *TPEL Oct. 2025 15795-15807*
Pi, H., *see* Ning, G., *TPEL Aug. 2025 10469-10480*
Piardi, A.B., *see* de Pontes, G.P., *TPEL Jan. 2025 351-360*
Picot-Digoix, M., Richardeau, F., Blaquiere, J., Vinnac, S., Azzopardi, S., and Le, T., Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS; *TPEL Jan. 2025 142-145*
Piegari, L., *see* Barresi, M., *TPEL Dec. 2025 17674-17689*
Piepenbrock, T., *see* Kirchgassner, W., *TPEL Feb. 2025 3326-3335*
Pietrini, G., *see* Wang, D., *TPEL Jan. 2025 1135-1152*
Pietrini, G., *see* Pradhan, R., *TPEL Dec. 2025 17894-17910*
Pigney, A., *see* Liao, M., *TPEL April 2025 6370-6384*
Pilawa-Podgurski, R.C.N., *see* Bayliss, R.S., *TPEL Feb. 2025 3275-3285*
Pilawa-Podgurski, R.C.N., *see* Krishnan, S., *TPEL July 2025 9266-9277*
Pilawa-Podgurski, R.C.N., *see* Iyer, R.K., *TPEL Dec. 2025 18097-18112*
Pilawa-Podgurski, R.C.N., *see* Iyer, R.K., *TPEL Dec. 2025 18070-18082*
Pillai, S.K., and Maiti, S., ANPC-Waveshaper-Based Medium-Voltage STATCOM With Natural Capacitor Voltage Balancing During Negative-Sequence Current Compensation; *TPEL Jan. 2025 1051-1063*
Pillay, P., *see* Barman, D., *TPEL May 2025 7423-7438*
Pinto, J.G., *see* Perez-Estevez, D., *TPEL Sept. 2025 12977-12997*
Pischinger, S., *see* Li, W., *TPEL May 2025 7370-7384*
Pithanisetty, P., Dsa, D., Banavath, S.N., Carvalho, E.L., De Carne, G., and Vinnikov, D., A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection; *TPEL Aug. 2025 11428-11441*
Poblete, P., Aguilera, R.P., Pereda, J., Cuzmar, R.H., Alcaide, A.M., Lu, D.D., Siwakoti, Y.P., and Acuna, P., Offset-Free Optimal Control of Cascaded

H-Bridge Converters Based on a Kalman Filter Harmonic Compensator; *TPEL Jan. 2025 625-637*

Poblete, P., Cuzmar, R.H., Aguilera, R.P., Pereda, J., Alcaide, A.M., Lu, D., Siwakoti, Y.P., and Konstantinou, G., Dual-Stage MPC for SoC Balancing in Second-Life Battery Energy Storage Systems Based on Delta-Connected Cascaded H-Bridge Converters; *TPEL Jan. 2025 500-515*

Pomilio, J.A., *see* Queiroz, E.D., *TPEL July 2025 9301-9314*

Posa, P., *see* Torchio, R., *TPEL May 2025 6977-6987*

Pottekkat, R., *see* Nair, S.S., *TPEL Jan. 2025 1787-1796*

Pou, J., *see* Liang, G., *TPEL March 2025 4080-4089*

Pou, J., *see* Zeng, Y., *TPEL May 2025 6566-6577*

Pou, J., *see* Sarda, R., *TPEL July 2025 9479-9491*

Pouresmaeil, K., Roes, M.G.L., Baars, N.H., and Papafotiou, G.A., Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching; *TPEL June 2025 8139-8152*

Pourfaraj, A., *see* Iman-Eini, H., *TPEL Sept. 2025 12566-12580*

Pourhadi Abkenar, P., *see* Jiang, W., *TPEL Jan. 2025 2327-2341*

Pourmahdi, M., *see* Hosseini, H.M., *TPEL Sept. 2025 11880-11896*

Prabaharan, N., *see* Rajesh, R., *TPEL Nov. 2025 16752-16763*

Pradhan, R., Shah, S.B., Wang, Y., Elezab, A., Hemming, S., Pietrini, G., Hassan, M.I., Suntharalingam, P., Cruz, M.F., and Emadi, A., Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers; *TPEL Dec. 2025 17894-17910*

Prakash, P.R., Nabih, A., Liang, Y., Kudva, S., Mosa, M., Gray, C.T., and Li, Q., High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors; *TPEL Oct. 2025 14771-14784*

Prasad, D., *see* Gautam, K.K., *TPEL Jan. 2025 64-70*

Pratik, U., and Pantic, Z., Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor; *TPEL Dec. 2025 18054-18069*

Preindl, M., *see* Zhou, L., *TPEL May 2025 6529-6538*

Priyadarshi, N., Bhaskar, M.S., Almakhles, D., and Azam, F., A New PV Fed High Gain Boost-Cuk Converter Employed SRM Driven Water Pumping Scheme With IDEPSO MPPT; *TPEL Jan. 2025 2371-2384*

Pugliese, S., *see* Morales-Munoz, A., *TPEL May 2025 6675-6684*

Q

Qazi, S., Venugopal, P., Watson, A.J., Wheeler, P., and Soeiro, T.B., A Parallel Input and Versatile Output Dual Active Bridge Converter; *TPEL April 2025 6203-6215*

Qi, C., *see* Gao, L., *TPEL Nov. 2025 16068-16073*

Qi, D., *see* Zhan, L., *TPEL Sept. 2025 11979-11984*

Qi, G., *see* Xu, S., *TPEL April 2025 6010-6019*

Qi, J., *see* Fu, Y., *TPEL Nov. 2025 16572-16586*

Qi, J., *see* Fu, Y., *TPEL Dec. 2025 17958-17971*

Qi, L., *see* Wang, Z., *TPEL Jan. 2025 1697-1716*

Qi, L., *see* Dongye, Z., *TPEL Jan. 2025 958-968*

Qi, L., *see* Lu, Y., *TPEL Jan. 2025 2210-2218*

Qi, L., *see* Chen, L., *TPEL Feb. 2025 3168-3176*

Qi, L., *see* Zheng, F., *TPEL Feb. 2025 3112-3128*

Qi, L., *see* Lu, Y., *TPEL April 2025 6044-6054*

Qi, L., *see* Pan, Y., *TPEL June 2025 8216-8241*

Qi, L., *see* Tan, G., *TPEL Aug. 2025 11088-11106*

Qi, L., *see* Yang, T., *TPEL Aug. 2025 10945-10956*

Qi, L., *see* Shen, X., *TPEL Oct. 2025 15371-15380*

Qi, L., *see* Du, Z., *TPEL Nov. 2025 16116-16122*

Qi, M., *see* Li, C., *TPEL June 2025 7603-7614*

Qi, N., *see* Yan, Z., *TPEL Dec. 2025 17650-17663*

Qi, X., Yuan, C., Fang, M., Li, H., Yang, Z., Zhao, S., and Ding, L., A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications; *TPEL April 2025 5319-5335*

Qi, Y., *see* Xu, Z., *TPEL June 2025 8751-8765*

Qian, C., *see* Wang, Y., *TPEL Oct. 2025 15203-15214*

Qian, D., *see* Han, D., *TPEL June 2025 8824-8833*

Qian, J., *see* Yu, H., *TPEL Oct. 2025 14496-14507*

Qian, K., *see* Yang, Q., *TPEL Jan. 2025 1247-1257*

Qian, Q., *see* Liu, Q., *TPEL July 2025 8871-8885*

Qian, Q., *see* Ding, S., *TPEL Sept. 2025 12514-12526*

Qian, T., Yu, X., and Zhang, Y., An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance; *TPEL April 2025 5531-5543*

Qian, T., and Yu, X., An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems; *TPEL Nov. 2025 17267-17280*

Qian, Y., *see* Li, L., *TPEL Jan. 2025 316-327*

Qiang, R., *see* Zhang, G., *TPEL Oct. 2025 14923-14936*

Qiao, K., *see* Zhang, C., *TPEL June 2025 8604-8616*

Qiao, K., *see* Zhang, C., *TPEL Sept. 2025 13276-13288*

Qiao, S., Huang, J., and Xu, Y., A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current; *TPEL July 2025 9672-9684*

Qiao, Y., *see* Guan, Y., *TPEL May 2025 7537-7548*

Qiao, Y., *see* Guan, Y., *TPEL Oct. 2025 15865-15879*

Qie, T., *see* Jin, F., *TPEL May 2025 6593-6604*

Qin, H., Ye, G., Hu, S., Wu, J., Deng, Y., and Kumar, A., A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance; *TPEL Oct. 2025 15466-15477*

Qin, H., *see* Li, Y., *TPEL Oct. 2025 16032-16041*

Qin, K., *see* Wang, S., *TPEL April 2025 6192-6202*

Qin, K., *see* Hou, N., *TPEL Dec. 2025 17937-17945*

Qin, L., Tian, Y., Yang, Y., Soon, J.L., and Hassan, W., Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles; *TPEL April 2025 5480-5495*

Qin, L., *see* Liu, L., *TPEL June 2025 8566-8576*

Qin, L., Lin, F., Yang, Y., Soon, J.L., and Hassan, W., Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System; *TPEL Oct. 2025 15670-15686*

Qin, M., *see* Lu, M., *TPEL Jan. 2025 1964-1973*

Qin, S., *see* Song, M., *TPEL Aug. 2025 11021-11031*

Qin, W., *see* Li, C., *TPEL Nov. 2025 16926-16936*

Qin, X., Hu, W., Han, Y., Tang, Y., Fan, J., Huang, Q., Khater, H., and Blaabjerg, F., Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG; *TPEL Feb. 2025 2874-2886*

Qin, Y., *see* Yan, Q., *TPEL June 2025 7628-7633*

Qin, Y., *see* Yi, Z., *TPEL July 2025 10154-10164*

Qin, Y., *see* Gao, L., *TPEL Nov. 2025 16676-16686*

Qin, Z., *see* Zhang, H., *TPEL July 2025 9370-9387*

Qiu, D., *see* Fang, Y., *TPEL Feb. 2025 3240-3250*

Qiu, G., *see* Wang, M., *TPEL Feb. 2025 3543-3552*

Qiu, G., *see* Bai, L., *TPEL March 2025 4131-4141*

Qiu, G., *see* Wu, F., *TPEL April 2025 5983-5998*

Qiu, G., and Khadkikar, V., Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter; *TPEL Sept. 2025 12739-12753*

Qiu, G., *see* Wu, F., *TPEL Sept. 2025 13231-13245*

Qiu, G., *see* Wei, J., *TPEL Oct. 2025 15030-15041*

Qiu, H., Wei, X., Sui, L., and Shao, L., A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker; *TPEL Aug. 2025 11467-11476*

Qiu, H., Zhang, J., Zhou, J., Shi, G., Yao, G., and Cai, X., A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports; *TPEL Oct. 2025 15820-15834*

Qiu, H., and Wang, K., High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors; *TPEL Dec. 2025 17703-17714*

Qiu, J., *see* Zhang, Z., *TPEL Jan. 2025 118-123*

Qiu, J., *see* Liu, Y., *TPEL Sept. 2025 12072-12083*

Qiu, J., *see* Du, Y., *TPEL Sept. 2025 12003-12010*

Qiu, J., *see* Kim, Y., *TPEL Oct. 2025 14746-14754*

Qiu, J., *see* Zeng, Y., *TPEL Oct. 2025 14277-14281*

Qiu, L., *see* Liu, X., *TPEL Jan. 2025 563-573*

Qiu, L., *see* Zhang, K., *TPEL March 2025 3916-3926*

Qiu, L., *see* Du, C., *TPEL April 2025 5715-5730*
Qiu, L., *see* Liu, X., *TPEL April 2025 4914-4926*
Qiu, L., *see* Zhao, P., *TPEL Oct. 2025 15757-15767*
Qiu, M., Sun, Z., Liu, X., Hobbs, K., Meng, H., Marzang, V., Dahneem, A., and Cao, D., A High Conversion Ratio Matrix Autotransformer Switched-Capacitor Converter for 48 V Datacenter Application; *TPEL Jan. 2025 1359-1375*
Qiu, R., *see* Wang, H., *TPEL Aug. 2025 10385-10390*
Qiu, S., *see* Hao, Y., *TPEL July 2025 9418-9428*
Qiu, S., *see* Xue, M., *TPEL Aug. 2025 11849-11862*
Qiu, S., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Qiu, Y., Zhang, Y., and Sun, X., Peak Current-Mode Control for *LLC* Resonant Converter; *TPEL Oct. 2025 14228-14234*
Qiu, Z., Maniyil, S., Peng, W., van der Ham, A.C., and Du, S., A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting; *TPEL Oct. 2025 15937-15948*
Qu, D., Li, B., Wang, G., Fu, B., Wang, Q., Yuan, Y., and Xu, D., DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters; *TPEL April 2025 4818-4829*
Qu, D., Li, B., Wang, G., Wang, S., Wang, Q., Zhang, G., and Xu, D., Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives; *TPEL Nov. 2025 16443-16455*
Qu, H., Luo, D., Jiang, D., Zhou, M., Zhao, X., and Sun, W., Online Battery Impedance Identification Based on Small AC Signal Injection of Inverter; *TPEL Feb. 2025 3490-3504*
Qu, H., *see* Tang, Y., *TPEL Oct. 2025 15780-15794*
Qu, J., Li, X., Gao, F., Zhang, C., and Zhang, P., Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control; *TPEL April 2025 4902-4913*
Qu, K., *see* Jiang, J., *TPEL Sept. 2025 13099-13112*
Qu, L., *see* Ma, Y., *TPEL July 2025 9439-9451*
Qu, L., *see* Wang, Z., *TPEL Aug. 2025 11799-11808*
Qu, L., *see* Zhao, B., *TPEL Sept. 2025 12033-12037*
Qu, L., *see* Wang, Z., *TPEL Nov. 2025 16687-16695*
Qu, R., *see* Liu, Z., *TPEL Jan. 2025 1748-1761*
Qu, R., *see* Wang, H., *TPEL Aug. 2025 11268-11282*
Qu, R., *see* Wang, P., *TPEL Oct. 2025 14675-14685*
Qu, S., *see* Li, Z., *TPEL May 2025 6448-6453*
Qu, X., *see* Guo, Z., *TPEL July 2025 10189-10197*
Qu, X., *see* Zhang, X., *TPEL Sept. 2025 12893-12905*
Qu, Z., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Quaicoe, J.E., *see* Oppong, F.N., *TPEL Jan. 2025 1074-1084*
Quaicoe, J.E., *see* Esmaeili, S., *TPEL Dec. 2025 18265-18280*
Quan, X., *see* Luo, Z., *TPEL March 2025 3927-3937*
Quan, X., *see* Luo, Z., *TPEL June 2025 8305-8314*
Quan, X., Dong, X., and Li, H., A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance; *TPEL Sept. 2025 13919-13930*
Quan, Y., *see* Tian, Y., *TPEL May 2025 6860-6873*
Queiroz, E.D., Ota, J.I.Y., and Pomilio, J.A., Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters; *TPEL July 2025 9301-9314*

R

R, N., *see* J, R., *TPEL Jan. 2025 2556-2568*
R, V.N., *see* Ghosh, G., *TPEL Sept. 2025 12906-12919*
R.S, V., *see* Nair, S.S., *TPEL Jan. 2025 1787-1796*
Rad, A.B., *see* Kargaran, M., *TPEL Sept. 2025 12112-12122*
Rad, S.E., Gupta, S., and Mazumder, S.K., A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier; *TPEL Jan. 2025 1467-1482*
Radomski, A., *see* Zhang, H., *TPEL Jan. 2025 290-302*
Rafiee, R., and Batmani, Y., On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages; *TPEL June 2025 8206-8215*
Raherimihaja, H.J., Lu, S., and Sun, G., A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System; *TPEL Dec. 2025 17789-17802*
Rahman, M.D., *see* Nawafleh, Y., *TPEL July 2025 8899-8904*
Rahman, S.H., G, J., Saju, P.V., and Shreelakshmi, M.P., Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model; *TPEL Oct. 2025 15172-15181*
Rahman, S.I., *see* Arsalan, A., *TPEL July 2025 9824-9839*
Rai, A., Ganesan, P., Hatua, K., and Bhattacharya, S., Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver; *TPEL Aug. 2025 10609-10622*
Rajashekaraiah, K., *see* Maroufi, S.M., *TPEL July 2025 9944-9956*
Rajesh, R., Prabaharan, N., and Cecati, C., Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors; *TPEL Nov. 2025 16752-16763*
Rajput, N., Sandhibigraha, H.B., Agrawal, N., and Iyer, V.M., An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials; *TPEL Aug. 2025 11257-11267*
Ram, M.K., Anwar, M.N., and Iqbal, A., Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation; *TPEL Oct. 2025 15226-15237*
Ramachandran, S., *see* Jiang, H., *TPEL Feb. 2025 3600-3609*
Ramchand, R., *see* Cyriac, S., *TPEL Oct. 2025 14811-14820*
Ramdani, M., *see* Alam, M.M., *TPEL June 2025 8553-8565*
Ramiah, H., *see* Tan, Y., *TPEL Aug. 2025 11182-11196*
Ramos, E.R., *see* Sarda, R., *TPEL July 2025 9479-9491*
Ramos, R.A., *see* de Pontes, G.P., *TPEL Jan. 2025 351-360*
Ran, L., *see* Zhang, Y., *TPEL Jan. 2025 112-117*
Ran, L., *see* Zhang, F., *TPEL Aug. 2025 11235-11245*
Ran, L., *see* Xie, J., *TPEL Sept. 2025 11940-11944*
Ran, L., *see* Iosifidis, N., *TPEL Oct. 2025 15381-15398*
Ran, L., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*
Ran, L., *see* Liang, Y., *TPEL Dec. 2025 17563-17568*
Rana, D., Banerjee, S., Suresh, A., Mishra, S.K., and Nair, S., A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters; *TPEL Sept. 2025 12614-12625*
Ranjram, M.K., *see* Anderson, J.R., *TPEL Oct. 2025 14854-14867*
Rannestad, B., *see* Yan, Z., *TPEL June 2025 8194-8205*
Rannestad, B., *see* Liu, G., *TPEL Aug. 2025 10531-10542*
Rannestad, B., *see* Yan, Z., *TPEL Dec. 2025 17650-17663*
Rao, P., *see* Tang, H., *TPEL March 2025 4630-4639*
Rastegar, M., *see* Bahrami-Fard, M., *TPEL Sept. 2025 12402-12415*
Ravera, A., Oliveri, A., Lodi, M., Beatrice, C., Ferrara, E., Fiorillo, F., and Storace, M., Modeling Amorphous-Core Inductors up to Magnetic Saturation; *TPEL Jan. 2025 1563-1576*
Ravi, L., *see* Zhao, S., *TPEL Sept. 2025 12043-12047*
Ravitheja, R., Sahoo, M., Shaw, P., and Thirumala, K., A Four Switch Common Ground-Based Single Phase Current-Fed Boost Inverter; *TPEL Jan. 2025 1064-1073*
Ray, P., *see* Arya, S.R., *TPEL June 2025 8480-8489*
Reatti, A., *see* Corti, F., *TPEL March 2025 3899-3915*
Reece, C., Ishraq, N., and Mallik, A., Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter; *TPEL Feb. 2025 3150-3167*
Reese, S., Sauter, B., and Maksimovic, D., Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling; *TPEL Aug. 2025 11126-11142*
Ren, B., *see* Chen, Z., *TPEL March 2025 4602-4612*
Ren, B., *see* Wang, Z., *TPEL Nov. 2025 16611-16625*
Ren, C., *see* Wu, J., *TPEL April 2025 5223-5230*
Ren, C., *see* Wei, X., *TPEL June 2025 8658-8673*
Ren, C., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*
Ren, H., *see* Wang, H., *TPEL Aug. 2025 11268-11282*
Ren, J., *see* Zheng, K., *TPEL Feb. 2025 3785-3797*
Ren, J., *see* Huang, T., *TPEL May 2025 7549-7559*

Ren, J., Guo, Y., Sun, Y., Luo, F., Zhao, Y., and Xiao, Z., A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple; *TPEL Oct. 2025 14974-14984*
Ren, M., *see* Wang, K., *TPEL Aug. 2025 10581-10593*
Ren, Q., Han, Y., Zhou, M., Yan, C., Yang, P., and Wang, C., Overview of Voltage Balancing Schemes in Bipolar DC Microgrids; *TPEL Feb. 2025 3469-3489*
Ren, S., *see* Liu, Z., *TPEL Jan. 2025 1748-1761*
Ren, S., *see* Chen, C., *TPEL April 2025 5661-5671*
Ren, S., Jiang, C.Q., Mo, L., Chen, C., Wang, Y., and Tse, C.K., Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance; *TPEL Oct. 2025 14345-14350*
Ren, S., Song, H., Chen, R., Xiao, D., Wang, Z., and Wang, X., Control of Three-Phase PMSM Drive With Minimum Sensor Usage; *TPEL Nov. 2025 16538-16547*
Ren, X., *see* Zhang, Y., *TPEL Jan. 2025 1645-1653*
Ren, X., *see* Li, H., *TPEL Jan. 2025 2342-2354*
Ren, X., *see* Cai, C., *TPEL Feb. 2025 3726-3737*
Ren, X., *see* Liu, X., *TPEL March 2025 4640-4651*
Ren, X., *see* Li, C., *TPEL June 2025 7603-7614*
Ren, X., *see* Li, J., *TPEL Sept. 2025 14181-14192*
Ren, Y., *see* Han, W., *TPEL April 2025 4793-4804*
Ren, Y., *see* Hou, L., *TPEL Dec. 2025 17844-17857*
Ren, Z., Ding, D., Wang, G., Li, B., Wang, S., and Xu, D., Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation; *TPEL June 2025 8005-8015*
Repecho, V., Borras, A., and Biel, D., A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters; *TPEL Oct. 2025 15852-15864*
Resalayyan, R., *see* Zakzewski, D., *TPEL Sept. 2025 12648-12660*
Resalayyan, R., *see* Shen, Y., *TPEL Sept. 2025 13499-13513*
Resende, E.C., *see* Carnielutti, F., *TPEL July 2025 9080-9089*
Rhee, J., Lee, S., Lee, C., Woo, S., Kim, H., Kim, J., and Ahn, S., One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis; *TPEL Jan. 2025 969-983*
Rhee, J., *see* Yang, J., *TPEL March 2025 4522-4535*
Rhee, J., *see* Woo, S., *TPEL April 2025 4701-4705*
Ricco, M., *see* Geng, J., *TPEL May 2025 7002-7014*
Richardeau, F., *see* Picot-Digoix, M., *TPEL Jan. 2025 142-145*
Rim, C.T., Shah, S.A.A., Park, H.J., Routray, A., Jeong, S.Y., and Chung, Y., General Instantaneous Dynamic Phasor; *TPEL Nov. 2025 16953-16962*
Rios-Castro, D., *see* Fernandez-Abraldes, P.M., *TPEL April 2025 4668-4684*
Rios-Castro, D., *see* Perez-Estevez, D., *TPEL Sept. 2025 12977-12997*
Rios-Castro, D., Fernandez-Abraldes, P.M., Perez-Estevez, D., and Doval-Gandoy, J., Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range; *TPEL Oct. 2025 15042-15063*
Rivas-Davila, J., *see* Stolt, E., *TPEL Sept. 2025 12730-12738*
Rivas-Davila, J., *see* Ye, Z., *TPEL Nov. 2025 16560-16571*
Rivera, M., *see* Heidari, R., *TPEL July 2025 9543-9555*
Rodriguez, A., Gomez, A.A., Hernando, M.M., Lamar, D.G., and Sebastian, J., A Dynamic Study of the Single Active Bridge Converter; *TPEL April 2025 4805-4817*
Rodriguez, E., *see* Liang, G., *TPEL March 2025 4080-4089*
Rodriguez, J., *see* Zheng, C., *TPEL Jan. 2025 1872-1885*
Rodriguez, J., *see* Karneddi, H., *TPEL Jan. 2025 28-33*
Rodriguez, J., *see* Liu, X., *TPEL Jan. 2025 563-573*
Rodriguez, J., *see* Carnielutti, F., *TPEL Jan. 2025 540-550*
Rodriguez, J., *see* Chen, S., *TPEL Feb. 2025 3020-3032*
Rodriguez, J., *see* Du, C., *TPEL April 2025 5715-5730*
Rodriguez, J., *see* Liu, X., *TPEL April 2025 4914-4926*
Rodriguez, J., *see* Mousavi, M.S., *TPEL May 2025 6801-6812*
Rodriguez, J., *see* Li, X., *TPEL May 2025 6492-6505*
Rodriguez, J., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Rodriguez, J., *see* Wang, F., *TPEL Aug. 2025 10846-10864*
Rodriguez, J., *see* Wang, J., *TPEL Oct. 2025 14638-14650*
Rodriguez, J., *see* Babayomi, O., *TPEL Nov. 2025 17124-17146*
Rodriguez, L.A.G., *see* Gill, L., *TPEL Oct. 2025 15433-15449*
Rodriguez-Rodriguez, J.R., *see* Avila-Becerril, S., *TPEL Aug. 2025 11537-11551*
Roes, M.G.L., *see* Pouresmaeil, K., *TPEL June 2025 8139-8152*
Rogers, D.J., *see* He, K., *TPEL Nov. 2025 17529-17548*
Roinila, T., *see* Abbasian, S., *TPEL Sept. 2025 13403-13414*
Rojas, C.A., *see* Berger, J.G., *TPEL April 2025 5518-5530*
Rojas, C.A., *see* M., M.A., *TPEL April 2025 4927-4937*
Rojas, F., *see* Rubio, F., *TPEL April 2025 5069-5079*
Ronanki, D., *see* Karneddi, H., *TPEL Jan. 2025 28-33*
Rong, C., Wang, Q., Chen, M., Guo, Y., Xu, Y., Xia, C., Zhang, X., and Jie, H., Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems; *TPEL June 2025 8859-8868*
Rong, E., Sun, P., Yang, G., Xia, J., Liu, Z., and Li, S., 5-kW, 96.5% Efficiency Capacitive Power Transfer System With a Five-Plate Coupler: Design and Optimization; *TPEL Jan. 2025 2542-2555*
Rong, E., *see* Li, Y., *TPEL Feb. 2025 3750-3769*
Rong, E., *see* Liu, Z., *TPEL July 2025 8911-8916*
Rong, E., *see* Liu, Z., *TPEL Dec. 2025 18499-18511*
Rong, M., *see* Liu, Z., *TPEL March 2025 4536-4545*
Rong, M., *see* Liang, C., *TPEL April 2025 6230-6247*
Rong, M., *see* Liu, Z., *TPEL July 2025 10265*
Rong, M., *see* Liu, Z., *TPEL Sept. 2025 14014-14026*
Rong, Q., Hu, P., Cao, Y., Wang, G., Huang, Y., and Wang, D., How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method; *TPEL Nov. 2025 16780-16789*
Rong, X., Shi, D., and Wang, S., Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance; *TPEL Sept. 2025 13852-13865*
Rouse, C.D., *see* Herpers, C., *TPEL April 2025 6248-6259*
Routimo, M., *see* Chen, F., *TPEL Feb. 2025 2943-2957*
Routimo, M., *see* Mourouvin, R., *TPEL June 2025 7789-7799*
Routray, A., *see* Rim, C.T., *TPEL Nov. 2025 16953-16962*
Ruan, J., *see* Ding, C., *TPEL Nov. 2025 16111-16115*
Ruan, X., *see* Xu, Y., *TPEL Jan. 2025 252-262*
Ruan, X., *see* Liu, N., *TPEL Jan. 2025 146-151*
Ruan, X., *see* Shao, F., *TPEL March 2025 4255-4267*
Ruan, X., *see* Chen, Y., *TPEL April 2025 6084-6096*
Ruan, X., *see* Xu, Y., *TPEL April 2025 5505-5517*
Ruan, X., *see* Yang, F., *TPEL July 2025 9649-9659*
Ruan, X., *see* Xiao, L., *TPEL Aug. 2025 11157-11169*
Ruan, X., *see* Wang, F., *TPEL Sept. 2025 13543-13555*
Ruan, X., *see* Yan, Y., *TPEL Sept. 2025 13434-13447*
Rubio, F., Pereda, J., Mora, A., and Rojas, F., Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage; *TPEL April 2025 5069-5079*
Ryoo, H., *see* Ahn, J., *TPEL Aug. 2025 11012-11020*

S

Saberi, A.N., *see* Kakosimos, P., *TPEL Nov. 2025 16048-16054*
Sabetfar, T., Hosseinpour, M., Seifi, A., and Heydari-doostabad, H., Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency; *TPEL Oct. 2025 15130-15148*
Sadabadi, M.S., *see* Jamali, M., *TPEL Feb. 2025 2746-2760*
Sadeghi, Z., Sadi, M.H.H., and Bauman, J., Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current; *TPEL Dec. 2025 17879-17893*
Sadi, M.H.H., *see* Sadeghi, Z., *TPEL Dec. 2025 17879-17893*
Saeedifard, M., *see* Chen, Y., *TPEL Jan. 2025 4-7*
Saeedifard, M., *see* Cai, C., *TPEL Jan. 2025 2527-2541*
Saeedifard, M., *see* Zeng, Z., *TPEL July 2025 8934-8938*
Saeedifard, M., *see* Yuan, Z., *TPEL Sept. 2025 14146-14158*
Saeibehrouzi, A., *see* Iosifidis, N., *TPEL Oct. 2025 15381-15398*
Saggini, S., *see* Iob, F., *TPEL May 2025 6629-6642*
Saha, B., and Singh, B., Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV; *TPEL Jan. 2025 1739-1747*

Saha, B., and Singh, B., Sensorless BLDCM Drive Using an Improved DSOGI-PLL Observer for Solar-PV-Assisted LEV; *TPEL Jan. 2025 1636-1644*
Sahoo, M., *see* Ravitheja, R., *TPEL Jan. 2025 1064-1073*
Sahoo, S., *see* Jamali, M., *TPEL Feb. 2025 2746-2760*
Sahoo, S., *see* Kong, R., *TPEL April 2025 5037-5051*
Sahoo, S., *see* Ou, S., *TPEL Aug. 2025 11339-11354*
Sahoo, S., *see* Kong, R., *TPEL Aug. 2025 11170-11181*
Saju, P.V., *see* Rahman, S.H., *TPEL Oct. 2025 15172-15181*
Sal y Rosas, D., Chavez, D., and Tafur, J., Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications; *TPEL July 2025 9034-9047*
Salehi, M., Abbaskhanian, K., and Amirabadi, M., A Highly Reliable Zeta-Based AC-Link Universal Converter; *TPEL Feb. 2025 3210-3224*
Salhi, I., *see* Benzine, M., *TPEL June 2025 8592-8603*
Salinas, S., *see* Berger, J.G., *TPEL April 2025 5518-5530*
Salmon, J., *see* Bolonne, S., *TPEL May 2025 6470-6475*
Sanchez-Squella, A., Jimenez, C., Morales, F., and Burgos, R., Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements; *TPEL Sept. 2025 13941-13951*
Sancio, R., Votava, M., Debbadi, K., Pascal, Y., and Liserre, M., Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control; *TPEL Nov. 2025 17025-17039*
Sandberg, H., *see* Chen, F., *TPEL Feb. 2025 2943-2957*
Sanders, S.R., *see* Iyer, R.K., *TPEL Dec. 2025 18097-18112*
Sandhibigraha, H.B., *see* Rajput, N., *TPEL Aug. 2025 11257-11267*
Sang, X., *see* Gao, C., *TPEL Nov. 2025 16963-16978*
Sangwongwanich, A., *see* Ou, S., *TPEL Aug. 2025 11339-11354*
Sano, K., *see* Wang, X., *TPEL Sept. 2025 12031-12032*
Santagati, C.A., *see* Iob, F., *TPEL May 2025 6629-6642*
Santana, I., and Zurbriggen, I.G., Dual-Loop Estimation Based Adaptive Controller for Microgrid Connected Boost Converters; *TPEL Jan. 2025 551-562*
Santana, I., *see* Meineri, N.A., *TPEL Feb. 2025 2736-2745*
Santos, V.D., *see* Almeida, G., *TPEL Oct. 2025 14962-14973*
Santra, S.B., *see* Gautam, K.K., *TPEL Jan. 2025 64-70*
Santra, S.B., *see* Barman, D., *TPEL May 2025 7423-7438*
Sanusi, B.N., *see* Wang, P., *TPEL Oct. 2025 15306-15315*
Sanusi, B.N., Wang, P., and Ouyang, Z., A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer; *TPEL Oct. 2025 15278-15291*
Sanusi, B.N., Zambach, M., Varon, M., Beleggia, M., Frandsen, C., and Ouyang, Z., Low Profile Superparamagnetic Inductor for Portable Electronics Power Management; *TPEL Dec. 2025 18148-18163*
Sarda, R., Ramos, E.R., Farivar, G.G., Pou, J., Yeo, H.L., Sriram, V.B., and Tripathi, A., Reserved-Energy-Aided Control in Solid-State Transformers; *TPEL July 2025 9479-9491*
Sarlioglu, B., *see* Amorim Torres, R., *TPEL March 2025 4345-4357*
Sathik M, J., *see* Tian, H., *TPEL Jan. 2025 92-97*
Sathik M, J., *see* Tian, H., *TPEL Aug. 2025 10335-10342*
Satpathy, S., *see* Das, P.P., *TPEL April 2025 5685-5699*
Sauter, B., *see* Reese, S., *TPEL Aug. 2025 11126-11142*
Savca, A., *see* Schroder, A., *TPEL Oct. 2025 15265-15277*
Scaduto, S., *see* Iob, F., *TPEL May 2025 6629-6642*
Scarcella, G., *see* Tornello, L.D.D., *TPEL June 2025 8468-8479*
Scarpa, M., *see* Torchio, R., *TPEL May 2025 6977-6987*
Scelba, G., *see* Tornello, L.D.D., *TPEL June 2025 8468-8479*
Schellekens, J., *see* Kosesoy, Y., *TPEL Sept. 2025 12527-12541*
Schikowski, S., *see* Groon, F., *TPEL Nov. 2025 17309-17324*
Schirmer, P.A., *see* Song, Y., *TPEL May 2025 7251-7260*
Schreivogel, P., *see* Song, Y., *TPEL May 2025 7251-7260*
Schroder, A., Bradde, T., Bormann, D., Savca, A., and Grivet-Talocia, S., Permeability Macromodels for Magnetic Powder Materials Under DC Bias; *TPEL Oct. 2025 15265-15277*
Schwanninger, R., *see* Zettelmeier, J., *TPEL Sept. 2025 12606-12613*
Schwartz, W.G., *see* Farnell, C., *TPEL Dec. 2025 18437-18447*
Schweins, O., *see* Kirchgassner, W., *TPEL Feb. 2025 3326-3335*
Sebastian, J., *see* Rodriguez, A., *TPEL April 2025 4805-4817*
See, K.Y., *see* Jie, H., *TPEL Jan. 2025 920-943*
See, K.Y., *see* Jie, H., *TPEL July 2025 9329-9342*
Seeber, R., *see* Baumgartner, T., *TPEL Jan. 2025 691-703*
Seifi, A., *see* Sabetfar, T., *TPEL Oct. 2025 15130-15148*
Sekhar, K.R., *see* Kumar, A., *TPEL Sept. 2025 13907-13918*
Sekiya, H., *see* Komiyama, Y., *TPEL Nov. 2025 16822-16836*
Semidotskih, Y., *see* Ben-Yaakov, S., *TPEL March 2025 3850-3853*
Sen, T., *see* Liao, M., *TPEL April 2025 6370-6384*
Sen, T., Liao, M., Elasser, Y., and Chen, M., Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating; *TPEL Oct. 2025 15700-15717*
Sengupta, A., *see* Barzegarkhoo, R., *TPEL Nov. 2025 17366-17383*
Senkov, A., *see* Lin, Z., *TPEL April 2025 5052-5068*
Seo, G., *see* Baeckeland, N., *TPEL May 2025 6714-6725*
Seok, W., *see* Chae, D., *TPEL April 2025 4740-4746*
Serpaud, S., *see* Almeida, G., *TPEL Oct. 2025 14962-14973*
Sezer, M.M., Norwood, D., Geiger, J., Hava, A.M., and Akin, B., An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain; *TPEL Nov. 2025 16512-16524*
Sha, D., *see* Zhang, D., *TPEL Aug. 2025 11820-11835*
Sha, D., *see* Ma, P., *TPEL Nov. 2025 17414-17425*
Sha, D., *see* Zhang, D., *TPEL Dec. 2025 17558-17562*
Sha, R., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Shafique, A., *see* Moon, S., *TPEL Feb. 2025 3225-3239*
Shah, C.R., Molinas, M., Foyen, S., D'Arco, S., Nilsen, R., and Amin, M., Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor; *TPEL Aug. 2025 10481-10495*
Shah, S.A.A., *see* Fawad, ., *TPEL Oct. 2025 15880-15890*
Shah, S.A.A., *see* Rim, C.T., *TPEL Nov. 2025 16953-16962*
Shah, S.B., *see* Pradhan, R., *TPEL Dec. 2025 17894-17910*
Shahane, R., and Shukla, A., Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications; *TPEL Sept. 2025 13866-13879*
Shan, M., *see* Liu, L., *TPEL June 2025 8566-8576*
Shan, P., Sun, Y., Song, Y., Zhang, F., Li, Y., and Sun, K., Adaptive Parameter Tuning and Virtual Impedance Injection Control for Coupled Harmonic Mitigation of Photovoltaic Converter; *TPEL Jan. 2025 162-175*
Shan, Y., *see* Zhang, Y., *TPEL June 2025 7727-7739*
Shan, Y., *see* Shen, Z., *TPEL Oct. 2025 14842-14853*
Shang, L., *see* Han, J., *TPEL Jan. 2025 2248-2258*
Shang, Q., *see* Yu, Y., *TPEL Sept. 2025 13050-13062*
Shang, Y., *see* Liu, S., *TPEL Jan. 2025 738-748*
Shang, Y., *see* Tong, L., *TPEL July 2025 9388-9406*
Shang, Y., *see* Wang, Y., *TPEL Oct. 2025 15687-15699*
Shang, Z., Liu, J., Wu, J., Shen, X., Ren, C., Chen, Z., Xu, X., Meng, L., Xu, L., Tong, F., and Zeng, R., Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods; *TPEL Sept. 2025 12143-12153*
Shangguan, M., *see* Lai, W., *TPEL April 2025 6020-6032*
Shangguan, Y., *see* Guo, Y., *TPEL Aug. 2025 10746-10757*
Shao, C., *see* Sun, P., *TPEL Feb. 2025 2780-2796*
Shao, F., Yao, K., Ruan, X., Xing, Z., Wang, T., and Li, L., A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor; *TPEL March 2025 4255-4267*
Shao, J., *see* Peng, H., *TPEL May 2025 6539-6554*
Shao, L., *see* Qiu, H., *TPEL Aug. 2025 11467-11476*
Shao, S., *see* Liu, Y., *TPEL April 2025 5743-5755*
Shao, S., *see* Yang, D., *TPEL April 2025 5635-5645*
Shao, S., *see* Cui, W., *TPEL Nov. 2025 16596-16610*
Shao, W., Wang, C., Li, K., Zhang, Z., and Gao, C., ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition; *TPEL Sept. 2025 12953-12963*
Shao, Y., *see* Yi, Z., *TPEL July 2025 10154-10164*
Shao, Z., *see* Chen, J., *TPEL Jan. 2025 704-715*
Shao, Z., Ma, Z., Gong, J., and Peng, Y., Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame; *TPEL Aug. 2025 11775-11786*
Shao, Z., Chen, J., Li, J., Hu, W., Gong, L., and Wang, Y., Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis; *TPEL Oct. 2025 14755-14770*

Shareef, H., *see* Naresh, S.V.K., *TPEL Jan. 2025 1418-1430*
Shareef, H., *see* Viswambharan, A., *TPEL Feb. 2025 2761-2779*
Sharida, A., Bayindir, A.B., Bayhan, S., and Abu-Rub, H., Hierarchical Control of DC Coupled Fast EV Charging Station; *TPEL Aug. 2025 11690-11700*
Sharifian, M.B.B., *see* Daneshgar, S., *TPEL Dec. 2025 17858-17868*
Shaw, P., *see* Ravitheja, R., *TPEL Jan. 2025 1064-1073*
Shawartamimi, A., Bashaireh, A., Mazaheri, H., and Ehsani, M., Conversion Function Theory of DC–DC Switching Power Converters; *TPEL Aug. 2025 10419-10432*
She, X., *see* Wang, Y., *TPEL April 2025 5959-5970*
She, X., *see* Yang, F., *TPEL July 2025 9357-9369*
Sheikhi, A., Ma, J., Grebennikov, A., and Beach, M., Design of Novel High-Efficiency Inverse Class-E Power Amplifier; *TPEL Aug. 2025 11117-11125*
Shekhar, A., *see* van der Sande, R., *TPEL June 2025 8179-8193*
Shekhar, A., *see* Ahmadi, M., *TPEL Sept. 2025 13311-13323*
Shen, A., *see* Xu, S., *TPEL Aug. 2025 10804-10815*
Shen, H., *see* Jiao, N., *TPEL Jan. 2025 1813-1825*
Shen, H., *see* Zhang, J., *TPEL Jan. 2025 2114-2125*
Shen, H., *see* Lu, Y., *TPEL Jan. 2025 2210-2218*
Shen, H., *see* Lu, Y., *TPEL April 2025 6044-6054*
Shen, H., *see* Yang, T., *TPEL Aug. 2025 10945-10956*
Shen, H., *see* Yang, B., *TPEL Sept. 2025 12937-12952*
Shen, H., *see* Shen, X., *TPEL Oct. 2025 15371-15380*
Shen, H., Liang, T., Zhang, Y., Jiang, R., Sun, D., and Sun, X., Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current; *TPEL Dec. 2025 17972-17987*
Shen, J., *see* Wang, X., *TPEL Jan. 2025 1900-1909*
Shen, J., *see* Liu, Z., *TPEL Jan. 2025 679-690*
Shen, J., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Shen, L., *see* Tian, Y., *TPEL May 2025 6860-6873*
Shen, L., *see* Xiao, Y., *TPEL May 2025 6685-6699*
Shen, L., Jiang, D., and Zhu, H., Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm; *TPEL Aug. 2025 10672-10681*
Shen, Q., Sun, Q., Chu, E., and Sun, C., Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters; *TPEL Feb. 2025 3636-3656*
Shen, S., *see* Wu, Q., *TPEL April 2025 5971-5982*
Shen, T., *see* Yang, Z., *TPEL Aug. 2025 10783-10792*
Shen, T., *see* Yang, Z., *TPEL Sept. 2025 12416-12427*
Shen, W., *see* Guo, R., *TPEL Aug. 2025 10272-10285*
Shen, X., *see* Zuo, Y., *TPEL March 2025 3838-3843*
Shen, X., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*
Shen, X., Zhang, X., Shen, H., Dongye, Z., Gu, B., and Qi, L., Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification; *TPEL Oct. 2025 15371-15380*
Shen, X., Ma, J., and Zhu, M., Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems; *TPEL Oct. 2025 15545-15561*
Shen, X., Zuo, Y., Cobaleda, D.B., and Martinez, W., Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models; *TPEL Oct. 2025 15254-15264*
Shen, X., *see* Zhang, L., *TPEL Oct. 2025 15595-15606*
Shen, X., *see* Zhuge, H., *TPEL Dec. 2025 18305-18317*
Shen, Y., Chen, Z., Huang, H., Wang, Q., and Liu, Y., Asymmetric Space Vector Pulse Width Modulation for the Phase Current Reconstruction in Three-Phase Inverters; *TPEL Jan. 2025 1686-1696*
Shen, Y., *see* Xu, Y., *TPEL March 2025 4374-4385*
Shen, Y., *see* Yang, X., *TPEL June 2025 7615-7627*
Shen, Y., *see* Chen, Z., *TPEL Sept. 2025 12230-12241*
Shen, Y., *see* Chen, Z., *TPEL Sept. 2025 12337-12349*
Shen, Y., Hasnain, A., Zakzewski, D., Resalayyan, R., and Khaligh, A., Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability; *TPEL Sept. 2025 13499-13513*
Shen, Y., *see* Gu, M., *TPEL Nov. 2025 16080-16084*
Shen, Y., *see* Wang, X., *TPEL Dec. 2025 17738-17749*
Shen, Z., *see* Wang, Y., *TPEL Jan. 2025 1974-1990*
Shen, Z., *see* Wang, Z., *TPEL April 2025 5646-5660*
Shen, Z., Xie, R., Liu, C., Yu, X., Cheng, X., and Zhang, Y., An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance; *TPEL April 2025 4722-4726*
Shen, Z., *see* Zhang, Y., *TPEL May 2025 7512-7522*
Shen, Z., *see* Lai, A., *TPEL June 2025 8847-8858*
Shen, Z., *see* Liu, L., *TPEL Aug. 2025 11552-11563*
Shen, Z., *see* Lv, Y., *TPEL Aug. 2025 11655-11672*
Shen, Z., *see* Zhang, J., *TPEL Aug. 2025 10433-10442*
Shen, Z., *see* Pan, W., *TPEL Sept. 2025 14159-14168*
Shen, Z., He, Z., Guan, R., Sun, P., Li, Z., Wang, Y., Shan, Y., Yuan, Z., and Chen, Y., A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation; *TPEL Oct. 2025 14842-14853*
Shen, Z., *see* Fu, X., *TPEL Nov. 2025 16146-16157*
Shen, Z.J., *see* Liu, Z., *TPEL March 2025 4449-4460*
Sheng, C., *see* Ji, S., *TPEL Jan. 2025 2158-2169*
Sheng, C., *see* Yang, M., *TPEL June 2025 8016-8035*
Sheng, G., *see* Wu, Z., *TPEL Jan. 2025 279-289*
Sheng, H., *see* Wu, F., *TPEL April 2025 5983-5998*
Sheng, H., *see* Ni, Q., *TPEL June 2025 8766-8775*
Sheng, H., *see* Ni, Q., *TPEL Nov. 2025 17355-17365*
Sheng, J., *see* Li, B., *TPEL Jan. 2025 1168-1182*
Sheng, J., Xiang, X., Xu, L., Yang, H., Shi, T., Li, W., and He, X., Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters; *TPEL July 2025 9463-9478*
Sheng, J., *see* Chen, H., *TPEL Sept. 2025 12920-12936*
Sheng, K., *see* Tang, W., *TPEL Oct. 2025 14524-14535*
Shi, B., *see* Jia, S., *TPEL Oct. 2025 14259-14264*
Shi, D., *see* Rong, X., *TPEL Sept. 2025 13852-13865*
Shi, G., *see* Zhang, J., *TPEL Jan. 2025 1198-1214*
Shi, G., *see* Zhang, J., *TPEL April 2025 5265-5278*
Shi, G., *see* Chen, J., *TPEL April 2025 5423-5439*
Shi, G., Ou, J., Wu, Z., Zhang, J., Xu, X., Guan, Y., and Guerrero, J.M., A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points; *TPEL Aug. 2025 10402-10418*
Shi, G., *see* Qiu, H., *TPEL Oct. 2025 15820-15834*
Shi, H., *see* Wei, Z., *TPEL May 2025 7414-7422*
Shi, H., *see* Yao, Y., *TPEL Aug. 2025 11725-11738*
Shi, H., Liang, M., Zhu, J., Zhang, Z., Cao, P., Xu, J., and Hong, Z., An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range; *TPEL Oct. 2025 15316-15328*
Shi, J., *see* Yang, H., *TPEL March 2025 3938-3951*
Shi, J., *see* Lai, W., *TPEL April 2025 6020-6032*
Shi, K., Tang, C., Feng, T., Wang, P., Jiang, J., Wang, J., Hou, J., and Li, S., Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment; *TPEL Oct. 2025 15959-15975*
Shi, K., Tang, C., Feng, T., Wang, P., Jiang, J., Li, S., and Hou, J., Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range; *TPEL Dec. 2025 17924-17936*
Shi, L., *see* Tang, X., *TPEL March 2025 4498-4509*
Shi, L., *see* Yu, H., *TPEL Oct. 2025 14496-14507*
Shi, Q., Zhuang, C., Liu, J., Lin, B., Peng, X., Wu, D., Liu, Z., and Zeng, R., Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment; *TPEL June 2025 8168-8178*
Shi, S., Peng, Q., Liu, T., and Meng, J., Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System; *TPEL Dec. 2025 17582-17586*
Shi, T., *see* Li, B., *TPEL Jan. 2025 1168-1182*
Shi, T., *see* Li, X., *TPEL Jan. 2025 129-134*
Shi, T., *see* Chen, W., *TPEL Jan. 2025 638-651*

Shi, T., *see* Ye, M., *TPEL Feb. 2025 3405-3418*
Shi, T., *see* Tang, S., *TPEL April 2025 5731-5742*
Shi, T., *see* Cao, Y., *TPEL April 2025 5700-5714*
Shi, T., *see* Liu, B., *TPEL June 2025 8540-8552*
Shi, T., *see* Sheng, J., *TPEL July 2025 9463-9478*
Shi, T., *see* Gu, X., *TPEL Aug. 2025 10731-10745*
Shi, T., *see* Bao, X., *TPEL Aug. 2025 10824-10835*
Shi, T., *see* Liu, B., *TPEL Sept. 2025 12280-12294*
Shi, T., *see* Li, H., *TPEL Nov. 2025 16123-16128*
Shi, X., *see* Zhou, D., *TPEL Feb. 2025 2702-2707*
Shi, X., *see* Wu, Y., *TPEL March 2025 4090-4099*
Shi, X., *see* Yang, Y., *TPEL March 2025 3830-3837*
Shi, X., *see* Dou, J., *TPEL April 2025 4775-4779*
Shi, X., *see* Yang, Y., *TPEL July 2025 9200-9210*
Shi, X., *see* Man, C., *TPEL July 2025 9211-9222*
Shi, X., *see* Liu, T., *TPEL Sept. 2025 11908-11917*
Shi, X., Li, R., Wu, X., Zhou, D., Cheng, Y., and Cai, X., Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents; *TPEL Oct. 2025 15450-15465*
Shi, Y., *see* Xin, Z., *TPEL Jan. 2025 2126-2138*
Shi, Y., Zhang, B., Kang, J., Lai, Y., Wang, H., and Xin, Z., An IGBT Junction Temperature Estimation Method Based on Turn-Off Maximum di_C/dt With Decoupling Load Current; *TPEL Jan. 2025 2057-2069*
Shi, Y., Liu, Z., Liu, J., Wang, W., and An, R., A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids; *TPEL Aug. 2025 11564-11582*
Shi, Y., *see* Su, Y., *TPEL Sept. 2025 12026-12030*
Shi, Z., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Shi, Z., *see* Zeng, Y., *TPEL Nov. 2025 17503-17513*
Shih, Y., *see* Lin, S., *TPEL May 2025 6898-6907*
Shim, M., *see* Chae, D., *TPEL April 2025 4740-4746*
Shimbori, A., *see* Yu, H., *TPEL Oct. 2025 14496-14507*
Shin, J., Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage; *TPEL Oct. 2025 15149-15159*
Shin, J., *see* Shin, J., *TPEL Oct. 2025 15149-15159*
Shin, Y., *see* Woo, S., *TPEL April 2025 4701-4705*
Shinshi, T., *see* He, Z., *TPEL April 2025 5672-5684*
Shouno, H., *see* Yamakaji, Y., *TPEL Feb. 2025 3313-3325*
Shreelakshmi, M.P., *see* Rahman, S.H., *TPEL Oct. 2025 15172-15181*
Shu, G., *see* Bi, Y., *TPEL Jan. 2025 263-278*
Shu, J., *see* Wang, Z., *TPEL Jan. 2025 665-678*
Shu, J., Sun, J., Wu, X., and Chen, K.J., A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT; *TPEL April 2025 4752-4756*
Shu, J., Sun, J., Tao, M., Du, Y., Lee, S.R., and Chen, K.J., Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced dv/dt Control Capability; *TPEL May 2025 6874-6882*
Shu, J., *see* Wang, W., *TPEL Sept. 2025 12829-12844*
Shu, L., *see* Yang, X., *TPEL March 2025 4486-4497*
Shu, L., *see* Jiang, Y., *TPEL Nov. 2025 16911-16925*
Shu, S., *see* Ling, Y., *TPEL Sept. 2025 13474-13489*
Shu, Y., *see* Wu, J., *TPEL April 2025 4862-4877*
Shu, Y., *see* Meng, F., *TPEL Oct. 2025 15160-15171*
Shu, Y., *see* Meng, F., *TPEL Oct. 2025 15768-15779*
Shu, Z., *see* Wang, S., *TPEL Jan. 2025 98-104*
Shu, Z., *see* Zhang, H., *TPEL Jan. 2025 2457-2471*
Shu, Z., *see* Yang, J., *TPEL April 2025 5907-5921*
Shu, Z., *see* Wang, S., *TPEL June 2025 8253-8263*
Shu, Z., *see* Nie, J., *TPEL June 2025 8264-8280*
Shu, Z., *see* Zou, M., *TPEL Aug. 2025 11583-11597*
Shu, Z., *see* Nie, J., *TPEL Nov. 2025 16090-16095*
Shuai, Y., *see* Xiong, Y., *TPEL Sept. 2025 13217-13230*
Shuai, Y., Zhou, M., Chen, Y., Xie, Y., Ding, J., Jiang, D., and Liu, Z., Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive; *TPEL Oct. 2025 14560-14570*
Shukla, A., *see* Shahane, R., *TPEL Sept. 2025 13866-13879*
Si, J., *see* Jia, S., *TPEL June 2025 8503-8515*
Si, J., *see* Gao, C., *TPEL Nov. 2025 16963-16978*
Si, W., *see* Li, W., *TPEL April 2025 5939-5948*
Si, Y., *see* Wang, J., *TPEL Oct. 2025 14247-14252*
Sikorski, A., *see* Dmitruk, K., *TPEL Sept. 2025 12095-12111*
Silverman, N., *see* Zhou, L., *TPEL May 2025 6529-6538*
Simoes, M.G., *see* Carnielutti, F., *TPEL July 2025 9080-9089*
Singh, B., *see* Saha, B., *TPEL Jan. 2025 1739-1747*
Singh, B., *see* Saha, B., *TPEL Jan. 2025 1636-1644*
Singh, B., *see* Modi, G., *TPEL Jan. 2025 2385-2396*
Singh, B., *see* Khan, A., *TPEL May 2025 7439-7452*
Singh, B., *see* Singh, V.K., *TPEL Nov. 2025 16498-16511*
Singh, R.K., *see* Jena, P., *TPEL May 2025 7015-7028*
Singh, R.K., *see* Maurya, V.P., *TPEL Sept. 2025 13778-13791*
Singh, S., Bhattacharya, T., and Chatterjee, D., Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms; *TPEL Oct. 2025 15478-15490*
Singh, V., *see* Neti, S.S., *TPEL Sept. 2025 13603-13614*
Singh, V.K., Singh, B., and Gupta, J., Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive; *TPEL Nov. 2025 16498-16511*
Singha, A.K., *see* Pal, A.K., *TPEL Feb. 2025 2797-2808*
Siwakoti, Y.P., *see* Poblete, P., *TPEL Jan. 2025 625-637*
Siwakoti, Y.P., *see* Poblete, P., *TPEL Jan. 2025 500-515*
Smailes, M., *see* Iosifidis, N., *TPEL Oct. 2025 15381-15398*
Smedley, K.M., *see* Xie, W., *TPEL Jan. 2025 1441-1456*
Smedley, K.M., *see* Fu, Y., *TPEL Nov. 2025 16572-16586*
Smedley, K.M., *see* Fu, Y., *TPEL Dec. 2025 17958-17971*
Soeiro, T.B., *see* Qazi, S., *TPEL April 2025 6203-6215*
Soeiro, T.B., *see* Zhang, G., *TPEL Oct. 2025 14923-14936*
Soleymani, B., Bagheri, O., Adib, E., and Eren, S., A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching; *TPEL Nov. 2025 16664-16675*
Song, B., *see* Wen, H., *TPEL May 2025 7586-7598*
Song, B., *see* Wang, J., *TPEL Sept. 2025 14124-14133*
Song, B., Lee, C., Kim, H., Cho, H., and Kwon, Y., Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit; *TPEL Oct. 2025 14613-14625*
Song, C., Hu, W., Zhang, J., Zhao, C., and Sun, X., A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control; *TPEL May 2025 6555-6565*
Song, C., *see* Zhou, X., *TPEL Sept. 2025 14050-14060*
Song, C., Yuan, H., Wang, G., and Cui, N., State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network; *TPEL Oct. 2025 15607-15619*
Song, D., *see* Zhou, J., *TPEL Jan. 2025 1862-1871*
Song, D., *see* Dong, M., *TPEL Aug. 2025 11001-11011*
Song, F., *see* Xu, S., *TPEL April 2025 6010-6019*
Song, G., *see* Xiong, Y., *TPEL April 2025 5025-5036*
Song, H., *see* Zhou, X., *TPEL Sept. 2025 14050-14060*
Song, H., *see* Ren, S., *TPEL Nov. 2025 16538-16547*
Song, J., and Chu, E., A Resonant DC-Link Inverter to Reduce the Influence of Resonant Capacitor of Auxiliary Circuit; *TPEL Jan. 2025 1099-1110*
Song, J., *see* Ge, L., *TPEL Jan. 2025 195-216*
Song, J., *see* Li, J., *TPEL Sept. 2025 12690-12702*
Song, J., *see* Yuan, F., *TPEL Sept. 2025 12499-12513*
Song, J., *see* Wang, L., *TPEL Sept. 2025 12215-12229*
Song, J., *see* Xu, B., *TPEL Sept. 2025 13659-13672*
Song, K., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Song, L., *see* Yang, B., *TPEL Sept. 2025 12937-12952*
Song, L., *see* Zhou, Y., *TPEL Oct. 2025 14626-14637*
Song, M., Wu, H., Qin, S., and Xing, Y., Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers; *TPEL Aug. 2025 11021-11031*
Song, M., *see* Hwang, Y., *TPEL Oct. 2025 14282-14288*
Song, M., *see* Lee, J., *TPEL Oct. 2025 14508-14523*

Song, M., Hwang, Y., Jung, S., Lee, T., Moon, S., and Park, J., A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces; *TPEL Oct. 2025 14253-14258*

Song, P., Wang, T., Wu, L., and Zhu, Z.Q., Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines; *TPEL March 2025 3824-3829*

Song, P., Wang, Y., Ma, E., Wu, L., Wang, T., and Li, H., Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives; *TPEL March 2025 4067-4079*

Song, P., Wu, L., and Wang, T., Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines; *TPEL June 2025 7668-7680*

Song, Q., Yang, X., Wang, B., Litchford, E., Sun, Y., Kong, P., Li, Q., and Zhang, Y., Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit; *TPEL April 2025 5212-5222*

Song, Q., Du, S., Liu, J., Wang, Z., and Gu, Y., A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC); *TPEL June 2025 8242-8252*

Song, Q., *see* Chen, X., *TPEL Dec. 2025 18251-18264*

Song, S., *see* Ge, L., *TPEL Jan. 2025 195-216*

Song, S., *see* Ge, L., *TPEL Jan. 2025 40-45*

Song, S., Lei, J., Ma, W., and Wang, Y., Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems; *TPEL March 2025 4199-4212*

Song, S., *see* Cai, J., *TPEL July 2025 9709-9722*

Song, S., *see* Ahn, J., *TPEL Aug. 2025 11012-11020*

Song, S., Peng, H., Tong, Q., Min, R., and Kang, Y., Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET; *TPEL Oct. 2025 14447-14458*

Song, S., *see* Kim, B., *TPEL Nov. 2025 16061-16067*

Song, S., *see* Cai, J., *TPEL Dec. 2025 17664-17673*

Song, T., *see* Zhang, Y., *TPEL Sept. 2025 13490-13498*

Song, W., *see* Chen, Z., *TPEL March 2025 4602-4612*

Song, W., *see* Jia, Z., *TPEL May 2025 7239-7250*

Song, W., *see* Ma, C., *TPEL July 2025 9107-9120*

Song, W., *see* Yue, H., *TPEL Aug. 2025 10567-10580*

Song, W., Hu, T., Chen, J., Tang, T., Yue, H., and Liu, G., A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions; *TPEL Aug. 2025 10623-10634*

Song, W., *see* Xu, P., *TPEL Oct. 2025 14401-14414*

Song, W., *see* Yang, K., *TPEL Oct. 2025 15422-15432*

Song, W., *see* Wang, Z., *TPEL Nov. 2025 16611-16625*

Song, W., *see* Tang, T., *TPEL Nov. 2025 16300-16314*

Song, W., *see* Jia, Z., *TPEL Nov. 2025 17013-17024*

Song, X., *see* Nawafleh, Y., *TPEL July 2025 8899-8904*

Song, Y., *see* Shan, P., *TPEL Jan. 2025 162-175*

Song, Y., *see* Nie, Z., *TPEL April 2025 4685-4694*

Song, Y., *see* Kong, R., *TPEL April 2025 5037-5051*

Song, Y., Schirmer, P.A., Schreivogel, P., Zhang, K., Wang, H., and Blaabjerg, F., On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters; *TPEL May 2025 7251-7260*

Song, Y., *see* Wu, H., *TPEL Aug. 2025 11246-11256*

Song, Y., Ke, Z., Cao, L., and Ye, Y., High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications; *TPEL Oct. 2025 14937-14948*

Song, Z., *see* Yi, B., *TPEL Feb. 2025 3033-3042*

Song, Z., Fang, S., Xu, Q., and Wang, J., A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control; *TPEL Sept. 2025 13792-13804*

Soon, J.L., *see* Qin, L., *TPEL April 2025 5480-5495*

Soon, J.L., *see* Qin, L., *TPEL Oct. 2025 15670-15686*

Sorensen, H., *see* Wang, Z., *TPEL April 2025 5646-5660*

Sorensen, H., *see* Wang, Z., *TPEL Sept. 2025 13142-13156*

Sou, K.C., *see* Chen, F., *TPEL Feb. 2025 2943-2957*

Sourkounis, P., *see* Himker, N., *TPEL Feb. 2025 2887-2900*

Sozer, Y., *see* Chowdhury, A., *TPEL Jan. 2025 1762-1773*

Spiazzi, G., *see* Cabizza, S., *TPEL Jan. 2025 34-39*

Spieler, M., *see* Chang, C., *TPEL Jan. 2025 1215-1233*

Sposito, M., and Zurbriggen, I.G., State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications; *TPEL Dec. 2025 18281-18291*

Sriram, V.B., *see* Sarda, R., *TPEL July 2025 9479-9491*

Stark, B.H., *see* Yan, J., *TPEL Sept. 2025 13260-13275*

Steentjes, S., *see* Peng, H., *TPEL Sept. 2025 12816-12828*

Stevic, S., *see* Peng, H., *TPEL Sept. 2025 12816-12828*

Stojanovic, L., Cvetanovic, R., Mattavelli, P., and Buso, S., Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems; *TPEL Nov. 2025 17400-17413*

Stolt, E., Affolter, M., Ye, Z., and Rivas-Davila, J., Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters; *TPEL Sept. 2025 12730-12738*

Stolt, E., *see* Ye, Z., *TPEL Nov. 2025 16560-16571*

Storace, M., *see* Ravera, A., *TPEL Jan. 2025 1563-1576*

Stratta, A., *see* Du, X., *TPEL May 2025 6908-6920*

Su, H., *see* Lu, Y., *TPEL Jan. 2025 2210-2218*

Su, H., *see* Zhang, S., *TPEL May 2025 7354-7369*

Su, H., *see* Xue, X., *TPEL June 2025 7919-7935*

Su, J., *see* Tan, K., *TPEL June 2025 7754-7764*

Su, J., *see* Hu, H., *TPEL Nov. 2025 16704-16717*

Su, J., *see* Yu, K., *TPEL Dec. 2025 17750-17760*

Su, L., *see* Chen, C., *TPEL Nov. 2025 16315-16326*

Su, M., *see* Jiang, Y., *TPEL Jan. 2025 435-450*

Su, M., *see* Yu, T., *TPEL Jan. 2025 2005-2016*

Su, M., *see* Li, H., *TPEL Feb. 2025 3670-3683*

Su, M., *see* Fu, S., *TPEL Feb. 2025 3697-3709*

Su, M., *see* Xiong, W., *TPEL May 2025 6951-6962*

Su, M., *see* Xiong, W., *TPEL July 2025 10176-10188*

Su, M., *see* Ning, G., *TPEL Aug. 2025 10469-10480*

Su, M., *see* Wang, H., *TPEL Sept. 2025 12964-12976*

Su, M., *see* Guo, J., *TPEL Oct. 2025 15562-15571*

Su, M., *see* Xu, J., *TPEL Nov. 2025 16651-16663*

Su, M., *see* Pan, A., *TPEL Nov. 2025 16231-16242*

Su, M., *see* Ning, G., *TPEL Nov. 2025 16626-16638*

Su, M., *see* Ning, G., *TPEL Dec. 2025 17869-17878*

Su, M., *see* Hao, Y., *TPEL Dec. 2025 18083-18096*

Su, W., *see* Peng, J., *TPEL April 2025 6282-6295*

Su, W., *see* Li, H., *TPEL April 2025 5252-5264*

Su, W., *see* Gao, J., *TPEL Sept. 2025 12626-12633*

Su, X., *see* Li, T., *TPEL Nov. 2025 17246-17255*

Su, Y., *see* Ouyang, T., *TPEL May 2025 7125-7135*

Su, Y., and Shi, Y., Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators; *TPEL Sept. 2025 12026-12030*

Sui, L., *see* Qiu, H., *TPEL Aug. 2025 11467-11476*

Sui, Y., *see* Dong, M., *TPEL Aug. 2025 11001-11011*

Sui, Z., *see* Li, D., *TPEL Jan. 2025 2429-2441*

Sui, Z., Sun, Q., Wang, R., Li, D., and Wang, P., The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination; *TPEL July 2025 9606-9624*

Sul, K., *see* Cho, H., *TPEL Sept. 2025 13895-13906*

Sul, S., *see* Yun, J., *TPEL July 2025 9019-9033*

Sun, A., *see* Zhao, S., *TPEL Jan. 2025 2581-2592*

Sun, A., Xia, C., Yang, Z., Cui, G., Wang, X., Li, X., and Li, H., Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control; *TPEL Sept. 2025 12661-12675*

Sun, A., *see* Yang, Z., *TPEL Sept. 2025 11923-11927*

Sun, B., Zhu, Y., and Wei, Z., Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations; *TPEL Sept. 2025 13246-13259*

Sun, C., *see* Du, J., *TPEL Jan. 2025 2139-2148*

Sun, C., *see* Shen, Q., *TPEL Feb. 2025 3636-3656*

Sun, C., *see* Tang, X., *TPEL March 2025 4498-4509*

Sun, C., *see* Xu, Y., *TPEL April 2025 5835-5845*

Sun, C., *see* Li, X., *TPEL April 2025 5799-5809*

Sun, D., *see* Zhang, S., *TPEL Oct. 2025 14313-14317*

Sun, D., *see* Shen, H., *TPEL Dec. 2025 17972-17987*
Sun, G., *see* Raherimihaja, H.J., *TPEL Dec. 2025 17789-17802*
Sun, H., *see* Kong, C., *TPEL May 2025 6663-6674*
Sun, H., *see* Mao, Y., *TPEL June 2025 8648-8657*
Sun, H., *see* Tang, Y., *TPEL Oct. 2025 14459-14477*
Sun, H., *see* Deng, E., *TPEL Oct. 2025 14949-14961*
Sun, H., *see* Huang, X., *TPEL Dec. 2025 18461-18473*
Sun, J., *see* Peng, Q., *TPEL Jan. 2025 599-610*
Sun, J., *see* Li, Y., *TPEL Feb. 2025 3750-3769*
Sun, J., *see* Yang, L., *TPEL April 2025 6359-6369*
Sun, J., *see* Shu, J., *TPEL April 2025 4752-4756*
Sun, J., *see* Li, X., *TPEL May 2025 6492-6505*
Sun, J., *see* Shu, J., *TPEL May 2025 6874-6882*
Sun, J., *see* Yang, Y., *TPEL Aug. 2025 10286-10298*
Sun, J., *see* Yang, Y., *TPEL Aug. 2025 10286-10298*
Sun, J., Wang, Y., Cheng, H., Gong, C., Yi, L., and Liu, C., Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs; *TPEL Aug. 2025 11206-11217*
Sun, J., *see* Zhou, Y., *TPEL Oct. 2025 14626-14637*
Sun, J., *see* Li, T., *TPEL Nov. 2025 17246-17255*
Sun, J., Xing, X., and Zhang, C., Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System; *TPEL Nov. 2025 17295-17308*
Sun, K., *see* Shan, P., *TPEL Jan. 2025 162-175*
Sun, K., *see* Fu, S., *TPEL Feb. 2025 3697-3709*
Sun, K., *see* Chen, H., *TPEL March 2025 4008-4019*
Sun, K., *see* Huang, Z., *TPEL Aug. 2025 10313-10323*
Sun, K., *see* Fu, Y., *TPEL Nov. 2025 16572-16586*
Sun, K., *see* Ning, G., *TPEL Nov. 2025 16626-16638*
Sun, K., *see* Fu, Y., *TPEL Dec. 2025 17958-17971*
Sun, L., *see* Yao, F., *TPEL Sept. 2025 13202-13216*
Sun, M., Dai, X., Deng, P., Zhao, S., and Li, Y., Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System; *TPEL May 2025 7477-7487*
Sun, M., *see* Huang, H., *TPEL Sept. 2025 13177-13186*
Sun, P., *see* Li, Z., *TPEL Jan. 2025 1305-1321*
Sun, P., *see* Fang, X., *TPEL Jan. 2025 157-161*
Sun, P., *see* Rong, E., *TPEL Jan. 2025 2542-2555*
Sun, P., *see* Li, Y., *TPEL Feb. 2025 3750-3769*
Sun, P., Tian, Z., Zha, X., Huang, M., Tao, Y., Shao, C., and Ma, X., Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault; *TPEL Feb. 2025 2780-2796*
Sun, P., *see* Luo, T., *TPEL March 2025 4170-4185*
Sun, P., Pan, X., Zeng, Z., Huang, Y., Hu, Y., and Zou, M., An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects; *TPEL March 2025 4112-4130*
Sun, P., *see* Gong, J., *TPEL May 2025 6847-6859*
Sun, P., *see* Jia, S., *TPEL June 2025 8503-8515*
Sun, P., *see* Zhang, H., *TPEL July 2025 9370-9387*
Sun, P., *see* Gong, J., *TPEL Oct. 2025 14301-14306*
Sun, P., *see* Shen, Z., *TPEL Oct. 2025 14842-14853*
Sun, P., *see* Zou, M., *TPEL Nov. 2025 16281-16299*
Sun, P., *see* Liang, Y., *TPEL Dec. 2025 17563-17568*
Sun, Q., *see* Li, D., *TPEL Jan. 2025 2429-2441*
Sun, Q., *see* Shen, Q., *TPEL Feb. 2025 3636-3656*
Sun, Q., *see* Fan, J., *TPEL March 2025 4546-4556*
Sun, Q., *see* Wen, W., *TPEL May 2025 6838-6846*
Sun, Q., *see* Lin, Z., *TPEL June 2025 8726-8738*
Sun, Q., *see* Sui, Z., *TPEL July 2025 9606-9624*
Sun, Q., *see* Wang, Z., *TPEL Sept. 2025 12452-12462*
Sun, Q., Chen, C., Cai, X., Gao, J., Ye, X., Zhai, G., and Xie, M., Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters; *TPEL Nov. 2025 17040-17050*
Sun, R., Zeng, G., Yang, B., Wu, L., Xu, W., Jing, L., Wu, X., Lei, J., and Zhang, Y., A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit; *TPEL Sept. 2025 12794-12815*
Sun, S., *see* Wang, X., *TPEL Jan. 2025 1900-1909*
Sun, T., Xiao, Z., Deng, F., He, Z., Pan, X., and Tang, Y., Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability; *TPEL May 2025 6700-6713*
Sun, T., *see* Yao, Z., *TPEL July 2025 9278-9288*
Sun, W., *see* Li, L., *TPEL Jan. 2025 316-327*
Sun, W., *see* Xu, H., *TPEL Jan. 2025 2099-2113*
Sun, W., *see* Qu, H., *TPEL Feb. 2025 3490-3504*
Sun, W., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Sun, W., *see* Liu, Q., *TPEL July 2025 8871-8885*
Sun, W., *see* Wang, K., *TPEL Sept. 2025 12428-12439*
Sun, W., *see* Ding, S., *TPEL Sept. 2025 12514-12526*
Sun, W., *see* Xiong, Y., *TPEL Sept. 2025 13217-13230*
Sun, X., *see* Wang, Z., *TPEL Jan. 2025 1697-1716*
Sun, X., *see* Zhang, H., *TPEL Jan. 2025 2457-2471*
Sun, X., *see* Chen, Z., *TPEL March 2025 4602-4612*
Sun, X., *see* Li, C., *TPEL March 2025 4034-4050*
Sun, X., *see* Fan, Z., *TPEL April 2025 4767-4774*
Sun, X., *see* Song, C., *TPEL May 2025 6555-6565*
Sun, X., *see* Guan, J., *TPEL June 2025 8328-8343*
Sun, X., *see* Pan, Y., *TPEL June 2025 8216-8241*
Sun, X., *see* Chen, Z., *TPEL July 2025 10027-10037*
Sun, X., *see* Tan, G., *TPEL Aug. 2025 11088-11106*
Sun, X., *see* Wang, L., *TPEL Aug. 2025 10649-10660*
Sun, X., *see* Wu, J., *TPEL Aug. 2025 10349-10354*
Sun, X., *see* Yang, Z., *TPEL Aug. 2025 10783-10792*
Sun, X., *see* Yang, Z., *TPEL Sept. 2025 12416-12427*
Sun, X., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Sun, X., Chen, M., Li, J., Hou, F., Du, Y., Wu, Y., and Li, B., A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling; *TPEL Sept. 2025 12191-12203*
Sun, X., *see* Qiu, Y., *TPEL Oct. 2025 14228-14234*
Sun, X., *see* Zhu, H., *TPEL Oct. 2025 14374-14387*
Sun, X., *see* Wang, Z., *TPEL Nov. 2025 16611-16625*
Sun, X., *see* Shen, H., *TPEL Dec. 2025 17972-17987*
Sun, X., *see* Wei, Z., *TPEL Dec. 2025 17776-17788*
Sun, Y., *see* Jiang, Y., *TPEL Jan. 2025 435-450*
Sun, Y., *see* Li, J., *TPEL Jan. 2025 588-598*
Sun, Y., *see* Shan, P., *TPEL Jan. 2025 162-175*
Sun, Y., *see* Kong, D., *TPEL Jan. 2025 1925-1935*
Sun, Y., *see* Yu, T., *TPEL Jan. 2025 2005-2016*
Sun, Y., *see* Li, H., *TPEL Feb. 2025 3670-3683*
Sun, Y., *see* Fu, S., *TPEL Feb. 2025 3697-3709*
Sun, Y., Diao, Q., Xu, H., Tan, X., Fan, Y., and Wei, L., State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction; *TPEL April 2025 6107-6118*
Sun, Y., *see* Song, Q., *TPEL April 2025 5212-5222*
Sun, Y., *see* Zhou, X., *TPEL July 2025 9223-9233*
Sun, Y., Wang, Z., and You, S., Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link; *TPEL July 2025 9737-9748*
Sun, Y., *see* Xiong, W., *TPEL July 2025 10176-10188*
Sun, Y., *see* Zhuang, Y., *TPEL July 2025 9933-9943*
Sun, Y., *see* Zhang, S., *TPEL Aug. 2025 11526-11536*
Sun, Y., *see* Ning, G., *TPEL Aug. 2025 10469-10480*
Sun, Y., *see* Zeng, Z., *TPEL Aug. 2025 10973-10987*
Sun, Y., *see* Lv, X., *TPEL Aug. 2025 10372-10377*
Sun, Y., *see* Wang, H., *TPEL Sept. 2025 12964-12976*
Sun, Y., *see* Kong, D., *TPEL Sept. 2025 13965-13976*
Sun, Y., *see* Hu, H., *TPEL Sept. 2025 14038-14049*
Sun, Y., *see* Ren, J., *TPEL Oct. 2025 14974-14984*
Sun, Y., *see* Deng, E., *TPEL Oct. 2025 14949-14961*
Sun, Y., *see* Wang, H., *TPEL Oct. 2025 14324-14330*
Sun, Y., *see* Guo, J., *TPEL Oct. 2025 15562-15571*
Sun, Y., *see* Pan, A., *TPEL Nov. 2025 16231-16242*

Sun, Y., *see* Chai, Z., *TPEL Nov. 2025 16431-16442*
Sun, Y., *see* Hu, H., *TPEL Nov. 2025 16704-16717*
Sun, Y., *see* Ning, G., *TPEL Nov. 2025 16626-16638*
Sun, Y., *see* Huang, X., *TPEL Nov. 2025 17234-17245*
Sun, Y., *see* Ning, G., *TPEL Dec. 2025 17869-17878*
Sun, Y., *see* Hao, Y., *TPEL Dec. 2025 18083-18096*
Sun, Z., *see* Xiang, D., *TPEL Jan. 2025 1577-1588*
Sun, Z., *see* Qiu, M., *TPEL Jan. 2025 1359-1375*
Sun, Z., *see* Wang, K., *TPEL March 2025 4613-4629*
Sun, Z., Wang, G., Li, Z., Guo, X., and Zhang, Y., Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption; *TPEL April 2025 4695-4700*
Sun, Z., *see* Wang, S., *TPEL Sept. 2025 13063-13074*
Sun, Z., Wang, Y., Zeng, X., Guan, Y., and Xu, D., Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression; *TPEL Oct. 2025 15905-15921*
Sun, Z., Wen, J., Yuan, X., Ma, G., Niu, S., and Chau, K.T., A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives; *TPEL Nov. 2025 16195-16205*
Sun, Z., Li, Z., Zhang, Y., and Wang, G., Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption; *TPEL Nov. 2025 16894-16905*
Sun, Z., *see* Wang, Y., *TPEL Nov. 2025 17469-17487*
Sun, Z., *see* Li, Z., *TPEL Dec. 2025 18113-18132*
Suntharalingam, P., *see* Wang, D., *TPEL Jan. 2025 1135-1152*
Suntharalingam, P., *see* Pradhan, R., *TPEL Dec. 2025 17894-17910*
Suo, Z., *see* Wang, Z., *TPEL Jan. 2025 1183-1197*
Suo, Z., *see* Li, B., *TPEL Aug. 2025 11598-11615*
Sur, D., Gupta, S., Greidanus, M.D.R., and Mazumder, S.K., Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST; *TPEL Feb. 2025 2674-2679*
Surakitbovorn, K., *see* Ye, Z., *TPEL Nov. 2025 16560-16571*
Surana, P., *see* Nair, S.S., *TPEL Jan. 2025 1787-1796*
Suresh, A., *see* Rana, D., *TPEL Sept. 2025 12614-12625*
Szewczyk, M., *see* Leszczynski, P., *TPEL Jan. 2025 1554-1562*
Szular, Z., *see* Mazgaj, W., *TPEL Jan. 2025 1797-1812*

T

Tafur, J., *see* Sal y Rosas, D., *TPEL July 2025 9034-9047*
Taha, H., *see* Henneron, T., *TPEL May 2025 7095-7105*
Tahir, M., *see* Zhu, H., *TPEL Sept. 2025 14169-14180*
Tai, H., *see* Wang, Z., *TPEL Nov. 2025 16995-17012*
Tai, N., *see* Lin, Z., *TPEL April 2025 5052-5068*
Takamiya, M., *see* Horii, K., *TPEL Jan. 2025 467-485*
Tan, D., Li, M., Wang, F., and Fu, P., Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications; *TPEL June 2025 8776-8791*
Tan, G., Guo, X., Zhao, W., Qi, L., and Sun, X., Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions; *TPEL Aug. 2025 11088-11106*
Tan, H., *see* Xu, P., *TPEL Oct. 2025 14401-14414*
Tan, H., *see* Yang, K., *TPEL Oct. 2025 15422-15432*
Tan, J., *see* Xiong, W., *TPEL July 2025 10176-10188*
Tan, J., *see* Huang, H., *TPEL Sept. 2025 13177-13186*
Tan, J., *see* Zhou, D., *TPEL Dec. 2025 18448-18460*
Tan, K., *see* Luo, M., *TPEL Jan. 2025 851-861*
Tan, K., *see* Li, H., *TPEL Jan. 2025 2342-2354*
Tan, K., Su, J., Zhong, B., and Yang, G., A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation; *TPEL June 2025 7754-7764*
Tan, K., *see* Lin, F., *TPEL Sept. 2025 12754-12769*
Tan, L., *see* Yang, Y., *TPEL March 2025 3830-3837*
Tan, N.M.L., *see* Peng, Q., *TPEL Jan. 2025 599-610*
Tan, Q., *see* Ma, H., *TPEL July 2025 10077-10094*
Tan, S., *see* Zeng, J., *TPEL Jan. 2025 2569-2580*
Tan, S., *see* Li, K., *TPEL Oct. 2025 16004-16021*
Tan, X., *see* Sun, Y., *TPEL April 2025 6107-6118*
Tan, Y., Ramiah, H., Hatta, S.F.W.M., Lai, N.S., Lim, C., Martins, R.P., Mak, P., and Chen, Y., A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing; *TPEL Aug. 2025 11182-11196*
Tan, Z., *see* Wu, T., *TPEL Aug. 2025 10836-10845*
Tang, B., *see* Guo, Z., *TPEL Jan. 2025 1483-1497*
Tang, C., *see* Wang, S., *TPEL Jan. 2025 98-104*
Tang, C., *see* Hu, J., *TPEL Jan. 2025 375-388*
Tang, C., *see* Wang, S., *TPEL June 2025 8253-8263*
Tang, C., Xu, Q., Guo, P., Hu, J., Jia, Y., He, Z., Wang, L., Chen, Y., and Luo, A., Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns; *TPEL July 2025 9908-9920*
Tang, C., *see* Fei, Y., *TPEL Sept. 2025 14000-14013*
Tang, C., *see* Shi, K., *TPEL Oct. 2025 15959-15975*
Tang, C., *see* Li, Y., *TPEL Nov. 2025 17488-17502*
Tang, C., *see* Shi, K., *TPEL Dec. 2025 17924-17936*
Tang, H., *see* Kong, L., *TPEL Jan. 2025 2284-2299*
Tang, H., Liu, C., Pan, W., Rao, P., Zhuang, Y., Chen, X., and Zhang, Y., A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems; *TPEL March 2025 4630-4639*
Tang, J., *see* Luo, B., *TPEL Dec. 2025 17569-17574*
Tang, L., *see* Liu, C., *TPEL Feb. 2025 3370-3384*
Tang, L., Jiang, H., Zhong, X., Huang, Y., Xiao, N., Zhao, K., and Liao, R., Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs; *TPEL May 2025 6921-6932*
Tang, Q., *see* Du, J., *TPEL Jan. 2025 2139-2148*
Tang, Q., *see* Guo, X., *TPEL May 2025 6429-6435*
Tang, Q., *see* Xu, S., *TPEL Aug. 2025 10804-10815*
Tang, Q., *see* Guo, X., *TPEL Sept. 2025 13673-13685*
Tang, S., Cao, Y., Shi, T., Yan, Y., and Xia, C., Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger; *TPEL April 2025 5731-5742*
Tang, S., *see* Zheng, X., *TPEL July 2025 9685-9698*
Tang, T., *see* Yue, H., *TPEL Aug. 2025 10567-10580*
Tang, T., *see* Song, W., *TPEL Aug. 2025 10623-10634*
Tang, T., *see* Yang, K., *TPEL Oct. 2025 15422-15432*
Tang, T., Song, W., Chen, J., Hu, T., Yue, H., and Liu, G., An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS; *TPEL Nov. 2025 16300-16314*
Tang, W., Huang, X., Chen, Z., Sheng, K., and Wu, Z., Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules; *TPEL Oct. 2025 14524-14535*
Tang, X., *see* Hu, W., *TPEL Jan. 2025 105-111*
Tang, X., *see* Luo, M., *TPEL Jan. 2025 851-861*
Tang, X., *see* Li, H., *TPEL Jan. 2025 2342-2354*
Tang, X., Shi, L., Li, M., Xu, S., and Sun, C., Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions; *TPEL March 2025 4498-4509*
Tang, X., *see* Ma, Y., *TPEL July 2025 9439-9451*
Tang, X., *see* Liang, B., *TPEL Aug. 2025 10635-10648*
Tang, X., and Niu, S., Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives; *TPEL Oct. 2025 14686-14696*
Tang, Y., *see* Xiao, Z., *TPEL Jan. 2025 1289-1304*
Tang, Y., *see* Li, Y., *TPEL Feb. 2025 3770-3784*
Tang, Y., *see* Qin, X., *TPEL Feb. 2025 2874-2886*
Tang, Y., *see* Zhao, Y., *TPEL Feb. 2025 2651-2667*
Tang, Y., *see* Yao, Z., *TPEL April 2025 5109-5119*
Tang, Y., *see* Sun, T., *TPEL May 2025 6700-6713*
Tang, Y., *see* Xiao, Z., *TPEL May 2025 6988-7001*
Tang, Y., *see* Yao, Z., *TPEL July 2025 9278-9288*
Tang, Y., *see* Yao, Z., *TPEL July 2025 8956-8961*
Tang, Y., *see* Guo, Y., *TPEL Aug. 2025 10746-10757*
Tang, Y., *see* Li, X., *TPEL Sept. 2025 13007-13022*

Tang, Y., *see* Pei, Y., *TPEL Sept. 2025 13556-13567*
Tang, Y., *see* Yu, Q., *TPEL Sept. 2025 13363-13382*
Tang, Y., *see* Xiao, Z., *TPEL Sept. 2025 13835-13851*
Tang, Y., Zhan, C., Zhu, L., Sun, H., Wang, W., Li, Z., Huo, W., and Ji, S., Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization; *TPEL Oct. 2025 14459-14477*
Tang, Y., *see* Xu, M., *TPEL Oct. 2025 15080-15092*
Tang, Y., Cai, W., Xie, Y., Chai, F., Gao, J., and Qu, H., Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy; *TPEL Oct. 2025 15780-15794*
Tang, Y., *see* Jiang, Y., *TPEL Nov. 2025 17451-17468*
Tang, Y., and Lin, S., System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration; *TPEL Dec. 2025 18489-18498*
Tang, Z., *see* Liu, Y., *TPEL Sept. 2025 12072-12083*
Tao, C., *see* Da, C., *TPEL Jan. 2025 2630-2642*
Tao, J., *see* Ke, R., *TPEL Feb. 2025 3518-3529*
Tao, J., *see* Ni, Q., *TPEL June 2025 8766-8775*
Tao, J., *see* Ke, R., *TPEL July 2025 8928-8933*
Tao, J., Yan, H., Zhang, C., and Guo, D., The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System; *TPEL Aug. 2025 11836-11848*
Tao, M., *see* Shu, J., *TPEL May 2025 6874-6882*
Tao, S., *see* Guo, R., *TPEL Aug. 2025 10272-10285*
Tao, T., *see* Zhao, W., *TPEL June 2025 8528-8539*
Tao, T., *see* Wang, C., *TPEL Nov. 2025 16243-16254*
Tao, W., *see* Wei, X., *TPEL June 2025 8658-8673*
Tao, X., *see* Zeng, Y., *TPEL Oct. 2025 14277-14281*
Tao, Y., *see* Sun, P., *TPEL Feb. 2025 2780-2796*
Tao, Z., *see* Chen, C., *TPEL Nov. 2025 16315-16326*
Tashakor, N., *see* Jiang, W., *TPEL Jan. 2025 2327-2341*
Tashakor, N., *see* Hashemi-Zadeh, A., *TPEL April 2025 5279-5291*
Tausk, J., *see* Weiser, M.C.J., *TPEL Sept. 2025 13289-13299*
Tazehkand, M.Z., and Baghdadi, M., High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location; *TPEL Sept. 2025 13767-13777*
Teng, J., *see* Wang, Z., *TPEL Jan. 2025 1697-1716*
Teng, J., *see* Pan, Y., *TPEL June 2025 8216-8241*
Teng, Y., *see* Guo, X., *TPEL July 2025 10000-10026*
Teng, Y., *see* Zhang, S., *TPEL Aug. 2025 11526-11536*
Teng, Y., *see* Wei, Y., *TPEL Nov. 2025 16409-16418*
Terzija, V., *see* Guo, X., *TPEL July 2025 10000-10026*
Thirumala, K., *see* Ravitheja, R., *TPEL Jan. 2025 1064-1073*
Thonnessen, A., *see* Kowalewski, P., *TPEL June 2025 7740-7753*
Thrimawithana, D.J., *see* Wadsworth, A., *TPEL Feb. 2025 3357-3369*
Tian, H., Han, W., Sathik M, J., Chen, M., Liang, G., and Mekhilef, S., High-Efficiency, High-Power Asymmetrically Designed Three-Phase Power Supply for Electrolytic Hydrogen Production; *TPEL Jan. 2025 92-97*
Tian, H., *see* Yu, J., *TPEL Feb. 2025 3622-3635*
Tian, H., Cui, H., Han, W., Sathik M, J., Liang, G., Chen, M., and Mekhilef, S., High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen; *TPEL Aug. 2025 10335-10342*
Tian, J., *see* Guo, R., *TPEL Aug. 2025 10272-10285*
Tian, J., *see* Zhong, K., *TPEL Sept. 2025 13741-13751*
Tian, L., *see* Bai, L., *TPEL March 2025 4131-4141*
Tian, L., *see* Yang, L., *TPEL April 2025 6359-6369*
Tian, Q., Wang, N., Zhou, G., Zhou, S., Leng, M., and He, M., Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications; *TPEL Sept. 2025 13686-13702*
Tian, T., *see* Chen, J., *TPEL Aug. 2025 10509-10530*
Tian, W., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*
Tian, Y., Li, Y., Cao, B., Wei, F., and Zheng, Y., Systematic Topology Synthesis and Power Density Visualization of Partial Power Processing Architecture; *TPEL Jan. 2025 1346-1358*
Tian, Y., Xu, X., Wang, Y., Li, Z., Zhang, Z., and Gao, Y., Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response; *TPEL Feb. 2025 2930-2942*
Tian, Y., *see* Qin, L., *TPEL April 2025 5480-5495*
Tian, Y., Pan, R., Shen, L., Zhou, X., Lu, W., Quan, Y., Feng, J., Cheng, X., Zheng, L., and Yu, Y., Monolithic Integration of p-GaN HEMT With Anti-parallel Lateral Rectifier to Reduce the Negative Resistance Effect; *TPEL May 2025 6860-6873*
Tian, Z., *see* Sun, P., *TPEL Feb. 2025 2780-2796*
Tian, Z., *see* Li, X., *TPEL July 2025 8990-9003*
Tian, Z., *see* Chen, S., *TPEL Aug. 2025 11628-11640*
Tian, Z., *see* Liu, Y., *TPEL Sept. 2025 13632-13642*
Tian, Z., *see* Ling, Y., *TPEL Sept. 2025 13474-13489*
Timilsina, L., *see* Arsalan, A., *TPEL July 2025 9824-9839*
Tinazzi, F., *see* De Martin, I.D., *TPEL Sept. 2025 12393-12401*
Tissen, A., *see* Kowalewski, P., *TPEL June 2025 7740-7753*
Tiwary, N., *see* Behera, S., *TPEL July 2025 9775-9785*
Tolbert, L.M., *see* Li, D., *TPEL Feb. 2025 3456-3468*
Tomezyk, J., *see* Henneron, T., *TPEL May 2025 7095-7105*
Tong, A., *see* Zheng, X., *TPEL July 2025 9685-9698*
Tong, C., *see* Lang, J., *TPEL Jan. 2025 340-350*
Tong, F., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*
Tong, L., Chen, Y., Cheng, C., Yu, C., Shang, Y., and Kang, Y., Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number; *TPEL July 2025 9388-9406*
Tong, Q., *see* Zhang, S., *TPEL March 2025 4142-4155*
Tong, Q., *see* Song, S., *TPEL Oct. 2025 14447-14458*
Tong, X., *see* Yang, L., *TPEL April 2025 6359-6369*
Tong, X., *see* Wen, H., *TPEL May 2025 7586-7598*
Tong, X., *see* Wu, T., *TPEL Aug. 2025 10836-10845*
Tong, Z., Wang, F., Lu, Y., Ding, B., and Feng, G., Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation; *TPEL July 2025 9764-9774*
Tong, Z., *see* Lu, Y., *TPEL Sept. 2025 11934-11939*
Tong, Z., Lu, Y., Ding, B., and Feng, G., A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components; *TPEL Sept. 2025 11991-11997*
Tong, Z., *see* Yang, Q., *TPEL Oct. 2025 14881-14893*
Tong, Z., *see* Lu, Y., *TPEL Dec. 2025 17690-17702*
Torchio, R., Conte, F., Scarpa, M., Filippini, M., Pase, F., Toso, F., Nasab, P.S., Marson, E., Viroli, A., Posa, P., and Zangoli, M., Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing; *TPEL May 2025 6977-6987*
Tornello, L.D.D., Scelba, G., De Donato, G., Capponi, F.G., and Scarcella, G., Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives; *TPEL June 2025 8468-8479*
Torres, R.A., *see* Chang, C., *TPEL Jan. 2025 1215-1233*
Toscani, N., *see* Barresi, M., *TPEL Dec. 2025 17674-17689*
Toso, F., *see* Torchio, R., *TPEL May 2025 6977-6987*
Tripathi, A., *see* Sarda, R., *TPEL July 2025 9479-9491*
Tsai, C., Chen, H., and Chen, C., A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter; *TPEL Feb. 2025 3251-3261*
Tsai, T., *see* Lin, S., *TPEL May 2025 6898-6907*
Tsai, T., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Tse, C., *see* Xu, F., *TPEL Oct. 2025 14196-14209*
Tse, C.K., *see* Liu, C.C., *TPEL Jan. 2025 749-763*
Tse, C.K., *see* Guo, Z., *TPEL July 2025 10189-10197*
Tse, C.K., *see* Wei, Y., *TPEL Sept. 2025 14084-14098*
Tse, C.K., *see* Ren, S., *TPEL Oct. 2025 14345-14350*
Tse, C.K., *see* Chen, X.F., *TPEL Dec. 2025 18474-18488*
Tseng, N., *see* Lin, S., *TPEL May 2025 6898-6907*
Tu, C., *see* Liu, C., *TPEL Feb. 2025 3370-3384*
Tu, C., *see* Kuo, C., *TPEL April 2025 5120-5129*
Tu, C., *see* Wang, X., *TPEL July 2025 10038-10048*
Tu, C., *see* Huang, Z., *TPEL Aug. 2025 10313-10323*
Tu, H., *see* Anees, M., *TPEL April 2025 4734-4739*

Tu, L., *see* Zhang, Z., *TPEL May 2025 6829-6837*
Tu, L., *see* Zhang, Z., *TPEL June 2025 8049-8061*
Tu, Y., *see* Yu, X., *TPEL Sept. 2025 11998-12002*

U

Udabe, A., Baraia-Etxaburu, I., and Diez, D.G., An Experimentally Verified Behavioral GaN HD-GIT Transistor Model; *TPEL May 2025 6883-6897*
Uddin, M.F., *see* Darvish, P., *TPEL Oct. 2025 15976-16003*
Uhrenfeldt, C., *see* Gao, Y., *TPEL April 2025 5999-6009*
Ukil, A., *see* Zhang, X., *TPEL Sept. 2025 13730-13740*
Ullah, Q., *see* Carnielutti, F., *TPEL July 2025 9080-9089*
Umanand, L., *see* Nair, S.S., *TPEL Jan. 2025 1787-1796*

V

Vaessen, P., *see* Luo, T., *TPEL March 2025 4279-4288*
Vaessen, P., *see* Wang, Z., *TPEL Sept. 2025 13142-13156*
Vala, S.S., *see* Mirza, A.B., *TPEL April 2025 5768-5786*
Van Cappellen, L., *see* Deckers, M., *TPEL Jan. 2025 2219-2234*
van der Broeck, C.H., *see* Austrup, I., *TPEL March 2025 4386-4398*
van der Ham, A.C., *see* Qiu, Z., *TPEL Oct. 2025 15937-15948*
van der Sande, R., Huwyler, A., Shekhar, A., and Bauer, P., Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple; *TPEL June 2025 8179-8193*
Varon, M., *see* Sanusi, B.N., *TPEL Dec. 2025 18148-18163*
Vasquez, J.C., *see* Xu, Z., *TPEL June 2025 8751-8765*
Vasudevan, K., *see* Gopalan, S., *TPEL April 2025 5823-5834*
Vazquez, S., *see* Yin, J., *TPEL Jan. 2025 1085-1098*
Vazquez, S., *see* M., M.A., *TPEL April 2025 4927-4937*
Velasco, M., *see* Miret, J., *TPEL Dec. 2025 18040-18053*
Velazquez-Ibanez, A., *see* Avila-Becerril, S., *TPEL Aug. 2025 11537-11551*
Venkataramanaiah, J., *see* Yadav, G., *TPEL Sept. 2025 12770-12778*
Venugopal, P., *see* Qazi, S., *TPEL April 2025 6203-6215*
Venugopal, P., *see* Zhang, G., *TPEL Oct. 2025 14923-14936*
Vilella, M., Zaragoza, J., Berbel, N., Capella, G., and Lamich, M., Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters; *TPEL Nov. 2025 16639-16650*
Vinnac, S., *see* Picot-Digoix, M., *TPEL Jan. 2025 142-145*
Vinnikov, D., *see* Pithanisetty, P., *TPEL Aug. 2025 11428-11441*
Vipin, V.N., and Mohan, N., Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer; *TPEL June 2025 8691-8708*
Viroli, A., *see* Torchio, R., *TPEL May 2025 6977-6987*
Viswambharan, A., Errouissi, R., Debouza, M., Shareef, H., and Wahyudie, A., Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages; *TPEL Feb. 2025 2761-2779*
Votava, M., *see* Ou, S., *TPEL Aug. 2025 11339-11354*
Votava, M., *see* Sancio, R., *TPEL Nov. 2025 17025-17039*
Vukosavic, S.N., *see* Peric, L.S., *TPEL Feb. 2025 3005-3019*
Vyapari, S., *see* Ghosh, G., *TPEL Sept. 2025 12906-12919*

W

Wada, K., *see* Horii, K., *TPEL Jan. 2025 467-485*
Wadsworth, A., Pearce, M.G., Thrimawithana, D.J., and Zhao, L., Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores; *TPEL Feb. 2025 3357-3369*
Wahyudie, A., *see* Viswambharan, A., *TPEL Feb. 2025 2761-2779*
Walgern, J., *see* Anderson, F., *TPEL May 2025 7286-7297*
Wallscheid, O., *see* Kirchgassner, W., *TPEL Feb. 2025 3326-3335*
Wan, F., *see* Zhang, X., *TPEL April 2025 5080-5093*
Wan, F., *see* Zhang, X., *TPEL Nov. 2025 16525-16537*
Wan, H., *see* Iosifidis, N., *TPEL Oct. 2025 15381-15398*
Wan, H., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*
Wan, L., *see* Cai, C., *TPEL Jan. 2025 2527-2541*
Wan, L., *see* Wang, J., *TPEL April 2025 6319-6333*
Wan, L., *see* Cai, C., *TPEL Oct. 2025 14363-14367*
Wan, R., *see* Gao, J., *TPEL Sept. 2025 13324-13336*
Wan, X., *see* Peng, Q., *TPEL July 2025 9972-9985*
Wan, Y., *see* Liu, S., *TPEL Aug. 2025 10456-10468*
Wandhare, R., *see* Chabukswar, A., *TPEL Jan. 2025 451-466*
Wang, A., Li, L., and Huang, X., Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method; *TPEL Jan. 2025 774-786*
Wang, A., *see* Wu, Z., *TPEL Jan. 2025 727-737*
Wang, A., *see* Yang, G., *TPEL Sept. 2025 12084-12094*
Wang, B., *see* Fang, X., *TPEL Jan. 2025 157-161*
Wang, B., *see* Yang, D., *TPEL April 2025 5635-5645*
Wang, B., *see* An, S., *TPEL April 2025 5544-5553*
Wang, B., *see* Song, Q., *TPEL April 2025 5212-5222*
Wang, B., *see* Zhao, W., *TPEL July 2025 9699-9708*
Wang, B., *see* Feng, X., *TPEL Sept. 2025 12440-12451*
Wang, B., *see* Zhang, X., *TPEL Sept. 2025 13730-13740*
Wang, C., *see* Jie, H., *TPEL Jan. 2025 920-943*
Wang, C., *see* Ren, Q., *TPEL Feb. 2025 3469-3489*
Wang, C., *see* Gao, C., *TPEL April 2025 5292-5308*
Wang, C., and Bauman, J., Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters; *TPEL June 2025 8674-8690*
Wang, C., *see* Jiao, L., *TPEL July 2025 8905-8910*
Wang, C., Zhang, Q., Han, L., Xiao, Y., Xie, K., Wu, T., and Liang, M., A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control; *TPEL Aug. 2025 11490-11508*
Wang, C., *see* Yang, Y., *TPEL Aug. 2025 10286-10298*
Wang, C., Zhang, Q., Yang, H., Wu, M., Wang, K., Li, Y., Ge, S., and Yang, K., Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control; *TPEL Sept. 2025 12350-12364*
Wang, C., *see* Fang, X., *TPEL Sept. 2025 12038-12042*
Wang, C., *see* Li, Z., *TPEL Sept. 2025 12779-12793*
Wang, C., *see* Lin, F., *TPEL Sept. 2025 12754-12769*
Wang, C., *see* Shao, W., *TPEL Sept. 2025 12953-12963*
Wang, C., *see* Wang, Z., *TPEL Sept. 2025 13615-13631*
Wang, C., Lin, J., and Pan, J., Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems; *TPEL Sept. 2025 13023-13034*
Wang, C., *see* Li, Z., *TPEL Oct. 2025 15718-15729*
Wang, C., Zhao, W., Tao, T., Diao, X., and Zhang, X., Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss; *TPEL Nov. 2025 16243-16254*
Wang, C., *see* Bi, K., *TPEL Nov. 2025 17203-17217*
Wang, D., Zhou, L., Hemming, S., An, J., Wang, Y., Pietrini, G., Suntharalingam, P., Goykhman, M., Baronian, A., and Emadi, A., Design and Characterization of Bus Bars for 1-MVA Three-Level ANPC Inverters in Aerospace Applications; *TPEL Jan. 2025 1135-1152*
Wang, D., *see* Chen, F., *TPEL Feb. 2025 2943-2957*
Wang, D., *see* Liang, C., *TPEL April 2025 6230-6247*
Wang, D., *see* Pan, B., *TPEL Sept. 2025 12475-12487*
Wang, D., *see* Wang, T., *TPEL Sept. 2025 12542-12554*
Wang, D., *see* Mao, K., *TPEL Oct. 2025 14651-14661*
Wang, D., Li, B., and Zhao, Y., An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM; *TPEL Oct. 2025 15329-15338*
Wang, D., *see* Rong, Q., *TPEL Nov. 2025 16780-16789*
Wang, F., *see* Li, D., *TPEL Feb. 2025 3456-3468*
Wang, F., *see* Luo, B., *TPEL April 2025 6307-6318*
Wang, F., *see* Wu, X., *TPEL April 2025 4889-4901*
Wang, F., *see* Tan, D., *TPEL June 2025 8776-8791*
Wang, F., *see* Tong, Z., *TPEL July 2025 9764-9774*
Wang, F., Wei, Y., Rodriguez, J., and Garcia, C., State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives; *TPEL Aug. 2025 10846-10864*

Wang, F., Wang, X., Yuan, J., and Ruan, X., A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications; *TPEL Sept. 2025 13543-13555*
Wang, F., Cai, F., Huang, D., Wei, Y., Ke, D., and Zhang, Z., Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm; *TPEL Sept. 2025 13977-13990*
Wang, F., *see* Bao, J., *TPEL Oct. 2025 15238-15253*
Wang, F., *see* He, L., *TPEL Nov. 2025 17061-17072*
Wang, G., *see* Xu, H., *TPEL Jan. 2025 2099-2113*
Wang, G., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Wang, G., Jiang, Y., Liu, Z., Ma, Y., and Wang, J., Predictive Direct Control of Nine-Switch Converter Unified Power Quality Conditioner Based on Time-Sharing Cooperative Control; *TPEL April 2025 5895-5906*
Wang, G., *see* Cao, Y., *TPEL April 2025 5700-5714*
Wang, G., *see* Sun, Z., *TPEL April 2025 4695-4700*
Wang, G., *see* Gao, R., *TPEL April 2025 4848-4861*
Wang, G., *see* Qu, D., *TPEL April 2025 4818-4829*
Wang, G., Yi, X., and Lin, H., A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers; *TPEL May 2025 6643-6652*
Wang, G., *see* Xiao, Y., *TPEL May 2025 6685-6699*
Wang, G., *see* Huang, Y., *TPEL May 2025 7150-7161*
Wang, G., *see* Zhao, J., *TPEL June 2025 8416-8429*
Wang, G., *see* Ren, Z., *TPEL June 2025 8005-8015*
Wang, G., *see* Chang, X., *TPEL July 2025 9249-9265*
Wang, G., Wen, H., Liu, W., and Li, F., Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review; *TPEL July 2025 9187-9199*
Wang, G., *see* Wang, H., *TPEL Aug. 2025 10758-10768*
Wang, G., *see* Wang, K., *TPEL Sept. 2025 12428-12439*
Wang, G., *see* Wang, N., *TPEL Sept. 2025 11897-11907*
Wang, G., *see* Yue, Y., *TPEL Oct. 2025 15583-15594*
Wang, G., *see* Song, C., *TPEL Oct. 2025 15607-15619*
Wang, G., *see* Wang, S., *TPEL Nov. 2025 16456-16468*
Wang, G., *see* Li, H., *TPEL Nov. 2025 16123-16128*
Wang, G., *see* Qu, D., *TPEL Nov. 2025 16443-16455*
Wang, G., *see* Sun, Z., *TPEL Nov. 2025 16894-16905*
Wang, G., *see* Rong, Q., *TPEL Nov. 2025 16780-16789*
Wang, G., *see* Chen, J., *TPEL Dec. 2025 18202-18213*
Wang, G., *see* Zhang, Z., *TPEL Dec. 2025 17726-17737*
Wang, H., *see* Zuo, Y., *TPEL Jan. 2025 787-800*
Wang, H., *see* Cao, H., *TPEL Jan. 2025 801-812*
Wang, H., *see* Yu, T., *TPEL Jan. 2025 2005-2016*
Wang, H., *see* Shi, Y., *TPEL Jan. 2025 2057-2069*
Wang, H., *see* Jiang, W., *TPEL Jan. 2025 2327-2341*
Wang, H., *see* Ge, X., *TPEL Jan. 2025 2042-2056*
Wang, H., *see* Chen, C., *TPEL Feb. 2025 3566-3577*
Wang, H., *see* Xu, S., *TPEL Feb. 2025 3657-3669*
Wang, H., *see* Li, C., *TPEL Feb. 2025 3262-3274*
Wang, H., *see* Jiang, Y., *TPEL Feb. 2025 3062-3076*
Wang, H., Wijesekera, A., Kish, G.J., and Zhao, Q., Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity; *TPEL March 2025 4399-4410*
Wang, H., *see* Niu, Z., *TPEL April 2025 5871-5882*
Wang, H., *see* Lai, W., *TPEL April 2025 6020-6032*
Wang, H., *see* An, S., *TPEL April 2025 5544-5553*
Wang, H., *see* Gurudiwan, S., *TPEL April 2025 4716-4721*
Wang, H., *see* Chen, J., *TPEL April 2025 5423-5439*
Wang, H., *see* Song, Y., *TPEL May 2025 7251-7260*
Wang, H., Xiao, G., Wang, L., Dong, X., and Ma, Z., High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules; *TPEL May 2025 7227-7238*
Wang, H., *see* Zhao, W., *TPEL June 2025 8528-8539*
Wang, H., *see* Xu, S., *TPEL June 2025 8631-8647*
Wang, H., *see* Mao, Y., *TPEL June 2025 8648-8657*
Wang, H., *see* Wang, L., *TPEL June 2025 8315-8327*
Wang, H., *see* Zhang, Y., *TPEL June 2025 7727-7739*
Wang, H., Chen, W., Chen, W., Cheng, R., Huo, Y., Du, W., and Yang, X., A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise; *TPEL July 2025 8950-8955*
Wang, H., *see* Xiao, Z., *TPEL July 2025 9343-9356*
Wang, H., *see* Lin, Z., *TPEL July 2025 8944-8949*
Wang, H., Chen, M., Li, G., Zheng, M., and Hu, C., An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers; *TPEL July 2025 9811-9823*
Wang, H., Gan, C., Zhang, C., Ren, H., and Qu, R., Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation; *TPEL Aug. 2025 11268-11282*
Wang, H., *see* Zhao, R., *TPEL Aug. 2025 11477-11489*
Wang, H., Qiu, R., Chen, Y., Ma, M., Li, F., and Zhang, X., An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG; *TPEL Aug. 2025 10385-10390*
Wang, H., *see* Lv, X., *TPEL Aug. 2025 10372-10377*
Wang, H., Li, B., Wang, G., Jing, R., Ye, Z., Zhang, G., and Xu, D., Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives; *TPEL Aug. 2025 10758-10768*
Wang, H., Chen, W., Chen, W., Huo, Y., Wu, H., Zhou, Y., and Yang, X., A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration; *TPEL Sept. 2025 11963-11968*
Wang, H., *see* Wang, W., *TPEL Sept. 2025 12829-12844*
Wang, H., *see* Zhang, H., *TPEL Sept. 2025 13716-13729*
Wang, H., Sun, Y., Lin, J., Liu, Z., Li, H., Li, X., and Su, M., Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method; *TPEL Sept. 2025 12964-12976*
Wang, H., *see* Deng, Z., *TPEL Sept. 2025 13448-13458*
Wang, H., *see* Li, Z., *TPEL Oct. 2025 14368-14373*
Wang, H., Wu, Y., Madawala, U.K., Li, X., Dai, X., Sun, Y., and Hu, J., Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage; *TPEL Oct. 2025 14324-14330*
Wang, H., *see* Yu, K., *TPEL Oct. 2025 14733-14745*
Wang, H., *see* Guo, J., *TPEL Oct. 2025 15562-15571*
Wang, H., *see* Wang, Y., *TPEL Oct. 2025 15203-15214*
Wang, H., *see* Gurudiwan, S., *TPEL Oct. 2025 16042*
Wang, H., *see* Darvish, P., *TPEL Oct. 2025 15976-16003*
Wang, H., *see* Hou, Q., *TPEL Nov. 2025 16255-16264*
Wang, H., *see* Zhao, C., *TPEL Nov. 2025 16158-16168*
Wang, H., *see* Wang, X., *TPEL Nov. 2025 16587-16595*
Wang, H., *see* Gao, L., *TPEL Nov. 2025 16837-16852*
Wang, H., *see* Wei, R., *TPEL Nov. 2025 17160-17171*
Wang, H., *see* Lv, Y., *TPEL Dec. 2025 17998-18010*
Wang, J., Ma, F., Yang, Q., Zhang, Z., Huang, G., and Fan, S., A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System; *TPEL Jan. 2025 1234-1246*
Wang, J., *see* Chen, J., *TPEL Jan. 2025 704-715*
Wang, J., Wang, P., Zhao, H., and Yang, F., Comprehensive Impedance Analysis of DFIG-Based Wind Farms Considering Dynamic Couplings; *TPEL Jan. 2025 2259-2272*
Wang, J., *see* Kong, L., *TPEL Jan. 2025 2284-2299*
Wang, J., *see* Wang, S., *TPEL Jan. 2025 2397-2418*
Wang, J., *see* Cai, C., *TPEL Jan. 2025 2527-2541*
Wang, J., *see* Wang, X., *TPEL Feb. 2025 3710-3725*
Wang, J., *see* Chen, L., *TPEL Feb. 2025 3168-3176*
Wang, J., *see* Chen, L., *TPEL Feb. 2025 3177-3188*
Wang, J., *see* Zhao, Y., *TPEL Feb. 2025 2651-2667*
Wang, J., Huang, M., Yu, S., Lin, B., Xue, Y., and Xie, C., A Generalized Modeling Method for Domino Wireless Power Transfer System; *TPEL March 2025 4592-4601*
Wang, J., *see* Wang, Y., *TPEL March 2025 4100-4111*
Wang, J., *see* Liu, Z., *TPEL March 2025 4449-4460*
Wang, J., *see* Bai, L., *TPEL March 2025 4131-4141*

Wang, J., Wan, L., Cai, C., Xue, M., Wu, X., Du, Y., Jiang, Y., and Deng, S., A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems; *TPEL April 2025 6319-6333*
Wang, J., *see* Wang, Y., *TPEL April 2025 5959-5970*
Wang, J., *see* Xu, Y., *TPEL April 2025 5835-5845*
Wang, J., *see* Wang, G., *TPEL April 2025 5895-5906*
Wang, J., *see* Cheng, Z., *TPEL April 2025 4984-4996*
Wang, J., Chen, L., Zhang, X., Liu, J., Zhao, B., Yu, Z., Wu, J., and Zeng, R., Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage; *TPEL April 2025 5309-5318*
Wang, J., *see* Chen, J., *TPEL April 2025 4997-5013*
Wang, J., *see* Wang, P., *TPEL May 2025 6726-6739*
Wang, J., *see* Kong, C., *TPEL May 2025 6663-6674*
Wang, J., *see* Xia, Y., *TPEL May 2025 7385-7397*
Wang, J., *see* Xiong, W., *TPEL June 2025 8739-8750*
Wang, J., Yao, H., Xiao, J., Li, X., and Chen, W., Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis; *TPEL June 2025 8405-8415*
Wang, J., *see* Zhu, G., *TPEL July 2025 10095-10110*
Wang, J., *see* Li, J., *TPEL July 2025 10198-10208*
Wang, J., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Wang, J., *see* Luo, L., *TPEL Aug. 2025 11452-11466*
Wang, J., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Wang, J., *see* Zhou, Z., *TPEL Sept. 2025 12463-12474*
Wang, J., *see* Li, X., *TPEL Sept. 2025 13007-13022*
Wang, J., *see* Song, Z., *TPEL Sept. 2025 13792-13804*
Wang, J., *see* Xu, H., *TPEL Sept. 2025 14134-14145*
Wang, J., Mao, Z., Ma, Y., Liang, B., Yan, Z., Song, B., and Hu, A.P., Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance; *TPEL Sept. 2025 14124-14133*
Wang, J., *see* Yang, Q., *TPEL Oct. 2025 14881-14893*
Wang, J., Chen, Z., Wang, R., Li, Y., Yang, J., and Rodriguez, J., Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives; *TPEL Oct. 2025 14638-14650*
Wang, J., *see* Zou, J., *TPEL Oct. 2025 14547-14559*
Wang, J., *see* Cai, C., *TPEL Oct. 2025 14363-14367*
Wang, J., *see* Wang, Y., *TPEL Oct. 2025 14356-14362*
Wang, J., He, X., Cai, C., Si, Y., and Xiao, J., Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module; *TPEL Oct. 2025 14247-14252*
Wang, J., *see* Chen, Z., *TPEL Oct. 2025 15949-15958*
Wang, J., Zhao, H., Wang, P., and Gui, Y., Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control; *TPEL Oct. 2025 15529-15544*
Wang, J., *see* Shi, K., *TPEL Oct. 2025 15959-15975*
Wang, J., *see* Feng, K., *TPEL Oct. 2025 15620-15637*
Wang, J., Yang, L., Xie, R., Liu, C., Xu, W., Zhuang, Y., and Zhang, Y., A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies; *TPEL Nov. 2025 16696-16703*
Wang, J., *see* Zeng, Y., *TPEL Nov. 2025 17503-17513*
Wang, J., *see* Wang, K., *TPEL Dec. 2025 18133-18147*
Wang, J., Wang, Z., and Zhang, P., A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection; *TPEL Dec. 2025 17821-17831*
Wang, K., *see* Jiao, N., *TPEL Jan. 2025 1813-1825*
Wang, K., *see* Liu, X., *TPEL Jan. 2025 563-573*
Wang, K., *see* Li, H., *TPEL Jan. 2025 176-194*
Wang, K., *see* Pang, J., *TPEL Jan. 2025 1936-1951*
Wang, K., *see* Zhou, W., *TPEL Feb. 2025 2715-2720*
Wang, K., *see* Zhao, M., *TPEL Feb. 2025 3189-3209*
Wang, K., Sun, Z., Li, X., Wang, Y., and Yang, Y., A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution; *TPEL March 2025 4613-4629*
Wang, K., *see* Liu, X., *TPEL April 2025 4914-4926*
Wang, K., *see* Zhang, Y., *TPEL May 2025 6442-6447*
Wang, K., *see* Wang, Y., *TPEL July 2025 10254-10264*
Wang, K., Dai, D., Zhang, C., Dong, M., and Ren, M., Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage; *TPEL Aug. 2025 10581-10593*
Wang, K., *see* Wang, C., *TPEL Sept. 2025 12350-12364*
Wang, K., Zhang, G., Chen, J., Sun, W., Yu, J., Yan, Y., Wang, G., and Xu, D., Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer; *TPEL Sept. 2025 12428-12439*
Wang, K., Zhao, R., Ning, Y., Li, H., and Yang, X., Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX; *TPEL Nov. 2025 16809-16821*
Wang, K., *see* Bi, G., *TPEL Nov. 2025 16169-16183*
Wang, K., Laird, I., Wang, J., Yan, J., and Xu, W., Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy; *TPEL Dec. 2025 18133-18147*
Wang, K., *see* Qiu, H., *TPEL Dec. 2025 17703-17714*
Wang, K., *see* Hui, X., *TPEL Dec. 2025 17911-17923*
Wang, L., *see* Wang, Y., *TPEL Jan. 2025 862-878*
Wang, L., *see* Da, C., *TPEL Jan. 2025 2630-2642*
Wang, L., *see* Li, C., *TPEL Feb. 2025 3262-3274*
Wang, L., *see* Chen, L., *TPEL Feb. 2025 3168-3176*
Wang, L., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Wang, L., *see* Guo, W., *TPEL March 2025 4425-4436*
Wang, L., *see* Chen, H., *TPEL March 2025 4008-4019*
Wang, L., *see* Wang, Y., *TPEL April 2025 5959-5970*
Wang, L., *see* Li, Z., *TPEL April 2025 5352-5370*
Wang, L., Yuan, Z., Chang, J., Wu, Z., Jiang, F., Liu, X., and Lodhi, E., A Brief Review of SiC MOSFET Transient Analytical Modeling Methods: Principles, Current Status, and Parameters Modeling; *TPEL April 2025 5177-5189*
Wang, L., *see* Kong, H., *TPEL April 2025 5241-5251*
Wang, L., *see* Gong, J., *TPEL May 2025 6847-6859*
Wang, L., and Yang, X., A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability; *TPEL May 2025 7058-7069*
Wang, L., *see* Wang, H., *TPEL May 2025 7227-7238*
Wang, L., *see* Xu, S., *TPEL June 2025 8631-8647*
Wang, L., Li, C., Liang, J., Ng, W.T., and Wang, H., Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control; *TPEL June 2025 8315-8327*
Wang, L., *see* Yang, Q., *TPEL June 2025 8075-8092*
Wang, L., *see* Zhang, Z., *TPEL June 2025 8049-8061*
Wang, L., *see* Yang, F., *TPEL July 2025 9357-9369*
Wang, L., *see* Xiao, Z., *TPEL July 2025 9343-9356*
Wang, L., *see* Tang, C., *TPEL July 2025 9908-9920*
Wang, L., *see* Xia, Z., *TPEL July 2025 10221-10241*
Wang, L., *see* Yin, Z., *TPEL Aug. 2025 11380-11393*
Wang, L., *see* Lu, X., *TPEL Aug. 2025 11326-11338*
Wang, L., *see* Huang, Z., *TPEL Aug. 2025 10313-10323*
Wang, L., Yan, Y., Ma, M., Sun, X., Zhi, S., and Xu, D., A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control; *TPEL Aug. 2025 10649-10660*
Wang, L., *see* Zhao, B., *TPEL Sept. 2025 12033-12037*
Wang, L., Zhao, J., Song, J., Yu, Z., and Pan, Z., Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation; *TPEL Sept. 2025 12215-12229*
Wang, L., *see* Dong, X., *TPEL Sept. 2025 11951-11956*
Wang, L., Li, S., and Li, J., Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters; *TPEL Sept. 2025 13568-13583*
Wang, L., *see* Yan, Y., *TPEL Oct. 2025 14415-14424*
Wang, L., *see* Wang, Y., *TPEL Oct. 2025 14478-14495*
Wang, L., *see* Gong, J., *TPEL Oct. 2025 14301-14306*
Wang, L., *see* Zhang, T., *TPEL Nov. 2025 16327-16340*
Wang, L., *see* Zou, M., *TPEL Nov. 2025 16281-16299*
Wang, L., *see* Zhao, C., *TPEL Dec. 2025 17552-17557*

Wang, L., and He, J., Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices; *TPEL Dec. 2025 17946-17957*
Wang, M., *see* Wu, T.X., *TPEL Jan. 2025 1915-1924*
Wang, M., Cheng, F., Xie, M., Qiu, G., and Zhang, J., Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System; *TPEL Feb. 2025 3543-3552*
Wang, M., *see* Liu, Q., *TPEL Feb. 2025 2971-2986*
Wang, M., *see* Luo, B., *TPEL April 2025 6307-6318*
Wang, M., *see* Cui, S., *TPEL June 2025 8430-8447*
Wang, M., *see* Ye, J., *TPEL June 2025 8448-8467*
Wang, M., *see* Xu, S., *TPEL Aug. 2025 10804-10815*
Wang, M., *see* Chen, Z., *TPEL Sept. 2025 12230-12241*
Wang, M., *see* Chen, Z., *TPEL Sept. 2025 12337-12349*
Wang, M., Zhang, H., Hu, W., Mei, Y., and Lu, G., Bonding and Failure Mechanisms of Sintered-Silver Die-Attach on Electroless Nickel (Phosphorus) Surface Finish for Packaging Power Electronics Modules; *TPEL Sept. 2025 13086-13098*
Wang, M., *see* Luo, B., *TPEL Dec. 2025 17569-17574*
Wang, N., *see* Wu, Z., *TPEL April 2025 4727-4733*
Wang, N., Li, B., Wang, Y., Jiao, Y., Deng, F., Li, R., and Xu, D., A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation; *TPEL May 2025 6963-6976*
Wang, N., *see* Zeng, Y., *TPEL June 2025 8792-8811*
Wang, N., *see* Zhang, P., *TPEL July 2025 9429-9438*
Wang, N., *see* Zhao, W., *TPEL July 2025 9699-9708*
Wang, N., *see* Wu, X., *TPEL Aug. 2025 11283-11295*
Wang, N., *see* Zhang, S., *TPEL Aug. 2025 11526-11536*
Wang, N., Huang, H., Zhang, L., Xu, S., Liu, Y., Jia, H., and Wang, G., Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion; *TPEL Sept. 2025 11897-11907*
Wang, N., *see* Tian, Q., *TPEL Sept. 2025 13686-13702*
Wang, N., *see* Wei, Y., *TPEL Nov. 2025 16409-16418*
Wang, N., *see* Zhu, X., *TPEL Nov. 2025 16728-16739*
Wang, N., *see* Jiang, Y., *TPEL Nov. 2025 17451-17468*
Wang, P., Ma, J., Zhang, R., Wang, S., Liu, T., and Yang, Y., Stability Criterion for Near-Area Grid-Forming Converters Under the Weak Grid Condition; *TPEL Jan. 2025 361-374*
Wang, P., *see* Wang, J., *TPEL Jan. 2025 2259-2272*
Wang, P., *see* Zhang, Y., *TPEL Jan. 2025 2419-2428*
Wang, P., *see* Zhang, R., *TPEL April 2025 5336-5351*
Wang, P., *see* Zhang, Z., *TPEL April 2025 5147-5162*
Wang, P., Chen, M., Wang, J., Zhu, G., and Jiang, F., An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters; *TPEL May 2025 6726-6739*
Wang, P., *see* Wen, H., *TPEL May 2025 7586-7598*
Wang, P., *see* Wei, X., *TPEL June 2025 8658-8673*
Wang, P., *see* Wang, S., *TPEL June 2025 7765-7776*
Wang, P., *see* Sui, Z., *TPEL July 2025 9606-9624*
Wang, P., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Wang, P., *see* Zhong, K., *TPEL Sept. 2025 13741-13751*
Wang, P., *see* Hu, C., *TPEL Sept. 2025 13643-13658*
Wang, P., Liu, Z., Fang, H., Jiang, D., and Qu, R., UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults; *TPEL Oct. 2025 14675-14685*
Wang, P., Sanusi, B.N., Zsurzsan, T., Andersen, M.A.E., and Ouyang, Z., Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application; *TPEL Oct. 2025 15306-15315*
Wang, P., *see* Sanusi, B.N., *TPEL Oct. 2025 15278-15291*
Wang, P., *see* Wang, J., *TPEL Oct. 2025 15529-15544*
Wang, P., *see* Shi, K., *TPEL Oct. 2025 15959-15975*
Wang, P., *see* Jin, C., *TPEL Nov. 2025 16790-16808*
Wang, P., *see* Shi, K., *TPEL Dec. 2025 17924-17936*
Wang, Q., *see* Zhang, Y., *TPEL Jan. 2025 1645-1653*
Wang, Q., *see* Shen, Y., *TPEL Jan. 2025 1686-1696*
Wang, Q., Li, Z., Yang, B., Lu, Y., Mai, R., He, Z., and Chen, Y., Inductive Power Transfer System With Constant Current-Constant Voltage Charging Tolerating Misalignment Based on Multiobjective Optimization for Compensation Topology; *TPEL March 2025 4581-4591*
Wang, Q., *see* Wu, Q., *TPEL April 2025 5971-5982*
Wang, Q., *see* Gao, R., *TPEL April 2025 4848-4861*
Wang, Q., *see* Qu, D., *TPEL April 2025 4818-4829*
Wang, Q., *see* Huang, Y., *TPEL May 2025 7150-7161*
Wang, Q., *see* Fu, W., *TPEL May 2025 7200-7214*
Wang, Q., *see* Rong, C., *TPEL June 2025 8859-8868*
Wang, Q., Yang, S., and Wang, Y., Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios; *TPEL July 2025 9723-9736*
Wang, Q., *see* Lu, F., *TPEL Aug. 2025 11369-11379*
Wang, Q., He, J., Wang, Y., and Zhang, S., An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive; *TPEL Sept. 2025 12703-12718*
Wang, Q., *see* Zhao, Q., *TPEL Sept. 2025 12581-12593*
Wang, Q., *see* Jiang, M., *TPEL Sept. 2025 11985-11990*
Wang, Q., and Dong, J., Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning; *TPEL Nov. 2025 16265-16280*
Wang, Q., *see* Qu, D., *TPEL Nov. 2025 16443-16455*
Wang, Q., *see* Zhang, Z., *TPEL Dec. 2025 17726-17737*
Wang, R., *see* Guo, Z., *TPEL Jan. 2025 1483-1497*
Wang, R., *see* Cui, H., *TPEL Jan. 2025 2273-2283*
Wang, R., *see* Li, D., *TPEL Jan. 2025 2429-2441*
Wang, R., *see* Lian, C., *TPEL Feb. 2025 2847-2859*
Wang, R., Mao, S., Yin, S., Lin, J., Liu, H., Li, H., and Fan, J., Modeling and Analysis of MHz-Frequency PRC- *C+L+C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor; *TPEL April 2025 5400-5411*
Wang, R., *see* Li, C., *TPEL April 2025 5130-5146*
Wang, R., *see* Yan, Z., *TPEL June 2025 8194-8205*
Wang, R., *see* Sui, Z., *TPEL July 2025 9606-9624*
Wang, R., Djekanovic, N., and Dujic, D., Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer; *TPEL Aug. 2025 11616-11627*
Wang, R., *see* Anurag, A., *TPEL Aug. 2025 10361-10365*
Wang, R., *see* Yang, B., *TPEL Sept. 2025 12937-12952*
Wang, R., *see* Yuan, Z., *TPEL Sept. 2025 14146-14158*
Wang, R., *see* Wang, J., *TPEL Oct. 2025 14638-14650*
Wang, R., and Dujic, D., Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs; *TPEL Oct. 2025 15572-15582*
Wang, S., *see* Chen, S., *TPEL Jan. 2025 1012-1022*
Wang, S., Tang, C., Nie, J., Meng, L., and Shu, Z., 4-Vector SVPWM for Single-Phase Transformerless UPQC With Two-Leg and Low DC Voltage; *TPEL Jan. 2025 98-104*
Wang, S., *see* Wang, P., *TPEL Jan. 2025 361-374*
Wang, S., *see* Liu, S., *TPEL Jan. 2025 738-748*
Wang, S., Xu, Y., Wu, X., Wang, J., Chen, G., and Zeng, X., Ultra-Low Frequency Oscillation Damping Control Method for Hydro-Photovoltaic Integrated Systems; *TPEL Jan. 2025 2397-2418*
Wang, S., *see* Li, Y., *TPEL Feb. 2025 3770-3784*
Wang, S., *see* Li, G., *TPEL March 2025 4557-4568*
Wang, S., Li, M., Qin, K., Xin, Q., Ma, J., Hou, N., and Liu, T., A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor; *TPEL April 2025 6192-6202*
Wang, S., *see* Zhang, R., *TPEL April 2025 5336-5351*
Wang, S., *see* Li, H., *TPEL April 2025 5252-5264*
Wang, S., *see* Fan, H., *TPEL May 2025 6653-6662*
Wang, S., *see* Huang, Y., *TPEL May 2025 7150-7161*
Wang, S., *see* Zhang, P., *TPEL May 2025 7110-7124*
Wang, S., Tang, C., Liu, S., Cao, X., Nie, J., Yang, J., and Shu, Z., Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell; *TPEL June 2025 8253-8263*
Wang, S., *see* Ren, Z., *TPEL June 2025 8005-8015*

Wang, S., Jiang, A., Ma, J., Wang, P., Zhang, R., and Liu, T., Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait; *TPEL June 2025 7765-7776*
Wang, S., *see* Zeng, Z., *TPEL Aug. 2025 10973-10987*
Wang, S., *see* Chen, H., *TPEL Sept. 2025 12167-12190*
Wang, S., *see* Du, Y., *TPEL Sept. 2025 12003-12010*
Wang, S., Guo, X., Li, K., Yin, Y., Sun, Z., and You, X., An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters; *TPEL Sept. 2025 13063-13074*
Wang, S., *see* Rong, X., *TPEL Sept. 2025 13852-13865*
Wang, S., *see* Meng, X., *TPEL Nov. 2025 16469-16482*
Wang, S., Li, B., Zhang, G., Wang, G., Chen, J., Yu, J., and Xu, D., Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives; *TPEL Nov. 2025 16456-16468*
Wang, S., *see* Qu, D., *TPEL Nov. 2025 16443-16455*
Wang, S., Wang, Z., Niu, X., Zhu, Y., Lu, W., and Liu, Y., An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit; *TPEL Nov. 2025 16352-16366*
Wang, S., *see* Yu, Z., *TPEL Nov. 2025 16764-16779*
Wang, S., *see* Chen, Q., *TPEL Nov. 2025 16937-16952*
Wang, T., *see* Yang, C., *TPEL Jan. 2025 2170-2183*
Wang, T., *see* Song, P., *TPEL March 2025 3824-3829*
Wang, T., *see* Lyu, Z., *TPEL March 2025 3844-3849*
Wang, T., Bi, C., Luo, S., Li, F., and Bao, W., A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs; *TPEL March 2025 4314-4323*
Wang, T., *see* Shao, F., *TPEL March 2025 4255-4267*
Wang, T., *see* Song, P., *TPEL March 2025 4067-4079*
Wang, T., *see* Wang, Y., *TPEL April 2025 5959-5970*
Wang, T., *see* Kuo, C., *TPEL April 2025 5120-5129*
Wang, T., *see* Song, P., *TPEL June 2025 7668-7680*
Wang, T., Zhao, Q., Ding, H., and Wang, D., Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency; *TPEL Sept. 2025 12542-12554*
Wang, T., *see* Lyu, Z., *TPEL Sept. 2025 11957-11962*
Wang, T., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Wang, T., *see* Luo, B., *TPEL Dec. 2025 17569-17574*
Wang, W., *see* Xie, L., *TPEL Jan. 2025 2086-2098*
Wang, W., *see* Cheng, S., *TPEL April 2025 6055-6068*
Wang, W., *see* Han, W., *TPEL April 2025 4793-4804*
Wang, W., *see* Guan, Y., *TPEL April 2025 4952-4968*
Wang, W., *see* Zhang, Z., *TPEL April 2025 5147-5162*
Wang, W., Liu, T., Cheng, S., Cheng, C., Niu, S., and Chen, A., Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers; *TPEL June 2025 7709-7726*
Wang, W., *see* Shi, Y., *TPEL Aug. 2025 11564-11582*
Wang, W., Ye, Y., Chen, X., and Yuan, Y., Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System; *TPEL Aug. 2025 10865-10876*
Wang, W., *see* Yan, C., *TPEL Sept. 2025 12048-12054*
Wang, W., He, J., Shu, J., Wang, H., and Cao, L., Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation; *TPEL Sept. 2025 12829-12844*
Wang, W., *see* Tang, Y., *TPEL Oct. 2025 14459-14477*
Wang, W., *see* Wei, J., *TPEL Oct. 2025 15030-15041*
Wang, W., *see* Li, C., *TPEL Nov. 2025 16926-16936*
Wang, X., *see* Mo, L., *TPEL Jan. 2025 1376-1388*
Wang, X., Shen, J., Sun, S., Xiao, D., Liu, Y., and Wang, Z., General Modeling and Control of Multiple Three-Phase PMSM Drives; *TPEL Jan. 2025 1900-1909*
Wang, X., *see* Chen, Y., *TPEL Jan. 2025 4-7*
Wang, X., *see* Xia, C., *TPEL Jan. 2025 2604-2618*
Wang, X., Huang, Y., Wang, J., Hui, J., and Liang, S., Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management; *TPEL Feb. 2025 3710-3725*
Wang, X., *see* Lu, L., *TPEL Feb. 2025 3385-3394*
Wang, X., *see* Hang, J., *TPEL Feb. 2025 3395-3404*
Wang, X., *see* Wu, Y., *TPEL Feb. 2025 3043-3061*
Wang, X., *see* Chen, F., *TPEL Feb. 2025 2943-2957*
Wang, X., *see* Ye, Y., *TPEL Feb. 2025 2685-2690*
Wang, X., *see* Zhang, M., *TPEL Feb. 2025 3077-3089*
Wang, X., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Wang, X., *see* Liu, Z., *TPEL March 2025 4536-4545*
Wang, X., *see* Liang, C., *TPEL April 2025 6230-6247*
Wang, X., *see* Yang, R., *TPEL April 2025 4878-4888*
Wang, X., *see* Wang, Y., *TPEL May 2025 6464-6469*
Wang, X., Luo, D., and Xiao, D., Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives; *TPEL May 2025 6519-6528*
Wang, X., *see* Zhou, Z., *TPEL June 2025 7904-7918*
Wang, X., *see* Jiang, S., *TPEL July 2025 8886-8898*
Wang, X., Guo, Q., Tu, C., Xiao, F., Chen, Z., Luo, J., and Hou, Y., A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy; *TPEL July 2025 10038-10048*
Wang, X., *see* Zhao, W., *TPEL July 2025 9699-9708*
Wang, X., *see* Duan, Z., *TPEL July 2025 9986-9999*
Wang, X., *see* Duan, Z., *TPEL July 2025 9986-9999*
Wang, X., Jiang, C.Q., Wang, Y., Chen, X.F., Ma, T., and Zhou, J., Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System; *TPEL July 2025 10165-10175*
Wang, X., *see* Liu, Z., *TPEL July 2025 10265*
Wang, X., *see* Wu, Y., *TPEL July 2025 10059-10076*
Wang, X., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Wang, X., *see* Bao, X., *TPEL Aug. 2025 10824-10835*
Wang, X., Zhu, Z., Li, L., Wei, H., and Li, Z., Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger; *TPEL Aug. 2025 10816-10823*
Wang, X., *see* Sun, A., *TPEL Sept. 2025 12661-12675*
Wang, X., *see* Hao, Y., *TPEL Sept. 2025 12488-12498*
Wang, X., Zhao, B., Li, H., Dijkhuizen, F., and Sano, K., Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid; *TPEL Sept. 2025 12031-12032*
Wang, X., *see* Yang, Z., *TPEL Sept. 2025 11923-11927*
Wang, X., *see* Wang, F., *TPEL Sept. 2025 13543-13555*
Wang, X., *see* Zhang, Y., *TPEL Sept. 2025 13490-13498*
Wang, X., *see* Liu, Z., *TPEL Sept. 2025 14014-14026*
Wang, X., *see* Chen, F., *TPEL Oct. 2025 14307-14312*
Wang, X., *see* Gu, P., *TPEL Oct. 2025 15891-15904*
Wang, X., *see* Feng, K., *TPEL Oct. 2025 15620-15637*
Wang, X., Yao, S., Kou, X., Wang, H., and Fu, M., Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control; *TPEL Nov. 2025 16587-16595*
Wang, X., *see* Ren, S., *TPEL Nov. 2025 16538-16547*
Wang, X., *see* Ding, S., *TPEL Nov. 2025 16219-16230*
Wang, X., *see* Humblot-Renaux, G., *TPEL Nov. 2025 16055-16060*
Wang, X., *see* Zhang, Y., *TPEL Nov. 2025 16184-16194*
Wang, X., *see* Jiang, Y., *TPEL Nov. 2025 17451-17468*
Wang, X., Zhou, F., Yin, Z., Liang, Y., Shen, Y., and Zhao, H., Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law; *TPEL Dec. 2025 17738-17749*
Wang, Y., *see* Wang, D., *TPEL Jan. 2025 1135-1152*
Wang, Y., *see* Mo, L., *TPEL Jan. 2025 1376-1388*
Wang, Y., *see* Chen, S., *TPEL Jan. 2025 1012-1022*
Wang, Y., Gong, J., Zeng, Z., Wang, L., Zou, M., Gong, Y., and Liang, Y., Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust d*v*/d*t* Immunity Empowering Next-Generation WBG Measurement; *TPEL Jan. 2025 862-878*
Wang, Y., *see* Zuo, Y., *TPEL Jan. 2025 787-800*
Wang, Y., *see* Chen, J., *TPEL Jan. 2025 704-715*
Wang, Y., *see* Bi, Y., *TPEL Jan. 2025 263-278*
Wang, Y., *see* Liu, S., *TPEL Jan. 2025 738-748*
Wang, Y., *see* Liu, Z., *TPEL Jan. 2025 679-690*

Wang, Y., *see* Du, Z., *TPEL Jan. 2025 2070-2085*
Wang, Y., *see* Du, Z., *TPEL Jan. 2025 2070-2085*
Wang, Y., *see* Kong, L., *TPEL Jan. 2025 2284-2299*
Wang, Y., Chen, W., Shen, Z., Yu, X., Zhu, X., Jin, H., Luo, S., Hao, Z., and Li, X., Origin Analysis and Mitigation Method of Voltage Oscillation Occurred Inside the Winding of Medium-Voltage Medium-Frequency Transformer; *TPEL Jan. 2025 1974-1990*
Wang, Y., *see* Wu, H., *TPEL Feb. 2025 3578-3599*
Wang, Y., *see* Gou, B., *TPEL Feb. 2025 3505-3517*
Wang, Y., *see* Cao, D., *TPEL Feb. 2025 2833-2846*
Wang, Y., *see* Tian, Y., *TPEL Feb. 2025 2930-2942*
Wang, Y., *see* Liu, A., *TPEL Feb. 2025 2809-2821*
Wang, Y., *see* Chen, S., *TPEL Feb. 2025 3020-3032*
Wang, Y., *see* Liu, Q., *TPEL Feb. 2025 2691-2696*
Wang, Y., *see* Yang, L., *TPEL Feb. 2025 2680-2684*
Wang, Y., *see* Song, S., *TPEL March 2025 4199-4212*
Wang, Y., Jiang, X., Yuan, S., Ouyang, R., Ma, N., Jia, D., Gong, X., Niu, H., and Wang, J., Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules; *TPEL March 2025 4100-4111*
Wang, Y., *see* Song, P., *TPEL March 2025 4067-4079*
Wang, Y., *see* Lv, Y., *TPEL March 2025 4186-4198*
Wang, Y., *see* Wang, K., *TPEL March 2025 4613-4629*
Wang, Y., *see* Hu, Y., *TPEL April 2025 5846-5856*
Wang, Y., Zhang, H., Wang, J., Zhang, J., Wang, T., Liu, Y., Wang, L., Pei, Y., She, X., and Liu, J., A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop; *TPEL April 2025 5959-5970*
Wang, Y., *see* Wu, F., *TPEL April 2025 5983-5998*
Wang, Y., *see* Luo, C., *TPEL April 2025 5883-5894*
Wang, Y., *see* Yang, J., *TPEL April 2025 5907-5921*
Wang, Y., Zhou, J., Xue, L., Ma, X., Liang, N., Wang, Z., and Zhang, X., Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter; *TPEL April 2025 4938-4951*
Wang, Y., *see* Guan, Y., *TPEL April 2025 4952-4968*
Wang, Y., *see* Chen, J., *TPEL April 2025 4997-5013*
Wang, Y., *see* Gong, J., *TPEL May 2025 6847-6859*
Wang, Y., Jiang, C.Q., Wang, X., Mo, L., Guo, W., and Long, T., Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss; *TPEL May 2025 6464-6469*
Wang, Y., *see* Wang, N., *TPEL May 2025 6963-6976*
Wang, Y., *see* Cheng, Y., *TPEL May 2025 7029-7041*
Wang, Y., *see* Jin, H., *TPEL May 2025 6933-6950*
Wang, Y., *see* Guan, Y., *TPEL May 2025 7537-7548*
Wang, Y., *see* Zhang, X., *TPEL May 2025 7136-7149*
Wang, Y., *see* Xu, Z., *TPEL June 2025 8751-8765*
Wang, Y., *see* Cai, J., *TPEL June 2025 8516-8527*
Wang, Y., *see* Jiang, L., *TPEL June 2025 7936-7953*
Wang, Y., *see* Liu, C., *TPEL June 2025 7994-8004*
Wang, Y., *see* Zhang, H., *TPEL July 2025 9370-9387*
Wang, Y., *see* Luan, X., *TPEL July 2025 8962-8971*
Wang, Y., Yang, J., Wang, K., and Yang, Y., Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator; *TPEL July 2025 10254-10264*
Wang, Y., *see* Wang, X., *TPEL July 2025 10165-10175*
Wang, Y., Jia, Z., Huang, T., Geng, Y., Yang, Z., Lin, F., and Xu, G., A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations; *TPEL July 2025 10123-10139*
Wang, Y., *see* Ding, Y., *TPEL July 2025 9864-9875*
Wang, Y., *see* Wang, Q., *TPEL July 2025 9723-9736*
Wang, Y., *see* Wu, X., *TPEL Aug. 2025 11283-11295*
Wang, Y., *see* Li, B., *TPEL Aug. 2025 11598-11615*
Wang, Y., *see* Chen, S., *TPEL Aug. 2025 11628-11640*
Wang, Y., *see* Yao, Y., *TPEL Aug. 2025 11725-11738*
Wang, Y., *see* Liu, S., *TPEL Aug. 2025 10456-10468*
Wang, Y., *see* Sun, J., *TPEL Aug. 2025 11206-11217*
Wang, Y., Lee, S., Go, H., Kim, M., Zhou, G., and Park, S., A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load; *TPEL Sept. 2025 12634-12647*
Wang, Y., *see* Chen, Z., *TPEL Sept. 2025 12337-12349*
Wang, Y., *see* Wang, Q., *TPEL Sept. 2025 12703-12718*
Wang, Y., *see* Gao, S., *TPEL Sept. 2025 12061-12071*
Wang, Y., *see* Luo, S., *TPEL Sept. 2025 13703-13715*
Wang, Y., *see* Zhong, K., *TPEL Sept. 2025 13741-13751*
Wang, Y., *see* Wu, F., *TPEL Sept. 2025 13231-13245*
Wang, Y., *see* Yan, J., *TPEL Sept. 2025 13260-13275*
Wang, Y., *see* Yan, S., *TPEL Oct. 2025 14598-14612*
Wang, Y., *see* Shao, Z., *TPEL Oct. 2025 14755-14770*
Wang, Y., *see* Ren, S., *TPEL Oct. 2025 14345-14350*
Wang, Y., *see* Ba, D., *TPEL Oct. 2025 14894-14907*
Wang, Y., Liu, S., Wang, J., Cui, B., and Yang, J., Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements; *TPEL Oct. 2025 14356-14362*
Wang, Y., *see* Li, X., *TPEL Oct. 2025 15182-15198*
Wang, Y., Gong, J., Zeng, Z., Zou, M., and Wang, L., Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure; *TPEL Oct. 2025 14478-14495*
Wang, Y., *see* Gong, J., *TPEL Oct. 2025 14301-14306*
Wang, Y., *see* Mai, J., *TPEL Oct. 2025 14337-14342*
Wang, Y., *see* Shen, Z., *TPEL Oct. 2025 14842-14853*
Wang, Y., Liu, S., Liu, H., Li, X., Zhang, Q., and Shang, Y., An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion; *TPEL Oct. 2025 15687-15699*
Wang, Y., Wu, H., Wang, H., An, S., Qian, C., and Liu, Y., Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance; *TPEL Oct. 2025 15203-15214*
Wang, Y., *see* Gu, P., *TPEL Oct. 2025 15891-15904*
Wang, Y., *see* Guan, Y., *TPEL Oct. 2025 15865-15879*
Wang, Y., *see* Sun, Z., *TPEL Oct. 2025 15905-15921*
Wang, Y., *see* Zhang, T., *TPEL Nov. 2025 16327-16340*
Wang, Y., *see* Zou, M., *TPEL Nov. 2025 16281-16299*
Wang, Y., *see* Gao, L., *TPEL Nov. 2025 16676-16686*
Wang, Y., *see* Zhu, X., *TPEL Nov. 2025 16728-16739*
Wang, Y., Sun, Z., Yang, Y., Zhang, C., and Hui, S.Y.R., Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices; *TPEL Nov. 2025 17469-17487*
Wang, Y., *see* Pradhan, R., *TPEL Dec. 2025 17894-17910*
Wang, Z., *see* Liu, Z., *TPEL Jan. 2025 1748-1761*
Wang, Z., Teng, J., Zhang, M., Bu, Z., Lin, X., Qi, L., Zhao, W., Li, X., and Sun, X., Common-Mode Voltage Suppression Strategy for CHB-Based Motor Drive Based on Topology and Modulation Optimization; *TPEL Jan. 2025 1697-1716*
Wang, Z., Jiao, Y., Li, B., Suo, Z., Liu, Y., and Xu, D., High-Voltage DC/DC Converter Topology With Active Filtering Arms; *TPEL Jan. 2025 1183-1197*
Wang, Z., *see* Wang, X., *TPEL Jan. 2025 1900-1909*
Wang, Z., *see* Hu, W., *TPEL Jan. 2025 105-111*
Wang, Z., *see* Chen, W., *TPEL Jan. 2025 638-651*
Wang, Z., Li, Z., Zhang, Y., Shu, J., Liu, J., and Li, X., Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor; *TPEL Jan. 2025 665-678*
Wang, Z., *see* Luo, C., *TPEL Jan. 2025 2472-2483*
Wang, Z., Pan, H., Cheng, P., and Jia, L., Adaptive Frequency Coupling Suppression Strategy for VSCs and Its Stability Region Analysis; *TPEL Jan. 2025 2442-2456*
Wang, Z., *see* Chen, C., *TPEL Feb. 2025 3566-3577*
Wang, Z., *see* Lu, L., *TPEL Feb. 2025 3385-3394*
Wang, Z., *see* Zhou, D., *TPEL Feb. 2025 2702-2707*
Wang, Z., *see* Zhao, Y., *TPEL Feb. 2025 2651-2667*
Wang, Z., *see* Jiang, X., *TPEL Feb. 2025 2860-2873*
Wang, Z., *see* Yu, K., *TPEL March 2025 4020-4033*
Wang, Z., *see* Xu, Y., *TPEL March 2025 4374-4385*
Wang, Z., *see* Wu, Y., *TPEL March 2025 4090-4099*

Wang, Z., *see* Zhang, Y., *TPEL March 2025 3968-3979*
Wang, Z., *see* Yang, Y., *TPEL March 2025 3830-3837*
Wang, Z., *see* Zhang, Z., *TPEL April 2025 5922-5938*
Wang, Z., Wei, X., da Silva, F.F., Sorensen, H., Shen, Z., and Bak, C.L., Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress; *TPEL April 2025 5646-5660*
Wang, Z., Liu, X., Gao, F., Jiang, Y., Li, H., Liu, Y., Cheng, Z., and Zhang, Y., An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles; *TPEL April 2025 6345-6358*
Wang, Z., *see* Wang, Y., *TPEL April 2025 4938-4951*
Wang, Z., Yuan, L., Peng, B., Zhang, Y., and Jia, R., Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs; *TPEL April 2025 5467-5479*
Wang, Z., *see* Dou, J., *TPEL April 2025 4775-4779*
Wang, Z., *see* Xiao, Y., *TPEL May 2025 6685-6699*
Wang, Z., *see* Xu, C., *TPEL May 2025 6813-6828*
Wang, Z., *see* Li, Z., *TPEL May 2025 6448-6453*
WANG, Z., *see* Han, D., *TPEL June 2025 8824-8833*
Wang, Z., *see* Song, Q., *TPEL June 2025 8242-8252*
Wang, Z., *see* Yang, Y., *TPEL July 2025 9200-9210*
Wang, Z., *see* Man, C., *TPEL July 2025 9211-9222*
Wang, Z., *see* Gao, H., *TPEL July 2025 9921-9932*
Wang, Z., *see* Zhang, R., *TPEL July 2025 9638-9648*
Wang, Z., *see* Sun, Y., *TPEL July 2025 9737-9748*
Wang, Z., Yu, Z., Qu, L., Zhao, B., Wu, J., Yuan, Z., and Zeng, R., Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC; *TPEL Aug. 2025 11799-11808*
Wang, Z., *see* Gu, X., *TPEL Aug. 2025 10731-10745*
Wang, Z., *see* Chang, H., *TPEL Aug. 2025 10877-10888*
Wang, Z., *see* Liu, T., *TPEL Sept. 2025 11908-11917*
Wang, Z., *see* Feng, X., *TPEL Sept. 2025 12440-12451*
Wang, Z., Sun, Q., and Zhang, X., Modified Digital Current Controller for High Precision Electric Motor Emulators; *TPEL Sept. 2025 12452-12462*
Wang, Z., *see* Wang, Z., *TPEL Sept. 2025 12452-12462*
Wang, Z., *see* Li, Y., *TPEL Sept. 2025 12676-12689*
Wang, Z., *see* Ding, M., *TPEL Sept. 2025 12594-12605*
Wang, Z., *see* Li, Z., *TPEL Sept. 2025 12779-12793*
Wang, Z., Wei, X., Bak, C.L., da Silva, F.F., Luo, T., Zhao, W., Vaessen, P., Sorensen, H., and Niasar, M.G., Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress; *TPEL Sept. 2025 13142-13156*
Wang, Z., *see* Peng, L., *TPEL Sept. 2025 12863-12872*
Wang, Z., Guo, L., Li, X., Wu, K., Zhou, X., and Wang, C., Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting; *TPEL Sept. 2025 13615-13631*
Wang, Z., *see* Wang, Z., *TPEL Sept. 2025 13615-13631*
Wang, Z., *see* Fei, Y., *TPEL Sept. 2025 14000-14013*
Wang, Z., *see* Li, X., *TPEL Oct. 2025 14571-14584*
Wang, Z., *see* Yu, K., *TPEL Oct. 2025 14733-14745*
Wang, Z., *see* Dai, B., *TPEL Oct. 2025 15093-15103*
Wang, Z., *see* Wu, C., *TPEL Oct. 2025 15795-15807*
Wang, Z., Sun, X., Song, W., Wheeler, P., Ren, B., and Liu, S., Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation; *TPEL Nov. 2025 16611-16625*
Wang, Z., *see* Ren, S., *TPEL Nov. 2025 16538-16547*
Wang, Z., *see* Wang, S., *TPEL Nov. 2025 16352-16366*
Wang, Z., Qu, L., Yu, Z., Xu, C., Dong, L., Cai, F., Zhao, B., and Zeng, R., A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT; *TPEL Nov. 2025 16687-16695*
Wang, Z., *see* Gu, M., *TPEL Nov. 2025 16080-16084*
Wang, Z., *see* Zhang, Y., *TPEL Nov. 2025 16184-16194*
Wang, Z., Du, X., Nie, H., and Tai, H., A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient; *TPEL Nov. 2025 16995-17012*
Wang, Z., *see* Li, C., *TPEL Nov. 2025 16926-16936*
Wang, Z., *see* Wang, J., *TPEL Dec. 2025 17821-17831*
Warnakulasooriya, T., *see* Choi, S., *TPEL Jan. 2025 46-50*
Watson, A.J., *see* Qazi, S., *TPEL April 2025 6203-6215*
Watts, J., *see* Jin, F., *TPEL May 2025 6593-6604*
Wei, B., *see* Wen, S., *TPEL June 2025 8617-8630*
Wei, C., *see* Wu, X., *TPEL April 2025 4889-4901*
Wei, D., *see* Li, K., *TPEL Oct. 2025 14585-14597*
Wei, F., *see* Tian, Y., *TPEL Jan. 2025 1346-1358*
Wei, G., *see* Zhang, T., *TPEL Feb. 2025 3810-3820*
Wei, G., *see* Zhang, Y., *TPEL June 2025 7640-7645*
Wei, G., *see* Cheng, L., *TPEL July 2025 10242-10253*
Wei, G., *see* Zhang, T., *TPEL Oct. 2025 14265-14270*
Wei, H., *see* Liu, Z., *TPEL July 2025 9800-9810*
Wei, H., *see* Wang, X., *TPEL Aug. 2025 10816-10823*
Wei, J., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Wei, J., *see* Xie, J., *TPEL Sept. 2025 11940-11944*
Wei, J., Qiu, G., Kou, B., Yang, X., Zhao, X., Wang, W., and Zhang, J., High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices; *TPEL Oct. 2025 15030-15041*
Wei, J., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Wei, J., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*
Wei, L., *see* Fard, M.T., *TPEL March 2025 4335-4344*
Wei, L., *see* Sun, Y., *TPEL April 2025 6107-6118*
Wei, L., Ouyang, B., and Liu, Y., A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors; *TPEL May 2025 6605-6628*
Wei, L., *see* Yi, H., *TPEL May 2025 7189-7199*
Wei, L., *see* Yi, H., *TPEL Nov. 2025 16367-16378*
Wei, Q., *see* Xing, L., *TPEL Aug. 2025 10343-10348*
Wei, R., *see* Zhu, X., *TPEL Nov. 2025 16728-16739*
Wei, R., Wang, H., Kish, G.J., and Li, Y., A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers; *TPEL Nov. 2025 17160-17171*
Wei, T., *see* Zhu, J., *TPEL Feb. 2025 2708-2714*
Wei, W., *see* He, H., *TPEL Jan. 2025 2315-2326*
Wei, W., *see* Xia, Y., *TPEL April 2025 6119-6134*
Wei, W., *see* Xia, Y., *TPEL May 2025 7385-7397*
Wei, W., *see* Li, L., *TPEL July 2025 9957-9971*
Wei, W., *see* Feng, Q., *TPEL Oct. 2025 14985-15002*
Wei, X., *see* Zhu, Z., *TPEL Jan. 2025 1774-1786*
Wei, X., *see* Wang, Z., *TPEL April 2025 5646-5660*
Wei, X., Ren, C., Wang, P., Han, X., Guo, X., and Tao, W., Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults; *TPEL June 2025 8658-8673*
Wei, X., *see* Qiu, H., *TPEL Aug. 2025 11467-11476*
Wei, X., *see* Wang, Z., *TPEL Sept. 2025 13142-13156*
Wei, X., *see* Zhou, Y., *TPEL Nov. 2025 16483-16497*
Wei, Y., *see* Li, Z., *TPEL Jan. 2025 1305-1321*
Wei, Y., *see* Luo, T., *TPEL March 2025 4170-4185*
Wei, Y., *see* Li, Z., *TPEL May 2025 6448-6453*
Wei, Y., and Zhang, B., A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids; *TPEL July 2025 9090-9106*
Wei, Y., *see* Almanza, M., *TPEL Aug. 2025 11197-11205*
Wei, Y., *see* Wang, F., *TPEL Aug. 2025 10846-10864*
Wei, Y., *see* Zhu, J., *TPEL Aug. 2025 11064-11075*
Wei, Y., Zhang, X., Chen, Z., Xu, F., and Tse, C.K., Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil; *TPEL Sept. 2025 14084-14098*
Wei, Y., *see* Wang, F., *TPEL Sept. 2025 13977-13990*

Wei, Y., Teng, Y., Wang, N., Du, S., Guo, X., and Hua, C., An Improved Voltage Reconstruction Method for Current Source Inverter; *TPEL Nov. 2025 16409-16418*
Wei, Y., *see* Zhang, Y., *TPEL Nov. 2025 17256-17266*
Wei, Z., *see* Cui, H., *TPEL Jan. 2025 2273-2283*
Wei, Z., Chung, H.S., and Zhang, R., Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure; *TPEL April 2025 6162-6176*
Wei, Z., Shi, H., Dong, Z., Zhang, C., and He, H., Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features; *TPEL May 2025 7414-7422*
Wei, Z., *see* Sun, B., *TPEL Sept. 2025 13246-13259*
Wei, Z., Liu, K., Lin, P., and Sun, X., Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control; *TPEL Dec. 2025 17776-17788*
Weiser, M.C.J., Tausk, J., and Kallfass, I., On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations; *TPEL Sept. 2025 13289-13299*
Wen, B., *see* Li, P., *TPEL Jan. 2025 1498-1507*
Wen, G., *see* Pan, C., *TPEL March 2025 4473-4485*
Wen, H., *see* Chen, S., *TPEL Feb. 2025 3020-3032*
Wen, H., Li, X., Zhang, F., Qu, Z., Jiang, Y., Luo, N., Wang, G., Wang, X., Liu, W., Cui, M., and Zhao, Y., Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review; *TPEL Feb. 2025 3090-3111*
Wen, H., *see* Yang, L., *TPEL April 2025 6359-6369*
Wen, H., *see* Li, X., *TPEL May 2025 6492-6505*
Wen, H., Li, J., Zhang, K., Wang, P., Yang, J., Zhou, X., Yang, L., Tong, X., and Song, B., A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs; *TPEL May 2025 7586-7598*
Wen, H., *see* Wang, G., *TPEL July 2025 9187-9199*
Wen, H., *see* Li, J., *TPEL July 2025 10198-10208*
Wen, H., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Wen, J., *see* Guan, J., *TPEL June 2025 8328-8343*
Wen, J., *see* Sun, Z., *TPEL Nov. 2025 16195-16205*
Wen, K., *see* Zhang, Z., *TPEL June 2025 8049-8061*
Wen, K., Liang, L., Zhang, Z., and Yan, X., High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit; *TPEL June 2025 8153-8167*
Wen, Q., Liang, D., Xue, Y., Liang, Z., Zhang, L., and Liang, Y., Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft; *TPEL Sept. 2025 13754-13766*
Wen, R., *see* Han, D., *TPEL June 2025 8824-8833*
Wen, S., *see* Ma, J., *TPEL May 2025 7398-7413*
Wen, S., Wei, B., Peng, L., Huang, P., Li, S., and Huang, S., Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals; *TPEL June 2025 8617-8630*
Wen, T., *see* Li, Y., *TPEL Jan. 2025 486-499*
Wen, W., *see* Fan, J., *TPEL March 2025 4546-4556*
Wen, W., Li, C., Sun, Q., Jin, H., Fan, J., and Li, B., Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation; *TPEL May 2025 6838-6846*
Wen, Y., Yang, Y., and Li, Y., A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature; *TPEL Aug. 2025 10661-10671*
Wheeler, P., *see* Peng, Q., *TPEL Jan. 2025 599-610*
Wheeler, P., *see* Chen, Z., *TPEL March 2025 4602-4612*
Wheeler, P., *see* Qazi, S., *TPEL April 2025 6203-6215*
Wheeler, P., *see* Li, C., *TPEL April 2025 5130-5146*
Wheeler, P., *see* Yang, J., *TPEL June 2025 8709-8725*
Wheeler, P., *see* Wang, Z., *TPEL Nov. 2025 16611-16625*
Wheeler, P., *see* Akhlaghi, Z., *TPEL Dec. 2025 18330-18339*
White, M.H., *see* Yu, H., *TPEL Oct. 2025 14496-14507*
Wieczorek, N., *see* Geng, X., *TPEL April 2025 5231-5240*
Wijesekera, A., *see* Wang, H., *TPEL March 2025 4399-4410*
Willich, V., *see* Himker, N., *TPEL Feb. 2025 2887-2900*
Wilson-Veas, A.H., *see* Berger, J.G., *TPEL April 2025 5518-5530*
Wilson-Veas, A.H., *see* M., M.A., *TPEL April 2025 4927-4937*
Winchell, E.A., *see* Bahrami-Fard, M., *TPEL May 2025 7176-7188*
Wolf, M., *see* Geng, X., *TPEL April 2025 5231-5240*
Won, J., *see* Kim, G., *TPEL June 2025 8367-8379*
Wong, C., *see* Leong, C., *TPEL Jan. 2025 2196-2209*
Wong, M., *see* Pang, Y., *TPEL April 2025 5384-5399*
Wong, M., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*
Wong, M., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Woo, S., *see* Rhee, J., *TPEL Jan. 2025 969-983*
Woo, S., Shin, Y., Rhee, J., Lee, H., Kim, H., and Ahn, S., Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems; *TPEL April 2025 4701-4705*
Wouters, H., and Martinez, W., Integrated Inductor-Transformers for High-Frequency Converters: An Overview; *TPEL Sept. 2025 13157-13176*
Wu, B., *see* Xie, J., *TPEL Sept. 2025 11940-11944*
Wu, B., *see* Assuncao, G.d.O., *TPEL Sept. 2025 13931-13940*
Wu, C., *see* Kong, L., *TPEL Jan. 2025 2284-2299*
Wu, C., *see* Cao, B., *TPEL June 2025 7646-7650*
Wu, C., Cui, Z., Xia, Q., Yue, J., and Lyu, F., An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends; *TPEL Sept. 2025 13337-13362*
Wu, C., Peng, J., Pi, D., Guo, X., Zhang, H., Wang, Z., and Li, Y., Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles; *TPEL Oct. 2025 15795-15807*
Wu, D., *see* Shi, Q., *TPEL June 2025 8168-8178*
Wu, F., Chen, K., Qiu, G., Ying, H., Sheng, H., and Wang, Y., Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters; *TPEL April 2025 5983-5998*
Wu, F., *see* Li, C., *TPEL April 2025 5130-5146*
Wu, F., Chen, K., Ying, H., Qiu, G., and Wang, Y., A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types; *TPEL Sept. 2025 13231-13245*
Wu, F., *see* Gao, L., *TPEL Nov. 2025 16676-16686*
Wu, F., *see* Bi, K., *TPEL Nov. 2025 17203-17217*
Wu, H., Wang, Y., Liu, Y., Liu, Y., and Li, Y., An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters; *TPEL Feb. 2025 3578-3599*
Wu, H., *see* Wu, Y., *TPEL Feb. 2025 3043-3061*
Wu, H., *see* Luo, B., *TPEL April 2025 6307-6318*
Wu, H., *see* Yang, F., *TPEL July 2025 9507-9517*
Wu, H., *see* Wu, Y., *TPEL July 2025 10059-10076*
Wu, H., Song, Y., Liu, Y., and Ji, G., Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations; *TPEL Aug. 2025 11246-11256*
Wu, H., *see* Song, M., *TPEL Aug. 2025 11021-11031*
Wu, H., *see* Zhu, J., *TPEL Aug. 2025 11064-11075*
Wu, H., *see* Wang, H., *TPEL Sept. 2025 11963-11968*
Wu, H., *see* Wang, Y., *TPEL Oct. 2025 15203-15214*
Wu, H., *see* Humblot-Renaux, G., *TPEL Nov. 2025 16055-16060*
Wu, J., *see* Chen, L., *TPEL Feb. 2025 3168-3176*
Wu, J., *see* Zhou, W., *TPEL Feb. 2025 2715-2720*
Wu, J., Pan, J., Ren, C., Liu, J., Zhao, B., Yu, Z., and Zeng, R., Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors; *TPEL April 2025 5223-5230*
Wu, J., *see* Wang, J., *TPEL April 2025 5309-5318*
Wu, J., Shu, Y., Yong, S., Yin, X., Li, F., Gao, L., and Meng, F., Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors; *TPEL April 2025 4862-4877*
Wu, J., *see* Liu, G., *TPEL Aug. 2025 11394-11406*
Wu, J., *see* Wang, Z., *TPEL Aug. 2025 11799-11808*
Wu, J., Li, Y., Pan, Y., Du, Y., and Sun, X., A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters; *TPEL Aug. 2025 10349-10354*
Wu, J., *see* Zhao, B., *TPEL Sept. 2025 12033-12037*
Wu, J., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*

Wu, J., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Wu, J., *see* Meng, F., *TPEL Oct. 2025 15160-15171*
Wu, J., *see* Yao, Y., *TPEL Oct. 2025 15359-15370*
Wu, J., *see* Li, K., *TPEL Oct. 2025 16004-16021*
Wu, J., *see* Meng, F., *TPEL Oct. 2025 15768-15779*
Wu, J., *see* Qin, H., *TPEL Oct. 2025 15466-15477*
Wu, K., *see* Wang, Z., *TPEL Sept. 2025 13615-13631*
Wu, K., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*
Wu, L., *see* Zhu, J., *TPEL Feb. 2025 2708-2714*
Wu, L., *see* Song, P., *TPEL March 2025 3824-3829*
Wu, L., *see* Lyu, Z., *TPEL March 2025 3844-3849*
Wu, L., *see* Song, P., *TPEL March 2025 4067-4079*
Wu, L., *see* Song, P., *TPEL June 2025 7668-7680*
Wu, L., *see* Lin, X., *TPEL Aug. 2025 10682-10693*
Wu, L., *see* Sun, R., *TPEL Sept. 2025 12794-12815*
Wu, L., *see* Lyu, Z., *TPEL Sept. 2025 11957-11962*
Wu, L., *see* Deng, E., *TPEL Oct. 2025 14949-14961*
Wu, L., *see* Wu, Q., *TPEL Nov. 2025 16105-16110*
Wu, M., *see* Pang, J., *TPEL Jan. 2025 1936-1951*
Wu, M., Iam, I., and Lam, C., High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion; *TPEL May 2025 7560-7572*
Wu, M., Iam, I., and Lam, C., High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion; *TPEL June 2025 8834-8846*
Wu, M., *see* Wang, C., *TPEL Sept. 2025 12350-12364*
Wu, M., *see* He, B., *TPEL Oct. 2025 14271-14276*
Wu, P., *see* Kong, L., *TPEL Jan. 2025 2284-2299*
Wu, P., Li, Y., Chen, Y., Yu, P., Cheng, Y., and Liu, C., Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation; *TPEL April 2025 4706-4710*
Wu, Q., Shen, S., Zhang, H., and Wang, Q., High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs; *TPEL April 2025 5971-5982*
Wu, Q., *see* An, S., *TPEL April 2025 5544-5553*
Wu, Q., *see* Jiang, M., *TPEL Sept. 2025 11985-11990*
Wu, Q., Wu, L., Zhou, J., Li, Y., Di, Z., and Zhu, Z., A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor; *TPEL Nov. 2025 16105-16110*
Wu, R., *see* Du, Z., *TPEL Jan. 2025 2070-2085*
Wu, R., *see* Deb, A., *TPEL Nov. 2025 16341-16351*
Wu, S., *see* Cai, C., *TPEL Feb. 2025 3726-3737*
Wu, S., *see* Liu, X., *TPEL March 2025 4640-4651*
Wu, S., *see* Wu, X., *TPEL April 2025 4889-4901*
Wu, S., *see* Li, C., *TPEL June 2025 7603-7614*
Wu, S., *see* Li, J., *TPEL Sept. 2025 14181-14192*
Wu, T., *see* Yang, M., *TPEL Jan. 2025 1717-1727*
Wu, T., *see* Wang, C., *TPEL Aug. 2025 11490-11508*
Wu, T., Zhu, H., Wu, X., Huang, S., Yu, X., Tan, Z., Gao, F., and Tong, X., Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM; *TPEL Aug. 2025 10836-10845*
Wu, T., *see* Feng, K., *TPEL Oct. 2025 15620-15637*
Wu, T., *see* Deng, Z., *TPEL Dec. 2025 18011-18026*
Wu, T.X., Li, Z., Wang, M., Li, S., Zhang, G., and Liu, L., A Front-Driven Independent Power Factor Partial Compensation for Decreasing Capacity in Electrified Railway; *TPEL Jan. 2025 1915-1924*
Wu, W., *see* Bi, Y., *TPEL Jan. 2025 263-278*
Wu, W., *see* Chen, S., *TPEL Feb. 2025 3020-3032*
Wu, W., *see* Xiao, C., *TPEL March 2025 4437-4448*
Wu, X., *see* Gong, Z., *TPEL Jan. 2025 1258-1271*
Wu, X., *see* Yang, M., *TPEL Jan. 2025 1717-1727*
Wu, X., *see* Du, J., *TPEL Jan. 2025 2139-2148*
Wu, X., *see* Wang, S., *TPEL Jan. 2025 2397-2418*
Wu, X., *see* Cai, C., *TPEL Jan. 2025 2527-2541*
Wu, X., *see* Li, Y., *TPEL Feb. 2025 3750-3769*
Wu, X., Yang, H., Zheng, C., and Zou, Z., Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC; *TPEL Feb. 2025 3684-3696*
Wu, X., *see* Yi, B., *TPEL Feb. 2025 3033-3042*
Wu, X., Yang, X., Ye, J., and Liu, G., Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution; *TPEL March 2025 4411-4424*
Wu, X., *see* Wang, J., *TPEL April 2025 6319-6333*
Wu, X., Wu, S., Wang, F., Wei, C., Li, R., Jiang, X., and Cai, X., Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System; *TPEL April 2025 4889-4901*
Wu, X., *see* Shu, J., *TPEL April 2025 4752-4756*
Wu, X., *see* Zhang, X., *TPEL April 2025 5080-5093*
Wu, X., *see* Zhao, S., *TPEL May 2025 7261-7274*
Wu, X., *see* Zhang, X., *TPEL May 2025 7136-7149*
Wu, X., *see* Liu, L., *TPEL June 2025 8566-8576*
Wu, X., *see* Xue, C., *TPEL July 2025 9749-9763*
Wu, X., Wang, Y., Wang, N., Xing, H., Xie, W., and Lee, C.H.T., A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency; *TPEL Aug. 2025 11283-11295*
Wu, X., *see* Wu, T., *TPEL Aug. 2025 10836-10845*
Wu, X., *see* Hou, N., *TPEL Aug. 2025 10391-10395*
Wu, X., *see* Zhang, X., *TPEL Aug. 2025 10330-10334*
Wu, X., *see* Sun, R., *TPEL Sept. 2025 12794-12815*
Wu, X., Li, P., Deng, Z., Liu, Z., Kurboniyon, M.S., Xiang, S., and Yin, G., LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries; *TPEL Sept. 2025 13514-13528*
Wu, X., *see* Zhu, H., *TPEL Sept. 2025 14169-14180*
Wu, X., *see* Cai, C., *TPEL Oct. 2025 14363-14367*
Wu, X., *see* Shi, X., *TPEL Oct. 2025 15450-15465*
Wu, X., *see* Zhang, X., *TPEL Nov. 2025 16525-16537*
Wu, X., *see* Chen, C., *TPEL Dec. 2025 17637-17649*
Wu, X., *see* Xu, Y., *TPEL Dec. 2025 18340-18349*
Wu, Y., *see* Li, S., *TPEL Feb. 2025 3430-3440*
Wu, Y., *see* Li, Y., *TPEL Feb. 2025 3770-3784*
Wu, Y., Wu, H., Cheng, L., Zhou, J., Zhou, Z., Chen, M., and Wang, X., Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction; *TPEL Feb. 2025 3043-3061*
Wu, Y., Wang, Z., Zhang, R., Xin, G., Hu, H., Yan, X., and Shi, X., A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module; *TPEL March 2025 4090-4099*
Wu, Y., Pan, W., Xu, W., Xie, R., Zhuang, Y., Mao, X., and Zhang, Y., An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles; *TPEL April 2025 6334-6344*
Wu, Y., *see* Lai, W., *TPEL April 2025 6020-6032*
Wu, Y., *see* Huang, X., *TPEL May 2025 7275-7285*
Wu, Y., *see* Xu, Z., *TPEL June 2025 8751-8765*
Wu, Y., *see* Zhao, W., *TPEL June 2025 8528-8539*
Wu, Y., *see* Ma, C., *TPEL July 2025 9107-9120*
Wu, Y., *see* Zhang, R., *TPEL July 2025 9638-9648*
Wu, Y., Wu, H., Zhao, F., Zhou, Z., and Wang, X., Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics; *TPEL July 2025 10059-10076*
Wu, Y., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Wu, Y., *see* Lai, W., *TPEL Aug. 2025 11416-11427*
Wu, Y., *see* Sun, X., *TPEL Sept. 2025 12191-12203*
Wu, Y., *see* Fei, Y., *TPEL Sept. 2025 14000-14013*
Wu, Y., *see* Zhang, G., *TPEL Oct. 2025 14923-14936*
Wu, Y., *see* Wang, H., *TPEL Oct. 2025 14324-14330*
Wu, Y., *see* Yu, H., *TPEL Oct. 2025 15730-15744*
Wu, Y., *see* Zhang, L., *TPEL Oct. 2025 15595-15606*
Wu, Y., *see* Ding, C., *TPEL Nov. 2025 16111-16115*
Wu, Y., *see* Humblot-Renaux, G., *TPEL Nov. 2025 16055-16060*
Wu, Y., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*
Wu, Y., *see* Jiang, Y., *TPEL Nov. 2025 17451-17468*

Wu, Z., Xu, G., Zhu, W., and Sheng, G., A Dispersing Proportional Resonance Controller for Selective Harmonic Current Compensation in a Shunt Active Power Filter; *TPEL Jan. 2025 279-289*
Wu, Z., *see* Liu, C.C., *TPEL Jan. 2025 749-763*
Wu, Z., Huang, X., and Wang, A., A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB; *TPEL Jan. 2025 727-737*
Wu, Z., *see* Luo, Z., *TPEL March 2025 3927-3937*
Wu, Z., *see* Niu, Z., *TPEL April 2025 5871-5882*
Wu, Z., Guo, X., and Wang, N., Simplified Implementation Architecture for Current-Source SVPWAM; *TPEL April 2025 4727-4733*
Wu, Z., *see* Guo, Z., *TPEL April 2025 4762-4766*
Wu, Z., *see* Wang, L., *TPEL April 2025 5177-5189*
Wu, Z., *see* Luo, Z., *TPEL June 2025 8305-8314*
Wu, Z., *see* Dong, M., *TPEL June 2025 8812-8823*
Wu, Z., *see* Shi, G., *TPEL Aug. 2025 10402-10418*
Wu, Z., *see* Dong, M., *TPEL Aug. 2025 11001-11011*
Wu, Z., *see* Tang, W., *TPEL Oct. 2025 14524-14535*
Wu, Z., Zhu, J., Hu, J., Guo, Z., Du, B., Li, Y., and Guo, J., Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory; *TPEL Oct. 2025 15491-15503*
Wu, Z., *see* Ding, S., *TPEL Nov. 2025 16219-16230*

X

Xi, H., Lin, X., Zhang, S., Luo, X., Ji, H., and Xiao, D., A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries; *TPEL March 2025 4569-4580*
Xi, W., *see* Xie, W., *TPEL Jan. 2025 1441-1456*
Xia, B., *see* Zhang, J., *TPEL Sept. 2025 12365-12377*
Xia, C., *see* Gu, X., *TPEL Jan. 2025 1826-1835*
Xia, C., *see* Li, X., *TPEL Jan. 2025 129-134*
Xia, C., *see* Zhao, S., *TPEL Jan. 2025 2581-2592*
Xia, C., Cao, Y., Yang, Z., Zhao, S., Wang, X., Lu, C., and Liu, L., Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System; *TPEL Jan. 2025 2604-2618*
Xia, C., *see* Ye, M., *TPEL Feb. 2025 3405-3418*
Xia, C., *see* Tang, S., *TPEL April 2025 5731-5742*
Xia, C., *see* Rong, C., *TPEL June 2025 8859-8868*
Xia, C., *see* Liu, B., *TPEL June 2025 8540-8552*
Xia, C., *see* Sun, A., *TPEL Sept. 2025 12661-12675*
Xia, C., *see* Liu, B., *TPEL Sept. 2025 12280-12294*
Xia, C., *see* Yang, Z., *TPEL Sept. 2025 11923-11927*
Xia, C., *see* Li, H., *TPEL Nov. 2025 16123-16128*
Xia, H., *see* Xiong, J., *TPEL March 2025 4461-4472*
Xia, J., *see* Rong, E., *TPEL Jan. 2025 2542-2555*
Xia, J., Li, S., Li, T., Dai, W., Liu, Z., and Lu, S., An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching; *TPEL April 2025 6260-6271*
Xia, J., *see* Li, S., *TPEL April 2025 4787-4792*
Xia, J., *see* Lu, S., *TPEL April 2025 5456-5466*
Xia, J., *see* Liu, Z., *TPEL July 2025 8911-8916*
Xia, K., *see* Li, S., *TPEL April 2025 4787-4792*
Xia, P., Zhang, X., Judge, P.D., Merlin, M.M.C., and Finney, S., Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery; *TPEL Sept. 2025 12321-12336*
Xia, Q., *see* Wu, C., *TPEL Sept. 2025 13337-13362*
Xia, R., *see* Zhang, X., *TPEL Sept. 2025 12893-12905*
Xia, S., Ma, K., Zheng, L., and Li, X., Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test; *TPEL Aug. 2025 11407-11415*
Xia, Y., *see* He, H., *TPEL Jan. 2025 2315-2326*
Xia, Y., *see* Xiong, J., *TPEL March 2025 4461-4472*
Xia, Y., and Xu, Y., A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data; *TPEL April 2025 5949-5958*
Xia, Y., He, H., and Wei, W., Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System; *TPEL April 2025 6119-6134*
Xia, Y., Cheng, H., Wang, J., and Wei, W., Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics; *TPEL May 2025 7385-7397*
Xia, Y., *see* Li, L., *TPEL July 2025 9957-9971*
Xia, Y., *see* Zhao, Q., *TPEL Sept. 2025 12581-12593*
Xia, Y., *see* Feng, Q., *TPEL Oct. 2025 14985-15002*
Xia, Z., Dai, X., Li, Y., Wang, L., Chen, F., and Ma, J., A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System; *TPEL July 2025 10221-10241*
Xiang, C., *see* Cheng, S., *TPEL April 2025 6055-6068*
Xiang, D., Sun, Z., Li, H., Hu, H., Zhong, H., and Lu, G., Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement; *TPEL Jan. 2025 1577-1588*
Xiang, D., *see* Li, H., *TPEL Feb. 2025 2822-2832*
Xiang, F., Yu, K., Chen, C., and Li, S., Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise; *TPEL Aug. 2025 10793-10803*
Xiang, F., *see* Yu, K., *TPEL Dec. 2025 17750-17760*
Xiang, L., *see* Gao, H., *TPEL Jan. 2025 828-839*
Xiang, N., *see* Zhang, Z., *TPEL Jan. 2025 840-850*
Xiang, Q., *see* Zhou, H., *TPEL Oct. 2025 14289-14294*
Xiang, S., *see* Wu, X., *TPEL Sept. 2025 13514-13528*
Xiang, S., *see* Hou, J., *TPEL Nov. 2025 16853-16869*
Xiang, X., *see* Li, B., *TPEL Jan. 2025 1168-1182*
Xiang, X., *see* Li, S., *TPEL Feb. 2025 3430-3440*
Xiang, X., *see* Liu, B., *TPEL Feb. 2025 2987-3004*
Xiang, X., *see* Sheng, J., *TPEL July 2025 9463-9478*
Xiang, Y., Lin, H., and Chung, H.S., Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations; *TPEL Jan. 2025 2235-2247*
Xiang, Y., *see* Zhao, C., *TPEL Dec. 2025 17552-17557*
Xiang, Z., *see* Pang, Y., *TPEL April 2025 5384-5399*
Xiang, Z., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*
Xiang, Z., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Xiao, C., *see* Xiong, J., *TPEL March 2025 4461-4472*
Xiao, C., Wu, W., Guo, Q., Orabi, M., Koutroulis, E., Chung, H.S., and Blaabjerg, F., A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling; *TPEL March 2025 4437-4448*
Xiao, C., *see* Miao, M., *TPEL July 2025 9786-9799*
Xiao, C., *see* Yin, Z., *TPEL Aug. 2025 11380-11393*
Xiao, D., *see* Wang, X., *TPEL Jan. 2025 1900-1909*
Xiao, D., *see* Xi, H., *TPEL March 2025 4569-4580*
Xiao, D., *see* Yin, Z., *TPEL May 2025 6753-6770*
Xiao, D., *see* Wang, X., *TPEL May 2025 6519-6528*
Xiao, D., *see* Ren, S., *TPEL Nov. 2025 16538-16547*
Xiao, F., *see* Lian, C., *TPEL Feb. 2025 2847-2859*
Xiao, F., *see* Wang, X., *TPEL July 2025 10038-10048*
Xiao, F., *see* Yang, B., *TPEL Sept. 2025 12937-12952*
Xiao, F., *see* Xu, G., *TPEL Dec. 2025 17715-17725*
Xiao, G., *see* Guo, W., *TPEL March 2025 4425-4436*
Xiao, G., *see* Wang, H., *TPEL May 2025 7227-7238*
Xiao, H., *see* Guo, L., *TPEL April 2025 5163-5176*
Xiao, H., Peng, H., Zhao, Y., and Hou, L., Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation; *TPEL May 2025 7573-7585*
Xiao, H., *see* Yan, Y., *TPEL June 2025 8344-8355*
Xiao, H., *see* Guo, Y., *TPEL Aug. 2025 10746-10757*
Xiao, H., *see* Hou, L., *TPEL Aug. 2025 10543-10554*
Xiao, H., *see* Chen, T., *TPEL Dec. 2025 18350-18364*
Xiao, J., *see* Wang, J., *TPEL June 2025 8405-8415*
Xiao, J., *see* Wang, J., *TPEL Oct. 2025 14247-14252*

Xiao, J., *see* Li, Y., *TPEL Nov. 2025 17488-17502*
Xiao, L., *see* Xu, Y., *TPEL Jan. 2025 252-262*
Xiao, L., *see* Xu, Y., *TPEL April 2025 5505-5517*
Xiao, L., Ruan, X., Dong, R., Liu, F., and Liu, S., Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme; *TPEL Aug. 2025 11157-11169*
Xiao, L., *see* Jiang, M., *TPEL Sept. 2025 11985-11990*
Xiao, L., and Zhang, D., A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions; *TPEL Dec. 2025 17587-17603*
Xiao, M., *see* Xiao, Z., *TPEL July 2025 9343-9356*
Xiao, N., *see* Tang, L., *TPEL May 2025 6921-6932*
Xiao, Q., *see* Li, X., *TPEL Feb. 2025 3129-3137*
Xiao, Q., Xiong, S., Deng, W., Zhang, Z., Zhang, Z., and Lin, D., Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network; *TPEL April 2025 6385-6397*
Xiao, S., *see* Liu, Z., *TPEL March 2025 4449-4460*
Xiao, X., *see* Chen, S., *TPEL Aug. 2025 11628-11640*
Xiao, Y., *see* Dongye, Z., *TPEL Jan. 2025 958-968*
Xiao, Y., Li, Z., Guan, R., Liu, B., Liu, Y., He, Z., Xu, Q., and Chen, Y., Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches; *TPEL Jan. 2025 879-891*
Xiao, Y., *see* Hu, G., *TPEL Jan. 2025 2355-2370*
Xiao, Y., *see* Ji, S., *TPEL Jan. 2025 2158-2169*
Xiao, Y., *see* Kong, R., *TPEL April 2025 5037-5051*
Xiao, Y., Wang, Z., Shen, L., Yao, G., Wang, G., and Yang, S., Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter; *TPEL May 2025 6685-6699*
Xiao, Y., *see* Li, X., *TPEL May 2025 6492-6505*
Xiao, Y., *see* Yang, M., *TPEL June 2025 8016-8035*
Xiao, Y., *see* Wang, C., *TPEL Aug. 2025 11490-11508*
Xiao, Y., Ji, S., Yang, M., and Zhao, Z., An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses,di/dt and dv/dt for High-Speed and High-Power IGBTs; *TPEL Sept. 2025 12123-12142*
Xiao, Y., *see* Liu, Z., *TPEL Sept. 2025 13187-13201*
Xiao, Y., *see* Gao, L., *TPEL Nov. 2025 16068-16073*
Xiao, Z., Deng, F., Yao, Z., and Tang, Y., Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications; *TPEL Jan. 2025 1289-1304*
Xiao, Z., *see* Li, Y., *TPEL Feb. 2025 3770-3784*
Xiao, Z., *see* Yao, Z., *TPEL April 2025 5109-5119*
Xiao, Z., *see* Sun, T., *TPEL May 2025 6700-6713*
Xiao, Z., Yao, Z., Deng, F., Zhang, Y., and Tang, Y., Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters; *TPEL May 2025 6988-7001*
Xiao, Z., *see* Yao, Z., *TPEL July 2025 9278-9288*
Xiao, Z., Xiao, M., He, Z., Wang, L., Li, Z., and Wang, H., Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences; *TPEL July 2025 9343-9356*
Xiao, Z., *see* Yao, Z., *TPEL July 2025 8956-8961*
Xiao, Z., *see* Huang, Z., *TPEL Aug. 2025 10313-10323*
Xiao, Z., Deng, F., Yao, Z., and Tang, Y., Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs; *TPEL Sept. 2025 13835-13851*
Xiao, Z., *see* Ren, J., *TPEL Oct. 2025 14974-14984*
Xiao, Z., *see* Liu, Z., *TPEL Dec. 2025 18499-18511*
Xie, B., Li, Q., Zhang, Y., and Yuan, C., High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores; *TPEL Feb. 2025 3336-3356*
Xie, B., *see* Liao, Y., *TPEL March 2025 4051-4066*
Xie, B., *see* Li, Q., *TPEL Aug. 2025 10717-10730*
Xie, C., *see* Wang, J., *TPEL March 2025 4592-4601*
Xie, D., Lin, C., Deng, Q., Lin, H., Cai, C., Basler, T., and Ge, X., Simple Vector Calculation and Constraint-Based Fault-Tolerant Control for a Single-Phase CHBMC; *TPEL Jan. 2025 2028-2041*
Xie, E., *see* Liu, J., *TPEL Jan. 2025 611-624*
Xie, H., *see* Lu, M., *TPEL Sept. 2025 12055-12060*
Xie, H., *see* Hao, Y., *TPEL Sept. 2025 12488-12498*
Xie, H., *see* He, Y., *TPEL Oct. 2025 14331-14336*
Xie, J., *see* Yang, W., *TPEL May 2025 7342-7353*
Xie, J., Wei, J., Feng, H., Wu, B., and Ran, L., A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection; *TPEL Sept. 2025 11940-11944*
Xie, J., *see* Huang, Z., *TPEL Oct. 2025 15348-15358*
Xie, K., *see* Wang, C., *TPEL Aug. 2025 11490-11508*
Xie, L., Deng, E., Gu, D., Wang, W., Liu, H., Zhang, Y., and Huang, Y., Remaining Useful Lifetime Prediction Method of Power Modules Based on the Aging Characteristic Parameters; *TPEL Jan. 2025 2086-2098*
Xie, L., *see* Yang, F., *TPEL July 2025 9507-9517*
Xie, L., *see* Zhang, Z., *TPEL Aug. 2025 10324-10329*
Xie, L., *see* Liu, Y., *TPEL Aug. 2025 10957-10972*
Xie, M., *see* Zheng, C., *TPEL Jan. 2025 1872-1885*
Xie, M., *see* Wang, M., *TPEL Feb. 2025 3543-3552*
Xie, M., *see* Sun, Q., *TPEL Nov. 2025 17040-17050*
Xie, Q., *see* Xiong, W., *TPEL May 2025 6951-6962*
Xie, R., *see* Zhou, M., *TPEL Jan. 2025 1508-1518*
Xie, R., *see* Liu, R., *TPEL Jan. 2025 71-75*
Xie, R., *see* Wu, Y., *TPEL April 2025 6334-6344*
Xie, R., *see* Pan, W., *TPEL April 2025 6272-6281*
Xie, R., *see* Zhang, Y., *TPEL April 2025 4711-4715*
Xie, R., *see* Shen, Z., *TPEL April 2025 4722-4726*
Xie, R., *see* Zheng, Y., *TPEL May 2025 6459-6463*
Xie, R., *see* Zhang, Y., *TPEL May 2025 7512-7522*
Xie, R., *see* Zhang, Y., *TPEL July 2025 8923-8927*
Xie, R., *see* Yu, X., *TPEL Sept. 2025 11998-12002*
Xie, R., *see* Pan, W., *TPEL Sept. 2025 14159-14168*
Xie, R., *see* Wang, J., *TPEL Nov. 2025 16696-16703*
Xie, S., *see* Hao, Y., *TPEL Dec. 2025 18083-18096*
Xie, W., Xi, W., Li, S., Smedley, K.M., Zhu, X., and Dai, Y., Performance Limits of Resonant Switched-Capacitor Converter With Voltage Regulation; *TPEL Jan. 2025 1441-1456*
Xie, W., *see* Ji, S., *TPEL Jan. 2025 2158-2169*
Xie, W., *see* Cheng, S., *TPEL April 2025 6055-6068*
Xie, W., *see* Yang, M., *TPEL June 2025 8016-8035*
Xie, W., *see* Wu, X., *TPEL Aug. 2025 11283-11295*
Xie, W., *see* Zhao, Y., *TPEL Oct. 2025 15808-15819*
Xie, W., *see* Fu, Y., *TPEL Nov. 2025 16572-16586*
Xie, W., *see* Fu, Y., *TPEL Dec. 2025 17958-17971*
Xie, X., *see* Dong, H., *TPEL Jan. 2025 1322-1345*
Xie, X., *see* Luo, Z., *TPEL March 2025 3927-3937*
Xie, X., *see* Li, M., *TPEL May 2025 7329-7341*
Xie, X., *see* Zou, M., *TPEL Aug. 2025 11583-11597*
Xie, X., *see* Chen, S., *TPEL Aug. 2025 11628-11640*
Xie, X., *see* Gao, J., *TPEL Sept. 2025 13324-13336*
Xie, X., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Xie, Y., Jiang, D., Liu, H., and Liu, Z., Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement; *TPEL Jan. 2025 1849-1861*
Xie, Y., *see* Zhao, H., *TPEL March 2025 4213-4226*
Xie, Y., Ma, W., Li, W., Yang, R., Hu, X., Luo, Y., and Zhang, Y., A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery; *TPEL May 2025 7453-7465*
Xie, Y., Jiang, D., Ding, J., and Liu, Z., Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings; *TPEL June 2025 8093-8108*
Xie, Y., *see* Geng, J., *TPEL Oct. 2025 15118-15129*
Xie, Y., *see* Shuai, Y., *TPEL Oct. 2025 14560-14570*
Xie, Y., *see* Tang, Y., *TPEL Oct. 2025 15780-15794*
Xie, Y., *see* Komiyama, Y., *TPEL Nov. 2025 16822-16836*
Xie, Z., *see* Luo, C., *TPEL Jan. 2025 2472-2483*
Xie, Z., *see* Fang, J., *TPEL April 2025 4830-4847*
Xie, Z., *see* Fang, J., *TPEL Sept. 2025 13459-13473*
Xin, G., *see* Zhou, D., *TPEL Feb. 2025 2702-2707*
Xin, G., *see* Wu, Y., *TPEL March 2025 4090-4099*

Xin, G., *see* Yang, Y., *TPEL March 2025 3830-3837*
Xin, G., *see* Dou, J., *TPEL April 2025 4775-4779*
Xin, G., *see* Man, C., *TPEL July 2025 9211-9222*
Xin, G., *see* Zhang, R., *TPEL July 2025 9638-9648*
Xin, H., *see* Hu, G., *TPEL Jan. 2025 2355-2370*
Xin, H., Yaermaimaiti, A., Huang, L., and Yang, Y., Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters; *TPEL Dec. 2025 18378-18389*
Xin, Q., *see* Wang, S., *TPEL April 2025 6192-6202*
Xin, Q., *see* Jiang, T., *TPEL July 2025 9452-9462*
Xin, Z., Yao, Y., Kang, J., Li, Q., Zhou, Z., and Shi, Y., A Closed-Loop Compensated Rogowski Coil Current Sensor for Three-Phase Inverter; *TPEL Jan. 2025 2126-2138*
Xin, Z., *see* Shi, Y., *TPEL Jan. 2025 2057-2069*
Xing, C., *see* Yan, Q., *TPEL June 2025 7628-7633*
Xing, D., *see* Yang, L., *TPEL April 2025 6359-6369*
Xing, H., *see* Wu, X., *TPEL Aug. 2025 11283-11295*
Xing, J., *see* Li, Y., *TPEL Sept. 2025 13822-13834*
Xing, L., Wei, Q., Li, Y., and Liu, Y., Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter; *TPEL Aug. 2025 10343-10348*
Xing, X., *see* Li, Z., *TPEL May 2025 7315-7328*
Xing, X., *see* Sun, J., *TPEL Nov. 2025 17295-17308*
Xing, Y., *see* Yang, F., *TPEL July 2025 9507-9517*
Xing, Y., *see* Jia, P., *TPEL July 2025 9556-9576*
Xing, Y., *see* Song, M., *TPEL Aug. 2025 11021-11031*
Xing, Y., *see* Zhu, J., *TPEL Aug. 2025 11064-11075*
Xing, Y., *see* Zhang, L., *TPEL Oct. 2025 15595-15606*
Xing, Z., *see* Shao, F., *TPEL March 2025 4255-4267*
Xiong, F., *see* Luo, C., *TPEL April 2025 5883-5894*
Xiong, F., *see* Zhu, H., *TPEL Sept. 2025 14169-14180*
Xiong, G., *see* Chen, J., *TPEL Dec. 2025 18202-18213*
Xiong, J., Xia, Y., Chen, Z., Xia, H., and Xiao, C., Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting; *TPEL March 2025 4461-4472*
Xiong, J., *see* Yan, Y., *TPEL June 2025 8344-8355*
Xiong, J., *see* Yan, Y., *TPEL Sept. 2025 12555-12565*
Xiong, J., *see* Luo, T., *TPEL Oct. 2025 15104-15117*
Xiong, L., Ge, H., Zhou, B., Xu, H., Yu, C., and Yu, X., Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation; *TPEL Feb. 2025 3441-3455*
Xiong, L., *see* Liu, L., *TPEL July 2025 9153-9166*
Xiong, M., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Xiong, S., *see* Xiao, Q., *TPEL April 2025 6385-6397*
Xiong, W., *see* Gou, B., *TPEL Feb. 2025 3505-3517*
Xiong, W., Xie, Q., Xu, G., Ning, G., and Su, M., Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS; *TPEL May 2025 6951-6962*
Xiong, W., Zhang, C., Luo, F., Yuan, X., Liu, Z., Xu, Y., and Wang, J., A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability; *TPEL June 2025 8739-8750*
Xiong, W., Tan, J., Liu, Z., Zhu, Q., Sun, Y., Su, M., and Long, B., A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile; *TPEL July 2025 10176-10188*
Xiong, W., *see* Hao, Y., *TPEL Dec. 2025 18083-18096*
Xiong, X., and Luo, B., Impedance Reshaping Method Based on Compensating PLL Dynamic to Improve Active Power Transfer Capability of VSC Under Weak Grid; *TPEL Jan. 2025 422-434*
Xiong, X., *see* Li, X., *TPEL July 2025 8990-9003*
Xiong, Y., *see* Guo, Z., *TPEL Jan. 2025 1483-1497*
Xiong, Y., Zeng, X., Fu, M., and Song, G., Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters; *TPEL April 2025 5025-5036*
Xiong, Y., *see* Lai, W., *TPEL Aug. 2025 11416-11427*
Xiong, Y., Liu, X., Cao, W., Guo, Z., Xue, Z., and Geng, L., Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable d*V*/*dt* and MHz Operation; *TPEL Sept. 2025 11969-11973*
Xiong, Y., Jiang, D., Shuai, Y., You, J., Liu, Z., and Sun, W., Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index; *TPEL Sept. 2025 13217-13230*
Xiong, Z., *see* Li, C., *TPEL April 2025 5130-5146*
Xu, B., *see* Li, Y., *TPEL Jan. 2025 486-499*
Xu, B., Song, J., Duan, B., Ding, W., Guo, H., and Zhong, Z., Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method; *TPEL Sept. 2025 13659-13672*
Xu, C., Zou, Z., Liu, X., Huang, M., Chen, W., and Wang, Z., Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect; *TPEL May 2025 6813-6828*
Xu, C., *see* Hao, Y., *TPEL July 2025 9418-9428*
Xu, C., *see* Dong, M., *TPEL Aug. 2025 11001-11011*
Xu, C., *see* Wang, Z., *TPEL Nov. 2025 16687-16695*
Xu, D., *see* Wang, Z., *TPEL Jan. 2025 1183-1197*
Xu, D., *see* Liao, Z., *TPEL Jan. 2025 1991-2004*
Xu, D., *see* Gao, R., *TPEL April 2025 4848-4861*
Xu, D., *see* Jiao, Y., *TPEL April 2025 5412-5422*
Xu, D., *see* Qu, D., *TPEL April 2025 4818-4829*
Xu, D., *see* Guan, Y., *TPEL April 2025 4952-4968*
Xu, D., *see* Zhang, Z., *TPEL April 2025 5147-5162*
Xu, D., *see* Wang, N., *TPEL May 2025 6963-6976*
Xu, D., *see* Cheng, Y., *TPEL May 2025 7029-7041*
Xu, D., *see* Huang, Y., *TPEL May 2025 7150-7161*
Xu, D., *see* Guan, Y., *TPEL May 2025 7537-7548*
Xu, D., *see* Zhao, J., *TPEL June 2025 8416-8429*
Xu, D., *see* Ren, Z., *TPEL June 2025 8005-8015*
Xu, D., *see* Zhang, Z., *TPEL June 2025 7872-7892*
Xu, D., *see* Liu, C., *TPEL June 2025 7994-8004*
Xu, D., *see* Li, B., *TPEL Aug. 2025 11598-11615*
Xu, D., *see* Wang, L., *TPEL Aug. 2025 10649-10660*
Xu, D., *see* Wang, H., *TPEL Aug. 2025 10758-10768*
Xu, D., *see* Wang, K., *TPEL Sept. 2025 12428-12439*
Xu, D., *see* Gao, S., *TPEL Sept. 2025 12061-12071*
Xu, D., *see* Yan, Y., *TPEL Oct. 2025 14415-14424*
Xu, D., *see* Li, X., *TPEL Oct. 2025 15182-15198*
Xu, D., *see* Mai, J., *TPEL Oct. 2025 14337-14342*
Xu, D., *see* Guan, Y., *TPEL Oct. 2025 15865-15879*
Xu, D., *see* Sun, Z., *TPEL Oct. 2025 15905-15921*
Xu, D., *see* Lee, C., *TPEL Nov. 2025 16129-16130*
Xu, D., *see* Wang, S., *TPEL Nov. 2025 16456-16468*
Xu, D., *see* Qu, D., *TPEL Nov. 2025 16443-16455*
Xu, D., *see* Zhang, Z., *TPEL Dec. 2025 17726-17737*
Xu, F., *see* Wei, Y., *TPEL Sept. 2025 14084-14098*
Xu, F., Deng, X., Chen, Z., Zhang, X., and Tse, C., Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems; *TPEL Oct. 2025 14196-14209*
Xu, G., *see* Wu, Z., *TPEL Jan. 2025 279-289*
Xu, G., *see* Lian, C., *TPEL Feb. 2025 2847-2859*
Xu, G., *see* Xiong, W., *TPEL May 2025 6951-6962*
Xu, G., *see* Wang, Y., *TPEL July 2025 10123-10139*
Xu, G., *see* Guo, J., *TPEL Oct. 2025 15562-15571*
Xu, G., *see* Xu, J., *TPEL Nov. 2025 16651-16663*
Xu, G., *see* Ning, G., *TPEL Nov. 2025 16626-16638*
Xu, G., Xiao, F., Lian, C., Liu, J., and Zhang, W., A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control; *TPEL Dec. 2025 17715-17725*
Xu, H., Liu, Z., Wang, G., Jiang, D., and Sun, W., Fully Simulated Data-Driven Domain Generalized Method for Multiphase Converters Fault Diagnosis; *TPEL Jan. 2025 2099-2113*
Xu, H., *see* Xiong, L., *TPEL Feb. 2025 3441-3455*
Xu, H., *see* Sun, Y., *TPEL April 2025 6107-6118*
Xu, H., *see* Yang, Z., *TPEL Aug. 2025 10783-10792*
Xu, H., *see* Yang, Z., *TPEL Sept. 2025 12416-12427*
Xu, H., Wang, J., and Huang, Z., Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation; *TPEL Sept. 2025 14134-14145*

Xu, J., *see* Chen, J., *TPEL Jan. 2025 704-715*
Xu, J., *see* Bi, Y., *TPEL Jan. 2025 263-278*
Xu, J., *see* Li, Y., *TPEL Jan. 2025 486-499*
Xu, J., *see* Chen, J., *TPEL April 2025 4997-5013*
Xu, J., *see* Yang, H., *TPEL May 2025 6413-6422*
Xu, J., *see* He, B., *TPEL June 2025 7861-7871*
Xu, J., *see* Zhou, X., *TPEL July 2025 9223-9233*
Xu, J., *see* Zhao, R., *TPEL Aug. 2025 11477-11489*
Xu, J., *see* Xu, S., *TPEL Aug. 2025 10804-10815*
Xu, J., *see* Li, Y., *TPEL Sept. 2025 12676-12689*
Xu, J., *see* Gao, S., *TPEL Sept. 2025 12061-12071*
Xu, J., *see* Liu, Y., *TPEL Sept. 2025 13632-13642*
Xu, J., *see* Zhang, G., *TPEL Oct. 2025 14923-14936*
Xu, J., *see* He, B., *TPEL Oct. 2025 14271-14276*
Xu, J., *see* Shi, H., *TPEL Oct. 2025 15316-15328*
Xu, J., Guo, J., Zhang, L., Xu, G., and Su, M., PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor; *TPEL Nov. 2025 16651-16663*
Xu, K., *see* Cao, B., *TPEL June 2025 7646-7650*
Xu, L., *see* Li, B., *TPEL Jan. 2025 1168-1182*
Xu, L., *see* Sheng, J., *TPEL July 2025 9463-9478*
Xu, L., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*
Xu, M., *see* Niu, F., *TPEL Feb. 2025 3530-3542*
Xu, M., *see* Yang, Y., *TPEL Aug. 2025 10286-10298*
Xu, M., Liu, J., Gu, W., Cao, Y., Chen, S., Zhang, F., Liu, W., Tang, Y., and Li, H., A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System; *TPEL Oct. 2025 15080-15092*
Xu, P., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Xu, P., Song, W., Tan, H., Chen, J., and Yang, K., In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage; *TPEL Oct. 2025 14401-14414*
Xu, P., *see* Yang, K., *TPEL Oct. 2025 15422-15432*
Xu, Q., *see* Mo, N., *TPEL Jan. 2025 406-421*
Xu, Q., *see* Xiao, Y., *TPEL Jan. 2025 879-891*
Xu, Q., *see* Hu, J., *TPEL Jan. 2025 375-388*
Xu, Q., *see* Yao, Z., *TPEL March 2025 4510-4521*
Xu, Q., *see* Zhang, X., *TPEL May 2025 7136-7149*
Xu, Q., *see* Liu, Q., *TPEL July 2025 8871-8885*
Xu, Q., *see* Tang, C., *TPEL July 2025 9908-9920*
Xu, Q., *see* Song, Z., *TPEL Sept. 2025 13792-13804*
Xu, Q., *see* Mo, N., *TPEL Oct. 2025 15504-15518*
Xu, R., Liu, J., Lin, X., Liu, Z., Yan, F., and Gao, Y., Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems; *TPEL Oct. 2025 14536-14546*
Xu, S., *see* Li, L., *TPEL Jan. 2025 316-327*
Xu, S., Wang, H., Zhou, D., Zhang, C., Zhang, Y., and Cai, X., Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current; *TPEL Feb. 2025 3657-3669*
Xu, S., *see* Tang, X., *TPEL March 2025 4498-4509*
Xu, S., Song, F., Qi, G., Han, G., and Liu, C., Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement; *TPEL April 2025 6010-6019*
Xu, S., *see* Lu, S., *TPEL April 2025 5456-5466*
Xu, S., Zheng, Z., Wang, L., Wang, H., Chai, Y., Ma, M., and Zheng, W.X., Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer; *TPEL June 2025 8631-8647*
Xu, S., Shen, A., Tang, Q., Wang, M., Luo, P., Luo, X., and Xu, J., Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation; *TPEL Aug. 2025 10804-10815*
Xu, S., *see* Wang, N., *TPEL Sept. 2025 11897-11907*
Xu, T., Jiang, S., Zhu, Y., and Konstantinou, G., Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters; *TPEL April 2025 4969-4983*
Xu, T., *see* Jiang, S., *TPEL July 2025 8886-8898*
Xu, W., *see* Wu, Y., *TPEL April 2025 6334-6344*
Xu, W., *see* Liu, Y., *TPEL April 2025 5743-5755*
Xu, W., *see* Guo, L., *TPEL April 2025 5163-5176*
Xu, W., *see* Zhang, M., *TPEL July 2025 9660-9671*
Xu, W., *see* Xue, M., *TPEL Aug. 2025 11849-11862*
Xu, W., *see* Guo, Y., *TPEL Aug. 2025 10746-10757*
Xu, W., *see* Sun, R., *TPEL Sept. 2025 12794-12815*
Xu, W., *see* Ji, B., *TPEL Sept. 2025 13113-13125*
Xu, W., *see* Wang, J., *TPEL Nov. 2025 16696-16703*
Xu, W., *see* Wang, K., *TPEL Dec. 2025 18133-18147*
Xu, X., *see* Tian, Y., *TPEL Feb. 2025 2930-2942*
Xu, X., *see* Shi, G., *TPEL Aug. 2025 10402-10418*
Xu, X., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*
Xu, X., *see* Liu, Z., *TPEL Sept. 2025 13187-13201*
Xu, X., *see* Zeng, H., *TPEL Oct. 2025 14722-14732*
Xu, X., *see* Gao, C., *TPEL Nov. 2025 16963-16978*
Xu, Y., Jin, S., Li, S., Zhang, X., and Zou, J., A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden; *TPEL Jan. 2025 1622-1635*
Xu, Y., Ruan, X., and Xiao, L., A Wide Pulse-Repetitive-Frequency Range Pulsed Power Supply With Improved Dynamic Response and Efficiency; *TPEL Jan. 2025 252-262*
Xu, Y., *see* Wang, S., *TPEL Jan. 2025 2397-2418*
Xu, Y., *see* Jiang, H., *TPEL Feb. 2025 3600-3609*
Xu, Y., Wang, Z., Huang, W., and Shen, Y., Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives; *TPEL March 2025 4374-4385*
Xu, Y., *see* Xia, Y., *TPEL April 2025 5949-5958*
Xu, Y., Wang, J., and Sun, C., Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems; *TPEL April 2025 5835-5845*
Xu, Y., Ruan, X., Meng, Y., and Xiao, L., A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications; *TPEL April 2025 5505-5517*
Xu, Y., *see* Zhang, S., *TPEL May 2025 7354-7369*
Xu, Y., *see* Rong, C., *TPEL June 2025 8859-8868*
Xu, Y., *see* Xiong, W., *TPEL June 2025 8739-8750*
Xu, Y., *see* Qiao, S., *TPEL July 2025 9672-9684*
Xu, Y., *see* Li, B., *TPEL Sept. 2025 12295-12308*
Xu, Y., *see* Gao, J., *TPEL Sept. 2025 12626-12633*
Xu, Y., *see* Li, Y., *TPEL Sept. 2025 13822-13834*
Xu, Y., Zhang, B., Deng, Y., Kang, Y., Liu, X., and Cao, H., Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer; *TPEL Nov. 2025 16548-16559*
Xu, Y., Wu, X., Fan, G., Yang, J., and Long, T., Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX; *TPEL Dec. 2025 18340-18349*
Xu, Z., *see* Ge, X., *TPEL Jan. 2025 2042-2056*
Xu, Z., *see* Niu, F., *TPEL Feb. 2025 3530-3542*
Xu, Z., *see* Hu, X., *TPEL March 2025 4227-4243*
Xu, Z., *see* Huang, X., *TPEL May 2025 7275-7285*
Xu, Z., Wang, Y., Qi, Y., Li, W., Wu, Y., Guerrero, J.M., and Vasquez, J.C., Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft; *TPEL June 2025 8751-8765*
Xue, C., *see* Zhang, H., *TPEL Jan. 2025 813-827*
Xue, C., Wu, X., Li, Y., and Li, Y., Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives; *TPEL July 2025 9749-9763*
Xue, L., *see* Wang, Y., *TPEL April 2025 4938-4951*
Xue, M., *see* Cai, C., *TPEL Jan. 2025 2527-2541*
Xue, M., *see* Wang, J., *TPEL April 2025 6319-6333*
Xue, M., Guo, Y., Xu, W., Gao, Y., and Qiu, S., Design and Optimization of Wide-Coupling Nested Magnetic Coupling Mechanism for UAV Wireless Power Transfer; *TPEL Aug. 2025 11849-11862*

Xue, P., and Davari, P., A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits; *TPEL Jan. 2025 892-905*
Xue, P., and Davari, P., Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence; *TPEL June 2025 8062-8074*
Xue, X., Liu, Z., Li, W., and Su, H., Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization; *TPEL June 2025 7919-7935*
Xue, Y., *see* Wang, J., *TPEL March 2025 4592-4601*
Xue, Y., *see* Zhang, X., *TPEL April 2025 5080-5093*
Xue, Y., *see* Liu, Y., *TPEL July 2025 8972-8989*
Xue, Y., *see* Wen, Q., *TPEL Sept. 2025 13754-13766*
Xue, Y., *see* Zhang, X., *TPEL Nov. 2025 16525-16537*
Xue, Z., *see* Guo, Z., *TPEL Jan. 2025 1483-1497*
Xue, Z., *see* Xiong, Y., *TPEL Sept. 2025 11969-11973*

Y

Yadav, G., Gohil, D., Venkataramanaiah, J., and Lakhimsetty, S., A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures; *TPEL Sept. 2025 12770-12778*
Yaermaimaiti, A., *see* Hu, G., *TPEL Jan. 2025 2355-2370*
Yaermaimaiti, A., *see* Xin, H., *TPEL Dec. 2025 18378-18389*
Yamakaji, Y., Shouno, H., and Fukushima, K., Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks; *TPEL Feb. 2025 3313-3325*
Yamamoto, M., *see* Choi, S., *TPEL Jan. 2025 46-50*
Yan, C., *see* Ren, Q., *TPEL Feb. 2025 3469-3489*
Yan, C., Wang, W., Liu, Z., Yang, H., Liu, H., and Zhang, B., A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG; *TPEL Sept. 2025 12048-12054*
Yan, D., *see* Cao, Y., *TPEL April 2025 5700-5714*
Yan, F., *see* Xu, R., *TPEL Oct. 2025 14536-14546*
Yan, G., *see* Zhang, Y., *TPEL Jan. 2025 2419-2428*
YAN, G., *see* Han, D., *TPEL June 2025 8824-8833*
Yan, H., *see* Tao, J., *TPEL Aug. 2025 11836-11848*
Yan, J., *see* Liu, T., *TPEL Sept. 2025 11908-11917*
Yan, J., Wang, Y., Dymond, H.C.P., Neira, S., Finney, S., Judge, P.D., and Stark, B.H., Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance; *TPEL Sept. 2025 13260-13275*
Yan, J., *see* Wang, K., *TPEL Dec. 2025 18133-18147*
Yan, L., *see* Bu, S., *TPEL June 2025 7893-7903*
Yan, L., *see* He, H., *TPEL July 2025 8939-8943*
Yan, L., *see* Zhou, Y., *TPEL Nov. 2025 16483-16497*
Yan, L., *see* He, Z., *TPEL Nov. 2025 16100-16104*
Yan, Q., Zhao, R., Xing, C., Qin, Y., Du, Q., and He, J., An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM; *TPEL June 2025 7628-7633*
Yan, Q., *see* Zhao, R., *TPEL Aug. 2025 11477-11489*
Yan, S., *see* Duan, Z., *TPEL July 2025 9986-9999*
Yan, S., *see* Dang, C., *TPEL Sept. 2025 12378-12392*
Yan, S., Hua, Z., Dou, M., Dang, C., Wang, Y., and Zhao, D., A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method; *TPEL Oct. 2025 14598-14612*
Yan, X., *see* Wu, Y., *TPEL March 2025 4090-4099*
Yan, X., *see* Wen, K., *TPEL June 2025 8153-8167*
Yan, X., *see* Chen, H., *TPEL Sept. 2025 12167-12190*
Yan, X., Liu, G., Hu, C., Zhu, K., Liu, Z., Liu, X., and Jiang, J., Design and Analysis of a Hybrid Inverting Buck Converter With 5 µs Response Time and 92.9% Efficiency for Micro-LED Displays; *TPEL Oct. 2025 14388-14400*
Yan, Y., *see* Cai, J., *TPEL Jan. 2025 1669-1685*
Yan, Y., *see* Zheng, Z., *TPEL Jan. 2025 1542-1553*
Yan, Y., *see* Luo, T., *TPEL March 2025 4170-4185*
Yan, Y., *see* Chen, Y., *TPEL April 2025 6084-6096*
Yan, Y., *see* Tang, S., *TPEL April 2025 5731-5742*
Yan, Y., *see* Guan, J., *TPEL June 2025 8328-8343*
Yan, Y., *see* Liu, B., *TPEL June 2025 8540-8552*
Yan, Y., *see* Cai, J., *TPEL June 2025 8516-8527*
Yan, Y., Luo, Q., Luo, T., Li, J., Xiong, J., and Xiao, H., Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control; *TPEL June 2025 8344-8355*
Yan, Y., *see* Wang, L., *TPEL Aug. 2025 10649-10660*
Yan, Y., *see* Liu, B., *TPEL Sept. 2025 12280-12294*
Yan, Y., *see* Wang, K., *TPEL Sept. 2025 12428-12439*
Yan, Y., Chen, Y., Xiong, J., Luo, T., Li, J., He, Q., and Luo, Q., A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range; *TPEL Sept. 2025 12555-12565*
Yan, Y., Ruan, X., He, Y., Lin, Z., and Chen, Y., On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios; *TPEL Sept. 2025 13434-13447*
Yan, Y., *see* Luo, T., *TPEL Oct. 2025 15104-15117*
Yan, Y., *see* Deng, E., *TPEL Oct. 2025 14949-14961*
Yan, Y., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Yan, Y., Wang, L., Ma, M., Cai, X., Zhi, S., and Xu, D., Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss; *TPEL Oct. 2025 14415-14424*
Yan, Y., *see* Liu, B., *TPEL Dec. 2025 17619-17636*
Yan, Z., *see* Liu, Q., *TPEL Feb. 2025 2691-2696*
Yan, Z., *see* Ding, X., *TPEL June 2025 8292-8304*
Yan, Z., Liu, G., Luan, S., Gao, Y., Wang, R., Kjarsgaard, B.F., Nielsen, M.R., Rannestad, B., Zhao, H., and Munk-Nielsen, S., Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs; *TPEL June 2025 8194-8205*
Yan, Z., *see* Zheng, J., *TPEL June 2025 7657-7662*
Yan, Z., *see* Li, J., *TPEL July 2025 10198-10208*
Yan, Z., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Yan, Z., *see* Liu, G., *TPEL Aug. 2025 10531-10542*
Yan, Z., *see* Wang, J., *TPEL Sept. 2025 14124-14133*
Yan, Z., Liu, G., Aunsborg, T.S., Kjaersgaard, B.F., Qi, N., Rannestad, B., Bech, M.M., Zhao, H., and Munk-Nielsen, S., Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules; *TPEL Dec. 2025 17650-17663*
Yang, A., *see* Liu, Z., *TPEL March 2025 4536-4545*
Yang, A., *see* Liang, C., *TPEL April 2025 6230-6247*
Yang, A., *see* Liu, Z., *TPEL July 2025 10265*
Yang, A., *see* Liu, Z., *TPEL Sept. 2025 14014-14026*
Yang, A., *see* Mai, J., *TPEL Oct. 2025 14337-14342*
Yang, B., *see* Zhang, Z., *TPEL Jan. 2025 23-27*
Yang, B., *see* Wang, Q., *TPEL March 2025 4581-4591*
Yang, B., *see* Baeckeland, N., *TPEL May 2025 6714-6725*
Yang, B., *see* Sun, R., *TPEL Sept. 2025 12794-12815*
Yang, B., Xiao, F., Zhang, X., Wang, R., Fan, X., Jie, G., Shen, H., and Song, L., An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation; *TPEL Sept. 2025 12937-12952*
Yang, C., Zhang, F., Cheng, L., Zhang, Z., and Wang, T., A Fault-Tolerant Control Method for Improving Input Current Half-Wave Symmetry Under Single-Switch Open-Circuit Fault of Front-End Vienna Rectifier in More-Electric Aircraft; *TPEL Jan. 2025 2170-2183*
Yang, C., *see* Lai, J., *TPEL April 2025 5190-5200*
Yang, C., *see* Pan, Y., *TPEL June 2025 8216-8241*
Yang, C., *see* Jiang, T., *TPEL July 2025 9452-9462*
Yang, C., *see* Gao, J., *TPEL Sept. 2025 13324-13336*
Yang, C., *see* Ji, B., *TPEL Sept. 2025 13113-13125*
Yang, C., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Yang, C., *see* Liang, Z., *TPEL Oct. 2025 15922-15936*
Yang, D., *see* Dongye, Z., *TPEL Jan. 2025 958-968*
Yang, D., *see* Yang, X., *TPEL March 2025 4486-4497*
Yang, D., Wang, B., Shao, S., and Zhang, J., High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method; *TPEL April 2025 5635-5645*
Yang, D., *see* Jia, S., *TPEL June 2025 8503-8515*
Yang, D., *see* Zeng, Z., *TPEL Aug. 2025 10973-10987*

Yang, D., *see* Ding, M., *TPEL Sept. 2025 12594-12605*
Yang, D., *see* Gu, P., *TPEL Oct. 2025 15891-15904*
Yang, D., *see* Jiang, Y., *TPEL Nov. 2025 16911-16925*
Yang, F., *see* Zhang, B., *TPEL Jan. 2025 2593-2603*
Yang, F., *see* Wang, J., *TPEL Jan. 2025 2259-2272*
Yang, F., *see* An, S., *TPEL April 2025 5544-5553*
Yang, F., *see* Kong, H., *TPEL April 2025 5241-5251*
Yang, F., Wang, L., She, X., Cheng, Z., Zhu, M., Zhang, H., and Jia, L., A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices; *TPEL July 2025 9357-9369*
Yang, F., Wu, H., Zhang, Z., Xie, L., and Xing, Y., Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression; *TPEL July 2025 9507-9517*
Yang, F., Guo, W., Zheng, D., Ruan, X., Yao, K., and Gu, L., A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter; *TPEL July 2025 9649-9659*
Yang, F., *see* Chen, H., *TPEL Sept. 2025 12920-12936*
Yang, F., *see* Zhang, T., *TPEL Nov. 2025 16327-16340*
Yang, F.S., Zhang, Q., Lan, Y., Chen, C., Xiong, M., Zhang, B., Ma, T., Shi, Z., Jiang, J., Song, K., and Jiang, C., High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver; *TPEL Nov. 2025 16085-16089*
Yang, G., *see* Liu, Z., *TPEL Jan. 2025 1748-1761*
Yang, G., *see* Liu, Z., *TPEL Jan. 2025 679-690*
Yang, G., *see* Rong, E., *TPEL Jan. 2025 2542-2555*
Yang, G., *see* Tan, K., *TPEL June 2025 7754-7764*
Yang, G., Wang, A., and Zhang, D., Transient DC Bias Suppression for Three-Level Dual-Active-Bridge Converter; *TPEL Sept. 2025 12084-12094*
Yang, H., *see* Wu, X., *TPEL Feb. 2025 3684-3696*
Yang, H., *see* Liu, B., *TPEL Feb. 2025 2987-3004*
Yang, H., Yang, L., Chen, S., Shi, J., and Jin, A., A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop; *TPEL March 2025 3938-3951*
Yang, H., *see* Li, C., *TPEL March 2025 4034-4050*
Yang, H., Xu, J., Ma, S., and Zhang, Y., Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization; *TPEL May 2025 6413-6422*
Yang, H., *see* Li, X., *TPEL May 2025 6492-6505*
Yang, H., *see* Yang, W., *TPEL May 2025 7342-7353*
Yang, H., *see* Chang, X., *TPEL July 2025 9249-9265*
Yang, H., *see* Sheng, J., *TPEL July 2025 9463-9478*
Yang, H., *see* Cui, Y., *TPEL Aug. 2025 11296-11313*
Yang, H., *see* Li, Y., *TPEL Aug. 2025 10769-10782*
Yang, H., *see* Guo, Z., *TPEL Aug. 2025 10594-10608*
Yang, H., *see* Yan, C., *TPEL Sept. 2025 12048-12054*
Yang, H., *see* Zhou, C., *TPEL Sept. 2025 12204-12214*
Yang, H., *see* Wang, C., *TPEL Sept. 2025 12350-12364*
Yang, H., *see* Chen, H., *TPEL Sept. 2025 12920-12936*
Yang, H., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Yang, H., *see* Zhou, Z., *TPEL Dec. 2025 17803-17820*
Yang, J., *see* Zhou, J., *TPEL Jan. 2025 1862-1871*
Yang, J., *see* Peng, Q., *TPEL Jan. 2025 599-610*
Yang, J., *see* Liu, C.C., *TPEL Jan. 2025 749-763*
Yang, J., Lee, H., Cho, J.S., Lim, K., Kim, H., Kim, S., and Rhee, J., A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency; *TPEL March 2025 4522-4535*
Yang, J., *see* Cai, Y., *TPEL April 2025 5622-5634*
Yang, J., Ming, Y., Nie, J., Wang, Y., Zhou, Y., Li, Y., and Shu, Z., Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance; *TPEL April 2025 5907-5921*
Yang, J., *see* Wen, H., *TPEL May 2025 7586-7598*
Yang, J., Guenter, S., Buticchi, G., Gu, C., Liserre, M., and Wheeler, P., Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters; *TPEL June 2025 8709-8725*
Yang, J., *see* Wang, S., *TPEL June 2025 8253-8263*
Yang, J., *see* Nie, J., *TPEL June 2025 8264-8280*
Yang, J., *see* Peng, Q., *TPEL July 2025 9972-9985*
Yang, J., *see* Wang, Y., *TPEL July 2025 10254-10264*
Yang, J., *see* Zhu, J., *TPEL Aug. 2025 11064-11075*
Yang, J., *see* Chang, H., *TPEL Aug. 2025 10877-10888*
Yang, J., *see* Wang, J., *TPEL Oct. 2025 14638-14650*
Yang, J., *see* Wang, Y., *TPEL Oct. 2025 14356-14362*
Yang, J., *see* Xu, Y., *TPEL Dec. 2025 18340-18349*
Yang, K., *see* Luo, C., *TPEL April 2025 5883-5894*
Yang, K., *see* Zhang, R., *TPEL July 2025 9638-9648*
Yang, K., *see* Wang, C., *TPEL Sept. 2025 12350-12364*
Yang, K., *see* Xu, P., *TPEL Oct. 2025 14401-14414*
Yang, K., Liu, B., Tan, H., Xu, P., Chen, J., Tang, T., and Song, W., A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities; *TPEL Oct. 2025 15422-15432*
Yang, K., *see* Luo, J., *TPEL Nov. 2025 16206-16218*
Yang, K., *see* Zhuge, H., *TPEL Dec. 2025 18305-18317*
Yang, L., *see* Liu, Q., *TPEL Feb. 2025 2691-2696*
Yang, L., Wang, Y., Guo, P., Dong, K., and Cai, C., A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs; *TPEL Feb. 2025 2680-2684*
Yang, L., *see* Yang, H., *TPEL March 2025 3938-3951*
Yang, L., Chen, X., Tian, L., Zhang, Y., Xing, D., Bu, Z., Sun, J., Feng, B., Wen, H., Zhao, Y., Yang, T., Huang, J., Zhu, D., Zhang, A., and Tong, X., Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method; *TPEL April 2025 6359-6369*
Yang, L., *see* Wen, H., *TPEL May 2025 7586-7598*
Yang, L., *see* Liang, Z., *TPEL Oct. 2025 15922-15936*
Yang, L., *see* Wang, J., *TPEL Nov. 2025 16696-16703*
Yang, M., Huang, S., Liao, W., Wu, X., Kang, J., Liang, G., Wu, T., and Huang, S., Nonparametric Predictive Current Control for SPMSM With Adaptive Cascade Extended Noise State Observer; *TPEL Jan. 2025 1717-1727*
Yang, M., *see* Hu, K., *TPEL Jan. 2025 906-919*
Yang, M., Xiao, Y., Ji, S., Xie, W., Zhao, Z., Sheng, C., and Yang, W., Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis; *TPEL June 2025 8016-8035*
Yang, M., *see* Xiao, Y., *TPEL Sept. 2025 12123-12142*
Yang, N., *see* Zheng, J., *TPEL June 2025 7657-7662*
Yang, P., *see* Ren, Q., *TPEL Feb. 2025 3469-3489*
Yang, P., *see* Feng, Q., *TPEL Oct. 2025 14985-15002*
Yang, Q., Yao, C., Dong, S., Qian, K., Liang, R., and Liu, H., High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST; *TPEL Jan. 2025 1247-1257*
Yang, Q., *see* Wang, J., *TPEL Jan. 2025 1234-1246*
Yang, Q., *see* Dou, R., *TPEL Jan. 2025 2513-2526*
Yang, Q., *see* Meng, X., *TPEL May 2025 6506-6518*
Yang, Q., Wang, L., Ma, Z., and Lu, X., The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients; *TPEL June 2025 8075-8092*
Yang, Q., *see* Dong, X., *TPEL Sept. 2025 11951-11956*
Yang, Q., *see* Yuan, Z., *TPEL Sept. 2025 14146-14158*
Yang, Q., *see* Zhai, Y., *TPEL Sept. 2025 14099-14109*
Yang, Q., Ma, F., Zhang, Z., Wang, J., Huang, G., Fan, R., Li, Q., and Tong, Z., A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System; *TPEL Oct. 2025 14881-14893*
Yang, Q., *see* Huang, Z., *TPEL Oct. 2025 15348-15358*
Yang, Q., *see* Meng, X., *TPEL Nov. 2025 16469-16482*
Yang, R., Wang, X., Huang, Z., and Ma, Y., Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function; *TPEL April 2025 4878-4888*
Yang, R., *see* Xie, Y., *TPEL May 2025 7453-7465*
Yang, R., *see* Li, Z., *TPEL Sept. 2025 12779-12793*
Yang, S., *see* Du, J., *TPEL Jan. 2025 2139-2148*

Yang, S., *see* Pan, C., *TPEL March 2025 4473-4485*
Yang, S., *see* Du, C., *TPEL April 2025 5715-5730*
Yang, S., *see* Fang, J., *TPEL April 2025 4830-4847*
Yang, S., *see* Xiao, Y., *TPEL May 2025 6685-6699*
Yang, S., *see* Wang, Q., *TPEL July 2025 9723-9736*
Yang, S., *see* Yin, Z., *TPEL Aug. 2025 11380-11393*
Yang, S., *see* Fang, J., *TPEL Sept. 2025 13459-13473*
Yang, S., *see* Ning, G., *TPEL Nov. 2025 16626-16638*
Yang, T., *see* Yang, L., *TPEL April 2025 6359-6369*
Yang, T., *see* Cao, B., *TPEL June 2025 7646-7650*
Yang, T., Zhang, X., He, Z., Shen, H., Dongye, Z., Qi, L., and Cui, X., A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch; *TPEL Aug. 2025 10945-10956*
Yang, T., *see* Bi, G., *TPEL Nov. 2025 16169-16183*
Yang, W., *see* Ji, S., *TPEL Jan. 2025 2158-2169*
Yang, W., *see* Yu, J., *TPEL Feb. 2025 3622-3635*
Yang, W., *see* Guan, Y., *TPEL April 2025 4952-4968*
Yang, W., Min, F., Xie, J., and Yang, H., Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data; *TPEL May 2025 7342-7353*
Yang, W., *see* Yang, M., *TPEL June 2025 8016-8035*
Yang, W., *see* Hu, C., *TPEL Sept. 2025 13643-13658*
Yang, W., *see* Li, X., *TPEL Oct. 2025 15182-15198*
Yang, X., *see* Zhang, J., *TPEL Jan. 2025 1198-1214*
Yang, X., *see* Li, H., *TPEL Jan. 2025 176-194*
Yang, X., *see* Zhu, J., *TPEL Feb. 2025 2708-2714*
Yang, X., *see* Zhou, W., *TPEL Feb. 2025 2715-2720*
Yang, X., *see* Wu, X., *TPEL March 2025 4411-4424*
Yang, X., Shu, L., and Yang, D., Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers; *TPEL March 2025 4486-4497*
Yang, X., *see* Zhang, J., *TPEL April 2025 5265-5278*
Yang, X., *see* Song, Q., *TPEL April 2025 5212-5222*
Yang, X., *see* Wang, L., *TPEL May 2025 7058-7069*
Yang, X., *see* Zhao, S., *TPEL May 2025 7261-7274*
Yang, X., Zhan, J., Shen, Y., Liu, P., Guo, L., and Zhang, Z., Parameter Identification for SPMSM Based on a Superior ROA; *TPEL June 2025 7615-7627*
Yang, X., *see* Wang, H., *TPEL July 2025 8950-8955*
Yang, X., *see* Yi, Z., *TPEL July 2025 10154-10164*
Yang, X., *see* Liu, Y., *TPEL Aug. 2025 10957-10972*
Yang, X., *see* Wang, H., *TPEL Sept. 2025 11963-11968*
Yang, X., *see* Chen, Z., *TPEL Sept. 2025 12230-12241*
Yang, X., *see* Zhang, L., *TPEL Sept. 2025 12154-12166*
Yang, X., *see* Yi, Z., *TPEL Sept. 2025 14110-14123*
Yang, X., *see* Wei, J., *TPEL Oct. 2025 15030-15041*
Yang, X., *see* Chen, K., *TPEL Oct. 2025 14241-14246*
Yang, X., *see* Wang, K., *TPEL Nov. 2025 16809-16821*
Yang, X., *see* He, K., *TPEL Nov. 2025 17529-17548*
Yang, X., *see* He, K., *TPEL Dec. 2025 18390-18406*
Yang, Y., *see* Zhang, Y., *TPEL Jan. 2025 1836-1848*
Yang, Y., *see* Li, C., *TPEL Jan. 2025 82-86*
Yang, Y., *see* Wang, P., *TPEL Jan. 2025 361-374*
Yang, Y., *see* Hu, G., *TPEL Jan. 2025 2355-2370*
Yang, Y., *see* Zeng, J., *TPEL Jan. 2025 2569-2580*
Yang, Y., *see* Chen, S., *TPEL Feb. 2025 3020-3032*
Yang, Y., *see* Zhang, S., *TPEL March 2025 4142-4155*
Yang, Y., *see* Liu, Z., *TPEL March 2025 4449-4460*
Yang, Y., *see* Wang, K., *TPEL March 2025 4613-4629*
Yang, Y., Wang, Z., Tan, L., Xin, G., Kong, W., and Shi, X., An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization; *TPEL March 2025 3830-3837*
Yang, Y., *see* Zhang, R., *TPEL April 2025 5336-5351*
Yang, Y., *see* Qin, L., *TPEL April 2025 5480-5495*
Yang, Y., *see* Jin, F., *TPEL May 2025 6593-6604*
Yang, Y., *see* Li, X., *TPEL May 2025 6492-6505*
Yang, Y., Wang, Z., Liao, Y., Kong, W., Shi, X., Hu, R., and Yao, Y., A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design; *TPEL July 2025 9200-9210*
Yang, Y., *see* Zhang, P., *TPEL July 2025 9429-9438*
Yang, Y., *see* Peng, Q., *TPEL July 2025 9972-9985*
Yang, Y., *see* Wang, Y., *TPEL July 2025 10254-10264*
Yang, Y., *see* Yao, Y., *TPEL Aug. 2025 11725-11738*
Yang, Y., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Yang, Y., *see* Wen, Y., *TPEL Aug. 2025 10661-10671*
Yang, Y., Zhang, K., Xu, M., Sun, J., Sun, J., and Wang, C., Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances; *TPEL Aug. 2025 10286-10298*
Yang, Y., *see* Yu, Y., *TPEL Sept. 2025 13050-13062*
Yang, Y., *see* Qin, L., *TPEL Oct. 2025 15670-15686*
Yang, Y., *see* Wang, Y., *TPEL Nov. 2025 17469-17487*
Yang, Y., *see* Xin, H., *TPEL Dec. 2025 18378-18389*
Yang, Z., *see* Gong, Z., *TPEL Jan. 2025 1258-1271*
Yang, Z., *see* Zhao, S., *TPEL Jan. 2025 2581-2592*
Yang, Z., *see* Xia, C., *TPEL Jan. 2025 2604-2618*
Yang, Z., *see* Ke, R., *TPEL Feb. 2025 3518-3529*
Yang, Z., *see* Zhang, M., *TPEL Feb. 2025 3077-3089*
Yang, Z., *see* Qi, X., *TPEL April 2025 5319-5335*
Yang, Z., *see* Liu, Y., *TPEL May 2025 6476-6491*
Yang, Z., *see* Wang, Y., *TPEL July 2025 10123-10139*
Yang, Z., Shen, T., Sun, X., Xu, H., and Pan, W., Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model; *TPEL Aug. 2025 10783-10792*
Yang, Z., *see* Sun, A., *TPEL Sept. 2025 12661-12675*
Yang, Z., Shen, T., Sun, X., Guo, D., Ge, S., and Xu, H., Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors; *TPEL Sept. 2025 12416-12427*
Yang, Z., Xia, C., Sun, A., Wang, X., Zhao, S., and Li, F., Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger; *TPEL Sept. 2025 11923-11927*
Yao, B., *see* Lin, Z., *TPEL July 2025 8944-8949*
Yao, C., *see* Ma, J., *TPEL Jan. 2025 1111-1122*
Yao, C., *see* Yang, Q., *TPEL Jan. 2025 1247-1257*
Yao, C., *see* Ma, J., *TPEL Oct. 2025 15215-15225*
Yao, F., Chen, E., An, Q., and Sun, L., A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency; *TPEL Sept. 2025 13202-13216*
Yao, G., *see* Xiao, Y., *TPEL May 2025 6685-6699*
Yao, G., *see* Qiu, H., *TPEL Oct. 2025 15820-15834*
Yao, H., *see* Wang, J., *TPEL June 2025 8405-8415*
Yao, K., *see* Shao, F., *TPEL March 2025 4255-4267*
Yao, K., *see* Yang, F., *TPEL July 2025 9649-9659*
Yao, P., *see* Li, X., *TPEL Sept. 2025 13007-13022*
Yao, R., *see* Lai, W., *TPEL April 2025 6020-6032*
Yao, R., *see* Lai, W., *TPEL Aug. 2025 11416-11427*
Yao, S., *see* Wang, X., *TPEL Nov. 2025 16587-16595*
Yao, T., *see* Guan, Y., *TPEL April 2025 4952-4968*
Yao, T., *see* Cheng, Y., *TPEL May 2025 7029-7041*
Yao, T., *see* Liu, C., *TPEL June 2025 7994-8004*
Yao, T., *see* Li, X., *TPEL Oct. 2025 15182-15198*
Yao, W., *see* Zhang, W., *TPEL Dec. 2025 17761-17775*
Yao, Y., *see* Xin, Z., *TPEL Jan. 2025 2126-2138*
Yao, Y., *see* Zhou, J., *TPEL Feb. 2025 2916-2929*
Yao, Y., *see* Ma, X., *TPEL March 2025 4289-4302*
Yao, Y., *see* Kong, H., *TPEL April 2025 5241-5251*
Yao, Y., *see* Yang, Y., *TPEL July 2025 9200-9210*
Yao, Y., *see* Man, C., *TPEL July 2025 9211-9222*
Yao, Y., Zhang, Z., Wang, Y., Yang, Y., Shi, H., and Li, J., An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft; *TPEL Aug. 2025 11725-11738*

Yao, Y., Huang, W., Li, R., Yu, M., Liu, J., and Wu, J., Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation; *TPEL Oct. 2025 15359-15370*
Yao, Z., *see* Xiao, Z., *TPEL Jan. 2025 1289-1304*
Yao, Z., and Xu, Q., Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory; *TPEL March 2025 4510-4521*
Yao, Z., He, X., Xiao, Z., Deng, F., Dai, C., Lu, S., and Tang, Y., Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter; *TPEL April 2025 5109-5119*
Yao, Z., *see* Xiao, Z., *TPEL May 2025 6988-7001*
Yao, Z., Jiang, L., Sun, T., Xiao, Z., Chen, W., and Tang, Y., Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode; *TPEL July 2025 9278-9288*
Yao, Z., Liu, M., Li, Y., Xiao, Z., Jiang, Y., Zhang, L., and Tang, Y., Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters; *TPEL July 2025 8956-8961*
Yao, Z., *see* Xiao, Z., *TPEL Sept. 2025 13835-13851*
Yazdani, A., *see* Assuncao, G.d.O., *TPEL Sept. 2025 13931-13940*
Ye, F., *see* Kong, C., *TPEL May 2025 6663-6674*
Ye, G., *see* Qin, H., *TPEL Oct. 2025 15466-15477*
Ye, J., *see* Wu, X., *TPEL March 2025 4411-4424*
Ye, J., *see* Cui, S., *TPEL June 2025 8430-8447*
Ye, J., Wang, M., Cui, S., Zhang, C., and Li, L., An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration; *TPEL June 2025 8448-8467*
Ye, M., Cao, Y., Chen, W., Shi, T., and Xia, C., Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology; *TPEL Feb. 2025 3405-3418*
Ye, R., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Ye, X., *see* Chen, C., *TPEL Feb. 2025 3566-3577*
Ye, X., *see* Sun, Q., *TPEL Nov. 2025 17040-17050*
Ye, Y., Huang, P., Ke, Z., and Wang, X., Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers; *TPEL Feb. 2025 2685-2690*
Ye, Y., *see* Wang, W., *TPEL Aug. 2025 10865-10876*
Ye, Y., *see* Ding, M., *TPEL Sept. 2025 12594-12605*
Ye, Y., *see* Zhao, Q., *TPEL Sept. 2025 12581-12593*
Ye, Y., *see* Song, Y., *TPEL Oct. 2025 14937-14948*
Ye, Z., *see* Wang, H., *TPEL Aug. 2025 10758-10768*
Ye, Z., *see* Stolt, E., *TPEL Sept. 2025 12730-12738*
Ye, Z., Stolt, E., Surakitbovorn, K., and Rivas-Davila, J., Broadband High-Frequency Power Modulation With Resistance Regulation Network; *TPEL Nov. 2025 16560-16571*
Yeh, J., *see* Hong, Y., *TPEL Nov. 2025 17218-17233*
Yeo, H.L., *see* Sarda, R., *TPEL July 2025 9479-9491*
Yepes, A.G., *see* Lopez, O., *TPEL Jan. 2025 8-22*
Yi, B., Du, X., Zhang, J., Wu, X., Hu, Q., Jiang, W., Hu, X., and Song, Z., Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries; *TPEL Feb. 2025 3033-3042*
Yi, H., *see* Jiang, X., *TPEL Feb. 2025 2860-2873*
Yi, H., *see* Zhang, Z., *TPEL April 2025 5922-5938*
Yi, H., Fan, Y., Lu, Y., Feng, G., and Wei, L., MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity; *TPEL May 2025 7189-7199*
Yi, H., Wei, L., Fan, Y., Lu, Y., and Feng, G., Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current; *TPEL Nov. 2025 16367-16378*
Yi, L., *see* Zhang, X., *TPEL May 2025 7136-7149*
Yi, L., *see* Sun, J., *TPEL Aug. 2025 11206-11217*
Yi, L., *see* Lee, K., *TPEL Oct. 2025 15003-15012*
Yi, W., *see* Zhang, Y., *TPEL Jan. 2025 1836-1848*
Yi, X., *see* Wang, G., *TPEL May 2025 6643-6652*
Yi, Z., Qin, Y., Yang, X., Shao, Y., Zeng, D., and Li, M., Recticoil for Efficient Compact Inductive Power Transfer; *TPEL July 2025 10154-10164*
Yi, Z., Zhang, Q., Li, S., Yang, X., Zeng, D., and Li, M., Self-Resonant Coil With High-Order Compensation Characteristics; *TPEL Sept. 2025 14110-14123*
Yin, F., *see* Yu, X., *TPEL Sept. 2025 11998-12002*
Yin, G., *see* Wu, X., *TPEL Sept. 2025 13514-13528*
Yin, H., Gao, F., Khan, M.M., and Liu, D., A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters; *TPEL July 2025 9048-9067*
Yin, H., Cao, L., Zeng, X., Loo, K.H., and Pan, X., Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters; *TPEL Oct. 2025 15519-15528*
Yin, J., Dai, N., Vazquez, S., Perez, M.A., Zhang, B., Leon, J.I., and Franquelo, L.G., Direct Pulsewidth Modulation Technique for Modular Multilevel Converters Based on Full-Bridge Submodules; *TPEL Jan. 2025 1085-1098*
Yin, K., *see* Gao, Y., *TPEL April 2025 5999-6009*
Yin, M., *see* Luo, T., *TPEL March 2025 4170-4185*
Yin, Q., *see* Ma, Y., *TPEL April 2025 5756-5767*
Yin, S., *see* Wang, R., *TPEL April 2025 5400-5411*
Yin, S., *see* Gao, J., *TPEL Sept. 2025 13324-13336*
Yin, T., *see* Liu, T., *TPEL Sept. 2025 11908-11917*
Yin, W., *see* Du, Z., *TPEL Jan. 2025 2070-2085*
Yin, X., *see* Wu, J., *TPEL April 2025 4862-4877*
Yin, Y., *see* Ding, Y., *TPEL July 2025 9864-9875*
Yin, Y., *see* Wang, S., *TPEL Sept. 2025 13063-13074*
Yin, Z., *see* Gao, Y., *TPEL Jan. 2025 1886-1899*
Yin, Z., *see* Han, W., *TPEL April 2025 4793-4804*
Yin, Z., Zhou, S., Zhang, Y., Liang, Y., Xiao, D., and Zhao, H., Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop; *TPEL May 2025 6753-6770*
Yin, Z., Peng, S., Xiao, C., Wang, L., and Yang, S., A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices; *TPEL Aug. 2025 11380-11393*
Yin, Z., *see* Cui, Y., *TPEL Aug. 2025 11296-11313*
Yin, Z., *see* Li, Y., *TPEL Aug. 2025 10769-10782*
Yin, Z., *see* Zhang, Y., *TPEL Sept. 2025 12309-12320*
Yin, Z., *see* Zhang, Y., *TPEL Sept. 2025 12257-12267*
Yin, Z., *see* Wang, X., *TPEL Dec. 2025 17738-17749*
Ying, H., *see* Wu, F., *TPEL April 2025 5983-5998*
Ying, H., *see* Wu, F., *TPEL Sept. 2025 13231-13245*
Ying, Y., *see* Liu, S., *TPEL July 2025 9518-9542*
Ying, Y., *see* Peng, L., *TPEL Sept. 2025 12863-12872*
Yonezawa, Y., *see* Choi, S., *TPEL Jan. 2025 46-50*
Yong, S., *see* Wu, J., *TPEL April 2025 4862-4877*
Yong, S., *see* Meng, F., *TPEL Oct. 2025 15160-15171*
Yong, S., *see* Meng, F., *TPEL Oct. 2025 15768-15779*
You, J., *see* Liu, Z., *TPEL Jan. 2025 1748-1761*
You, J., *see* Luo, B., *TPEL April 2025 6307-6318*
You, J., *see* Zhou, W., *TPEL Aug. 2025 11143-11156*
You, J., *see* Xiong, Y., *TPEL Sept. 2025 13217-13230*
You, J., *see* Luo, B., *TPEL Dec. 2025 17569-17574*
You, L., Zhang, X., Jin, S., and Luan, M., Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance; *TPEL Oct. 2025 15638-15651*
You, S., *see* Sun, Y., *TPEL July 2025 9737-9748*
You, X., *see* Gao, C., *TPEL April 2025 5292-5308*
You, X., *see* Yuan, F., *TPEL Sept. 2025 12499-12513*
You, X., *see* Wang, S., *TPEL Sept. 2025 13063-13074*
Young, H., *see* Berger, J.G., *TPEL April 2025 5518-5530*
Yu, C., *see* Xiong, L., *TPEL Feb. 2025 3441-3455*
Yu, C., *see* Han, W., *TPEL April 2025 4793-4804*
Yu, C., *see* Tong, L., *TPEL July 2025 9388-9406*
Yu, D., *see* Jiang, X., *TPEL Feb. 2025 2860-2873*
Yu, F., *see* Zhu, Z., *TPEL Jan. 2025 1774-1786*
Yu, F., *see* Cheng, X., *TPEL July 2025 10049-10058*
Yu, F., *see* Lv, X., *TPEL Aug. 2025 10372-10377*
Yu, F., *see* Ba, D., *TPEL Oct. 2025 14894-14907*

+ Check author entry for coauthors

Yu, H., *see* Zeng, Y., *TPEL Jan. 2025 2495-2512*
Yu, H., *see* Meng, X., *TPEL May 2025 6506-6518*
Yu, H., *see* Zhang, H., *TPEL July 2025 9370-9387*
Yu, H., Jin, M., Qian, J., Bhattacharya, M., Houshmand, S., Shi, L., Liu, T., Zhu, S., Shimbori, A., White, M.H., and Agarwal, A.K., Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode; *TPEL Oct. 2025 14496-14507*
Yu, H., Lin, P., Zeng, Y., Zhang, Q., and Wu, Y., Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid; *TPEL Oct. 2025 15730-15744*
Yu, H., *see* Meng, X., *TPEL Nov. 2025 16469-16482*
Yu, J., *see* Yu, T., *TPEL Jan. 2025 2005-2016*
Yu, J., *see* Cai, C., *TPEL Feb. 2025 3726-3737*
Yu, J., Yang, W., Peng, C., Jiang, T., and Tian, H., Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults; *TPEL Feb. 2025 3622-3635*
Yu, J., *see* Yu, J., *TPEL Feb. 2025 3622-3635*
Yu, J., *see* Gou, B., *TPEL Feb. 2025 3505-3517*
Yu, J., *see* Li, C., *TPEL June 2025 7603-7614*
Yu, J., *see* Miao, M., *TPEL July 2025 9786-9799*
Yu, J., *see* Wang, K., *TPEL Sept. 2025 12428-12439*
Yu, J., *see* Li, J., *TPEL Sept. 2025 14181-14192*
Yu, J., *see* Wang, S., *TPEL Nov. 2025 16456-16468*
Yu, J., *see* Luo, J., *TPEL Nov. 2025 16206-16218*
Yu, K., Li, S., Zhu, W., and Wang, Z., Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter; *TPEL March 2025 4020-4033*
Yu, K., *see* Xiang, F., *TPEL Aug. 2025 10793-10803*
Yu, K., Wang, Z., Wang, H., Zhao, C., Zhu, X., and Lee, C.H.T., Online Post-fault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault; *TPEL Oct. 2025 14733-14745*
Yu, K., Xiang, F., Su, J., Zhu, W., and Li, S., Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments; *TPEL Dec. 2025 17750-17760*
Yu, L., *see* Ma, J., *TPEL Jan. 2025 1111-1122*
Yu, M., *see* Lin, Z., *TPEL April 2025 5052-5068*
Yu, M., *see* Yao, Y., *TPEL Oct. 2025 15359-15370*
Yu, P., *see* Wu, P., *TPEL April 2025 4706-4710*
Yu, Q., *see* Lv, Y., *TPEL Aug. 2025 11655-11672*
Yu, Q., *see* Geng, J., *TPEL Aug. 2025 11218-11229*
Yu, Q., Deng, F., Tang, Y., Cai, X., Chen, Z., and Blaabjerg, F., Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters; *TPEL Sept. 2025 13363-13382*
Yu, Q., *see* Geng, J., *TPEL Oct. 2025 15118-15129*
Yu, S., *see* Wang, J., *TPEL March 2025 4592-4601*
Yu, T., Wang, H., Lu, Z., Jiang, L., Yu, J., Sun, Y., and Su, M., Single-Stage Matrix-Type Solid-State Transformer Based on Push–Pull DAB; *TPEL Jan. 2025 2005-2016*
Yu, W., *see* Hu, Y., *TPEL April 2025 5846-5856*
Yu, X., *see* Wang, Y., *TPEL Jan. 2025 1974-1990*
Yu, X., *see* Xiong, L., *TPEL Feb. 2025 3441-3455*
Yu, X., *see* Lu, Y., *TPEL March 2025 4324-4334*
Yu, X., *see* Shen, Z., *TPEL April 2025 4722-4726*
Yu, X., *see* Qian, T., *TPEL April 2025 5531-5543*
Yu, X., *see* Zhang, X., *TPEL June 2025 8490-8502*
Yu, X., *see* Wu, T., *TPEL Aug. 2025 10836-10845*
Yu, X., Xie, R., Tu, Y., Zhuang, Y., Cheng, X., Yin, F., and Zhang, Y., Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control; *TPEL Sept. 2025 11998-12002*
Yu, X., *see* Pan, W., *TPEL Sept. 2025 14159-14168*
Yu, X., *see* Jiang, Y., *TPEL Nov. 2025 17451-17468*
Yu, X., *see* Qian, T., *TPEL Nov. 2025 17267-17280*
Yu, X., *see* Liu, Z., *TPEL Dec. 2025 18499-18511*
Yu, Y., *see* Chen, Q., *TPEL Feb. 2025 3138-3149*
Yu, Y., *see* Tian, Y., *TPEL May 2025 6860-6873*
Yu, Y., *see* Peng, H., *TPEL Sept. 2025 12816-12828*
Yu, Y., Cheng, X., Hao, J., Yuan, X., Shang, Q., and Yang, Y., Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS; *TPEL Sept. 2025 13050-13062*
Yu, Y., *see* Chen, Q., *TPEL Dec. 2025 18027-18039*
Yu, Z., *see* Chen, L., *TPEL Feb. 2025 3168-3176*
Yu, Z., *see* Deshmukh, A.V., *TPEL March 2025 4358-4373*
Yu, Z., *see* Wu, J., *TPEL April 2025 5223-5230*
Yu, Z., *see* Wang, J., *TPEL April 2025 5309-5318*
Yu, Z., *see* Bu, S., *TPEL June 2025 7893-7903*
Yu, Z., *see* Ma, Y., *TPEL July 2025 9439-9451*
Yu, Z., *see* Wang, Z., *TPEL Aug. 2025 11799-11808*
Yu, Z., *see* Zhao, B., *TPEL Sept. 2025 12033-12037*
Yu, Z., *see* Wang, L., *TPEL Sept. 2025 12215-12229*
Yu, Z., *see* Wang, Z., *TPEL Nov. 2025 16687-16695*
Yu, Z., Wang, S., Liu, L., Liu, Y., Cui, P., Huai, R., and Chang, L., Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification; *TPEL Nov. 2025 16764-16779*
Yuan, C., *see* Xie, B., *TPEL Feb. 2025 3336-3356*
Yuan, C., *see* Qi, X., *TPEL April 2025 5319-5335*
Yuan, C., *see* Mao, Y., *TPEL June 2025 8648-8657*
Yuan, C., *see* Zhao, R., *TPEL Aug. 2025 11477-11489*
Yuan, C., *see* Li, Q., *TPEL Aug. 2025 10717-10730*
Yuan, D., *see* Li, Y., *TPEL Aug. 2025 10769-10782*
Yuan, F., *see* Gao, C., *TPEL April 2025 5292-5308*
Yuan, F., Hao, R., Song, J., and You, X., An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor; *TPEL Sept. 2025 12499-12513*
Yuan, H., *see* Hu, G., *TPEL Jan. 2025 2355-2370*
Yuan, H., *see* Zeng, J., *TPEL Jan. 2025 2569-2580*
Yuan, H., *see* Liu, Z., *TPEL March 2025 4536-4545*
Yuan, H., *see* Liang, C., *TPEL April 2025 6230-6247*
Yuan, H., Zhang, Y., Li, W., Li, J., Li, S., Zhu, J., and Hui, S.Y.R., A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline; *TPEL July 2025 9289-9300*
Yuan, H., *see* Liu, Z., *TPEL July 2025 10265*
Yuan, H., *see* Zhang, Y., *TPEL Sept. 2025 12257-12267*
Yuan, H., *see* Liu, Z., *TPEL Sept. 2025 14014-14026*
Yuan, H., *see* Song, C., *TPEL Oct. 2025 15607-15619*
Yuan, J., *see* Wang, F., *TPEL Sept. 2025 13543-13555*
Yuan, K., *see* Ding, C., *TPEL Nov. 2025 16111-16115*
Yuan, L., *see* Wang, Z., *TPEL April 2025 5467-5479*
Yuan, L., *see* Dong, X., *TPEL Sept. 2025 11951-11956*
Yuan, L., *see* Jia, S., *TPEL Oct. 2025 14259-14264*
Yuan, P., *see* Li, X., *TPEL Sept. 2025 13007-13022*
Yuan, S., *see* Liu, Q., *TPEL Feb. 2025 2691-2696*
Yuan, S., *see* Wang, Y., *TPEL March 2025 4100-4111*
Yuan, S., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Yuan, W., *see* Cheng, S., *TPEL April 2025 6055-6068*
Yuan, X., *see* Zhang, Y., *TPEL May 2025 6442-6447*
Yuan, X., *see* Xiong, W., *TPEL June 2025 8739-8750*
Yuan, X., *see* Zhang, Z., *TPEL Aug. 2025 10324-10329*
Yuan, X., *see* Yu, Y., *TPEL Sept. 2025 13050-13062*
Yuan, X., *see* Sun, Z., *TPEL Nov. 2025 16195-16205*
Yuan, X., *see* Deb, A., *TPEL Nov. 2025 16341-16351*
Yuan, Y., *see* Liao, Z., *TPEL Jan. 2025 1991-2004*
Yuan, Y., *see* Zhao, H., *TPEL March 2025 4213-4226*
Yuan, Y., *see* Qu, D., *TPEL April 2025 4818-4829*
Yuan, Y., *see* Wang, W., *TPEL Aug. 2025 10865-10876*
Yuan, Y., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Yuan, Y., *see* Liu, Z., *TPEL Sept. 2025 13187-13201*
Yuan, Z., *see* Cai, C., *TPEL Jan. 2025 2527-2541*
Yuan, Z., *see* Wang, L., *TPEL April 2025 5177-5189*
Yuan, Z., *see* Lai, W., *TPEL Aug. 2025 11416-11427*
Yuan, Z., *see* Wang, Z., *TPEL Aug. 2025 11799-11808*

Yuan, Z., Yang, Q., Cai, C., Zhang, P., Wang, R., Ma, X., Lin, H., and Saeedifard, M., A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems; *TPEL Sept. 2025 14146-14158*
Yuan, Z., *see* Cai, C., *TPEL Oct. 2025 14363-14367*
Yuan, Z., *see* Shen, Z., *TPEL Oct. 2025 14842-14853*
Yue, H., Song, W., Chen, J., Tang, T., and Hu, Q., Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics; *TPEL Aug. 2025 10567-10580*
Yue, H., *see* Song, W., *TPEL Aug. 2025 10623-10634*
Yue, H., *see* Tang, T., *TPEL Nov. 2025 16300-16314*
Yue, J., *see* Wu, C., *TPEL Sept. 2025 13337-13362*
Yue, X., and Du, S., An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting; *TPEL June 2025 8283-8291*
Yue, Y., Wang, G., and Guo, W., A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications; *TPEL Oct. 2025 15583-15594*
Yun, J., and Cui, S., Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation; *TPEL April 2025 5014-5024*
Yun, J., Cui, S., and Sul, S., Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter; *TPEL July 2025 9019-9033*

Z

Zade, A., *see* Gurudiwan, S., *TPEL April 2025 4716-4721*
Zade, A., *see* Gurudiwan, S., *TPEL Oct. 2025 16042*
Zakzewski, D., Resalayyan, R., and Khaligh, A., Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels; *TPEL Sept. 2025 12648-12660*
Zakzewski, D., *see* Shen, Y., *TPEL Sept. 2025 13499-13513*
Zambach, M., *see* Sanusi, B.N., *TPEL Dec. 2025 18148-18163*
Zanchetta, P., *see* Huang, Z., *TPEL Aug. 2025 11787-11798*
Zane, R., *see* Gurudiwan, S., *TPEL April 2025 4716-4721*
Zane, R., *see* Gurudiwan, S., *TPEL Oct. 2025 16042*
Zang, J., *see* Zhang, J., *TPEL Jan. 2025 1198-1214*
Zang, J., *see* Zhang, J., *TPEL April 2025 5265-5278*
Zangoli, M., *see* Torchio, R., *TPEL May 2025 6977-6987*
Zaragoza, J., *see* Vilella, M., *TPEL Nov. 2025 16639-16650*
Zargariafshar, D., Mousavi, S.M.J., and Babaei, E., A Five-Switch Single-Phase Buck–Boost AC–AC Converter With Inherent Commutation and Continuous Input Current; *TPEL Feb. 2025 2726-2735*
Zeineldin, H., *see* Al Talaq, M., *TPEL Oct. 2025 15064-15079*
Zeng, D., *see* Yi, Z., *TPEL July 2025 10154-10164*
Zeng, D., *see* Yi, Z., *TPEL Sept. 2025 14110-14123*
Zeng, G., *see* Sun, R., *TPEL Sept. 2025 12794-12815*
Zeng, H., *see* Chen, J., *TPEL Aug. 2025 10509-10530*
Zeng, H., Xu, X., Li, J., Li, B., and Li, L., A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator; *TPEL Oct. 2025 14722-14732*
Zeng, J., Li, K., Yuan, H., Yang, Y., Tan, S., Parisini, T., and Hui, S.Y.R., A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction; *TPEL Jan. 2025 2569-2580*
Zeng, J., *see* Zheng, J., *TPEL June 2025 7657-7662*
Zeng, J., *see* Liu, Y., *TPEL Sept. 2025 12072-12083*
Zeng, R., *see* Wu, J., *TPEL April 2025 5223-5230*
Zeng, R., *see* Wang, J., *TPEL April 2025 5309-5318*
Zeng, R., *see* Shi, Q., *TPEL June 2025 8168-8178*
Zeng, R., *see* Ma, Y., *TPEL July 2025 9439-9451*
Zeng, R., *see* Wang, Z., *TPEL Aug. 2025 11799-11808*
Zeng, R., *see* Zhao, B., *TPEL Sept. 2025 12033-12037*
Zeng, R., *see* Shang, Z., *TPEL Sept. 2025 12143-12153*
Zeng, R., *see* Wang, Z., *TPEL Nov. 2025 16687-16695*
Zeng, W., *see* Kong, D., *TPEL July 2025 9068-9079*
Zeng, X., *see* Wang, S., *TPEL Jan. 2025 2397-2418*
Zeng, X., *see* Xiong, Y., *TPEL April 2025 5025-5036*
Zeng, X., *see* Yin, H., *TPEL Oct. 2025 15519-15528*
Zeng, X., *see* Chen, Z., *TPEL Oct. 2025 15949-15958*
Zeng, X., *see* Sun, Z., *TPEL Oct. 2025 15905-15921*
Zeng, Y., Zhang, Q., Iu, H.H.C., Yu, H., Liu, Y., Guo, H., Lin, Z., and Liu, S., Distributed Economic Coordination Controller for Parallel DC–DC Converters in Shipboard DC Microgrids Based on Prescribed-Time Consensus Observer; *TPEL Jan. 2025 2495-2512*
Zeng, Y., Jiang, S., Konstantinou, G., Pou, J., Zou, G., and Zhang, X., Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning; *TPEL May 2025 6566-6577*
Zeng, Y., Zhang, Q., Iu, H.H.C., Chen, X., Liu, Y., Guo, H., Zhang, X., Wang, N., and Liu, S., Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption; *TPEL June 2025 8792-8811*
Zeng, Y., Liu, Z., Tao, X., Qiu, J., Zhao, H., Liu, K., and Chang-Hasnain, C.J., An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing; *TPEL Oct. 2025 14277-14281*
Zeng, Y., *see* Yu, H., *TPEL Oct. 2025 15730-15744*
Zeng, Y., Shi, Z., Wang, J., Liu, Z., and Li, X., Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System; *TPEL Nov. 2025 17503-17513*
Zeng, Z., *see* Wang, Y., *TPEL Jan. 2025 862-878*
Zeng, Z., *see* Sun, P., *TPEL March 2025 4112-4130*
Zeng, Z., *see* Gong, J., *TPEL May 2025 6847-6859*
Zeng, Z., Gajare, P.M., Divan, D., and Saeedifard, M., Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters; *TPEL July 2025 8934-8938*
Zeng, Z., *see* Jiao, L., *TPEL July 2025 8905-8910*
Zeng, Z., Fan, J., Sun, Y., Wang, S., and Yang, D., A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability; *TPEL Aug. 2025 10973-10987*
Zeng, Z., *see* Wang, Y., *TPEL Oct. 2025 14478-14495*
Zeng, Z., *see* Gong, J., *TPEL Oct. 2025 14301-14306*
Zeng, Z., *see* Zou, M., *TPEL Nov. 2025 16281-16299*
Zeng, Z., *see* Liang, Y., *TPEL Dec. 2025 17563-17568*
Zettelmeier, J., Schwanninger, R., and Marz, M., The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics; *TPEL Sept. 2025 12606-12613*
Zha, X., *see* Sun, P., *TPEL Feb. 2025 2780-2796*
Zha, X., *see* Li, X., *TPEL July 2025 8990-9003*
Zha, X., *see* Ling, Y., *TPEL Sept. 2025 13474-13489*
Zhai, G., *see* Chen, C., *TPEL Nov. 2025 16315-16326*
Zhai, G., *see* Sun, Q., *TPEL Nov. 2025 17040-17050*
Zhai, H., *see* Cao, B., *TPEL June 2025 7646-7650*
Zhai, Y., Li, Y., Yang, Q., Zhu, L., Gao, R., and Liu, J., Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium; *TPEL Sept. 2025 14099-14109*
Zhai, Y., *see* Li, Y., *TPEL Oct. 2025 16032-16041*
Zhan, C., *see* Liu, Z., *TPEL April 2025 5609-5621*
Zhan, C., *see* Tang, Y., *TPEL Oct. 2025 14459-14477*
Zhan, H., *see* Lyu, Z., *TPEL Sept. 2025 11957-11962*
Zhan, J., *see* Yang, X., *TPEL June 2025 7615-7627*
Zhan, L., Hu, B., Li, H., Zhao, Z., Chen, L., Nian, H., and Qi, D., Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation; *TPEL Sept. 2025 11979-11984*
Zhan, M., *see* Zhang, Y., *TPEL May 2025 7298-7314*
Zhan, Z., *see* Ni, Q., *TPEL Nov. 2025 17355-17365*
Zhang, A., *see* Yang, L., *TPEL April 2025 6359-6369*
Zhang, B., *see* Mo, L., *TPEL Jan. 2025 1376-1388*
Zhang, B., *see* Yin, J., *TPEL Jan. 2025 1085-1098*
Zhang, B., *see* Guo, Z., *TPEL Jan. 2025 1483-1497*
Zhang, B., *see* Lin, J., *TPEL Jan. 2025 1123-1134*
Zhang, B., Jiang, C.Q., Yang, F., Chen, C., Lu, Y., and Zhou, J., An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles; *TPEL Jan. 2025 2593-2603*
Zhang, B., *see* Shi, Y., *TPEL Jan. 2025 2057-2069*

Zhang, B., *see* Hu, Y., *TPEL Feb. 2025 3798-3809*
Zhang, B., *see* Chen, L., *TPEL Feb. 2025 3177-3188*
Zhang, B., *see* Zhao, M., *TPEL Feb. 2025 3189-3209*
Zhang, B., *see* Fang, Y., *TPEL Feb. 2025 3240-3250*
Zhang, B., Dong, Z., Huang, R., and Liu, C., Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance; *TPEL March 2025 3854-3860*
Zhang, B., *see* Lai, L., *TPEL April 2025 6069-6083*
Zhang, B., *see* Peng, J., *TPEL April 2025 6282-6295*
Zhang, B., *see* Zhang, Y., *TPEL June 2025 8036-8048*
Zhang, B., *see* Wei, Y., *TPEL July 2025 9090-9106*
Zhang, B., Hu, Y., Hu, W., and Han, W., Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning 1st/3rd Harmonic Frequencies With Splitting Frequencies; *TPEL July 2025 8917-8922*
Zhang, B., *see* Zhao, G., *TPEL Aug. 2025 11809-11819*
Zhang, B., *see* Hu, W., *TPEL Aug. 2025 10366-10371*
Zhang, B., *see* Yan, C., *TPEL Sept. 2025 12048-12054*
Zhang, B., *see* Du, Y., *TPEL Sept. 2025 12003-12010*
Zhang, B., *see* Ma, C., *TPEL Sept. 2025 13035-13049*
Zhang, B., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Zhang, B., *see* Liang, Z., *TPEL Oct. 2025 14351-14355*
Zhang, B., *see* Dong, S., *TPEL Oct. 2025 16022-16031*
Zhang, B., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Zhang, B., *see* Xu, Y., *TPEL Nov. 2025 16548-16559*
Zhang, B., *see* Liu, Y., *TPEL Nov. 2025 16131-16145*
Zhang, B., Dong, S., Zhang, H., Gao, X., and Zhu, C., A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters; *TPEL Nov. 2025 16096-16099*
Zhang, C., *see* Xu, S., *TPEL Feb. 2025 3657-3669*
Zhang, C., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Zhang, C., *see* Liu, Z., *TPEL March 2025 4449-4460*
Zhang, C., *see* Qu, J., *TPEL April 2025 4902-4913*
Zhang, C., *see* Wei, Z., *TPEL May 2025 7414-7422*
Zhang, C., *see* Ding, X., *TPEL June 2025 8292-8304*
Zhang, C., *see* Cui, S., *TPEL June 2025 8430-8447*
Zhang, C., *see* Ye, J., *TPEL June 2025 8448-8467*
Zhang, C., *see* Xiong, W., *TPEL June 2025 8739-8750*
Zhang, C., Du, B., Qiao, K., and Cui, S., Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices; *TPEL June 2025 8604-8616*
Zhang, C., *see* Nie, J., *TPEL June 2025 8264-8280*
Zhang, C., *see* Tao, J., *TPEL Aug. 2025 11836-11848*
Zhang, C., *see* Zou, M., *TPEL Aug. 2025 11583-11597*
Zhang, C., *see* Wang, H., *TPEL Aug. 2025 11268-11282*
Zhang, C., *see* Wang, K., *TPEL Aug. 2025 10581-10593*
Zhang, C., Du, B., Qiao, K., and Cui, S., In Situ Parameter Identification Method for Thermal Network Models of Power Modules; *TPEL Sept. 2025 13276-13288*
Zhang, C., *see* Wang, Y., *TPEL Nov. 2025 17469-17487*
Zhang, C., *see* Sun, J., *TPEL Nov. 2025 17295-17308*
Zhang, D., *see* Ge, L., *TPEL Jan. 2025 195-216*
Zhang, D., *see* Zhang, S., *TPEL March 2025 4142-4155*
Zhang, D., *see* Chen, M., *TPEL June 2025 7800-7813*
Zhang, D., *see* Nain, N., *TPEL July 2025 9167-9186*
Zhang, D., Sha, D., Zhao, Y., Gao, C., and Liu, X., A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault; *TPEL Aug. 2025 11820-11835*
Zhang, D., *see* Yang, G., *TPEL Sept. 2025 12084-12094*
Zhang, D., *see* Xiao, L., *TPEL Dec. 2025 17587-17603*
Zhang, D., Sha, D., and Ni, Y., Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers; *TPEL Dec. 2025 17558-17562*
Zhang, F., *see* Shan, P., *TPEL Jan. 2025 162-175*
Zhang, F., *see* Yang, C., *TPEL Jan. 2025 2170-2183*
Zhang, F., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Zhang, F., *see* Dang, Y., *TPEL April 2025 5566-5582*
Zhang, F., *see* Deng, C., *TPEL June 2025 7967-7979*
Zhang, F., Feng, H., Ran, L., and Pan, J., A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges; *TPEL Aug. 2025 11235-11245*
Zhang, F., *see* Zhang, X., *TPEL Aug. 2025 11863-11873*
Zhang, F., *see* Xu, M., *TPEL Oct. 2025 15080-15092*
Zhang, G., *see* Gu, X., *TPEL Jan. 2025 1826-1835*
Zhang, G., *see* Ge, L., *TPEL Jan. 2025 40-45*
Zhang, G., *see* Wu, T.X., *TPEL Jan. 2025 1915-1924*
Zhang, G., *see* Li, H., *TPEL Feb. 2025 3670-3683*
Zhang, G., *see* Gao, R., *TPEL April 2025 4848-4861*
Zhang, G., *see* Huang, Y., *TPEL May 2025 7150-7161*
Zhang, G., *see* Liu, B., *TPEL June 2025 8540-8552*
Zhang, G., *see* Zhao, J., *TPEL June 2025 8416-8429*
Zhang, G., *see* Zhang, X., *TPEL June 2025 8490-8502*
Zhang, G., *see* Chen, J., *TPEL Aug. 2025 10509-10530*
Zhang, G., *see* Wang, H., *TPEL Aug. 2025 10758-10768*
Zhang, G., *see* Liu, B., *TPEL Sept. 2025 12280-12294*
Zhang, G., *see* Wang, K., *TPEL Sept. 2025 12428-12439*
Zhang, G., *see* Geng, J., *TPEL Oct. 2025 15118-15129*
Zhang, G., Wu, Y., Qiang, R., Venugopal, P., Xu, J., and Soeiro, T.B., Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter; *TPEL Oct. 2025 14923-14936*
Zhang, G., *see* Mai, J., *TPEL Oct. 2025 14337-14342*
Zhang, G., *see* Wang, S., *TPEL Nov. 2025 16456-16468*
Zhang, G., *see* Qu, D., *TPEL Nov. 2025 16443-16455*
Zhang, G., *see* Zhang, Z., *TPEL Dec. 2025 17726-17737*
Zhang, H., Xue, C., Liu, R., and Li, Y., Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults; *TPEL Jan. 2025 813-827*
Zhang, H., *see* Li, L., *TPEL Jan. 2025 316-327*
Zhang, H., Jurkov, A.S., Kozitsky, V., Luu, K., Al Bastami, A., Cassidy, G., Radomski, A., and Perreault, D.J., High-Efficiency Wide-Range RF Power Generation Systems With Discrete Power Back-Off From Multiple Inverters; *TPEL Jan. 2025 290-302*
Zhang, H., Nie, J., Sun, X., Deng, Y., and Shu, Z., A Dual-Transformer-Based *LLC* Resonant Converter With Ultrawide Output Voltage Range; *TPEL Jan. 2025 2457-2471*
Zhang, H., *see* Lv, Y., *TPEL March 2025 4186-4198*
Zhang, H., *see* Wang, Y., *TPEL April 2025 5959-5970*
Zhang, H., *see* Cai, Y., *TPEL April 2025 5622-5634*
Zhang, H., *see* Wu, Q., *TPEL April 2025 5971-5982*
Zhang, H., *see* Mao, Y., *TPEL June 2025 8648-8657*
Zhang, H., *see* Yang, F., *TPEL July 2025 9357-9369*
Zhang, H., Yu, H., Sun, P., Zhu, X., Zhang, Q., Wang, Y., Bifaretti, S., Qin, Z., Li, G., and Chen, Z., A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids; *TPEL July 2025 9370-9387*
Zhang, H., *see* Liu, L., *TPEL July 2025 9153-9166*
Zhang, H., and Liu, Z., Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions; *TPEL Aug. 2025 11641-11654*
Zhang, H., *see* Zhang, J., *TPEL Aug. 2025 10433-10442*
Zhang, H., *see* Zhao, Q., *TPEL Sept. 2025 12581-12593*
Zhang, H., Liang, J., Liang, J., Fu, M., and Wang, H., Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids; *TPEL Sept. 2025 13716-13729*
Zhang, H., *see* Huang, H., *TPEL Sept. 2025 13177-13186*
Zhang, H., *see* Wang, M., *TPEL Sept. 2025 13086-13098*
Zhang, H., *see* Wu, C., *TPEL Oct. 2025 15795-15807*
Zhang, H., *see* Zhang, B., *TPEL Nov. 2025 16096-16099*
Zhang, H., *see* Zhu, X., *TPEL Nov. 2025 16728-16739*
Zhang, H., *see* Zhao, C., *TPEL Dec. 2025 17552-17557*
Zhang, J., Luo, J., Zhou, J., Zang, J., Fan, X., Jia, Y., Shi, G., and Yang, X., A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks; *TPEL Jan. 2025 1198-1214*

Zhang, J., *see* Ge, L., *TPEL Jan. 2025 195-216*
Zhang, J., Shen, H., Du, X., and Chen, R., Condition Monitoring the Inhomogeneous Thermal Fatigue of Multichip IGBT Module Based on the Thermal Attenuation Coefficient; *TPEL Jan. 2025 2114-2125*
Zhang, J., *see* Wang, M., *TPEL Feb. 2025 3543-3552*
Zhang, J., *see* Yi, B., *TPEL Feb. 2025 3033-3042*
Zhang, J., *see* Zhang, M., *TPEL March 2025 3952-3967*
Zhang, J., *see* Li, C., *TPEL March 2025 4034-4050*
Zhang, J., *see* Lv, Y., *TPEL March 2025 4186-4198*
Zhang, J., *see* Bai, L., *TPEL March 2025 4131-4141*
Zhang, J., *see* Wang, Y., *TPEL April 2025 5959-5970*
Zhang, J., *see* Yang, D., *TPEL April 2025 5635-5645*
Zhang, J., Huang, X., Zhou, J., Fan, X., Shi, G., Zang, J., Yang, X., and Cai, X., A Capacity-Expandable Cascaded Multilevel Energy Storage System Based on Laminated Power Modules; *TPEL April 2025 5265-5278*
Zhang, J., *see* Chen, J., *TPEL April 2025 5423-5439*
Zhang, J., *see* Meng, X., *TPEL May 2025 6506-6518*
Zhang, J., *see* Song, C., *TPEL May 2025 6555-6565*
Zhang, J., *see* Huang, X., *TPEL May 2025 7275-7285*
Zhang, J., *see* Ni, Q., *TPEL June 2025 8766-8775*
Zhang, J., *see* Zhang, Y., *TPEL June 2025 7640-7645*
Zhang, J., *see* Zhang, P., *TPEL July 2025 9429-9438*
Zhang, J., *see* Ma, H., *TPEL July 2025 10077-10094*
Zhang, J., *see* Cheng, L., *TPEL July 2025 10242-10253*
Zhang, J., *see* Shi, G., *TPEL Aug. 2025 10402-10418*
Zhang, J., *see* Jin, S., *TPEL Aug. 2025 10299-10312*
Zhang, J., Zhou, D., Zou, J., Liu, X., Zhang, H., and Shen, Z., Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters; *TPEL Aug. 2025 10433-10442*
Zhang, J., Xia, B., and Zhang, M., Analytic Solutions of Model Predictive Current Control for SPMSM Drives; *TPEL Sept. 2025 12365-12377*
Zhang, J., *see* Wei, J., *TPEL Oct. 2025 15030-15041*
Zhang, J., *see* Qiu, H., *TPEL Oct. 2025 15820-15834*
Zhang, J., *see* Gu, P., *TPEL Oct. 2025 15891-15904*
Zhang, J., *see* Meng, X., *TPEL Nov. 2025 16469-16482*
Zhang, J., *see* Zhang, T., *TPEL Nov. 2025 16327-16340*
Zhang, J., *see* Cui, W., *TPEL Nov. 2025 16596-16610*
Zhang, J., *see* Zhang, W., *TPEL Dec. 2025 17761-17775*
Zhang, K., Ma, J., Lu, J., Liu, Y., Qiu, L., Liu, X., and Fang, Y., Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model; *TPEL March 2025 3916-3926*
Zhang, K., *see* Chen, H., *TPEL March 2025 4008-4019*
Zhang, K., *see* Wen, H., *TPEL May 2025 7586-7598*
Zhang, K., *see* Song, Y., *TPEL May 2025 7251-7260*
Zhang, K., *see* Chen, C., *TPEL June 2025 7844-7860*
Zhang, K., *see* Li, J., *TPEL July 2025 10198-10208*
Zhang, K., *see* Yang, Y., *TPEL Aug. 2025 10286-10298*
Zhang, K., *see* Guo, R., *TPEL Aug. 2025 10272-10285*
Zhang, K., *see* Zhao, X., *TPEL Nov. 2025 17073-17090*
Zhang, L., *see* Gong, Z., *TPEL Jan. 2025 1258-1271*
Zhang, L., *see* Liu, S., *TPEL Jan. 2025 1153-1167*
Zhang, L., *see* Niu, F., *TPEL Feb. 2025 3530-3542*
Zhang, L., *see* Ma, Y., *TPEL Feb. 2025 2721-2725*
Zhang, L., *see* Peng, H., *TPEL May 2025 6539-6554*
Zhang, L., *see* Zhou, X., *TPEL July 2025 9223-9233*
Zhang, L., *see* Yao, Z., *TPEL July 2025 8956-8961*
Zhang, L., *see* Mei, Y., *TPEL Aug. 2025 11107-11116*
Zhang, L., *see* Zhou, W., *TPEL Aug. 2025 11143-11156*
Zhang, L., Zhao, Z., Jin, R., Yang, X., Li, X., and Cui, X., Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs; *TPEL Sept. 2025 12154-12166*
Zhang, L., *see* Wang, N., *TPEL Sept. 2025 11897-11907*
Zhang, L., *see* Wen, Q., *TPEL Sept. 2025 13754-13766*
Zhang, L., Zou, Y., Wu, Y., Shen, X., and Xing, Y., Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters; *TPEL Oct. 2025 15595-15606*
Zhang, L., *see* Xu, J., *TPEL Nov. 2025 16651-16663*
Zhang, L., *see* Zhuge, H., *TPEL Dec. 2025 18305-18317*
Zhang, L., *see* He, Y., *TPEL Dec. 2025 18365-18377*
Zhang, M., *see* Wang, Z., *TPEL Jan. 2025 1697-1716*
Zhang, M., *see* Zhang, Y., *TPEL Jan. 2025 2419-2428*
Zhang, M., Li, H., Yang, Z., Zhao, S., Wang, X., and Ding, L., Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation; *TPEL Feb. 2025 3077-3089*
Zhang, M., Li, M., and Zhang, J., Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System; *TPEL March 2025 3952-3967*
Zhang, M., *see* Liu, Y., *TPEL April 2025 5743-5755*
Zhang, M., Xu, W., Ge, J., Liu, Y., Liao, K., Liao, G., Li, D., and Boldea, I., A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search; *TPEL July 2025 9660-9671*
Zhang, M., *see* Huang, S., *TPEL Aug. 2025 11763-11774*
Zhang, M., *see* Zhang, J., *TPEL Sept. 2025 12365-12377*
Zhang, M., *see* Huang, Z., *TPEL Oct. 2025 15348-15358*
Zhang, N., *see* Ma, H., *TPEL July 2025 10077-10094*
Zhang, N., *see* Zhou, X., *TPEL Sept. 2025 14050-14060*
Zhang, P., *see* Dou, R., *TPEL Jan. 2025 2513-2526*
Zhang, P., *see* Cai, C., *TPEL Jan. 2025 2527-2541*
Zhang, P., *see* Li, H., *TPEL Feb. 2025 2822-2832*
Zhang, P., *see* Qu, J., *TPEL April 2025 4902-4913*
Zhang, P., Wang, S., and Li, H., Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency; *TPEL May 2025 7110-7124*
Zhang, P., *see* Ding, X., *TPEL June 2025 8292-8304*
Zhang, P., Yang, Y., Liu, Z., Wang, N., Li, C., and Zhang, J., Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer; *TPEL July 2025 9429-9438*
Zhang, P., *see* Ma, H., *TPEL July 2025 10077-10094*
Zhang, P., *see* Yuan, Z., *TPEL Sept. 2025 14146-14158*
Zhang, P., *see* Hou, L., *TPEL Dec. 2025 17844-17857*
Zhang, P., *see* Wang, J., *TPEL Dec. 2025 17821-17831*
Zhang, Q., *see* Zeng, Y., *TPEL Jan. 2025 2495-2512*
Zhang, Q., *see* Li, C., *TPEL March 2025 4034-4050*
Zhang, Q., *see* Zeng, Y., *TPEL June 2025 8792-8811*
Zhang, Q., *see* Zhang, H., *TPEL July 2025 9370-9387*
Zhang, Q., *see* Wang, C., *TPEL Aug. 2025 11490-11508*
Zhang, Q., *see* Zhang, X., *TPEL Aug. 2025 11863-11873*
Zhang, Q., *see* Wang, C., *TPEL Sept. 2025 12350-12364*
Zhang, Q., *see* Yi, Z., *TPEL Sept. 2025 14110-14123*
Zhang, Q., *see* Wang, Y., *TPEL Oct. 2025 15687-15699*
Zhang, Q., *see* Yu, H., *TPEL Oct. 2025 15730-15744*
Zhang, Q., *see* Yang, F.S., *TPEL Nov. 2025 16085-16089*
Zhang, R., *see* Wang, P., *TPEL Jan. 2025 361-374*
Zhang, R., *see* Wu, Y., *TPEL March 2025 4090-4099*
Zhang, R., *see* Wei, Z., *TPEL April 2025 6162-6176*
Zhang, R., Wang, S., Ma, J., Jiang, Y., Wang, P., Liu, T., and Yang, Y., An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability; *TPEL April 2025 5336-5351*
Zhang, R., *see* Li, Z., *TPEL May 2025 7315-7328*
Zhang, R., *see* Wang, S., *TPEL June 2025 7765-7776*
Zhang, R., *see* Li, X., *TPEL July 2025 8990-9003*
Zhang, R., Liu, Z., Li, K., Fang, L., Wu, Y., Wang, Z., Yang, K., and Xin, G., Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices; *TPEL July 2025 9638-9648*
Zhang, R., *see* Zhuo, S., *TPEL July 2025 9853-9863*
Zhang, R., *see* Ning, G., *TPEL Dec. 2025 17869-17878*
Zhang, S., *see* Li, Z., *TPEL Jan. 2025 1305-1321*
Zhang, S., *see* Zuo, Y., *TPEL Jan. 2025 787-800*
Zhang, S., Liu, C., Li, X., Zhang, D., Yang, Y., Min, R., Tong, Q., and Peng, H., Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT; *TPEL March 2025 4142-4155*
Zhang, S., *see* Xi, H., *TPEL March 2025 4569-4580*
Zhang, S., *see* Gao, C., *TPEL April 2025 5292-5308*

Zhang, S., *see* Li, Z., *TPEL May 2025 6448-6453*
Zhang, S., Liu, Z., Xu, Y., Chen, G., and Su, H., An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency; *TPEL May 2025 7354-7369*
Zhang, S., *see* Jiang, T., *TPEL July 2025 9452-9462*
Zhang, S., *see* Zhu, G., *TPEL July 2025 10095-10110*
Zhang, S., *see* Guo, X., *TPEL July 2025 10000-10026*
Zhang, S., *see* Jiang, X., *TPEL Aug. 2025 11314-11325*
Zhang, S., Teng, Y., Sun, Y., Ding, F., Wang, N., Guo, X., and Hua, C., Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System; *TPEL Aug. 2025 11526-11536*
Zhang, S., *see* Wang, Q., *TPEL Sept. 2025 12703-12718*
Zhang, S., Hu, B., Huang, X., Sun, D., Nian, H., and Fan, Y., Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults; *TPEL Oct. 2025 14313-14317*
Zhang, T., Wei, G., Zhi, X., Hao, L., and Zhu, C., Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems; *TPEL Feb. 2025 3810-3820*
Zhang, T., *see* Zhang, Y., *TPEL July 2025 8923-8927*
Zhang, T., Liu, C., Zou, J., Zou, X., and Kang, Y., Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range; *TPEL Sept. 2025 11928-11933*
Zhang, T., Hao, L., Wei, G., Gao, X., Cong, S., Liu, C., and Zhu, C., A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems; *TPEL Oct. 2025 14265-14270*
Zhang, T., Wang, L., Zhang, X., Zhang, J., Wang, Y., Yang, F., Pei, Y., and Gan, Y., Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond; *TPEL Nov. 2025 16327-16340*
Zhang, W., *see* Lian, C., *TPEL Feb. 2025 2847-2859*
Zhang, W., *see* Xu, G., *TPEL Dec. 2025 17715-17725*
Zhang, W., Yao, W., Li, W., Zhang, J., and Holmes, D.G., Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios; *TPEL Dec. 2025 17761-17775*
Zhang, X., *see* Xu, Y., *TPEL Jan. 2025 1622-1635*
Zhang, X., *see* Li, P., *TPEL Jan. 2025 1498-1507*
Zhang, X., *see* Cai, J., *TPEL Jan. 2025 1669-1685*
Zhang, X., *see* Li, B., *TPEL Jan. 2025 1168-1182*
Zhang, X., *see* Hu, K., *TPEL Jan. 2025 906-919*
Zhang, X., *see* Zhang, Z., *TPEL Jan. 2025 23-27*
Zhang, X., *see* Du, Z., *TPEL Jan. 2025 2070-2085*
Zhang, X., *see* Lu, Y., *TPEL Jan. 2025 2210-2218*
Zhang, X., *see* Dou, R., *TPEL Jan. 2025 2513-2526*
Zhang, X., *see* Fu, S., *TPEL Feb. 2025 3697-3709*
Zhang, X., *see* Chen, L., *TPEL Feb. 2025 3168-3176*
Zhang, X., *see* Lu, Y., *TPEL April 2025 6044-6054*
Zhang, X., *see* Li, X., *TPEL April 2025 5799-5809*
Zhang, X., *see* Wang, Y., *TPEL April 2025 4938-4951*
Zhang, X., *see* Pang, Y., *TPEL April 2025 5384-5399*
Zhang, X., *see* Wang, J., *TPEL April 2025 5309-5318*
Zhang, X., Zhu, J., Zheng, Z., Liu, H., Xue, Y., Wan, F., and Wu, X., Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop; *TPEL April 2025 5080-5093*
Zhang, X., *see* Fang, J., *TPEL April 2025 4830-4847*
Zhang, X., *see* Zeng, Y., *TPEL May 2025 6566-6577*
Zhang, X., *see* Jin, F., *TPEL May 2025 6593-6604*
Zhang, X., *see* Kong, C., *TPEL May 2025 6663-6674*
Zhang, X., Xu, Q., Miao, Y., Wu, X., Wang, Y., and Yi, L., An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs; *TPEL May 2025 7136-7149*
Zhang, X., *see* Rong, C., *TPEL June 2025 8859-8868*
Zhang, X., *see* Lin, Z., *TPEL June 2025 8726-8738*
Zhang, X., *see* Cai, J., *TPEL June 2025 8516-8527*
Zhang, X., Yu, X., and Zhang, G., Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference; *TPEL June 2025 8490-8502*
Zhang, X., *see* Zeng, Y., *TPEL June 2025 8792-8811*
Zhang, X., *see* Cai, J., *TPEL July 2025 9577-9587*
Zhang, X., *see* Cai, J., *TPEL July 2025 9709-9722*
Zhang, X., Zhang, Q., and Zhang, F., Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter; *TPEL Aug. 2025 11863-11873*
Zhang, X., *see* Yang, T., *TPEL Aug. 2025 10945-10956*
Zhang, X., Ma, Z., Cai, X., Wu, X., Han, Y., and Lin, G., Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter; *TPEL Aug. 2025 10330-10334*
Zhang, X., *see* Li, Q., *TPEL Aug. 2025 10717-10730*
Zhang, X., *see* Wang, H., *TPEL Aug. 2025 10385-10390*
Zhang, X., *see* Guo, R., *TPEL Aug. 2025 10272-10285*
Zhang, X., *see* Zhang, Y., *TPEL Aug. 2025 10378-10384*
Zhang, X., *see* Xia, P., *TPEL Sept. 2025 12321-12336*
Zhang, X., *see* Zhao, B., *TPEL Sept. 2025 12033-12037*
Zhang, X., *see* Liu, Y., *TPEL Sept. 2025 12072-12083*
Zhang, X., *see* Wang, Z., *TPEL Sept. 2025 12452-12462*
Zhang, X., *see* Li, M., *TPEL Sept. 2025 11918-11922*
Zhang, X., *see* Gao, S., *TPEL Sept. 2025 12061-12071*
Zhang, X., *see* Yang, B., *TPEL Sept. 2025 12937-12952*
Zhang, X., *see* Fang, J., *TPEL Sept. 2025 13459-13473*
Zhang, X., Zhou, S., Wang, B., Lu, Y., Zhang, Y., Huo, F., Huang, D., and Ukil, A., Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System; *TPEL Sept. 2025 13730-13740*
Zhang, X., Xia, R., Bao, H., Qu, X., Hu, Y., and Bao, B., Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter; *TPEL Sept. 2025 12893-12905*
Zhang, X., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Zhang, X., *see* Wei, Y., *TPEL Sept. 2025 14084-14098*
Zhang, X., *see* Cai, C., *TPEL Oct. 2025 14363-14367*
Zhang, X., *see* Xu, F., *TPEL Oct. 2025 14196-14209*
Zhang, X., *see* Iosifidis, N., *TPEL Oct. 2025 15381-15398*
Zhang, X., *see* Shen, X., *TPEL Oct. 2025 15371-15380*
Zhang, X., *see* You, L., *TPEL Oct. 2025 15638-15651*
Zhang, X., *see* Zhang, T., *TPEL Nov. 2025 16327-16340*
Zhang, X., *see* Wang, C., *TPEL Nov. 2025 16243-16254*
Zhang, X., Zhu, J., Wu, X., Zheng, Z., Liu, H., Xue, Y., Wan, F., and Zou, H., Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain; *TPEL Nov. 2025 16525-16537*
Zhang, X., *see* Hu, H., *TPEL Nov. 2025 16704-16717*
Zhang, X., Wan, H., Iosifidis, N., Hu, B., Wei, J., Cao, Q., Zhong, Y., Wu, Y., Wu, K., Li, J., Mawby, P.A., and Ran, L., Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module; *TPEL Nov. 2025 16979-16994*
Zhang, X., *see* Chen, Q., *TPEL Nov. 2025 16937-16952*
Zhang, Y., Li, S., Yi, W., Yang, Y., Cao, K., and Luo, B., A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM; *TPEL Jan. 2025 1836-1848*
Zhang, Y., *see* Zhou, J., *TPEL Jan. 2025 1862-1871*
Zhang, Y., *see* Gao, Y., *TPEL Jan. 2025 1886-1899*
Zhang, Y., Ouyang, C., Wang, Q., Gao, J., Zhao, Y., Ren, X., Liu, L., and Zhou, Z., A High-Speed High-Voltage Pulse Generator With Adjustable Falling Slope Based on Programable Multi Narrow Pulses Drive Method for Series MOSFETs; *TPEL Jan. 2025 1645-1653*
Zhang, Y., *see* Zhou, M., *TPEL Jan. 2025 1508-1518*
Zhang, Y., *see* Guo, Z., *TPEL Jan. 2025 1483-1497*
Zhang, Y., Feng, H., and Ran, L., Highly Efficient 800-to-48-V *LLC*-DCX With Matrix Transformer Using Side Leg Windings; *TPEL Jan. 2025 112-117*
Zhang, Y., Cheng, H., Chen, Y., Luo, B., Zhou, W., Mai, R., and He, Z., An Improved Compensation Method Reducing Displacement Current Loss for Multilayer Coils in IPT System; *TPEL Jan. 2025 87-91*

Zhang, Y., *see* Liu, R., *TPEL Jan. 2025 71-75*
Zhang, Y., *see* Wang, Z., *TPEL Jan. 2025 665-678*
Zhang, Y., *see* Xie, L., *TPEL Jan. 2025 2086-2098*
Zhang, Y., *see* Du, Z., *TPEL Jan. 2025 2070-2085*
Zhang, Y., *see* Liao, Z., *TPEL Jan. 2025 1991-2004*
Zhang, Y., Li, T., Yan, G., Wang, P., Zhang, M., Gao, F., and Li, Q., A PI Self-Tuning Method for Three-Phase PWM Rectifiers Based on Stability-and-Dynamics- Constrained Fuzzy Backpropagation Neural Network; *TPEL Jan. 2025 2419-2428*
Zhang, Y., *see* Xie, B., *TPEL Feb. 2025 3336-3356*
Zhang, Y., *see* Xu, S., *TPEL Feb. 2025 3657-3669*
Zhang, Y., *see* Cao, D., *TPEL Feb. 2025 2833-2846*
Zhang, Y., Hou, N., Wang, Z., and Li, Y., An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter; *TPEL March 2025 3968-3979*
Zhang, Y., *see* Tang, H., *TPEL March 2025 4630-4639*
Zhang, Y., *see* Wu, Y., *TPEL April 2025 6334-6344*
Zhang, Y., *see* Liu, Y., *TPEL April 2025 5743-5755*
Zhang, Y., *see* Yang, L., *TPEL April 2025 6359-6369*
Zhang, Y., *see* Wang, Z., *TPEL April 2025 6345-6358*
Zhang, Y., *see* Pan, W., *TPEL April 2025 6272-6281*
Zhang, Y., *see* Sun, Z., *TPEL April 2025 4695-4700*
Zhang, Y., *see* Wang, Z., *TPEL April 2025 5467-5479*
Zhang, Y., *see* Lin, Z., *TPEL April 2025 5052-5068*
Zhang, Y., *see* Song, Q., *TPEL April 2025 5212-5222*
Zhang, Y., Zhou, H., Xie, R., Mao, X., Chen, X., and Li, Z., A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler; *TPEL April 2025 4711-4715*
Zhang, Y., *see* Chen, J., *TPEL April 2025 4997-5013*
Zhang, Y., *see* Shen, Z., *TPEL April 2025 4722-4726*
Zhang, Y., *see* Qian, T., *TPEL April 2025 5531-5543*
Zhang, Y., *see* Yin, Z., *TPEL May 2025 6753-6770*
Zhang, Y., *see* Zheng, Y., *TPEL May 2025 6459-6463*
Zhang, Y., Yuan, X., and Wang, K., Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix; *TPEL May 2025 6442-6447*
Zhang, Y., *see* Xiao, Z., *TPEL May 2025 6988-7001*
Zhang, Y., *see* Yang, H., *TPEL May 2025 6413-6422*
Zhang, Y., and Zhan, M., Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults; *TPEL May 2025 7298-7314*
Zhang, Y., Huang, Z., Shen, Z., Xie, R., Chen, X., and Mao, X., Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy; *TPEL May 2025 7512-7522*
Zhang, Y., *see* Xie, Y., *TPEL May 2025 7453-7465*
Zhang, Y., Wei, G., Zhang, J., Hao, L., and Cheng, L., A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance; *TPEL June 2025 7640-7645*
Zhang, Y., Luo, M., Li, L., Ma, W., and Zhang, B., Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics; *TPEL June 2025 8036-8048*
Zhang, Y., *see* Zhang, Y., *TPEL June 2025 8036-8048*
Zhang, Y., *see* Cheng, C., *TPEL June 2025 7663-7667*
Zhang, Y., Pei, X., Zhou, P., Jin, H., Shan, Y., Wang, H., and Kang, Y., Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks; *TPEL June 2025 7727-7739*
Zhang, Y., *see* Ma, Y., *TPEL July 2025 9439-9451*
Zhang, Y., Ouyang, H., Zhang, T., Xie, R., Chen, X., Cheng, X., and Li, Z., High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors; *TPEL July 2025 8923-8927*
Zhang, Y., *see* Jia, P., *TPEL July 2025 9556-9576*
Zhang, Y., *see* Yuan, H., *TPEL July 2025 9289-9300*
Zhang, Y., *see* Liu, Z., *TPEL July 2025 9800-9810*
Zhang, Y., *see* Cheng, L., *TPEL July 2025 10242-10253*
Zhang, Y., *see* Zhuang, Y., *TPEL July 2025 9933-9943*
Zhang, Y., Li, T., Liu, X., Huang, Z., and Li, Q., Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System; *TPEL Aug. 2025 11715-11724*
Zhang, Y., *see* Cui, Y., *TPEL Aug. 2025 11296-11313*
Zhang, Y., *see* Huang, Z., *TPEL Aug. 2025 11787-11798*
Zhang, Y., *see* Li, Y., *TPEL Aug. 2025 10769-10782*
Zhang, Y., *see* Geng, J., *TPEL Aug. 2025 11218-11229*
Zhang, Y., Zhang, X., Chen, Z., and Bu, J., Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling; *TPEL Aug. 2025 10378-10384*
Zhang, Y., *see* Yu, X., *TPEL Sept. 2025 11998-12002*
Zhang, Y., *see* Sun, R., *TPEL Sept. 2025 12794-12815*
Zhang, Y., Jia, D., Yin, Z., and Luo, P., GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors; *TPEL Sept. 2025 12309-12320*
Zhang, Y., Yuan, H., Yin, Z., and Bai, C., Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm; *TPEL Sept. 2025 12257-12267*
Zhang, Y., *see* Zhou, C., *TPEL Sept. 2025 12204-12214*
Zhang, Y., *see* Meng, H., *TPEL Sept. 2025 12015-12020*
Zhang, Y., Bai, X., Gao, Y., Song, T., Huang, Z., and Wang, X., High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid; *TPEL Sept. 2025 13490-13498*
Zhang, Y., *see* Zhang, X., *TPEL Sept. 2025 13730-13740*
Zhang, Y., *see* Pan, W., *TPEL Sept. 2025 14159-14168*
Zhang, Y., *see* Geng, J., *TPEL Oct. 2025 15118-15129*
Zhang, Y., *see* Qiu, Y., *TPEL Oct. 2025 14228-14234*
Zhang, Y., *see* Wang, J., *TPEL Nov. 2025 16696-16703*
Zhang, Y., *see* Sun, Z., *TPEL Nov. 2025 16894-16905*
Zhang, Y., Wang, X., Kong, L., Lu, L., Wang, Z., and Mao, Y., Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives; *TPEL Nov. 2025 16184-16194*
Zhang, Y., Jing, S., Wei, Y., Huang, Z., and Gao, F., A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network; *TPEL Nov. 2025 17256-17266*
Zhang, Y., *see* Li, T., *TPEL Nov. 2025 17246-17255*
Zhang, Y., *see* Shen, H., *TPEL Dec. 2025 17972-17987*
Zhang, Y., *see* Li, Z., *TPEL Dec. 2025 18113-18132*
Zhang, Z., *see* Wang, J., *TPEL Jan. 2025 1234-1246*
Zhang, Z., *see* Zhu, Z., *TPEL Jan. 2025 1774-1786*
Zhang, Z., *see* Hu, W., *TPEL Jan. 2025 105-111*
Zhang, Z., *see* Hu, W., *TPEL Jan. 2025 105-111*
Zhang, Z., He, H., Li, K., Xiang, N., and Chen, W., Modeling the dV_{CE}/dt and dI_C/dt at the Turn-On Transient for High-Voltage IGBTs in the Clamped Inductive Circuit; *TPEL Jan. 2025 840-850*
Zhang, Z., Zhou, S., Li, H., and Qiu, J., A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control; *TPEL Jan. 2025 118-123*
Zhang, Z., *see* Luo, M., *TPEL Jan. 2025 851-861*
Zhang, Z., Li, Z., Zhang, X., Yang, B., He, Z., Mai, R., and Chen, Y., A Dynamic Wireless Power Transfer System Using DC-Controlled Variable Inductor for Segment Transmitter Automatic Switching; *TPEL Jan. 2025 23-27*
Zhang, Z., *see* Kong, D., *TPEL Jan. 2025 1925-1935*
Zhang, Z., *see* Li, H., *TPEL Jan. 2025 2342-2354*
Zhang, Z., *see* Yang, C., *TPEL Jan. 2025 2170-2183*
Zhang, Z., *see* Tian, Y., *TPEL Feb. 2025 2930-2942*
Zhang, Z., *see* Liu, Q., *TPEL Feb. 2025 2971-2986*
Zhang, Z., *see* Jiang, X., *TPEL Feb. 2025 2860-2873*
Zhang, Z., *see* Gao, Y., *TPEL April 2025 5999-6009*
Zhang, Z., Yi, H., Li, Y., Jiang, X., Wang, Z., and Zhuo, F., A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected; *TPEL April 2025 5922-5938*
Zhang, Z., Liang, L., and Fei, H., An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules; *TPEL April 2025 6033-6043*

Zhang, Z., *see* Xiao, Q., *TPEL April 2025 6385-6397*
Zhang, Z., *see* Xiao, Q., *TPEL April 2025 6385-6397*
Zhang, Z., Wang, P., Zhou, J., Wang, W., and Xu, D., A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads; *TPEL April 2025 5147-5162*
Zhang, Z., *see* Gao, C., *TPEL April 2025 5292-5308*
Zhang, Z., *see* Peng, H., *TPEL May 2025 6539-6554*
Zhang, Z., Liang, L., and Tu, L., An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity; *TPEL May 2025 6829-6837*
Zhang, Z., *see* Zhang, Z., *TPEL May 2025 6829-6837*
Zhang, Z., *see* Yang, X., *TPEL June 2025 7615-7627*
Zhang, Z., Liang, L., Wang, L., Wen, K., and Tu, L., Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors; *TPEL June 2025 8049-8061*
Zhang, Z., *see* Zhang, Z., *TPEL June 2025 8049-8061*
Zhang, Z., *see* Babayomi, O., *TPEL June 2025 7681-7708*
Zhang, Z., Chen, G., and Xu, D., Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation; *TPEL June 2025 7872-7892*
Zhang, Z., *see* Wen, K., *TPEL June 2025 8153-8167*
Zhang, Z., *see* Yang, F., *TPEL July 2025 9507-9517*
Zhang, Z., *see* Chen, Z., *TPEL July 2025 10027-10037*
Zhang, Z., Hu, J., Lu, J., Guerrero, J.M., and Cao, J., Dynamic Defense Method Against Malicious Attacks for DC Microgrids; *TPEL July 2025 9591-9605*
Zhang, Z., *see* Yao, Y., *TPEL Aug. 2025 11725-11738*
Zhang, Z., *see* Luo, K., *TPEL Aug. 2025 10705-10716*
Zhang, Z., Zhou, W., Yuan, X., Arjmand, E., and Xie, L., EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging; *TPEL Aug. 2025 10324-10329*
Zhang, Z., *see* Li, Q., *TPEL Aug. 2025 10717-10730*
Zhang, Z., *see* Pan, B., *TPEL Sept. 2025 12475-12487*
Zhang, Z., *see* Pei, Y., *TPEL Sept. 2025 13556-13567*
Zhang, Z., *see* Shao, W., *TPEL Sept. 2025 12953-12963*
Zhang, Z., *see* Kong, D., *TPEL Sept. 2025 13965-13976*
Zhang, Z., *see* Wang, F., *TPEL Sept. 2025 13977-13990*
Zhang, Z., *see* Yang, Q., *TPEL Oct. 2025 14881-14893*
Zhang, Z., *see* Shi, H., *TPEL Oct. 2025 15316-15328*
Zhang, Z., *see* Zhao, P., *TPEL Oct. 2025 15757-15767*
Zhang, Z., *see* Guo, Z., *TPEL Nov. 2025 17105-17123*
Zhang, Z., *see* Babayomi, O., *TPEL Nov. 2025 17124-17146*
Zhang, Z., Li, K., Gao, C., and Zheng, T.Q., Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity; *TPEL Dec. 2025 18421-18436*
Zhang, Z., Wang, G., Zhu, F., Zhang, G., Wang, Q., and Xu, D., Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives; *TPEL Dec. 2025 17726-17737*
Zhang, Z., *see* Chen, Q., *TPEL Dec. 2025 18027-18039*
Zhang, Z., *see* Li, Z., *TPEL Dec. 2025 18113-18132*
Zhao, B., *see* Chen, L., *TPEL Feb. 2025 3168-3176*
Zhao, B., *see* Wu, J., *TPEL April 2025 5223-5230*
Zhao, B., *see* Wang, J., *TPEL April 2025 5309-5318*
Zhao, B., *see* Ma, Y., *TPEL July 2025 9439-9451*
Zhao, B., *see* Wang, Z., *TPEL Aug. 2025 11799-11808*
Zhao, B., Wang, L., Zhang, X., Bai, R., Cui, B., Qu, L., Wu, J., Yu, Z., and Zeng, R., Modular Commutated Converter With High-Overload Capability; *TPEL Sept. 2025 12033-12037*
Zhao, B., *see* Wang, X., *TPEL Sept. 2025 12031-12032*
Zhao, B., *see* Wang, Z., *TPEL Nov. 2025 16687-16695*
Zhao, C., *see* Song, C., *TPEL May 2025 6555-6565*
Zhao, C., *see* He, B., *TPEL June 2025 7861-7871*
Zhao, C., *see* Liu, Y., *TPEL Sept. 2025 13632-13642*
Zhao, C., *see* He, B., *TPEL Oct. 2025 14271-14276*
Zhao, C., *see* Yu, K., *TPEL Oct. 2025 14733-14745*
Zhao, C., Zuo, Y., Wang, H., Cao, H., and Lee, C.H.T., Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method; *TPEL Nov. 2025 16158-16168*
Zhao, C., Xiang, Y., Zhang, H., Lu, W., An, H., and Wang, L., A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs; *TPEL Dec. 2025 17552-17557*
Zhao, D., *see* Du, Z., *TPEL Jan. 2025 2070-2085*
Zhao, D., *see* Lu, S., *TPEL April 2025 5456-5466*
Zhao, D., *see* Dang, C., *TPEL Sept. 2025 12378-12392*
Zhao, D., *see* Yan, S., *TPEL Oct. 2025 14598-14612*
Zhao, E., *see* Jiang, J., *TPEL Sept. 2025 13099-13112*
Zhao, F., *see* Liang, C., *TPEL April 2025 6230-6247*
Zhao, F., *see* Wu, Y., *TPEL July 2025 10059-10076*
Zhao, G., *see* Guo, Z., *TPEL April 2025 4762-4766*
Zhao, G., Guo, M., Zhang, B., Zheng, Z., and Hong, Q., Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations; *TPEL Aug. 2025 11809-11819*
Zhao, H., *see* Nielsen, M.R., *TPEL Jan. 2025 987-1011*
Zhao, H., *see* Wang, J., *TPEL Jan. 2025 2259-2272*
Zhao, H., Chen, W., Lan, J., Yuan, Y., and Xie, Y., A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation; *TPEL March 2025 4213-4226*
Zhao, H., *see* Gao, Y., *TPEL April 2025 5999-6009*
Zhao, H., *see* Yin, Z., *TPEL May 2025 6753-6770*
Zhao, H., *see* Yan, Z., *TPEL June 2025 8194-8205*
Zhao, H., *see* Chen, Y., *TPEL Aug. 2025 10988-11000*
Zhao, H., *see* Liu, G., *TPEL Aug. 2025 10531-10542*
Zhao, H., *see* Du, Y., *TPEL Sept. 2025 12003-12010*
Zhao, H., *see* Zhou, X., *TPEL Sept. 2025 14050-14060*
Zhao, H., *see* Zeng, Y., *TPEL Oct. 2025 14277-14281*
Zhao, H., *see* Wang, J., *TPEL Oct. 2025 15529-15544*
Zhao, H., *see* Yan, Z., *TPEL Dec. 2025 17650-17663*
Zhao, H., *see* Wang, X., *TPEL Dec. 2025 17738-17749*
Zhao, J., *see* Li, Y., *TPEL May 2025 7523-7536*
Zhao, J., Wang, G., Zhang, G., Hao, Y., Zhao, N., Hu, Z., Zhu, L., and Xu, D., Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives; *TPEL June 2025 8416-8429*
Zhao, J., *see* Wang, L., *TPEL Sept. 2025 12215-12229*
Zhao, J., *see* Dai, B., *TPEL Oct. 2025 15093-15103*
Zhao, J., *see* Feng, K., *TPEL Oct. 2025 15620-15637*
Zhao, J., *see* Jin, C., *TPEL Nov. 2025 16790-16808*
Zhao, J., *see* Chen, P., *TPEL Dec. 2025 18292-18304*
Zhao, K., *see* Tang, L., *TPEL May 2025 6921-6932*
Zhao, L., *see* Ma, J., *TPEL Jan. 2025 1111-1122*
Zhao, L., *see* Dou, R., *TPEL Jan. 2025 2513-2526*
Zhao, L., *see* Wadsworth, A., *TPEL Feb. 2025 3357-3369*
Zhao, L., *see* Zhao, M., *TPEL Feb. 2025 3189-3209*
Zhao, L., *see* Chen, F., *TPEL Feb. 2025 2943-2957*
Zhao, L., *see* Li, M., *TPEL Sept. 2025 11918-11922*
Zhao, L., *see* Ding, M., *TPEL Sept. 2025 12594-12605*
Zhao, L., *see* Hu, H., *TPEL Nov. 2025 16704-16717*
Zhao, M., Ge, Q., Zhu, J., Wang, K., Zhang, B., and Zhao, L., Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter; *TPEL Feb. 2025 3189-3209*
Zhao, N., *see* Zhao, J., *TPEL June 2025 8416-8429*
Zhao, P., *see* Duan, Z., *TPEL July 2025 9986-9999*
Zhao, P., Ma, J., Liu, X., Qiu, L., Liu, C., Zhang, Z., and Fang, Y., An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters; *TPEL Oct. 2025 15757-15767*
Zhao, Q., *see* Wang, H., *TPEL March 2025 4399-4410*
Zhao, Q., *see* Li, R., *TPEL April 2025 5810-5822*
Zhao, Q., *see* Wang, T., *TPEL Sept. 2025 12542-12554*
Zhao, Q., Wang, Q., Zhang, H., Xia, Y., and Ye, Y., A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid; *TPEL Sept. 2025 12581-12593*
Zhao, R., *see* Yan, Q., *TPEL June 2025 7628-7633*
Zhao, R., *see* Chang, X., *TPEL July 2025 9249-9265*

Zhao, R., Wang, H., Yuan, C., Xu, J., He, J., Du, Q., and Yan, Q., Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults; *TPEL Aug. 2025 11477-11489*
Zhao, R., *see* Wang, K., *TPEL Nov. 2025 16809-16821*
Zhao, S., Xia, C., Lu, C., Yang, Z., and Sun, A., Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger; *TPEL Jan. 2025 2581-2592*
Zhao, S., *see* Xia, C., *TPEL Jan. 2025 2604-2618*
Zhao, S., *see* Zhang, M., *TPEL Feb. 2025 3077-3089*
Zhao, S., *see* Qi, X., *TPEL April 2025 5319-5335*
Zhao, S., Yang, X., Wu, X., and Liu, G., Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling; *TPEL May 2025 7261-7274*
Zhao, S., *see* Sun, M., *TPEL May 2025 7477-7487*
Zhao, S., *see* Jin, S., *TPEL Aug. 2025 10299-10312*
Zhao, S., Ravi, L., and Cairoli, P., A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio; *TPEL Sept. 2025 12043-12047*
Zhao, S., *see* Yang, Z., *TPEL Sept. 2025 11923-11927*
Zhao, T., *see* Paul, K.C., *TPEL Dec. 2025 18189-18201*
Zhao, W., *see* Wang, Z., *TPEL Jan. 2025 1697-1716*
Zhao, W., *see* Liu, S., *TPEL Jan. 2025 738-748*
Zhao, W., Ma, S., Tao, T., Wu, Y., Ling, J., and Wang, H., Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method; *TPEL June 2025 8528-8539*
Zhao, W., *see* Pan, Y., *TPEL June 2025 8216-8241*
Zhao, W., Li, L., Wang, B., Zhu, G., Wang, N., and Wang, X., Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects; *TPEL July 2025 9699-9708*
Zhao, W., *see* Tan, G., *TPEL Aug. 2025 11088-11106*
Zhao, W., *see* Wang, Z., *TPEL Sept. 2025 13142-13156*
Zhao, W., *see* Wang, C., *TPEL Nov. 2025 16243-16254*
Zhao, X., *see* Li, P., *TPEL Jan. 2025 1498-1507*
Zhao, X., *see* Liao, Z., *TPEL Jan. 2025 1991-2004*
Zhao, X., *see* Qu, H., *TPEL Feb. 2025 3490-3504*
Zhao, X., *see* Liu, Q., *TPEL Feb. 2025 2971-2986*
Zhao, X., *see* Liu, Y., *TPEL May 2025 6476-6491*
Zhao, X., Nguyen, T., Burgos, R., and Dong, D., Novel Current Sensor Based on Parasitic Inductance With Adaptive Compensation for Parasitic Resistance; *TPEL May 2025 6403-6412*
Zhao, X., *see* Li, B., *TPEL Aug. 2025 11598-11615*
Zhao, X., *see* Wei, J., *TPEL Oct. 2025 15030-15041*
Zhao, X., Liu, Q., Ma, J., Zhang, K., Peng, J., and He, Y., Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles; *TPEL Nov. 2025 17073-17090*
Zhao, Y., *see* Zhang, Y., *TPEL Jan. 2025 1645-1653*
Zhao, Y., Wang, Z., Wang, J., Tang, Y., Ji, B., Chen, C., and Li, G., Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges; *TPEL Feb. 2025 2651-2667*
Zhao, Y., *see* Wen, H., *TPEL Feb. 2025 3090-3111*
Zhao, Y., *see* Fang, Z., *TPEL March 2025 3873-3884*
Zhao, Y., *see* Yang, L., *TPEL April 2025 6359-6369*
Zhao, Y., *see* Xiao, H., *TPEL May 2025 7573-7585*
Zhao, Y., *see* Liu, Z., *TPEL July 2025 8911-8916*
Zhao, Y., *see* Zhang, D., *TPEL Aug. 2025 11820-11835*
Zhao, Y., *see* Mei, Y., *TPEL Aug. 2025 11107-11116*
Zhao, Y., *see* Jin, S., *TPEL Aug. 2025 10299-10312*
Zhao, Y., *see* Hou, L., *TPEL Aug. 2025 10543-10554*
Zhao, Y., *see* Ren, J., *TPEL Oct. 2025 14974-14984*
Zhao, Y., Lin, X., Dajaku, G., Gerling, D., and Xie, W., A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed; *TPEL Oct. 2025 15808-15819*
Zhao, Y., *see* Wang, D., *TPEL Oct. 2025 15329-15338*
Zhao, Y., *see* Darvish, P., *TPEL Oct. 2025 15976-16003*
Zhao, Y., *see* Fu, Y., *TPEL Nov. 2025 16572-16586*
Zhao, Y., *see* Farnell, C., *TPEL Dec. 2025 18437-18447*
Zhao, Y., *see* Fu, Y., *TPEL Dec. 2025 17958-17971*
Zhao, Z., *see* Jie, H., *TPEL Jan. 2025 920-943*
Zhao, Z., *see* Ji, S., *TPEL Jan. 2025 2158-2169*
Zhao, Z., *see* Li, H., *TPEL April 2025 5252-5264*
Zhao, Z., *see* Du, H., *TPEL May 2025 7215-7226*
Zhao, Z., *see* Yang, M., *TPEL June 2025 8016-8035*
Zhao, Z., *see* Jie, H., *TPEL July 2025 9329-9342*
Zhao, Z., *see* Xiao, Y., *TPEL Sept. 2025 12123-12142*
Zhao, Z., *see* Zhang, L., *TPEL Sept. 2025 12154-12166*
Zhao, Z., *see* Zhan, L., *TPEL Sept. 2025 11979-11984*
Zhao, Z., *see* Jia, S., *TPEL Oct. 2025 14259-14264*
Zheng, C., Xie, M., Dong, X., Gong, Z., Dragicevic, T., and Rodriguez, J., Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter; *TPEL Jan. 2025 1872-1885*
Zheng, C., *see* Wu, X., *TPEL Feb. 2025 3684-3696*
Zheng, C., *see* Deng, G., *TPEL Oct. 2025 14425-14436*
Zheng, D., *see* Yang, F., *TPEL July 2025 9649-9659*
Zheng, F., Liang, B., Cui, X., Li, X., and Qi, L., Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions; *TPEL Feb. 2025 3112-3128*
Zheng, F., *see* Liang, B., *TPEL Aug. 2025 10635-10648*
Zheng, F., *see* Pan, W., *TPEL Sept. 2025 14159-14168*
Zheng, G., *see* Li, C., *TPEL Feb. 2025 3262-3274*
Zheng, H., *see* Gong, J., *TPEL May 2025 6847-6859*
Zheng, H., *see* Liang, Y., *TPEL Dec. 2025 17563-17568*
Zheng, J., Liu, J., Hu, R., Yang, N., Li, Y., Zeng, J., Ge, W., and Yan, Z., A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit; *TPEL June 2025 7657-7662*
Zheng, K., Ren, J., and Zhong, W., A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems; *TPEL Feb. 2025 3785-3797*
Zheng, K., *see* Lin, S., *TPEL May 2025 6898-6907*
Zheng, L., *see* Liu, Z., *TPEL March 2025 4536-4545*
Zheng, L., *see* Tian, Y., *TPEL May 2025 6860-6873*
Zheng, L., *see* Liu, Z., *TPEL July 2025 10265*
Zheng, L., *see* Xia, S., *TPEL Aug. 2025 11407-11415*
Zheng, L., *see* Liu, Z., *TPEL Sept. 2025 14014-14026*
Zheng, M., *see* Wang, H., *TPEL July 2025 9811-9823*
Zheng, M., *see* Zou, Z., *TPEL Nov. 2025 16379-16394*
Zheng, P., *see* Lang, J., *TPEL Jan. 2025 340-350*
Zheng, R., *see* Deng, C., *TPEL June 2025 7967-7979*
Zheng, S., *see* Mao, K., *TPEL Oct. 2025 14651-14661*
Zheng, T.Q., *see* Liu, Y., *TPEL Aug. 2025 10957-10972*
Zheng, T.Q., *see* Zhang, Z., *TPEL Dec. 2025 18421-18436*
Zheng, W., *see* Zhou, C., *TPEL Sept. 2025 12204-12214*
Zheng, W.X., *see* Xu, S., *TPEL June 2025 8631-8647*
Zheng, X., Hu, J., Liu, X., He, Y., Li, W., Zhou, Y., and He, L., Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem; *TPEL May 2025 6787-6800*
Zheng, X., *see* Cheng, C., *TPEL June 2025 7663-7667*
Zheng, X., Hang, L., Tang, S., Chen, Y., He, Y., Li, G., and Tong, A., A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit; *TPEL July 2025 9685-9698*
Zheng, Y., *see* Tian, Y., *TPEL Jan. 2025 1346-1358*
Zheng, Y., *see* Lang, J., *TPEL Jan. 2025 340-350*
Zheng, Y., Zhou, Y., Xie, R., Mao, X., Chen, X., Cheng, X., and Zhang, Y., A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems; *TPEL May 2025 6459-6463*
Zheng, Z., Lv, J., Yan, Y., Liu, J., Chen, C., and Kang, Y., A 2.5D Multichip SiC MOSFET Power Module With Low Parasitic Inductance and High Dynamic Current Sharing Performance; *TPEL Jan. 2025 1542-1553*
Zheng, Z., *see* Pang, J., *TPEL Jan. 2025 1936-1951*
Zheng, Z., *see* Zhang, X., *TPEL April 2025 5080-5093*
Zheng, Z., *see* Xu, S., *TPEL June 2025 8631-8647*
Zheng, Z., *see* Zhao, G., *TPEL Aug. 2025 11809-11819*

Zheng, Z., *see* Liu, K., *TPEL Sept. 2025 13805-13821*
Zheng, Z., *see* Zhang, X., *TPEL Nov. 2025 16525-16537*
Zheng, Z., *see* Liu, B., *TPEL Dec. 2025 17619-17636*
Zheng, Z., *see* He, Y., *TPEL Dec. 2025 18365-18377*
Zhi, S., *see* Wang, L., *TPEL Aug. 2025 10649-10660*
Zhi, S., *see* Yan, Y., *TPEL Oct. 2025 14415-14424*
Zhi, X., *see* Zhang, T., *TPEL Feb. 2025 3810-3820*
Zhong, B., *see* Tan, K., *TPEL June 2025 7754-7764*
Zhong, C., *see* Cheng, Z., *TPEL April 2025 4984-4996*
Zhong, H., *see* Xiang, D., *TPEL Jan. 2025 1577-1588*
Zhong, K., Liu, Z., Tian, J., Fan, C., Li, M., Wang, Y., Liu, X., and Wang, P., Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network; *TPEL Sept. 2025 13741-13751*
Zhong, W., *see* Zheng, K., *TPEL Feb. 2025 3785-3797*
Zhong, W., *see* Huang, T., *TPEL May 2025 7549-7559*
Zhong, X., *see* Tang, L., *TPEL May 2025 6921-6932*
Zhong, Y., *see* Liu, S., *TPEL Aug. 2025 10456-10468*
Zhong, Y., *see* Deng, E., *TPEL Oct. 2025 14949-14961*
Zhong, Y., *see* Zhang, X., *TPEL Nov. 2025 16979-16994*
Zhong, Z., *see* Xu, B., *TPEL Sept. 2025 13659-13672*
Zhou, B., *see* Xiong, L., *TPEL Feb. 2025 3441-3455*
Zhou, B., *see* Lu, Y., *TPEL March 2025 4324-4334*
Zhou, B., *see* Zhou, X., *TPEL July 2025 9223-9233*
Zhou, B., *see* Hao, Y., *TPEL Sept. 2025 12488-12498*
Zhou, C., Zhang, Y., Yang, H., and Zheng, W., An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives; *TPEL Sept. 2025 12204-12214*
Zhou, C., *see* Mao, K., *TPEL Oct. 2025 14651-14661*
Zhou, D., *see* Xu, S., *TPEL Feb. 2025 3657-3669*
Zhou, D., Wang, Z., Xin, G., Shi, X., and Kang, Y., An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor; *TPEL Feb. 2025 2702-2707*
Zhou, D., *see* Lai, A., *TPEL June 2025 8847-8858*
Zhou, D., *see* Liu, Z., *TPEL July 2025 10265*
Zhou, D., *see* Liu, L., *TPEL Aug. 2025 11552-11563*
Zhou, D., *see* Luo, K., *TPEL Aug. 2025 10705-10716*
Zhou, D., *see* Zhang, J., *TPEL Aug. 2025 10433-10442*
Zhou, D., *see* Deng, Z., *TPEL Sept. 2025 13448-13458*
Zhou, D., *see* Liu, Z., *TPEL Sept. 2025 14014-14026*
Zhou, D., *see* Shi, X., *TPEL Oct. 2025 15450-15465*
Zhou, D., *see* Fu, X., *TPEL Nov. 2025 16146-16157*
Zhou, D., *see* Jiang, S., *TPEL Nov. 2025 17426-17437*
Zhou, D., Liu, S., Tan, J., Zou, J., and Liu, X., Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles; *TPEL Dec. 2025 18448-18460*
Zhou, D.H., and Chen, M., Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics; *TPEL May 2025 6578-6592*
Zhou, F., *see* Jiang, Y., *TPEL Jan. 2025 435-450*
Zhou, F., *see* Li, J., *TPEL Jan. 2025 588-598*
Zhou, F., *see* Niu, F., *TPEL Feb. 2025 3530-3542*
Zhou, F., *see* Fu, S., *TPEL Feb. 2025 3697-3709*
Zhou, F., *see* Chen, X., *TPEL Sept. 2025 12242-12256*
Zhou, F., *see* Wang, X., *TPEL Dec. 2025 17738-17749*
Zhou, G., *see* Mo, N., *TPEL Jan. 2025 406-421*
Zhou, G., *see* Wang, Y., *TPEL Sept. 2025 12634-12647*
Zhou, G., *see* Tian, Q., *TPEL Sept. 2025 13686-13702*
Zhou, G., *see* Mo, N., *TPEL Oct. 2025 15504-15518*
Zhou, H., *see* Pang, Y., *TPEL April 2025 5384-5399*
Zhou, H., *see* Zhang, Y., *TPEL April 2025 4711-4715*
Zhou, H., *see* Hao, Y., *TPEL July 2025 9418-9428*
Zhou, H., *see* Chen, H., *TPEL Sept. 2025 12167-12190*
Zhou, H., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Zhou, H., and Xiang, Q., A Novel Class-E Quasi-Constant Transconductance Rectifier; *TPEL Oct. 2025 14289-14294*
Zhou, J., Yang, J., Song, D., Zhang, Y., Gao, S., and Dong, M., Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame; *TPEL Jan. 2025 1862-1871*
Zhou, J., *see* Zhang, J., *TPEL Jan. 2025 1198-1214*
Zhou, J., *see* Zhang, B., *TPEL Jan. 2025 2593-2603*
Zhou, J., *see* Wu, Y., *TPEL Feb. 2025 3043-3061*
Zhou, J., Huang, Y., Peng, F., and Yao, Y., Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives; *TPEL Feb. 2025 2916-2929*
Zhou, J., *see* Gao, L., *TPEL March 2025 3885-3898*
Zhou, J., *see* Wang, Y., *TPEL April 2025 4938-4951*
Zhou, J., *see* Zhang, J., *TPEL April 2025 5265-5278*
Zhou, J., *see* Zhang, Z., *TPEL April 2025 5147-5162*
Zhou, J., *see* Chen, J., *TPEL April 2025 5423-5439*
Zhou, J., *see* Dong, M., *TPEL June 2025 8812-8823*
Zhou, J., *see* Wang, X., *TPEL July 2025 10165-10175*
Zhou, J., *see* Dong, M., *TPEL Aug. 2025 11001-11011*
Zhou, J., *see* Li, K., *TPEL Oct. 2025 14585-14597*
Zhou, J., *see* Qiu, H., *TPEL Oct. 2025 15820-15834*
Zhou, J., *see* Wu, Q., *TPEL Nov. 2025 16105-16110*
Zhou, J., *see* Paul, K.C., *TPEL Dec. 2025 18189-18201*
Zhou, L., *see* Wang, D., *TPEL Jan. 2025 1135-1152*
Zhou, L., *see* Liu, Y., *TPEL May 2025 6476-6491*
Zhou, L., Silverman, N., and Preindl, M., Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters; *TPEL May 2025 6529-6538*
Zhou, M., Liu, C., Xie, R., Zhuang, Y., Mao, X., and Zhang, Y., A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications; *TPEL Jan. 2025 1508-1518*
Zhou, M., *see* Qu, H., *TPEL Feb. 2025 3490-3504*
Zhou, M., *see* Ren, Q., *TPEL Feb. 2025 3469-3489*
Zhou, M., *see* Shuai, Y., *TPEL Oct. 2025 14560-14570*
Zhou, P., *see* Chen, Q., *TPEL Feb. 2025 3138-3149*
Zhou, P., *see* Zhang, Y., *TPEL June 2025 7727-7739*
Zhou, P., *see* Chen, Q., *TPEL Dec. 2025 18027-18039*
Zhou, Q., *see* Bai, L., *TPEL March 2025 4131-4141*
Zhou, Q., *see* Dong, X., *TPEL Sept. 2025 11951-11956*
Zhou, R., *see* Cao, B., *TPEL June 2025 7646-7650*
Zhou, S., *see* Zhang, Z., *TPEL Jan. 2025 118-123*
Zhou, S., *see* Liu, C., *TPEL Feb. 2025 2668-2673*
Zhou, S., *see* Gao, L., *TPEL March 2025 3885-3898*
Zhou, S., *see* Yin, Z., *TPEL May 2025 6753-6770*
Zhou, S., *see* Lin, T., *TPEL Aug. 2025 11355-11368*
Zhou, S., *see* Tian, Q., *TPEL Sept. 2025 13686-13702*
Zhou, S., *see* Zhang, X., *TPEL Sept. 2025 13730-13740*
Zhou, W., *see* Zhang, Y., *TPEL Jan. 2025 87-91*
Zhou, W., *see* Pang, J., *TPEL Jan. 2025 1936-1951*
Zhou, W., Yang, X., Huang, X., Li, P., Wu, J., Chen, W., and Wang, K., A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification; *TPEL Feb. 2025 2715-2720*
Zhou, W., *see* Gu, Y., *TPEL Aug. 2025 11076-11087*
Zhou, W., You, J., Peng, H., and Zhang, L., Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor; *TPEL Aug. 2025 11143-11156*
Zhou, W., *see* Zhang, Z., *TPEL Aug. 2025 10324-10329*
Zhou, X., *see* Peng, H., *TPEL May 2025 6539-6554*
Zhou, X., *see* Tian, Y., *TPEL May 2025 6860-6873*
Zhou, X., *see* Wen, H., *TPEL May 2025 7586-7598*
Zhou, X., Xu, J., Sun, Y., Niu, S., Zhou, B., and Zhang, L., Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation; *TPEL July 2025 9223-9233*
Zhou, X., Gao, X., Li, D., and Zhu, C., A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding; *TPEL July 2025 10209-10220*
Zhou, X., *see* Li, X., *TPEL Aug. 2025 11673-11689*
Zhou, X., *see* Luo, K., *TPEL Aug. 2025 10705-10716*
Zhou, X., *see* Liu, S., *TPEL Aug. 2025 10456-10468*

Zhou, X., *see* Wang, Z., *TPEL Sept. 2025 13615-13631*
Zhou, X., Song, C., Song, H., Gao, D., Zhao, H., and Zhang, N., Study on Leakage Magnetic Field Shielding Method for Electric Vehicle High-Power Wireless Charging System Under Transverse Offset Working Condition; *TPEL Sept. 2025 14050-14060*
Zhou, Y., *see* Zhu, Y., *TPEL Jan. 2025 1023-1034*
Zhou, Y., Zhu, D., Hu, J., Zou, X., and Kang, Y., Phase Step Control in PLL of DFIG-Based Wind Turbines for Ultrafast Frequency Support; *TPEL Jan. 2025 51-56*
Zhou, Y., Zhu, D., Hu, J., Zou, X., and Kang, Y., Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics; *TPEL April 2025 6177-6191*
Zhou, Y., *see* Yang, J., *TPEL April 2025 5907-5921*
Zhou, Y., *see* Guo, X., *TPEL May 2025 6429-6435*
Zhou, Y., *see* Zheng, Y., *TPEL May 2025 6459-6463*
Zhou, Y., *see* Zheng, X., *TPEL May 2025 6787-6800*
Zhou, Y., *see* Luo, L., *TPEL Aug. 2025 11452-11466*
Zhou, Y., *see* Wang, H., *TPEL Sept. 2025 11963-11968*
Zhou, Y., *see* Li, Z., *TPEL Sept. 2025 12779-12793*
Zhou, Y., *see* Guo, X., *TPEL Sept. 2025 13673-13685*
Zhou, Y., Nie, Z., Peng, L., Zou, X., Sun, J., Song, L., and Li, H., Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives; *TPEL Oct. 2025 14626-14637*
Zhou, Y., Yan, L., Wei, X., and Hamad, M.S., Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters; *TPEL Nov. 2025 16483-16497*
Zhou, Z., *see* Zhang, Y., *TPEL Jan. 2025 1645-1653*
Zhou, Z., *see* Xin, Z., *TPEL Jan. 2025 2126-2138*
Zhou, Z., *see* Wu, Y., *TPEL Feb. 2025 3043-3061*
Zhou, Z., Liu, Z., Wang, X., and Liu, J., Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters; *TPEL June 2025 7904-7918*
Zhou, Z., *see* Wu, Y., *TPEL July 2025 10059-10076*
Zhou, Z., Wang, J., and Geng, Q., Relative Coupling EMPC for High-Precision Contouring Control in Multiaxis Motion Systems With Sensorless Operation Enabled by Kalman Filter; *TPEL Sept. 2025 12463-12474*
Zhou, Z., *see* Lu, M., *TPEL Sept. 2025 12055-12060*
Zhou, Z., *see* Huang, D., *TPEL Dec. 2025 17575-17581*
Zhou, Z., and Yang, H., Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection; *TPEL Dec. 2025 17803-17820*
Zhu, C., *see* Zhang, T., *TPEL Feb. 2025 3810-3820*
Zhu, C., *see* Zhou, X., *TPEL July 2025 10209-10220*
Zhu, C., *see* Zhang, T., *TPEL Oct. 2025 14265-14270*
Zhu, C., *see* Dong, S., *TPEL Oct. 2025 16022-16031*
Zhu, C., *see* Zhang, B., *TPEL Nov. 2025 16096-16099*
Zhu, D., *see* Ma, Y., *TPEL Jan. 2025 76-81*
Zhu, D., *see* Zhou, Y., *TPEL Jan. 2025 51-56*
Zhu, D., *see* Li, L., *TPEL Feb. 2025 2697-2701*
Zhu, D., *see* Zhou, Y., *TPEL April 2025 6177-6191*
Zhu, D., *see* Yang, L., *TPEL April 2025 6359-6369*
Zhu, D., *see* Guo, X., *TPEL May 2025 6429-6435*
Zhu, D., *see* Jiang, L., *TPEL June 2025 7936-7953*
Zhu, D., *see* Huang, Z., *TPEL Aug. 2025 10313-10323*
Zhu, D., *see* Guo, X., *TPEL Sept. 2025 13673-13685*
Zhu, F., *see* Zhang, Z., *TPEL Dec. 2025 17726-17737*
Zhu, G., *see* Wang, P., *TPEL May 2025 6726-6739*
Zhu, G., Zhang, S., Deng, Z., Wang, J., Li, Y., Dong, J., and Bauer, P., Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging; *TPEL July 2025 10095-10110*
Zhu, G., *see* Zhao, W., *TPEL July 2025 9699-9708*
Zhu, G., *see* Mei, Y., *TPEL Aug. 2025 11107-11116*
Zhu, G., *see* He, Y., *TPEL Oct. 2025 14331-14336*
Zhu, H., Zhu, J., Jiang, D., Mao, B., and Liu, Y., Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO; *TPEL Jan. 2025 716-726*
Zhu, H., *see* Zhuang, Y., *TPEL July 2025 9933-9943*
Zhu, H., *see* Wu, T., *TPEL Aug. 2025 10836-10845*
Zhu, H., *see* Shen, L., *TPEL Aug. 2025 10672-10681*
Zhu, H., and Li, J., Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network; *TPEL Sept. 2025 12998-13006*
Zhu, H., Wu, X., Xiong, F., and Tahir, M., Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices; *TPEL Sept. 2025 14169-14180*
Zhu, H., Li, X., Liu, Z., Liu, Y., and Sun, X., Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance; *TPEL Oct. 2025 14374-14387*
Zhu, J., *see* Zhu, H., *TPEL Jan. 2025 716-726*
Zhu, J., Liu, Z., Yang, X., Wu, L., Liu, F., He, S., and Wei, T., A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications; *TPEL Feb. 2025 2708-2714*
Zhu, J., *see* Zhao, M., *TPEL Feb. 2025 3189-3209*
Zhu, J., *see* Guo, Z., *TPEL April 2025 4762-4766*
Zhu, J., *see* Zhang, X., *TPEL April 2025 5080-5093*
Zhu, J., *see* Yuan, H., *TPEL July 2025 9289-9300*
Zhu, J., *see* Huang, Q., *TPEL July 2025 9625-9637*
Zhu, J., Wu, H., Yang, J., Wei, Y., He, J., and Xing, Y., A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion; *TPEL Aug. 2025 11064-11075*
Zhu, J., *see* Shi, H., *TPEL Oct. 2025 15316-15328*
Zhu, J., *see* Wu, Z., *TPEL Oct. 2025 15491-15503*
Zhu, J., *see* Zhang, X., *TPEL Nov. 2025 16525-16537*
Zhu, J., *see* Du, B., *TPEL Nov. 2025 17172-17185*
Zhu, J., *see* Du, B., *TPEL Nov. 2025 17186-17202*
Zhu, K., *see* Yan, X., *TPEL Oct. 2025 14388-14400*
Zhu, L., *see* Chen, W., *TPEL Jan. 2025 638-651*
Zhu, L., *see* Liu, Z., *TPEL April 2025 5609-5621*
Zhu, L., *see* Dang, Y., *TPEL April 2025 5566-5582*
Zhu, L., *see* Zhao, J., *TPEL June 2025 8416-8429*
Zhu, L., *see* Liu, Z., *TPEL Sept. 2025 13126-13141*
Zhu, L., *see* Zhai, Y., *TPEL Sept. 2025 14099-14109*
Zhu, L., *see* Tang, Y., *TPEL Oct. 2025 14459-14477*
Zhu, L., *see* Dang, Y., *TPEL Oct. 2025 14785-14796*
Zhu, M., *see* Ma, J., *TPEL May 2025 7398-7413*
Zhu, M., *see* Yang, F., *TPEL July 2025 9357-9369*
Zhu, M., *see* Shen, X., *TPEL Oct. 2025 15545-15561*
Zhu, P., *see* Huang, X., *TPEL Dec. 2025 18461-18473*
Zhu, Q., *see* Xiong, W., *TPEL July 2025 10176-10188*
Zhu, R., *see* Li, C., *TPEL March 2025 4034-4050*
Zhu, R., *see* Peng, H., *TPEL May 2025 6539-6554*
Zhu, R., *see* Leng, Y., *TPEL June 2025 7954-7966*
Zhu, R., *see* Huang, Z., *TPEL Aug. 2025 11787-11798*
Zhu, R., *see* Li, J., *TPEL Oct. 2025 14222-14227*
Zhu, R., *see* Leng, Y., *TPEL Oct. 2025 15292-15305*
Zhu, S., *see* Li, H., *TPEL Feb. 2025 2822-2832*
Zhu, S., *see* Guan, J., *TPEL June 2025 8328-8343*
Zhu, S., *see* Yu, H., *TPEL Oct. 2025 14496-14507*
Zhu, S., *see* Chai, Z., *TPEL Nov. 2025 16431-16442*
Zhu, W., *see* Wu, Z., *TPEL Jan. 2025 279-289*
Zhu, W., *see* Yu, K., *TPEL March 2025 4020-4033*
Zhu, W., *see* Komiyama, Y., *TPEL Nov. 2025 16822-16836*
Zhu, W., *see* Yu, K., *TPEL Dec. 2025 17750-17760*
Zhu, X., *see* Xie, W., *TPEL Jan. 2025 1441-1456*
Zhu, X., *see* Li, H., *TPEL Jan. 2025 2342-2354*
Zhu, X., *see* Wang, Y., *TPEL Jan. 2025 1974-1990*
Zhu, X., *see* Zhang, H., *TPEL July 2025 9370-9387*
Zhu, X., *see* Chen, Z., *TPEL July 2025 10027-10037*
Zhu, X., *see* Chen, J., *TPEL Aug. 2025 10443-10455*
Zhu, X., *see* Ma, C., *TPEL Sept. 2025 13035-13049*
Zhu, X., *see* Yu, K., *TPEL Oct. 2025 14733-14745*

Zhu, X., Huang, P., Zhang, H., Wang, Y., Wei, R., Wang, N., Li, Y., and Chen, Z., Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids; *TPEL Nov. 2025 16728-16739*
Zhu, Y., Zhou, Y., Du, Y., and Liu, H., A Novel Full-Bridge Boost LCL-Type DC/DC Converter With a Constant Off-Time: Analysis, Design, and Experimental Results; *TPEL Jan. 2025 1023-1034*
Zhu, Y., *see* Pang, Y., *TPEL April 2025 5384-5399*
Zhu, Y., *see* Xu, T., *TPEL April 2025 4969-4983*
Zhu, Y., *see* Liu, W., *TPEL June 2025 8380-8394*
Zhu, Y., *see* Jiang, S., *TPEL July 2025 8886-8898*
Zhu, Y., *see* Dai, L., *TPEL Aug. 2025 11701-11714*
Zhu, Y., *see* Pang, Y., *TPEL Aug. 2025 11032-11050*
Zhu, Y., *see* Liu, Y., *TPEL Sept. 2025 13632-13642*
Zhu, Y., *see* Sun, B., *TPEL Sept. 2025 13246-13259*
Zhu, Y., *see* Pang, Y., *TPEL Sept. 2025 13415-13433*
Zhu, Y., *see* Wang, S., *TPEL Nov. 2025 16352-16366*
Zhu, Z., Wei, X., Yu, F., and Zhang, Z., Overmodulatable Parameter-Free Predictive Current Control for PMSMs; *TPEL Jan. 2025 1774-1786*
Zhu, Z., *see* Cheng, X., *TPEL July 2025 10049-10058*
Zhu, Z., *see* Li, H., *TPEL July 2025 9840-9852*
Zhu, Z., *see* Wang, X., *TPEL Aug. 2025 10816-10823*
Zhu, Z., *see* Wu, Q., *TPEL Nov. 2025 16105-16110*
Zhu, Z.Q., *see* Song, P., *TPEL March 2025 3824-3829*
Zhuang, C., *see* Shi, Q., *TPEL June 2025 8168-8178*
Zhuang, K., *see* Hu, G., *TPEL Jan. 2025 2355-2370*
Zhuang, S., *see* Du, H., *TPEL May 2025 7215-7226*
Zhuang, Y., *see* Zhou, M., *TPEL Jan. 2025 1508-1518*
Zhuang, Y., *see* Tang, H., *TPEL March 2025 4630-4639*
Zhuang, Y., *see* Wu, Y., *TPEL April 2025 6334-6344*
Zhuang, Y., *see* Pan, W., *TPEL April 2025 6272-6281*
Zhuang, Y., Liu, F., Zhu, H., Diao, X., Zhang, Y., and Sun, Y., Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters; *TPEL July 2025 9933-9943*
Zhuang, Y., *see* Yu, X., *TPEL Sept. 2025 11998-12002*
Zhuang, Y., *see* Wang, J., *TPEL Nov. 2025 16696-16703*
Zhuge, H., Zou, Y., Zhang, L., Shen, X., and Yang, K., Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters; *TPEL Dec. 2025 18305-18317*
Zhuo, F., *see* Jiang, X., *TPEL Feb. 2025 2860-2873*
Zhuo, F., *see* Zhang, Z., *TPEL April 2025 5922-5938*
Zhuo, S., Ma, Y., Zhang, R., Huangfu, Y., and Gao, F., Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System; *TPEL July 2025 9853-9863*
Zigliotto, M., *see* De Martin, I.D., *TPEL Sept. 2025 12393-12401*
Zong, J., *see* Cheng, Y., *TPEL May 2025 7029-7041*
Zong, X., *see* Gao, L., *TPEL Nov. 2025 16837-16852*
Zong, Y., *see* Cui, W., *TPEL Nov. 2025 16596-16610*
Zou, B., Huang, Z., Iam, I., and Lam, C., Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System; *TPEL May 2025 7500-7511*
Zou, C., *see* Jin, S., *TPEL Aug. 2025 10299-10312*
Zou, G., *see* Zeng, Y., *TPEL May 2025 6566-6577*
Zou, G., *see* Guo, Z., *TPEL Nov. 2025 17105-17123*
Zou, H., *see* Zhang, X., *TPEL Nov. 2025 16525-16537*
Zou, J., *see* Xu, Y., *TPEL Jan. 2025 1622-1635*
Zou, J., *see* Lai, A., *TPEL June 2025 8847-8858*
Zou, J., *see* Liu, L., *TPEL Aug. 2025 11552-11563*
Zou, J., *see* Luo, K., *TPEL Aug. 2025 10705-10716*
Zou, J., *see* Zhang, J., *TPEL Aug. 2025 10433-10442*
Zou, J., *see* Li, B., *TPEL Sept. 2025 12295-12308*
Zou, J., *see* Zhang, T., *TPEL Sept. 2025 11928-11933*
Zou, J., Fang, S., and Wang, J., Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes; *TPEL Oct. 2025 14547-14559*
Zou, J., *see* Fu, X., *TPEL Nov. 2025 16146-16157*
Zou, J., *see* Zhou, D., *TPEL Dec. 2025 18448-18460*
Zou, M., *see* Wang, Y., *TPEL Jan. 2025 862-878*
Zou, M., *see* Sun, P., *TPEL March 2025 4112-4130*
Zou, M., *see* Gong, J., *TPEL May 2025 6847-6859*
Zou, M., Meng, L., Nie, J., Li, J., Li, L., Lv, X., Zhang, C., Xie, X., and Shu, Z., The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter; *TPEL Aug. 2025 11583-11597*
Zou, M., *see* Wang, Y., *TPEL Oct. 2025 14478-14495*
Zou, M., *see* Gong, J., *TPEL Oct. 2025 14301-14306*
Zou, M., Sun, P., Zeng, Z., Wang, Y., Gong, J., Liang, Y., and Wang, L., Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration; *TPEL Nov. 2025 16281-16299*
Zou, Q., *see* Li, H., *TPEL July 2025 9840-9852*
Zou, X., *see* Ma, Y., *TPEL Jan. 2025 76-81*
Zou, X., *see* Zhou, Y., *TPEL Jan. 2025 51-56*
Zou, X., *see* Liu, C., *TPEL Feb. 2025 2668-2673*
Zou, X., *see* Li, L., *TPEL Feb. 2025 2697-2701*
Zou, X., *see* Zhou, Y., *TPEL April 2025 6177-6191*
Zou, X., *see* Guo, X., *TPEL May 2025 6429-6435*
Zou, X., *see* Zhang, T., *TPEL Sept. 2025 11928-11933*
Zou, X., *see* Guo, X., *TPEL Sept. 2025 13673-13685*
Zou, X., *see* Zhou, Y., *TPEL Oct. 2025 14626-14637*
Zou, Y., *see* Ma, J., *TPEL May 2025 7398-7413*
Zou, Y., *see* Zhang, L., *TPEL Oct. 2025 15595-15606*
Zou, Y., *see* Zhuge, H., *TPEL Dec. 2025 18305-18317*
Zou, Z., *see* Wu, X., *TPEL Feb. 2025 3684-3696*
Zou, Z., *see* Xu, C., *TPEL May 2025 6813-6828*
Zou, Z., Zheng, M., Li, Y., and Lu, Q., Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model; *TPEL Nov. 2025 16379-16394*
Zsurzsan, T., *see* Wang, P., *TPEL Oct. 2025 15306-15315*
Zuo, C., *see* Liu, Z., *TPEL July 2025 8911-8916*
Zuo, Y., Ge, X., Zhang, S., Cao, H., Wang, H., Wang, Y., and Lee, C.H.T., Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy; *TPEL Jan. 2025 787-800*
Zuo, Y., *see* Cao, H., *TPEL Jan. 2025 801-812*
Zuo, Y., Shen, X., and Martinez, W., Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations; *TPEL March 2025 3838-3843*
Zuo, Y., *see* Shen, X., *TPEL Oct. 2025 15254-15264*
Zuo, Y., *see* Chai, Z., *TPEL Nov. 2025 16431-16442*
Zuo, Y., *see* Zhao, C., *TPEL Nov. 2025 16158-16168*
Zuo, Z., *see* Li, Y., *TPEL Nov. 2025 17488-17502*
Zurbriggen, I.G., *see* Santana, I., *TPEL Jan. 2025 551-562*
Zurbriggen, I.G., *see* Meineri, N.A., *TPEL Feb. 2025 2736-2745*
Zurbriggen, I.G., *see* Sposito, M., *TPEL Dec. 2025 18281-18291*

Subject Index

Numeric

1/f noise
Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*
2-DOF
Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*
QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*
3G mobile communication
A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*

5-DOF
Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*

III-V semiconductor materials
Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*
Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*

A

Absorption
High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*
Low-Voltage Solid State DCCB Design Based on Bypassed Bidirectional Thyristor-Capacitor Suppressor. *Moradian, M.*, +, *TPEL Jan. 2025 516-525*

AC motors
Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*

AC power transmission
General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*
Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*

AC-AC converters
A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*
A Five-Switch Single-Phase Buck–Boost AC–AC Converter With Inherent Commutation and Continuous Input Current. *Zargariafshar, D.*, +, *TPEL Feb. 2025 2726-2735*
A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*
An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*
Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*

AC-DC power converters
A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*
A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter. *Dmitruk, K.*, +, *TPEL Sept. 2025 12095-12111*
Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*
Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current. *Lee, J.*, +, *TPEL July 2025 9137-9152*
Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*
Erratum to “Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters”. *Gurudiwan, S.*, +, *TPEL Oct. 2025 16042*

Accelerometers
Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*
Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*

Accuracy
A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*
A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*
A Closed-Loop Compensated Rogowski Coil Current Sensor for Three-Phase Inverter. *Xin, Z.*, +, *TPEL Jan. 2025 2126-2138*
A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*
A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*
A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*
A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*
A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine. *Guo, Y.*, +, *TPEL Aug. 2025 10746-10757*
A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*
A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*
A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*
A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*
A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*
A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*
A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*
A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*
A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*
A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*
A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis. *Gou, B.*, +, *TPEL Feb. 2025 3505-3517*
A New PV Fed High Gain Boost-Cuk Converter Employed SRM Driven Water Pumping Scheme With IDEPSO MPPT. *Priyadarshi, N.*, +, *TPEL Jan. 2025 2371-2384*
A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*
A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*
A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*

A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control. *Zhang, Z.*, +, *TPEL Jan. 2025 118-123*
A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden. *Xu, Y.*, +, *TPEL Jan. 2025 1622-1635*
A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*
A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*
A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*
A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*
A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*
A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*
A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*
A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*
A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*
A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*
A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*
Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*
Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*
Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*
Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*
Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*
Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*
An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*
An Accurate, Universal, and Fast Time Domain Model for Different Types of Resonant Converters by Considering Parasitic Capacitors and Deadtime. *Li, Z.*, +, *TPEL Jan. 2025 1305-1321*
An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*
An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*
An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*
An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*
An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*
An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*
An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*
An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*
An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*
An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*
Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*
Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*
Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*
Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*
Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation. *Alam, M.M.*, +, *TPEL June 2025 8553-8565*
Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*
Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*
Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*
Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*
Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*
Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*
Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*
Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*
Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*
Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*
Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*
Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*
Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*
Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional

Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*

Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*

Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter. *Zhang, X.*, +, *TPEL Aug. 2025 10330-10334*

Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*

Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Fabrication-Specific Simulation of Mn-Zn Ferrite Core-Loss for Machine Learning-Based Surrogate Modeling With Limited Experimental Data. *Choi, M.*, +, *TPEL Jan. 2025 1519-1531*

Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*

Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*

Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*

Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*

Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*

Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*

Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*

HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*

High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*

High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*

High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*

High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*

Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*

History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*

Hybrid Control Strategy With Neural-Network-Assisted Synchronous Rectification for Efficient Wide-Gain *CLLC* Converter. *Cheng, Z.*, +, *TPEL Jan. 2025 389-405*

Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*

Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*

Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*

Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*

In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*

Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*

Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*

K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*

Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement. *Almeida, G.*, +, *TPEL Oct. 2025 14962-14973*

Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*

Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*

Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*

Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*

Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*

Modified Digital Current Controller for High Precision Electric Motor Emulators. *Wang, Z.*, +, *TPEL Sept. 2025 12452-12462*

Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*

Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*

Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*

Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*

Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*

Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*

Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*

Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*

Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*

On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*

On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*

Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*

Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*

Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*

Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*

Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*

Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*

Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*

Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*

PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*

Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*

Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL April 2025 4695-4700*

Relative Coupling EMPC for High-Precision Contouring Control in Multi-axis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*

Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*

Remaining Useful Lifetime Prediction Method of Power Modules Based on the Aging Characteristic Parameters. *Xie, L.*, +, *TPEL Jan. 2025 2086-2098*

Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*

Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*

Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*

Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*

Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling. *Fan, H.*, +, *TPEL May 2025 6653-6662*

Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*

Sensor Fusion-Enabled State of Charge Estimation of Smart Battery Module. *Cui, H.*, +, *TPEL Jan. 2025 2273-2283*

Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*

Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter. *Cheng, Z.*, +, *TPEL Jan. 2025 1654-1668*

Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*

Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*

Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*

Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*

Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*

Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*

Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*

Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*

Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*

Small-Signal Modeling and Comparisons of the Pulse Frequency Modulation and Time Shift Control for the *LLC* Converters. *Guo, Z.*, +, *TPEL Jan. 2025 526-539*

Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL June 2025 7668-7680*

State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*

State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*

Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*

Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*

Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*

Synchronous Vibration Control of MSCSG Based on High-Precision Closed-Loop Synchronous Rotating Frame Transformation. *Han, W.*, +, *TPEL April 2025 4793-4804*

Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*

Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*

Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*

Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*

Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*

Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*

Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*

ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

Acoustic distortion

Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*

Acoustic noise

A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*

A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*

A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*

An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*

Active circuits

Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*

Active filters

A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*

A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*

A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*

An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*

Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*

High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid. *Zhang, Y.*, +, *TPEL Sept. 2025 13490-13498*

Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*

Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*

Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*

Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*

Active matrix organic light emitting diodes

A 96.3% Efficient, 6mV_{pp} Line Transient Response Time-Based Boost Converter With Feedback-PID for AMOLED Displays. *Melillo, P.*, +, *TPEL Jan. 2025 328-339*

Actuators

Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*

Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*

Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults. *Meng, X.*, +, *TPEL Nov. 2025 16469-16482*

Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*

Adaptation models

A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*

A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*

Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*

Adaptive Coupling Reshaping Controller for Mitigating Unstable SSCI Between Renewable Energy Power Plants and Power Grids. *Liu, Z.*, +, *TPEL Feb. 2025 3610-3621*

Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*

Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*

Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*

Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*

Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*

Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*

An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*

An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*

An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*

Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*

Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*

Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*

Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters. *Cao, T.*, +, *TPEL Dec. 2025 18214-18225*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*

Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*

K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*
LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries. *Wu, X.*, +, *TPEL Sept. 2025 13514-13528*
Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*
Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model. *Yang, Z.*, +, *TPEL Aug. 2025 10783-10792*
Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*
Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*
Model-Free Predictive Control Based on Data-Driven for Fast and Accurate Power Allocation in Solid-State DC Transformers. *Kong, D.*, +, *TPEL Jan. 2025 1925-1935*
Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*
Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*
Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*
Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*
Overmodulatable Parameter-Free Predictive Current Control for PMSMs. *Zhu, Z.*, +, *TPEL Jan. 2025 1774-1786*
Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*
Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*
Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*
Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*
State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*
State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*
State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*

Adaptive control

Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*
Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*

Adaptive filters

A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*

Adaptive systems

An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*

Admittance

A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*
A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*
All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*
Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*
How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*
Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*
Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*
On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*
Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*
Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*
Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*
Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*
Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*

Admittance measurement

Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*
How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*

Aerodynamics

A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability. *Zeng, Z.*, +, *TPEL Aug. 2025 10973-10987*
A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*
Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*
Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*
Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*
Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*

Aerospace control

Advanced Technology of Switched Reluctance Machines in More Electric Aircraft: A Review. *Ge, L.*, +, *TPEL Jan. 2025 195-216*
Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*
Guest Editorial: Special Section on Drives and Control of Electric Machines in Electric and Hybrid Aircraft Applications. *Lee, C.*, +, *TPEL Nov. 2025 16129-16130*

Aerospace electronics

An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*

Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*

High Step-Down Bidirectional Multiport Converter. *Murugan, K.*, +, *TPEL Aug. 2025 10355-10360*

High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*

Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*

MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*

PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss. *Kim, T.*, +, *TPEL March 2025 4303-4313*

Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*

Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*

Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives. *Luo, K.*, +, *TPEL Aug. 2025 10705-10716*

Aging

A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*

Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*

Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*

An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*

An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*

An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*

Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*

Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*

Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*

Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*

In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*

Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*

Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*

Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*

Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*

Remaining Useful Lifetime Prediction Method of Power Modules Based on the Aging Characteristic Parameters. *Xie, L.*, +, *TPEL Jan. 2025 2086-2098*

Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*

State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*

Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*

Air gaps

A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*

A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*

Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*

Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*

Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*

Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*

Highly Efficient 800-to-48-V *LLC*-DCX With Matrix Transformer Using Side Leg Windings. *Zhang, Y.*, +, *TPEL Jan. 2025 112-117*

Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*

Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*

Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*

Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*

Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*

Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*

Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*

Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*

UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*

Aircraft

A Fault-Tolerant Control Method for Improving Input Current Half-Wave Symmetry Under Single-Switch Open-Circuit Fault of Front-End Vienna Rectifier in More-Electric Aircraft. *Yang, C.*, +, *TPEL Jan. 2025 2170-2183*

Advanced Technology of Switched Reluctance Machines in More Electric Aircraft: A Review. *Ge, L.*, +, *TPEL Jan. 2025 195-216*

An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*

Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*
Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*
Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop. *Yin, Z.*, +, *TPEL May 2025 6753-6770*
Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*
Online Harmonic Reduction for Aircraft Electrical Power Distribution System With Global Phase-Shifted Carrier PWM. *Peng, Q.*, +, *TPEL Jan. 2025 599-610*
Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*
Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*

Aircraft propulsion
Advanced Technology of Switched Reluctance Machines in More Electric Aircraft: A Review. *Ge, L.*, +, *TPEL Jan. 2025 195-216*
Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*
Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*
Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*

Aluminum nitride
Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*
Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*

Amorphous magnetic materials
Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*
Modeling Amorphous-Core Inductors up to Magnetic Saturation. *Ravera, A.*, +, *TPEL Jan. 2025 1563-1576*

Amplitude modulation
Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*
Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*
Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*
UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*

Analog-digital conversion
An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*

Analytical models
A Brief Review of SiC MOSFET Transient Analytical Modeling Methods: Principles, Current Status, and Parameters Modeling. *Wang, L.*, +, *TPEL April 2025 5177-5189*
A Digital Real-Time Computation Algorithm Utilizing Time-Domain Analytic Model for Bidirectional CLLC Synchronous Rectifier in 6.6-kW 300-kHz SiC Portable EV Chargers. *Li, H.*, +, *TPEL Jan. 2025 2342-2354*
A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*
A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*
A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*
A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*
A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*
A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*
A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*
A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*
A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*
A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*
Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*
Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*
An Accurate, Universal, and Fast Time Domain Model for Different Types of Resonant Converters by Considering Parasitic Capacitors and Deadtime. *Li, Z.*, +, *TPEL Jan. 2025 1305-1321*
An Efficient Switching Transient Analytical Model for P-GaN Gate HEMTs With Dynamic $C_G(V_{DS}, V_{GS})$. *Du, J.*, +, *TPEL Jan. 2025 2139-2148*
An Extended Impedance Model for Power Electronics Converters Retaining Explicit Synchronization Dynamics. *Hu, G.*, +, *TPEL Jan. 2025 2355-2370*
An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*
Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*
Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*
Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*
Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*
Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*
Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*
Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*
Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*
Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit. *Luo, C.*, +, *TPEL Jan. 2025 2472-2483*
Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*
Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*
Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*

Effects of Modulator-Injected Zero-Sequence Signals on System Stability in Three-Phase Voltage Source Converters. *Jiang, Y.*, +, *TPEL Jan. 2025 435-450*

Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*

Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*

Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*

High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*

How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*

Hybrid Control Strategy With Neural-Network-Assisted Synchronous Rectification for Efficient Wide-Gain *CLLC* Converter. *Cheng, Z.*, +, *TPEL Jan. 2025 389-405*

Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*

Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*

Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*

Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*

Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*

Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*

Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*

Model-Free Predictive Control Based on Data-Driven for Fast and Accurate Power Allocation in Solid-State DC Transformers. *Kong, D.*, +, *TPEL Jan. 2025 1925-1935*

Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*

Modeling and Analysis of MHz-Frequency PRC- *C*+*L*+*C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*

Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*

Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*

Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*

Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*

Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*

Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*

Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*

Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*

Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*

Performance-Based Experimental Characterization and Maximum Efficiency Point Detection of Power Inductors. *Femia, N.*, +, *TPEL Jan. 2025 1532-1541*

Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*

Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*

Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*

Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*

Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*

Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*

Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*

Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*

Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*

Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*

Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*

Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*

Stability Criterion for Near-Area Grid-Forming Converters Under the Weak Grid Condition. *Wang, P.*, +, *TPEL Jan. 2025 361-374*

Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*

Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*

Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation. *Ma, X.*, +, *TPEL March 2025 4289-4302*

Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*

Anisotropic

Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*

Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*

Anisotropic magnetoresistance
A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*
Annealing
Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*
Anodes
Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*
Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*
Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*
Arresters
A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*
Artificial intelligence
A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*
A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*
A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*
Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*
An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*
Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*
Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*
Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*
Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method. *Xu, B.*, +, *TPEL Sept. 2025 13659-13672*
On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*
Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*
Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*
Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*
Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*
Artificial neural networks
A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*
Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*
Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*
Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*
Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*
Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*
Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*
Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*
Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*
State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*
Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters. *Chen, S.*, +, *TPEL Feb. 2025 3020-3032*
Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*
Assembly
A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*
A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*
Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*
Asymptotic stability
Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*
Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control. *Wei, Z.*, +, *TPEL Dec. 2025 17776-17788*
Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*
Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*
Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*
Atmospheric modeling
A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*
Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*
Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*
FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*
Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*
Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*
Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*

Attenuation
A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*
A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*
A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*
A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*
Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*
Attitude control
Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*
Australia
Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters. *Chen, S.*, +, *TPEL Feb. 2025 3020-3032*
Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*
Autoencoders
A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*
Automatic voltage control
A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*
ANPC-Waveshaper-Based Medium-Voltage STATCOM With Natural Capacitor Voltage Balancing During Negative-Sequence Current Compensation. *Pillai, S.K.*, +, *TPEL Jan. 2025 1051-1063*
Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*
Diagnosis and Ride Through of Single-Switch Open-Circuit Fault in Low-Capacitance STATCOM. *Darvishzadeh, A.*, +, *TPEL Jan. 2025 1952-1963*
Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*
Low-Capacitance Operation and Its Hierarchical Control for STATCOM Based on T-Type Converter With MMDTC. *Liu, S.*, +, *TPEL Jan. 2025 1153-1167*
Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*
Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*
Automobiles
ANPC-Waveshaper-Based Medium-Voltage STATCOM With Natural Capacitor Voltage Balancing During Negative-Sequence Current Compensation. *Pillai, S.K.*, +, *TPEL Jan. 2025 1051-1063*
Autonomous aerial vehicles
A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*
A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*
A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*
A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*
Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*
High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*
Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*
Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*
Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*
UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*
Autoregressive processes
Model-Free Predictive Control Based on Data-Driven for Fast and Accurate Power Allocation in Solid-State DC Transformers. *Kong, D.*, +, *TPEL Jan. 2025 1925-1935*
Avalanche photodiodes
Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*
Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*

B

Backstepping
A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*
Band-pass filters
A Control to Address Issues of Synchronization and Voltage Rise in Grid Integrated Solar Photovoltaic-Battery Storage System. *Modi, G.*, +, *TPEL Jan. 2025 2385-2396*
A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*
A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*
An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*
Bandwidth
A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*
A Closed-Loop Compensated Rogowski Coil Current Sensor for Three-Phase Inverter. *Xin, Z.*, +, *TPEL Jan. 2025 2126-2138*
A Compact DC–200 MHz Hybrid Current Measurement Approach for Fast Switching Power Semiconductor Modules. *Ji, S.*, +, *TPEL Jan. 2025 2158-2169*
A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*
A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*
A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*
Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*
An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*
An IGBT Junction Temperature Estimation Method Based on Turn-Off Maximum di_C/dt With Decoupling Load Current. *Shi, Y.*, +, *TPEL Jan. 2025 2057-2069*

An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*

Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters. *Du, H.*, +, *TPEL May 2025 7215-7226*

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*

Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*

Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*

Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*

Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*

Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*

Decoupled Dead-Time Compensation Method Using Revised-Resonant Control-Based Disturbance Observer in PMSM Drives. *Lang, J.*, +, *TPEL Jan. 2025 340-350*

Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*

Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*

Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*

Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL Sept. 2025 13673-13685*

Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*

General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*

High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*

High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*

Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*

Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*

Modeling and Design of Load Current Based Adaptive Voltage Positioning (AVP) Control for Multiphase Buck Converter Using Digital Current Estimation Algorithm. *Li, L.*, +, *TPEL Jan. 2025 316-327*

Modified Digital Current Controller for High Precision Electric Motor Emulators. *Wang, Z.*, +, *TPEL Sept. 2025 12452-12462*

Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*

Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*

Novel Current Sensor Based on Parasitic Inductance With Adaptive Compensation for Parasitic Resistance. *Zhao, X.*, +, *TPEL May 2025 6403-6412*

Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*

Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*

Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*

Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*

The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*

Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*

Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*

Bars

ANPC-Waveshaper-Based Medium-Voltage STATCOM With Natural Capacitor Voltage Balancing During Negative-Sequence Current Compensation. *Pillai, S.K.*, +, *TPEL Jan. 2025 1051-1063*

Design and Characterization of Bus Bars for 1-MVA Three-Level ANPC Inverters in Aerospace Applications. *Wang, D.*, +, *TPEL Jan. 2025 1135-1152*

Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*

Batteries

A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*

A Capacity-Expandable Cascaded Multilevel Energy Storage System Based on Laminated Power Modules. *Zhang, J.*, +, *TPEL April 2025 5265-5278*

A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*

A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*

A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*

A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*

A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*

A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*

A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*

A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*

A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*

A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*

A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*

A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*

A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*

A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*

A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*

A Novel Integrated OBC and LDC System With Flux Path Reconfiguration for Electric Vehicles. *Jo, C.*, +, *TPEL Jan. 2025 2484-2494*

A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*

A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*

A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*

A Soft-Switched Multiport Converter for Distributed PV Application With Energy Storage. *Karpana, S.*, +, *TPEL Jan. 2025 2300-2314*

A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*

A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*

Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*

Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*

An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*

An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*

An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*

An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*

An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*

An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*

An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*

Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*

Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*

Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*

Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*

Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*

Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter. *Liu, L.*, +, *TPEL Aug. 2025 11552-11563*

Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*

Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*

Dual-Stage MPC for SoC Balancing in Second-Life Battery Energy Storage Systems Based on Delta-Connected Cascaded H-Bridge Converters. *Poblete, P.*, +, *TPEL Jan. 2025 500-515*

Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*

Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*

Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*

Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*

Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*

Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*

High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*

High Step-Down Bidirectional Multiport Converter. *Murugan, K.*, +, *TPEL Aug. 2025 10355-10360*

High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*

High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*

Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*

Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*

Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*

Inductive Power Transfer System With Constant Current-Constant Voltage Charging Tolerating Misalignment Based on Multiobjective Optimization for Compensation Topology. *Wang, Q.*, +, *TPEL March 2025 4581-4591*

Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*

Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System. *Li, Z.*, +, *TPEL May 2025 7315-7328*

Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*

Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*

Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method. *Xu, B.*, +, *TPEL Sept. 2025 13659-13672*

Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*
Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*
Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*
Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*
New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*
Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*
Online Battery Impedance Identification Based on Small AC Signal Injection of Inverter. *Qu, H.*, +, *TPEL Feb. 2025 3490-3504*
Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*
Optimizing PV–Battery Hybrid Systems: A Reconfigurable Approach With Module-Level Maximum-Power-Point Tracking and Load Sharing. *Jiang, W.*, +, *TPEL Jan. 2025 2327-2341*
Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*
Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*
Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*
Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*
Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*
Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*
Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*
Sensor Fusion-Enabled State of Charge Estimation of Smart Battery Module. *Cui, H.*, +, *TPEL Jan. 2025 2273-2283*
Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*
State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*
State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*
State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*
State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*
Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*
Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*
Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*
Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*
Universal Integrated Onboard Charger With Model Predictive Current Control for Plug-In EV Charging. *Karneddi, H.*, +, *TPEL Jan. 2025 28-33*
Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*
Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*
Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*

Battery charge measurement

A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*
Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*
Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*
In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*
Online Battery Impedance Identification Based on Small AC Signal Injection of Inverter. *Qu, H.*, +, *TPEL Feb. 2025 3490-3504*

Battery chargers

A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*
Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*

Battery energy storage system

A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*
A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*
Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*

Battery management systems

An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*
An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*

Bayes methods

Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*

Bidirectional control

A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*
An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*

Bidirectional long short term memory

Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*

Bifurcation

Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*
Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT

System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*
Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*
Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*
Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*

Biological system modeling
A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*
Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*

Bonding
Bonding and Failure Mechanisms of Sintered-Silver Die-Attach on Electroless Nickel (Phosphorus) Surface Finish for Packaging Power Electronics Modules. *Wang, M.*, +, *TPEL Sept. 2025 13086-13098*
Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*
Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*
Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*
Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*
Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Boosting
Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*
Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning 1st/3rd Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*

Boundary conditions
A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*

Breakdown voltage
Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*

Bridge circuits
A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*
A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*
A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Mo, N.*, +, *TPEL Oct. 2025 15504-15518*
A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*
A Dynamic Study of the Single Active Bridge Converter. *Rodriguez, A.*, +, *TPEL April 2025 4805-4817*
A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*
A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*
A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters. *Li, K.*, +, *TPEL Oct. 2025 14585-14597*
A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*
A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*
A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*
A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*
A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*
A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*
A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*
A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*
A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*
A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*
A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*
A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*
A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*
A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*
An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*
An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*
An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*
An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*
An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*
Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*
Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*
Common-Mode Analysis and Suppression Method for Series-End Winding Motor Drive. *Liu, Z.*, +, *TPEL Jan. 2025 1748-1761*
Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*
Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*

Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*

Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*

Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*

Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*

Direct Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor. *Pan, B.*, +, *TPEL Sept. 2025 12475-12487*

Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*

Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*

Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation. *Yun, J.*, +, *TPEL April 2025 5014-5024*

Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*

Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*

Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*

Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*

Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*

Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*

High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*

Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*

Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*

Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*

Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*

Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*

Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*

Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*

Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*

Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*

Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*

Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*

Modulation and Soft-Switching Optimization Control of Multilevel Dual Active Bridge DC–DC Converters. *Pang, J.*, +, *TPEL Jan. 2025 1936-1951*

Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*

New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*

Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*

Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*

Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*

Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*

Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*

Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*

Problem Analysis and Improvement of Traditional Efficiency Optimization Method for Inductive Power Transfer Systems. *Chen, D., TPEL May 2025 7466-7476*

PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*

Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*

Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*

Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*

Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation. *Wang, Z.*, +, *TPEL Nov. 2025 16611-16625*

Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*

Single-Stage Matrix-Type Solid-State Transformer Based on Push–Pull DAB. *Yu, T.*, +, *TPEL Jan. 2025 2005-2016*

Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*

Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*

Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*

The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*

The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*

Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression. *Chen, T.*, +, *TPEL Dec. 2025 18350-18364*

Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*

Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*

Transient DC Bias Suppression for Three-Level Dual-Active-Bridge Converter. *Yang, G.*, +, *TPEL Sept. 2025 12084-12094*

Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*

Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*

Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*

Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*

ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

Bridges

A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*

An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*

Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*

Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*

Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*

Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*

State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*

Brightness

High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*

Broadband amplifiers

Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*

Broadband communication

Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*

Buck converters

A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*

A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating *Iq* of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*

A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*

A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*

A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*

A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*

A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*

A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters. *Lin, Z.*, +, *TPEL June 2025 8726-8738*

A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*

A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*

A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*

A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*

Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*

An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*

Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*

Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*

Design and Analysis of a Hybrid Inverting Buck Converter With 5 µs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*

Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*

Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*

Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations. *Xiang, Y.*, +, *TPEL Jan. 2025 2235-2247*

High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*

Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*

Medium Voltage Auxiliary Power Supply Using Forward Converter Integrated With Switched Capacitor Cells. *da Silva, R.L.*, +, *TPEL Jan. 2025 1404-1417*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*

Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*

On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*

Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*

Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*

Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*

Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*

Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*

Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*

Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*

Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*

Ultra-Fast MPPT for Residential PV Systems With Low DC-Link Capacitance and Differential Power Processing. *Meineri, N.A.*, +, *TPEL Feb. 2025 2736-2745*

Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*

Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*

Buildings

Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*

C

Cable shielding

High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*

Cables

An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*

Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*

Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*

Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*

Calibration

Calibration and Measurement of V_{ce}-T_j Correlation With Temperature Distribution of IGBT and Interconnections. *Lu, G.*, +, *TPEL Jan. 2025 2149-2157*

Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*

Capacitance

5-kW, 96.5% Efficiency Capacitive Power Transfer System With a Five-Plate Coupler: Design and Optimization. *Rong, E.*, +, *TPEL Jan. 2025 2542-2555*

A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*

A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*

A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*

A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*

A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*

A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*

A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*

A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*

A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*

A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*

A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*

A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*

A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*

A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*

A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*

A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*

A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*

A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*

A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*

A Wide Pulse-Repetitive-Frequency Range Pulsed Power Supply With Improved Dynamic Response and Efficiency. *Xu, Y.*, +, *TPEL Jan. 2025 252-262*

An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*

An Efficient Switching Transient Analytical Model for P-GaN Gate HEMTs With Dynamic $C_G(V_{DS}, V_{GS})$. *Du, J.*, +, *TPEL Jan. 2025 2139-2148*

An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*

An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*

An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*

An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model. *Luo, T.*, +, *TPEL Oct. 2025 15104-15117*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*

Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*

Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*

Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters. *Pei, Y.*, +, *TPEL Sept. 2025 13556-13567*

DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*

Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*

Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*

Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*

Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*

Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*

Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*

Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*

Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*

High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*

High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*

Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*

Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*

In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*

Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*

Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*

Low-Capacitance Operation and Its Hierarchical Control for STATCOM Based on T-Type Converter With MMDTC. *Liu, S.*, +, *TPEL Jan. 2025 1153-1167*

Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*

Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*

Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*

Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*

Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*

Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*

Modeling the dV_{CE}/dt and dI_C/dt at the Turn-On Transient for High-Voltage IGBTs in the Clamped Inductive Circuit. *Zhang, Z.*, +, *TPEL Jan. 2025 840-850*

Monolithic Data-Driven Condition Monitoring Strategy for MMC Consider-ingCand ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*

Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*

On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*

On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*

One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*

Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*

Origin Analysis and Mitigation Method of Voltage Oscillation Occurred Inside the Winding of Medium-Voltage Medium-Frequency Transformer. *Wang, Y.*, +, *TPEL Jan. 2025 1974-1990*

Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*

Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*

Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*

Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*

Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*

Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters. *Yu, Q.*, +, *TPEL Sept. 2025 13363-13382*

Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*

Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*

Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*

Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*

The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*

The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*

Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*

Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*

Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*

Ultra-Fast MPPT for Residential PV Systems With Low DC-Link Capacitance and Differential Power Processing. *Meineri, N.A.*, +, *TPEL Feb. 2025 2736-2745*

Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*

+ *Check author entry for coauthors*

Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*
Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*
Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*
Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*

Capacitance measurement

Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*
One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*
Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*

Capacitive sensors

An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*

Capacitors

5-kW, 96.5% Efficiency Capacitive Power Transfer System With a Five-Plate Coupler: Design and Optimization. *Rong, E.*, +, *TPEL Jan. 2025 2542-2555*
A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*
A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*
A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*
A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*
A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*
A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*
A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*
A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*
A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*
A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*
A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*
A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*
A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Mo, N.*, +, *TPEL Oct. 2025 15504-15518*
A Dual-Transformer-Based *LLC* Resonant Converter With Ultrawide Output Voltage Range. *Zhang, H.*, +, *TPEL Jan. 2025 2457-2471*
A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*
A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*
A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*
A Four Switch Common Ground-Based Single Phase Current-Fed Boost Inverter. *Ravitheja, R.*, +, *TPEL Jan. 2025 1064-1073*
A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*
A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*
A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*
A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*
A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*
A High Conversion Ratio Matrix Autotransformer Switched-Capacitor Converter for 48 V Datacenter Application. *Qiu, M.*, +, *TPEL Jan. 2025 1359-1375*
A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*
A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*
A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*
A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*
A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*
A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*
A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*
A Master-Slave Model Predictive Control Approach for Microgrids. *Carnielutti, F.*, +, *TPEL Jan. 2025 540-550*
A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*
A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*
A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*
A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*
A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*
A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*
A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*
A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*
A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*
A Novel Class-E Quasi-Constant Transconductance Rectifier. *Zhou, H.*, +, *TPEL Oct. 2025 14289-14294*

A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*
A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*
A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*
A Novel Full-Bridge Boost LCL-Type DC/DC Converter With a Constant Off-Time: Analysis, Design, and Experimental Results. *Zhu, Y.*, +, *TPEL Jan. 2025 1023-1034*
A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*
A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*
A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*
A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*
A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*
A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*
A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*
A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*
A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters. *Lin, Z.*, +, *TPEL June 2025 8726-8738*
A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*
A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*
A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*
A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*
A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*
A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*
A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*
A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*
A Resonant DC-Link Inverter to Reduce the Influence of Resonant Capacitor of Auxiliary Circuit. *Song, J.*, +, *TPEL Jan. 2025 1099-1110*
A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*
A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*
A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*
A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*
A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*
A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*
A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*
A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*
A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*
A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*
A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*
A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*
A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*
A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*
A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*
A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*
A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*
A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*
A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*
A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*
A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*
A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*
A Wide Pulse-Repetitive-Frequency Range Pulsed Power Supply With Improved Dynamic Response and Efficiency. *Xu, Y.*, +, *TPEL Jan. 2025 252-262*
AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*
Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*
Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*
An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*
An Accurate, Universal, and Fast Time Domain Model for Different Types of Resonant Converters by Considering Parasitic Capacitors and Deadtime. *Li, Z.*, +, *TPEL Jan. 2025 1305-1321*
An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*

An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*

An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*

An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*

An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*

An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*

An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*

An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*

An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*

An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*

An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*

An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*

An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*

An Improved Compensation Method Reducing Displacement Current Loss for Multilayer Coils in IPT System. *Zhang, Y.*, +, *TPEL Jan. 2025 87-91*

An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*

An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*

An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*

An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*

An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*

An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*

An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*

An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*

An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*

An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*

An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model. *Luo, T.*, +, *TPEL Oct. 2025 15104-15117*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*

Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*

Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters. *Du, H.*, +, *TPEL May 2025 7215-7226*

Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*

Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives. *Amorim Torres, R.*, +, *TPEL March 2025 4345-4357*

Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*

ANPC-Waveshaper-Based Medium-Voltage STATCOM With Natural Capacitor Voltage Balancing During Negative-Sequence Current Compensation. *Pillai, S.K.*, +, *TPEL Jan. 2025 1051-1063*

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*

Asymmetrical Interleaved Switching Power Amplifier Based on Arm Multiplexing. *Hu, J.*, +, *TPEL Jan. 2025 375-388*

Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*

Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*

Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*

Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*

Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*

Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids. *Ning, G.*, +, *TPEL Nov. 2025 16626-16638*

Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*

Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*

Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*

CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*

Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*

Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*

Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*

Constant Frequency CC–CV Operation of Isolated *LLC* Resonant DC-DC Converter Using Switched Capacitor Network for WCS. *Gautam, K.K.*, +, *TPEL Jan. 2025 64-70*

Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*

Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*

Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*

Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*

Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*

Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*

Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*

Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*

DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*

Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*

Design and Analysis of a Frontside Series/Parallel Piezoelectric Resonator-Based DC–DC Converter. *Liu, W.B.*, +, *TPEL Jan. 2025 1389-1403*

Design and Analysis of a Hybrid Inverting Buck Converter With 5 µs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*

Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*

Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*

Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*

Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*

Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*

Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*

Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*

Diagnosis and Ride Through of Single-Switch Open-Circuit Fault in Low-Capacitance STATCOM. *Darvishzadeh, A.*, +, *TPEL Jan. 2025 1952-1963*

Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*

Direct Pulsewidth Modulation Technique for Modular Multilevel Converters Based on Full-Bridge Submodules. *Yin, J.*, +, *TPEL Jan. 2025 1085-1098*

Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*

Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*

Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters. *Zhang, L.*, +, *TPEL Oct. 2025 15595-15606*

Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*

Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*

Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*

Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*

Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*

Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*

Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*

Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*

Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*

Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*

Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L*+*L*+*C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*

Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations. *Xiang, Y.*, +, *TPEL Jan. 2025 2235-2247*

Family of Capacitor–Diode Network Extended High Gain Quadratic Boost Converters for Microgrid Applications. *Naresh, S.V.K.*, +, *TPEL Jan. 2025 1418-1430*

Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*

Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*

Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*

Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*

Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*

Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*
Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*
High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*
High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*
High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*
High Step-Down Bidirectional Multiport Converter. *Murugan, K.*, +, *TPEL Aug. 2025 10355-10360*
High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*
High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*
High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*
High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*
High-Frequency Pulsed Laser Driver Using Complementary GaN HEMTs. *Liu, C.*, +, *TPEL Feb. 2025 3370-3384*
High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*
High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*
High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*
Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*
Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*
Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive. *Panda, B.*, +, *TPEL June 2025 7777-7788*
Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*
Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*
Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*
Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*
Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*
Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*
Isolated MVdc-HVdc-AC Three-Port Power Router for High-Power Large-Scale PV Applications. *Liao, Z.*, +, *TPEL Jan. 2025 1991-2004*
Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*
Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*
Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System. *Li, Z.*, +, *TPEL May 2025 7315-7328*
Low-Capacitance Operation and Its Hierarchical Control for STATCOM Based on T-Type Converter With MMDTC. *Liu, S.*, +, *TPEL Jan. 2025 1153-1167*
Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*
Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*
Low-Voltage Solid State DCCB Design Based on Bypassed Bidirectional Thyristor-Capacitor Suppressor. *Moradian, M.*, +, *TPEL Jan. 2025 516-525*
Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*
Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*
Medium Voltage Auxiliary Power Supply Using Forward Converter Integrated With Switched Capacitor Cells. *da Silva, R.L.*, +, *TPEL Jan. 2025 1404-1417*
Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter. *Wang, Y.*, +, *TPEL April 2025 4938-4951*
Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*
Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*
Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*
Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*
Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*
Modeling and Analysis of MHz-Frequency PRC- *C*+*L*+*C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*
Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*
Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*
Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*
Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*
Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*
Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*
Modified Harmonic Current Control and Load Range Extension Method for Single-Stage Isolated DCM Boost AC–DC Converter. *Bi, Y.*, +, *TPEL Jan. 2025 263-278*
Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*
Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*
Modulation and Soft-Switching Optimization Control of Multilevel Dual Active Bridge DC–DC Converters. *Pang, J.*, +, *TPEL Jan. 2025 1936-1951*
Monolithic Data-Driven Condition Monitoring Strategy for MMC Considering*C*and ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*
Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*

New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*

No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter. *Li, J.*, +, *TPEL Sept. 2025 12690-12702*

Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*

Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*

On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*

On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*

Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*

Performance Limits of Resonant Switched-Capacitor Converter With Voltage Regulation. *Xie, W.*, +, *TPEL Jan. 2025 1441-1456*

Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations. *Komiyama, Y.*, +, *TPEL Nov. 2025 16822-16836*

Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*

Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*

Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*

Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*

Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*

Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*

Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*

Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*

Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*

Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*

Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*

Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*

Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*

Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*

Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*

Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index. *Lee, D.*, +, *TPEL July 2025 9876-9888*

Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*

Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*

Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*

Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters. *Yu, Q.*, +, *TPEL Sept. 2025 13363-13382*

Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*

Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*

Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*

Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*

Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*

Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*

Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*

Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*

Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*

Single-Stage Matrix-Type Solid-State Transformer Based on Push–Pull DAB. *Yu, T.*, +, *TPEL Jan. 2025 2005-2016*

Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*

Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*

Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*

Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*

Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*

Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*

Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*

Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*

Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*

Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*

Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements. *Sanchez-Squella, A.*, +, *TPEL Sept. 2025 13941-13951*

Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*

Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*

Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*
Systematic Topology Synthesis and Power Density Visualization of Partial Power Processing Architecture. *Tian, Y.*, +, *TPEL Jan. 2025 1346-1358*
The Active Gate Driver Based on Hardware Closed-Loop Control for Crosstalk Suppression of SiC MOSFETs With Kelvin-Source Connection. *Cui, M.*, +, *TPEL Jan. 2025 217-226*
The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*
The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*
The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*
The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*
Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*
Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*
Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*
Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*
Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*
Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*
Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*
Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*
Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*
UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*
Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*
Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*
Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*
Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*
Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*
Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*
Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*
Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*
Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*
Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*
Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*
Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*
Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*

Cathodes
Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*
Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*

Central Processing Unit
A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*

Centralized control
A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*

Ceramic capacitors
Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*

Ceramics
A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*
EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*
Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*
Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*
Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*
System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*

Charge carrier processes
An Analytical Formula for the PETT Oscillation Over a Wide Voltage Range in NPT Planar IGBT Chips. *Dongye, Z.*, +, *TPEL Jan. 2025 958-968*
Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*
Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*

Charge coupled devices
Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*

Charge pumps
A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*
A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*
Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*
Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*
Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*

Charge transfer
High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*
Charging stations
Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*
Chiplets
A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*
Choppers (circuits)
A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*
A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*
A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*
A Power Losses and Thermal Energy Optimization Method for Hybrid DC Chopper Based on Hysteresis Control Strategy. *Li, Y.*, +, *TPEL Jan. 2025 486-499*
A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*
AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*
Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*
The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*
Circuit breakers
A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*
A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*
A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*
A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*
A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*
AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*
Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*
Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*
Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*
Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*
Circuit faults
A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*
A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*
A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*
A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*
A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*
A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*
A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*
A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*
A Fault-Tolerant Control Method for Improving Input Current Half-Wave Symmetry Under Single-Switch Open-Circuit Fault of Front-End Vienna Rectifier in More-Electric Aircraft. *Yang, C.*, +, *TPEL Jan. 2025 2170-2183*
A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*
A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*
A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*
A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*
A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*
A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis. *Gou, B.*, +, *TPEL Feb. 2025 3505-3517*
A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*
A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*
A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*
A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*
A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*
A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data. *Xia, Y.*, +, *TPEL April 2025 5949-5958*
A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*
A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*
A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*
A Simplified Switch Short-Circuit Fault-Tolerant Scheme for Three-Phase Six-Switch Current Source Rectifier. *Hu, W.*, +, *TPEL Jan. 2025 105-111*
A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*
A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*
A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*
A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*
A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*

Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*

Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation. *Yao, Y.*, +, *TPEL Oct. 2025 15359-15370*

Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*

Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*

Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*

Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*

An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*

An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*

An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*

Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*

Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*

Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*

Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*

CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*

Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*

Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*

Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*

Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*

D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*

DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*

Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*

Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*

Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*

Diagnosis and Ride Through of Single-Switch Open-Circuit Fault in Low-Capacitance STATCOM. *Darvishzadeh, A.*, +, *TPEL Jan. 2025 1952-1963*

Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults. *Gu, M.*, +, *TPEL Nov. 2025 16080-16084*

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults. *Zhao, R.*, +, *TPEL Aug. 2025 11477-11489*

Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation. *Yun, J.*, +, *TPEL April 2025 5014-5024*

Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*

Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection. *Zhou, Z.*, +, *TPEL Dec. 2025 17803-17820*

Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*

Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*

Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters. *Cao, T.*, +, *TPEL Dec. 2025 18214-18225*

Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*

Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*

Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives. *Zhang, Y.*, +, *TPEL Nov. 2025 16184-16194*

Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*

Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*

Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*

Fully Simulated Data-Driven Domain Generalized Method for Multiphase Converters Fault Diagnosis. *Xu, H.*, +, *TPEL Jan. 2025 2099-2113*

Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*

Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*

Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*

Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*

Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*

Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy. *Tang, Y.*, +, *TPEL Oct. 2025 15780-15794*

Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters. *Zhou, Y.*, +, *TPEL Nov. 2025 16483-16497*

Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*

Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*

Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*

Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*

Modeling and Design Guideline of Optimal Split Inductance Range for Split-Output Power Module Considering Normal and Fault Conditions. *Gao, H.*, +, *TPEL Jan. 2025 828-839*

Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*

Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*

Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*

Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*

Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current. *Liu, B.*, +, *TPEL Sept. 2025 12280-12294*

Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*

PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*

Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*

Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*

Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*

Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*

Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*

Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*

Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*

Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*

Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*

Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*

Simple Vector Calculation and Constraint-Based Fault-Tolerant Control for a Single-Phase CHBMC. *Xie, D.*, +, *TPEL Jan. 2025 2028-2041*

Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*

Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*

Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*

Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*

Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*

Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*

Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*

Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*

Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*

Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*

Circuit stability

A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*

A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*

A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*

A Resonant DC-Link Inverter to Reduce the Influence of Resonant Capacitor of Auxiliary Circuit. *Song, J.*, +, *TPEL Jan. 2025 1099-1110*

Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*

All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*

Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*

Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*

General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*

Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*

Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*

Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*

Optimized Design of Demagnetization Control for DFIG-Based Wind Turbines to Enhance Transient Stability During Weak Grid Faults. *Ma, Y.*, +, *TPEL Jan. 2025 76-81*

Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*

Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters. *Xin, H.*, +, *TPEL Dec. 2025 18378-18389*

Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*

Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*

Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*

The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*

Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*

Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*

Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*

Circuit topology

A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*

A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*

Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations. *Xiang, Y.*, +, *TPEL Jan. 2025 2235-2247*

Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations. *Komiyama, Y.*, +, *TPEL Nov. 2025 16822-16836*

Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*

Circuits

3-MHz High-Voltage Pulse Generator With Novel Multilevel LC Resonant Network for Adjustable Pulsewidth. *Chen, S.*, +, *TPEL Jan. 2025 1012-1022*

A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*

A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*

A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*

A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*

A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*

A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*

A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle. *Liu, S.*, +, *TPEL Aug. 2025 10456-10468*

A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*

A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*

A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*

A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*

A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*

A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*

A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*

A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*

Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*

An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*

An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*

An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*

Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*

Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*

Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*

Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*

Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*

Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*

Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*

Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*

Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable dV/dt and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*

Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*

Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*

High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*

High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*

Hybrid Control Strategy With Neural-Network-Assisted Synchronous Rectification for Efficient Wide-Gain *CLLC* Converter. *Cheng, Z.*, +, *TPEL Jan. 2025 389-405*

In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*

Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*

Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*
Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*
On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*
On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*
Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*
Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*
Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*
Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*
Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*
Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*
Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*
Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*
Single-Input Dual-Output Digital Gate Driver IC Automatically Equalizing Drain Current Variations of Two Parallel-Connected SiC MOSFETs. *Horii, K.*, +, *TPEL Jan. 2025 467-485*
Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*
Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*

Clamps

A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*
A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*
A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*
A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*
Carrier-Based Minimum-Loss Discontinuous PWM With Neutral-Point Voltage Balancing for Three-Level NPC Inverters. *Cho, H.*, +, *TPEL Sept. 2025 13895-13906*
Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*
Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*
Diagnosis and Ride Through of Single-Switch Open-Circuit Fault in Low-Capacitance STATCOM. *Darvishzadeh, A.*, +, *TPEL Jan. 2025 1952-1963*
Digital Implementation of Discontinuous PWMs: Mitigating Parasitic Active Vectors for Improved Load Current Quality in Inverter Systems. *Baum, F.*, +, *TPEL May 2025 6740-6752*
Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*
Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters. *Zhang, L.*, +, *TPEL Oct. 2025 15595-15606*
Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*
Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*
Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*
High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*
On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*
Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*
PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss. *Kim, T.*, +, *TPEL March 2025 4303-4313*
Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*
Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*
The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*

Classification algorithms

A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*

Clocks

A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*
A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*
A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*
An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*
Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*
Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*

Closed box

Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*

Closed loop systems

Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control. *Wei, Z.*, +, *TPEL Dec. 2025 17776-17788*
Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*
Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL June 2025 7668-7680*

Coatings

A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*
Partial Discharge Characteristics of Epoxy Resin Under High-Frequency Pulse Electrical Stress. *Jiang, J.*, +, *TPEL Jan. 2025 2017-2027*

Codes
A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*
Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*
Low-Voltage Ride-Through Algorithm for Grid-Forming Converters. *Fernandez, J.D.*, +, *TPEL Jan. 2025 303-315*
Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation. *Gonzalez, C.*, +, *TPEL Sept. 2025 12719-12729*
Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances. *Liu, L.*, +, *TPEL July 2025 9153-9166*
Coercive force
Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*
Coils
3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*
3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*
A Closed-Loop Compensated Rogowski Coil Current Sensor for Three-Phase Inverter. *Xin, Z.*, +, *TPEL Jan. 2025 2126-2138*
A Compact DC–200 MHz Hybrid Current Measurement Approach for Fast Switching Power Semiconductor Modules. *Ji, S.*, +, *TPEL Jan. 2025 2158-2169*
A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*
A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*
A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*
A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*
A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*
A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*
A Dynamic Wireless Power Transfer System Using DC-Controlled Variable Inductor for Segment Transmitter Automatic Switching. *Zhang, Z.*, +, *TPEL Jan. 2025 23-27*
A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils. *Luo, T.*, +, *TPEL March 2025 4279-4288*
A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*
A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*
A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*
A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*
A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*
A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*
A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*
A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*
A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*
A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*
A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*
A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*
A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*
A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*
A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*
A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*
A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*
A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*
A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*
A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*
A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*
A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*
A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*
A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*
A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*
A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*
A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*
A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*
A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*
A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*
A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*
A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*

AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire. *Deng, Q.*, +, *TPEL July 2025 10111-10122*

An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*

An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*

An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*

An IGBT Junction Temperature Estimation Method Based on Turn-Off Maximum di_C/dt With Decoupling Load Current. *Shi, Y.*, +, *TPEL Jan. 2025 2057-2069*

An Improved Compensation Method Reducing Displacement Current Loss for Multilayer Coils in IPT System. *Zhang, Y.*, +, *TPEL Jan. 2025 87-91*

An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*

An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*

An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*

An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*

An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*

Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*

Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*

Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*

Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*

Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*

Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*

Constant Frequency CC–CV Operation of Isolated *LLC* Resonant DC-DC Converter Using Switched Capacitor Network for WCS. *Gautam, K.K.*, +, *TPEL Jan. 2025 64-70*

Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*

Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*

Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*

Delta and Inverse Delta Coupler Optimization Using Machine Learning for Wireless Power Transfer Electric Vehicle Charging Application. *J, R.*, +, *TPEL Jan. 2025 2556-2568*

Design and Optimization of Wide-Coupling Nested Magnetic Coupling Mechanism for UAV Wireless Power Transfer. *Xue, M.*, +, *TPEL Aug. 2025 11849-11862*

Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*

Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*

Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*

Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*

Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*

Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*

Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*

Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*

Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*

FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*

Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*

Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*

Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*

Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*

High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*

High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*

High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*

High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*

High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*

High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*

High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*

High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*

High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*

Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*

Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*

Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*
Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*
Inductive Power Transfer System With Constant Current-Constant Voltage Charging Tolerating Misalignment Based on Multiobjective Optimization for Compensation Topology. *Wang, Q.*, +, *TPEL March 2025 4581-4591*
Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*
Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy. *Zhang, Y.*, +, *TPEL May 2025 7512-7522*
Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*
Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*
Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*
Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*
Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*
Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*
Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*
Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*
Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*
Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*
Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*
Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*
Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*
Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*
Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*
Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*
Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*
Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High d*v*/d*t* Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*
Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*
Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*
Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*
Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*
Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*
Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*
Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*
Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*
Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*
Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*
Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*
Robust Wide-Area Wireless Charging of Multipath Movable Receivers: A Coupling Mechanism and Simplified Configuration Strategy. *Cai, C.*, +, *TPEL Jan. 2025 2527-2541*
Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*
Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*
Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*
Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*
Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*
Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs. *Han, D.*, +, *TPEL June 2025 8824-8833*
Study on Leakage Magnetic Field Shielding Method for Electric Vehicle High-Power Wireless Charging System Under Transverse Offset Working Condition. *Zhou, X.*, +, *TPEL Sept. 2025 14050-14060*
Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*
Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*
Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System. *Li, Y.*, +, *TPEL Jan. 2025 2619-2629*
Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*
Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*
Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*
Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*

Collaboration
Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*
Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*
Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*
Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*
Color
Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*
Communication channels
A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*
An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*
Commutation
A Five-Switch Single-Phase Buck–Boost AC–AC Converter With Inherent Commutation and Continuous Input Current. *Zargariafshar, D.*, +, *TPEL Feb. 2025 2726-2735*
A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*
A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*
Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*
No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter. *Li, J.*, +, *TPEL Sept. 2025 12690-12702*
Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*
Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*
Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*
Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*
Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor. *Chen, W.*, +, *TPEL Jan. 2025 638-651*
Complexity theory
A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*
Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*
Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*
Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*
Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*
Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection. *Zhou, Z.*, +, *TPEL Dec. 2025 17803-17820*
High Step-Down Bidirectional Multiport Converter. *Murugan, K.*, +, *TPEL Aug. 2025 10355-10360*
Modulation and Soft-Switching Optimization Control of Multilevel Dual Active Bridge DC–DC Converters. *Pang, J.*, +, *TPEL Jan. 2025 1936-1951*
Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current. *Liu, B.*, +, *TPEL Sept. 2025 12280-12294*
Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*
Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*
Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*
Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*
Component architectures
Guest Editorial: Special Section on Power Electronics Letters: Fabrication and Design of High-Power Density and High-Frequency Passive Components. *Duffy, M.*, +, *TPEL Oct. 2025 14343-14344*
Compounds
A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*
Computational complexity
Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*
Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters. *Le, H.*, +, *TPEL Jan. 2025 1272-1288*
Computational efficiency
Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*
Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*
Dynamic Defense Method Against Malicious Attacks for DC Microgrids. *Zhang, Z.*, +, *TPEL July 2025 9591-9605*
Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation. *Gonzalez, C.*, +, *TPEL Sept. 2025 12719-12729*
Computational modeling
A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*
A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*
A Digital Real-Time Computation Algorithm Utilizing Time-Domain Analytic Model for Bidirectional CLLC Synchronous Rectifier in 6.6-kW 300-kHz SiC Portable EV Chargers. *Li, H.*, +, *TPEL Jan. 2025 2342-2354*
A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*
A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*
A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*
A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*
A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*
Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*

Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*

Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*

Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*

An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*

An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*

Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*

Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*

Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation. *Alam, M.M.*, +, *TPEL June 2025 8553-8565*

Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*

Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*

Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*

Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*

Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*

Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*

Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*

Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*

Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*

History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*

Hybrid Control Strategy With Neural-Network-Assisted Synchronous Rectification for Efficient Wide-Gain *CLLC* Converter. *Cheng, Z.*, +, *TPEL Jan. 2025 389-405*

Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*

Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*

LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries. *Wu, X.*, +, *TPEL Sept. 2025 13514-13528*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*

Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*

Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*

Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*

Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*

On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*

Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters. *Le, H.*, +, *TPEL Jan. 2025 1272-1288*

Overmodulatable Parameter-Free Predictive Current Control for PMSMs. *Zhu, Z.*, +, *TPEL Jan. 2025 1774-1786*

Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*

Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*

Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*

Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*

PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*

Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*

Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*

Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL April 2025 4695-4700*

Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*

Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*

Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*

Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*

Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Computer architecture

A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*

A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*

A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*

An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*
High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*
Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*
Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*
Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*
Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*

Computer numerical control
Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*

Computers
A Novel Systematic Topology Derivation Method for Single-Inductor Three-Port DC–DC Converters from Separate Components. *Mo, L.*, +, *TPEL Jan. 2025 1376-1388*

Concrete
Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*

Condition monitoring
Monolithic Data-Driven Condition Monitoring Strategy for MMC Consideringand ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*
Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*

Conductivity
An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*
Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*
Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*
Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*
Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*
Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*
Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*

Conductors
Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*
FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*
Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*
Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*
Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*
Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*
Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*
Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*

Connectors
Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*

Consensus protocol
Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*

Consumer electronics
A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*

Contacts
Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*

Containers
A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*

Control design
A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*
Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*
Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*
Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*

Control systems
A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating Iq of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*
A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*
A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*
A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*
A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*
A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*
A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters. *Li, K.*, +, *TPEL Oct. 2025 14585-14597*
A Four Switch Common Ground-Based Single Phase Current-Fed Boost Inverter. *Ravitheja, R.*, +, *TPEL Jan. 2025 1064-1073*
A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*
A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*
A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*
A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*

A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*

A High-Speed High-Voltage Pulse Generator With Adjustable Falling Slope Based on Programable Multi Narrow Pulses Drive Method for Series MOSFETs. *Zhang, Y.*, +, *TPEL Jan. 2025 1645-1653*

A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*

A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*

A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*

A Novel Control Scheme for Light Load Power Reduction of Flyback Converter. *Liu, Q.*, +, *TPEL Feb. 2025 2691-2696*

A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*

A Novel Full-Bridge Boost LCL-Type DC/DC Converter With a Constant Off-Time: Analysis, Design, and Experimental Results. *Zhu, Y.*, +, *TPEL Jan. 2025 1023-1034*

A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*

A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*

A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*

A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*

A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*

A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*

A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*

A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance. *Quan, X.*, +, *TPEL Sept. 2025 13919-13930*

A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*

A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*

A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*

A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*

A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*

Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*

Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation. *Yao, Y.*, +, *TPEL Oct. 2025 15359-15370*

Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*

Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*

Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*

Adaptive Parameter Tuning and Virtual Impedance Injection Control for Coupled Harmonic Mitigation of Photovoltaic Converter. *Shan, P.*, +, *TPEL Jan. 2025 162-175*

Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*

An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*

An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*

An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*

An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*

An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*

An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*

An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*

An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*

An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*

Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*

Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*

Combining Data-Driven and Event-Driven for Online Learning Predictive Control in Power Converters. *Liu, X.*, +, *TPEL Jan. 2025 563-573*

Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*

Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*

Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*

Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*

Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*

Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*

Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*

Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*

Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*

Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*

Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*

Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*

Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*

Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*

Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*

Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*

Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter. *Zhang, X.*, +, *TPEL Aug. 2025 10330-10334*

Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*

Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters. *M., M.A.*, +, *TPEL April 2025 4927-4937*

Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*

Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*

Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*

Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*

Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*

High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*

High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*

Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*

Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*

Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*

Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*

Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*

Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*

Model Predictive Control Strategies in Switched Reluctance Motor Drives—An Overview. *Cai, J.*, +, *TPEL Jan. 2025 1669-1685*

Model Predictive Torque Control of Switched Reluctance Machines With Torque Sharing Function and PWM Control Signals Based on Linear Polynomial Fitting. *Ge, L.*, +, *TPEL Jan. 2025 40-45*

Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*

Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*

Modeling and Design of Load Current Based Adaptive Voltage Positioning (AVP) Control for Multiphase Buck Converter Using Digital Current Estimation Algorithm. *Li, L.*, +, *TPEL Jan. 2025 316-327*

Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*

Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*

Novel Single-Loop dq Control for *LC* Filter-Based Single-Phase Standalone Inverter Systems Under Nonlinear Loads. *Iyer, V.G.*, +, *TPEL Jan. 2025 227-240*

Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*

Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*

Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*

Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*

Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*

Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*

Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives. *Carrillo-Rios, J.*, +, *TPEL Feb. 2025 3419-3429*

Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*

Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*

Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*

Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*

Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*

Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*

Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*

Small-Signal Modeling and Comparisons of the Pulse Frequency Modulation and Time Shift Control for the *LLC* Converters. *Guo, Z.*, +, *TPEL Jan. 2025 526-539*

Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*

Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*

State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*
Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*
Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization. *Yang, H.*, +, *TPEL May 2025 6413-6422*
Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*
Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*
Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*
Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*
Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*
Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced d*v*/d*t* Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*
Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*

Controllability
Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*
Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*

Convection
A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*

Convergence
A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*
A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*
A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*
A New PV Fed High Gain Boost-Cuk Converter Employed SRM Driven Water Pumping Scheme With IDEPSO MPPT. *Priyadarshi, N.*, +, *TPEL Jan. 2025 2371-2384*
A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*
A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*
A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*
A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*
A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*
Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*
Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*
Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*
Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation. *Alam, M.M.*, +, *TPEL June 2025 8553-8565*
Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*
Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*
Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*
Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*
Distributed Economic Coordination Controller for Parallel DC–DC Converters in Shipboard DC Microgrids Based on Prescribed-Time Consensus Observer. *Zeng, Y.*, +, *TPEL Jan. 2025 2495-2512*
Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*
Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*
Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*
Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*
Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*
Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*
Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*
Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*
Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*
Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter. *Cheng, Z.*, +, *TPEL Jan. 2025 1654-1668*
Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*
Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*
Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*

Converters
A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*
A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*
Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*

Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*
Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*
Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*
Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters. *Xin, H.*, +, *TPEL Dec. 2025 18378-18389*
Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*

Convolution
LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries. *Wu, X.*, +, *TPEL Sept. 2025 13514-13528*

Convolutional neural networks
HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*
Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*
Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*
PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*
Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*
State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*
Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*

Coolants
The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*

Cooling
A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*
An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*
In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*
Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*
Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*
Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*

Copper
A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*
A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*
A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*
Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*
An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*
Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*
Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*
Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*
Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives. *Zhang, Y.*, +, *TPEL Nov. 2025 16184-16194*
Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*
Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range. *Lu, L.*, +, *TPEL Feb. 2025 3385-3394*
General Modeling and Control of Multiple Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Jan. 2025 1900-1909*
Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*
MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*
Online Postfault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault. *Yu, K.*, +, *TPEL Oct. 2025 14733-14745*
Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Dec. 2025 17690-17702*
Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*
Postfault Operation Strategy With Minimum Harmonic Injection for Cascaded H-Bridge Inverters Driving a Multiphase Motor. *Lopez, O.*, +, *TPEL Jan. 2025 8-22*
Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*
Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*
Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*
Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*
Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*
Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*

Core loss
A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*
A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*
Accurate Magnetic Core Losses Measurement Under Arbitrary Excitation Waveforms. *Cabizza, S.*, +, *TPEL Jan. 2025 34-39*

An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*
An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*
Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*
Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*
Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*
Highly Efficient 800-to-48-V *LLC*-DCX With Matrix Transformer Using Side Leg Windings. *Zhang, Y.*, +, *TPEL Jan. 2025 112-117*
History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*
Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*
Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*
Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*
Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*
Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*
Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*
Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*

Corona

Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*

Correlation

A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*
State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*

Cost function

A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*
A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency. *Wu, X.*, +, *TPEL Aug. 2025 11283-11295*
A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives. *Sun, Z.*, +, *TPEL Nov. 2025 16195-16205*
A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*
Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*
An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives. *Zhou, C.*, +, *TPEL Sept. 2025 12204-12214*
Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor. *Mousavi, M.S.*, +, *TPEL May 2025 6801-6812*
Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter. *Zhang, X.*, +, *TPEL Aug. 2025 10330-10334*
Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters. *M., M.A.*, +, *TPEL April 2025 4927-4937*
General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*
GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors. *Zhang, Y.*, +, *TPEL Sept. 2025 12309-12320*
Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*
High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*
Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*
Model Predictive Control Strategies in Switched Reluctance Motor Drives—An Overview. *Cai, J.*, +, *TPEL Jan. 2025 1669-1685*
Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*
Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*
Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters. *Le, H.*, +, *TPEL Jan. 2025 1272-1288*
State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*
Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters. *Chen, S.*, +, *TPEL Feb. 2025 3020-3032*
Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients. *De Martin, I.D.*, +, *TPEL Sept. 2025 12393-12401*

Costs

A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*
A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*
A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*
A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*
A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*
A Five-Switch Single-Phase Buck–Boost AC–AC Converter With Inherent Commutation and Continuous Input Current. *Zargariafshar, D.*, +, *TPEL Feb. 2025 2726-2735*
A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*
A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*
A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*
A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*
A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*
A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*

A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*

A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*

A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*

A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*

A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*

A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters. *Lin, Z.*, +, *TPEL June 2025 8726-8738*

A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*

A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*

A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*

Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*

An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*

An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*

An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*

An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*

An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*

An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*

An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*

Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*

Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*

Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor. *Mousavi, M.S.*, +, *TPEL May 2025 6801-6812*

Asymmetric Space Vector Pulse Width Modulation for the Phase Current Reconstruction in Three-Phase Inverters. *Shen, Y.*, +, *TPEL Jan. 2025 1686-1696*

Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*

Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*

Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*

Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*

Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*

Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*

Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*

Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*

Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*

Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*

Distributed Economic Coordination Controller for Parallel DC–DC Converters in Shipboard DC Microgrids Based on Prescribed-Time Consensus Observer. *Zeng, Y.*, +, *TPEL Jan. 2025 2495-2512*

Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*

Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*

Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*

Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*

Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*

Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*

Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*

High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*

High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*

Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*

Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*

Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*

Low-Capacitance Operation and Its Hierarchical Control for STATCOM Based on T-Type Converter With MMDTC. *Liu, S.*, +, *TPEL Jan. 2025 1153-1167*

Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*

Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*

Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*

Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*

Robust Wide-Area Wireless Charging of Multipath Movable Receivers: A Coupling Mechanism and Simplified Configuration Strategy. *Cai, C.*, +, *TPEL Jan. 2025 2527-2541*

Sensor Fusion-Enabled State of Charge Estimation of Smart Battery Module. *Cui, H.*, +, *TPEL Jan. 2025 2273-2283*
SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*
Single-Input Dual-Output Digital Gate Driver IC Automatically Equalizing Drain Current Variations of Two Parallel-Connected SiC MOSFETs. *Horii, K.*, +, *TPEL Jan. 2025 467-485*
Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*
Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*
Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*
Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*
Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*
Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*
Ultra-Fast MPPT for Residential PV Systems With Low DC-Link Capacitance and Differential Power Processing. *Meineri, N.A.*, +, *TPEL Feb. 2025 2736-2745*
Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*
Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*
Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*
Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*

Couplers

5-kW, 96.5% Efficiency Capacitive Power Transfer System With a Five-Plate Coupler: Design and Optimization. *Rong, E.*, +, *TPEL Jan. 2025 2542-2555*
A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*
A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*
A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*
A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*
A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*
A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*
A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*
A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*
A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*
A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*
An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*
An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*
An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*
An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*
Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*
Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*
Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*
Delta and Inverse Delta Coupler Optimization Using Machine Learning for Wireless Power Transfer Electric Vehicle Charging Application. *J, R.*, +, *TPEL Jan. 2025 2556-2568*
Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*
Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*
Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*
General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*
Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*
High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*
Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*
Inductive Power Transfer System With Constant Current-Constant Voltage Charging Tolerating Misalignment Based on Multiobjective Optimization for Compensation Topology. *Wang, Q.*, +, *TPEL March 2025 4581-4591*
Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*
Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy. *Zhang, Y.*, +, *TPEL May 2025 7512-7522*
Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*
Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*
Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*
Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*
Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*
Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*

Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*

Couplings

3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*

A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*

A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*

A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*

A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*

A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*

A Dynamic Wireless Power Transfer System Using DC-Controlled Variable Inductor for Segment Transmitter Automatic Switching. *Zhang, Z.*, +, *TPEL Jan. 2025 23-27*

A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*

A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*

A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*

A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*

A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*

A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*

A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*

A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage. *Pang, Y.*, +, *TPEL Sept. 2025 13415-13433*

A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*

A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*

A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*

A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*

A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*

A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*

A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*

A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*

A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*

A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*

A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*

A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*

A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*

A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*

A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*

A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*

A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*

A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*

A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*

A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*

A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*

A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*

Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*

Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*

Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*

Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*

Adaptive Coupling Reshaping Controller for Mitigating Unstable SSCI Between Renewable Energy Power Plants and Power Grids. *Liu, Z.*, +, *TPEL Feb. 2025 3610-3621*

Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*

Adaptive Frequency Coupling Suppression Strategy for VSCs and Its Stability Region Analysis. *Wang, Z.*, +, *TPEL Jan. 2025 2442-2456*

Adaptive Parameter Tuning and Virtual Impedance Injection Control for Coupled Harmonic Mitigation of Photovoltaic Converter. *Shan, P.*, +, *TPEL Jan. 2025 162-175*

All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*

An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*

An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*

An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*

An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*

An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*

An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*

An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*

An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*

An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*

Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*

Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*

Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*

Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*

Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*

Comprehensive Impedance Analysis of DFIG-Based Wind Farms Considering Dynamic Couplings. *Wang, J.*, +, *TPEL Jan. 2025 2259-2272*

Current Sharing for a Multiphase Inverter Based on Coupled External Parallel Resonant Branches for Wireless Power Transfer System. *Liu, R.*, +, *TPEL Jan. 2025 71-75*

Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*

Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*

Delta and Inverse Delta Coupler Optimization Using Machine Learning for Wireless Power Transfer Electric Vehicle Charging Application. *J, R.*, +, *TPEL Jan. 2025 2556-2568*

Design and Optimization of Wide-Coupling Nested Magnetic Coupling Mechanism for UAV Wireless Power Transfer. *Xue, M.*, +, *TPEL Aug. 2025 11849-11862*

Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*

Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*

Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*

Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*

Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*

Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*

Failure Mechanism Investigations of Bond Wires Lifting-Off and Die-Attach Solder Aging Considering the Thermal Coupling Effects. *Ge, X.*, +, *TPEL Jan. 2025 2042-2056*

Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*

Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*

Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*

Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*

Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*

Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*

General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*

General Modeling and Control of Multiple Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Jan. 2025 1900-1909*

General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*

High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*

Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*

Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*

Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*

Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*

In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*

Inductive Power Transfer System With Constant Current-Constant Voltage Charging Tolerating Misalignment Based on Multiobjective Optimization for Compensation Topology. *Wang, Q.*, +, *TPEL March 2025 4581-4591*

Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*

Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*

Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*

Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*

Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy. *Zhang, Y.*, +, *TPEL May 2025 7512-7522*

Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*

Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*

Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*

Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*

Modeling for Oscillation Propagation With Frequency-Voltage Coupling Effect in Grid-Connected Virtual Synchronous Generator. *Li, C.*, +, *TPEL Jan. 2025 82-86*

Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*

Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*

Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*

Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*

Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*

Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*

Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*

Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

PCB Inductor With Integrated Shielding to Contain Switching Electric Field and Reduce CM Noise. *McGrew, T.*, +, *TPEL Jan. 2025 944-957*

Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*

Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*

Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning 1st/3rd Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*

Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*

Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*

Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*

Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*

Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*

Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*

Relative Coupling EMPC for High-Precision Contouring Control in Multi-axis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*

Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*

Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*

Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*

Robust Wide-Area Wireless Charging of Multipath Movable Receivers: A Coupling Mechanism and Simplified Configuration Strategy. *Cai, C.*, +, *TPEL Jan. 2025 2527-2541*

Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*

Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*

Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*

Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*

Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*

Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*

Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*

Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*

Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*
Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*
Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*
The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*
The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*
Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*
Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*
Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*
Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*
Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*
Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*
UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*
Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*
Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*
Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*
Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*
Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation. *Ma, X.*, +, *TPEL March 2025 4289-4302*
ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

Covariance matrices

Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*

Creep

Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*

Crosstalk

A Multilevel Self-Driving Gate Driver of SiC MOSFET for Crosstalk Suppression Considering Common-Source Inductance. *Hu, K.*, +, *TPEL Jan. 2025 906-919*
A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*
A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*
An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*
Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*
Modeling and Design Guideline of Optimal Split Inductance Range for Split-Output Power Module Considering Normal and Fault Conditions. *Gao, H.*, +, *TPEL Jan. 2025 828-839*
Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*
The Active Gate Driver Based on Hardware Closed-Loop Control for Crosstalk Suppression of SiC MOSFETs With Kelvin-Source Connection. *Cui, M.*, +, *TPEL Jan. 2025 217-226*
Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*

Cryogenics

Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*
The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*

Current control

A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*
A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*
A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*
A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*
A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*
Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*
Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*
Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*
An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*
Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*
Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*
Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*
Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*
Decoupled Dead-Time Compensation Method Using Revised-Resonant Control-Based Disturbance Observer in PMSM Drives. *Lang, J.*, +, *TPEL Jan. 2025 340-350*
Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults. *Gu, M.*, +, *TPEL Nov. 2025 16080-16084*
Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*

Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*
High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*
Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction. *Cao, D.*, +, *TPEL Feb. 2025 2833-2846*
Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*
Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters. *Zhou, Y.*, +, *TPEL Nov. 2025 16483-16497*
Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*
Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*
Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*
Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters. *Queiroz, E.D.*, +, *TPEL July 2025 9301-9314*
Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*
Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*
Modified Digital Current Controller for High Precision Electric Motor Emulators. *Wang, Z.*, +, *TPEL Sept. 2025 12452-12462*
Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*
Modulation-Independent Initial Current Control of DAB-Based Single-Stage AC–DC Converter for DC Bias Elimination. *Mo, N.*, +, *TPEL Jan. 2025 406-421*
Nonparametric Predictive Current Control for SPMSM With Adaptive Cascade Extended Noise State Observer. *Yang, M.*, +, *TPEL Jan. 2025 1717-1727*
Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*
Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters. *Le, H.*, +, *TPEL Jan. 2025 1272-1288*
Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*
Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*
Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*
Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*
Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*
Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*
Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation. *Ma, X.*, +, *TPEL March 2025 4289-4302*
Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*

Current density

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*
The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*

Current distribution

AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire. *Deng, Q.*, +, *TPEL July 2025 10111-10122*
Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*
High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*
Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*
Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*
Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*
Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*

Current limiters

Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*
Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*
Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*
Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*

Current measurement

3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*
A Closed-Loop Compensated Rogowski Coil Current Sensor for Three-Phase Inverter. *Xin, Z.*, +, *TPEL Jan. 2025 2126-2138*
A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*
A Compact DC–200 MHz Hybrid Current Measurement Approach for Fast Switching Power Semiconductor Modules. *Ji, S.*, +, *TPEL Jan. 2025 2158-2169*
A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*
A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*
A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*
A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data. *Xia, Y.*, +, *TPEL April 2025 5949-5958*
A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*

A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*

An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*

An IGBT Junction Temperature Estimation Method Based on Turn-Off Maximum di_C/dt With Decoupling Load Current. *Shi, Y.*, +, *TPEL Jan. 2025 2057-2069*

An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*

An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*

Asymmetric Space Vector Pulse Width Modulation for the Phase Current Reconstruction in Three-Phase Inverters. *Shen, Y.*, +, *TPEL Jan. 2025 1686-1696*

Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*

Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*

Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*

Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*

Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*

Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*

DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*

Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*

Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*

High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*

High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*

High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*

High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*

How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*

Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*

Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*

Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*

Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*

Machine-Learned Models for Power Magnetic Material Characteristics. *Leszczynski, P.*, +, *TPEL Jan. 2025 1554-1562*

Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*

Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*

Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*

Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*

Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*

Online Battery Impedance Identification Based on Small AC Signal Injection of Inverter. *Qu, H.*, +, *TPEL Feb. 2025 3490-3504*

Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High dv/dt Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*

Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*

Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*

Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*

Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*

Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*

Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*

Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*

Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*

Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements. *Sanchez-Squella, A.*, +, *TPEL Sept. 2025 13941-13951*

Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*

Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*

Current mirrors

A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*

Current transformers

A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*

An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*

High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*

Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*

Curve fitting

Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*

Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*

Customer relationship management

Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*

Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*

Cutoff frequency

A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*

Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*

Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*

Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*

Cyberattack

Resilient-by-Design Control for in Situ Primary Controller of Grid-Following Inverter-Based Resources by a Novel State Augmentation to Tolerate False Data Injection Cyberattacks. *Jamali, M.*, +, *TPEL Feb. 2025 2746-2760*

Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*

D

Damping

A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*

A Dispersing Proportional Resonance Controller for Selective Harmonic Current Compensation in a Shunt Active Power Filter. *Wu, Z.*, +, *TPEL Jan. 2025 279-289*

A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*

A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives. *Sun, Z.*, +, *TPEL Nov. 2025 16195-16205*

A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*

A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*

Adaptive Coupling Reshaping Controller for Mitigating Unstable SSCI Between Renewable Energy Power Plants and Power Grids. *Liu, Z.*, +, *TPEL Feb. 2025 3610-3621*

An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*

An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function. *Li, Y.*, +, *TPEL Sept. 2025 13822-13834*

Analysis and Damping of Subsynchronous Oscillations for Cascaded Grid-Forming Converters Considering DC-Link Dynamics. *Kong, L.*, +, *TPEL Jan. 2025 2284-2299*

Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*

Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*

Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*

Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*

Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*

Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*

Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback. *Huang, Z.*, +, *TPEL Aug. 2025 11787-11798*

Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*

Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*

Dynamic-Tracking Damping Controller for DFIG-Based Wind Farms to Mitigate Sub-Synchronous Control Interactions. *Han, J.*, +, *TPEL Jan. 2025 2248-2258*

Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*

Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*

High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*

Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*

Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*

Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*

New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*

Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*

Ultra-Low Frequency Oscillation Damping Control Method for Hydro-Photovoltaic Integrated Systems. *Wang, S.*, +, *TPEL Jan. 2025 2397-2418*

Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*

Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*

Data aggregation
An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*
Data augmentation
Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*
Data centers
A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*
Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*
Data collection
PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*
Data communication
Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*
Data mining
A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*
A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*
A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*
A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*
A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*
A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*
A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*
An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*
Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*
Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*
Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*
Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*
On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*
Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*
Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*
Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*
Self-Supervised Learning-Based Multiparameters Optimization Framework in Servo Systems. *Li, H.*, +, *TPEL Nov. 2025 16123-16128*
Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*
Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*
Data models
A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*
A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*
A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*
Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*
An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*
An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*
An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*
An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*
Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*
Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*
Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control. *Wei, Z.*, +, *TPEL Dec. 2025 17776-17788*
Fabrication-Specific Simulation of Mn-Zn Ferrite Core-Loss for Machine Learning-Based Surrogate Modeling With Limited Experimental Data. *Choi, M.*, +, *TPEL Jan. 2025 1519-1531*
Fully Simulated Data-Driven Domain Generalized Method for Multiphase Converters Fault Diagnosis. *Xu, H.*, +, *TPEL Jan. 2025 2099-2113*
HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*
Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*
Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*
History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*
Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*
Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*
Machine-Learned Models for Power Magnetic Material Characteristics. *Leszczynski, P.*, +, *TPEL Jan. 2025 1554-1562*
Performance-Based Experimental Characterization and Maximum Efficiency Point Detection of Power Inductors. *Femia, N.*, +, *TPEL Jan. 2025 1532-1541*
Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*
PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*

Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*

Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*

Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*

Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*

State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*

State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*

State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*

Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*

DC distribution systems

Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*

DC motors

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Dynamic Interleaving Strategy to Reduce DC-Link Ripple of Dual Three-Phase Permanent Magnet Synchronous Machine Drives by Using Discontinuous Space Vector Modulation. *Chowdhury, A.*, +, *TPEL Jan. 2025 1762-1773*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*

Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*

Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*

DC power transmission

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

DC-AC power converters

A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*

A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*

Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*

Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*

Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System. *Li, Z.*, +, *TPEL May 2025 7315-7328*

Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*

DC-DC power converters

A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*

A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*

A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*

A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*

A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*

A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*

A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*

A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*

A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*

A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*

A Wide Pulse-Repetitive-Frequency Range Pulsed Power Supply With Improved Dynamic Response and Efficiency. *Xu, Y.*, +, *TPEL Jan. 2025 252-262*

Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*

An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*

An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*

An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*

An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*

Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*

Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*

Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*

Constant Frequency CC–CV Operation of Isolated *LLC* Resonant DC-DC Converter Using Switched Capacitor Network for WCS. *Gautam, K.K.*, +, *TPEL Jan. 2025 64-70*

Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*

Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*

Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*

Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*

Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*

Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*

Distributed Economic Coordination Controller for Parallel DC–DC Converters in Shipboard DC Microgrids Based on Prescribed-Time Consensus Observer. *Zeng, Y.*, +, *TPEL Jan. 2025 2495-2512*

Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*
Family of Capacitor–Diode Network Extended High Gain Quadratic Boost Converters for Microgrid Applications. *Naresh, S.V.K.*, +, *TPEL Jan. 2025 1418-1430*
Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*
Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*
Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*
Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*
Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*
Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*
Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*
Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*
Modified Back-Stepping Sliding Mode Controller With Robust Observer-Less Disturbance Rejection for DC Microgrid Applications. *Chabukswar, A.*, +, *TPEL Jan. 2025 451-466*
Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*
Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*
Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*
Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*
Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*
Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*
Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*
Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*
Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*

Decentralized control
A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*

Decision making
GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors. *Zhang, Y.*, +, *TPEL Sept. 2025 12309-12320*

Decoding
Self-Supervised Learning-Based Multiparameters Optimization Framework in Servo Systems. *Li, H.*, +, *TPEL Nov. 2025 16123-16128*

Deep learning
A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*
An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*
Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*
Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*
Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*

Deformable models
Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*

Deformation
An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*
Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*

Degradation
A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*
A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*
An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*
An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function. *Li, Y.*, +, *TPEL Sept. 2025 13822-13834*
An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*
An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*
An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*
Condition Monitoring the Inhomogeneous Thermal Fatigue of Multichip IGBT Module Based on the Thermal Attenuation Coefficient. *Zhang, J.*, +, *TPEL Jan. 2025 2114-2125*
Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*
Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*
Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*
Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*
Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*
Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*

Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*

Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*

Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*

Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*

Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*

LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries. *Wu, X.*, +, *TPEL Sept. 2025 13514-13528*

Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*

Monolithic Data-Driven Condition Monitoring Strategy for MMC ConsideringCand ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*

Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*

Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*

Partial Discharge Characteristics of Epoxy Resin Under High-Frequency Pulse Electrical Stress. *Jiang, J.*, +, *TPEL Jan. 2025 2017-2027*

Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter. *Deckers, M.*, +, *TPEL Jan. 2025 2219-2234*

Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*

Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*

Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*

Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters. *Yu, Q.*, +, *TPEL Sept. 2025 13363-13382*

Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*

Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*

Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*

Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*

Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*

Delamination

Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*

Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*

Delay effects

Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*

Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*

Delays

A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating Iq of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*

A Dynamic Study of the Single Active Bridge Converter. *Rodriguez, A.*, +, *TPEL April 2025 4805-4817*

A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*

A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*

A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*

A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*

A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*

A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*

A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*

A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*

A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*

A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*

Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*

Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*

Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*

Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*

Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*

Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*

Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*

Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*

Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback. *Huang, Z.*, +, *TPEL Aug. 2025 11787-11798*

Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability. *Chatterjee, D.*, +, *TPEL Nov. 2025 16740-16751*
Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*
Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop. *Li, L.*, +, *TPEL Feb. 2025 2697-2701*
High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*
Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*
Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*
Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*
Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*
Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*
Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*
Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*
Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*
Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*
Phase Step Control in PLL of DFIG-Based Wind Turbines for Ultrafast Frequency Support. *Zhou, Y.*, +, *TPEL Jan. 2025 51-56*
Relative Coupling EMPC for High-Precision Contouring Control in Multiaxis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*
Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*
Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling. *Fan, H.*, +, *TPEL May 2025 6653-6662*
Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*
Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*
The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*
Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*

Demagnetization

Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*
Optimized Design of Demagnetization Control for DFIG-Based Wind Turbines to Enhance Transient Stability During Weak Grid Faults. *Ma, Y.*, +, *TPEL Jan. 2025 76-81*
Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*

Demodulation

A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*
A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*
A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control. *Zhang, Z.*, +, *TPEL Jan. 2025 118-123*
A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*
An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*
DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation. *Leng, Y.*, +, *TPEL June 2025 7954-7966*
Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*

Denial-of-service attack

Dynamic Defense Method Against Malicious Attacks for DC Microgrids. *Zhang, Z.*, +, *TPEL July 2025 9591-9605*

Density measurement

A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*
A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*
A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*
A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*
A Soft-Switched Multiport Converter for Distributed PV Application With Energy Storage. *Karpana, S.*, +, *TPEL Jan. 2025 2300-2314*
A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*
Advanced Technology of Switched Reluctance Machines in More Electric Aircraft: A Review. *Ge, L.*, +, *TPEL Jan. 2025 195-216*
An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*
Corrections to “Mathematical Modeling and Optimization for the Power Density of the Free-Standing Magnetic Field Energy Harvester”. *Liu, Z.*, +, *TPEL July 2025 10265*
Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*
Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*
Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*
Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*
Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*
Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*
Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*
Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*
Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*
High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*
Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*
Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*

Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*
New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*
Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*
Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*
Systematic Topology Synthesis and Power Density Visualization of Partial Power Processing Architecture. *Tian, Y.*, +, *TPEL Jan. 2025 1346-1358*
The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*
Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*
Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*
Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*

Design automation
An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*

Design methodology
A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*
A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*
A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*
A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*
Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*
Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*
Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*
Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*
Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*
Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*
Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*
Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*

Design tools
Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*

Detectors
A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*
A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*
Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*
Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*

DH-HEMTs
Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*

Dielectric breakdown
Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*

Dielectric constant
A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*
Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*

Dielectric losses
Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*

Dielectric materials
Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*

Dielectric substrates
Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*

Dielectrics
An Improved Compensation Method Reducing Displacement Current Loss for Multilayer Coils in IPT System. *Zhang, Y.*, +, *TPEL Jan. 2025 87-91*
Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*

Differential equations
Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*

Digital control
A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*
Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*

Digital filters
A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*
Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*
Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*

Digital twins
A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*
An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*
Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*

Directed graphs
A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*
Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*
Discharges (electric)
A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*
A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*
An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*
An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*
Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*
High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*
Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*
Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*
Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*
Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*
Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*
Discrete cosine transforms
A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*
Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*
Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids. *Ning, G.*, +, *TPEL Nov. 2025 16626-16638*
Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*
Model-Free Predictive Control Based on Data-Driven for Fast and Accurate Power Allocation in Solid-State DC Transformers. *Kong, D.*, +, *TPEL Jan. 2025 1925-1935*
Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*
Discrete Fourier transforms
Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*
DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*
Diseases
Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs. *Han, D.*, +, *TPEL June 2025 8824-8833*
Dispersion
Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*
Distortion
A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*
A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*
Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*
Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters. *Pei, Y.*, +, *TPEL Sept. 2025 13556-13567*
Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*
Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*
Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*
Distributed power generation
Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*
An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*
Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*
Distribution networks
A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*
Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*
Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*
Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices. *Wang, L.*, +, *TPEL Dec. 2025 17946-17957*
Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*
Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*
Disturbance observers
A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*
A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*
A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*
A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*
A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*
A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*
Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*

Decoupled Dead-Time Compensation Method Using Revised-Resonant Control-Based Disturbance Observer in PMSM Drives. *Lang, J.*, +, *TPEL Jan. 2025 340-350*
Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*
Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*
Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*
Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters. *Zhou, Y.*, +, *TPEL Nov. 2025 16483-16497*
Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*
Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*
Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*

Doping
Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*

Doubly fed induction generators
A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*
Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*
Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*
Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*
Comprehensive Impedance Analysis of DFIG-Based Wind Farms Considering Dynamic Couplings. *Wang, J.*, +, *TPEL Jan. 2025 2259-2272*
Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*
Dynamic-Tracking Damping Controller for DFIG-Based Wind Farms to Mitigate Sub-Synchronous Control Interactions. *Han, J.*, +, *TPEL Jan. 2025 2248-2258*
Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults. *Zhao, R.*, +, *TPEL Aug. 2025 11477-11489*
Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*
Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*
Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*
Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*
Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*

Drilling
A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*

Driver circuits
An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*
An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination. *Huang, H.*, +, *TPEL Sept. 2025 13177-13186*
Design and Analysis of a Hybrid Inverting Buck Converter With 5 μs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*

Drives
A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters. *Li, K.*, +, *TPEL Oct. 2025 14585-14597*
Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*
Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*
Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*

Drones
A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*

Dual band
A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*
An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*
Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*

Dynamic range
A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*

Dynamic response
A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*
A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives. *Sun, Z.*, +, *TPEL Nov. 2025 16195-16205*
A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*
A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*
Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*
Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*
An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function. *Li, Y.*, +, *TPEL Sept. 2025 13822-13834*
Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*
Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*
Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*
Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*

Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*

Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*

Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method. *Xu, B.*, +, *TPEL Sept. 2025 13659-13672*

Modified Digital Current Controller for High Precision Electric Motor Emulators. *Wang, Z.*, +, *TPEL Sept. 2025 12452-12462*

Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation. *Gonzalez, C.*, +, *TPEL Sept. 2025 12719-12729*

Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*

Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*

Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*

Dynamics

Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*

Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*

E

Earth

An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*

An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*

Earth Observing System

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*

Economic indicators

3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*

A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*

Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*

Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*

Coreless DC Transformer With Near-Unity Power Factor by a Reactive Power Injector. *Lin, J.*, +, *TPEL Jan. 2025 1123-1134*

Eddy currents

A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils. *Luo, T.*, +, *TPEL March 2025 4279-4288*

A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*

A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*

An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*

An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*

Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*

Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory. *Li, C.*, +, *TPEL Nov. 2025 16926-16936*

Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*

Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*

Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*

Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*

High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*

Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*

Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*

Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*

Eigenvalues and eigenfunctions

Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*

HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*

Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*

Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*

On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*

Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*

Elastomers

Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*

Electric breakdown

A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*

Electric fields

5-kW, 96.5% Efficiency Capacitive Power Transfer System With a Five-Plate Coupler: Design and Optimization. *Rong, E.*, +, *TPEL Jan. 2025 2542-2555*

A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*

An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*
An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*
Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*
Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*
Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*
Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*
Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*
Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*
Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High d*v*/d*t* Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*

Electric machines

A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*
Guest Editorial: Special Section on Drives and Control of Electric Machines in Electric and Hybrid Aircraft Applications. *Lee, C.*, +, *TPEL Nov. 2025 16129-16130*

Electric motors

Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop. *Yin, Z.*, +, *TPEL May 2025 6753-6770*
Modified Digital Current Controller for High Precision Electric Motor Emulators. *Wang, Z.*, +, *TPEL Sept. 2025 12452-12462*

Electric potential

A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives. *Sun, Z.*, +, *TPEL Nov. 2025 16195-16205*
An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*
Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*
Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*
Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust d*v*/d*t* Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*
Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*
Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*
Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*
Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*
The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*
Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*

Electric vehicle charging

An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*
Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*
Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*

Electric vehicles

A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*
A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*
A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*
An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*
Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*
Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*
Study on Leakage Magnetic Field Shielding Method for Electric Vehicle High-Power Wireless Charging System Under Transverse Offset Working Condition. *Zhou, X.*, +, *TPEL Sept. 2025 14050-14060*
Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*

Electrical engineering

A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*
A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle. *Liu, S.*, +, *TPEL Aug. 2025 10456-10468*
Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*
Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*
General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*
Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*
Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*
Robust Wide-Area Wireless Charging of Multipath Movable Receivers: A Coupling Mechanism and Simplified Configuration Strategy. *Cai, C.*, +, *TPEL Jan. 2025 2527-2541*

Electrical fault detection

Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*

Electrical resistance measurement

An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*
High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*
Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*

Electrochemical processes
Adaptive Power Coordination Control for Electrolysis Hydrogen Directly Driven by Wind Turbines. *He, H.*, +, *TPEL Jan. 2025 2315-2326*
Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*
High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*
Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*
Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*
Electrochemistry
Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*
Electrodes
Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*
An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*
An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*
Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*
Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*
Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*
Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*
Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*
The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*
Electrolytes
A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*
An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*
Electromagnetic compatibility
One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*
Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*
Electromagnetic forces
Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*
Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*
Electromagnetic interference
A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*
A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*
A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*
A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*
A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*
A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*
A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*
An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*
Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*
Characterization and Circuit Modeling of Electromagnetic Interference Filtering Chokes in Power Electronics: A Review. *Jie, H.*, +, *TPEL Jan. 2025 920-943*
Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter. *Lee, K.*, +, *TPEL Oct. 2025 15003-15012*
Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*
Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*
Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current. *Lee, J.*, +, *TPEL July 2025 9137-9152*
Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*
Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*
EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*
Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives. *Xu, Y.*, +, *TPEL March 2025 4374-4385*
FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*
Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*
Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*
Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement. *Almeida, G.*, +, *TPEL Oct. 2025 14962-14973*
Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*
Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*
One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*

PCB Inductor With Integrated Shielding to Contain Switching Electric Field and Reduce CM Noise. *McGrew, T.*, +, *TPEL Jan. 2025 944-957*
Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*
Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*
Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*
The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*
Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*

Electromagnetic radiation
Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*

Electromagnetics
A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*
A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*
A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*
Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*
Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*
Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*
Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*
Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*
Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy. *Tang, Y.*, +, *TPEL Oct. 2025 15780-15794*
Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*
Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*
Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*

Electron traps
Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*
Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*

Electronic equipment
A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*
Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*

Electronic packaging thermal management
A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*
A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*
EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*
In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*
Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*
Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*
Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*
Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*
The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*
Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*
Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*

Electronics packaging
Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*

Electrons
Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*

Electroporation
3-MHz High-Voltage Pulse Generator With Novel Multilevel LC Resonant Network for Adjustable Pulsewidth. *Chen, S.*, +, *TPEL Jan. 2025 1012-1022*

Electrostatic discharge protection
Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*

Electrostatic discharges
Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*
Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*

Emergency power supplies
A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle. *Liu, S.*, +, *TPEL Aug. 2025 10456-10468*

Employee welfare
Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*
Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*

Emulation
Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*

Encapsulation
Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*

Energy consumption
A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*
Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*
Energy conversion
A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage. *Pang, Y.*, +, *TPEL Sept. 2025 13415-13433*
Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*
Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*
Energy efficiency
Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*
Energy exchange
A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*
Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*
Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*
Optimizing PV–Battery Hybrid Systems: A Reconfigurable Approach With Module-Level Maximum-Power-Point Tracking and Load Sharing. *Jiang, W.*, +, *TPEL Jan. 2025 2327-2341*
Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*
Energy harvesting
A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*
A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*
A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*
A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*
An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*
An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*
Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*
Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*
Energy loss
A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*
Energy management
A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*
Distributed Economic Coordination Controller for Parallel DC–DC Converters in Shipboard DC Microgrids Based on Prescribed-Time Consensus Observer. *Zeng, Y.*, +, *TPEL Jan. 2025 2495-2512*
Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*
Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*
Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*
Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*
Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*
Energy storage
A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*
A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*
An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*
An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*
Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*
Compact Nanosecond Pulse Generator Based on Distributed Inductive Energy Storage of Twisted Pair Wire. *Ma, J.*, +, *TPEL Jan. 2025 1111-1122*
High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*
High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*
Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*
Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*
Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*
Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*
Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*
The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*
Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*
Engines
Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*
Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*
Entropy
A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*

A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*

Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*

Epoxy resins

Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*

Partial Discharge Characteristics of Epoxy Resin Under High-Frequency Pulse Electrical Stress. *Jiang, J.*, +, *TPEL Jan. 2025 2017-2027*

Equalizers

A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*

An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*

Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*

Equivalent circuits

A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*

A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*

A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*

A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*

A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*

A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*

A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*

A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*

A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*

A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*

Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*

An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*

Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*

Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*

Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*

Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*

Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*

Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*

Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*

Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*

High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*

High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*

Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*

Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*

Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*

Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*

Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*

Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*

Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*

Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*

System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*

Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*

Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*

Error compensation

Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling. *Fan, H.*, +, *TPEL May 2025 6653-6662*

Estimation

A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*

A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*

A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*

A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*

A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*

A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*

A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control. *Zhang, Z.*, +, *TPEL Jan. 2025 118-123*

A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden. *Xu, Y.*, +, *TPEL Jan. 2025 1622-1635*

A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*

A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*

A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*

An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*

Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives. *Amorim Torres, R.*, +, *TPEL March 2025 4345-4357*

Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*

Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation. *Cai, J.*, +, *TPEL Dec. 2025 17664-17673*

Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*

DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*

Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*

Differential Detection of Feeder and Mesh Impedances Through a Series–Parallel Direct-Injection Soft Open Point. *Lu, M.*, +, *TPEL Jan. 2025 1964-1973*

Dual-Loop Estimation Based Adaptive Controller for Microgrid Connected Boost Converters. *Santana, I.*, +, *TPEL Jan. 2025 551-562*

Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*

Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*

Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*

HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*

Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*

Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*

Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*

Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*

Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*

Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*

Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*

Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*

Modeling and Design of Load Current Based Adaptive Voltage Positioning (AVP) Control for Multiphase Buck Converter Using Digital Current Estimation Algorithm. *Li, L.*, +, *TPEL Jan. 2025 316-327*

Monolithic Data-Driven Condition Monitoring Strategy for MMC ConsideringCand ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*

Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*

Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*

Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*

Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*

Nonparametric Predictive Current Control for SPMSM With Adaptive Cascade Extended Noise State Observer. *Yang, M.*, +, *TPEL Jan. 2025 1717-1727*

Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*

Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*

Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*

Parameter Estimation Using Total Harmonic Distortion in a WPT System. *Maile, P.*, +, *TPEL Jan. 2025 57-63*

Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*

Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*

Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*

Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*

Sensor Fusion-Enabled State of Charge Estimation of Smart Battery Module. *Cui, H.*, +, *TPEL Jan. 2025 2273-2283*

Sensorless BLDCM Drive Using an Improved DSOGI-PLL Observer for Solar-PV-Assisted LEV. *Saha, B.*, +, *TPEL Jan. 2025 1636-1644*

Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*

Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*

Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*

Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*
Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*
Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*
State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*
State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*
State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*
Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements. *Sanchez-Squella, A.*, +, *TPEL Sept. 2025 13941-13951*
Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*
Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*
Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*
Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*
Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Estimation error
A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*
Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*
Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*
Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*
Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*
Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*
Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*
Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*
Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*
Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*
Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*

Etching
Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*

Europe
Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*

Evaporation
Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*

Event detection
Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*

Explosions
A Front-Driven Independent Power Factor Partial Compensation for Decreasing Capacity in Electrified Railway. *Wu, T.X.*, +, *TPEL Jan. 2025 1915-1924*

Extreme learning machines
A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*

F

Fabrication
A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*
Fabrication-Specific Simulation of Mn-Zn Ferrite Core-Loss for Machine Learning-Based Surrogate Modeling With Limited Experimental Data. *Choi, M.*, +, *TPEL Jan. 2025 1519-1531*
Guest Editorial: Special Section on Power Electronics Letters: Fabrication and Design of High-Power Density and High-Frequency Passive Components. *Duffy, M.*, +, *TPEL Oct. 2025 14343-14344*

Failure analysis
A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*
Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*
Failure Mechanism Investigations of Bond Wires Lifting-Off and Die-Attach Solder Aging Considering the Thermal Coupling Effects. *Ge, X.*, +, *TPEL Jan. 2025 2042-2056*
High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*

Fans
Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*
Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*

Fast charging
Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*

Fast Fourier transforms
Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*

Fasteners
An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*

Fatigue
A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*
A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*

Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*
Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*
Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*

Fats
Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*

Fault currents
A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*
A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*
A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*
A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*
A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*
A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*
A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*
Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*
Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*
Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*
Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*
Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*
Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit. *Luo, C.*, +, *TPEL Jan. 2025 2472-2483*
Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*
Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*
Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*
Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*
Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*
Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*
Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*
Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*

Fault detection
A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*
A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*
A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*
CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*
Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*
Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*
Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*
Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*
Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*
Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*
PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*
Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*
Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*
Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*
Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*
Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*

Fault diagnosis
A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*
A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*
A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*
A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*
A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*
A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*
A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*
A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis. *Gou, B.*, +, *TPEL Feb. 2025 3505-3517*
A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*

A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*
A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*
A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data. *Xia, Y.*, +, *TPEL April 2025 5949-5958*
A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*
A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*
Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*
CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*
D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*
Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*
Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults. *Gu, M.*, +, *TPEL Nov. 2025 16080-16084*
Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*
Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*
Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*
Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*
Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*
Fully Simulated Data-Driven Domain Generalized Method for Multiphase Converters Fault Diagnosis. *Xu, H.*, +, *TPEL Jan. 2025 2099-2113*
Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*
Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*
Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*
Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*
Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*
Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*
Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*
Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*
Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current. *Liu, B.*, +, *TPEL Sept. 2025 12280-12294*
Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*
Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*
Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*
Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*
Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*
Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*
Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*
Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*

Fault location

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*

Fault protection

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

Fault tolerance

A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*
A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*
A Simplified Switch Short-Circuit Fault-Tolerant Scheme for Three-Phase Six-Switch Current Source Rectifier. *Hu, W.*, +, *TPEL Jan. 2025 105-111*
An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*
Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*
Diagnosis and Ride Through of Single-Switch Open-Circuit Fault in Low-Capacitance STATCOM. *Darvishzadeh, A.*, +, *TPEL Jan. 2025 1952-1963*
Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*
Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives. *Xu, Y.*, +, *TPEL March 2025 4374-4385*
Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*
Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*
Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range. *Lu, L.*, +, *TPEL Feb. 2025 3385-3394*
Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults. *Meng, X.*, +, *TPEL Nov. 2025 16469-16482*
General Modeling and Control of Multiple Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Jan. 2025 1900-1909*

Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*
Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault. *Liu, Y.*, +, *TPEL April 2025 5743-5755*
Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*

Fault tolerant control
Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*

Fault tolerant systems
A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*
A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*
A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*
A Simplified Switch Short-Circuit Fault-Tolerant Scheme for Three-Phase Six-Switch Current Source Rectifier. *Hu, W.*, +, *TPEL Jan. 2025 105-111*
Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation. *Yao, Y.*, +, *TPEL Oct. 2025 15359-15370*
Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*
An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*
An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*
Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*
Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*
Diagnosis and Ride Through of Single-Switch Open-Circuit Fault in Low-Capacitance STATCOM. *Darvishzadeh, A.*, +, *TPEL Jan. 2025 1952-1963*
Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults. *Gu, M.*, +, *TPEL Nov. 2025 16080-16084*
Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection. *Zhou, Z.*, +, *TPEL Dec. 2025 17803-17820*
Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*
Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters. *Cao, T.*, +, *TPEL Dec. 2025 18214-18225*
Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*
Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*
Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives. *Xu, Y.*, +, *TPEL March 2025 4374-4385*
Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*
Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*
Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range. *Lu, L.*, +, *TPEL Feb. 2025 3385-3394*
Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults. *Meng, X.*, +, *TPEL Nov. 2025 16469-16482*
General Modeling and Control of Multiple Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Jan. 2025 1900-1909*
High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*
Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy. *Tang, Y.*, +, *TPEL Oct. 2025 15780-15794*
Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters. *Zhou, Y.*, +, *TPEL Nov. 2025 16483-16497*
Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*
Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault. *Liu, Y.*, +, *TPEL April 2025 5743-5755*
Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*
Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*
Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*
Simple Vector Calculation and Constraint-Based Fault-Tolerant Control for a Single-Phase CHBMC. *Xie, D.*, +, *TPEL Jan. 2025 2028-2041*

Feature extraction
A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*
A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*
A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*
A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*
A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*
A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*
A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*
CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*
Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*
Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*
Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*
Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*
Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*

Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*
Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*
Fully Simulated Data-Driven Domain Generalized Method for Multiphase Converters Fault Diagnosis. *Xu, H.*, +, *TPEL Jan. 2025 2099-2113*
Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*
Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*
Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*
Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*
LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries. *Wu, X.*, +, *TPEL Sept. 2025 13514-13528*
Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*
Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*
Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*
Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*
Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*
Self-Supervised Learning-Based Multiparameters Optimization Framework in Servo Systems. *Li, H.*, +, *TPEL Nov. 2025 16123-16128*
Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*
Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*
State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*
State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*
Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*
Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*

Federated learning
An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*

Feedback control
A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*

Feedback linearization
Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*

Feedback loop
A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*

Feedforward systems
A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*
A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*
An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*
Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*
Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*
Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics. *Liu, Q.*, +, *TPEL Feb. 2025 2971-2986*
Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*

Ferrites
A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*
A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*
An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*
Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*
Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*
Delta and Inverse Delta Coupler Optimization Using Machine Learning for Wireless Power Transfer Electric Vehicle Charging Application. *J, R.*, +, *TPEL Jan. 2025 2556-2568*
Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*
Fabrication-Specific Simulation of Mn-Zn Ferrite Core-Loss for Machine Learning-Based Surrogate Modeling With Limited Experimental Data. *Choi, M.*, +, *TPEL Jan. 2025 1519-1531*
Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*
Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*
Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*
Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy. *Zhang, Y.*, +, *TPEL May 2025 7512-7522*
Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*
Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*
Nanocrystalline Power Loss and Thermal Mitigation for 11.1 kW Inductive Power Transfer Pads: A Novel Frequency-Dependent Optimization. *Dou, R.*, +, *TPEL Jan. 2025 2513-2526*
Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*

Field effect transistors
Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*
Field programmable gate arrays
An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination. *Huang, H.*, +, *TPEL Sept. 2025 13177-13186*
Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters. *M., M.A.*, +, *TPEL April 2025 4927-4937*
Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*
Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*
Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*
Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*
Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL April 2025 4695-4700*
Filtering
A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*
A Novel Systematic Topology Derivation Method for Single-Inductor Three-Port DC–DC Converters from Separate Components. *Mo, L.*, +, *TPEL Jan. 2025 1376-1388*
A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*
Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*
General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*
High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*
Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*
Filtering algorithms
A Control to Address Issues of Synchronization and Voltage Rise in Grid Integrated Solar Photovoltaic-Battery Storage System. *Modi, G.*, +, *TPEL Jan. 2025 2385-2396*
A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter. *Dmitruk, K.*, +, *TPEL Sept. 2025 12095-12111*
Filters
A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*
A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*
A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*
Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*
Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*
An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*
Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*
Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*
Characterization and Circuit Modeling of Electromagnetic Interference Filtering Chokes in Power Electronics: A Review. *Jie, H.*, +, *TPEL Jan. 2025 920-943*
Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter. *Lee, K.*, +, *TPEL Oct. 2025 15003-15012*
Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*
Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*
Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*
Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*
Fixed Switching Frequency Model Predictive Control for Grid-Forming Inverters. *Carnielutti, F.*, +, *TPEL July 2025 9080-9089*
Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*
Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*
Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters. *Queiroz, E.D.*, +, *TPEL July 2025 9301-9314*
Sensorless BLDCM Drive Using an Improved DSOGI-PLL Observer for Solar-PV-Assisted LEV. *Saha, B.*, +, *TPEL Jan. 2025 1636-1644*
Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*
Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation. *Ma, X.*, +, *TPEL March 2025 4289-4302*
Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*
Finite element analysis
A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*
A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils. *Luo, T.*, +, *TPEL March 2025 4279-4288*
A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*
A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*
Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*
Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*
Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*
Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*
Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*
Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*

Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*

Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*

In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*

Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*

Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*

Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*

Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*

Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*

Finite impulse response filters

Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*

Time-Step-Adaptive Filter Discretization for Variable Sampling Frequency Control of Power Converters. *Hwang, I.*, +, *TPEL Jan. 2025 574-587*

Firing

Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*

Fitting

A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*

Model Predictive Torque Control of Switched Reluctance Machines With Torque Sharing Function and PWM Control Signals Based on Linear Polynomial Fitting. *Ge, L.*, +, *TPEL Jan. 2025 40-45*

Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*

Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*

Fixtures

Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement. *Almeida, G.*, +, *TPEL Oct. 2025 14962-14973*

Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*

Floods

Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*

Flow production systems

Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*

Flowcharts

Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*

Fluctuations

A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*

A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*

A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points. *Shi, G.*, +, *TPEL Aug. 2025 10402-10418*

A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*

A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*

A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*

A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*

A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*

A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids. *Zhang, H.*, +, *TPEL July 2025 9370-9387*

A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*

A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*

A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*

A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*

A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*

Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*

An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*

Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters. *Pei, Y.*, +, *TPEL Sept. 2025 13556-13567*

Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*

Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*

Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*

Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*

High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid. *Zhang, Y.*, +, *TPEL Sept. 2025 13490-13498*

Inductive Power Transfer System With Constant Current-Constant Voltage Charging Tolerating Misalignment Based on Multiobjective Optimization for Compensation Topology. *Wang, Q.*, +, *TPEL March 2025 4581-4591*

Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy. *Zhang, Y.*, +, *TPEL May 2025 7512-7522*

Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*

Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*

Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*

Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*

Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*

Output Voltage Chopping Compensation Control Method and Current Fluctuation Suppression Strategy for High-Rate Discharge LBESS. *Liu, Y.*, +, *TPEL May 2025 6476-6491*

Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*

Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*

Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*

Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*

Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*

The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*

The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*

Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*

Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*

Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*

Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*

Fluids

An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*

Flyback transformers

A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*

An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*

Flywheels

Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*

Footwear

A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*

Force

A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*

A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*

An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*

Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*

Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*

Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*

Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*

Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*

Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*

High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*

Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*

Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*

Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*

The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*

Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*

UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*

Forging

Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*

Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*

Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*

Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*

Fourier series

General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*

Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*

Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*

Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*

Fractional calculus

Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*

Freeports

A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*

Frequency control

A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*

A Dispersing Proportional Resonance Controller for Selective Harmonic Current Compensation in a Shunt Active Power Filter. *Wu, Z.*, +, *TPEL Jan. 2025 279-289*

A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*

A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*

A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*

A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*

A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*

A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*

Adaptive Frequency Coupling Suppression Strategy for VSCs and Its Stability Region Analysis. *Wang, Z.*, +, *TPEL Jan. 2025 2442-2456*

Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*

An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*

An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*

Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*

Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*

Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*

Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*

Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*

Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*

Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*

Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*

Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults. *Gu, M.*, +, *TPEL Nov. 2025 16080-16084*

Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback. *Huang, Z.*, +, *TPEL Aug. 2025 11787-11798*

Dynamic-Tracking Damping Controller for DFIG-Based Wind Farms to Mitigate Sub-Synchronous Control Interactions. *Han, J.*, +, *TPEL Jan. 2025 2248-2258*

Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*

Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop. *Li, L.*, +, *TPEL Feb. 2025 2697-2701*

Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*

Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios. *Wang, Q.*, +, *TPEL July 2025 9723-9736*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*

Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*

Modeling for Oscillation Propagation With Frequency-Voltage Coupling Effect in Grid-Connected Virtual Synchronous Generator. *Li, C.*, +, *TPEL Jan. 2025 82-86*

Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*

New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*

Phase Step Control in PLL of DFIG-Based Wind Turbines for Ultrafast Frequency Support. *Zhou, Y.*, +, *TPEL Jan. 2025 51-56*

Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*

Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances. *Liu, L.*, +, *TPEL July 2025 9153-9166*

Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*

Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*

Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*

Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*

Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*

Time-Step-Adaptive Filter Discretization for Variable Sampling Frequency Control of Power Converters. *Hwang, I.*, +, *TPEL Jan. 2025 574-587*

Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*

Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*

Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*

Frequency conversion

A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*

A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*

A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*

A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*
A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*
A Five-Switch Single-Phase Buck–Boost AC–AC Converter With Inherent Commutation and Continuous Input Current. *Zargariafshar, D.*, +, *TPEL Feb. 2025 2726-2735*
A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*
A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*
A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*
A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*
A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*
AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*
Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*
All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*
An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*
Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*
Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*
Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*
Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*
Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*
Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*
Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*
Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*
Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*
Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*
Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*
Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*
Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*
Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*
QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*
Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*
Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*
Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*
Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*
Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*

Frequency division multiplexing

Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*

Frequency estimation

A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*
A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*
A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*
DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*
Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*
Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop. *Li, L.*, +, *TPEL Feb. 2025 2697-2701*
Parameter Estimation Using Total Harmonic Distortion in a WPT System. *Maile, P.*, +, *TPEL Jan. 2025 57-63*

Frequency locked loops

A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*
A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*
Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop. *Li, L.*, +, *TPEL Feb. 2025 2697-2701*
Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*

Frequency measurement

A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*
Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*
Accurate Magnetic Core Losses Measurement Under Arbitrary Excitation Waveforms. *Cabizza, S.*, +, *TPEL Jan. 2025 34-39*

Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*

Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*

Online Battery Impedance Identification Based on Small AC Signal Injection of Inverter. *Qu, H.*, +, *TPEL Feb. 2025 3490-3504*

Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*

Frequency modulation

3-MHz High-Voltage Pulse Generator With Novel Multilevel LC Resonant Network for Adjustable Pulsewidth. *Chen, S.*, +, *TPEL Jan. 2025 1012-1022*

A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*

A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*

A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*

A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*

A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*

A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*

A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*

A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*

Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*

Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*

Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*

CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*

Common-Mode Voltage Suppression Strategy for CHB-Based Motor Drive Based on Topology and Modulation Optimization. *Wang, Z.*, +, *TPEL Jan. 2025 1697-1716*

Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*

Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*

Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*

Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L*+*L*+*C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*

Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency. *Zhang, P.*, +, *TPEL May 2025 7110-7124*

General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*

Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios. *Wang, Q.*, +, *TPEL July 2025 9723-9736*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*

Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*

Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*

Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*

Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*

Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*

Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*

Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*

Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*

Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*

Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios. *Zhang, W.*, +, *TPEL Dec. 2025 17761-17775*

Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*

Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*

Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*

Frequency response

Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*

Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*

In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*

Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*
Small-Signal Modeling and Comparisons of the Pulse Frequency Modulation and Time Shift Control for the *LLC* Converters. *Guo, Z.*, +, *TPEL Jan. 2025 526-539*
Ultra-Low Frequency Oscillation Damping Control Method for Hydro-Photovoltaic Integrated Systems. *Wang, S.*, +, *TPEL Jan. 2025 2397-2418*

Frequency shift keying
DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation. *Leng, Y.*, +, *TPEL June 2025 7954-7966*
Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*

Frequency synchronization
A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating *Iq* of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*
A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability. *Zeng, Z.*, +, *TPEL Aug. 2025 10973-10987*
A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*
A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*
An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*
Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*
Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*
Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop. *Li, L.*, +, *TPEL Feb. 2025 2697-2701*
Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*
Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios. *Wang, Q.*, +, *TPEL July 2025 9723-9736*
Impedance Reshaping Method Based on Compensating PLL Dynamic to Improve Active Power Transfer Capability of VSC Under Weak Grid. *Xiong, X.*, +, *TPEL Jan. 2025 422-434*
Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*
Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*

Frequency-domain analysis
A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*
An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*
Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*
Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*
Novel Single-Loop dq Control for *LC* Filter-Based Single-Phase Standalone Inverter Systems Under Nonlinear Loads. *Iyer, V.G.*, +, *TPEL Jan. 2025 227-240*
Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*
Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters. *Xin, H.*, +, *TPEL Dec. 2025 18378-18389*
Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*

Freshwater
Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*

Friction
A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*
A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*
Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*
Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*
Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*
Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*

Fuel cells
An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function. *Li, Y.*, +, *TPEL Sept. 2025 13822-13834*
An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*
Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*
Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*
Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*
Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*
Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*
Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*
Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*

Fuel economy
Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*

Full-duplex system
A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*

Fusion reactors
Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*

Fuzzy control
Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*

Fuzzy logic
Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*
Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*
Fuzzy neural networks
Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*

G

Gain measurement
Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*
QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*
Gallium compounds
Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*
Gallium nitride
A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*
A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*
A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*
An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*
Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*
Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*
Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*
High-Frequency Pulsed Laser Driver Using Complementary GaN HEMTs. *Liu, C.*, +, *TPEL Feb. 2025 3370-3384*
Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*
On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*
Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*
Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*
Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*
Gate drivers
A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*
A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*
A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*
A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*
A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*
A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*
A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*
A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*
A Multilevel Self-Driving Gate Driver of SiC MOSFET for Crosstalk Suppression Considering Common-Source Inductance. *Hu, K.*, +, *TPEL Jan. 2025 906-919*
A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*
A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*
A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*
A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*
Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*
Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*
Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids. *Ning, G.*, +, *TPEL Nov. 2025 16626-16638*
Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*
Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*
Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*
Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable d*V*/*dt* and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*
Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*
Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*
Single-Input Dual-Output Digital Gate Driver IC Automatically Equalizing Drain Current Variations of Two Parallel-Connected SiC MOSFETs. *Horii, K.*, +, *TPEL Jan. 2025 467-485*
Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*
The Active Gate Driver Based on Hardware Closed-Loop Control for Crosstalk Suppression of SiC MOSFETs With Kelvin-Source Connection. *Cui, M.*, +, *TPEL Jan. 2025 217-226*
Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*
Gears
A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*
Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*

An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*

Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*

Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*

Generators

A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*

A Fault-Tolerant Control Method for Improving Input Current Half-Wave Symmetry Under Single-Switch Open-Circuit Fault of Front-End Vienna Rectifier in More-Electric Aircraft. *Yang, C.*, +, *TPEL Jan. 2025 2170-2183*

A High-Speed High-Voltage Pulse Generator With Adjustable Falling Slope Based on Programable Multi Narrow Pulses Drive Method for Series MOSFETs. *Zhang, Y.*, +, *TPEL Jan. 2025 1645-1653*

A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*

A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*

Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*

Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*

Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*

High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*

High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*

Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*

Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*

Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*

Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*

Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*

Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*

Ultra-Low Frequency Oscillation Damping Control Method for Hydro-Photovoltaic Integrated Systems. *Wang, S.*, +, *TPEL Jan. 2025 2397-2418*

Genetic algorithms

An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*

FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*

Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*

Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*

Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters. *Chen, S.*, +, *TPEL Feb. 2025 3020-3032*

Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*

Geology

An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*

Geometry

A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*

Delta and Inverse Delta Coupler Optimization Using Machine Learning for Wireless Power Transfer Electric Vehicle Charging Application. *J, R.*, +, *TPEL Jan. 2025 2556-2568*

Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*

Germanium

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*

Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*

Glass

Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*

Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*

Gold

Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*

Gradient methods

Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*

Grain boundaries

Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*

Graph neural networks

Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*

Graph theory

A Novel Systematic Topology Derivation Method for Single-Inductor Three-Port DC–DC Converters from Separate Components. *Mo, L.*, +, *TPEL Jan. 2025 1376-1388*

Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*

Graphics processing units

High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*

Green's function methods

Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*

Grid following

A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*

A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*

Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*

Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*

Low-Voltage Ride-Through Algorithm for Grid-Forming Converters. *Fernandez, J.D.*, +, *TPEL Jan. 2025 303-315*

Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters. *Queiroz, E.D.*, +, *TPEL July 2025 9301-9314*

Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*

Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*

Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*

Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*

Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*

Grid forming

A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points. *Shi, G.*, +, *TPEL Aug. 2025 10402-10418*

A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability. *Zeng, Z.*, +, *TPEL Aug. 2025 10973-10987*

A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*

Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*

Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*

An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*

Analysis and Damping of Subsynchronous Oscillations for Cascaded Grid-Forming Converters Considering DC-Link Dynamics. *Kong, L.*, +, *TPEL Jan. 2025 2284-2299*

Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*

Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*

Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*

Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*

Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*

Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*

Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*

Fixed Switching Frequency Model Predictive Control for Grid-Forming Inverters. *Carnielutti, F.*, +, *TPEL July 2025 9080-9089*

Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*

Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*

Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*

Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*

Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*

Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*

Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*

Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*

Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*

Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*

Low-Voltage Ride-Through Algorithm for Grid-Forming Converters. *Fernandez, J.D.*, +, *TPEL Jan. 2025 303-315*

Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*

Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters. *Queiroz, E.D.*, +, *TPEL July 2025 9301-9314*

Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*

Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*

Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*

Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*

Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics. *Liu, Q.*, +, *TPEL Feb. 2025 2971-2986*

Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*

Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*
Stability Criterion for Near-Area Grid-Forming Converters Under the Weak Grid Condition. *Wang, P.*, +, *TPEL Jan. 2025 361-374*
Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*
Transient Stability Analysis and Enhancement of Inverter-Based Microgrid Considering Current Limitation. *Li, D.*, +, *TPEL Jan. 2025 2429-2441*
Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*
Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*
Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*
Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*
Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*

Grounding
Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*
Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current. *Lee, J.*, +, *TPEL July 2025 9137-9152*
Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*
Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*

Gyroscopes
Synchronous Vibration Control of MSCSG Based on High-Precision Closed-Loop Synchronous Rotating Frame Transformation. *Han, W.*, +, *TPEL April 2025 4793-4804*

H

Hafnium
A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*
Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*
Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*
Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*
Isolated MVdc-HVdc-AC Three-Port Power Router for High-Power Large-Scale PV Applications. *Liao, Z.*, +, *TPEL Jan. 2025 1991-2004*
Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling. *Fan, H.*, +, *TPEL May 2025 6653-6662*
Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*
State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*
Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*

Hafnium oxide
Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*
Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*

Hands
An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*
Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*
Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*
Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation. *Gonzalez, C.*, +, *TPEL Sept. 2025 12719-12729*
Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*

Hardware
A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*
A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters. *Lin, Z.*, +, *TPEL June 2025 8726-8738*
Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation. *Yao, Y.*, +, *TPEL Oct. 2025 15359-15370*
An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*
Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*
Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*
Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*
Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*
Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*
Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*
Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*
Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*
Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*
Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive. *Panda, B.*, +, *TPEL June 2025 7777-7788*
Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*
Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*
Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*
Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*

Hardware-in-the-loop simulation

Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*

Harmonic analysis

A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*

A Control to Address Issues of Synchronization and Voltage Rise in Grid Integrated Solar Photovoltaic-Battery Storage System. *Modi, G.*, +, *TPEL Jan. 2025 2385-2396*

A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*

A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*

A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability. *Zeng, Z.*, +, *TPEL Aug. 2025 10973-10987*

A Dispersing Proportional Resonance Controller for Selective Harmonic Current Compensation in a Shunt Active Power Filter. *Wu, Z.*, +, *TPEL Jan. 2025 279-289*

A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*

A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine. *Guo, Y.*, +, *TPEL Aug. 2025 10746-10757*

A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Mo, N.*, +, *TPEL Oct. 2025 15504-15518*

A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*

A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*

A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*

A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*

A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*

A Fault-Tolerant Control Method for Improving Input Current Half-Wave Symmetry Under Single-Switch Open-Circuit Fault of Front-End Vienna Rectifier in More-Electric Aircraft. *Yang, C.*, +, *TPEL Jan. 2025 2170-2183*

A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*

A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*

A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*

A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*

A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*

A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*

A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*

A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation. *Jin, F.*, +, *TPEL May 2025 6593-6604*

A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*

A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter. *Dmitruk, K.*, +, *TPEL Sept. 2025 12095-12111*

A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*

A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden. *Xu, Y.*, +, *TPEL Jan. 2025 1622-1635*

A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*

A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*

A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*

A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*

A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*

A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*

A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*

A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*

A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*

A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*

A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*

Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*

Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*

Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*

Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*

Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*

Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*

Adaptive Parameter Tuning and Virtual Impedance Injection Control for Coupled Harmonic Mitigation of Photovoltaic Converter. *Shan, P.*, +, *TPEL Jan. 2025 162-175*

Advanced Modeling Approach for LLC Resonant Converters: From Multi-harmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*

An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*

An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*

An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*

An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives. *Zhou, C.*, +, *TPEL Sept. 2025 12204-12214*

An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*

An Improved Voltage Reconstruction Method for Current Source Inverter. *Wei, Y.*, +, *TPEL Nov. 2025 16409-16418*

An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*

Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*

Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*

Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*

Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*

Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*

Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*

CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*

Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*

Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*

Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*

Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*

Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*

Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*

DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation. *Leng, Y.*, +, *TPEL June 2025 7954-7966*

DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*

Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*

Decoupled Dead-Time Compensation Method Using Revised-Resonant Control-Based Disturbance Observer in PMSM Drives. *Lang, J.*, +, *TPEL Jan. 2025 340-350*

Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*

Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*

Direct Pulsewidth Modulation Technique for Modular Multilevel Converters Based on Full-Bridge Submodules. *Yin, J.*, +, *TPEL Jan. 2025 1085-1098*

Direct Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor. *Pan, B.*, +, *TPEL Sept. 2025 12475-12487*

Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*

Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*

Dynamic Interleaving Strategy to Reduce DC-Link Ripple of Dual Three-Phase Permanent Magnet Synchronous Machine Drives by Using Discontinuous Space Vector Modulation. *Chowdhury, A.*, +, *TPEL Jan. 2025 1762-1773*

Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*

Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*

Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*

Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*

Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection. *Zhou, Z.*, +, *TPEL Dec. 2025 17803-17820*

Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*

Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*

Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*

Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency. *Zhang, P.*, +, *TPEL May 2025 7110-7124*

Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*

Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*

Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios. *Wang, Q.*, +, *TPEL July 2025 9723-9736*

Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*

Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*

High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*

High-Efficiency, High-Power Asymmetrically Designed Three-Phase Power Supply for Electrolytic Hydrogen Production. *Tian, H.*, +, *TPEL Jan. 2025 92-97*

High-Order Generalized Averaging Method for Power Electronics Modeling From DC to Above Half the Switching Frequency. *Li, H.*, +, *TPEL Jan. 2025 176-194*

High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*

HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*

Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*

Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*

Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction. *Cao, D.*, +, *TPEL Feb. 2025 2833-2846*

Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*

Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*

Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter. *Zhao, M.*, +, *TPEL Feb. 2025 3189-3209*

Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell. *Wang, S.*, +, *TPEL June 2025 8253-8263*

Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*

Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*

Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*

Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault. *Liu, Y.*, +, *TPEL April 2025 5743-5755*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Modified Harmonic Current Control and Load Range Extension Method for Single-Stage Isolated DCM Boost AC–DC Converter. *Bi, Y.*, +, *TPEL Jan. 2025 263-278*

Modulating and Carrier-Based Dodecagonal Space Vector Pulse Width Modulation Technique With Fifth and Seventh Order Harmonic Elimination for Split-Phase OEIM. *Nair, S.S.*, +, *TPEL Jan. 2025 1787-1796*

Monolithic Data-Driven Condition Monitoring Strategy for MMC Consider-ingCand ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*

Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*

Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index. *Xiong, Y.*, +, *TPEL Sept. 2025 13217-13230*

Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*

Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*

Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*

Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*

Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*

Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods. *Li, Z.*, +, *TPEL Oct. 2025 15718-15729*

Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*

Online Harmonic Reduction for Aircraft Electrical Power Distribution System With Global Phase-Shifted Carrier PWM. *Peng, Q.*, +, *TPEL Jan. 2025 599-610*

Online Postfault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault. *Yu, K.*, +, *TPEL Oct. 2025 14733-14745*

Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*

Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters. *Le, H.*, +, *TPEL Jan. 2025 1272-1288*

Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation. *Gonzalez, C.*, +, *TPEL Sept. 2025 12719-12729*

Parameter Estimation Using Total Harmonic Distortion in a WPT System. *Maile, P.*, +, *TPEL Jan. 2025 57-63*

Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Dec. 2025 17690-17702*

Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*

Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*

Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning $1^{st}/3^{rd}$ Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*

Predictive Direct Control of Nine-Switch Converter Unified Power Quality Conditioner Based on Time-Sharing Cooperative Control. *Wang, G.*, +, *TPEL April 2025 5895-5906*

Problem Analysis and Improvement of Traditional Efficiency Optimization Method for Inductive Power Transfer Systems. *Chen, D., TPEL May 2025 7466-7476*

Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*

Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*

Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*

Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*

Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*

Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*

Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*

Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*

Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*

Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*
Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*
Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*
Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*
Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*
Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*
Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*
Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*
Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*
Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*
Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*
Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL June 2025 7668-7680*
Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*
Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*
Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization. *Yang, H.*, +, *TPEL May 2025 6413-6422*
The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*
The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*
Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios. *Zhang, W.*, +, *TPEL Dec. 2025 17761-17775*
Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*
Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*
Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*
Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*
Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*
UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*
Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*
Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*
Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*
Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation. *Ma, X.*, +, *TPEL March 2025 4289-4302*
Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*
ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

Harmonic distortion
A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*
Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*
Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*
Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios. *Wang, Q.*, +, *TPEL July 2025 9723-9736*

Harmonics suppression
A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*
A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*
A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*
Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*

Hazards
Study on Leakage Magnetic Field Shielding Method for Electric Vehicle High-Power Wireless Charging System Under Transverse Offset Working Condition. *Zhou, X.*, +, *TPEL Sept. 2025 14050-14060*

Heat recovery
Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*

Heat sinks
A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*
Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*
Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*
Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*
Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*
Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*

Heat transfer

A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*

Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*

Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*

Heating systems

A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*

A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*

An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*

Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*

Condition Monitoring the Inhomogeneous Thermal Fatigue of Multichip IGBT Module Based on the Thermal Attenuation Coefficient. *Zhang, J.*, +, *TPEL Jan. 2025 2114-2125*

EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*

Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*

Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*

Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*

In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*

Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*

Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*

Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*

Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*

HEMTs

A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*

A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*

A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*

A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*

An Efficient Switching Transient Analytical Model for P-GaN Gate HEMTs With Dynamic $C_G(V_{DS}, V_{GS})$. *Du, J.*, +, *TPEL Jan. 2025 2139-2148*

An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*

Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*

Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*

Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*

Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*

High-Frequency Pulsed Laser Driver Using Complementary GaN HEMTs. *Liu, C.*, +, *TPEL Feb. 2025 3370-3384*

Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*

Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*

Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*

Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*

Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*

The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*

Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*

Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced d*v*/d*t* Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*

Heuristic algorithms

A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*

A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*

Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*

Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*

Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*

Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*

Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*

Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*

Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*

Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*

Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*

Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*

Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*

Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters. *Chen, S.*, +, *TPEL Feb. 2025 3020-3032*

Hidden Markov models

Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*

An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*

Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*

Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*

Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*

High frequency

A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*

A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*

A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*

A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*

A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*

Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*

Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*

Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory. *Li, C.*, +, *TPEL Nov. 2025 16926-16936*

Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*

Guest Editorial: Special Section on Power Electronics Letters: Fabrication and Design of High-Power Density and High-Frequency Passive Components. *Duffy, M.*, +, *TPEL Oct. 2025 14343-14344*

High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*

High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*

Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*

Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*

Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*

High-frequency transformers

Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*

Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*

Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*

High-speed electronics

Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*

Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter. *Cheng, Z.*, +, *TPEL Jan. 2025 1654-1668*

High-voltage techniques

A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*

A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*

A Capacity-Expandable Cascaded Multilevel Energy Storage System Based on Laminated Power Modules. *Zhang, J.*, +, *TPEL April 2025 5265-5278*

A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*

A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*

A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*

A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*

A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*

A High-Speed High-Voltage Pulse Generator With Adjustable Falling Slope Based on Programable Multi Narrow Pulses Drive Method for Series MOSFETs. *Zhang, Y.*, +, *TPEL Jan. 2025 1645-1653*

A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*

A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*

A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*

A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*

A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*

A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*

A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*

A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*

A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*

A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*

A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*

An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*

An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*

Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*

Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*

Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*

Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*

Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*

Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*

Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*

Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*

Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*

Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*

Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*

Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*

Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*

Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*

Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*

High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*

High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*

High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*

High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*

Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*

Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*

New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*

On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*

Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*

Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*

Partial Discharge Characteristics of Epoxy Resin Under High-Frequency Pulse Electrical Stress. *Jiang, J.*, +, *TPEL Jan. 2025 2017-2027*

Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*

Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*

Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*

Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*

Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*

Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*

UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*

Home appliances

Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*

HVDC transmission

An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*

An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*

Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*

Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*

Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*

Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*

High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*
High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*
Isolated MVdc-HVdc-AC Three-Port Power Router for High-Power Large-Scale PV Applications. *Liao, Z.*, +, *TPEL Jan. 2025 1991-2004*
Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*
Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*
Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*
Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*
Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*
The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*

Hybrid electric vehicles
Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*
Guest Editorial: Special Section on Drives and Control of Electric Machines in Electric and Hybrid Aircraft Applications. *Lee, C.*, +, *TPEL Nov. 2025 16129-16130*
Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*

Hybrid power systems
A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*
A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*
A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*
A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage. *Pang, Y.*, +, *TPEL Sept. 2025 13415-13433*
Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*
An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*
An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*
An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*
Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*
Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*
Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*
Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell. *Wang, S.*, +, *TPEL June 2025 8253-8263*
Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*
Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*
Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids. *Jiang, S.*, +, *TPEL Nov. 2025 17426-17437*
Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*
Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs. *Han, D.*, +, *TPEL June 2025 8824-8833*
Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*
Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*

Hydroelectric power generation
Ultra-Low Frequency Oscillation Damping Control Method for Hydro-Photovoltaic Integrated Systems. *Wang, S.*, +, *TPEL Jan. 2025 2397-2418*

Hydrogen
Adaptive Power Coordination Control for Electrolysis Hydrogen Directly Driven by Wind Turbines. *He, H.*, +, *TPEL Jan. 2025 2315-2326*
Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*
Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*
High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*
High-Efficiency, High-Power Asymmetrically Designed Three-Phase Power Supply for Electrolytic Hydrogen Production. *Tian, H.*, +, *TPEL Jan. 2025 92-97*
Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*
Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*
Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*
Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*
Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*
Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*

Hyperspectral imaging
Design and Analysis of a Hybrid Inverting Buck Converter With 5 μs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*

Hysteresis
A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating *Iq* of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*
A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*
A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*
A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*

An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*

Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*

Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives. *Zhang, Z.*, +, *TPEL Dec. 2025 17726-17737*

I

IEC Standards

Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*

IIR filters

Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*

Time-Step-Adaptive Filter Discretization for Variable Sampling Frequency Control of Power Converters. *Hwang, I.*, +, *TPEL Jan. 2025 574-587*

Image color analysis

Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*

Image edge detection

A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*

Image reconstruction

DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*

Imaging

An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination. *Huang, H.*, +, *TPEL Sept. 2025 13177-13186*

Immune system

General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*

Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*

Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*

Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*

Impedance

A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*

A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*

A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*

A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*

A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*

A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils. *Luo, T.*, +, *TPEL March 2025 4279-4288*

A Four Switch Common Ground-Based Single Phase Current-Fed Boost Inverter. *Ravitheja, R.*, +, *TPEL Jan. 2025 1064-1073*

A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*

A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*

A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*

A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*

A Master-Slave Model Predictive Control Approach for Microgrids. *Carnielutti, F.*, +, *TPEL Jan. 2025 540-550*

A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*

A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*

A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*

A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*

A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*

A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*

A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*

A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*

A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance. *Quan, X.*, +, *TPEL Sept. 2025 13919-13930*

A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*

A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*

AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire. *Deng, Q.*, +, *TPEL July 2025 10111-10122*

Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*

Adaptive Coupling Reshaping Controller for Mitigating Unstable SSCI Between Renewable Energy Power Plants and Power Grids. *Liu, Z.*, +, *TPEL Feb. 2025 3610-3621*

Adaptive Parameter Tuning and Virtual Impedance Injection Control for Coupled Harmonic Mitigation of Photovoltaic Converter. *Shan, P.*, +, *TPEL Jan. 2025 162-175*

Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*

All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*

An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*

An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*

An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*

An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*

An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*

An Extended Impedance Model for Power Electronics Converters Retaining Explicit Synchronization Dynamics. *Hu, G.*, +, *TPEL Jan. 2025 2355-2370*

An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*

An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*

Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*

Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*

Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*

Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*

Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*

Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*

Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*

Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*

Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*

Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*

Comprehensive Impedance Analysis of DFIG-Based Wind Farms Considering Dynamic Couplings. *Wang, J.*, +, *TPEL Jan. 2025 2259-2272*

Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*

Constant Frequency CC–CV Operation of Isolated *LLC* Resonant DC-DC Converter Using Switched Capacitor Network for WCS. *Gautam, K.K.*, +, *TPEL Jan. 2025 64-70*

Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*

D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*

Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit. *Luo, C.*, +, *TPEL Jan. 2025 2472-2483*

Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*

Differential Detection of Feeder and Mesh Impedances Through a Series–Parallel Direct-Injection Soft Open Point. *Lu, M.*, +, *TPEL Jan. 2025 1964-1973*

Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices. *Wang, L.*, +, *TPEL Dec. 2025 17946-17957*

Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability. *Chatterjee, D.*, +, *TPEL Nov. 2025 16740-16751*

Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*

Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*

Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*

Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*

Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*

Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*

Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*

General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*

Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*

Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*

Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*

High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*

High-Efficiency Wide-Range RF Power Generation Systems With Discrete Power Back-Off From Multiple Inverters. *Zhang, H.*, +, *TPEL Jan. 2025 290-302*

High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*

High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*

How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*

Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*

Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*

Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*

Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*

Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*

Impedance Reshaping Method Based on Compensating PLL Dynamic to Improve Active Power Transfer Capability of VSC Under Weak Grid. *Xiong, X.*, +, *TPEL Jan. 2025 422-434*

Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*

In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*

Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*

Machine-Learned Models for Power Magnetic Material Characteristics. *Leszczynski, P.*, +, *TPEL Jan. 2025 1554-1562*
Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement. *Almeida, G.*, +, *TPEL Oct. 2025 14962-14973*
Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*
Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*
Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*
Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*
Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*
Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*
Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*
Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*
On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*
On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*
One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*
Online Battery Impedance Identification Based on Small AC Signal Injection of Inverter. *Qu, H.*, +, *TPEL Feb. 2025 3490-3504*
Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*
Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*
Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*
Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations. *Komiyama, Y.*, +, *TPEL Nov. 2025 16822-16836*
Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*
Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*
Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*
Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*
Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters. *Xin, H.*, +, *TPEL Dec. 2025 18378-18389*
Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*
Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*
Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*
Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*
Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters. *Yu, Q.*, +, *TPEL Sept. 2025 13363-13382*
Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*
Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*
Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*
Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*
Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*
Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*
Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*
Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*
Stability Criterion for Near-Area Grid-Forming Converters Under the Weak Grid Condition. *Wang, P.*, +, *TPEL Jan. 2025 361-374*
Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*
The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*
The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*
Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*
Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*
Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*
Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*
Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*
Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*
Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*
Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*

Impedance matching

An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*

An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*
Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*

Impedance measurement
A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*
Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*
Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*
High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*
How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*
Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*
Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*
In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*
Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement. *Almeida, G.*, +, *TPEL Oct. 2025 14962-14973*
One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*
Online Battery Impedance Identification Based on Small AC Signal Injection of Inverter. *Qu, H.*, +, *TPEL Feb. 2025 3490-3504*
Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*
Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*

Implants
Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*

Indexes
A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*
A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*
An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*
Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters. *Du, H.*, +, *TPEL May 2025 7215-7226*
Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*
Design and Analysis of a Hybrid Inverting Buck Converter With 5 μs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*
Digital Implementation of Discontinuous PWMs: Mitigating Parasitic Active Vectors for Improved Load Current Quality in Inverter Systems. *Baum, F.*, +, *TPEL May 2025 6740-6752*
Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*

Inductance
3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*
A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*
A 2.5D Multichip SiC MOSFET Power Module With Low Parasitic Inductance and High Dynamic Current Sharing Performance. *Zheng, Z.*, +, *TPEL Jan. 2025 1542-1553*
A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*
A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*
A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*
A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*
A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*
A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*
A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*
A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*
A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine. *Guo, Y.*, +, *TPEL Aug. 2025 10746-10757*
A Dynamic Wireless Power Transfer System Using DC-Controlled Variable Inductor for Segment Transmitter Automatic Switching. *Zhang, Z.*, +, *TPEL Jan. 2025 23-27*
A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*
A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*
A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*
A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*
A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*
A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*
A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*
A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*
A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*
A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*
A Multilevel Self-Driving Gate Driver of SiC MOSFET for Crosstalk Suppression Considering Common-Source Inductance. *Hu, K.*, +, *TPEL Jan. 2025 906-919*
A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*
A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*

A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*

A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*

A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*

A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*

A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*

A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*

A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*

A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*

A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*

A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*

A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*

A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*

A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*

A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*

A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*

A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*

A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*

A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*

A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*

A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*

A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*

A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*

A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*

A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*

A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*

A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*

AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire. *Deng, Q.*, +, *TPEL July 2025 10111-10122*

Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*

Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*

Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*

An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*

An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*

An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*

An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*

An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*

An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*

An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*

An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*

An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*

An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*

An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*

An Improved Compensation Method Reducing Displacement Current Loss for Multilayer Coils in IPT System. *Zhang, Y.*, +, *TPEL Jan. 2025 87-91*

An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*

An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*

An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*

An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*

Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*

Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*

Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*

Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*

Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*

Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*

Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*

Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*

Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*

Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*

Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*

Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*

Coreless DC Transformer With Near-Unity Power Factor by a Reactive Power Injector. *Lin, J.*, +, *TPEL Jan. 2025 1123-1134*

Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*

Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*

Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*

Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*

Current Sharing for a Multiphase Inverter Based on Coupled External Parallel Resonant Branches for Wireless Power Transfer System. *Liu, R.*, +, *TPEL Jan. 2025 71-75*

D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*

DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*

Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*

Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*

Design and Characterization of Bus Bars for 1-MVA Three-Level ANPC Inverters in Aerospace Applications. *Wang, D.*, +, *TPEL Jan. 2025 1135-1152*

Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*

Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*

Direct Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor. *Pan, B.*, +, *TPEL Sept. 2025 12475-12487*

Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*

Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*

Dynamic Defense Method Against Malicious Attacks for DC Microgrids. *Zhang, Z.*, +, *TPEL July 2025 9591-9605*

Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*

Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*

Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation. *Yun, J.*, +, *TPEL April 2025 5014-5024*

Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*

Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*

Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*

Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*

Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*

Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*

High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*

High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid. *Zhang, Y.*, +, *TPEL Sept. 2025 13490-13498*

High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*

High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*

High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*

High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*

High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*

High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*

High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*

Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*

Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*

Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*

Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*

Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*

Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*

Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*

Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*

Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*

Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*

Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*

Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*

Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*

Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*

Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*

Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Modeling and Design Guideline of Optimal Split Inductance Range for Split-Output Power Module Considering Normal and Fault Conditions. *Gao, H.*, +, *TPEL Jan. 2025 828-839*

Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*

Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*

MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*

Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*

Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*

Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive. *Li, X.*, +, *TPEL May 2025 6492-6505*

Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*

Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*

New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*

Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*

Nonparametric Predictive Current Control for SPMSM With Adaptive Cascade Extended Noise State Observer. *Yang, M.*, +, *TPEL Jan. 2025 1717-1727*

Novel Current Sensor Based on Parasitic Inductance With Adaptive Compensation for Parasitic Resistance. *Zhao, X.*, +, *TPEL May 2025 6403-6412*

Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*

Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*

Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*

On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*

Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*

Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*

Online Postfault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault. *Yu, K.*, +, *TPEL Oct. 2025 14733-14745*

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*

Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*

Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*

Optimizing PV–Battery Hybrid Systems: A Reconfigurable Approach With Module-Level Maximum-Power-Point Tracking and Load Sharing. *Jiang, W.*, +, *TPEL Jan. 2025 2327-2341*

Origin Analysis and Mitigation Method of Voltage Oscillation Occurred Inside the Winding of Medium-Voltage Medium-Frequency Transformer. *Wang, Y.*, +, *TPEL Jan. 2025 1974-1990*

Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*

Parameter Estimation Using Total Harmonic Distortion in a WPT System. *Maile, P.*, +, *TPEL Jan. 2025 57-63*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*

Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*

Performance-Based Experimental Characterization and Maximum Efficiency Point Detection of Power Inductors. *Femia, N.*, +, *TPEL Jan. 2025 1532-1541*

Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*
Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*
Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*
Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*
Power Flow Control of Bidirectional Modular Multilevel Resonant Converters in MVDC and LVDC Distribution Networks. *Li, B.*, +, *TPEL Jan. 2025 1168-1182*
Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*
Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*
Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*
Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*
Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*
Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*
Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*
Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*
Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*
Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*
Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*
Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*
Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*
Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*
Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*
Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*
Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*
Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*
Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs. *Han, D.*, +, *TPEL June 2025 8824-8833*
Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*
Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*
Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*
Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*
The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*
The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*
Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*
Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*
Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*
Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*
Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*
Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*
Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*
Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*
Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*
ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*

Inductance measurement

3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*
An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*
Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*

Induction heating

A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*
A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*

Induction motor drives

Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive. *Panda, B.*, +, *TPEL June 2025 7777-7788*

Induction motors

D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*
Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*

GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors. *Zhang, Y.*, +, *TPEL Sept. 2025 12309-12320*
Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*
Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*

Inductive charging

A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*
A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*
A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*
A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*
A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*
A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*
An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*
An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*
Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*
Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*
Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*
Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*
Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*
Robust Wide-Area Wireless Charging of Multipath Movable Receivers: A Coupling Mechanism and Simplified Configuration Strategy. *Cai, C.*, +, *TPEL Jan. 2025 2527-2541*
Study on Leakage Magnetic Field Shielding Method for Electric Vehicle High-Power Wireless Charging System Under Transverse Offset Working Condition. *Zhou, X.*, +, *TPEL Sept. 2025 14050-14060*

Inductive coupling

Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*

Inductors

A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*
A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*
A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*
A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating *Iq* of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*
A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*
A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*
A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*
A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*
A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*
A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*
A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*
A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*
A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*
A Dispersing Proportional Resonance Controller for Selective Harmonic Current Compensation in a Shunt Active Power Filter. *Wu, Z.*, +, *TPEL Jan. 2025 279-289*
A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Mo, N.*, +, *TPEL Oct. 2025 15504-15518*
A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*
A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*
A Dynamic Study of the Single Active Bridge Converter. *Rodriguez, A.*, +, *TPEL April 2025 4805-4817*
A Dynamic Wireless Power Transfer System Using DC-Controlled Variable Inductor for Segment Transmitter Automatic Switching. *Zhang, Z.*, +, *TPEL Jan. 2025 23-27*
A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*
A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*
A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*
A Four Switch Common Ground-Based Single Phase Current-Fed Boost Inverter. *Ravitheja, R.*, +, *TPEL Jan. 2025 1064-1073*
A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*
A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*
A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*
A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*
A High Conversion Ratio Matrix Autotransformer Switched-Capacitor Converter for 48 V Datacenter Application. *Qiu, M.*, +, *TPEL Jan. 2025 1359-1375*
A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*
A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*
A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*

A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*
A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*
A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*
A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*
A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*
A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*
A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*
A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*
A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*
A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*
A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*
A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*
A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*
A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*
A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*
A Novel Class-E Quasi-Constant Transconductance Rectifier. *Zhou, H.*, +, *TPEL Oct. 2025 14289-14294*
A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*
A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*
A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*
A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*
A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*
A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*
A Novel Full-Bridge Boost LCL-Type DC/DC Converter With a Constant Off-Time: Analysis, Design, and Experimental Results. *Zhu, Y.*, +, *TPEL Jan. 2025 1023-1034*
A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*
A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*
A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*
A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*
A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*
A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*
A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*
A Novel Systematic Topology Derivation Method for Single-Inductor Three-Port DC–DC Converters from Separate Components. *Mo, L.*, +, *TPEL Jan. 2025 1376-1388*
A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*
A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*
A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*
A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*
A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*
A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*
A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*
A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*
A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*
A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*
A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*
A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*
A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*
A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*
A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*
A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*
A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*
A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*
A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*
A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*
A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*
A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*

A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*

A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nano-satellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*

A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*

A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*

A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*

A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*

A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*

A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*

A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*

A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*

AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*

Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*

Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*

An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*

An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*

An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*

An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*

An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*

An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*

An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*

An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*

An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*

An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*

An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*

An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*

An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*

An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*

An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*

An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*

An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*

An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*

An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*

An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*

An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*

An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*

An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*

An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model. *Luo, T.*, +, *TPEL Oct. 2025 15104-15117*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*

An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*

Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*

Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*

Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*

Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*

Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*

Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*

Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*

Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*

Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*

Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*

Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*

Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*

Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*

Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*

Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*

Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids. *Ning, G.*, +, *TPEL Nov. 2025 16626-16638*

Characterization and Circuit Modeling of Electromagnetic Interference Filtering Chokes in Power Electronics: A Review. *Jie, H.*, +, *TPEL Jan. 2025 920-943*

Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*

Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*

Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*

Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*

Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*

Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*

Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*

Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*

Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*

Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*

Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*

Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*

Current Sharing for a Multiphase Inverter Based on Coupled External Parallel Resonant Branches for Wireless Power Transfer System. *Liu, R.*, +, *TPEL Jan. 2025 71-75*

Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*

DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*

Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*

Design and Analysis of a Hybrid Inverting Buck Converter With 5 µs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*

Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*

Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*

Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*

Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*

Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*

Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*

Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*

Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*

Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*

Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability. *Chatterjee, D.*, +, *TPEL Nov. 2025 16740-16751*

Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*

Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*

Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*

Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*

Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*

Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*

Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L+L+C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*

Family of Capacitor–Diode Network Extended High Gain Quadratic Boost Converters for Microgrid Applications. *Naresh, S.V.K.*, +, *TPEL Jan. 2025 1418-1430*

Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*

FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*

Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*

Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*

Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*

General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*

Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*

Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*

Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*

Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*

High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*

High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*

High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*

High Step-Down Bidirectional Multiport Converter. *Murugan, K.*, +, *TPEL Aug. 2025 10355-10360*

High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*

High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*

High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*

High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*

High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*

High-Efficiency, High-Power Asymmetrically Designed Three-Phase Power Supply for Electrolytic Hydrogen Production. *Tian, H.*, +, *TPEL Jan. 2025 92-97*

High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*

High-Gain Single-Stage Single-Phase Common-Ground Buck–Boost Inverter. *Oppong, F.N.*, +, *TPEL Jan. 2025 1074-1084*

High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*

High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*

Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*

Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*

Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*

Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*

Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*

Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*

Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy. *Zhang, Y.*, +, *TPEL May 2025 7512-7522*

Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*

Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*

Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*

Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*

Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*

Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*

Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*

Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*

Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*

Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*

Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*

Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*

Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*

Modeling Amorphous-Core Inductors up to Magnetic Saturation. *Ravera, A.*, +, *TPEL Jan. 2025 1563-1576*

Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Modeling and Design Guideline of Optimal Split Inductance Range for Split-Output Power Module Considering Normal and Fault Conditions. *Gao, H.*, +, *TPEL Jan. 2025 828-839*

Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*

Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*

Modeling and Design of Load Current Based Adaptive Voltage Positioning (AVP) Control for Multiphase Buck Converter Using Digital Current Estimation Algorithm. *Li, L.*, +, *TPEL Jan. 2025 316-327*

Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*

Modified Harmonic Current Control and Load Range Extension Method for Single-Stage Isolated DCM Boost AC–DC Converter. *Bi, Y.*, +, *TPEL Jan. 2025 263-278*

Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*

Modulation-Independent Initial Current Control of DAB-Based Single-Stage AC–DC Converter for DC Bias Elimination. *Mo, N.*, +, *TPEL Jan. 2025 406-421*

Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*

New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*

No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter. *Li, J.*, +, *TPEL Sept. 2025 12690-12702*

Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*

Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*

On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*

Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*

Optimizing PV–Battery Hybrid Systems: A Reconfigurable Approach With Module-Level Maximum-Power-Point Tracking and Load Sharing. *Jiang, W.*, +, *TPEL Jan. 2025 2327-2341*

PCB Inductor With Integrated Shielding to Contain Switching Electric Field and Reduce CM Noise. *McGrew, T.*, +, *TPEL Jan. 2025 944-957*

Performance Limits of Resonant Switched-Capacitor Converter With Voltage Regulation. *Xie, W.*, +, *TPEL Jan. 2025 1441-1456*

Performance-Based Experimental Characterization and Maximum Efficiency Point Detection of Power Inductors. *Femia, N.*, +, *TPEL Jan. 2025 1532-1541*

Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*

Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*

Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*

Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*

Power Flow Control of Bidirectional Modular Multilevel Resonant Converters in MVDC and LVDC Distribution Networks. *Li, B.*, +, *TPEL Jan. 2025 1168-1182*

Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*

Pulse Injection Modulation Method for Current-Fed Dual Active Bridge Converter With Full Load Range ZVS Under Wide Input-Voltage Range. *Liu, C.*, +, *TPEL Feb. 2025 2668-2673*

PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*

QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*

Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*

Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*

Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*

Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL April 2025 4695-4700*

Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*

Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*

Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation. *Wang, Z.*, +, *TPEL Nov. 2025 16611-16625*

Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*

Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*

Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*

Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*

Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*

Review of Current-Sharing Schemes for Multiphase LLC Resonant Converter. *Dong, H.*, +, *TPEL Jan. 2025 1322-1345*

Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*

Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*

Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*

Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*

Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*

Simplified Implementation Architecture for Current-Source SVPWAM. *Wu, Z.*, +, *TPEL April 2025 4727-4733*

Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*

Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*

Single-Stage Matrix-Type Solid-State Transformer Based on Push–Pull DAB. *Yu, T.*, +, *TPEL Jan. 2025 2005-2016*

Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*

Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*

Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*

Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*

Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*

Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*

Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*

State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*

Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*

Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*
The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*
Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*
Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*
Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression. *Chen, T.*, +, *TPEL Dec. 2025 18350-18364*
Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*
Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*
Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*
Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*
Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*
Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*
Transient DC Bias Suppression for Three-Level Dual-Active-Bridge Converter. *Yang, G.*, +, *TPEL Sept. 2025 12084-12094*
Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*
Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*
Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*
Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*
Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*
Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*
Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*
Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*
ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

Industries
An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*

Infinite horizon
Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*

Information filters
A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*

Inrush current
Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*

Insertion loss
A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*
A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*
Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*

Instruments
An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*

Insulated gate bipolar transistors
A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*
A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*
A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*
A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*
A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis. *Gou, B.*, +, *TPEL Feb. 2025 3505-3517*
A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*
A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*
A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*
A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*
A Power Losses and Thermal Energy Optimization Method for Hybrid DC Chopper Based on Hysteresis Control Strategy. *Li, Y.*, +, *TPEL Jan. 2025 486-499*
A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*
A Time Series Characterization of IGBT Junction Temperature Method Based on LSTM Network. *Du, Z.*, +, *TPEL Jan. 2025 2070-2085*
A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*
An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*
An Analytical Formula for the PETT Oscillation Over a Wide Voltage Range in NPT Planar IGBT Chips. *Dongye, Z.*, +, *TPEL Jan. 2025 958-968*
An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*
An IGBT Junction Temperature Estimation Method Based on Turn-Off Maximum di_C/dt With Decoupling Load Current. *Shi, Y.*, +, *TPEL Jan. 2025 2057-2069*
An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*

An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*

An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*

Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*

Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*

Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*

Calibration and Measurement of V_{ce}-T_j Correlation With Temperature Distribution of IGBT and Interconnections. *Lu, G.*, +, *TPEL Jan. 2025 2149-2157*

Condition Monitoring the Inhomogeneous Thermal Fatigue of Multichip IGBT Module Based on the Thermal Attenuation Coefficient. *Zhang, J.*, +, *TPEL Jan. 2025 2114-2125*

Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*

Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*

Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*

Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*

Failure Mechanism Investigations of Bond Wires Lifting-Off and Die-Attach Solder Aging Considering the Thermal Coupling Effects. *Ge, X.*, +, *TPEL Jan. 2025 2042-2056*

Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*

High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*

High-Power Electronic Applications Enabled by Medium Voltage Silicon-Carbide Technology: An Overview. *Nielsen, M.R.*, +, *TPEL Jan. 2025 987-1011*

High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*

Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*

Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*

Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*

In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*

Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*

Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*

Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*

Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*

Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*

Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*

Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*

Modeling the dV_{CE}/dt and dI_C/dt at the Turn-On Transient for High-Voltage IGBTs in the Clamped Inductive Circuit. *Zhang, Z.*, +, *TPEL Jan. 2025 840-850*

Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*

Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*

Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*

Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*

Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*

Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*

Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*

SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*

Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*

Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*

Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*

The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*

Insulation

A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*

A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*

A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*

A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*

A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*

A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*

Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*

Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*

Design and Characterization of Bus Bars for 1-MVA Three-Level ANPC Inverters in Aerospace Applications. *Wang, D.*, +, *TPEL Jan. 2025 1135-1152*

Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*

Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*
Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*
Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*
Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*
Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*
Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*
Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*
Partial Discharge Characteristics of Epoxy Resin Under High-Frequency Pulse Electrical Stress. *Jiang, J.*, +, *TPEL Jan. 2025 2017-2027*
Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*

Insulation life
Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*

Insulators
Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*

Integrated circuit interconnections
A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*
A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*
A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids. *Zhang, H.*, +, *TPEL July 2025 9370-9387*
An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*
Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*
Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*
Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced d*v*/d*t* Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*

Integrated circuit modeling
A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*
A Brief Review of SiC MOSFET Transient Analytical Modeling Methods: Principles, Current Status, and Parameters Modeling. *Wang, L.*, +, *TPEL April 2025 5177-5189*
A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*
A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*
A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*
A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*
A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*
A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*
A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*
A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*
A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*
A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*
A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*
A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*
A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*
Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*
Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*
Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*
An Accurate, Universal, and Fast Time Domain Model for Different Types of Resonant Converters by Considering Parasitic Capacitors and Deadtime. *Li, Z.*, +, *TPEL Jan. 2025 1305-1321*
An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*
An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*
An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*
An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*
An Extended Impedance Model for Power Electronics Converters Retaining Explicit Synchronization Dynamics. *Hu, G.*, +, *TPEL Jan. 2025 2355-2370*
Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*
Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*
Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*
Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*
Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*
Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*
Characterization and Circuit Modeling of Electromagnetic Interference Filtering Chokes in Power Electronics: A Review. *Jie, H.*, +, *TPEL Jan. 2025 920-943*
Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*
Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation. *Alam, M.M.*, +, *TPEL June 2025 8553-8565*

Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*

Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*

Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*

Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*

Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*

Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*

Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*

Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*

Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*

Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L*+*L*+*C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*

Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*

Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*

Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*

Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*

Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*

Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*

High Step-Down Bidirectional Multiport Converter. *Murugan, K.*, +, *TPEL Aug. 2025 10355-10360*

High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*

High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*

High-Order Generalized Averaging Method for Power Electronics Modeling From DC to Above Half the Switching Frequency. *Li, H.*, +, *TPEL Jan. 2025 176-194*

High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*

High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*

Hybrid Control Strategy With Neural-Network-Assisted Synchronous Rectification for Efficient Wide-Gain *CLLC* Converter. *Cheng, Z.*, +, *TPEL Jan. 2025 389-405*

Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*

Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*

Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*

Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*

LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries. *Wu, X.*, +, *TPEL Sept. 2025 13514-13528*

Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*

Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*

Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*

Modeling Amorphous-Core Inductors up to Magnetic Saturation. *Ravera, A.*, +, *TPEL Jan. 2025 1563-1576*

Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*

Modeling and Analysis of MHz-Frequency PRC- *C*+*L*+*C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*

Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*

Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*

Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*

Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*

Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*

Modeling the dV_{CE}/dt and dI_C/dt at the Turn-On Transient for High-Voltage IGBTs in the Clamped Inductive Circuit. *Zhang, Z.*, +, *TPEL Jan. 2025 840-850*

Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*

Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*

Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*

Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*

Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*

Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*

On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*

Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*

Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*

Origin Analysis and Mitigation Method of Voltage Oscillation Occurred Inside the Winding of Medium-Voltage Medium-Frequency Transformer. *Wang, Y.*, +, *TPEL Jan. 2025 1974-1990*

Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*

Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*

Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*

Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*

Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*

Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*

Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*

Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*

Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*

Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*

Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*

Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*

Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*

Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*

Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*

Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*

Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*

Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*

Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*

State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*

State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*

State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*

State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*

Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*

The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*

The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*

Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*

Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*

Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*

Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*

Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*

Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*

Integrated circuit reliability

High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*

Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*

Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*

Integrated circuits

A Novel Control Scheme for Light Load Power Reduction of Flyback Converter. *Liu, Q.*, +, *TPEL Feb. 2025 2691-2696*

Interference

A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*

A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*

Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*

High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*

Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High dv/dt Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*

Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*

Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*

Interference suppression

Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*

Interleaved codes

Dynamic Interleaving Strategy to Reduce DC-Link Ripple of Dual Three-Phase Permanent Magnet Synchronous Machine Drives by Using Discontinuous Space Vector Modulation. *Chowdhury, A.*, +, *TPEL Jan. 2025 1762-1773*

Internet of Things

A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*

A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*

Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*

Interoperability

A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*

A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*

A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*

An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*

An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*

Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy. *Zhang, Y.*, +, *TPEL May 2025 7512-7522*

Intrusion detection

Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*

Intserv networks

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

Inverter-based resource

Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics. *Liu, Q.*, +, *TPEL Feb. 2025 2971-2986*

Inverters

A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*

A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*

A Closed-Loop Compensated Rogowski Coil Current Sensor for Three-Phase Inverter. *Xin, Z.*, +, *TPEL Jan. 2025 2126-2138*

A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*

A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*

A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*

A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*

A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*

A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*

A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*

A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*

A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*

A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters. *Li, K.*, +, *TPEL Oct. 2025 14585-14597*

A Four Switch Common Ground-Based Single Phase Current-Fed Boost Inverter. *Ravitheja, R.*, +, *TPEL Jan. 2025 1064-1073*

A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*

A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*

A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*

A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*

A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*

A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*

A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*

A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*

A Master-Slave Model Predictive Control Approach for Microgrids. *Carnielutti, F.*, +, *TPEL Jan. 2025 540-550*

A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*

A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage. *Pang, Y.*, +, *TPEL Sept. 2025 13415-13433*

A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*

A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation. *Jin, F.*, +, *TPEL May 2025 6593-6604*

A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*

A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*

A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*

A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*

A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*

A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*

A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*

A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*

A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*

A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*

A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*

A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives. *Sun, Z.*, +, *TPEL Nov. 2025 16195-16205*

A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*

A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*

A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters. *Lin, Z.*, +, *TPEL June 2025 8726-8738*

A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*

A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*

A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*

A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*

A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*

A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*

A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*

A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*

A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*

A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*

A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*

A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*

A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*

A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance. *Quan, X.*, +, *TPEL Sept. 2025 13919-13930*

A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*

A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*

A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*

A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*

A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*

A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*

Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation. *Yao, Y.*, +, *TPEL Oct. 2025 15359-15370*

Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*

Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*

An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*

An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*

An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*

An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs. *Liu, X.*, +, *TPEL Oct. 2025 15745-15756*

An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*

An Improved Voltage Reconstruction Method for Current Source Inverter. *Wei, Y.*, +, *TPEL Nov. 2025 16409-16418*

An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*

Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*

Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters. *Du, H.*, +, *TPEL May 2025 7215-7226*

Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives. *Amorim Torres, R.*, +, *TPEL March 2025 4345-4357*

Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*

ANPC-Waveshaper-Based Medium-Voltage STATCOM With Natural Capacitor Voltage Balancing During Negative-Sequence Current Compensation. *Pillai, S.K.*, +, *TPEL Jan. 2025 1051-1063*

Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*

Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor. *Mousavi, M.S.*, +, *TPEL May 2025 6801-6812*

Asymmetric Space Vector Pulse Width Modulation for the Phase Current Reconstruction in Three-Phase Inverters. *Shen, Y.*, +, *TPEL Jan. 2025 1686-1696*

Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*

Asymmetrical Interleaved Switching Power Amplifier Based on Arm Multiplexing. *Hu, J.*, +, *TPEL Jan. 2025 375-388*

Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*

Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*

Carrier-Based Minimum-Loss Discontinuous PWM With Neutral-Point Voltage Balancing for Three-Level NPC Inverters. *Cho, H.*, +, *TPEL Sept. 2025 13895-13906*

Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*

Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Common-Mode Analysis and Suppression Method for Series-End Winding Motor Drive. *Liu, Z.*, +, *TPEL Jan. 2025 1748-1761*
Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter. *Lee, K.*, +, *TPEL Oct. 2025 15003-15012*
Common-Mode Voltage Suppression Strategy for CHB-Based Motor Drive Based on Topology and Modulation Optimization. *Wang, Z.*, +, *TPEL Jan. 2025 1697-1716*
Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*
Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*
Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*
Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*
Coreless DC Transformer With Near-Unity Power Factor by a Reactive Power Injector. *Lin, J.*, +, *TPEL Jan. 2025 1123-1134*
Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*
Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*
Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*
Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*
Current Sharing for a Multiphase Inverter Based on Coupled External Parallel Resonant Branches for Wireless Power Transfer System. *Liu, R.*, +, *TPEL Jan. 2025 71-75*
Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*
Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*
Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*
Design and Characterization of Bus Bars for 1-MVA Three-Level ANPC Inverters in Aerospace Applications. *Wang, D.*, +, *TPEL Jan. 2025 1135-1152*
Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*
Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*
Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*
Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults. *Gu, M.*, +, *TPEL Nov. 2025 16080-16084*
Digital Implementation of Discontinuous PWMs: Mitigating Parasitic Active Vectors for Improved Load Current Quality in Inverter Systems. *Baum, F.*, +, *TPEL May 2025 6740-6752*
Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices. *Wang, L.*, +, *TPEL Dec. 2025 17946-17957*
Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters. *Zhang, L.*, +, *TPEL Oct. 2025 15595-15606*
Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*
Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*
Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*
Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles. *Zhou, D.*, +, *TPEL Dec. 2025 18448-18460*
Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter. *Zhang, X.*, +, *TPEL Aug. 2025 10330-10334*
Enhanced Power Injection Strategies for Voltage Sag Minimization: Integrating the Maximum Apparent Power of the Converter and the Thévenin Equivalent. *de Pontes, G.P.*, +, *TPEL Jan. 2025 351-360*
Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*
Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*
Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*
Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*
Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*
Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives. *Xu, Y.*, +, *TPEL March 2025 4374-4385*
Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*
Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range. *Lu, L.*, +, *TPEL Feb. 2025 3385-3394*
Fixed Switching Frequency Model Predictive Control for Grid-Forming Inverters. *Carnielutti, F.*, +, *TPEL July 2025 9080-9089*
Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency. *Zhang, P.*, +, *TPEL May 2025 7110-7124*
Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*
General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*
Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*
High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*
High-Efficiency Wide-Range RF Power Generation Systems With Discrete Power Back-Off From Multiple Inverters. *Zhang, H.*, +, *TPEL Jan. 2025 290-302*
High-Gain Single-Stage Single-Phase Common-Ground Buck–Boost Inverter. *Oppong, F.N.*, +, *TPEL Jan. 2025 1074-1084*
Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*
Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter. *Zhao, M.*, +, *TPEL Feb. 2025 3189-3209*
Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters. *Zhou, Y.*, +, *TPEL Nov. 2025 16483-16497*
Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*

Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*

Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy. *Zhang, Y.*, +, *TPEL May 2025 7512-7522*

Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*

Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*

Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter. *Wang, Y.*, +, *TPEL April 2025 4938-4951*

Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*

Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*

Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*

Modulating and Carrier-Based Dodecagonal Space Vector Pulse Width Modulation Technique With Fifth and Seventh Order Harmonic Elimination for Split-Phase OEIM. *Nair, S.S.*, +, *TPEL Jan. 2025 1787-1796*

Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*

Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*

Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*

Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index. *Xiong, Y.*, +, *TPEL Sept. 2025 13217-13230*

Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*

Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*

No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter. *Li, J.*, +, *TPEL Sept. 2025 12690-12702*

Novel Single-Loop dq Control for *LC* Filter-Based Single-Phase Standalone Inverter Systems Under Nonlinear Loads. *Iyer, V.G.*, +, *TPEL Jan. 2025 227-240*

Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*

Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods. *Li, Z.*, +, *TPEL Oct. 2025 15718-15729*

On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*

Online Battery Impedance Identification Based on Small AC Signal Injection of Inverter. *Qu, H.*, +, *TPEL Feb. 2025 3490-3504*

Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*

Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*

Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*

Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*

Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations. *Komiyama, Y.*, +, *TPEL Nov. 2025 16822-16836*

Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*

Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*

Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*

Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning $1^{st}/3^{rd}$ Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*

Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances. *Liu, L.*, +, *TPEL July 2025 9153-9166*

PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*

PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss. *Kim, T.*, +, *TPEL March 2025 4303-4313*

Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*

Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*

Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*

Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*

Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*

Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index. *Lee, D.*, +, *TPEL July 2025 9876-9888*

Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*

Resilient-by-Design Control for in Situ Primary Controller of Grid-Following Inverter-Based Resources by a Novel State Augmentation to Tolerate False Data Injection Cyberattacks. *Jamali, M.*, +, *TPEL Feb. 2025 2746-2760*

Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*

Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*

Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*

Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*

Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*

Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*

Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*

Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*

Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*
Study on Leakage Magnetic Field Shielding Method for Electric Vehicle High-Power Wireless Charging System Under Transverse Offset Working Condition. *Zhou, X.*, +, *TPEL Sept. 2025 14050-14060*
Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*
Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*
Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*
Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*
The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*
The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*
Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*
Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression. *Chen, T.*, +, *TPEL Dec. 2025 18350-18364*
Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters. *Chen, S.*, +, *TPEL Feb. 2025 3020-3032*
Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*
Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*
Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*
Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*
Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*
Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*
Ultra-Fast MPPT for Residential PV Systems With Low DC-Link Capacitance and Differential Power Processing. *Meineri, N.A.*, +, *TPEL Feb. 2025 2736-2745*
Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*
Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*
Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*

Ion implantation
Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*

Ions
A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*
High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*
Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*

IP networks
A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*

Iron
A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*
A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*
Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*
Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*

Isolators
A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*

Iterative methods
A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*
Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*
Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*
Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL April 2025 4695-4700*

J

Jacobian matrices
HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*

JFETs
A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*
Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced dv/dt Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*

Junctions
A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*
A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*
A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*
A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*
A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*
A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*
A Time Series Characterization of IGBT Junction Temperature Method Based on LSTM Network. *Du, Z.*, +, *TPEL Jan. 2025 2070-2085*
Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*
An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*
An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*
Calibration and Measurement of V_{ce}-T_j Correlation With Temperature Distribution of IGBT and Interconnections. *Lu, G.*, +, *TPEL Jan. 2025 2149-2157*
Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*
Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*
Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*
Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*
Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*
High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*
High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*
In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*
Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*
Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*
Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*
Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*
Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*
Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*
On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*
On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*
Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*
Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*
Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*
Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*
Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*
Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*
Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*
Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*
Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*
The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*
Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*

K

Kalman filters
Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*
Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*
Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*
Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*
Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter. *Deckers, M.*, +, *TPEL Jan. 2025 2219-2234*
Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*
Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*
Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*
Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*
Kelvin
An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*
An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*

L

Lamination
Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*
Large-scale systems
Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*
Laser beams
Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*

Laser excitation
An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*
Lasers
Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*
Layout
A 2.5D Multichip SiC MOSFET Power Module With Low Parasitic Inductance and High Dynamic Current Sharing Performance. *Zheng, Z.*, +, *TPEL Jan. 2025 1542-1553*
A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*
A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*
A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*
A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*
An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*
Design and Characterization of Bus Bars for 1-MVA Three-Level ANPC Inverters in Aerospace Applications. *Wang, D.*, +, *TPEL Jan. 2025 1135-1152*
Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*
Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*
Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*
Lead
Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*
Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*
Lead zirconate titanate
A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*
A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*
Design and Analysis of a Frontside Series/Parallel Piezoelectric Resonator-Based DC–DC Converter. *Liu, W.B.*, +, *TPEL Jan. 2025 1389-1403*
Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*
Leakage currents
A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*
A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*
A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*
A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*
A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*
Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current. *Lee, J.*, +, *TPEL July 2025 9137-9152*
Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*
High-Gain Single-Stage Single-Phase Common-Ground Buck–Boost Inverter. *Oppong, F.N.*, +, *TPEL Jan. 2025 1074-1084*
Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System. *Li, Z.*, +, *TPEL May 2025 7315-7328*
Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*
Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*
Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*
Least squares approximations
Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*
Legged locomotion
4-Vector SVPWM for Single-Phase Transformerless UPQC With Two-Leg and Low DC Voltage. *Wang, S.*, +, *TPEL Jan. 2025 98-104*
A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*
A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters. *Li, K.*, +, *TPEL Oct. 2025 14585-14597*
A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*
A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*
A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*
A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*
A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*
A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*
A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*
AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*
Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*
An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*
An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs. *Liu, X.*, +, *TPEL Oct. 2025 15745-15756*
ANPC-Waveshaper-Based Medium-Voltage STATCOM With Natural Capacitor Voltage Balancing During Negative-Sequence Current Compensation. *Pillai, S.K.*, +, *TPEL Jan. 2025 1051-1063*
Common-Mode Analysis and Suppression Method for Series-End Winding Motor Drive. *Liu, Z.*, +, *TPEL Jan. 2025 1748-1761*
Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter. *Lee, K.*, +, *TPEL Oct. 2025 15003-15012*

Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*
Current Sharing for a Multiphase Inverter Based on Coupled External Parallel Resonant Branches for Wireless Power Transfer System. *Liu, R.*, +, *TPEL Jan. 2025 71-75*
Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*
Highly Efficient 800-to-48-V *LLC*-DCX With Matrix Transformer Using Side Leg Windings. *Zhang, Y.*, +, *TPEL Jan. 2025 112-117*
Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*
Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*
Improved PWM Control With Wide Speed Range for a Double-Side Asynchronous Rotor AFPMM Series-End Winding Drive. *Huang, R.*, +, *TPEL Jan. 2025 1728-1738*
Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*
Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*
Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*
Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*
Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*
Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*
Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*
PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss. *Kim, T.*, +, *TPEL March 2025 4303-4313*
Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*
Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*
Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios. *Zhang, W.*, +, *TPEL Dec. 2025 17761-17775*
Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*
Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*

Life estimation

Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*

Light emitting diodes

A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*
A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*
An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination. *Huang, H.*, +, *TPEL Sept. 2025 13177-13186*
High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*
Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*
Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*

Light sources

Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*

Lighting

A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*
Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*

Limit-cycles

Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*
Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*

Limiting

A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*
A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*
Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*
Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*
Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*
Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*
Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*
Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*
Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*
Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*
Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*
Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*
Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*

Linear programming

Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*
Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*
Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Linear regression

Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*

Linear systems
Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*
Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*
Liquid cooling
A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*
Liquid crystal displays
An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*
Lithium batteries
Adaptive Linear Time-Varying Parameter-Varying Modeling of Lithium-Ion Batteries Considering Aging Phenomenon. *Hou, J.*, +, *TPEL Nov. 2025 16853-16869*
Output Voltage Chopping Compensation Control Method and Current Fluctuation Suppression Strategy for High-Rate Discharge LBESS. *Liu, Y.*, +, *TPEL May 2025 6476-6491*
Lithium-ion batteries
A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*
Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*
An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*
Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*
Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*
LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries. *Wu, X.*, +, *TPEL Sept. 2025 13514-13528*
Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*
Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*
State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*
Load flow
A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*
A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*
A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*
A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*
A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*
A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids. *Zhang, H.*, +, *TPEL July 2025 9370-9387*
An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*
An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*
An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*
An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*
Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*
Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*
High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*
Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*
Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*
Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*
Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*
Load flow control
A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*
Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles. *Zhou, D.*, +, *TPEL Dec. 2025 18448-18460*
Load management
Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*
Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations. *Komiyama, Y.*, +, *TPEL Nov. 2025 16822-16836*
Load modeling
A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*
A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*
A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*
A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*
A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*
A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*
A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*
A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*
An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*
Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*

Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*
Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*
Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*
Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*
Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*
Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability. *Chatterjee, D.*, +, *TPEL Nov. 2025 16740-16751*
Dual-Loop Estimation Based Adaptive Controller for Microgrid Connected Boost Converters. *Santana, I.*, +, *TPEL Jan. 2025 551-562*
Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*
Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*
Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*
Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*
Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*
High-Order Generalized Averaging Method for Power Electronics Modeling From DC to Above Half the Switching Frequency. *Li, H.*, +, *TPEL Jan. 2025 176-194*
Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*
Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*
Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*
Modeling the dV_{CE}/dt and dI_C/dt at the Turn-On Transient for High-Voltage IGBTs in the Clamped Inductive Circuit. *Zhang, Z.*, +, *TPEL Jan. 2025 840-850*
Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*
Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*
Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*
Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*
Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*
Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*
Performance Limits of Resonant Switched-Capacitor Converter With Voltage Regulation. *Xie, W.*, +, *TPEL Jan. 2025 1441-1456*
Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*
Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*
Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*
Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*
Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*
Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*
Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*
Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*
Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*
ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*

Loading

A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*
Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*
Dual-Loop Estimation Based Adaptive Controller for Microgrid Connected Boost Converters. *Santana, I.*, +, *TPEL Jan. 2025 551-562*

Location awareness

A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*
A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*
CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*
Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*
Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*
Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*

Logic

A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*
A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*
A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*
An Asynchronous Geometric Sequence Array-Based Binary Search Digital Low-Dropout Regulator for $O(\log n)$-Complexity Coarse Searching Operations. *Kim, H.*, +, *TPEL Jan. 2025 1431-1440*
Digital Implementation of Discontinuous PWMs: Mitigating Parasitic Active Vectors for Improved Load Current Quality in Inverter Systems. *Baum, F.*, +, *TPEL May 2025 6740-6752*
Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable dV/dt and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*

Logic gates

A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*

A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*

A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*

A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*

A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*

A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*

A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*

A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*

A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*

A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*

A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*

A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*

A High-Speed High-Voltage Pulse Generator With Adjustable Falling Slope Based on Programable Multi Narrow Pulses Drive Method for Series MOSFETs. *Zhang, Y.*, +, *TPEL Jan. 2025 1645-1653*

A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*

A Multilevel Self-Driving Gate Driver of SiC MOSFET for Crosstalk Suppression Considering Common-Source Inductance. *Hu, K.*, +, *TPEL Jan. 2025 906-919*

A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*

A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*

A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*

A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*

A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*

A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*

A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*

A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*

A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*

A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*

A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*

A Soft-Switched Multiport Converter for Distributed PV Application With Energy Storage. *Karpana, S.*, +, *TPEL Jan. 2025 2300-2314*

A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*

A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*

Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*

Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*

Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*

An Efficient Switching Transient Analytical Model for P-GaN Gate HEMTs With Dynamic $C_G(V_{DS}, V_{GS})$. *Du, J.*, +, *TPEL Jan. 2025 2139-2148*

An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*

An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*

An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*

An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*

An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*

An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*

Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*

Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*

Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*

Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*

Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*

Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*

Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*

Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*

Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*

Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*

Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*

Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*

Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*

Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable d*V*/*dt* and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*

Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation. *Yun, J.*, +, *TPEL April 2025 5014-5024*

Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*

Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*

Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*

General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*

High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*

In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*

Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*

Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*

Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*

Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*

Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*

Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*

Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*

Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*

Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*

Modeling and Design Guideline of Optimal Split Inductance Range for Split-Output Power Module Considering Normal and Fault Conditions. *Gao, H.*, +, *TPEL Jan. 2025 828-839*

Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*

Modeling the dV_{CE}/dt and dI_C/dt at the Turn-On Transient for High-Voltage IGBTs in the Clamped Inductive Circuit. *Zhang, Z.*, +, *TPEL Jan. 2025 840-850*

Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*

Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*

Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*

Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*

On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*

On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*

Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*

Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*

Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter. *Deckers, M.*, +, *TPEL Jan. 2025 2219-2234*

Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*

Reduced Overshoots, Oscillations, and *dV*/*dt* Generation in Parallel Connected SiC MOSFET Modules With Optional Active Current Balancing. *Parker, M.*, +, *TPEL Jan. 2025 1035-1050*

Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*

Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*

Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*

Single-Input Dual-Output Digital Gate Driver IC Automatically Equalizing Drain Current Variations of Two Parallel-Connected SiC MOSFETs. *Horii, K.*, +, *TPEL Jan. 2025 467-485*

Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*

Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*

Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*

Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*

The Active Gate Driver Based on Hardware Closed-Loop Control for Crosstalk Suppression of SiC MOSFETs With Kelvin-Source Connection. *Cui, M.*, +, *TPEL Jan. 2025 217-226*

The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*

Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*

Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*

Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*

Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced d*v*/d*t* Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*

Long short term memory

A Time Series Characterization of IGBT Junction Temperature Method Based on LSTM Network. *Du, Z.*, +, *TPEL Jan. 2025 2070-2085*

Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*

Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*

Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*

Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*

State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*

Loss measurement

A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*

A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*

Accurate Magnetic Core Losses Measurement Under Arbitrary Excitation Waveforms. *Cabizza, S.*, +, *TPEL Jan. 2025 34-39*

Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*

Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory. *Li, C.*, +, *TPEL Nov. 2025 16926-16936*

Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*

Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*

High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*

Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*

Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*

Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*

Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*

Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*

Low power electronics

An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*

Low voltage

A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*

A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*

A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*

A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*

A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*

A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*

An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*

An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*

Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*

Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*

Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*

Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*

Differential Detection of Feeder and Mesh Impedances Through a Series–Parallel Direct-Injection Soft Open Point. *Lu, M.*, +, *TPEL Jan. 2025 1964-1973*

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*

Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*

High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*

Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*

Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*

Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*

Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*

Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*

Low-pass filters

A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*

A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*

A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*

An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*
An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*
Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*
Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*
Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*
Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*
Time-Step-Adaptive Filter Discretization for Variable Sampling Frequency Control of Power Converters. *Hwang, I.*, +, *TPEL Jan. 2025 574-587*

Luminescence
Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*

M

Machine control
Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback. *Huang, Z.*, +, *TPEL Aug. 2025 11787-11798*

Machine learning
Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*

Machine learning algorithms
A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*
Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*

Machine tools
Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*

Machine vector control
A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*
Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*
Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Machinery
Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*

Magnetic analysis
Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*
The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*

Magnetic circuits
A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*
A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*
A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*
A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*
A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*
A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*
An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*
Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*
Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*
Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*
Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory. *Li, C.*, +, *TPEL Nov. 2025 16926-16936*
Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*
Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*
Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*
Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*
Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*
Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*

Magnetic cores
A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*
A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine. *Guo, Y.*, +, *TPEL Aug. 2025 10746-10757*
A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*
A High Conversion Ratio Matrix Autotransformer Switched-Capacitor Converter for 48 V Datacenter Application. *Qiu, M.*, +, *TPEL Jan. 2025 1359-1375*
A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*
A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*
A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*
A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*
A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*
A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*
A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*

A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*

A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*

An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*

An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*

An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*

Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*

Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*

Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*

Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*

Characterization and Circuit Modeling of Electromagnetic Interference Filtering Chokes in Power Electronics: A Review. *Jie, H.*, +, *TPEL Jan. 2025 920-943*

Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*

Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory. *Li, C.*, +, *TPEL Nov. 2025 16926-16936*

Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*

Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*

Delta and Inverse Delta Coupler Optimization Using Machine Learning for Wireless Power Transfer Electric Vehicle Charging Application. *J, R.*, +, *TPEL Jan. 2025 2556-2568*

Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*

Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*

Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*

HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*

Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*

Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*

High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*

High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*

High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*

Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*

Highly Efficient 800-to-48-V *LLC*-DCX With Matrix Transformer Using Side Leg Windings. *Zhang, Y.*, +, *TPEL Jan. 2025 112-117*

Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*

Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*

Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*

Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*

Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*

Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*

Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*

Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*

Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*

Modeling Amorphous-Core Inductors up to Magnetic Saturation. *Ravera, A.*, +, *TPEL Jan. 2025 1563-1576*

Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*

Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*

Nanocrystalline Power Loss and Thermal Mitigation for 11.1 kW Inductive Power Transfer Pads: A Novel Frequency-Dependent Optimization. *Dou, R.*, +, *TPEL Jan. 2025 2513-2526*

Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*

PCB Inductor With Integrated Shielding to Contain Switching Electric Field and Reduce CM Noise. *McGrew, T.*, +, *TPEL Jan. 2025 944-957*

Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*

Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*

Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*

Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*

Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*

Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*

Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs. *Han, D.*, +, *TPEL June 2025 8824-8833*

Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*

Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*

Magnetic devices
A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*
Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*
Magnetic domains
A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*
An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*
An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*
Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*
Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory. *Li, C.*, +, *TPEL Nov. 2025 16926-16936*
HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*
Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*
Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*
Magnetic field measurement
A Compact DC–200 MHz Hybrid Current Measurement Approach for Fast Switching Power Semiconductor Modules. *Ji, S.*, +, *TPEL Jan. 2025 2158-2169*
A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*
Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*
Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*
Magnetic fields
3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*
A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*
A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils. *Luo, T.*, +, *TPEL March 2025 4279-4288*
A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*
A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*
A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*
An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*
An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*
Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*
Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*
Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*
Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*
Corrections to "Mathematical Modeling and Optimization for the Power Density of the Free-Standing Magnetic Field Energy Harvester". *Liu, Z.*, +, *TPEL July 2025 10265*
Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*
Design and Optimization of Wide-Coupling Nested Magnetic Coupling Mechanism for UAV Wireless Power Transfer. *Xue, M.*, +, *TPEL Aug. 2025 11849-11862*
Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*
Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*
Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*
Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*
Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*
High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*
High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*
Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*
Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*
Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*
Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*
Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*
Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*
Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*
Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*
Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*
Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*
Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs. *Han, D.*, +, *TPEL June 2025 8824-8833*

Study on Leakage Magnetic Field Shielding Method for Electric Vehicle High-Power Wireless Charging System Under Transverse Offset Working Condition. *Zhou, X.*, +, *TPEL Sept. 2025 14050-14060*
Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*
Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System. *Li, Y.*, +, *TPEL Jan. 2025 2619-2629*
Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*
Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*

Magnetic flux

A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*
A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*
A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*
A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine. *Guo, Y.*, +, *TPEL Aug. 2025 10746-10757*
A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils. *Luo, T.*, +, *TPEL March 2025 4279-4288*
A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*
A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*
A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*
A Novel Integrated OBC and LDC System With Flux Path Reconfiguration for Electric Vehicles. *Jo, C.*, +, *TPEL Jan. 2025 2484-2494*
A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*
A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*
A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*
A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*
A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*
A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*
Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*
An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*
An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*
Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*
Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*
Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*
Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*
Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*
Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*
Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*
Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*
DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*
Design and Optimization of Wide-Coupling Nested Magnetic Coupling Mechanism for UAV Wireless Power Transfer. *Xue, M.*, +, *TPEL Aug. 2025 11849-11862*
Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*
Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation. *Yun, J.*, +, *TPEL April 2025 5014-5024*
Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*
Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*
High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*
High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*
Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*
Highly Efficient 800-to-48-V *LLC*-DCX With Matrix Transformer Using Side Leg Windings. *Zhang, Y.*, +, *TPEL Jan. 2025 112-117*
Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*
Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*
Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*
Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*
Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*
Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*
Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*
Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*
Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault. *Liu, Y.*, +, *TPEL April 2025 5743-5755*
Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*

Nanocrystalline Power Loss and Thermal Mitigation for 11.1 kW Inductive Power Transfer Pads: A Novel Frequency-Dependent Optimization. *Dou, R.*, +, *TPEL Jan. 2025 2513-2526*
Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*
Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*
Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*
Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*
Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*
Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*
Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*
Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*
Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*
Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*
Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*
Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios. *Zhang, W.*, +, *TPEL Dec. 2025 17761-17775*
Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*
Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*

Magnetic flux density

A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*
Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*
Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*
Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*
Study on Leakage Magnetic Field Shielding Method for Electric Vehicle High-Power Wireless Charging System Under Transverse Offset Working Condition. *Zhou, X.*, +, *TPEL Sept. 2025 14050-14060*
Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*
Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System. *Li, Y.*, +, *TPEL Jan. 2025 2619-2629*
Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*

Magnetic flux leakage

Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*
High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*

Magnetic forces

A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*

Magnetic heads

AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire. *Deng, Q.*, +, *TPEL July 2025 10111-10122*

Magnetic hysteresis

A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*
An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*
An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*
Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory. *Li, C.*, +, *TPEL Nov. 2025 16926-16936*
HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*
History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*
Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*
Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*
Modeling Amorphous-Core Inductors up to Magnetic Saturation. *Ravera, A.*, +, *TPEL Jan. 2025 1563-1576*
Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*
Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*

Magnetic levitation

A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*
A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*
Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*
Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*
Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*
High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*
Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*
Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*
Synchronous Vibration Control of MSCSG Based on High-Precision Closed-Loop Synchronous Rotating Frame Transformation. *Han, W.*, +, *TPEL April 2025 4793-4804*

Magnetic losses
Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory. *Li, C.*, +, *TPEL Nov. 2025 16926-16936*
Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*
Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*
Magnetic materials
An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*
Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*
Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*
Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*
Machine-Learned Models for Power Magnetic Material Characteristics. *Leszczynski, P.*, +, *TPEL Jan. 2025 1554-1562*
Model Predictive Control Strategies in Switched Reluctance Motor Drives—An Overview. *Cai, J.*, +, *TPEL Jan. 2025 1669-1685*
Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*
Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients. *De Martin, I.D.*, +, *TPEL Sept. 2025 12393-12401*
Magnetic multilayers
Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*
Magnetic noise
A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*
Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*
Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*
Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*
Magnetic properties
Fabrication-Specific Simulation of Mn-Zn Ferrite Core-Loss for Machine Learning-Based Surrogate Modeling With Limited Experimental Data. *Choi, M.*, +, *TPEL Jan. 2025 1519-1531*
Magnetic resonance
A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*
A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*
A Dual-Transformer-Based *LLC* Resonant Converter With Ultrawide Output Voltage Range. *Zhang, H.*, +, *TPEL Jan. 2025 2457-2471*
A High Conversion Ratio Matrix Autotransformer Switched-Capacitor Converter for 48 V Datacenter Application. *Qiu, M.*, +, *TPEL Jan. 2025 1359-1375*
A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*
A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*
A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*
A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*
A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*
A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*
A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*
A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*
An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*
An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*
An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*
An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*
Coreless DC Transformer With Near-Unity Power Factor by a Reactive Power Injector. *Lin, J.*, +, *TPEL Jan. 2025 1123-1134*
Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*
Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*
High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*
Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*
Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*
Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*
Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*
Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*
Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*
Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*
Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*
Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*
Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*
Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*
Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*
Magnetic resonance imaging
Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*
Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*

Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*
Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*

Magnetic sensors
Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*
High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*
Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*
Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*

Magnetic separation
A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*
A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*
A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*
A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*
A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*
An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*
An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*
Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*
Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*
High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*
High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*
Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*
Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*
PCB Inductor With Integrated Shielding to Contain Switching Electric Field and Reduce CM Noise. *McGrew, T.*, +, *TPEL Jan. 2025 944-957*
Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*
Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*
Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*
Synchronous Vibration Control of MSCSG Based on High-Precision Closed-Loop Synchronous Rotating Frame Transformation. *Han, W.*, +, *TPEL April 2025 4793-4804*
The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*
Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Magnetic shielding
A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*
Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*
Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*
Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*

Magnetic switching
A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*
A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*
A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*
Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*
High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*
Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*
Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*
Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*
Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*

Magnetic tunneling
Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*
Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*
Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*

Magnetics
History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*
Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*

Magnetization
Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*
Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*
History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*

Magnetomechanical effects
3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*

A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*
A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*
An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*
Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*
Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*
Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*
Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*
Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*
Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*
New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

Magnetosphere
A Damping Scheme With Coupled-Inductor Functional Extension for Common-Mode Leakage Current in Parallel Inverters Supplying AC Motors. *Li, Q.*, +, *TPEL Aug. 2025 10717-10730*
A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*
Design and Optimization of Wide-Coupling Nested Magnetic Coupling Mechanism for UAV Wireless Power Transfer. *Xue, M.*, +, *TPEL Aug. 2025 11849-11862*
Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*
Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*

Magnetostriction
An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*
Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*
Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*

Main-secondary
A Master-Slave Model Predictive Control Approach for Microgrids. *Carnielutti, F.*, +, *TPEL Jan. 2025 540-550*
An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*
Fixed Switching Frequency Model Predictive Control for Grid-Forming Inverters. *Carnielutti, F.*, +, *TPEL July 2025 9080-9089*
Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*
Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*

Maintenance
An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*
Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*
Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*

Manifolds
Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*
Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*
Modified Back-Stepping Sliding Mode Controller With Robust Observer-Less Disturbance Rejection for DC Microgrid Applications. *Chabukswar, A.*, +, *TPEL Jan. 2025 451-466*
Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*
Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*

Manuals
Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*

Manufacturing
A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*

Marine vehicles
5-kW, 96.5% Efficiency Capacitive Power Transfer System With a Five-Plate Coupler: Design and Optimization. *Rong, E.*, +, *TPEL Jan. 2025 2542-2555*

Market research
A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*
Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*
Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*
Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*
Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*
Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*
Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*
Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*
Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*
Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*

Matched filters
A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*

Mathematical models
A Brief Review of SiC MOSFET Transient Analytical Modeling Methods: Principles, Current Status, and Parameters Modeling. *Wang, L.*, +, *TPEL April 2025 5177-5189*
A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*

A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*

A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*

A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*

A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*

A Digital Real-Time Computation Algorithm Utilizing Time-Domain Analytic Model for Bidirectional CLLC Synchronous Rectifier in 6.6-kW 300-kHz SiC Portable EV Chargers. *Li, H.*, +, *TPEL Jan. 2025 2342-2354*

A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*

A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*

A Dynamic Study of the Single Active Bridge Converter. *Rodriguez, A.*, +, *TPEL April 2025 4805-4817*

A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*

A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*

A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*

A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*

A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*

A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*

A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*

A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*

A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation. *Jin, F.*, +, *TPEL May 2025 6593-6604*

A Novel Class-E Quasi-Constant Transconductance Rectifier. *Zhou, H.*, +, *TPEL Oct. 2025 14289-14294*

A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency. *Wu, X.*, +, *TPEL Aug. 2025 11283-11295*

A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*

A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden. *Xu, Y.*, +, *TPEL Jan. 2025 1622-1635*

A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*

A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*

A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*

A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*

A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*

A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*

A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*

A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*

A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*

A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*

A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*

A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*

A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*

A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*

A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*

A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*

A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*

A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*

Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*

Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*

Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*

Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*

Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*

Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*

Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*

Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*

Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*

Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*

Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*

An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM. *Yan, Q.*, +, *TPEL June 2025 7628-7633*

An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*

An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*

An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*

An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*

An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*

An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function. *Li, Y.*, +, *TPEL Sept. 2025 13822-13834*

An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*

An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*

An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*

Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*

Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*

Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*

Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*

Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*

Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*

Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*

Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor. *Mousavi, M.S.*, +, *TPEL May 2025 6801-6812*

Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*

Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation. *Alam, M.M.*, +, *TPEL June 2025 8553-8565*

Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*

Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*

Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*

Condition Monitoring the Inhomogeneous Thermal Fatigue of Multichip IGBT Module Based on the Thermal Attenuation Coefficient. *Zhang, J.*, +, *TPEL Jan. 2025 2114-2125*

Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*

Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*

Core Loss Model for Nonsinusoidal Excitations Based on Vector Magnetic Circuit Theory. *Li, C.*, +, *TPEL Nov. 2025 16926-16936*

Corrections to "Mathematical Modeling and Optimization for the Power Density of the Free-Standing Magnetic Field Energy Harvester". *Liu, Z.*, +, *TPEL July 2025 10265*

Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*

D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*

Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control. *Wei, Z.*, +, *TPEL Dec. 2025 17776-17788*

Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*

Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*

Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*

Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*

Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*

Differential Detection of Feeder and Mesh Impedances Through a Series–Parallel Direct-Injection Soft Open Point. *Lu, M.*, +, *TPEL Jan. 2025 1964-1973*

Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*

Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*

Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*

Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback. *Huang, Z.*, +, *TPEL Aug. 2025 11787-11798*

Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*

Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*

Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*

Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*

Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*

Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*

Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*

Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*

Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L+L+C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*

Fabrication-Specific Simulation of Mn-Zn Ferrite Core-Loss for Machine Learning-Based Surrogate Modeling With Limited Experimental Data. *Choi, M.*, +, *TPEL Jan. 2025 1519-1531*

Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*

Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*

Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*

FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*

Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*

Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop. *Yin, Z.*, +, *TPEL May 2025 6753-6770*

Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*

Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*

Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*

Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*

Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*

Fully Simulated Data-Driven Domain Generalized Method for Multiphase Converters Fault Diagnosis. *Xu, H.*, +, *TPEL Jan. 2025 2099-2113*

General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*

Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*

Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*

HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*

Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*

Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*

High-Order Generalized Averaging Method for Power Electronics Modeling From DC to Above Half the Switching Frequency. *Li, H.*, +, *TPEL Jan. 2025 176-194*

High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*

High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*

High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*

Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*

History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*

HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*

Hybrid Control Strategy With Neural-Network-Assisted Synchronous Rectification for Efficient Wide-Gain *CLLC* Converter. *Cheng, Z.*, +, *TPEL Jan. 2025 389-405*

Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*

Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*

Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*

Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*

Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive. *Panda, B.*, +, *TPEL June 2025 7777-7788*

Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*

Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*

Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*

Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*

Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*

Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*

Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*

Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*

Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*

Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement. *Almeida, G.*, +, *TPEL Oct. 2025 14962-14973*

Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*

Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model. *Yang, Z.*, +, *TPEL Aug. 2025 10783-10792*

Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*

Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*

Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*

Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*

Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*

Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*

Modeling the dV_{CE}/dt and dI_C/dt at the Turn-On Transient for High-Voltage IGBTs in the Clamped Inductive Circuit. *Zhang, Z.*, +, *TPEL Jan. 2025 840-850*

MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*

Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*

Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*

Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*

Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*

Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*

Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*

Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*

On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*

Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*

Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*

Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*

Output Voltage Chopping Compensation Control Method and Current Fluctuation Suppression Strategy for High-Rate Discharge LBESS. *Liu, Y.*, +, *TPEL May 2025 6476-6491*

Overmodulatable Parameter-Free Predictive Current Control for PMSMs. *Zhu, Z.*, +, *TPEL Jan. 2025 1774-1786*

Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*

Parameter Estimation Using Total Harmonic Distortion in a WPT System. *Maile, P.*, +, *TPEL Jan. 2025 57-63*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*

Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*

Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Dec. 2025 17690-17702*

Performance-Based Experimental Characterization and Maximum Efficiency Point Detection of Power Inductors. *Femia, N.*, +, *TPEL Jan. 2025 1532-1541*

Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*

Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*

Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*

Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*

Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning 1st/3rd Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*

Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*

Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*

Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*

Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*

Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL April 2025 4695-4700*

Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*

Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*

Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*

Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*

Resilient-by-Design Control for in Situ Primary Controller of Grid-Following Inverter-Based Resources by a Novel State Augmentation to Tolerate False Data Injection Cyberattacks. *Jamali, M.*, +, *TPEL Feb. 2025 2746-2760*

Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*

Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*

Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*

Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*

Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*

Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*

Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*

Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*

Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*

Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*

Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*

Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*

Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*

Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*

Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL June 2025 7668-7680*

State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*

Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*

Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*

Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*

Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*

Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*

The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*

Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*

Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*

Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*

Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*

Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*

Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*

Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients. *De Martin, I.D.*, +, *TPEL Sept. 2025 12393-12401*

Ultra-Low Frequency Oscillation Damping Control Method for Hydro-Photovoltaic Integrated Systems. *Wang, S.*, +, *TPEL Jan. 2025 2397-2418*

Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*

Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*

Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*

Matlab

An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*

Matrix converters

A Five-Switch Single-Phase Buck–Boost AC–AC Converter With Inherent Commutation and Continuous Input Current. *Zargariafshar, D.*, +, *TPEL Feb. 2025 2726-2735*

A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*

A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*

A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*

All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*

Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*

Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*

Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*

Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*

Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*

Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*

Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method. *Xu, B.*, +, *TPEL Sept. 2025 13659-13672*

Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*

Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*

Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*

Matrix decomposition

A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*

A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*

Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*

Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*

Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*

Maximum power point trackers

A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*

A New PV Fed High Gain Boost-Cuk Converter Employed SRM Driven Water Pumping Scheme With IDEPSO MPPT. *Priyadarshi, N.*, +, *TPEL Jan. 2025 2371-2384*

A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*

A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*

An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*

Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*

Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*

Ultra-Fast MPPT for Residential PV Systems With Low DC-Link Capacitance and Differential Power Processing. *Meineri, N.A.*, +, *TPEL Feb. 2025 2736-2745*

Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*

Measurement

Design and Analysis of a Hybrid Inverting Buck Converter With 5 μs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*

On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*

Measurement by laser beam

Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*

Measurement errors

Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*

Measurement uncertainty

Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*

Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*

Mechanical power transmission

An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*

Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*

Mechanical products

Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*

Mechanical sensors

An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*

Medical devices

Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*

Medium voltage

A Capacity-Expandable Cascaded Multilevel Energy Storage System Based on Laminated Power Modules. *Zhang, J.*, +, *TPEL April 2025 5265-5278*

A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*

A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*

A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*

Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*

Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*

Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*

Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*

Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*

Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*

Merging

A Novel Systematic Topology Derivation Method for Single-Inductor Three-Port DC–DC Converters from Separate Components. *Mo, L.*, +, *TPEL Jan. 2025 1376-1388*

Metalearning

Multisource Domain Metalearning Network for Battery State-of-Health Estimation Under Multitarget Working Conditions. *Miao, M.*, +, *TPEL July 2025 9786-9799*

Metals

A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*

Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*

EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*

Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*

Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*

Novel Vertical Shunt Resistor: Integration and Optimization in Power Modules. *Choi, S.*, +, *TPEL Jan. 2025 46-50*

Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*

System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*

Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*

Metamaterials

Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*

Microchannels

A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*

Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*

Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*

Microgrids

A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*

A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*

A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*

A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*

A Master-Slave Model Predictive Control Approach for Microgrids. *Carnielutti, F.*, +, *TPEL Jan. 2025 540-550*

A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*

A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids. *Zhang, H.*, +, *TPEL July 2025 9370-9387*

A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*

A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*

A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*

Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*

Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*

An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*

Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*

Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*

Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*

Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control. *Wei, Z.*, +, *TPEL Dec. 2025 17776-17788*

Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*

Distributed Economic Coordination Controller for Parallel DC–DC Converters in Shipboard DC Microgrids Based on Prescribed-Time Consensus Observer. *Zeng, Y.*, +, *TPEL Jan. 2025 2495-2512*

Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*

Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*

Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*

Dual-Loop Estimation Based Adaptive Controller for Microgrid Connected Boost Converters. *Santana, I.*, +, *TPEL Jan. 2025 551-562*

Dynamic Defense Method Against Malicious Attacks for DC Microgrids. *Zhang, Z.*, +, *TPEL July 2025 9591-9605*

Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*

Family of Capacitor–Diode Network Extended High Gain Quadratic Boost Converters for Microgrid Applications. *Naresh, S.V.K.*, +, *TPEL Jan. 2025 1418-1430*

Fixed Switching Frequency Model Predictive Control for Grid-Forming Inverters. *Carnielutti, F.*, +, *TPEL July 2025 9080-9089*

Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*

Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*

Modified Back-Stepping Sliding Mode Controller With Robust Observer-Less Disturbance Rejection for DC Microgrid Applications. *Chabukswar, A.*, +, *TPEL Jan. 2025 451-466*

Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*

Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids. *Jiang, S.*, +, *TPEL Nov. 2025 17426-17437*

Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*

Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*

Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*

Resilient-by-Design Control for in Situ Primary Controller of Grid-Following Inverter-Based Resources by a Novel State Augmentation to Tolerate False Data Injection Cyberattacks. *Jamali, M.*, +, *TPEL Feb. 2025 2746-2760*

Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*

Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*

Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*

Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*

Microprocessors

A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*

A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*

A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*

An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*

Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*

Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*

Microprogramming

Resilient-by-Design Control for in Situ Primary Controller of Grid-Following Inverter-Based Resources by a Novel State Augmentation to Tolerate

False Data Injection Cyberattacks. *Jamali, M.*, +, *TPEL Feb. 2025 2746-2760*

Microstrip

A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*

An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*

Microstructure

Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*

Microwave filters

An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*

Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*

Microwave integrated circuits

A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*

An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*

Minimization

A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*

Enhanced Power Injection Strategies for Voltage Sag Minimization: Integrating the Maximum Apparent Power of the Converter and the Thévenin Equivalent. *de Pontes, G.P.*, +, *TPEL Jan. 2025 351-360*

Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*

State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*

Mirrors

A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*

Analytical Model of Inductance for the Magnetic Couplers Based on the Analytical Expressions of the Mirror Coefficients in WPT Systems. *Zhang, T.*, +, *TPEL Feb. 2025 3810-3820*

MODFETs

A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*

A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*

A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*

An Efficient Switching Transient Analytical Model for P-GaN Gate HEMTs With Dynamic $C_G(V_{DS}, V_{GS})$. *Du, J.*, +, *TPEL Jan. 2025 2139-2148*

Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*

Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*

Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*

High-Frequency Pulsed Laser Driver Using Complementary GaN HEMTs. *Liu, C.*, +, *TPEL Feb. 2025 3370-3384*

Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*

Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*

Modulation

A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*

A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*

A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*

A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation. *Jin, F.*, +, *TPEL May 2025 6593-6604*

A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter. *Dmitruk, K.*, +, *TPEL Sept. 2025 12095-12111*

A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*

A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*

A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters. *Lin, Z.*, +, *TPEL June 2025 8726-8738*

A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*

A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*

A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*

A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*

A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*

A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*

A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*

A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*

Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*

Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*

An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM. *Yan, Q.*, +, *TPEL June 2025 7628-7633*

An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*

An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs. *Liu, X.*, +, *TPEL Oct. 2025 15745-15756*

An Improved Voltage Reconstruction Method for Current Source Inverter. *Wei, Y.*, +, *TPEL Nov. 2025 16409-16418*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*

Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters. *Du, H.*, +, *TPEL May 2025 7215-7226*

Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*

Asymmetric Space Vector Pulse Width Modulation for the Phase Current Reconstruction in Three-Phase Inverters. *Shen, Y.*, +, *TPEL Jan. 2025 1686-1696*

Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*

Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*

Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters. *Pei, Y.*, +, *TPEL Sept. 2025 13556-13567*

Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current. *Lee, J.*, +, *TPEL July 2025 9137-9152*

Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*

Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*

Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*

DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation. *Leng, Y.*, +, *TPEL June 2025 7954-7966*

Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*

Digital Implementation of Discontinuous PWMs: Mitigating Parasitic Active Vectors for Improved Load Current Quality in Inverter Systems. *Baum, F.*, +, *TPEL May 2025 6740-6752*

Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices. *Wang, L.*, +, *TPEL Dec. 2025 17946-17957*

Direct Pulsewidth Modulation Technique for Modular Multilevel Converters Based on Full-Bridge Submodules. *Yin, J.*, +, *TPEL Jan. 2025 1085-1098*

Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*

Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters. *Zhang, L.*, +, *TPEL Oct. 2025 15595-15606*

Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*

Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*

Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles. *Zhou, D.*, +, *TPEL Dec. 2025 18448-18460*

Effects of Modulator-Injected Zero-Sequence Signals on System Stability in Three-Phase Voltage Source Converters. *Jiang, Y.*, +, *TPEL Jan. 2025 435-450*

Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*

Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*

Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*

Erratum to "Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters". *Gurudiwan, S.*, +, *TPEL Oct. 2025 16042*

Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters. *Cao, T.*, +, *TPEL Dec. 2025 18214-18225*

Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*

Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters. *M., M.A.*, +, *TPEL April 2025 4927-4937*

Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*

Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*

Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*

Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*

Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*

High-Efficiency Wide-Range RF Power Generation Systems With Discrete Power Back-Off From Multiple Inverters. *Zhang, H.*, +, *TPEL Jan. 2025 290-302*

Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*

Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*

Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*

Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive. *Panda, B.*, +, *TPEL June 2025 7777-7788*

Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*

Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell. *Wang, S.*, +, *TPEL June 2025 8253-8263*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*

Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*

Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System. *Li, Z.*, +, *TPEL May 2025 7315-7328*

Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*

Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*

Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter. *Wang, Y.*, +, *TPEL April 2025 4938-4951*

Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*

Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*

Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*

Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Modulation and Soft-Switching Optimization Control of Multilevel Dual Active Bridge DC–DC Converters. *Pang, J.*, +, *TPEL Jan. 2025 1936-1951*

Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*

Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index. *Xiong, Y.*, +, *TPEL Sept. 2025 13217-13230*

No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter. *Li, J.*, +, *TPEL Sept. 2025 12690-12702*

Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods. *Li, Z.*, +, *TPEL Oct. 2025 15718-15729*

Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*

Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*

Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*

Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*

Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*

Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*

Pulse Injection Modulation Method for Current-Fed Dual Active Bridge Converter With Full Load Range ZVS Under Wide Input-Voltage Range. *Liu, C.*, +, *TPEL Feb. 2025 2668-2673*

Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*

Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*

Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*

Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*

Simplified Implementation Architecture for Current-Source SVPWAM. *Wu, Z.*, +, *TPEL April 2025 4727-4733*

Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*

Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*

Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*

Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*

Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*

Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*

Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios. *Zhang, W.*, +, *TPEL Dec. 2025 17761-17775*

Transient DC Bias Suppression for Three-Level Dual-Active-Bridge Converter. *Yang, G.*, +, *TPEL Sept. 2025 12084-12094*

Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*

Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*

Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor. *Chen, W.*, +, *TPEL Jan. 2025 638-651*

Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*

ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

Moisture

Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*

Molybdenum

Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*

Monitoring

A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*

A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*

A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*

A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis. *Gou, B.*, +, *TPEL Feb. 2025 3505-3517*

A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*

A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*

A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*

An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*

An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*

An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*

An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*

An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*

An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*

An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*

Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*

Condition Monitoring the Inhomogeneous Thermal Fatigue of Multichip IGBT Module Based on the Thermal Attenuation Coefficient. *Zhang, J.*, +, *TPEL Jan. 2025 2114-2125*

Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*

Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*

High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*

High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*

Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*

In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*

Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*

Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*

Monolithic Data-Driven Condition Monitoring Strategy for MMC Consideringand ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*

Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*

Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*

Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*

Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*

Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*

Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*

Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters. *Yu, Q.*, +, *TPEL Sept. 2025 13363-13382*

Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*

State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*

Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*

MOS devices

A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*

A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*

Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable dV/dt and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*

MOSFET

A 2.5D Multichip SiC MOSFET Power Module With Low Parasitic Inductance and High Dynamic Current Sharing Performance. *Zheng, Z.*, +, *TPEL Jan. 2025 1542-1553*

A Brief Review of SiC MOSFET Transient Analytical Modeling Methods: Principles, Current Status, and Parameters Modeling. *Wang, L.*, +, *TPEL April 2025 5177-5189*

A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*

A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*

A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*

A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*

A Digital Real-Time Computation Algorithm Utilizing Time-Domain Analytic Model for Bidirectional CLLC Synchronous Rectifier in 6.6-kW 300-kHz SiC Portable EV Chargers. *Li, H.*, +, *TPEL Jan. 2025 2342-2354*

A Dual-Transformer-Based *LLC* Resonant Converter With Ultrawide Output Voltage Range. *Zhang, H.*, +, *TPEL Jan. 2025 2457-2471*

A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*

A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*

A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*

A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*

A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*

A High-Speed High-Voltage Pulse Generator With Adjustable Falling Slope Based on Programable Multi Narrow Pulses Drive Method for Series MOSFETs. *Zhang, Y.*, +, *TPEL Jan. 2025 1645-1653*

A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*

A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*

A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*

A Multilevel Self-Driving Gate Driver of SiC MOSFET for Crosstalk Suppression Considering Common-Source Inductance. *Hu, K.*, +, *TPEL Jan. 2025 906-919*

A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*

A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*

A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*

A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*

A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*

A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*

A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*

A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*

A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*

A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*

A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*

A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*

A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*

A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*

A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*

A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*

A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*

Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*

Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*

Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*

An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*

An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*

An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*

An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*

An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*

An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*

An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*

An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*

An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*

An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination. *Huang, H.*, +, *TPEL Sept. 2025 13177-13186*

Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*

Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*

Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*

Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*

Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*

Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*

Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*

Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*

Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*

Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*

Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*

Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*

Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*

Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*

Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*

Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*

Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*

Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust dv/dt Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*

Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*

Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*

High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*

High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*

High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*

High-Power Electronic Applications Enabled by Medium Voltage Silicon-Carbide Technology: An Overview. *Nielsen, M.R.*, +, *TPEL Jan. 2025 987-1011*

Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*

Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*

Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*

Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*

Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*

Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*

Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*

Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*

Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*

Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*

Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*

Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*

Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*

On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*

One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*

Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*

Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*

Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*

Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*

Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter. *Deckers, M.*, +, *TPEL Jan. 2025 2219-2234*

Reduced Overshoots, Oscillations, and *dV*/*dt* Generation in Parallel Connected SiC MOSFET Modules With Optional Active Current Balancing. *Parker, M.*, +, *TPEL Jan. 2025 1035-1050*

Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*

Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*

Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*

Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*

SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*

Single-Input Dual-Output Digital Gate Driver IC Automatically Equalizing Drain Current Variations of Two Parallel-Connected SiC MOSFETs. *Horii, K.*, +, *TPEL Jan. 2025 467-485*

Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*

Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*

Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*

The Active Gate Driver Based on Hardware Closed-Loop Control for Crosstalk Suppression of SiC MOSFETs With Kelvin-Source Connection. *Cui, M.*, +, *TPEL Jan. 2025 217-226*

The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*

Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced d*v*/d*t* Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*

Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*

ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

MOSFET circuits

An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination. *Huang, H.*, +, *TPEL Sept. 2025 13177-13186*

Motion control

Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*

Motor drives

A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*

Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives. *Amorim Torres, R.*, +, *TPEL March 2025 4345-4357*

Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*

Common-Mode Voltage Suppression Strategy for CHB-Based Motor Drive Based on Topology and Modulation Optimization. *Wang, Z.*, +, *TPEL Jan. 2025 1697-1716*

Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*

Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*

Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*

Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*

Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*

Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles. *Zhou, D.*, +, *TPEL Dec. 2025 18448-18460*

Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives. *Xu, Y.*, +, *TPEL March 2025 4374-4385*

Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range. *Lu, L.*, +, *TPEL Feb. 2025 3385-3394*

General Modeling and Control of Multiple Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Jan. 2025 1900-1909*

Guest Editorial: Special Section on Drives and Control of Electric Machines in Electric and Hybrid Aircraft Applications. *Lee, C.*, +, *TPEL Nov. 2025 16129-16130*

Guest Editorial: Special Section on Drives and Control of Electric Machines in Electric and Hybrid Aircraft Applications. *Lee, C.*, +, *TPEL Nov. 2025 16129-16130*

Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*

Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*

Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index. *Xiong, Y.*, +, *TPEL Sept. 2025 13217-13230*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Postfault Operation Strategy With Minimum Harmonic Injection for Cascaded H-Bridge Inverters Driving a Multiphase Motor. *Lopez, O.*, +, *TPEL Jan. 2025 8-22*

Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*

Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*

Sensorless BLDCM Drive Using an Improved DSOGI-PLL Observer for Solar-PV-Assisted LEV. *Saha, B.*, +, *TPEL Jan. 2025 1636-1644*

State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*

Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization. *Yang, H.*, +, *TPEL May 2025 6413-6422*

Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios. *Zhang, W.*, +, *TPEL Dec. 2025 17761-17775*

Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives. *Luo, K.*, +, *TPEL Aug. 2025 10705-10716*

Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*

Motors

A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*

A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*

A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*

A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*

A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*

A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*

A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*

A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*

A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*

A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*

A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle. *Liu, S.*, +, *TPEL Aug. 2025 10456-10468*

A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*

A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*

A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*

A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*

A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*

A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*

A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*

A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*

A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*

Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*

Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*

Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*

Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*

Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*

An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*

An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*

An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs. *Liu, X.*, +, *TPEL Oct. 2025 15745-15756*

An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*

An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*

Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives. *Amorim Torres, R.*, +, *TPEL March 2025 4345-4357*

Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor. *Mousavi, M.S.*, +, *TPEL May 2025 6801-6812*

Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*

Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*

Common-Mode Analysis and Suppression Method for Series-End Winding Motor Drive. *Liu, Z.*, +, *TPEL Jan. 2025 1748-1761*

Common-Mode Voltage Suppression Strategy for CHB-Based Motor Drive Based on Topology and Modulation Optimization. *Wang, Z.*, +, *TPEL Jan. 2025 1697-1716*

Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*

Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*

Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*

Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*

Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*

Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles. *Zhou, D.*, +, *TPEL Dec. 2025 18448-18460*

Enhanced Power Injection Strategies for Voltage Sag Minimization: Integrating the Maximum Apparent Power of the Converter and the Thévenin Equivalent. *de Pontes, G.P.*, +, *TPEL Jan. 2025 351-360*

Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection. *Zhou, Z.*, +, *TPEL Dec. 2025 17803-17820*

Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*

Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives. *Xu, Y.*, +, *TPEL March 2025 4374-4385*

Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*

Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*

Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop. *Yin, Z.*, +, *TPEL May 2025 6753-6770*

Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*

Fully Simulated Data-Driven Domain Generalized Method for Multiphase Converters Fault Diagnosis. *Xu, H.*, +, *TPEL Jan. 2025 2099-2113*

Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*

High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*

Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*

Improved PWM Control With Wide Speed Range for a Double-Side Asynchronous Rotor AFPMM Series-End Winding Drive. *Huang, R.*, +, *TPEL Jan. 2025 1728-1738*

Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy. *Tang, Y.*, +, *TPEL Oct. 2025 15780-15794*

Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*

Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*

Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*

Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*

Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*

Modified Digital Current Controller for High Precision Electric Motor Emulators. *Wang, Z.*, +, *TPEL Sept. 2025 12452-12462*

Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*

Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*

Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*

Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index. *Xiong, Y.*, +, *TPEL Sept. 2025 13217-13230*

Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*

Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*

Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*

Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current. *Liu, B.*, +, *TPEL Sept. 2025 12280-12294*

Output Voltage Chopping Compensation Control Method and Current Fluctuation Suppression Strategy for High-Rate Discharge LBESS. *Liu, Y.*, +, *TPEL May 2025 6476-6491*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*

Postfault Operation Strategy With Minimum Harmonic Injection for Cascaded H-Bridge Inverters Driving a Multiphase Motor. *Lopez, O.*, +, *TPEL Jan. 2025 8-22*

Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*

Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*

Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*

Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*

Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling. *Fan, H.*, +, *TPEL May 2025 6653-6662*

Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*

Sensorless BLDCM Drive Using an Improved DSOGI-PLL Observer for Solar-PV-Assisted LEV. *Saha, B.*, +, *TPEL Jan. 2025 1636-1644*
Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*
Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*
Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*
Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*
Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*
State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*
Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*
Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*
Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*
Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*
Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*
Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*
Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives. *Luo, K.*, +, *TPEL Aug. 2025 10705-10716*
Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*
Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*
UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*
Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor. *Chen, W.*, +, *TPEL Jan. 2025 638-651*
Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*
Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Multi-agent systems

Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*

Multichip modules

A 2.5D Multichip SiC MOSFET Power Module With Low Parasitic Inductance and High Dynamic Current Sharing Performance. *Zheng, Z.*, +, *TPEL Jan. 2025 1542-1553*
A Capacity-Expandable Cascaded Multilevel Energy Storage System Based on Laminated Power Modules. *Zhang, J.*, +, *TPEL April 2025 5265-5278*
A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*
A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*
A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*
A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*
A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*
A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*
Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*
Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*
An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*
An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*
An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*
An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*
An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*
Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*
Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*
Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*
EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*
Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*
Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*
High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*
High-Power Electronic Applications Enabled by Medium Voltage Silicon-Carbide Technology: An Overview. *Nielsen, M.R.*, +, *TPEL Jan. 2025 987-1011*
Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*
Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*
In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*
Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*
Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*

Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement. *Almeida, G.*, +, *TPEL Oct. 2025 14962-14973*
Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*
Modeling and Design Guideline of Optimal Split Inductance Range for Split-Output Power Module Considering Normal and Fault Conditions. *Gao, H.*, +, *TPEL Jan. 2025 828-839*
Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*
Novel Vertical Shunt Resistor: Integration and Optimization in Power Modules. *Choi, S.*, +, *TPEL Jan. 2025 46-50*
Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*
Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*
Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*
Remaining Useful Lifetime Prediction Method of Power Modules Based on the Aging Characteristic Parameters. *Xie, L.*, +, *TPEL Jan. 2025 2086-2098*
Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*
Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*
Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*
Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*
Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*
Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*
The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*
Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*
Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*
Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*

Multilevel converters

A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*
Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*
An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*
An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*
An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*
Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids. *Ning, G.*, +, *TPEL Nov. 2025 16626-16638*
Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*
Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*
Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*
Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*
Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*
Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*
Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*
On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*
Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*
Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements. *Sanchez-Squella, A.*, +, *TPEL Sept. 2025 13941-13951*

Multilevel inverters

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*
Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*
Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*

Multiplexing

A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*
Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*
Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*

Multitasking

Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*

Muscles

Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*

N

Nanobioscience

3-MHz High-Voltage Pulse Generator With Novel Multilevel LC Resonant Network for Adjustable Pulsewidth. *Chen, S.*, +, *TPEL Jan. 2025 1012-1022*

Nanogenerators

Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Nanostructured materials
An Integrated Inductive–Capacitive Nanocrystalline Core for Compact Inductive Power Transfer Systems. *Liang, Z.*, +, *TPEL Oct. 2025 14351-14355*
Narrowband
Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*
Network topology
A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*
A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*
Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*
Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*
Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations. *Xiang, Y.*, +, *TPEL Jan. 2025 2235-2247*
General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*
Inductive Power Transfer System With Constant Current-Constant Voltage Charging Tolerating Misalignment Based on Multiobjective Optimization for Compensation Topology. *Wang, Q.*, +, *TPEL March 2025 4581-4591*
Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*
Systematic Topology Synthesis and Power Density Visualization of Partial Power Processing Architecture. *Tian, Y.*, +, *TPEL Jan. 2025 1346-1358*
Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*
Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*
Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*
Neural networks
A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*
An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*
An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*
An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*
Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*
Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*
Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations. *Xiang, Y.*, +, *TPEL Jan. 2025 2235-2247*
History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*
Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*
Neurons
Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations. *Xiang, Y.*, +, *TPEL Jan. 2025 2235-2247*
Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*
Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*
Newton method
A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*
Next generation networking
Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust dv/dt Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*
Nickel
Bonding and Failure Mechanisms of Sintered-Silver Die-Attach on Electroless Nickel (Phosphorus) Surface Finish for Packaging Power Electronics Modules. *Wang, M.*, +, *TPEL Sept. 2025 13086-13098*
Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*
Nitrogen
Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*
Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*
Noise
A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*
A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*
A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*
A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*
A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*
A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*
A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data. *Xia, Y.*, +, *TPEL April 2025 5949-5958*
A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*
A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*
A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*
Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*
An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*
Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*
Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*

Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter. *Lee, K.*, +, *TPEL Oct. 2025 15003-15012*
Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*
Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control. *Wei, Z.*, +, *TPEL Dec. 2025 17776-17788*
Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*
Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*
Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable d*V*/d*t* and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*
EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*
Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*
Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency. *Zhang, P.*, +, *TPEL May 2025 7110-7124*
Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*
Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*
Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*
Nonparametric Predictive Current Control for SPMSM With Adaptive Cascade Extended Noise State Observer. *Yang, M.*, +, *TPEL Jan. 2025 1717-1727*
PCB Inductor With Integrated Shielding to Contain Switching Electric Field and Reduce CM Noise. *McGrew, T.*, +, *TPEL Jan. 2025 944-957*
Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*
QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*
Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*
Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*
Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*
Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*
The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*

Noise measurement

A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*
A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*
A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*
Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*
Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control. *Wei, Z.*, +, *TPEL Dec. 2025 17776-17788*
Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*
Nonparametric Predictive Current Control for SPMSM With Adaptive Cascade Extended Noise State Observer. *Yang, M.*, +, *TPEL Jan. 2025 1717-1727*
Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*
Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics. *Liu, Q.*, +, *TPEL Feb. 2025 2971-2986*
Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*
Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*

Noise reduction

A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data. *Xia, Y.*, +, *TPEL April 2025 5949-5958*
An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*
Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*

Nonhomogeneous media

An Improved Compensation Method Reducing Displacement Current Loss for Multilayer Coils in IPT System. *Zhang, Y.*, +, *TPEL Jan. 2025 87-91*

Nonlinear dynamical systems

Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*
Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*
Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*

Nonlinear equations

A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*

Notch filters

A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*
A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*
Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults. *Gu, M.*, +, *TPEL Nov. 2025 16080-16084*
Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*
Synchronous Vibration Control of MSCSG Based on High-Precision Closed-Loop Synchronous Rotating Frame Transformation. *Han, W.*, +, *TPEL April 2025 4793-4804*

Numerical models

A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*

A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*
A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*
An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*
Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*
Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*
Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*
High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*
Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*
Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*
Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*

Numerical simulation
A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*

Numerical stability
A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*
A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*
A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*
A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*
An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*
Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*
Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*
Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters. *Xin, H.*, +, *TPEL Dec. 2025 18378-18389*
Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*
Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*
Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*
The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*
Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*

O

Object detection
A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*
Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*

Object recognition
Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*

Observability
Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*
Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*
Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements. *Sanchez-Squella, A.*, +, *TPEL Sept. 2025 13941-13951*
Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*
Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*

Observers
A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*
A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*
A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*
A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*
A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*
A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*
A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*
A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation. *Jin, F.*, +, *TPEL May 2025 6593-6604*
A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden. *Xu, Y.*, +, *TPEL Jan. 2025 1622-1635*
A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*
Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*
Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*
An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*

An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*
Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*
Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*
Dynamic-Tracking Damping Controller for DFIG-Based Wind Farms to Mitigate Sub-Synchronous Control Interactions. *Han, J.*, +, *TPEL Jan. 2025 2248-2258*
Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*
Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*
Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives. *Zhang, Y.*, +, *TPEL Nov. 2025 16184-16194*
Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*
Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*
Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*
Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*
Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*
K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*
Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*
Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*
Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*
Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*
Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*
Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*
Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*
Output Voltage Chopping Compensation Control Method and Current Fluctuation Suppression Strategy for High-Rate Discharge LBESS. *Liu, Y.*, +, *TPEL May 2025 6476-6491*
Overmodulatable Parameter-Free Predictive Current Control for PMSMs. *Zhu, Z.*, +, *TPEL Jan. 2025 1774-1786*
Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*
Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*
Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*
Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling. *Fan, H.*, +, *TPEL May 2025 6653-6662*
Sensorless BLDCM Drive Using an Improved DSOGI-PLL Observer for Solar-PV-Assisted LEV. *Saha, B.*, +, *TPEL Jan. 2025 1636-1644*
Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter. *Cheng, Z.*, +, *TPEL Jan. 2025 1654-1668*
Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*
Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*
Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*
Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*
Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*
Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*
State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*
Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*
Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements. *Sanchez-Squella, A.*, +, *TPEL Sept. 2025 13941-13951*
Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*
Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*
Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*
Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*
Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*

Oceanography

A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*
Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*

Oceans

Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*
Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*

Offshore installations

Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*

Optical attenuators

Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High dv/dt Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*

Optical fiber sensors
Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High d*v*/d*t* Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*
Optical fibers
Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*
Optical noise
Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High d*v*/d*t* Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*
Optical pulse generation
High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*
Optical receivers
Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High d*v*/d*t* Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*
Optical sensors
Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*
Optical switches
Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*
Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust d*v*/d*t* Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*
Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High d*v*/d*t* Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*
Optical transmitters
Optically Isolated Rogowski Coil: Non-Invasive Current Measurement With High d*v*/d*t* Immunity for WBG Device. *Gong, J.*, +, *TPEL Oct. 2025 14301-14306*
Optical wavelength conversion
Constant Frequency CC–CV Operation of Isolated *LLC* Resonant DC-DC Converter Using Switched Capacitor Network for WCS. *Gautam, K.K.*, +, *TPEL Jan. 2025 64-70*
High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*
Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index. *Xiong, Y.*, +, *TPEL Sept. 2025 13217-13230*
Optimal control
Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*
Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*
Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*
Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*
Optimization
5-kW, 96.5% Efficiency Capacitive Power Transfer System With a Five-Plate Coupler: Design and Optimization. *Rong, E.*, +, *TPEL Jan. 2025 2542-2555*
A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Mo, N.*, +, *TPEL Oct. 2025 15504-15518*
A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*
A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*
A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*
A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*
A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*
Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*
An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*
Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*
Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*
Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*
Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*
Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*
Corrections to "Mathematical Modeling and Optimization for the Power Density of the Free-Standing Magnetic Field Energy Harvester". *Liu, Z.*, +, *TPEL July 2025 10265*
Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*
Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*
Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*
Delta and Inverse Delta Coupler Optimization Using Machine Learning for Wireless Power Transfer Electric Vehicle Charging Application. *J, R.*, +, *TPEL Jan. 2025 2556-2568*
Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*
Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*
Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*
Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*
Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*
Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection. *Zhou, Z.*, +, *TPEL Dec. 2025 17803-17820*
Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range. *Lu, L.*, +, *TPEL Feb. 2025 3385-3394*
Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults. *Meng, X.*, +, *TPEL Nov. 2025 16469-16482*
Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*
General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*

Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*

Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*

Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*

Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*

Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*

Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*

Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*

Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*

Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*

Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*

Modulation and Soft-Switching Optimization Control of Multilevel Dual Active Bridge DC–DC Converters. *Pang, J.*, +, *TPEL Jan. 2025 1936-1951*

Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*

Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*

Online Harmonic Reduction for Aircraft Electrical Power Distribution System With Global Phase-Shifted Carrier PWM. *Peng, Q.*, +, *TPEL Jan. 2025 599-610*

Online Postfault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault. *Yu, K.*, +, *TPEL Oct. 2025 14733-14745*

Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*

Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*

Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*

Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*

Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Dec. 2025 17690-17702*

Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations. *Komiyama, Y.*, +, *TPEL Nov. 2025 16822-16836*

Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*

Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*

Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation. *Wang, Z.*, +, *TPEL Nov. 2025 16611-16625*

Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*

Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*

Self-Supervised Learning-Based Multiparameters Optimization Framework in Servo Systems. *Li, H.*, +, *TPEL Nov. 2025 16123-16128*

Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*

Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*

Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios. *Zhang, W.*, +, *TPEL Dec. 2025 17761-17775*

Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*

Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*

Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*

ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*

ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

Optimization methods

Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*

Problem Analysis and Improvement of Traditional Efficiency Optimization Method for Inductive Power Transfer Systems. *Chen, D., TPEL May 2025 7466-7476*

Oscillators

A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability. *Zeng, Z.*, +, *TPEL Aug. 2025 10973-10987*

A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*

A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*

A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*

A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*

A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*

A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*

A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*

A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*

A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*

An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*

An Analytical Formula for the PETT Oscillation Over a Wide Voltage Range in NPT Planar IGBT Chips. *Dongye, Z.*, +, *TPEL Jan. 2025 958-968*

An Extended Impedance Model for Power Electronics Converters Retaining Explicit Synchronization Dynamics. *Hu, G.*, +, *TPEL Jan. 2025 2355-2370*

An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*

Analysis and Damping of Subsynchronous Oscillations for Cascaded Grid-Forming Converters Considering DC-Link Dynamics. *Kong, L.*, +, *TPEL Jan. 2025 2284-2299*

Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*

Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*

Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*

Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*

Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters. *Pei, Y.*, +, *TPEL Sept. 2025 13556-13567*

Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*

Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*

Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*

Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*

Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*

Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*

Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*

Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*

Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*

Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*

Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*

Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*

Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*

Modeling for Oscillation Propagation With Frequency-Voltage Coupling Effect in Grid-Connected Virtual Synchronous Generator. *Li, C.*, +, *TPEL Jan. 2025 82-86*

Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*

Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*

Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*

Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*

Origin Analysis and Mitigation Method of Voltage Oscillation Occurred Inside the Winding of Medium-Voltage Medium-Frequency Transformer. *Wang, Y.*, +, *TPEL Jan. 2025 1974-1990*

Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*

Reduced Overshoots, Oscillations, and *dV/dt* Generation in Parallel Connected SiC MOSFET Modules With Optional Active Current Balancing. *Parker, M.*, +, *TPEL Jan. 2025 1035-1050*

Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*

Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics. *Liu, Q.*, +, *TPEL Feb. 2025 2971-2986*

Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*

Ultra-Fast MPPT for Residential PV Systems With Low DC-Link Capacitance and Differential Power Processing. *Meineri, N.A.*, +, *TPEL Feb. 2025 2736-2745*

Ultra-Low Frequency Oscillation Damping Control Method for Hydro-Photovoltaic Integrated Systems. *Wang, S.*, +, *TPEL Jan. 2025 2397-2418*

Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*

Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*

Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*

Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*

Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*

Oscilloscopes

On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*

Out of order

Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter. *Zhao, M.*, +, *TPEL Feb. 2025 3189-3209*

Oxidation

Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*

P

Packaging

A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*

Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*

Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*

Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*

Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Parameter estimation

A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*

Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*

Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*

Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*

Front-End Parameter Identification Method Based on Adam-W Optimization Algorithm for Underwater Wireless Power Transfer System. *Luo, B.*, +, *TPEL April 2025 6307-6318*

Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*

Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*

Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*

Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*

Parameter extraction

Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*

Parasitic capacitance

Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*

An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*

Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*

Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*

Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*

Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*

EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*

High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*

Modeling and Analysis of MHz-Frequency PRC- C+L+C Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*

Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*

Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*

Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*

ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*

Partial discharges

Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*

Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*

Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*

Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*

Partial Discharge Characteristics of Epoxy Resin Under High-Frequency Pulse Electrical Stress. *Jiang, J.*, +, *TPEL Jan. 2025 2017-2027*

Particle swarm optimization

A New PV Fed High Gain Boost-Cuk Converter Employed SRM Driven Water Pumping Scheme With IDEPSO MPPT. *Priyadarshi, N.*, +, *TPEL Jan. 2025 2371-2384*

Passive filters

A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*

A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*

A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter. *Dmitruk, K.*, +, *TPEL Sept. 2025 12095-12111*

An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*

An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*

Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*

Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*

Path planning

Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*

Payloads
A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*
PD control
A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*
Peak to average power ratio
Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*
High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*
Performance evaluation
A 2.5D Multichip SiC MOSFET Power Module With Low Parasitic Inductance and High Dynamic Current Sharing Performance. *Zheng, Z.*, +, *TPEL Jan. 2025 1542-1553*
Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*
High-Power Electronic Applications Enabled by Medium Voltage Silicon-Carbide Technology: An Overview. *Nielsen, M.R.*, +, *TPEL Jan. 2025 987-1011*
Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*
Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*
Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*
Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*
Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*
Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*
Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*
Periodic structures
A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*
A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*
A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*
Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*
Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*
Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*
High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*
Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*
Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*
Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*
Permanent magnet machines
A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*
Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*
An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*
Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*
Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback. *Huang, Z.*, +, *TPEL Aug. 2025 11787-11798*
Dynamic Interleaving Strategy to Reduce DC-Link Ripple of Dual Three-Phase Permanent Magnet Synchronous Machine Drives by Using Discontinuous Space Vector Modulation. *Chowdhury, A.*, +, *TPEL Jan. 2025 1762-1773*
Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*
Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*
Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Dec. 2025 17690-17702*
Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*
Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL June 2025 7668-7680*
Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*
Permanent magnet motors
A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*
A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*
A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*
A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*
A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*
A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*
A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*
A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*
A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*
A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters. *Li, K.*, +, *TPEL Oct. 2025 14585-14597*

A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*

A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*

A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*

A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*

A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*

A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*

A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control. *Zhang, Z.*, +, *TPEL Jan. 2025 118-123*

A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden. *Xu, Y.*, +, *TPEL Jan. 2025 1622-1635*

A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*

A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*

A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*

A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*

A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*

A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*

A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*

Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*

Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*

Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*

Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*

Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*

Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*

Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*

Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*

Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*

An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*

An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*

An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*

Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*

Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*

Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*

Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*

Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*

Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation. *Cai, J.*, +, *TPEL Dec. 2025 17664-17673*

Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*

Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*

Decoupled Dead-Time Compensation Method Using Revised-Resonant Control-Based Disturbance Observer in PMSM Drives. *Lang, J.*, +, *TPEL Jan. 2025 340-350*

Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*

Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*

Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*

Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults. *Gu, M.*, +, *TPEL Nov. 2025 16080-16084*

Direct Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor. *Pan, B.*, +, *TPEL Sept. 2025 12475-12487*

Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*

Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*

Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*

Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*

Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection. *Zhou, Z.*, +, *TPEL Dec. 2025 17803-17820*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*

Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*

Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*

Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*

Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*

High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*

High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*

High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*

High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*

Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*

Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*

Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*

Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*

Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy. *Tang, Y.*, +, *TPEL Oct. 2025 15780-15794*

Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters. *Zhou, Y.*, +, *TPEL Nov. 2025 16483-16497*

Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*

Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*

Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*

K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*

Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*

Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model. *Yang, Z.*, +, *TPEL Aug. 2025 10783-10792*

Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*

Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*

Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*

Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*

Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*

Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*

Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive. *Li, X.*, +, *TPEL May 2025 6492-6505*

Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*

Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*

Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*

Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*

Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*

Online Postfault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault. *Yu, K.*, +, *TPEL Oct. 2025 14733-14745*

Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*

Parameter Identification for SPMSM Based on a Superior ROA. *Yang, X.*, +, *TPEL June 2025 7615-7627*

Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*

Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*

Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*

Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*

Relative Coupling EMPC for High-Precision Contouring Control in Multi-axis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*

Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*

Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*

Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*

Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*

Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*

Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*

Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter. *Cheng, Z.*, +, *TPEL Jan. 2025 1654-1668*

Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*

Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*

Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*

Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*

Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*

Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*

Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*

Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*

Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*

Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*

Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*

Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*

Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*

Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*

Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*

Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients. *De Martin, I.D.*, +, *TPEL Sept. 2025 12393-12401*

Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*

Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*

Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*

Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*

Permanent magnets

A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*

A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*

Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*

An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*

Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*

Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*

Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*

UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*

Permeability

Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*

Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*

Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*

Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*

Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*

Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*

High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*

Laminated Cores in Inductive Power Transfer: A Viaduct Structure for Balanced Flux and Minimal Shielding Loss. *Wang, Y.*, +, *TPEL May 2025 6464-6469*

Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*

Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*

Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*

Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*

Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*

Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*

Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*
Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*
Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*

Permittivity
High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*
Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*

Perpendicular magnetic anisotropy
A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*
An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*

Perturbation methods
A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*
A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*
Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*
Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*
Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*
An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*
Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*
Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*
Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*
Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*
In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*
Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*

Petroleum
An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM. *Yan, Q.*, +, *TPEL June 2025 7628-7633*

Phase change materials
Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*
Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*
Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*

Phase control
Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*

Phase distortion
Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*
Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*

Phase locked loops
A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*
A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*
A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*
A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden. *Xu, Y.*, +, *TPEL Jan. 2025 1622-1635*
A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*
A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*
A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance. *Quan, X.*, +, *TPEL Sept. 2025 13919-13930*
A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*
Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*
Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*
Adaptive Frequency Coupling Suppression Strategy for VSCs and Its Stability Region Analysis. *Wang, Z.*, +, *TPEL Jan. 2025 2442-2456*
An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*
An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*
An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*
Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*
Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*
Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation. *Cai, J.*, +, *TPEL Dec. 2025 17664-17673*
Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*
Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*
Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL Sept. 2025 13673-13685*
Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*

Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*

Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop. *Li, L.*, +, *TPEL Feb. 2025 2697-2701*

Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*

Impedance Reshaping Method Based on Compensating PLL Dynamic to Improve Active Power Transfer Capability of VSC Under Weak Grid. *Xiong, X.*, +, *TPEL Jan. 2025 422-434*

Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*

Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*

Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*

Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*

Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*

Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*

Phase Step Control in PLL of DFIG-Based Wind Turbines for Ultrafast Frequency Support. *Zhou, Y.*, +, *TPEL Jan. 2025 51-56*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Predictive Direct Control of Nine-Switch Converter Unified Power Quality Conditioner Based on Time-Sharing Cooperative Control. *Wang, G.*, +, *TPEL April 2025 5895-5906*

Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*

Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*

Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*

Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*

Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*

Sensorless BLDCM Drive Using an Improved DSOGI-PLL Observer for Solar-PV-Assisted LEV. *Saha, B.*, +, *TPEL Jan. 2025 1636-1644*

Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*

Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*

Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*

Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*

Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*

Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*

The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*

Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*

Transient Stability Analysis and Enhancement of Inverter-Based Microgrid Considering Current Limitation. *Li, D.*, +, *TPEL Jan. 2025 2429-2441*

Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*

Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*

Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*

Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*

Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*

Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*

Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*

Phase measurement

Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*

Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*

Phase modulation

A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*

A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Mo, N.*, +, *TPEL Oct. 2025 15504-15518*

A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*

A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*

A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*

A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*

Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*

Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*

Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation. *Yun, J.*, +, *TPEL April 2025 5014-5024*

High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*
Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*
Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter. *Zhao, M.*, +, *TPEL Feb. 2025 3189-3209*
Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*
Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*
Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter. *Wang, Y.*, +, *TPEL April 2025 4938-4951*
Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*
Modulation-Independent Initial Current Control of DAB-Based Single-Stage AC–DC Converter for DC Bias Elimination. *Mo, N.*, +, *TPEL Jan. 2025 406-421*
Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*
Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*
Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*
Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*
Pulse Injection Modulation Method for Current-Fed Dual Active Bridge Converter With Full Load Range ZVS Under Wide Input-Voltage Range. *Liu, C.*, +, *TPEL Feb. 2025 2668-2673*
Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*
Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation. *Wang, Z.*, +, *TPEL Nov. 2025 16611-16625*
Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*
Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*
Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*
Transient DC Bias Suppression for Three-Level Dual-Active-Bridge Converter. *Yang, G.*, +, *TPEL Sept. 2025 12084-12094*
Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*
Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*
ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

Phase shift keying
DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation. *Leng, Y.*, +, *TPEL June 2025 7954-7966*

Phase transformers
Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*

Phased arrays
A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*

Philosophical considerations
Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters. *Le, H.*, +, *TPEL Jan. 2025 1272-1288*

Photonic crystals
An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*
Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*
Model Predictive Control Strategies in Switched Reluctance Motor Drives—An Overview. *Cai, J.*, +, *TPEL Jan. 2025 1669-1685*
Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*
Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients. *De Martin, I.D.*, +, *TPEL Sept. 2025 12393-12401*

Photovoltaic systems
A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*
A Control to Address Issues of Synchronization and Voltage Rise in Grid Integrated Solar Photovoltaic-Battery Storage System. *Modi, G.*, +, *TPEL Jan. 2025 2385-2396*
A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*
A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage. *Pang, Y.*, +, *TPEL Sept. 2025 13415-13433*
A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*
A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*
A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*
Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*
Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*
Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*
Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*
Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*

Physics
A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*
Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*
Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*

Machine-Learned Models for Power Magnetic Material Characteristics. *Leszczynski, P.*, +, *TPEL Jan. 2025 1554-1562*

PI control

A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*

Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation. *Cai, J.*, +, *TPEL Dec. 2025 17664-17673*

Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*

Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*

Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*

Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*

Relative Coupling EMPC for High-Precision Contouring Control in Multi-axis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*

Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*

Simplified Implementation Architecture for Current-Source SVPWAM. *Wu, Z.*, +, *TPEL April 2025 4727-4733*

Picture archiving and communication systems

Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*

Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*

Piezoelectric effect

System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*

Piezoelectric transducers

System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*

PIN diodes

Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*

PIN photodiodes

A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*

Pins

Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*

Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*

Pipelines

Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*

Pistons

A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*

Plasma applications

A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*

Plasmas

A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*

Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*

Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*

Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*

High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*

Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*

Plating

Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*

Poles and towers

UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*

Poles and zeros

A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*

Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*

Polymers

Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*

Polynomials

Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Position control

An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*

Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*

Position measurement

3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*

Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*

Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*

Powders

High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*

Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*

Power amplifiers

A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*

Asymmetrical Interleaved Switching Power Amplifier Based on Arm Multiplexing. *Hu, J.*, +, *TPEL Jan. 2025 375-388*

Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*

Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*
High-Efficiency Wide-Range RF Power Generation Systems With Discrete Power Back-Off From Multiple Inverters. *Zhang, H.*, +, *TPEL Jan. 2025 290-302*
Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*
Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*

Power cable insulation
An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*

Power cables
An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*
High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*
Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*

Power combiners
Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*

Power control
Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*
An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*
Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*
Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*
Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System. *Li, Z.*, +, *TPEL May 2025 7315-7328*
Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method. *Xu, B.*, +, *TPEL Sept. 2025 13659-13672*
Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*
Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*
Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*
Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives. *Luo, K.*, +, *TPEL Aug. 2025 10705-10716*
Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*

Power conversion
A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*
A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*
A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*
A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*
Adaptive Frequency Coupling Suppression Strategy for VSCs and Its Stability Region Analysis. *Wang, Z.*, +, *TPEL Jan. 2025 2442-2456*
Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*
An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*
An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*
Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*
DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation. *Leng, Y.*, +, *TPEL June 2025 7954-7966*
Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*
Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*
High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*
High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*
Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*
Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*
Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids. *Jiang, S.*, +, *TPEL Nov. 2025 17426-17437*
Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters. *Xin, H.*, +, *TPEL Dec. 2025 18378-18389*
Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*
Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*

Power demand
A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*
A Novel Control Scheme for Light Load Power Reduction of Flyback Converter. *Liu, Q.*, +, *TPEL Feb. 2025 2691-2696*

Power dissipation
An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*
Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*

Power distribution
A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*
A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*
Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter. *Liu, L.*, +, *TPEL Aug. 2025 11552-11563*
Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles. *Zhou, D.*, +, *TPEL Dec. 2025 18448-18460*
Dual-Stage MPC for SoC Balancing in Second-Life Battery Energy Storage Systems Based on Delta-Connected Cascaded H-Bridge Converters. *Poblete, P.*, +, *TPEL Jan. 2025 500-515*

Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*

Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids. *Jiang, S.*, +, *TPEL Nov. 2025 17426-17437*

Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*

Power electronics

A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*

A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*

A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*

A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*

A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*

A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis. *Gou, B.*, +, *TPEL Feb. 2025 3505-3517*

A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*

A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*

A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*

A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*

Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*

All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*

An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*

An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM. *Yan, Q.*, +, *TPEL June 2025 7628-7633*

An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*

An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*

Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Characterization and Circuit Modeling of Electromagnetic Interference Filtering Chokes in Power Electronics: A Review. *Jie, H.*, +, *TPEL Jan. 2025 920-943*

Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation. *Alam, M.M.*, +, *TPEL June 2025 8553-8565*

Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*

Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*

Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*

Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*

Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*

Guest Editorial: Special Section on Power Electronics Letters: Fabrication and Design of High-Power Density and High-Frequency Passive Components. *Duffy, M.*, +, *TPEL Oct. 2025 14343-14344*

Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*

High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*

High-Order Generalized Averaging Method for Power Electronics Modeling From DC to Above Half the Switching Frequency. *Li, H.*, +, *TPEL Jan. 2025 176-194*

Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*

Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*

Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*

Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement. *Almeida, G.*, +, *TPEL Oct. 2025 14962-14973*

Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*

Novel Current Sensor Based on Parasitic Inductance With Adaptive Compensation for Parasitic Resistance. *Zhao, X.*, +, *TPEL May 2025 6403-6412*

On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*

Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*

Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*

Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*

Simplified Implementation Architecture for Current-Source SVPWAM. *Wu, Z.*, +, *TPEL April 2025 4727-4733*

Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*

Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs. *Han, D.*, +, *TPEL June 2025 8824-8833*

Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*

Time-Step-Adaptive Filter Discretization for Variable Sampling Frequency Control of Power Converters. *Hwang, I.*, +, *TPEL Jan. 2025 574-587*

Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*

Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*

Power filters

A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*

Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*

Power generation

A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*

A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*

A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*

A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*

A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*

A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*

A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*

A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*

A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*

A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*

A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*

A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*

A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*

An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*

An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*

An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*

An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination. *Huang, H.*, +, *TPEL Sept. 2025 13177-13186*

Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*

Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*

Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*

Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*

Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*

Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*

Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*

Design and Optimization of Wide-Coupling Nested Magnetic Coupling Mechanism for UAV Wireless Power Transfer. *Xue, M.*, +, *TPEL Aug. 2025 11849-11862*

Distributed Economic Coordination Controller for Parallel DC–DC Converters in Shipboard DC Microgrids Based on Prescribed-Time Consensus Observer. *Zeng, Y.*, +, *TPEL Jan. 2025 2495-2512*

Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*

Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*

Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*

High-Efficiency Wide-Range RF Power Generation Systems With Discrete Power Back-Off From Multiple Inverters. *Zhang, H.*, +, *TPEL Jan. 2025 290-302*

Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*

Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault. *Liu, Y.*, +, *TPEL April 2025 5743-5755*

Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*

Novel Integrated Optimization to Enhance Output Stability and Power Capability in EV Dynamic Wireless Charging Under Lateral Misalignment. *Shi, K.*, +, *TPEL Oct. 2025 15959-15975*

Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*

Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*

Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*

Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations. *Komiyama, Y.*, +, *TPEL Nov. 2025 16822-16836*

Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning 1st/3rd Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*

Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances. *Liu, L.*, +, *TPEL July 2025 9153-9166*

Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*

Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*

Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*

Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*

Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*

The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*

Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*

Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*

Power grids

A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*

A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*

A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter. *Dmitruk, K.*, +, *TPEL Sept. 2025 12095-12111*

An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*

Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*

Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*

Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*

Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*

Resilient-by-Design Control for in Situ Primary Controller of Grid-Following Inverter-Based Resources by a Novel State Augmentation to Tolerate False Data Injection Cyberattacks. *Jamali, M.*, +, *TPEL Feb. 2025 2746-2760*

Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*

Power harmonic filters

A Control to Address Issues of Synchronization and Voltage Rise in Grid Integrated Solar Photovoltaic-Battery Storage System. *Modi, G.*, +, *TPEL Jan. 2025 2385-2396*

A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*

A Dispersing Proportional Resonance Controller for Selective Harmonic Current Compensation in a Shunt Active Power Filter. *Wu, Z.*, +, *TPEL Jan. 2025 279-289*

A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*

A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*

A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*

A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*

A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*

A Magnetic Integrated LCL Filter With Enhanced Ripple Attenuation Capability and a Core Size Optimization Method. *Jiang, J.*, +, *TPEL Sept. 2025 13099-13112*

A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*

A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*

A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*

A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation. *Jin, F.*, +, *TPEL May 2025 6593-6604*

A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter. *Dmitruk, K.*, +, *TPEL Sept. 2025 12095-12111*

A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*

A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*

A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*

A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*

Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*

Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*

Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*

Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*

Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*

Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*

Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*

Adaptive Parameter Tuning and Virtual Impedance Injection Control for Coupled Harmonic Mitigation of Photovoltaic Converter. *Shan, P.*, +, *TPEL Jan. 2025 162-175*

An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*

An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*

An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*

An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*

An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*

An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*

Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*

Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*

Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*

Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives. *Amorim Torres, R.*, +, *TPEL March 2025 4345-4357*

Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*

Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*

Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*

Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*

Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*

Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*

Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*

Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*

Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*

Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*

Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*

Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*

Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*

Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*

Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*

Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency. *Zhang, P.*, +, *TPEL May 2025 7110-7124*

Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*

Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*

Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*

High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid. *Zhang, Y.*, +, *TPEL Sept. 2025 13490-13498*

Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*

Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*

Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*

Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*

Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*

Modified Harmonic Current Control and Load Range Extension Method for Single-Stage Isolated DCM Boost AC–DC Converter. *Bi, Y.*, +, *TPEL Jan. 2025 263-278*

Modulating and Carrier-Based Dodecagonal Space Vector Pulse Width Modulation Technique With Fifth and Seventh Order Harmonic Elimination for Split-Phase OEIM. *Nair, S.S.*, +, *TPEL Jan. 2025 1787-1796*

Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*

Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*

New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*

Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*

Novel Single-Loop dq Control for *LC* Filter-Based Single-Phase Standalone Inverter Systems Under Nonlinear Loads. *Iyer, V.G.*, +, *TPEL Jan. 2025 227-240*

Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*

On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*

Online Harmonic Reduction for Aircraft Electrical Power Distribution System With Global Phase-Shifted Carrier PWM. *Peng, Q.*, +, *TPEL Jan. 2025 599-610*

Online Postfault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault. *Yu, K.*, +, *TPEL Oct. 2025 14733-14745*

Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation. *Gonzalez, C.*, +, *TPEL Sept. 2025 12719-12729*

Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*

Predictive Direct Control of Nine-Switch Converter Unified Power Quality Conditioner Based on Time-Sharing Cooperative Control. *Wang, G.*, +, *TPEL April 2025 5895-5906*

Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*

Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*

Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*

Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*

Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter. *Cheng, Z.*, +, *TPEL Jan. 2025 1654-1668*

Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*

Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*

Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL June 2025 7668-7680*

Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*

The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*

Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*

Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*

Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*

Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*

Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*

Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*

Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation. *Ma, X.*, +, *TPEL March 2025 4289-4302*

Power lasers

An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*

High-Frequency Pulsed Laser Driver Using Complementary GaN HEMTs. *Liu, C.*, +, *TPEL Feb. 2025 3370-3384*

Power markets

Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*

Power measurement

3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*

An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*

An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*

Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust dv/dt Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*

Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*

Power quality

4-Vector SVPWM for Single-Phase Transformerless UPQC With Two-Leg and Low DC Voltage. *Wang, S.*, +, *TPEL Jan. 2025 98-104*

A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*

A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*

A Front-Driven Independent Power Factor Partial Compensation for Decreasing Capacity in Electrified Railway. *Wu, T.X.*, +, *TPEL Jan. 2025 1915-1924*

A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*

A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*

A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*

A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*

An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*

An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*

Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*

Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*

Enhanced Power Injection Strategies for Voltage Sag Minimization: Integrating the Maximum Apparent Power of the Converter and the Thévenin Equivalent. *de Pontes, G.P.*, +, *TPEL Jan. 2025 351-360*

Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*

Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*

Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*

Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*

Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*

Predictive Direct Control of Nine-Switch Converter Unified Power Quality Conditioner Based on Time-Sharing Cooperative Control. *Wang, G.*, +, *TPEL April 2025 5895-5906*

Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*

Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*

Power supplies

3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*

A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*

A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*

A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*
A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*
A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*
A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*
A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*
A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*
A Wide Pulse-Repetitive-Frequency Range Pulsed Power Supply With Improved Dynamic Response and Efficiency. *Xu, Y.*, +, *TPEL Jan. 2025 252-262*
An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*
An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*
An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*
Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*
Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*
Design and Optimization of Wide-Coupling Nested Magnetic Coupling Mechanism for UAV Wireless Power Transfer. *Xue, M.*, +, *TPEL Aug. 2025 11849-11862*
Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*
Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*
Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*
Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*
High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*
Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*
Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*
Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*
Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*
Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*
Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*

Power system dynamics

A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability. *Zeng, Z.*, +, *TPEL Aug. 2025 10973-10987*
A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*
A Wide Pulse-Repetitive-Frequency Range Pulsed Power Supply With Improved Dynamic Response and Efficiency. *Xu, Y.*, +, *TPEL Jan. 2025 252-262*
An Extended Impedance Model for Power Electronics Converters Retaining Explicit Synchronization Dynamics. *Hu, G.*, +, *TPEL Jan. 2025 2355-2370*
Analysis and Damping of Subsynchronous Oscillations for Cascaded Grid-Forming Converters Considering DC-Link Dynamics. *Kong, L.*, +, *TPEL Jan. 2025 2284-2299*
Comprehensive Impedance Analysis of DFIG-Based Wind Farms Considering Dynamic Couplings. *Wang, J.*, +, *TPEL Jan. 2025 2259-2272*
Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*
Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*
Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*
Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*
General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*
Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*
Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*
Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*
Modeling for Oscillation Propagation With Frequency-Voltage Coupling Effect in Grid-Connected Virtual Synchronous Generator. *Li, C.*, +, *TPEL Jan. 2025 82-86*
Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*
Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*
Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*
Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics. *Liu, Q.*, +, *TPEL Feb. 2025 2971-2986*
Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*
Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*
Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*

Power system harmonics

A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*
Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*
Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*
Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*

High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*
HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*
Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction. *Cao, D.*, +, *TPEL Feb. 2025 2833-2846*
Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell. *Wang, S.*, +, *TPEL June 2025 8253-8263*
Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*
Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning 1st/3rd Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*

Power system management

A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*
Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*
Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*
Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*

Power system measurements

A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*
A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*
A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*
A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*
A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*
A Novel Integrated OBC and LDC System With Flux Path Reconfiguration for Electric Vehicles. *Jo, C.*, +, *TPEL Jan. 2025 2484-2494*
A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*
A Soft-Switched Multiport Converter for Distributed PV Application With Energy Storage. *Karpana, S.*, +, *TPEL Jan. 2025 2300-2314*
A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*
A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*
Advanced Technology of Switched Reluctance Machines in More Electric Aircraft: A Review. *Ge, L.*, +, *TPEL Jan. 2025 195-216*
An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*
Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*
Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*
Corrections to "Mathematical Modeling and Optimization for the Power Density of the Free-Standing Magnetic Field Energy Harvester". *Liu, Z.*, +, *TPEL July 2025 10265*
Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*
Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*
Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*
Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*
Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*
Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*
Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*
Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*
Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*
Heterogeneous Integration of Isotropic and Anisotropic Magnetic Cores for Inductive Power Transfer. *Li, Y.*, +, *TPEL Feb. 2025 3770-3784*
Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*
High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*
Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*
Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*
Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*
Modulation-Independent Initial Current Control of DAB-Based Single-Stage AC–DC Converter for DC Bias Elimination. *Mo, N.*, +, *TPEL Jan. 2025 406-421*
New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*
Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*
Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*
Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*
Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*
Systematic Topology Synthesis and Power Density Visualization of Partial Power Processing Architecture. *Tian, Y.*, +, *TPEL Jan. 2025 1346-1358*
The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*
Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*
Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*
Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*
ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

Power system reliability

A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*

Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*

An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*

Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*

Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*

On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*

Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*

Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*

Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*

Power system stability

A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points. *Shi, G.*, +, *TPEL Aug. 2025 10402-10418*

A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*

A PI Self-Tuning Method for Three-Phase PWM Rectifiers Based on Stability-and-Dynamics- Constrained Fuzzy Backpropagation Neural Network. *Zhang, Y.*, +, *TPEL Jan. 2025 2419-2428*

A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*

A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*

A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*

A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*

A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*

A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance. *Quan, X.*, +, *TPEL Sept. 2025 13919-13930*

A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*

A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*

A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*

Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*

Adaptive Coupling Reshaping Controller for Mitigating Unstable SSCI Between Renewable Energy Power Plants and Power Grids. *Liu, Z.*, +, *TPEL Feb. 2025 3610-3621*

Adaptive Frequency Coupling Suppression Strategy for VSCs and Its Stability Region Analysis. *Wang, Z.*, +, *TPEL Jan. 2025 2442-2456*

Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*

Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*

All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*

An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*

An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*

An Extended Impedance Model for Power Electronics Converters Retaining Explicit Synchronization Dynamics. *Hu, G.*, +, *TPEL Jan. 2025 2355-2370*

Analysis and Damping of Subsynchronous Oscillations for Cascaded Grid-Forming Converters Considering DC-Link Dynamics. *Kong, L.*, +, *TPEL Jan. 2025 2284-2299*

Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*

Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*

Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*

Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*

Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation. *Alam, M.M.*, +, *TPEL June 2025 8553-8565*

Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*

Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*

Comprehensive Impedance Analysis of DFIG-Based Wind Farms Considering Dynamic Couplings. *Wang, J.*, +, *TPEL Jan. 2025 2259-2272*

Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*

Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*

Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*

Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*

Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit. *Luo, C.*, +, *TPEL Jan. 2025 2472-2483*

Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*

Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*

Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*

Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*

Effects of Modulator-Injected Zero-Sequence Signals on System Stability in Three-Phase Voltage Source Converters. *Jiang, Y.*, +, *TPEL Jan. 2025 435-450*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework - Part I: Functional Derivative-Based Measures of Modal Controllability and Observability. *Du, B.*, +, *TPEL Nov. 2025 17172-17185*

Electromagnetic Oscillation Stabilizer for Large-Scale Power Electronics-Dominated Power Systems in LTP Framework–Part II: Generalized Periodic Stabilization Control and Design. *Du, B.*, +, *TPEL Nov. 2025 17186-17202*

Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*

Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*

General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*

Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*

Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*

Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*

Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*

Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*

How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*

HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*

Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*

Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*

Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*

Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*

Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*

Impedance Reshaping Method Based on Compensating PLL Dynamic to Improve Active Power Transfer Capability of VSC Under Weak Grid. *Xiong, X.*, +, *TPEL Jan. 2025 422-434*

Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*

Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*

Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*

Low-Voltage Ride-Through Algorithm for Grid-Forming Converters. *Fernandez, J.D.*, +, *TPEL Jan. 2025 303-315*

Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*

Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters. *Queiroz, E.D.*, +, *TPEL July 2025 9301-9314*

Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*

Modeling for Oscillation Propagation With Frequency-Voltage Coupling Effect in Grid-Connected Virtual Synchronous Generator. *Li, C.*, +, *TPEL Jan. 2025 82-86*

Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*

Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*

Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*

Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*

Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*

Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*

Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*

On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*

Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*

Optimized Design of Demagnetization Control for DFIG-Based Wind Turbines to Enhance Transient Stability During Weak Grid Faults. *Ma, Y.*, +, *TPEL Jan. 2025 76-81*

Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*

Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*

Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*

Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*

Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters. *Xin, H.*, +, *TPEL Dec. 2025 18378-18389*

Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*

Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*

Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*

Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*

Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*

Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*

Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*

Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*

Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*

Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*

Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*
Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics. *Liu, Q.*, +, *TPEL Feb. 2025 2971-2986*
Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*
Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*
Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*
Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*
Stability Criterion for Near-Area Grid-Forming Converters Under the Weak Grid Condition. *Wang, P.*, +, *TPEL Jan. 2025 361-374*
Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*
The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*
Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*
Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*
Transient Stability Analysis and Enhancement of Inverter-Based Microgrid Considering Current Limitation. *Li, D.*, +, *TPEL Jan. 2025 2429-2441*
Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*
Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*
Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*
Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*
Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*
Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*
Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*
Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*
Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*
Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*

Power systems

A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*
An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*
Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*

Power transformer insulation

A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*
A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*
A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*
A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*
A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*
A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*
An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*
Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*
Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*
Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*
Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*
Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*
Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*
Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*
High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*
Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*
Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*
System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*
Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*

Power transformers

Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*
Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*
Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*
Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*

Power transistors

On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*

Power transmission

A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*

An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*

Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*

Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*

Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*

Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*

The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*

Power transmission lines

A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*

An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*

Compact Nanosecond Pulse Generator Based on Distributed Inductive Energy Storage of Twisted Pair Wire. *Ma, J.*, +, *TPEL Jan. 2025 1111-1122*

Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*

Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*

Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*

Prediction algorithms

A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*

A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*

Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*

Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*

Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor. *Mousavi, M.S.*, +, *TPEL May 2025 6801-6812*

Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*

Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*

Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*

Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*

Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*

Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*

Remaining Useful Lifetime Prediction Method of Power Modules Based on the Aging Characteristic Parameters. *Xie, L.*, +, *TPEL Jan. 2025 2086-2098*

Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients. *De Martin, I.D.*, +, *TPEL Sept. 2025 12393-12401*

Predictive control

A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine. *Guo, Y.*, +, *TPEL Aug. 2025 10746-10757*

A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*

A Master-Slave Model Predictive Control Approach for Microgrids. *Carnielutti, F.*, +, *TPEL Jan. 2025 540-550*

A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter. *Dmitruk, K.*, +, *TPEL Sept. 2025 12095-12111*

A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency. *Wu, X.*, +, *TPEL Aug. 2025 11283-11295*

A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*

A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*

A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*

Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*

Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*

An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*

Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Combining Data-Driven and Event-Driven for Online Learning Predictive Control in Power Converters. *Liu, X.*, +, *TPEL Jan. 2025 563-573*

Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*

Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*

Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*

Dual-Stage MPC for SoC Balancing in Second-Life Battery Energy Storage Systems Based on Delta-Connected Cascaded H-Bridge Converters. *Poblete, P.*, +, *TPEL Jan. 2025 500-515*

Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*

Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*

Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter. *Zhang, X.*, +, *TPEL Aug. 2025 10330-10334*

Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*

Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters. *Cao, T.*, +, *TPEL Dec. 2025 18214-18225*
Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters. *M., M.A.*, +, *TPEL April 2025 4927-4937*
Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop. *Yin, Z.*, +, *TPEL May 2025 6753-6770*
Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*
Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*
Model Predictive Control Strategies in Switched Reluctance Motor Drives—An Overview. *Cai, J.*, +, *TPEL Jan. 2025 1669-1685*
Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*
Model-Free Current Predictive Control for PMSMs With Ultralocal Model Employing Fixed-Time Observer and Extremum-Seeking Method. *Lin, X.*, +, *TPEL Aug. 2025 10682-10693*
Model-Free Predictive Control Based on Data-Driven for Fast and Accurate Power Allocation in Solid-State DC Transformers. *Kong, D.*, +, *TPEL Jan. 2025 1925-1935*
Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*
Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*
Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive. *Li, X.*, +, *TPEL May 2025 6492-6505*
Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive. *Li, X.*, +, *TPEL May 2025 6492-6505*
Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*
Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*
Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives. *Carrillo-Rios, J.*, +, *TPEL Feb. 2025 3419-3429*
Relative Coupling EMPC for High-Precision Contouring Control in Multi-axis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*
Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*
State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*
Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*
Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters. *Chen, S.*, +, *TPEL Feb. 2025 3020-3032*
Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*

Predictive maintenance

An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*

Predictive models

A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine. *Guo, Y.*, +, *TPEL Aug. 2025 10746-10757*
A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*
A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*
A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*
A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis. *Gou, B.*, +, *TPEL Feb. 2025 3505-3517*
A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives. *Sun, Z.*, +, *TPEL Nov. 2025 16195-16205*
A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*
A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*
A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*
A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*
Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*
Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*
Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*
Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*
An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*
An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives. *Zhou, C.*, +, *TPEL Sept. 2025 12204-12214*
An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*
An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*
An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*
An Overview of Digital Twin Technology for Power Electronics: State-of-the-Art and Future Trends. *Wu, C.*, +, *TPEL Sept. 2025 13337-13362*
Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*
Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor. *Mousavi, M.S.*, +, *TPEL May 2025 6801-6812*
Combining Data-Driven and Event-Driven for Online Learning Predictive Control in Power Converters. *Liu, X.*, +, *TPEL Jan. 2025 563-573*
Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation. *Cai, J.*, +, *TPEL Dec. 2025 17664-17673*
Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*
Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*
Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*

Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*
Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters. *Cao, T.*, +, *TPEL Dec. 2025 18214-18225*
Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop. *Yin, Z.*, +, *TPEL May 2025 6753-6770*
General Modeling and Control of Multiple Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Jan. 2025 1900-1909*
Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*
Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*
High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*
History-Dependent Prandtl–Ishlinskii Neural Network for Quasi-Static Core Loss Prediction Under Arbitrary Excitation Waveforms. *Huang, Q.*, +, *TPEL July 2025 9625-9637*
Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*
Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*
Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters. *Zhou, Y.*, +, *TPEL Nov. 2025 16483-16497*
Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*
LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries. *Wu, X.*, +, *TPEL Sept. 2025 13514-13528*
Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*
Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method. *Xu, B.*, +, *TPEL Sept. 2025 13659-13672*
Model-Free Predictive Control Based on Data-Driven for Fast and Accurate Power Allocation in Solid-State DC Transformers. *Kong, D.*, +, *TPEL Jan. 2025 1925-1935*
Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*
Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive. *Li, X.*, +, *TPEL May 2025 6492-6505*
Nonparametric Predictive Current Control for SPMSM With Adaptive Cascade Extended Noise State Observer. *Yang, M.*, +, *TPEL Jan. 2025 1717-1727*
Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*
Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*
Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*
Overmodulatable Parameter-Free Predictive Current Control for PMSMs. *Zhu, Z.*, +, *TPEL Jan. 2025 1774-1786*
Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*
Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*
Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*
Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*
Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*
Remaining Useful Lifetime Prediction Method of Power Modules Based on the Aging Characteristic Parameters. *Xie, L.*, +, *TPEL Jan. 2025 2086-2098*
Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling. *Fan, H.*, +, *TPEL May 2025 6653-6662*
Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*
Simultaneous Prediction of SOH and RUL for Lithium-Ion Batteries Using Transferable Knowledge Sharing Network. *Zhong, K.*, +, *TPEL Sept. 2025 13741-13751*
Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*
Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*
State-of-Art, Development, and Challenges of Model-Free Predictive Control on Motor Drives. *Wang, F.*, +, *TPEL Aug. 2025 10846-10864*
Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*
Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*

Prevention and mitigation

Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*
Adaptive Parameter Tuning and Virtual Impedance Injection Control for Coupled Harmonic Mitigation of Photovoltaic Converter. *Shan, P.*, +, *TPEL Jan. 2025 162-175*
An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*
Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices. *Wang, L.*, +, *TPEL Dec. 2025 17946-17957*
Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*
Nanocrystalline Power Loss and Thermal Mitigation for 11.1 kW Inductive Power Transfer Pads: A Novel Frequency-Dependent Optimization. *Dou, R.*, +, *TPEL Jan. 2025 2513-2526*
Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*

Preventive maintenance

Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*

Principal component analysis

Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters. *M., M.A.*, +, *TPEL April 2025 4927-4937*
Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*
Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*

Printed circuits

A Closed-Loop Compensated Rogowski Coil Current Sensor for Three-Phase Inverter. *Xin, Z.*, +, *TPEL Jan. 2025 2126-2138*

A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*
An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*
Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*
Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*
Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*
Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*

Probability distribution
Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*

Probes
A Compact DC–200 MHz Hybrid Current Measurement Approach for Fast Switching Power Semiconductor Modules. *Ji, S.*, +, *TPEL Jan. 2025 2158-2169*
Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust d*v*/d*t* Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*
High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*
High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*
Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*
Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*
Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*

Process control
A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*
A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*
A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*
An Asynchronous Geometric Sequence Array-Based Binary Search Digital Low-Dropout Regulator for$O(\log n)$-Complexity Coarse Searching Operations. *Kim, H.*, +, *TPEL Jan. 2025 1431-1440*
Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*
Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback. *Huang, Z.*, +, *TPEL Aug. 2025 11787-11798*
Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults. *Meng, X.*, +, *TPEL Nov. 2025 16469-16482*
Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*
Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*
Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*
Simplified Implementation Architecture for Current-Source SVPWAM. *Wu, Z.*, +, *TPEL April 2025 4727-4733*
Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*

Production
Adaptive Power Coordination Control for Electrolysis Hydrogen Directly Driven by Wind Turbines. *He, H.*, +, *TPEL Jan. 2025 2315-2326*
Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*
High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*
High-Efficiency, High-Power Asymmetrically Designed Three-Phase Power Supply for Electrolytic Hydrogen Production. *Tian, H.*, +, *TPEL Jan. 2025 92-97*
Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Dec. 2025 17690-17702*
Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*
Universal Integrated Onboard Charger With Model Predictive Current Control for Plug-In EV Charging. *Karneddi, H.*, +, *TPEL Jan. 2025 28-33*

Production systems
Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*
Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*

Programming
Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*

Propagation delay
A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*
Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*

Propagation losses
A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*
An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*
Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*

Propellers
Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*

Proposals
A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*
A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*
Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*

Propulsion
PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss. *Kim, T.*, +, *TPEL March 2025 4303-4313*

Protection
A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*
A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*
A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*
A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*
A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*
A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*
A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*
A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*
A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*
Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*
Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*
Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*
Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*
Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*
Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*
Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*
Study on Leakage Magnetic Field Shielding Method for Electric Vehicle High-Power Wireless Charging System Under Transverse Offset Working Condition. *Zhou, X.*, +, *TPEL Sept. 2025 14050-14060*

Protocols
Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*
Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*

Prototypes
A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*
A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*
A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*
A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*
A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*
A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*
Current Sharing for a Multiphase Inverter Based on Coupled External Parallel Resonant Branches for Wireless Power Transfer System. *Liu, R.*, +, *TPEL Jan. 2025 71-75*
Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*
Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*
Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*
Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*
Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*
Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*
Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*

Proximity effects
Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*
High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*

Pulse generation
A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*
Compact Nanosecond Pulse Generator Based on Distributed Inductive Energy Storage of Twisted Pair Wire. *Ma, J.*, +, *TPEL Jan. 2025 1111-1122*
Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*
Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*

Pulse measurements
Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*

Pulse transformers
A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*
High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*

Pulse width modulation
A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*
A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating *Iq* of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*
A 96.3% Efficient, 6mV_{pp} Line Transient Response Time-Based Boost Converter With Feedback-PID for AMOLED Displays. *Melillo, P.*, +, *TPEL Jan. 2025 328-339*
A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*
A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*
A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters. *Li, K.*, +, *TPEL Oct. 2025 14585-14597*
A Front-Driven Independent Power Factor Partial Compensation for Decreasing Capacity in Electrified Railway. *Wu, T.X.*, +, *TPEL Jan. 2025 1915-1924*
A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*

A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*

A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*

A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*

A PI Self-Tuning Method for Three-Phase PWM Rectifiers Based on Stability-and-Dynamics- Constrained Fuzzy Backpropagation Neural Network. *Zhang, Y.*, +, *TPEL Jan. 2025 2419-2428*

A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*

A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*

A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*

A Soft-Switched Multiport Converter for Distributed PV Application With Energy Storage. *Karpana, S.*, +, *TPEL Jan. 2025 2300-2314*

A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*

A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*

A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*

A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*

Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*

Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*

An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM. *Yan, Q.*, +, *TPEL June 2025 7628-7633*

An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*

An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*

Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*

Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*

Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*

Common-Mode Voltage Suppression Strategy for CHB-Based Motor Drive Based on Topology and Modulation Optimization. *Wang, Z.*, +, *TPEL Jan. 2025 1697-1716*

Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*

Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*

Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters. *Pei, Y.*, +, *TPEL Sept. 2025 13556-13567*

Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*

Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current. *Lee, J.*, +, *TPEL July 2025 9137-9152*

Decoupled Dead-Time Compensation Method Using Revised-Resonant Control-Based Disturbance Observer in PMSM Drives. *Lang, J.*, +, *TPEL Jan. 2025 340-350*

Digital Implementation of Discontinuous PWMs: Mitigating Parasitic Active Vectors for Improved Load Current Quality in Inverter Systems. *Baum, F.*, +, *TPEL May 2025 6740-6752*

Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter. *Liu, L.*, +, *TPEL Aug. 2025 11552-11563*

Direct Pulsewidth Modulation Technique for Modular Multilevel Converters Based on Full-Bridge Submodules. *Yin, J.*, +, *TPEL Jan. 2025 1085-1098*

Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*

Dual-Stage MPC for SoC Balancing in Second-Life Battery Energy Storage Systems Based on Delta-Connected Cascaded H-Bridge Converters. *Poblete, P.*, +, *TPEL Jan. 2025 500-515*

Dynamic Interleaving Strategy to Reduce DC-Link Ripple of Dual Three-Phase Permanent Magnet Synchronous Machine Drives by Using Discontinuous Space Vector Modulation. *Chowdhury, A.*, +, *TPEL Jan. 2025 1762-1773*

Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*

Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*

Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*

Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*

High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid. *Zhang, Y.*, +, *TPEL Sept. 2025 13490-13498*

High-Gain Single-Stage Single-Phase Common-Ground Buck–Boost Inverter. *Oppong, F.N.*, +, *TPEL Jan. 2025 1074-1084*

Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*

Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction. *Cao, D.*, +, *TPEL Feb. 2025 2833-2846*

Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*

Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*

Model Predictive Torque Control of Switched Reluctance Machines With Torque Sharing Function and PWM Control Signals Based on Linear Polynomial Fitting. *Ge, L.*, +, *TPEL Jan. 2025 40-45*

Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*

Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*

Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*

Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids. *Jiang, S.*, +, *TPEL Nov. 2025 17426-17437*

Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*

Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*

New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*

Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*

On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*

Online Harmonic Reduction for Aircraft Electrical Power Distribution System With Global Phase-Shifted Carrier PWM. *Peng, Q.*, +, *TPEL Jan. 2025 599-610*

Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*

Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*

Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*

Postfault Operation Strategy With Minimum Harmonic Injection for Cascaded H-Bridge Inverters Driving a Multiphase Motor. *Lopez, O.*, +, *TPEL Jan. 2025 8-22*

Pulse Injection Modulation Method for Current-Fed Dual Active Bridge Converter With Full Load Range ZVS Under Wide Input-Voltage Range. *Liu, C.*, +, *TPEL Feb. 2025 2668-2673*

PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*

Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*

Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*

Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index. *Lee, D.*, +, *TPEL July 2025 9876-9888*

Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*

Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*

Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*

Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*

Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*

Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*

Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*

Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*

Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization. *Yang, H.*, +, *TPEL May 2025 6413-6422*

Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives. *Luo, K.*, +, *TPEL Aug. 2025 10705-10716*

Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*

Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*

Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor. *Chen, W.*, +, *TPEL Jan. 2025 638-651*

Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Pulse width modulation converters

Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current. *Lee, J.*, +, *TPEL July 2025 9137-9152*

PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*

Pulsed power supplies

High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*

Q

Q-learning

Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*

Quadratic programming

Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*

Quantization (signal)

A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*

Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*

Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*

Quantum capacitance

Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*

R

Radar antennas

A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*

Radar imaging

High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*

Radiation effects

Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*

The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*

Radio frequency
A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*
A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*
Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*
Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*
Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*
D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*
High-Efficiency Wide-Range RF Power Generation Systems With Discrete Power Back-Off From Multiple Inverters. *Zhang, H.*, +, *TPEL Jan. 2025 290-302*
Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*
Methodology for Parasitic Elements Extraction of SiC Power Module Based on N-Port Measurement. *Almeida, G.*, +, *TPEL Oct. 2025 14962-14973*
Modified Digital Current Controller for High Precision Electric Motor Emulators. *Wang, Z.*, +, *TPEL Sept. 2025 12452-12462*
Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*
Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*
Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*

Radio spectrum management
An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*

Rail transportation
A Front-Driven Independent Power Factor Partial Compensation for Decreasing Capacity in Electrified Railway. *Wu, T.X.*, +, *TPEL Jan. 2025 1915-1924*
A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*
Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*
Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*

Rails
A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*
A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*
Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*
Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*
Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency. *Zhang, P.*, +, *TPEL May 2025 7110-7124*

Reactive power
A Control to Address Issues of Synchronization and Voltage Rise in Grid Integrated Solar Photovoltaic-Battery Storage System. *Modi, G.*, +, *TPEL Jan. 2025 2385-2396*
A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*
A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points. *Shi, G.*, +, *TPEL Aug. 2025 10402-10418*
A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability. *Zeng, Z.*, +, *TPEL Aug. 2025 10973-10987*
A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*
A Front-Driven Independent Power Factor Partial Compensation for Decreasing Capacity in Electrified Railway. *Wu, T.X.*, +, *TPEL Jan. 2025 1915-1924*
A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*
A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*
A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*
A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*
A Novel Comb-Shaped Coupler for Hybrid Inductive and Capacitive Wireless Power Transfer System. *Li, S.*, +, *TPEL April 2025 4787-4792*
A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*
A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*
A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*
A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*
A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*
A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*
A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*
Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*
An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*
An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*
An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*
An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*
An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*
Coreless DC Transformer With Near-Unity Power Factor by a Reactive Power Injector. *Lin, J.*, +, *TPEL Jan. 2025 1123-1134*
Differential Detection of Feeder and Mesh Impedances Through a Series–Parallel Direct-Injection Soft Open Point. *Lu, M.*, +, *TPEL Jan. 2025 1964-1973*
Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*

Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters. *Zhang, L.*, +, *TPEL Oct. 2025 15595-15606*

Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*

Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*

Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL Sept. 2025 13673-13685*

Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*

Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter. *Zhang, X.*, +, *TPEL Aug. 2025 10330-10334*

Enhanced Power Injection Strategies for Voltage Sag Minimization: Integrating the Maximum Apparent Power of the Converter and the Thévenin Equivalent. *de Pontes, G.P.*, +, *TPEL Jan. 2025 351-360*

Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*

Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*

Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*

Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*

Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*

High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid. *Zhang, Y.*, +, *TPEL Sept. 2025 13490-13498*

Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*

Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*

Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*

Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction. *Cao, D.*, +, *TPEL Feb. 2025 2833-2846*

Low-Capacitance Operation and Its Hierarchical Control for STATCOM Based on T-Type Converter With MMDTC. *Liu, S.*, +, *TPEL Jan. 2025 1153-1167*

Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*

Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter. *Wang, Y.*, +, *TPEL April 2025 4938-4951*

Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*

Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method. *Xu, B.*, +, *TPEL Sept. 2025 13659-13672*

Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters. *Queiroz, E.D.*, +, *TPEL July 2025 9301-9314*

Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*

Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*

Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*

Phase Step Control in PLL of DFIG-Based Wind Turbines for Ultrafast Frequency Support. *Zhou, Y.*, +, *TPEL Jan. 2025 51-56*

PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss. *Kim, T.*, +, *TPEL March 2025 4303-4313*

Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*

Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*

Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*

Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*

Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*

Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*

The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*

Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*

Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*

Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*

Reactive power control

Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL Sept. 2025 13673-13685*

Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*

Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*

Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*

Real-time systems

A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*

A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*

A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*

A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*

A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*

A Novel Control Scheme for Light Load Power Reduction of Flyback Converter. *Liu, Q.*, +, *TPEL Feb. 2025 2691-2696*

A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*

A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data. *Xia, Y.*, +, *TPEL April 2025 5949-5958*

A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*

A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*

A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*

A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*

Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*

Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*

Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*

Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*

Differential Detection of Feeder and Mesh Impedances Through a Series–Parallel Direct-Injection Soft Open Point. *Lu, M.*, +, *TPEL Jan. 2025 1964-1973*

Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*

Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*

Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*

Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*

Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*

Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*

PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*

Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*

Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*

Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*

Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL April 2025 4695-4700*

Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*

Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*

Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*

Receivers

3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*

A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*

A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*

A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*

A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*

A Dynamic Wireless Power Transfer System Using DC-Controlled Variable Inductor for Segment Transmitter Automatic Switching. *Zhang, Z.*, +, *TPEL Jan. 2025 23-27*

A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*

A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*

A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*

A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*

A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*

A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*

A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*

A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*

A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*

A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*

A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*

A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*

An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*

An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*

Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*

Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*

Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*

Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*

Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*

Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*

Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*

Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*

High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*

High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*

High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*

Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*

Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*

Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*

Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*

Nanocrystalline Power Loss and Thermal Mitigation for 11.1 kW Inductive Power Transfer Pads: A Novel Frequency-Dependent Optimization. *Dou, R.*, +, *TPEL Jan. 2025 2513-2526*

Parameter Estimation Using Total Harmonic Distortion in a WPT System. *Maile, P.*, +, *TPEL Jan. 2025 57-63*

Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*

Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*

Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*

The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*

Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*

Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*

Reconstruction algorithms

A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*

An Improved Voltage Reconstruction Method for Current Source Inverter. *Wei, Y.*, +, *TPEL Nov. 2025 16409-16418*

Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*

Rectifiers

A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*

A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*

A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*

A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*

A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*

A Fault-Tolerant Control Method for Improving Input Current Half-Wave Symmetry Under Single-Switch Open-Circuit Fault of Front-End Vienna Rectifier in More-Electric Aircraft. *Yang, C.*, +, *TPEL Jan. 2025 2170-2183*

A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*

A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*

A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*

A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*

A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*

A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*

A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*

A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis. *Gou, B.*, +, *TPEL Feb. 2025 3505-3517*

A Novel Class-E Quasi-Constant Transconductance Rectifier. *Zhou, H.*, +, *TPEL Oct. 2025 14289-14294*

A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*

A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*

A PI Self-Tuning Method for Three-Phase PWM Rectifiers Based on Stability-and-Dynamics- Constrained Fuzzy Backpropagation Neural Network. *Zhang, Y.*, +, *TPEL Jan. 2025 2419-2428*

A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*

A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*

A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*

A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*

A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*

A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*

A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*

A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*

Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation. *Yao, Y.*, +, *TPEL Oct. 2025 15359-15370*

Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*

An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*

An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*

An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*

An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*

An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*

An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*

An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*

An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*

Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*

Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*

Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*

Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*

Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*

Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*

Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*

Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*

Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters. *Pei, Y.*, +, *TPEL Sept. 2025 13556-13567*

Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*

Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices. *Wang, L.*, +, *TPEL Dec. 2025 17946-17957*

Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*

Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*

Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*

Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*

High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid. *Zhang, Y.*, +, *TPEL Sept. 2025 13490-13498*

High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*

High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*

High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*

High-Efficiency, High-Power Asymmetrically Designed Three-Phase Power Supply for Electrolytic Hydrogen Production. *Tian, H.*, +, *TPEL Jan. 2025 92-97*

Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*

Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*

Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*

Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*

Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*

Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*

Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method. *Xu, B.*, +, *TPEL Sept. 2025 13659-13672*

Modeling and Analysis of MHz-Frequency PRC- *C*+*L*+*C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*

Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*

Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*

Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*

Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*

Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*

Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*

Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*

New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*
Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*
Power Flow Control of Bidirectional Modular Multilevel Resonant Converters in MVDC and LVDC Distribution Networks. *Li, B.*, +, *TPEL Jan. 2025 1168-1182*
Recticoil for Efficient Compact Inductive Power Transfer. *Yi, Z.*, +, *TPEL July 2025 10154-10164*
Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*
Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*
Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*
Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*
Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*
Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*
Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*
Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*
Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*
Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*
Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*
Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*
Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*
The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*
Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*
Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*
Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*

Recycling
Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*

Reduced order systems
Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*

Redundancy
Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*
Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*

Reflection
Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*

Reflectivity
Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*

Regulation
A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*
A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*
A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*
A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*
A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*
A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*
A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*
A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*
A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*
A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*
A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*
A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids. *Zhang, H.*, +, *TPEL July 2025 9370-9387*
A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*
A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*
A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*
Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*
An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*
An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*
Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*
Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids. *Ning, G.*, +, *TPEL Nov. 2025 16626-16638*
Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*

Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*
Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*
Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*
Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*
General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*
Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*
Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*
High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*
High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*
Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*
Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*
Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*
MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*
Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*
Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*
Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*
Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*
Performance Limits of Resonant Switched-Capacitor Converter With Voltage Regulation. *Xie, W.*, +, *TPEL Jan. 2025 1441-1456*
Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations. *Komiyama, Y.*, +, *TPEL Nov. 2025 16822-16836*
Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*
Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances. *Liu, L.*, +, *TPEL July 2025 9153-9166*
Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*
Problem Analysis and Improvement of Traditional Efficiency Optimization Method for Inductive Power Transfer Systems. *Chen, D., TPEL May 2025 7466-7476*
Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*
Review of Current-Sharing Schemes for Multiphase LLC Resonant Converter. *Dong, H.*, +, *TPEL Jan. 2025 1322-1345*
Simplified Implementation Architecture for Current-Source SVPWAM. *Wu, Z.*, +, *TPEL April 2025 4727-4733*
Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*
Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*
Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*
The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*
Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*
Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*

Regulators

A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*
A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*
A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*
A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*
A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*
An Asynchronous Geometric Sequence Array-Based Binary Search Digital Low-Dropout Regulator for $O(\log n)$-Complexity Coarse Searching Operations. *Kim, H.*, +, *TPEL Jan. 2025 1431-1440*
An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function. *Li, Y.*, +, *TPEL Sept. 2025 13822-13834*
Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*
Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*
General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*
Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*
Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*

Reinforcement learning

Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*
Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*

Relays

A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*
A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*
A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*

A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*

Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*

Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances. *Liu, L.*, +, *TPEL July 2025 9153-9166*

Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*

Reliability

A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*

A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*

A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*

A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*

A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*

A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle. *Liu, S.*, +, *TPEL Aug. 2025 10456-10468*

A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*

A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*

A Simplified Switch Short-Circuit Fault-Tolerant Scheme for Three-Phase Six-Switch Current Source Rectifier. *Hu, W.*, +, *TPEL Jan. 2025 105-111*

A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*

A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*

Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*

Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*

An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*

An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*

An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*

Bonding and Failure Mechanisms of Sintered-Silver Die-Attach on Electroless Nickel (Phosphorus) Surface Finish for Packaging Power Electronics Modules. *Wang, M.*, +, *TPEL Sept. 2025 13086-13098*

Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*

Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*

Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*

Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*

Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*

Dynamic Defense Method Against Malicious Attacks for DC Microgrids. *Zhang, Z.*, +, *TPEL July 2025 9591-9605*

Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*

High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*

Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*

Monolithic Data-Driven Condition Monitoring Strategy for MMC ConsideringCand ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*

On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*

Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*

Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*

Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*

Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*

Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*

Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index. *Lee, D.*, +, *TPEL July 2025 9876-9888*

Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*

Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*

Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*

Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*

Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters. *Yu, Q.*, +, *TPEL Sept. 2025 13363-13382*

Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*

Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*

Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*

Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*

Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*

Single-Stage Matrix-Type Solid-State Transformer Based on Push–Pull DAB. *Yu, T.*, +, *TPEL Jan. 2025 2005-2016*

Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*

Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*

Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*

Reliability engineering
On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*
Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*
Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*
Reluctance machines
Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*
Advanced Technology of Switched Reluctance Machines in More Electric Aircraft: A Review. *Ge, L.*, +, *TPEL Jan. 2025 195-216*
Model Predictive Torque Control of Switched Reluctance Machines With Torque Sharing Function and PWM Control Signals Based on Linear Polynomial Fitting. *Ge, L.*, +, *TPEL Jan. 2025 40-45*
Reluctance motors
A New PV Fed High Gain Boost-Cuk Converter Employed SRM Driven Water Pumping Scheme With IDEPSO MPPT. *Priyadarshi, N.*, +, *TPEL Jan. 2025 2371-2384*
Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*
Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*
Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*
Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*
Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*
Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*
Renewable energy sources
A Capacity-Expandable Cascaded Multilevel Energy Storage System Based on Laminated Power Modules. *Zhang, J.*, +, *TPEL April 2025 5265-5278*
A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*
A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*
A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage. *Pang, Y.*, +, *TPEL Sept. 2025 13415-13433*
A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids. *Zhang, H.*, +, *TPEL July 2025 9370-9387*
Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*
Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*
Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*
Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*
Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*
Droop Controlled Microgrid With Intelligent PV-DSTATCOM for Power Quality Improvement. *Lin, F.*, +, *TPEL Sept. 2025 12754-12769*
Dynamic Defense Method Against Malicious Attacks for DC Microgrids. *Zhang, Z.*, +, *TPEL July 2025 9591-9605*
Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*
Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*
Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*
Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*
Low-Voltage Ride-Through Algorithm for Grid-Forming Converters. *Fernandez, J.D.*, +, *TPEL Jan. 2025 303-315*
On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*
Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*
Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*
Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*
Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*
Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*
Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*
Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*
Repeaters
A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*
Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*
Resistance
A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*
A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*
A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*
A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*
A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*
A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*
A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*
A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*

A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*

A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*

A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*

A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*

A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*

A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*

A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*

A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*

A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*

A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*

A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*

A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*

A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*

A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*

AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire. *Deng, Q.*, +, *TPEL July 2025 10111-10122*

Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*

Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*

Adaptive Coupling Reshaping Controller for Mitigating Unstable SSCI Between Renewable Energy Power Plants and Power Grids. *Liu, Z.*, +, *TPEL Feb. 2025 3610-3621*

Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*

An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*

An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*

An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*

An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*

An Analytical Formula for the PETT Oscillation Over a Wide Voltage Range in NPT Planar IGBT Chips. *Dongye, Z.*, +, *TPEL Jan. 2025 958-968*

An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*

An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*

An Improved Compensation Method Reducing Displacement Current Loss for Multilayer Coils in IPT System. *Zhang, Y.*, +, *TPEL Jan. 2025 87-91*

An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function. *Li, Y.*, +, *TPEL Sept. 2025 13822-13834*

An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*

An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*

Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*

Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*

Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*

Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*

Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*

Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*

Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*

Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*

Data-Driven Output Prediction and Efficiency Optimization Control for Wireless Power Transfer Systems. *Xu, F.*, +, *TPEL Oct. 2025 14196-14209*

Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*

Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit. *Luo, C.*, +, *TPEL Jan. 2025 2472-2483*

Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*

Dual-Loop Estimation Based Adaptive Controller for Microgrid Connected Boost Converters. *Santana, I.*, +, *TPEL Jan. 2025 551-562*

Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*

Dynamic Defense Method Against Malicious Attacks for DC Microgrids. *Zhang, Z.*, +, *TPEL July 2025 9591-9605*

Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*

Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*

Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*

Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*

Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*

Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*

Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*

General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*

Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*

High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid. *Zhang, Y.*, +, *TPEL Sept. 2025 13490-13498*

High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*

High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*

Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*

Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*

Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*

Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*

Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*

Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*

Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*

Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*

Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*

Medium Voltage Auxiliary Power Supply Using Forward Converter Integrated With Switched Capacitor Cells. *da Silva, R.L.*, +, *TPEL Jan. 2025 1404-1417*

Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*

Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*

Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*

Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*

Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*

Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*

Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*

Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*

Novel Current Sensor Based on Parasitic Inductance With Adaptive Compensation for Parasitic Resistance. *Zhao, X.*, +, *TPEL May 2025 6403-6412*

Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*

Novel Vertical Shunt Resistor: Integration and Optimization in Power Modules. *Choi, S.*, +, *TPEL Jan. 2025 46-50*

On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*

Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*

Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*

Parameter Estimation Using Total Harmonic Distortion in a WPT System. *Maile, P.*, +, *TPEL Jan. 2025 57-63*

Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*

Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning 1st/3rd Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*

Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*

Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*

Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*

Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*

Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*

Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter. *Deckers, M.*, +, *TPEL Jan. 2025 2219-2234*

Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*

Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*

Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*

Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*

Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*
Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*
Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*
Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*
System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*
The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*
Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*
Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*
Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*
Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*

Resistance heating

A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*
An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*
Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*
Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*
The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*

Resistors

A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating Iq of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*
A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*
A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*
A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*
A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*
A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*
A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*
A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*
A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*
A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*
A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*
A Power Losses and Thermal Energy Optimization Method for Hybrid DC Chopper Based on Hysteresis Control Strategy. *Li, Y.*, +, *TPEL Jan. 2025 486-499*
A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*
Accurate Magnetic Core Losses Measurement Under Arbitrary Excitation Waveforms. *Cabizza, S.*, +, *TPEL Jan. 2025 34-39*
An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*
An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*
An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination. *Huang, H.*, +, *TPEL Sept. 2025 13177-13186*
Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*
Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*
Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*
Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*
Enhanced *di*/*dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*
Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*
High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*
Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*
Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*
Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*
Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*
Novel Vertical Shunt Resistor: Integration and Optimization in Power Modules. *Choi, S.*, +, *TPEL Jan. 2025 46-50*
Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL April 2025 4695-4700*
Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*
Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*
Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*

Resonance

A Dispersing Proportional Resonance Controller for Selective Harmonic Current Compensation in a Shunt Active Power Filter. *Wu, Z.*, +, *TPEL Jan. 2025 279-289*
A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*

A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*

A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*

An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*

Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*

Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*

Decoupled Dead-Time Compensation Method Using Revised-Resonant Control-Based Disturbance Observer in PMSM Drives. *Lang, J.*, +, *TPEL Jan. 2025 340-350*

Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*

Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*

Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*

Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*

High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*

High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*

High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*

Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*

Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell. *Wang, S.*, +, *TPEL June 2025 8253-8263*

Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*

Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*

Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*

Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*

Resonant converters

A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*

A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*

A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*

A Dual-Transformer-Based *LLC* Resonant Converter With Ultrawide Output Voltage Range. *Zhang, H.*, +, *TPEL Jan. 2025 2457-2471*

A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*

A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*

A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*

A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*

Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*

Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*

An Accurate, Universal, and Fast Time Domain Model for Different Types of Resonant Converters by Considering Parasitic Capacitors and Deadtime. *Li, Z.*, +, *TPEL Jan. 2025 1305-1321*

An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*

An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*

An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*

An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model. *Luo, T.*, +, *TPEL Oct. 2025 15104-15117*

An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*

Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*

Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*

Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*

Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*

Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L*+*L*+*C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*

Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*

Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*

High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*

Hybrid Control Strategy With Neural-Network-Assisted Synchronous Rectification for Efficient Wide-Gain *CLLC* Converter. *Cheng, Z.*, +, *TPEL Jan. 2025 389-405*

Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*

Modeling and Analysis of MHz-Frequency PRC- *C*+*L*+*C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*

Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*

Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*

Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*
Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*
PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*
Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*
Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*
Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*
Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*
Review of Current-Sharing Schemes for Multiphase LLC Resonant Converter. *Dong, H.*, +, *TPEL Jan. 2025 1322-1345*
Small-Signal Modeling and Comparisons of the Pulse Frequency Modulation and Time Shift Control for the *LLC* Converters. *Guo, Z.*, +, *TPEL Jan. 2025 526-539*
Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*
Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*
Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*
Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*
Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*

Resonant frequency

3-MHz High-Voltage Pulse Generator With Novel Multilevel LC Resonant Network for Adjustable Pulsewidth. *Chen, S.*, +, *TPEL Jan. 2025 1012-1022*
A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*
A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*
A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*
A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*
A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*
A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*
A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*
A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*
A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*
A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*
A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*
A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*
A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*
A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*
A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*
A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*
A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*
Adaptive Coupling Reshaping Controller for Mitigating Unstable SSCI Between Renewable Energy Power Plants and Power Grids. *Liu, Z.*, +, *TPEL Feb. 2025 3610-3621*
Adaptive Nonlinear Active Disturbance Rejection Current Controller for Distributed Generation System Considering Uncertain Ripples. *Cheng, Z.*, +, *TPEL April 2025 4984-4996*
An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*
Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*
Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*
Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*
Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*
Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*
Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*
Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*
Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*
Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*
Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*
Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L+L+C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*
Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*
Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*
High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*
Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*
Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With

Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*
Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*
Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*
Modeling and Analysis of MHz-Frequency PRC- *C*+*L*+*C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*
Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*
Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*
Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*
New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*
Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*
Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*
Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*
Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*
Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning 1st/3rd Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*
Power Flow Control of Bidirectional Modular Multilevel Resonant Converters in MVDC and LVDC Distribution Networks. *Li, B.*, +, *TPEL Jan. 2025 1168-1182*
Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*
Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*
Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*
Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*
Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*
Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*
Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*
Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*
Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*
Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*
Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*
Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*
Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*
Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*
Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*

Resonant inverters

A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*
A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*
A Resonant DC-Link Inverter to Reduce the Influence of Resonant Capacitor of Auxiliary Circuit. *Song, J.*, +, *TPEL Jan. 2025 1099-1110*
An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*

Resonators

Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*

Resource management

A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*
A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*
An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*
Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*
Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives. *Luo, K.*, +, *TPEL Aug. 2025 10705-10716*

Reviews

A Review on the Empirical Core Loss Models for Symmetric Flux Waveforms. *Barg, S.*, +, *TPEL Jan. 2025 1609-1621*
Advancements in Photovoltaic Electrolysis for Green Hydrogen Production: A Comprehensive Review and Comparative Analysis of Modeling Approaches. *Guo, X.*, +, *TPEL July 2025 10000-10026*
General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*
Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*
Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*
Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*
Review of Current-Sharing Schemes for Multiphase LLC Resonant Converter. *Dong, H.*, +, *TPEL Jan. 2025 1322-1345*
Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters. *Yu, Q.*, +, *TPEL Sept. 2025 13363-13382*

RF signals
Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*
RLC circuits
A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*
A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*
A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*
A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*
A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*
A Resonant DC-Link Inverter to Reduce the Influence of Resonant Capacitor of Auxiliary Circuit. *Song, J.*, +, *TPEL Jan. 2025 1099-1110*
An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*
An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*
An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*
An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*
Constant Frequency CC–CV Operation of Isolated *LLC* Resonant DC-DC Converter Using Switched Capacitor Network for WCS. *Gautam, K.K.*, +, *TPEL Jan. 2025 64-70*
High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*
Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*
Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*
Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*
Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*
Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression. *Chen, T.*, +, *TPEL Dec. 2025 18350-18364*
Roads
An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*
Robot kinematics
Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*
Robot sensing systems
3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*
K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*
Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*
Robots
Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop. *Yin, Z.*, +, *TPEL May 2025 6753-6770*
Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model. *Yang, Z.*, +, *TPEL Aug. 2025 10783-10792*
Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*
Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs. *Han, D.*, +, *TPEL June 2025 8824-8833*
Robust control
Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*
Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*
QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*
Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*
Robustness
A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points. *Shi, G.*, +, *TPEL Aug. 2025 10402-10418*
A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*
A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine. *Guo, Y.*, +, *TPEL Aug. 2025 10746-10757*
A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*
A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*
A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*
A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*
A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*
A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*
A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*
A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*
A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*
Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*
Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*
Adaptive Model Predictive Current Control for PMSM Drives Based on Bayesian Inference. *Zhang, X.*, +, *TPEL June 2025 8490-8502*
An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*
An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*
An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*

An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*

Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*

Combining Data-Driven and Event-Driven for Online Learning Predictive Control in Power Converters. *Liu, X.*, +, *TPEL Jan. 2025 563-573*

Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*

Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation. *Cai, J.*, +, *TPEL Dec. 2025 17664-17673*

Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*

Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*

Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*

Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*

Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*

Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*

Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*

Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters. *Zhou, Y.*, +, *TPEL Nov. 2025 16483-16497*

Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*

Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model. *Yang, Z.*, +, *TPEL Aug. 2025 10783-10792*

Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive. *Li, X.*, +, *TPEL May 2025 6492-6505*

Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*

Nonparametric Predictive Current Control for SPMSM With Adaptive Cascade Extended Noise State Observer. *Yang, M.*, +, *TPEL Jan. 2025 1717-1727*

Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*

Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current. *Liu, B.*, +, *TPEL Sept. 2025 12280-12294*

Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*

Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*

Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*

Robust Maximum Power Point Tracking for Parity–Time-Symmetric Wireless Power Transfer Systems in Broken/Exact Phases. *Hu, W.*, +, *TPEL Aug. 2025 10366-10371*

Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*

Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*

Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*

Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*

Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*

Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*

Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*

Rodents

Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System. *Li, Y.*, +, *TPEL Jan. 2025 2619-2629*

Rolling bearings

A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*

Root mean square

A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*

A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Mo, N.*, +, *TPEL Oct. 2025 15504-15518*

Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*

Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*

Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*

Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*

Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Dec. 2025 17690-17702*

Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*

Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*

Rotation measurement

Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*

Rotors

A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*

A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*

A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*

A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*

A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*

A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*

A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*

A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control. *Zhang, Z.*, +, *TPEL Jan. 2025 118-123*

A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden. *Xu, Y.*, +, *TPEL Jan. 2025 1622-1635*

A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*

A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*

Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*

Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*

Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*

Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*

An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*

An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives. *Zhou, C.*, +, *TPEL Sept. 2025 12204-12214*

An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*

Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives. *Amorim Torres, R.*, +, *TPEL March 2025 4345-4357*

Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*

Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*

Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*

Comprehensive Impedance Analysis of DFIG-Based Wind Farms Considering Dynamic Couplings. *Wang, J.*, +, *TPEL Jan. 2025 2259-2272*

Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*

Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*

Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation. *Cai, J.*, +, *TPEL Dec. 2025 17664-17673*

Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*

Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*

Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*

Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*

Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives. *Zhang, Z.*, +, *TPEL Dec. 2025 17726-17737*

Dynamic-Tracking Damping Controller for DFIG-Based Wind Farms to Mitigate Sub-Synchronous Control Interactions. *Han, J.*, +, *TPEL Jan. 2025 2248-2258*

Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL Sept. 2025 13673-13685*

Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults. *Zhao, R.*, +, *TPEL Aug. 2025 11477-11489*

Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*

Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives. *Zhang, Y.*, +, *TPEL Nov. 2025 16184-16194*

Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*

GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors. *Zhang, Y.*, +, *TPEL Sept. 2025 12309-12320*

High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*

Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*

Improved PWM Control With Wide Speed Range for a Double-Side Asynchronous Rotor AFPMM Series-End Winding Drive. *Huang, R.*, +, *TPEL Jan. 2025 1728-1738*

Intelligent Online Sparse Bayesian Learning for Encoderless Motor Control With Modified Observation Reaching Law. *Wang, X.*, +, *TPEL Dec. 2025 17738-17749*

K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*

Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*

Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*

MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*

Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*

Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*

Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*

Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*

Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*

Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*

Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*

Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*

Optimized Design of Demagnetization Control for DFIG-Based Wind Turbines to Enhance Transient Stability During Weak Grid Faults. *Ma, Y.*, +, *TPEL Jan. 2025 76-81*

Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*

Phase Step Control in PLL of DFIG-Based Wind Turbines for Ultrafast Frequency Support. *Zhou, Y.*, +, *TPEL Jan. 2025 51-56*

Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*

Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*

Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*

Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*

Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*

Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*

Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*

Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*

Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*

Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*

Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*

Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling. *Fan, H.*, +, *TPEL May 2025 6653-6662*

Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*

Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*

Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*

Sensorless BLDCM Drive Using an Improved DSOGI-PLL Observer for Solar-PV-Assisted LEV. *Saha, B.*, +, *TPEL Jan. 2025 1636-1644*

Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter. *Cheng, Z.*, +, *TPEL Jan. 2025 1654-1668*

Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*

Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*

Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*

Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*

Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*

Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*

Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*

Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*

Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*

Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*

Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization. *Yang, H.*, +, *TPEL May 2025 6413-6422*

Synchronous Vibration Control of MSCSG Based on High-Precision Closed-Loop Synchronous Rotating Frame Transformation. *Han, W.*, +, *TPEL April 2025 4793-4804*

Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*

Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*

UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*

Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*

Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*

Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*

Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*

S

Safety

A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*

Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current. *Lee, J.*, +, *TPEL July 2025 9137-9152*

Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*

Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*

Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*

Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*

Sampling methods

Asymmetric Space Vector Pulse Width Modulation for the Phase Current Reconstruction in Three-Phase Inverters. *Shen, Y.*, +, *TPEL Jan. 2025 1686-1696*

Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods. *Li, Z.*, +, *TPEL Oct. 2025 15718-15729*

Saturation magnetization

A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*

A DSVM-Based MPC Strategy With Magnetizing Inductance Online Identification Method for Thrust Ripple Suppression in Linear Induction Machine. *Guo, Y.*, +, *TPEL Aug. 2025 10746-10757*

An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*

Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*

Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*

Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*

Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*

DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*

Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation. *Yun, J.*, +, *TPEL April 2025 5014-5024*

Ferrite Core Magnetothermal Equilibrium Design for Wireless Power Transfer Systems Using a Novel Differential Regulation Coil. *Wei, Y.*, +, *TPEL Sept. 2025 14084-14098*

High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*

Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*

Machine-Learned Models for Power Magnetic Material Characteristics. *Leszczynski, P.*, +, *TPEL Jan. 2025 1554-1562*

Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Modeling Amorphous-Core Inductors up to Magnetic Saturation. *Ravera, A.*, +, *TPEL Jan. 2025 1563-1576*

Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*

Nanocrystalline Power Loss and Thermal Mitigation for 11.1 kW Inductive Power Transfer Pads: A Novel Frequency-Dependent Optimization. *Dou, R.*, +, *TPEL Jan. 2025 2513-2526*

Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*

Permeability Macromodels for Magnetic Powder Materials Under DC Bias. *Schroder, A.*, +, *TPEL Oct. 2025 15265-15277*

Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*

Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*

Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*

Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*

Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*

Scalability

An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*

Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*

Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*

Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*

Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*

Scanning electron microscopy

Partial Discharge Characteristics of Epoxy Resin Under High-Frequency Pulse Electrical Stress. *Jiang, J.*, +, *TPEL Jan. 2025 2017-2027*

Schottky diodes

A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*

A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*

SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*

Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*

Seaports

A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*

Security

Dynamic Defense Method Against Malicious Attacks for DC Microgrids. *Zhang, Z.*, +, *TPEL July 2025 9591-9605*

Semiconductor device measurement

A Compact DC–200 MHz Hybrid Current Measurement Approach for Fast Switching Power Semiconductor Modules. *Ji, S.*, +, *TPEL Jan. 2025 2158-2169*

A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*

An Analytical Formula for the PETT Oscillation Over a Wide Voltage Range in NPT Planar IGBT Chips. *Dongye, Z.*, +, *TPEL Jan. 2025 958-968*

An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*

An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*

An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*

Calibration and Measurement of V_{ce}-T_j Correlation With Temperature Distribution of IGBT and Interconnections. *Lu, G.*, +, *TPEL Jan. 2025 2149-2157*

Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*

DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*

Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*

Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*

High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*

Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*

Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*

Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*

Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*

On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*

Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*

Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*

Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Semiconductor device modeling

A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*

A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*

An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*

An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*

Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*

Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*

Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*

Hybrid-Parallel Collaborative Simulation Framework Integrating Device Physics With Circuit Dynamics for PDAE-Modeled Power Electronic Equipment. *Shi, Q.*, +, *TPEL June 2025 8168-8178*

Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*

Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*

On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*

Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*

Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*

Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*

Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*

Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*

Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*

Semiconductor devices

Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*

High-Power Electronic Applications Enabled by Medium Voltage Silicon-Carbide Technology: An Overview. *Nielsen, M.R.*, +, *TPEL Jan. 2025 987-1011*

Semiconductor diodes

3-MHz High-Voltage Pulse Generator With Novel Multilevel LC Resonant Network for Adjustable Pulsewidth. *Chen, S.*, +, *TPEL Jan. 2025 1012-1022*

A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*

A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*

Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*

Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*

Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*

Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*

High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*

Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*

Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*

Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*

Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*

New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*

Reliability Score Benchmarking and Resistive Loss Profile-Based Open-Circuit Fault Diagnosis Approach for Motor Drive System. *Arsalan, A.*, +, *TPEL July 2025 9824-9839*

Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*

Semiconductor process modeling

Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*

Sensitivity

A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*

A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*

A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*

A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*

A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*

An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*

Dual-Frequency Metal Object Detection Based on SPWM Control for Wireless EV Charging System. *Xia, C.*, +, *TPEL Jan. 2025 2604-2618*

Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*

High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*

Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*

Intensive Multiorder Feature Extraction for Incipient Fault Detection of Inverter System. *Wang, M.*, +, *TPEL Feb. 2025 3543-3552*

K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*

Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*

Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*

Sensitivity analysis

Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*

HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*

Sensor phenomena and characterization

A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*

A Multiobjective Predictor Approach for IGBT Trigger Pulse Intermittent Fault Diagnosis. *Gou, B.*, +, *TPEL Feb. 2025 3505-3517*

Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*

Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*

Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*

Sensor systems

A Simple and Fast Online Parameter Estimation Method for Wireless Power Transfer Systems Considering Compensation Capacitance Deviations. *Wang, Y.*, +, *TPEL July 2025 10123-10139*

Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*

High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*

Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*

Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*

Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter. *Cheng, Z.*, +, *TPEL Jan. 2025 1654-1668*

Sensorless control

A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*

A Dual-Filtering Complex Vector Observer for Harmonic Suppression in Sensorless PMSM Drivers. *Wang, G.*, +, *TPEL May 2025 6643-6652*

A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*

A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*

A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*

A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*

A Novel Finite Position Set Phase-Locked Loop Strategy for PMSM Position Estimation With High-Precision and Low Computational Burden. *Xu, Y.*, +, *TPEL Jan. 2025 1622-1635*

A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*

Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*

Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*

An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*

Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*

Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*

Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives. *Zhang, Y.*, +, *TPEL Nov. 2025 16184-16194*

Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*

Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*

Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*

Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*

Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*

Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*

Sampling-Delay Error Compensation for Low-Speed Sensorless Control With Single-Current Sensor Based on Multiple-Branch Sampling. *Fan, H.*, +, *TPEL May 2025 6653-6662*

Sensorless Control Based on Discrete Fractional-Order Terminal Sliding Mode Observer for High-Speed PMSM With LCL Filter. *Cheng, Z.*, +, *TPEL Jan. 2025 1654-1668*

Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*

Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*

Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*

Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*

Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*

Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*

Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*

Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*

Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*

Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*

Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*

Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*

Sensors

A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*

A 96.3% Efficient, 6mV_{pp} Line Transient Response Time-Based Boost Converter With Feedback-PID for AMOLED Displays. *Melillo, P.*, +, *TPEL Jan. 2025 328-339*

A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*

A Compact DC–200 MHz Hybrid Current Measurement Approach for Fast Switching Power Semiconductor Modules. *Ji, S.*, +, *TPEL Jan. 2025 2158-2169*

A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*

A Digital Real-Time Computation Algorithm Utilizing Time-Domain Analytic Model for Bidirectional CLLC Synchronous Rectifier in 6.6-kW 300-kHz SiC Portable EV Chargers. *Li, H.*, +, *TPEL Jan. 2025 2342-2354*

A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*

A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*

A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*

A Novel Nonintrusive Self-Powered Current Sensor With Time-Division Operation. *Hou, L.*, +, *TPEL Aug. 2025 10543-10554*

A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*

A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*

A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*

A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*

A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*

A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*

Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*

An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*

An Improved Voltage Reconstruction Method for Current Source Inverter. *Wei, Y.*, +, *TPEL Nov. 2025 16409-16418*

An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*

Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives. *Amorim Torres, R.*, +, *TPEL March 2025 4345-4357*

Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*

DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*

Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*

Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*

Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*

Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*

Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*

Harmonic Magnetic Field Energy Harvesting for Self-Powered Sensors in HVDC Transmission Lines. *Liu, Z.*, +, *TPEL March 2025 4536-4545*

High-Precision Commutation Error Compensation Strategy for Magnetically Levitated PMSM Using Eddy Current Sensors. *Qiu, H.*, +, *TPEL Dec. 2025 17703-17714*

Identification of Metal Object Types by High and Low Frequencies Detection for Wireless EV Charger. *Zhao, S.*, +, *TPEL Jan. 2025 2581-2592*

Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*

Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*

Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*

Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*

Modeling and Optimized Design of the Free-Standing Magnetic Field Energy Harvester Based on Accurate Estimation of Effective Permeability. *Liu, Z.*, +, *TPEL Sept. 2025 14014-14026*

Nonintrusive Evaluation of Current Distribution Bias in Press Pack Devices With High-Accuracy Segmented Rogowski Coils. *Lu, Y.*, +, *TPEL April 2025 6044-6054*

Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*

Novel Vertical Shunt Resistor: Integration and Optimization in Power Modules. *Choi, S.*, +, *TPEL Jan. 2025 46-50*

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*

Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current. *Liu, B.*, +, *TPEL Sept. 2025 12280-12294*

Phasor Analysis-Based Design Method for Active Common-Mode EMI Filter in DC/AC Converters. *Chen, Q.*, +, *TPEL Dec. 2025 18027-18039*

Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*

Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*

Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*

Sensor Fusion-Enabled State of Charge Estimation of Smart Battery Module. *Cui, H.*, +, *TPEL Jan. 2025 2273-2283*

Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*

State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*

State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*

Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements. *Sanchez-Squella, A.*, +, *TPEL Sept. 2025 13941-13951*

Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*

Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*

Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Servers

A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*

A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*

An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*

Servomotors

Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*

An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*

Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*

Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*

Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*

Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*

Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults. *Meng, X.*, +, *TPEL Nov. 2025 16469-16482*

Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*

Self-Supervised Learning-Based Multiparameters Optimization Framework in Servo Systems. *Li, H.*, +, *TPEL Nov. 2025 16123-16128*

Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*

Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*

Shafts

A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*

Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*

Shape measurement

A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*

A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*

An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM. *Yan, Q.*, +, *TPEL June 2025 7628-7633*

Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*

General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*

Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*

Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*

Shock absorbers

Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*

Short-circuit currents

A Thyristor-Structured-Based Low-Power Demodulator Circuit for High Reliability and Short-Circuit Current Reduction. *Chae, D.*, +, *TPEL April 2025 4740-4746*

Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*

Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*

Shunts (electrical)

A 5.5–276 W Integrated Photovoltaic Energy Harvesting System With 99.95% MPPT Efficiency and 98.74% Power Conversion Efficiency. *Yang, J.*, +, *TPEL March 2025 4522-4535*

A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*

A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*

Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*

Signal processing

Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults. *Meng, X.*, +, *TPEL Nov. 2025 16469-16482*

Signal resolution

Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*

Signal to noise ratio

Accuracy Evaluation and Enhancement Method for Measuring Frequency Coupling Characteristics Based on Generalized Signal-to-Noise Ratio Index. *Li, M.*, +, *TPEL May 2025 7329-7341*

An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*

Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*

Silicon

A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*

A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*

A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*

Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*

An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*

An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*

Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*

Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*

Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*

Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*

Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*

Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*

High-Power Electronic Applications Enabled by Medium Voltage Silicon-Carbide Technology: An Overview. *Nielsen, M.R.*, +, *TPEL Jan. 2025 987-1011*

High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*

Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*

Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*

Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*

Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*

Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter. *Deckers, M.*, +, *TPEL Jan. 2025 2219-2234*

Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*

SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*

Single-Input Dual-Output Digital Gate Driver IC Automatically Equalizing Drain Current Variations of Two Parallel-Connected SiC MOSFETs. *Horii, K.*, +, *TPEL Jan. 2025 467-485*

Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*

Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*

Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*

Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*

Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*

Silicon carbide

A 2.5D Multichip SiC MOSFET Power Module With Low Parasitic Inductance and High Dynamic Current Sharing Performance. *Zheng, Z.*, +, *TPEL Jan. 2025 1542-1553*

A Brief Review of SiC MOSFET Transient Analytical Modeling Methods: Principles, Current Status, and Parameters Modeling. *Wang, L.*, +, *TPEL April 2025 5177-5189*

A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*

A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*

A Digital Real-Time Computation Algorithm Utilizing Time-Domain Analytic Model for Bidirectional CLLC Synchronous Rectifier in 6.6-kW 300-kHz SiC Portable EV Chargers. *Li, H.*, +, *TPEL Jan. 2025 2342-2354*

A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*

A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*

A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*

A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*

A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*

A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*

A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*

A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*

A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*

A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*

A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*

A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*

A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*

A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*

A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*

A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*

A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*

A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance. *Quan, X.*, +, *TPEL Sept. 2025 13919-13930*

A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*

A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*

Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*

Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*

Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*

An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*

An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*

An Efficient Location-Connection-Decoupling Layout Design Method for Multi-Chip SiC Modules With Low Electrical and Thermal Impedance. *Mei, Y.*, +, *TPEL Aug. 2025 11107-11116*

An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*

An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*

An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*

An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*

An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*

An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*

An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*

Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*

Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*

Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*

Comparison and Investigation on the Static and Dynamic Performance for Medium-Voltage (3300 V-6500 V) Ga_2O_3 and SiC Planar Gate MOSFETs. *Wang, Z.*, +, *TPEL April 2025 5467-5479*

Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*

Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*

Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*

Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*

Design and Verification of a GaN-Based, Single Stage, Grid-Connected Three-Phase PV Inverter. *Karimzada, O.*, +, *TPEL April 2025 5496-5504*

Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*

Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*

EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*

Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*

Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*

Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust d*v*/d*t* Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*

Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*

Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*
High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*
High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*
High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*
High-Power Electronic Applications Enabled by Medium Voltage Silicon-Carbide Technology: An Overview. *Nielsen, M.R.*, +, *TPEL Jan. 2025 987-1011*
High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*
Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*
Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*
Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*
Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*
Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*
Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*
Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*
Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*
Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*
Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*
Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*
Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*
Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*
Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*
On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*
Overcurrent Protection Enabled by Broadband Rogowski Coil Current Sensor for Medium-Voltage SiC MOSFET. *Gong, J.*, +, *TPEL May 2025 6847-6859*
Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*
Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*
Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*
Reduced Overshoots, Oscillations, and *dV*/*dt* Generation in Parallel Connected SiC MOSFET Modules With Optional Active Current Balancing. *Parker, M.*, +, *TPEL Jan. 2025 1035-1050*
Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*
Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*
Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*
Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*
SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*
Single-Input Dual-Output Digital Gate Driver IC Automatically Equalizing Drain Current Variations of Two Parallel-Connected SiC MOSFETs. *Horii, K.*, +, *TPEL Jan. 2025 467-485*
Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*
Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*
Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*
Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*
Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*
The Active Gate Driver Based on Hardware Closed-Loop Control for Crosstalk Suppression of SiC MOSFETs With Kelvin-Source Connection. *Cui, M.*, +, *TPEL Jan. 2025 217-226*
The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*
Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*
Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*
Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*
Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*
Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced d*v*/d*t* Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*
Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*

SIMO

Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*

Sintering

Bonding and Failure Mechanisms of Sintered-Silver Die-Attach on Electroless Nickel (Phosphorus) Surface Finish for Packaging Power Electronics Modules. *Wang, M.*, +, *TPEL Sept. 2025 13086-13098*
Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*
Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*

Skin
Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*
Modeling and Design of a Transcutaneous Resonant Capacitive Power Transfer Link for Biomedical Implants. *Cai, C.*, +, *TPEL Feb. 2025 3726-3737*
Reducing Near-Field Magnetic Radiation and Parasitic Inductance in SiC Half-Bridge Modules via Optimized Shielding Design. *Du, Y.*, +, *TPEL Sept. 2025 12003-12010*
Skin effect
Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*
Sliding mode control
A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*
A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*
An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*
Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*
Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*
Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*
Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults. *Meng, X.*, +, *TPEL Nov. 2025 16469-16482*
Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*
Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*
Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*
Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*
Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*
Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*
Smart grids
A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*
DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation. *Leng, Y.*, +, *TPEL June 2025 7954-7966*
Snubbers
A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*
A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*
An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*
An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*
Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*
Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*
High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*
The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*
Sockets
A Vertical Power Delivery Architecture for High-Performance Computing. *Kong, C.*, +, *TPEL May 2025 6663-6674*
Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*
Soft magnetic materials
Modeling Amorphous-Core Inductors up to Magnetic Saturation. *Ravera, A.*, +, *TPEL Jan. 2025 1563-1576*
Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*
Soft switching
A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*
A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*
A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*
A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*
A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*
A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*
An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*
An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*
An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*
Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*
Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*
Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*
Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*
Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*
Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*
High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*
Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*

Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*
No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter. *Li, J.*, +, *TPEL Sept. 2025 12690-12702*
Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*
Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*
Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*

Software
A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*
Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*
Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*
Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*

Soil
A 6.78 MHz Full-Duplex Simultaneous Capacitive Power and Data Transfer System for Rotary Steerable Drilling Application. *Liu, Z.*, +, *TPEL Dec. 2025 18499-18511*

Solar farms
The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*

Solar heating
Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*

Solar irradiance
The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*

Solar power generation
A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*
Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*

Solenoids
A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*
Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*

Solid modeling
A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*
An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*
Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*
Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*
Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*
Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*
Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*
Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*
Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*
Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Solid state circuits
A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*

Solid state drives
Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*

Solids
An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*

Sorting
Direct Pulsewidth Modulation Technique for Modular Multilevel Converters Based on Full-Bridge Submodules. *Yin, J.*, +, *TPEL Jan. 2025 1085-1098*
Dual-Stage MPC for SoC Balancing in Second-Life Battery Energy Storage Systems Based on Delta-Connected Cascaded H-Bridge Converters. *Poblete, P.*, +, *TPEL Jan. 2025 500-515*
Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*

Space charge
Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*

Space vector pulse width modulation
4-Vector SVPWM for Single-Phase Transformerless UPQC With Two-Leg and Low DC Voltage. *Wang, S.*, +, *TPEL Jan. 2025 98-104*
A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*
A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*
A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*
Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*
An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs. *Liu, X.*, +, *TPEL Oct. 2025 15745-15756*
Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters. *Du, H.*, +, *TPEL May 2025 7215-7226*
Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*
Asymmetric Space Vector Pulse Width Modulation for the Phase Current Reconstruction in Three-Phase Inverters. *Shen, Y.*, +, *TPEL Jan. 2025 1686-1696*
Carrier-Based Minimum-Loss Discontinuous PWM With Neutral-Point Voltage Balancing for Three-Level NPC Inverters. *Cho, H.*, +, *TPEL Sept. 2025 13895-13906*
Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*

Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*
Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation. *Cai, J.*, +, *TPEL Dec. 2025 17664-17673*
DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation. *Leng, Y.*, +, *TPEL June 2025 7954-7966*
Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*
Digital Implementation of Discontinuous PWMs: Mitigating Parasitic Active Vectors for Improved Load Current Quality in Inverter Systems. *Baum, F.*, +, *TPEL May 2025 6740-6752*
Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*
Dynamic Interleaving Strategy to Reduce DC-Link Ripple of Dual Three-Phase Permanent Magnet Synchronous Machine Drives by Using Discontinuous Space Vector Modulation. *Chowdhury, A.*, +, *TPEL Jan. 2025 1762-1773*
Effects of Modulator-Injected Zero-Sequence Signals on System Stability in Three-Phase Voltage Source Converters. *Jiang, Y.*, +, *TPEL Jan. 2025 435-450*
Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency. *Zhang, P.*, +, *TPEL May 2025 7110-7124*
Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios. *Wang, Q.*, +, *TPEL July 2025 9723-9736*
Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive. *Panda, B.*, +, *TPEL June 2025 7777-7788*
Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*
Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter. *Zhao, M.*, +, *TPEL Feb. 2025 3189-3209*
Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell. *Wang, S.*, +, *TPEL June 2025 8253-8263*
Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter. *Wang, Y.*, +, *TPEL April 2025 4938-4951*
Modulating and Carrier-Based Dodecagonal Space Vector Pulse Width Modulation Technique With Fifth and Seventh Order Harmonic Elimination for Split-Phase OEIM. *Nair, S.S.*, +, *TPEL Jan. 2025 1787-1796*
Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods. *Li, Z.*, +, *TPEL Oct. 2025 15718-15729*
Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*
Simplified Implementation Architecture for Current-Source SVPWAM. *Wu, Z.*, +, *TPEL April 2025 4727-4733*
Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*
Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*
Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*

Spaceborne radar
A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*

Sparks
A Front-Driven Independent Power Factor Partial Compensation for Decreasing Capacity in Electrified Railway. *Wu, T.X.*, +, *TPEL Jan. 2025 1915-1924*

Sparse matrices
A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data. *Xia, Y.*, +, *TPEL April 2025 5949-5958*

Spatial resolution
Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*

Special issues and sections
Editorial: Special Section on Highly Robust Power Electronics in the Era of DC Grid. *Wang, X.*, +, *TPEL Sept. 2025 12031-12032*
Guest Editorial: Special Section on Drives and Control of Electric Machines in Electric and Hybrid Aircraft Applications. *Lee, C.*, +, *TPEL Nov. 2025 16129-16130*
Guest Editorial: Special Section on Power Electronics Letters: Fabrication and Design of High-Power Density and High-Frequency Passive Components. *Duffy, M.*, +, *TPEL Oct. 2025 14343-14344*

SPICE
An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*
Approximate SPICE Modeling of SiC MOSFETs. *Kubulus, P.P.*, +, *TPEL April 2025 5201-5211*

Spirals
A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*
Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*

Springs
A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*
Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*
The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*

Stability analysis
A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*
A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points. *Shi, G.*, +, *TPEL Aug. 2025 10402-10418*
A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*
A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*
Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*
Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*
Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*
Analysis and Damping of Subsynchronous Oscillations for Cascaded Grid-Forming Converters Considering DC-Link Dynamics. *Kong, L.*, +, *TPEL Jan. 2025 2284-2299*
Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*
Dual-Loop Estimation Based Adaptive Controller for Microgrid Connected Boost Converters. *Santana, I.*, +, *TPEL Jan. 2025 551-562*

Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*
HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*
Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*
Identification of Resonance and Instability From Algebraic Virtual Impedance of Grid-Forming Control in the Perspective of Negative Sequence. *Lee, J.*, +, *TPEL Oct. 2025 14235-14240*
Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*
Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*
Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model. *Yang, Z.*, +, *TPEL Aug. 2025 10783-10792*
Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*
Modeling and Stability Analysis of Sustained Oscillations During the Miller Region for Medium-Voltage SiC MOSFET Power Modules. *Yan, Z.*, +, *TPEL Dec. 2025 17650-17663*
Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*
Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*
New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*
Novel Approach to Selecting Rotor Position Sensor Resolution for Variable Frequency Drives. *Tornello, L.D.D.*, +, *TPEL June 2025 8468-8479*
Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*
Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*
Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*
Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*
Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*
Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*
Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*
Sensorless Control of SPMSM Using a Full-Order Supertwisting Observer and HR-PI-Based FPLL With Tunable Forward Gain. *Zhang, X.*, +, *TPEL Nov. 2025 16525-16537*
Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*
Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL June 2025 7668-7680*
Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*

Stability criteria

A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*
A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*
A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*
A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*
A PI Self-Tuning Method for Three-Phase PWM Rectifiers Based on Stability-and-Dynamics- Constrained Fuzzy Backpropagation Neural Network. *Zhang, Y.*, +, *TPEL Jan. 2025 2419-2428*
A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*
A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*
A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*
Adaptive Frequency Coupling Suppression Strategy for VSCs and Its Stability Region Analysis. *Wang, Z.*, +, *TPEL Jan. 2025 2442-2456*
Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*
Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*
All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*
An Active Damping Control Strategy to Enhance the Stability of High Voltage DC Power Supply System for More Electric Aircraft. *Yao, Y.*, +, *TPEL Aug. 2025 11725-11738*
An Extended Frequency-Domain Passivity Theory for MIMO Dynamics Specifications of Voltage-Source Inverters. *Chen, F.*, +, *TPEL Feb. 2025 2943-2957*
An Extended Impedance Model for Power Electronics Converters Retaining Explicit Synchronization Dynamics. *Hu, G.*, +, *TPEL Jan. 2025 2355-2370*
Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*
Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*
Compound Feedback for Current-Controlled Grid-Side Inverters With LCL Filters. *Peric, L.S.*, +, *TPEL Feb. 2025 3005-3019*
Data-Light Oscillation Mode Identification for Fast Stability Assessment of Grid-Tied Converters. *Kong, R.*, +, *TPEL Aug. 2025 11170-11181*
Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*
Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit. *Luo, C.*, +, *TPEL Jan. 2025 2472-2483*
Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*
Effects of Modulator-Injected Zero-Sequence Signals on System Stability in Three-Phase Voltage Source Converters. *Jiang, Y.*, +, *TPEL Jan. 2025 435-450*
Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*
Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*
General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*
Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*
Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*

High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*

How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*

Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*

Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*

Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*

Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*

Machine Learning-Based Forward Design Approach for Grid-Connected Inverters With Enhanced Stability and Dynamic Performance. *You, L.*, +, *TPEL Oct. 2025 15638-15651*

Modeling for Oscillation Propagation With Frequency-Voltage Coupling Effect in Grid-Connected Virtual Synchronous Generator. *Li, C.*, +, *TPEL Jan. 2025 82-86*

Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*

Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*

New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*

On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*

Optimized Design of Demagnetization Control for DFIG-Based Wind Turbines to Enhance Transient Stability During Weak Grid Faults. *Ma, Y.*, +, *TPEL Jan. 2025 76-81*

Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters. *Xin, H.*, +, *TPEL Dec. 2025 18378-18389*

Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*

Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*

Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*

Return Ratio Matrix Reconstruction Approach for Grid-Connected Inverters: Principle, Physical Insights, and Parameter Design. *Chen, Y.*, +, *TPEL April 2025 6084-6096*

Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*

Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*

Single Coordinate Bode Plots for Stability Evaluation of MIMO Power Electronics Systems via a Frequency Coupling Corrective Factor. *Shah, C.R.*, +, *TPEL Aug. 2025 10481-10495*

Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*

Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics. *Liu, Q.*, +, *TPEL Feb. 2025 2971-2986*

Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*

Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*

Stability Criterion for Near-Area Grid-Forming Converters Under the Weak Grid Condition. *Wang, P.*, +, *TPEL Jan. 2025 361-374*

Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*

Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*

The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*

Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*

Transient Stability Analysis and Enhancement of Inverter-Based Microgrid Considering Current Limitation. *Li, D.*, +, *TPEL Jan. 2025 2429-2441*

Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*

Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*

Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*

Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*

Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*

Unified and Flexible Frequency-Domain Stability Assessment Framework for Power-Electronic-Based Power Systems. *Chen, F.*, +, *TPEL Oct. 2025 14307-14312*

Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*

Stacking

Compact Nanosecond Pulse Generator Based on Distributed Inductive Energy Storage of Twisted Pair Wire. *Ma, J.*, +, *TPEL Jan. 2025 1111-1122*

Standards

A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*

A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*

A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*

A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*

A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*

A Novel Design Method for Hybrid Common-Mode EMI Filters Based on Attenuation Adjustability. *Chen, Q.*, +, *TPEL Feb. 2025 3138-3149*

Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*

Combining Data-Driven and Event-Driven for Online Learning Predictive Control in Power Converters. *Liu, X.*, +, *TPEL Jan. 2025 563-573*

Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*

Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*
Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*
Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*
Low-Voltage Ride-Through Algorithm for Grid-Forming Converters. *Fernandez, J.D.*, +, *TPEL Jan. 2025 303-315*
Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*
Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*
Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives. *Carrillo-Rios, J.*, +, *TPEL Feb. 2025 3419-3429*
Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*
Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*

Stars
Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*
Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*

State estimation
An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*
Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*
Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*
Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*

State of charge
A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*
A Fast Model-Free Method for Identifying Internal Short Circuit Resistance in Lithium-ion Battery. *Li, G.*, +, *TPEL March 2025 4557-4568*
A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*
A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*
A Power Allocation Strategy for Hybrid Energy Storage System Based on Dynamic Virtual Impedance Network. *Zhang, Y.*, +, *TPEL Nov. 2025 17256-17266*
Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*
Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*
Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*
In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*
Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*
Model-Free Quantitative Diagnosis of Internal Short Circuit for Sodium-Ion Batteries With Charging Capacity Difference Analysis. *Liu, G.*, +, *TPEL Aug. 2025 11394-11406*
Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*
Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*
Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*
Sensor Fusion-Enabled State of Charge Estimation of Smart Battery Module. *Cui, H.*, +, *TPEL Jan. 2025 2273-2283*
State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*
State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*
Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*

State-space methods
Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*

Static VAr compensators
A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*
A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*

Stator cores
A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency. *Wu, X.*, +, *TPEL Aug. 2025 11283-11295*
Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*

Stator windings
A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*
A Cross-Decoupled Current Harmonics Suppression Method for IPMSM Based on Notch Filter and Second-Order Generalized Integrator. *Du, C.*, +, *TPEL April 2025 5715-5730*
A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*
A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*
A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*
An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*
An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*
Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*
D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*
Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*
Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*

Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*

Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*

Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy. *Tang, Y.*, +, *TPEL Oct. 2025 15780-15794*

Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*

Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*

Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*

MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*

Nonlinear Flux Observer for Sensorless Control of IPMSM Based on a Novel Regression Model. *Zhang, K.*, +, *TPEL March 2025 3916-3926*

Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*

Online Postfault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault. *Yu, K.*, +, *TPEL Oct. 2025 14733-14745*

Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*

Postfault Operation Strategy With Minimum Harmonic Injection for Cascaded H-Bridge Inverters Driving a Multiphase Motor. *Lopez, O.*, +, *TPEL Jan. 2025 8-22*

Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*

Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*

Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives. *Carrillo-Rios, J.*, +, *TPEL Feb. 2025 3419-3429*

Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*

Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*

Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*

Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*

Sensorless Control of PMSM Based on Fifth-Order Generalized Integral Flux Observer and Extended State Observer-Based Phase-Locked Loop. *Zhang, X.*, +, *TPEL April 2025 5080-5093*

Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*

UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*

Stators

A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*

A DC-Offset Removed Sensorless Control Method for PMSM Based on SMO With an Improved Prefilter and a Speed Immune Position Error Compensation Strategy. *Guo, L.*, +, *TPEL April 2025 5163-5176*

A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*

A Gain-Adaptive High-Order Terminal Sliding Mode Observer Under SPMSM Sensorless Control. *Song, C.*, +, *TPEL May 2025 6555-6565*

A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*

A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control. *Zhang, Z.*, +, *TPEL Jan. 2025 118-123*

A Novel Efficiency Optimization Method for Linear Oscillatory Machine Based on Variable Universe Fuzzy Search. *Zhang, M.*, +, *TPEL July 2025 9660-9671*

A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*

A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*

A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*

A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*

Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*

Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*

Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*

Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*

Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*

Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*

An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function. *Li, Y.*, +, *TPEL Sept. 2025 13822-13834*

An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives. *Zhou, C.*, +, *TPEL Sept. 2025 12204-12214*

Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*

Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*

Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*

Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives. *Zhang, Z.*, +, *TPEL Dec. 2025 17726-17737*

Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL Sept. 2025 13673-13685*

Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults. *Zhao, R.*, +, *TPEL Aug. 2025 11477-11489*

Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives. *Zhang, Y.*, +, *TPEL Nov. 2025 16184-16194*

Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*

Full-Speed-Range Sensorless Control of High-Speed Permanent Magnet Synchronous Motor Based on the Prediction Methodology. *Ye, M.*, +, *TPEL Feb. 2025 3405-3418*

Globally Stable Resistance and Speed Joint Estimation with State Transformations for Sensorless IPMSM Drive. *Lin, Q.*, +, *TPEL June 2025 7814-7828*

GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors. *Zhang, Y.*, +, *TPEL Sept. 2025 12309-12320*

Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios. *Wang, Q.*, +, *TPEL July 2025 9723-9736*

High-Precision Tracking Control of a Segmented Stator Permanent Magnet Linear Synchronous Motor. *Fuchs, G.*, +, *TPEL Oct. 2025 14697-14709*

Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*

K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*

Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*

Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*

Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive. *Li, X.*, +, *TPEL May 2025 6492-6505*

Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*

Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*

Optimized Design of Demagnetization Control for DFIG-Based Wind Turbines to Enhance Transient Stability During Weak Grid Faults. *Ma, Y.*, +, *TPEL Jan. 2025 76-81*

Parameter Robust Predictive Current Control for PMSM Drives Based on Self-Tuning Incremental Model and Voltage Constraint Compensation. *Wang, H.*, +, *TPEL Aug. 2025 11268-11282*

Postfault Operation Strategy With Minimum Harmonic Injection for Cascaded H-Bridge Inverters Driving a Multiphase Motor. *Lopez, O.*, +, *TPEL Jan. 2025 8-22*

Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*

PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss. *Kim, T.*, +, *TPEL March 2025 4303-4313*

Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*

Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*

Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*

Sensorless Control of DTP-SynRM With Hybrid Flux Observer and Disturbance Observer Considering Magnetic Saturation and Cross-Coupling Effect. *Li, B.*, +, *TPEL Sept. 2025 12295-12308*

Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*

Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization. *Yang, H.*, +, *TPEL May 2025 6413-6422*

Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*

Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*

UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*

Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*

Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*

Virtual Reduced-Order Model-Based Back EMF Estimation and Speed Sensorless Control for *LC*-Filtered PMSM Drives. *Xue, C.*, +, *TPEL July 2025 9749-9763*

Steady-state

A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*

A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*

A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*

A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability. *Zeng, Z.*, +, *TPEL Aug. 2025 10973-10987*

A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*

A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Mo, N.*, +, *TPEL Oct. 2025 15504-15518*

A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*

A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*

A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*

A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*

A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*

A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*

A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*

A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*

A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*

A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*

Adaptive Frequency Coupling Suppression Strategy for VSCs and Its Stability Region Analysis. *Wang, Z.*, +, *TPEL Jan. 2025 2442-2456*

Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*

Adaptive Model-Free Deadbeat Predictive Current Control for Linear Permanent Magnet Synchronous Motor Based on Immune Algorithm. *Zhang, Y.*, +, *TPEL Sept. 2025 12257-12267*

Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*

Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*

An Accurate, Universal, and Fast Time Domain Model for Different Types of Resonant Converters by Considering Parasitic Capacitors and Deadtime. *Li, Z.*, +, *TPEL Jan. 2025 1305-1321*

An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*

An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*

An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives. *Zhou, C.*, +, *TPEL Sept. 2025 12204-12214*

An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*

Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*

Analytic Solutions of Model Predictive Current Control for SPMSM Drives. *Zhang, J.*, +, *TPEL Sept. 2025 12365-12377*

Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*

Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*

Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*

Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*

Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*

Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control. *Wei, Z.*, +, *TPEL Dec. 2025 17776-17788*

Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*

Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter. *Liu, L.*, +, *TPEL Aug. 2025 11552-11563*

Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability. *Chatterjee, D.*, +, *TPEL Nov. 2025 16740-16751*

Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*

Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*

Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*

Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*

Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*

Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*

Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*

Fixed Switching Frequency Model Predictive Control for Grid-Forming Inverters. *Carnielutti, F.*, +, *TPEL July 2025 9080-9089*

Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*

HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*

Impedance Reshaping Method Based on Compensating PLL Dynamic to Improve Active Power Transfer Capability of VSC Under Weak Grid. *Xiong, X.*, +, *TPEL Jan. 2025 422-434*

Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction. *Cao, D.*, +, *TPEL Feb. 2025 2833-2846*

Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*

Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*

Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*

Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*

Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*

Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*

Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*

Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive. *Li, X.*, +, *TPEL May 2025 6492-6505*

Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*

Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*

Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*

Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*

Power Decoupling Control of Single-Phase Differential Cuk Inverters. *Hao, Y.*, +, *TPEL Dec. 2025 18083-18096*

Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*
Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*
Robust Deadbeat Predictive Current Sensorless Control Scheme for Permanent Magnet Synchronous Machine Considering Parameter Mismatch. *Hu, Y.*, +, *TPEL April 2025 5846-5856*
Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*
Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*
Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*
Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*
Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*
Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*
Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*
Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation. *Ma, X.*, +, *TPEL March 2025 4289-4302*

Steel

A Self-Resonant Foreign Object Detection System for Metal and Living Object Detection in Electric Vehicle Wireless Charging Systems. *Zheng, Y.*, +, *TPEL May 2025 6459-6463*

Stochastic processes

Infinite Horizon Model Predictive Control With Terminal Cost Learning for Hybrid Electric Vehicle Energy Management. *Wang, X.*, +, *TPEL Feb. 2025 3710-3725*

Strain

An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*
Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*
Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*
Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*
Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*

Strain measurement

An Overview of Mechanical Characterization for Power Module: Challenges, Advances, and Future Prospects. *Sun, P.*, +, *TPEL March 2025 4112-4130*

Stress

A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*
A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*
A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*
A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*
A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*
A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*
A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*
A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*
A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*
A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*
A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*
A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*
A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*
A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*
A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*
A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*
A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*
A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*
A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*
A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*
A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*
A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*
A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*
A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*
A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*
A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*
Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*
An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*

An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*

An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*

An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*

An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*

Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*

Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*

Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*

Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*

Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*

Dense and Efficient Cryogenic Power Converter Using Stress Annealed and Stacked Nanocrystalline Cores. *Wadsworth, A.*, +, *TPEL Feb. 2025 3357-3369*

Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*

Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*

Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*

Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*

Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*

Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*

Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*

Family of Capacitor–Diode Network Extended High Gain Quadratic Boost Converters for Microgrid Applications. *Naresh, S.V.K.*, +, *TPEL Jan. 2025 1418-1430*

Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*

High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*

High Step-Down Bidirectional Multiport Converter. *Murugan, K.*, +, *TPEL Aug. 2025 10355-10360*

High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*

Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*

Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*

Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*

Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*

Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*

Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*

Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*

Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*

Medium Voltage Auxiliary Power Supply Using Forward Converter Integrated With Switched Capacitor Cells. *da Silva, R.L.*, +, *TPEL Jan. 2025 1404-1417*

Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*

Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*

Modulation-Independent Initial Current Control of DAB-Based Single-Stage AC–DC Converter for DC Bias Elimination. *Mo, N.*, +, *TPEL Jan. 2025 406-421*

Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*

New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*

Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*

Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*

Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*

Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*

Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index. *Lee, D.*, +, *TPEL July 2025 9876-9888*
Remaining Useful Lifetime Prediction Method of Power Modules Based on the Aging Characteristic Parameters. *Xie, L.*, +, *TPEL Jan. 2025 2086-2098*
Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*
Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*
Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*
Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*
Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*
Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*
Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*
Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*
Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*
Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*
Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression. *Chen, T.*, +, *TPEL Dec. 2025 18350-18364*
Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*
UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*
Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*
Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*
Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*
Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*

Strips
Compact Nanosecond Pulse Generator Based on Distributed Inductive Energy Storage of Twisted Pair Wire. *Ma, J.*, +, *TPEL Jan. 2025 1111-1122*

Substations
Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*
Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*

Substrates
A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*
A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*
A Novel Substrate-Embedded SiC Power Module With Integrated Liquid Cooling. *Sun, X.*, +, *TPEL Sept. 2025 12191-12203*
A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*
Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*
Bonding and Failure Mechanisms of Sintered-Silver Die-Attach on Electroless Nickel (Phosphorus) Surface Finish for Packaging Power Electronics Modules. *Wang, M.*, +, *TPEL Sept. 2025 13086-13098*
Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*
Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*
EMI Mitigation for SiC Power Module With Chip-on-Ceramic Heatsink Packaging. *Zhang, Z.*, +, *TPEL Aug. 2025 10324-10329*
Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*
High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*
Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*
Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*
Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*
Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*
Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*
Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*
Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*
Thin-Film Encapsulation Solution for High-Temperature SiC Power Devices. *Zhang, R.*, +, *TPEL July 2025 9638-9648*
Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*

Sufficient conditions
All-Port Unterminated Admittance Passivity for Robust Stability of AC-DC Interlinking Converters. *Cvetanovic, R.*, +, *TPEL Sept. 2025 13880-13894*

Supercapacitors
Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*
Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*

Superluminescent diodes
Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*

Support vector machines
A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation. *Jin, F.*, +, *TPEL May 2025 6593-6604*
A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters. *Lin, Z.*, +, *TPEL June 2025 8726-8738*

A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*

Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices. *Wang, L.*, +, *TPEL Dec. 2025 17946-17957*

Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter. *Liu, L.*, +, *TPEL Aug. 2025 11552-11563*

Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles. *Zhou, D.*, +, *TPEL Dec. 2025 18448-18460*

Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters. *M., M.A.*, +, *TPEL April 2025 4927-4937*

Feature Enhancement and Extraction Method of Parallel Arc Fault in Three-Phase Motor and Frequency Converter Load Circuit. *Gao, H.*, +, *TPEL July 2025 9921-9932*

Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids. *Jiang, S.*, +, *TPEL Nov. 2025 17426-17437*

Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index. *Lee, D.*, +, *TPEL July 2025 9876-9888*

Simple Vector Calculation and Constraint-Based Fault-Tolerant Control for a Single-Phase CHBMC. *Xie, D.*, +, *TPEL Jan. 2025 2028-2041*

Surface emitting lasers

Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*

Surface finishing

Bonding and Failure Mechanisms of Sintered-Silver Die-Attach on Electroless Nickel (Phosphorus) Surface Finish for Packaging Power Electronics Modules. *Wang, M.*, +, *TPEL Sept. 2025 13086-13098*

Surface impedance

Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*

Modeling, Analyzing, and Suppression of EMI Effects in Eddy Current Sensors of Active Magnetic Bearings. *Xie, Y.*, +, *TPEL June 2025 8093-8108*

Surface morphology

Bonding and Failure Mechanisms of Sintered-Silver Die-Attach on Electroless Nickel (Phosphorus) Surface Finish for Packaging Power Electronics Modules. *Wang, M.*, +, *TPEL Sept. 2025 13086-13098*

Surface mount technology

Reduced-Order Adaptive Observer With Asymptotic Stability for Sensorless Control of SPMSM. *Li, J.*, +, *TPEL Jan. 2025 588-598*

Surface treatment

An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*

Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*

K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*

Surge protection

Low-Voltage Solid State DCCB Design Based on Bypassed Bidirectional Thyristor-Capacitor Suppressor. *Moradian, M.*, +, *TPEL Jan. 2025 516-525*

Surges

A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*

An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*

Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*

Low-Voltage Solid State DCCB Design Based on Bypassed Bidirectional Thyristor-Capacitor Suppressor. *Moradian, M.*, +, *TPEL Jan. 2025 516-525*

Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*

Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*

Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*

The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*

Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Switched mode power supplies

Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*

Switched reluctance motors

A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*

Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*

Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*

Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*

Switches

3-MHz High-Voltage Pulse Generator With Novel Multilevel LC Resonant Network for Adjustable Pulsewidth. *Chen, S.*, +, *TPEL Jan. 2025 1012-1022*

4-Vector SVPWM for Single-Phase Transformerless UPQC With Two-Leg and Low DC Voltage. *Wang, S.*, +, *TPEL Jan. 2025 98-104*

A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*

A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*

A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*

A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*

A Brief Review of SiC MOSFET Transient Analytical Modeling Methods: Principles, Current Status, and Parameters Modeling. *Wang, L.*, +, *TPEL April 2025 5177-5189*

A Closed-Loop Compensated Rogowski Coil Current Sensor for Three-Phase Inverter. *Xin, Z.*, +, *TPEL Jan. 2025 2126-2138*

A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*

A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*

A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*

A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*

A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*

A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*

A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*
A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*
A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*
A Dual Phase-Optimized Strategy to Reduce Second-Carrier Harmonic Current for DAB-Based Three-Phase Single-Stage AC–DC Converter. *Mo, N.*, +, *TPEL Oct. 2025 15504-15518*
A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*
A Dynamic Study of the Single Active Bridge Converter. *Rodriguez, A.*, +, *TPEL April 2025 4805-4817*
A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*
A Dynamic Wireless Power Transfer System Using DC-Controlled Variable Inductor for Segment Transmitter Automatic Switching. *Zhang, Z.*, +, *TPEL Jan. 2025 23-27*
A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*
A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*
A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*
A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*
A Fault-Tolerant Control Method for Improving Input Current Half-Wave Symmetry Under Single-Switch Open-Circuit Fault of Front-End Vienna Rectifier in More-Electric Aircraft. *Yang, C.*, +, *TPEL Jan. 2025 2170-2183*
A Five-Switch Single-Phase Buck–Boost AC–AC Converter With Inherent Commutation and Continuous Input Current. *Zargariafshar, D.*, +, *TPEL Feb. 2025 2726-2735*
A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters. *Li, K.*, +, *TPEL Oct. 2025 14585-14597*
A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*
A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*
A Four Switch Common Ground-Based Single Phase Current-Fed Boost Inverter. *Ravitheja, R.*, +, *TPEL Jan. 2025 1064-1073*
A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*
A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*
A Gate Driver-Level Isolated Monitoring Technique for Gate Oxide Degradation in Silicon Carbide Power Mosfets. *Naghibi, J.*, +, *TPEL Dec. 2025 18178-18188*
A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*
A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*
A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*
A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*
A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*
A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*
A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*
A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*
A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*
A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*
A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*
A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*
A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*
A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*
A High-Speed High-Voltage Pulse Generator With Adjustable Falling Slope Based on Programable Multi Narrow Pulses Drive Method for Series MOSFETs. *Zhang, Y.*, +, *TPEL Jan. 2025 1645-1653*
A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*
A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*
A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*
A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*
A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*
A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*
A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*
A New PV Fed High Gain Boost-Cuk Converter Employed SRM Driven Water Pumping Scheme With IDEPSO MPPT. *Priyadarshi, N.*, +, *TPEL Jan. 2025 2371-2384*
A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle. *Liu, S.*, +, *TPEL Aug. 2025 10456-10468*
A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*
A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*
A Novel Class-E Quasi-Constant Transconductance Rectifier. *Zhou, H.*, +, *TPEL Oct. 2025 14289-14294*
A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*
A Novel Control Scheme for Light Load Power Reduction of Flyback Converter. *Liu, Q.*, +, *TPEL Feb. 2025 2691-2696*

A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*

A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*

A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*

A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency. *Wu, X.*, +, *TPEL Aug. 2025 11283-11295*

A Novel Doubly Salient Electromagnetic Motor Drive System With Small Bus Capacitor. *Lu, Y.*, +, *TPEL March 2025 4324-4334*

A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*

A Novel Full-Bridge Boost LCL-Type DC/DC Converter With a Constant Off-Time: Analysis, Design, and Experimental Results. *Zhu, Y.*, +, *TPEL Jan. 2025 1023-1034*

A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*

A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*

A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*

A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*

A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*

A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*

A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*

A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*

A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives. *Sun, Z.*, +, *TPEL Nov. 2025 16195-16205*

A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*

A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*

A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*

A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters. *Lin, Z.*, +, *TPEL June 2025 8726-8738*

A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*

A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*

A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*

A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*

A PI Self-Tuning Method for Three-Phase PWM Rectifiers Based on Stability-and-Dynamics- Constrained Fuzzy Backpropagation Neural Network. *Zhang, Y.*, +, *TPEL Jan. 2025 2419-2428*

A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*

A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*

A Resonant DC-Link Inverter to Reduce the Influence of Resonant Capacitor of Auxiliary Circuit. *Song, J.*, +, *TPEL Jan. 2025 1099-1110*

A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*

A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*

A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*

A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*

A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*

A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*

A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*

A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*

A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*

A Simplified Switch Short-Circuit Fault-Tolerant Scheme for Three-Phase Six-Switch Current Source Rectifier. *Hu, W.*, +, *TPEL Jan. 2025 105-111*

A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*

A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*

A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*

A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*

A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*

A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*

A Soft-Switched Multiport Converter for Distributed PV Application With Energy Storage. *Karpana, S.*, +, *TPEL Jan. 2025 2300-2314*

A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*

A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance. *Quan, X.*, +, *TPEL Sept. 2025 13919-13930*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*

A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*

A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*

A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*

A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*

A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*

A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*

A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*

A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*

A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*

A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*

A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*

A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*

A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*

A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*

AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*

Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*

Accurate Modeling and Elimination of Vertical Crossings for Multisampled Single-Phase DC–AC Converters. *Zhou, Z.*, +, *TPEL June 2025 7904-7918*

Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation. *Yao, Y.*, +, *TPEL Oct. 2025 15359-15370*

Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*

Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*

Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*

Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*

Advanced Technology of Switched Reluctance Machines in More Electric Aircraft: A Review. *Ge, L.*, +, *TPEL Jan. 2025 195-216*

An Accurate Power Loop Stray Inductance Extraction Method for SiC MOSFETs Based on Forced Resonance With Decoupling Capacitor. *Zhou, D.*, +, *TPEL Feb. 2025 2702-2707*

An Active Discharge Scheme for DC-Bus Capacitors in EV Powertrain. *Sezer, M.M.*, +, *TPEL Nov. 2025 16512-16524*

An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*

An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*

An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*

An Adaptive SMO Approach for Low-Chattering Sensorless Control of PMSM. *Wang, D.*, +, *TPEL Oct. 2025 15329-15338*

An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*

An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM. *Yan, Q.*, +, *TPEL June 2025 7628-7633*

An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*

An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*

An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*

An Efficient Switching Transient Analytical Model for P-GaN Gate HEMTs With Dynamic $C_G(V_{DS}, V_{GS})$. *Du, J.*, +, *TPEL Jan. 2025 2139-2148*

An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*

An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*

An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*

An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*

An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*

An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*

An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs. *Liu, X.*, +, *TPEL Oct. 2025 15745-15756*

An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*

An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*

An Improved Power Cable Insulation Monitoring Method for Inverter-Fed Machines Using Switching Oscillation Damping Feature. *Li, H.*, +, *TPEL Feb. 2025 2822-2832*

An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*

An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*

An Improved Voltage Reconstruction Method for Current Source Inverter. *Wei, Y.*, +, *TPEL Nov. 2025 16409-16418*

An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*

An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*

An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*

An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*

An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*

An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*

An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model. *Luo, T.*, +, *TPEL Oct. 2025 15104-15117*

An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*

An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*

An Ultra-High-Speed LED Array Driver Circuit for Structured Illumination. *Huang, H.*, +, *TPEL Sept. 2025 13177-13186*

An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*

Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*

Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*

Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*

Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters. *Du, H.*, +, *TPEL May 2025 7215-7226*

Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*

Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*

Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*

Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*

ANPC-Waveshaper-Based Medium-Voltage STATCOM With Natural Capacitor Voltage Balancing During Negative-Sequence Current Compensation. *Pillai, S.K.*, +, *TPEL Jan. 2025 1051-1063*

Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor. *Mousavi, M.S.*, +, *TPEL May 2025 6801-6812*

Asymmetric Space Vector Pulse Width Modulation for the Phase Current Reconstruction in Three-Phase Inverters. *Shen, Y.*, +, *TPEL Jan. 2025 1686-1696*

Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*

Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*

Asymmetrical Interleaved Switching Power Amplifier Based on Arm Multiplexing. *Hu, J.*, +, *TPEL Jan. 2025 375-388*

Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*

Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*

Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*

Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*

Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*

Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*

Broadband High-Frequency Power Modulation With Resistance Regulation Network. *Ye, Z.*, +, *TPEL Nov. 2025 16560-16571*

Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*

Carrier-Based Minimum-Loss Discontinuous PWM With Neutral-Point Voltage Balancing for Three-Level NPC Inverters. *Cho, H.*, +, *TPEL Sept. 2025 13895-13906*

Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*

Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*

Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*

Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*

Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Combining Data-Driven and Event-Driven for Online Learning Predictive Control in Power Converters. *Liu, X.*, +, *TPEL Jan. 2025 563-573*

Common-Mode Analysis and Suppression Method for Series-End Winding Motor Drive. *Liu, Z.*, +, *TPEL Jan. 2025 1748-1761*

Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter. *Lee, K.*, +, *TPEL Oct. 2025 15003-15012*

Common-Mode Voltage Suppression Strategy for CHB-Based Motor Drive Based on Topology and Modulation Optimization. *Wang, Z.*, +, *TPEL Jan. 2025 1697-1716*

Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*

Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*

Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*

Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*

Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*

Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*

Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*

Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*

Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*
Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*
Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*
Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*
Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*
Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*
Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*
Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*
Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*
Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*
Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*
DC–AC Talkative Power Conversion Based on Variable Zero-Vector Position Modulation. *Leng, Y.*, +, *TPEL June 2025 7954-7966*
DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*
DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*
Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*
Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*
Design and Analysis of a Frontside Series/Parallel Piezoelectric Resonator-Based DC–DC Converter. *Liu, W.B.*, +, *TPEL Jan. 2025 1389-1403*
Design and Characterization of Bus Bars for 1-MVA Three-Level ANPC Inverters in Aerospace Applications. *Wang, D.*, +, *TPEL Jan. 2025 1135-1152*
Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*
Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*
Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*
Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*
Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*
Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*
Detecting and Localizing Open-Circuit Switch Faults in MMCs Using a Model Informed Estimation Scheme With Low Computational Complexity. *Wang, H.*, +, *TPEL March 2025 4399-4410*
Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*
Diagnosis and Ride Through of Single-Switch Open-Circuit Fault in Low-Capacitance STATCOM. *Darvishzadeh, A.*, +, *TPEL Jan. 2025 1952-1963*
Digital Implementation of Discontinuous PWMs: Mitigating Parasitic Active Vectors for Improved Load Current Quality in Inverter Systems. *Baum, F.*, +, *TPEL May 2025 6740-6752*
Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*
Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*
Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*
Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices. *Wang, L.*, +, *TPEL Dec. 2025 17946-17957*
Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter. *Liu, L.*, +, *TPEL Aug. 2025 11552-11563*
DirectΦΦ Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor. *Pan, B.*, +, *TPEL Sept. 2025 12475-12487*
Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*
Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters. *Zhang, L.*, +, *TPEL Oct. 2025 15595-15606*
Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability. *Chatterjee, D.*, +, *TPEL Nov. 2025 16740-16751*
Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*
Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*
Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*
Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*
Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*
Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles. *Zhou, D.*, +, *TPEL Dec. 2025 18448-18460*
Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable d*V*/*dt* and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*
Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives. *Zhang, Z.*, +, *TPEL Dec. 2025 17726-17737*
Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*
Dynamic Interleaving Strategy to Reduce DC-Link Ripple of Dual Three-Phase Permanent Magnet Synchronous Machine Drives by Using Discontinuous Space Vector Modulation. *Chowdhury, A.*, +, *TPEL Jan. 2025 1762-1773*
Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*
Effects of Modulator-Injected Zero-Sequence Signals on System Stability in Three-Phase Voltage Source Converters. *Jiang, Y.*, +, *TPEL Jan. 2025 435-450*
Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*

Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*

Enhanced *di/dt*-RC Sensing Structure for Accurate Dynamic Current Measurement in Paralleled SiC MOSFETs. *Chang, C.*, +, *TPEL July 2025 9492-9506*

Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter. *Zhang, X.*, +, *TPEL Aug. 2025 10330-10334*

Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation. *Yun, J.*, +, *TPEL April 2025 5014-5024*

Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*

Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*

Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*

Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*

Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*

Experimental Validation of Fault-Tolerant Control With Signal-Based Diagnosis Approach for Interleaved Boost Converter in Fuel Cell Applications. *Benzine, M.*, +, *TPEL June 2025 8592-8603*

Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters. *Cao, T.*, +, *TPEL Dec. 2025 18214-18225*

Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters. *M., M.A.*, +, *TPEL April 2025 4927-4937*

Family of Capacitor–Diode Network Extended High Gain Quadratic Boost Converters for Microgrid Applications. *Naresh, S.V.K.*, +, *TPEL Jan. 2025 1418-1430*

Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives. *Xu, Y.*, +, *TPEL March 2025 4374-4385*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*

Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*

Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*

Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency. *Zhang, P.*, +, *TPEL May 2025 7110-7124*

Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*

Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*

Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*

General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*

Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*

Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*

Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*

Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*

Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*

Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*

Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*

High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*

High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*

High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*

High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*

High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*

High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*

High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*

High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*

High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*

High-Efficiency Wide-Range RF Power Generation Systems With Discrete Power Back-Off From Multiple Inverters. *Zhang, H.*, +, *TPEL Jan. 2025 290-302*

High-Gain Single-Stage Single-Phase Common-Ground Buck–Boost Inverter. *Oppong, F.N.*, +, *TPEL Jan. 2025 1074-1084*

High-Order Generalized Averaging Method for Power Electronics Modeling From DC to Above Half the Switching Frequency. *Li, H.*, +, *TPEL Jan. 2025 176-194*

High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*

High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*

High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*

High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*

Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*

Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*

Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*

Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*

Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive. *Panda, B.*, +, *TPEL June 2025 7777-7788*

Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction. *Cao, D.*, +, *TPEL Feb. 2025 2833-2846*

Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*

Improved PWM Control With Wide Speed Range for a Double-Side Asynchronous Rotor AFPMM Series-End Winding Drive. *Huang, R.*, +, *TPEL Jan. 2025 1728-1738*

Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*

Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter. *Zhao, M.*, +, *TPEL Feb. 2025 3189-3209*

Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell. *Wang, S.*, +, *TPEL June 2025 8253-8263*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*

Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*

Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*

Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*

Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*

Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*

Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*

Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*

Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*

Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System. *Li, Z.*, +, *TPEL May 2025 7315-7328*

Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*

Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*

Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*

Low-Voltage Solid State DCCB Design Based on Bypassed Bidirectional Thyristor-Capacitor Suppressor. *Moradian, M.*, +, *TPEL Jan. 2025 516-52512123*

Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*

Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*

Medium Voltage Auxiliary Power Supply Using Forward Converter Integrated With Switched Capacitor Cells. *da Silva, R.L.*, +, *TPEL Jan. 2025 1404-1417*

Millimetre-Scale 200 MHz Bandwidth Magnetic Field Sensor to Measure Switching Current in SiC Module Terminals With Minimal Insertion Inductance. *Yan, J.*, +, *TPEL Sept. 2025 13260-13275*

Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*

Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*

Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter. *Wang, Y.*, +, *TPEL April 2025 4938-4951*

Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*

Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*

Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*

Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*

Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*

Model Predictive Control Strategies in Switched Reluctance Motor Drives—An Overview. *Cai, J.*, +, *TPEL Jan. 2025 1669-1685*

Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*

Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*

Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*

Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*

Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*

Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*

Modeling and Design of Load Current Based Adaptive Voltage Positioning (AVP) Control for Multiphase Buck Converter Using Digital Current Estimation Algorithm. *Li, L.*, +, *TPEL Jan. 2025 316-327*

Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*

Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*

Modified Harmonic Current Control and Load Range Extension Method for Single-Stage Isolated DCM Boost AC–DC Converter. *Bi, Y.*, +, *TPEL Jan. 2025 263-278*

Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*

Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*

Modulating and Carrier-Based Dodecagonal Space Vector Pulse Width Modulation Technique With Fifth and Seventh Order Harmonic Elimination for Split-Phase OEIM. *Nair, S.S.*, +, *TPEL Jan. 2025 1787-1796*

Modulation-Independent Initial Current Control of DAB-Based Single-Stage AC–DC Converter for DC Bias Elimination. *Mo, N.*, +, *TPEL Jan. 2025 406-421*

Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*

Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*

Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids. *Jiang, S.*, +, *TPEL Nov. 2025 17426-17437*

Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*

Multimode Sequence Modeling Method for Accurate Description of VHF Resonant Converters Based on Mixed Logical Inequalities. *Fang, Y.*, +, *TPEL Feb. 2025 3240-3250*

Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*

Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*

Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*

Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index. *Xiong, Y.*, +, *TPEL Sept. 2025 13217-13230*

Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*

No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter. *Li, J.*, +, *TPEL Sept. 2025 12690-12702*

Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*

Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*

Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods. *Li, Z.*, +, *TPEL Oct. 2025 15718-15729*

Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*

Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*

On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*

On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*

On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*

On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*

One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*

Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*

Online Harmonic Reduction for Aircraft Electrical Power Distribution System With Global Phase-Shifted Carrier PWM. *Peng, Q.*, +, *TPEL Jan. 2025 599-610*

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*

Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*

Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current. *Liu, B.*, +, *TPEL Sept. 2025 12280-12294*

Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*

Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*

Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters. *Le, H.*, +, *TPEL Jan. 2025 1272-1288*

Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*

PCB Inductor With Integrated Shielding to Contain Switching Electric Field and Reduce CM Noise. *McGrew, T.*, +, *TPEL Jan. 2025 944-957*

Performance Limits of Resonant Switched-Capacitor Converter With Voltage Regulation. *Xie, W.*, +, *TPEL Jan. 2025 1441-1456*

Phase Current Reconstruction for DTP-PMSM With Single Current Sensor Using Synchronous Filtering Reconstruction Method. *Zhao, W.*, +, *TPEL June 2025 8528-8539*

Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*

Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*

Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*

Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*

Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*

Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*

Power Flow Control of Bidirectional Modular Multilevel Resonant Converters in MVDC and LVDC Distribution Networks. *Li, B.*, +, *TPEL Jan. 2025 1168-1182*

Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*

Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*

Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*

Predictive Direct Control of Nine-Switch Converter Unified Power Quality Conditioner Based on Time-Sharing Cooperative Control. *Wang, G.*, +, *TPEL April 2025 5895-5906*

Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*

Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*

Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*

PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss. *Kim, T.*, +, *TPEL March 2025 4303-4313*

Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*

Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*

Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*

Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*

Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*

Radio Frequency Power Combining With Reactance Steering Network for Fusion Plasma Heating. *Sen, T.*, +, *TPEL Oct. 2025 15700-15717*

Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*

Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*

Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*

Real-Time Simulation Method for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL April 2025 4695-4700*

Reduced Overshoots, Oscillations, and dV/dt Generation in Parallel Connected SiC MOSFET Modules With Optional Active Current Balancing. *Parker, M.*, +, *TPEL Jan. 2025 1035-1050*

Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation. *Wang, Z.*, +, *TPEL Nov. 2025 16611-16625*

Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives. *Carrillo-Rios, J.*, +, *TPEL Feb. 2025 3419-3429*

Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index. *Lee, D.*, +, *TPEL July 2025 9876-9888*

Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*

Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*

Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*

Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*

Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*

Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*

Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*

Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*

Self-Powered Multiinput Hybrid Rectifier With Arbitrary Phase Difference and Low Start-Up Voltage for Piezoelectric Energy Harvesting. *Xiong, J.*, +, *TPEL March 2025 4461-4472*

Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*

Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*

SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*

Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*

Simple Vector Calculation and Constraint-Based Fault-Tolerant Control for a Single-Phase CHBMC. *Xie, D.*, +, *TPEL Jan. 2025 2028-2041*

Simplified Implementation Architecture for Current-Source SVPWAM. *Wu, Z.*, +, *TPEL April 2025 4727-4733*

Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*

Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*

Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*

Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*

Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*

Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*

Sliding Mode Observer-Based Robust Switch Fault Diagnosis of Bidirectional Interleaved Converters for Energy Storage System. *Zhuo, S.*, +, *TPEL July 2025 9853-9863*

Small-Signal Modeling and Comparisons of the Pulse Frequency Modulation and Time Shift Control for the *LLC* Converters. *Guo, Z.*, +, *TPEL Jan. 2025 526-539*

Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*

Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*

Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*

Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*

Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*

State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*

Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*

Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*

Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*

Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*

Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*

Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*

Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*

Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*

Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*

Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization. *Yang, H.*, +, *TPEL May 2025 6413-6422*

Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*

Systematic Efficiency-Density Co-Optimization of 100 kW GaN Traction Inverter: Methodology and Integration. *Zou, M.*, +, *TPEL Nov. 2025 16281-16299*

The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*

The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*

The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*

Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*

Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios. *Zhang, W.*, +, *TPEL Dec. 2025 17761-17775*

Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*

Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*

Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression. *Chen, T.*, +, *TPEL Dec. 2025 18350-18364*

Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*

Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*

Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*

Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*

Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*

Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*

Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*

Transient DC Bias Suppression for Three-Level Dual-Active-Bridge Converter. *Yang, G.*, +, *TPEL Sept. 2025 12084-12094*

Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*

Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*

Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*

Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*

UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*

Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*

Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*

Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*

Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*

Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*

Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*

Universal Integrated Onboard Charger With Model Predictive Current Control for Plug-In EV Charging. *Karneddi, H.*, +, *TPEL Jan. 2025 28-33*

Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced dv/dt Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*

Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor. *Chen, W.*, +, *TPEL Jan. 2025 638-651*

Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*

Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*

Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*

Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*

ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*

ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

Switching circuits

A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*

A High Conversion Ratio Matrix Autotransformer Switched-Capacitor Converter for 48 V Datacenter Application. *Qiu, M.*, +, *TPEL Jan. 2025 1359-1375*

A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*

A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*

A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*

+ *Check author entry for coauthors*

A Novel Impedance-Decoupled Gate-Drive Scheme for DC Solid-State Circuit Breakers With High Switch Current Utilization Ratio. *Zhao, S.*, +, *TPEL Sept. 2025 12043-12047*
A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*
A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*
A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*
A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*
An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*
An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*
An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*
An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*
Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*
Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*
Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*
Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable d*V*/*dt* and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*
Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*
Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations. *Xiang, Y.*, +, *TPEL Jan. 2025 2235-2247*
Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop. *Yin, Z.*, +, *TPEL May 2025 6753-6770*
Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*
High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*
High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*
High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*
Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*
Low-Voltage Solid State DCCB Design Based on Bypassed Bidirectional Thyristor-Capacitor Suppressor. *Moradian, M.*, +, *TPEL Jan. 2025 516-525*
Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*
On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*
Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*
Piecewise Small-Signal Modeling and Stability Analysis of DR-MMC HVDC System for Offshore Wind Farms via Floquet and Filippov Theory. *Wu, Z.*, +, *TPEL Oct. 2025 15491-15503*
Power Switch Short-Circuit Fault Diagnosis for SRM Drives With Cross-Branch Current Sensors Connection. *Cai, J.*, +, *TPEL June 2025 8516-8527*
Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*
Stability Improvement of GaN Power HEMT by a Multifunctional Monolithic Protection Circuit. *Song, Q.*, +, *TPEL April 2025 5212-5222*
Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*

Switching frequency

A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating *Iq* of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*
A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*
A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*
A Dual-Transformer-Based *LLC* Resonant Converter With Ultrawide Output Voltage Range. *Zhang, H.*, +, *TPEL Jan. 2025 2457-2471*
A Dynamic Study of the Single Active Bridge Converter. *Rodriguez, A.*, +, *TPEL April 2025 4805-4817*
A Flexible Multimode Control Scheme With Variable Switching Frequency for Parallel Interleaved Three-Phase Inverters. *Li, K.*, +, *TPEL Oct. 2025 14585-14597*
A Frequency Design Method for Wireless Power Transfer Systems With PostStage DC–DC Converters. *Zhang, B.*, +, *TPEL Nov. 2025 16096-16099*
A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*
A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*
A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*
A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*
A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*
A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*
A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*
A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*
A Novel Active Power Filter for Supraharmonic Emissions of Single Phase Grid-Connected Inverters. *Aboutaleb, A.M.*, +, *TPEL June 2025 8109-8124*
A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation. *Jin, F.*, +, *TPEL May 2025 6593-6604*
A Novel Control Scheme for Light Load Power Reduction of Flyback Converter. *Liu, Q.*, +, *TPEL Feb. 2025 2691-2696*
A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*
A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency. *Wu, X.*, +, *TPEL Aug. 2025 11283-11295*

A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*

A Passive Lossless and Nonshoot-Through Soft-Switching High Power Density Inverter. *Ji, B.*, +, *TPEL Sept. 2025 13113-13125*

A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*

A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*

A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*

A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance. *Quan, X.*, +, *TPEL Sept. 2025 13919-13930*

A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*

A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*

A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*

A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*

Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*

Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*

An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives. *Zhou, C.*, +, *TPEL Sept. 2025 12204-12214*

An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*

An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*

An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model. *Luo, T.*, +, *TPEL Oct. 2025 15104-15117*

An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*

Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*

Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*

Analysis of Pulsating High-Frequency Injection Self-Sensing Control for CSI PM Motor Drives. *Amorim Torres, R.*, +, *TPEL March 2025 4345-4357*

Asymmetrical Interleaved Switching Power Amplifier Based on Arm Multiplexing. *Hu, J.*, +, *TPEL Jan. 2025 375-388*

Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*

Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*

Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*

Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter. *Lee, K.*, +, *TPEL Oct. 2025 15003-15012*

Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*

Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*

Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*

Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*

Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*

Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*

Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*

Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*

Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*

Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*

Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*

Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*

Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*

Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*

Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*

Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter. *Zhang, X.*, +, *TPEL Aug. 2025 10330-10334*

Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*

Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*

Extended Period Control Approach FCS-MPC for Three Phase NPC Power Converters. *M., M.A.*, +, *TPEL April 2025 4927-4937*

Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L+L+C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*

Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations. *Xiang, Y.*, +, *TPEL Jan. 2025 2235-2247*

Feature Extraction of Frequency-Mapping-Based Resonance Suppression in PMSM Drives With Low DC-Link Capacitance and Inductance. *Gao, R.*, +, *TPEL April 2025 4848-4861*

Fixed Switching Frequency Model Predictive Control for Grid-Forming Inverters. *Carnielutti, F.*, +, *TPEL July 2025 9080-9089*

Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*

Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*

Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*

High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*
High-Order Generalized Averaging Method for Power Electronics Modeling From DC to Above Half the Switching Frequency. *Li, H.*, +, *TPEL Jan. 2025 176-194*
High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*
Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*
Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction. *Cao, D.*, +, *TPEL Feb. 2025 2833-2846*
Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell. *Wang, S.*, +, *TPEL June 2025 8253-8263*
Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*
Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*
Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*
Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*
Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*
Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*
New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*
Novel Single-Loop dq Control for *LC* Filter-Based Single-Phase Standalone Inverter Systems Under Nonlinear Loads. *Iyer, V.G.*, +, *TPEL Jan. 2025 227-240*
On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*
Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters. *Le, H.*, +, *TPEL Jan. 2025 1272-1288*
Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation. *Gonzalez, C.*, +, *TPEL Sept. 2025 12719-12729*
Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*
Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*
Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*
Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*
Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*
Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*
Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*
Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives. *Carrillo-Rios, J.*, +, *TPEL Feb. 2025 3419-3429*
Review of Current-Sharing Schemes for Multiphase LLC Resonant Converter. *Dong, H.*, +, *TPEL Jan. 2025 1322-1345*
Sigmoid Function–Based Discontinuous Feedforward Current Ripple Modeling for Stability Analysis of Cascaded Converter. *Zhang, X.*, +, *TPEL Sept. 2025 12893-12905*
Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*
Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*
Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*
Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*
Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization. *Yang, H.*, +, *TPEL May 2025 6413-6422*
Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*
Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression. *Chen, T.*, +, *TPEL Dec. 2025 18350-18364*
Time-Step-Adaptive Filter Discretization for Variable Sampling Frequency Control of Power Converters. *Hwang, I.*, +, *TPEL Jan. 2025 574-587*
Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*
Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*

Switching loss

A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*
A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*
A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*
A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*
An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM. *Yan, Q.*, +, *TPEL June 2025 7628-7633*
An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*
An Efficient Resonant DC-Link Inverter With the Absence of Separate Shunt Resonant Capacitors Across Each Switch for AC Motor Drive. *Wang, Q.*, +, *TPEL Sept. 2025 12703-12718*
An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*
Carrier-Based Minimum-Loss Discontinuous PWM With Neutral-Point Voltage Balancing for Three-Level NPC Inverters. *Cho, H.*, +, *TPEL Sept. 2025 13895-13906*
Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters. *Pei, Y.*, +, *TPEL Sept. 2025 13556-13567*
Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*
Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*
Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters. *Zhang, L.*, +, *TPEL Oct. 2025 15595-15606*

Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*
Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*
Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable d*V*/d*t* and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*
Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*
Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*
High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*
High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*
Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*
Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*
Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*
Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*
Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter. *Wang, Y.*, +, *TPEL April 2025 4938-4951*
Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*
Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*
New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*
On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*
Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*
Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*
Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*
Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*
Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation. *Wang, Z.*, +, *TPEL Nov. 2025 16611-16625*
Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*
Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*
The Active Gate Driver Based on Hardware Closed-Loop Control for Crosstalk Suppression of SiC MOSFETs With Kelvin-Source Connection. *Cui, M.*, +, *TPEL Jan. 2025 217-226*
The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*
Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression. *Chen, T.*, +, *TPEL Dec. 2025 18350-18364*
Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*
Voltage-Driven Reverse Recovery in Semiconductor Devices: A Diffusion Capacitance Perspective and Behavioral Model for SiC MOSFETs. *Dong, X.*, +, *TPEL Sept. 2025 11951-11956*
Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*

Symbols

A Novel Class-E Quasi-Constant Transconductance Rectifier. *Zhou, H.*, +, *TPEL Oct. 2025 14289-14294*
A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*
An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*
Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*
Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*
Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*

Synchronization

A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points. *Shi, G.*, +, *TPEL Aug. 2025 10402-10418*
A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*
A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*
A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*
A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*
A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*
Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*
An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*
An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*
Andronov–Hopf Oscillator-Based Phase-Locked Loop for Three-Phase Grid Connected Inverters. *Ashraf, M.N.*, +, *TPEL June 2025 7634-7639*
Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*
Composite Power-Frequency Synchronization Loop for Enhanced Frequency Response Considering Current and Power Limits of Grid-Forming Converters. *Xu, T.*, +, *TPEL April 2025 4969-4983*
Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*
Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*
Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*

+ *Check author entry for coauthors*

Fixed-Time Consensus Protocols of Multiagent Systems Based Speed Coordinated Control for Multiple Permanent Magnet Synchronous Motors Under Vector Control System. *Hou, L.*, +, *TPEL Dec. 2025 17844-17857*
Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*
Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*
Improved Grid Forming Control for Energy-Type STATCOM to Enhance Damping and Limit Multiple Currents. *Shi, X.*, +, *TPEL Oct. 2025 15450-15465*
Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter. *Zhao, M.*, +, *TPEL Feb. 2025 3189-3209*
Low-Frequency Oscillation Damping of Grid-Forming STATCOMs With Phase-Compensated DC-Link Voltage Synchronization. *Jiang, X.*, +, *TPEL Feb. 2025 2860-2873*
Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters. *Queiroz, E.D.*, +, *TPEL July 2025 9301-9314*
Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*
Muscle Memory Inspired Robotic-Joint-Multiaxis Motion Control Structure With Parallel Algorithm Modules and Sequential Random Access Processes. *Zou, J.*, +, *TPEL Oct. 2025 14547-14559*
Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods. *Li, Z.*, +, *TPEL Oct. 2025 15718-15729*
Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*
Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*
Relative Coupling EMPC for High-Precision Contouring Control in Multiaxis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*
Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*
Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*
Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*
Synchronous SVM-Based Model Predictive Flux Control of Induction Motor Drives With Fast Phase Synchronization. *Yang, H.*, +, *TPEL May 2025 6413-6422*
Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*
Transient Stability Analysis and Enhancement of Inverter-Based Microgrid Considering Current Limitation. *Li, D.*, +, *TPEL Jan. 2025 2429-2441*
Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*
Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*
Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*
Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*

Synchronous generators

Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*
Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop. *Li, L.*, +, *TPEL Feb. 2025 2697-2701*
Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*
Modeling, Analysis, and Mitigation of Active Power Oscillation in Parallel VSGs System. *Sun, J.*, +, *TPEL Nov. 2025 17295-17308*
Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances. *Liu, L.*, +, *TPEL July 2025 9153-9166*
Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*

Synchronous machines

Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*
Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*
Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation. *Ma, X.*, +, *TPEL March 2025 4289-4302*

Synchronous motors

A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*
Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*
Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*

System buses

Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*

System identification

Data-Driven Tracking Control Design With Noisy Data and its Application in DC Microgrid Control. *Wei, Z.*, +, *TPEL Dec. 2025 17776-17788*

System performance

Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*

System-on-chip

A Compact and Accurate Self-Subtracted R_{LG} Current Sensor for Low-Voltage Monolithic Multiphase Buck Converter. *Tsai, C.*, +, *TPEL Feb. 2025 3251-3261*
Design of GaN Switching Power IC With Auto-Phase-Aligned EMI Adaptive Self-Cancellation and BER-Conscious Spread Spectrum Modulation. *Du, L.*, +, *TPEL Nov. 2025 16718-16727*
Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*

Systematics

A Novel Systematic Topology Derivation Method for Single-Inductor Three-Port DC–DC Converters from Separate Components. *Mo, L.*, +, *TPEL Jan. 2025 1376-1388*
A Systematic Three-Stage Safety Enhancement Approach for Motor Drive and Gimbal Systems in Unmanned Aerial Vehicles. *Jie, H.*, +, *TPEL July 2025 9329-9342*
Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*

Systems architecture

General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*

T

Table lookup

A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*

A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*

A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*

Multiple-Voltage-Vector Model-Free Predictive Deadbeat Control With Updated Reference Voltage Vector for PMSM Drive. *Li, X.*, +, *TPEL May 2025 6492-6505*

Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*

Tail

AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire. *Deng, Q.*, +, *TPEL July 2025 10111-10122*

Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*

Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*

Target tracking

Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*

Taylor series

A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*

Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*

Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*

Technological innovation

General Modeling and Control of Multiple Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Jan. 2025 1900-1909*

High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*

Telecommunications

UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*

Temperature

A Lifetime Prediction Method for SiC MOSFET Under Low Air Pressure Environment Considering Variation of Convective Heat Transfer Coefficient. *Wang, Z.*, +, *TPEL Nov. 2025 16995-17012*

A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*

Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*

Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*

Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*

FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*

Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*

Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*

Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*

Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*

Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters. *Yu, Q.*, +, *TPEL Sept. 2025 13363-13382*

Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*

SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*

Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*

Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*

Temperature dependence

Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*

Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*

The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*

Temperature distribution

A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*

An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*

Calibration and Measurement of V_{ce}-T_j Correlation With Temperature Distribution of IGBT and Interconnections. *Lu, G.*, +, *TPEL Jan. 2025 2149-2157*

Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*

Electrical-Thermal Coupling Modeling of SiC MOSFETs Based on Field-Circuit Coupling and Its Application in Junction Temperature Calculation During Surges. *Zhao, Y.*, +, *TPEL Feb. 2025 2651-2667*

Experimental Investigation on Fatigue Failure Evolution of Press-Pack IGBT Devices Under MMC Operating Conditions. *Lai, W.*, +, *TPEL Aug. 2025 11416-11427*

Failure Mechanism Investigations of Bond Wires Lifting-Off and Die-Attach Solder Aging Considering the Thermal Coupling Effects. *Ge, X.*, +, *TPEL Jan. 2025 2042-2056*

Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*

HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*

Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*

Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy. *Tang, Y.*, +, *TPEL Oct. 2025 15780-15794*

Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*

Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*

Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*

Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter. *Deckers, M.*, +, *TPEL Jan. 2025 2219-2234*

The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*

The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*

Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*

Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*

Temperature measurement

A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*

A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*

A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*

A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*

A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*

A Time Series Characterization of IGBT Junction Temperature Method Based on LSTM Network. *Du, Z.*, +, *TPEL Jan. 2025 2070-2085*

An IGBT Junction Temperature Estimation Method Based on Turn-Off Maximum di_C/dt With Decoupling Load Current. *Shi, Y.*, +, *TPEL Jan. 2025 2057-2069*

An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*

An Online Gate Oxide Degradation Monitoring Method for SiC MOSFETs Based on Turn-ON Gate Current Change Rate. *Meng, H.*, +, *TPEL Sept. 2025 12015-12020*

An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*

Breakdown Characteristics of DMD Paper and Epoxy Resin Under the Square Waveform Voltage of High-Frequency Transformers Using Equal-Diameter Cylindrical Electrodes. *Dang, Y.*, +, *TPEL Oct. 2025 14785-14796*

Calibration and Measurement of V_{ce}-T_j Correlation With Temperature Distribution of IGBT and Interconnections. *Lu, G.*, +, *TPEL Jan. 2025 2149-2157*

Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*

Condition Monitoring the Inhomogeneous Thermal Fatigue of Multichip IGBT Module Based on the Thermal Attenuation Coefficient. *Zhang, J.*, +, *TPEL Jan. 2025 2114-2125*

Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*

Dynamic Mode Decomposition Based Reduced-Order Temperature Field Prediction Method for IGBT Module. *Geng, J.*, +, *TPEL Oct. 2025 15118-15129*

Failure Mechanism Investigations of Bond Wires Lifting-Off and Die-Attach Solder Aging Considering the Thermal Coupling Effects. *Ge, X.*, +, *TPEL Jan. 2025 2042-2056*

HARDCORE: H-Field and Power Loss Estimation for Arbitrary Waveforms With Residual, Dilated Convolutional Neural Networks in Ferrite Cores. *Kirchgassner, W.*, +, *TPEL Feb. 2025 3326-3335*

High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*

High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*

Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*

Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*

In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*

In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*

Influence of Switching Loss Magnitude on Lifetime During a Switch-Mode Power Cycling Test of SiC MOSFETs. *Abuogo, J.*, +, *TPEL Aug. 2025 10555-10566*

Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*

Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*

Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*

Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*

Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*

Monolithic Data-Driven Condition Monitoring Strategy for MMC Consideringand ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*

Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*

Novel Current Sensor Based on Parasitic Inductance With Adaptive Compensation for Parasitic Resistance. *Zhao, X.*, +, *TPEL May 2025 6403-6412*

Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*

Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*

On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*

On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*
Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*
Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*
Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*
Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*
Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter. *Deckers, M.*, +, *TPEL Jan. 2025 2219-2234*
Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*
SiC MOSFET Hybrid Switches With Reverse Conducting IGBTs: Loss and Surge Current Analysis. *Deb, A.*, +, *TPEL Nov. 2025 16341-16351*
Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*
Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*
Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*
Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*
Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Temperature sensors

A Converter-Level Junction Temperature Monitoring Method for IGBT Based on the Turn-OFF Gate Electric Quantities. *Yang, K.*, +, *TPEL Oct. 2025 15422-15432*
A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*
A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*
A Novel Method for Real-Time Junction Temperature Monitoring of SiC Mosfet Through Sensitivity Amplification of Turn-Off Delay Time. *Lu, X.*, +, *TPEL Aug. 2025 11326-11338*
A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*
A Time Series Characterization of IGBT Junction Temperature Method Based on LSTM Network. *Du, Z.*, +, *TPEL Jan. 2025 2070-2085*
An IGBT Junction Temperature Estimation Method Based on Turn-Off Maximum di_C/dt With Decoupling Load Current. *Shi, Y.*, +, *TPEL Jan. 2025 2057-2069*
An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*
An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*
Condition Monitoring the Inhomogeneous Thermal Fatigue of Multichip IGBT Module Based on the Thermal Attenuation Coefficient. *Zhang, J.*, +, *TPEL Jan. 2025 2114-2125*
Digital Twins in Power Electronics: A Comprehensive Approach to Enhance Virtual Thermal Sensing. *Torchio, R.*, +, *TPEL May 2025 6977-6987*
Failure Mechanism Investigations of Bond Wires Lifting-Off and Die-Attach Solder Aging Considering the Thermal Coupling Effects. *Ge, X.*, +, *TPEL Jan. 2025 2042-2056*
High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*
Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*
In Situ Parameter Identification Method for Thermal Network Models of Power Modules. *Zhang, C.*, +, *TPEL Sept. 2025 13276-13288*
Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*
Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*
Maximum Chip Temperature Direct Monitoring for Press-Pack IGBT Integrating Temperature Sensors. *Zhang, Z.*, +, *TPEL June 2025 8049-8061*
Monolithic Data-Driven Condition Monitoring Strategy for MMC Considering $C$and ESR. *Ou, S.*, +, *TPEL Aug. 2025 11339-11354*
Multiwavelength Laser-Based Transient Thermoreflectance for Channel-Temperature Monitoring of GaN HEMTs. *Mao, Y.*, +, *TPEL June 2025 8648-8657*
Novel Current Sensor Based on Parasitic Inductance With Adaptive Compensation for Parasitic Resistance. *Zhao, X.*, +, *TPEL May 2025 6403-6412*
Novel Vertical Shunt Resistor: Integration and Optimization in Power Modules. *Choi, S.*, +, *TPEL Jan. 2025 46-50*
Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*
Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*
Real-Time MOSFET Condition Monitoring for Variable Mission Profiles With a Dual Extended Kalman Filter. *Deckers, M.*, +, *TPEL Jan. 2025 2219-2234*
Temperature-Insensitive Irreversible Demagnetization Fault Diagnosis Based on Dual-State Flux Estimation for PMSMs. *Gao, J.*, +, *TPEL Sept. 2025 13324-13336*

Tensors

Interaction Large-Signal Stability Analysis of M3C and GFM/GFL Hybrid Control Strategies Converters Based on the Novel Fuzzy Tensor Space Method. *Duan, Z.*, +, *TPEL July 2025 9986-9999*

Termination of employment

A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*
An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*

Terminology

Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*

Testing

Active PWM Synchronization With ON-OFF-State Information of Power Semiconductors in Mission Profile Emulation Test. *Xia, S.*, +, *TPEL Aug. 2025 11407-11415*
An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*
Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*
Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*
Development, Integration, and Flight Testing of a Silicon Carbide Propulsion Drive for a Hybrid Electric Aerospace Application. *Farnell, C.*, +, *TPEL Dec. 2025 18437-18447*
Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust dv/dt Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*

+ *Check author entry for coauthors*

High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*
Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*
Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*
Model Predictive Power Control for High-Frequency Link Matrix Converter With Phase Compensation Method. *Xu, B.*, +, *TPEL Sept. 2025 13659-13672*
Modified Digital Current Controller for High Precision Electric Motor Emulators. *Wang, Z.*, +, *TPEL Sept. 2025 12452-12462*
Observing In Situ Degradation of Metallized Aluminum Nitride Substrate by Acoustic Emission and Digital Image Correlation. *Ngo, M.C.*, +, *TPEL Sept. 2025 13300-13310*
Performance-Based Experimental Characterization and Maximum Efficiency Point Detection of Power Inductors. *Femia, N.*, +, *TPEL Jan. 2025 1532-1541*
PV Arc Fault Circuit Interrupter with Knowledge Distillation-Based Lightweight Convolutional Neural Network and SSCB Integration. *Paul, K.C.*, +, *TPEL Dec. 2025 18189-18201*

Thermal analysis
A Parameterized Thermal Simulation Method Based on Physics-Informed Neural Networks for Fast Power Module Thermal Design. *Yang, Y.*, +, *TPEL July 2025 9200-9210*
A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*
Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*
Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*
Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*
Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*
Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*

Thermal conductivity
A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*
A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*
Condition Monitoring of Thermal Fatigue of Power Module Based on Thermal Diffusion Time. *Ke, R.*, +, *TPEL July 2025 8928-8933*
Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*
Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*

Thermal degradation
Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*
Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*
Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*
Small-Sample Prediction Validation Testing: Uncertainty-Aware Design and Robust Maintenance Strategy for Power Electronic Converters. *Sun, Q.*, +, *TPEL Nov. 2025 17040-17050*
Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*

Thermal energy
A Power Losses and Thermal Energy Optimization Method for Hybrid DC Chopper Based on Hysteresis Control Strategy. *Li, Y.*, +, *TPEL Jan. 2025 486-499*

Thermal force
The Press Pack Packaging for Power IGBTs With Extremely High Current and Thermal Performance. *Deng, E.*, +, *TPEL Oct. 2025 14949-14961*

Thermal loading
Collaborative Deformation Analysis of Motor-Bearing System Considering Multiphysical Coupling Environment for In-Wheel Electric Vehicle Applications. *Tan, D.*, +, *TPEL June 2025 8776-8791*

Thermal management
An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*
Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*
On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*
Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*

Thermal resistance
A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*
A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*
An NSGA-II Optimized Manifold Microchannel Heat Sink With Better Heat Dissipation and Superior Thermal Uniformity for SiC Power Modules. *Man, C.*, +, *TPEL July 2025 9211-9222*
Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*
Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*
Hybrid Model Temperature Field Prediction Method Based on Dynamic Mode Decomposition and Deep Learning for IGBT Modules. *Geng, J.*, +, *TPEL Aug. 2025 11218-11229*
Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*
Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*
Investigation on Creep-Fatigue Interaction Failure of Die-Attach Solder Layers in IGBTs Under Power Cycling. *Zhao, S.*, +, *TPEL May 2025 7261-7274*
Junction Temperature Extraction for Silicon Carbide Power Devices: A Comprehensive Review. *Wen, H.*, +, *TPEL Feb. 2025 3090-3111*
Novel Vertical Shunt Resistor: Integration and Optimization in Power Modules. *Choi, S.*, +, *TPEL Jan. 2025 46-50*
Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*
The Thermal Runaway Phenomenon of Unipolar Power Semiconductors in Cryogenic Power Electronics. *Zettelmeier, J.*, +, *TPEL Sept. 2025 12606-12613*
Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*
Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*
Uniform and Efficient Embedded Microfluidic Cooling for High-Power-Density Power Modules. *Tang, W.*, +, *TPEL Oct. 2025 14524-14535*

Thermal stability
A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*
Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit. *Luo, C.*, +, *TPEL Jan. 2025 2472-2483*
Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*
On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*
Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*
Review of Inorganic Nonmetallic Materials in Power Electronics Packaging Application. *Chen, J.*, +, *TPEL Aug. 2025 10509-10530*
Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*
Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*
Stability Considerations for Virtual Capacitor Control in Constant Power DC Loads. *Anees, M.*, +, *TPEL April 2025 4734-4739*
Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*
Understanding a Type of Forced Oscillation in Grid-Forming and Grid-Following Inverter Connected Systems. *Chen, S.*, +, *TPEL Aug. 2025 11628-11640*
Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*

Thermal stresses
A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*
A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*
Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*
Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*
Mitigation of Oscillations in Switching Frequency-Based Active Thermal Control. *Sancio, R.*, +, *TPEL Nov. 2025 17025-17039*
On the Experimental Verification of Electrothermal Modeling of GaN-HEMT-Based DC–DC Converters. *Berger, J.G.*, +, *TPEL April 2025 5518-5530*
On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*
Optimal Control Strategy With Efficiency and Reliability Improvement for Offshore DC Microgrids. *Zhu, X.*, +, *TPEL Nov. 2025 16728-16739*
Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*
Remaining Useful Lifetime Prediction Method of Power Modules Based on the Aging Characteristic Parameters. *Xie, L.*, +, *TPEL Jan. 2025 2086-2098*
Research on Remaining Lifetime Evaluation for Traction System IGBT Devices of Electric Locomotives With Different Service Mileage. *Lai, W.*, +, *TPEL April 2025 6020-6032*
Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*
Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*
Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*
Understanding the Role of Dislocation Defects of GaN HEMT under Short-Circuit Stress Through Transient Thermal Characterization. *Jiang, X.*, +, *TPEL Aug. 2025 11314-11325*

Thermistors
A Novel Method for Online Junction Temperature Monitoring of Power Module Based on In-Situ Sensor Fabrication. *Ke, R.*, +, *TPEL Feb. 2025 3518-3529*

Three-dimensional displays
3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*
3-D Sensing Intermediate Coils for Receiver Position Identification and Power Enhancement in WPT System. *Dong, M.*, +, *TPEL June 2025 8812-8823*
A 2.5D Multichip SiC MOSFET Power Module With Low Parasitic Inductance and High Dynamic Current Sharing Performance. *Zheng, Z.*, +, *TPEL Jan. 2025 1542-1553*
A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*
A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils. *Luo, T.*, +, *TPEL March 2025 4279-4288*
A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*
A Mechanism-Data Driven Self-Adaptive Online Estimation Algorithm for 3-D Temperature Distribution of Battery. *Xie, Y.*, +, *TPEL May 2025 7453-7465*
A Simplified and Comprehensive Analytical Model of Mutual Inductance for the Polygonal Magnetic Couplers in WPT Systems. *Zhang, T.*, +, *TPEL Oct. 2025 14265-14270*
An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs. *Liu, X.*, +, *TPEL Oct. 2025 15745-15756*
Fast and Accurate Three-Dimensional Thermal Model Based on Discrete Green's Function for Power Electronics. *Zhang, Y.*, +, *TPEL June 2025 8036-8048*
Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*
High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*
Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*
Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*
Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*
Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced dv/dt Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*

Three-dimensional integrated circuits
Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*

Three-dimensional printing
A High-Performance 3-D Packaging Structure of SiC Power Module for High-Temperature and High-Power-Density Applications. *Liu, B.*, +, *TPEL Dec. 2025 17619-17636*

Threshold voltage
A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*
A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*

A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*
A Multilevel Self-Driving Gate Driver of SiC MOSFET for Crosstalk Suppression Considering Common-Source Inductance. *Hu, K.*, +, *TPEL Jan. 2025 906-919*
A Novel Control Scheme for Light Load Power Reduction of Flyback Converter. *Liu, Q.*, +, *TPEL Feb. 2025 2691-2696*
A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*
A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*
Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*
An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*
Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*
Degradation Dependency Analysis and Modeling of 1700 V Planar-Gate SiC MOSFETs Under Gate Switching Instability. *Chen, C.*, +, *TPEL Feb. 2025 3566-3577*
Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*
Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*
Identification of Internal Short Circuit on Cell-Level via Similarity Assessment of Partial Voltage Segments in Adjacent Charging Cycles. *Zhao, X.*, +, *TPEL Nov. 2025 17073-17090*
In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*
Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*
Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*
Modeling and Analysis for Switching Crosstalk of SiC MOSFETs Considering Temperature- Dependent Characteristics. *Yue, H.*, +, *TPEL Aug. 2025 10567-10580*
Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*
Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*
Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*
Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*

Through-silicon vias

A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*
Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*

Throughput

Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*

Thyristors

A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*
A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*
A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*
A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*
A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*
A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*
An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*
Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*
Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*
Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*
Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*
Harmonic Programmed Modulation for High-Power Medium Voltage Energy Conversion: Formulation, Solving Approach, and Implementation. *Zhang, Z.*, +, *TPEL June 2025 7872-7892*
Isolated MVdc-HVdc-AC Three-Port Power Router for High-Power Large-Scale PV Applications. *Liao, Z.*, +, *TPEL Jan. 2025 1991-2004*
Low-Voltage Solid State DCCB Design Based on Bypassed Bidirectional Thyristor-Capacitor Suppressor. *Moradian, M.*, +, *TPEL Jan. 2025 516-525*
Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*
Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*
Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*
Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*
Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*

Time division multiplexing

A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*
Bidirectional Signal and Power Co-Transmission Techniques in Isolated Gate Driver for SiC MOSFET. *Song, S.*, +, *TPEL Oct. 2025 14447-14458*
Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*
Dual-Mode Foreign Object Detection System for Metal and Live Object Detection in Wireless Electric Vehicle Charger. *Yang, Z.*, +, *TPEL Sept. 2025 11923-11927*

Time factors

Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*
Ultrafast Hybrid Electromagnetic Actuator for Air Circuit Breaker in DC Traction System. *Fan, J.*, +, *TPEL March 2025 4546-4556*

Time measurement

Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*

High-Accuracy Online Junction Temperature Measurement of Medium-Voltage SiC MOSFETs Based on Passive Turn-On Delay Time Integrator. *Dou, J.*, +, *TPEL April 2025 4775-4779*

Time series analysis

A Time Series Characterization of IGBT Junction Temperature Method Based on LSTM Network. *Du, Z.*, +, *TPEL Jan. 2025 2070-2085*

In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*

Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*

Time-domain analysis

A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*

A Digital Real-Time Computation Algorithm Utilizing Time-Domain Analytic Model for Bidirectional CLLC Synchronous Rectifier in 6.6-kW 300-kHz SiC Portable EV Chargers. *Li, H.*, +, *TPEL Jan. 2025 2342-2354*

A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*

A High-Efficiency Switching Current Model for Power GaN HEMT Based on High-Order Time-Derivative Nonlinear Current Components and Advanced Neural Network Algorithms. *Chen, H.*, +, *TPEL Sept. 2025 12167-12190*

A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control. *Zhang, Z.*, +, *TPEL Jan. 2025 118-123*

A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*

A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*

A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*

A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*

An Accurate, Universal, and Fast Time Domain Model for Different Types of Resonant Converters by Considering Parasitic Capacitors and Deadtime. *Li, Z.*, +, *TPEL Jan. 2025 1305-1321*

An Analytical Formula for the PETT Oscillation Over a Wide Voltage Range in NPT Planar IGBT Chips. *Dongye, Z.*, +, *TPEL Jan. 2025 958-968*

An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model. *Luo, T.*, +, *TPEL Oct. 2025 15104-15117*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*

Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation. *Alam, M.M.*, +, *TPEL June 2025 8553-8565*

Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*

Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*

Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*

Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*

Research on Low-Voltage High-Current Synchronous Rectification Control for LLC Converter Considering Secondary-Side Parasitic Inductors. *Wu, J.*, +, *TPEL April 2025 4862-4877*

Small-Signal Modeling and Comparisons of the Pulse Frequency Modulation and Time Shift Control for the *LLC* Converters. *Guo, Z.*, +, *TPEL Jan. 2025 526-539*

Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*

ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*

Time-frequency analysis

A Digital Twin System for Two-Stage PMSM Rotor and Bearing Faults Identification Based on Deep Learning and Improved-RGB Acoustic Image. *Du, B.*, +, *TPEL Jan. 2025 2184-2195*

A Modified Feedforward Repetitive Controller for AMB Rotor System Using Adaptive Frequency Estimator. *Zeng, H.*, +, *TPEL Oct. 2025 14722-14732*

A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*

A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*

A Series Arc Fault Detection Method Based on Time-Frequency Markov Permutation Transition Field for Photovoltaic Systems With Power Electronic Devices. *Yin, Z.*, +, *TPEL Aug. 2025 11380-11393*

Frequency Domain Inertia Design of Grid-Forming Converters. *Jiang, S.*, +, *TPEL July 2025 8886-8898*

General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*

Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*

Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*

Phase Step Control in PLL of DFIG-Based Wind Turbines for Ultrafast Frequency Support. *Zhou, Y.*, +, *TPEL Jan. 2025 51-56*

Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*

Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*

Time-varying systems

A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*

Robust Deadbeat Predictive Current Control of Permanent Magnet Linear Synchronous Machines Based on Time-Varying Asymmetric Model. *Zou, Z.*, +, *TPEL Nov. 2025 16379-16394*

Timing

A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*

A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*

Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*

Erratum to "Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters". *Gurudiwan, S.*, +, *TPEL Oct. 2025 16042*

Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*

Modulating and Carrier-Based Dodecagonal Space Vector Pulse Width Modulation Technique With Fifth and Seventh Order Harmonic Elimination for Split-Phase OEIM. *Nair, S.S.*, +, *TPEL Jan. 2025 1787-1796*

Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*

Pulse Injection Modulation Method for Current-Fed Dual Active Bridge Converter With Full Load Range ZVS Under Wide Input-Voltage Range. *Liu, C.*, +, *TPEL Feb. 2025 2668-2673*

Reduced Overshoots, Oscillations, and *dV*/*dt* Generation in Parallel Connected SiC MOSFET Modules With Optional Active Current Balancing. *Parker, M.*, +, *TPEL Jan. 2025 1035-1050*

Tin

AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire. *Deng, Q.*, +, *TPEL July 2025 10111-10122*

Topology

4-Vector SVPWM for Single-Phase Transformerless UPQC With Two-Leg and Low DC Voltage. *Wang, S.*, +, *TPEL Jan. 2025 98-104*

A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*

A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*

A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*

A Capacity-Expandable Cascaded Multilevel Energy Storage System Based on Laminated Power Modules. *Zhang, J.*, +, *TPEL April 2025 5265-5278*

A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*

A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*

A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*

A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*

A Compact Underwater WPT System With Load-Independent Current Output Characteristic Under Wide Range of Coupling Coefficient. *Li, J.*, +, *TPEL July 2025 10198-10208*

A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*

A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*

A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*

A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*

A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*

A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*

A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*

A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*

A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*

A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*

A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*

A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*

A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*

A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*

A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*

A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*

A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*

A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*

A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*

A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*

A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*

A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*

A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*

A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*

A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*

A Hybrid EMI Filter Incorporating Active Y-Capacitor for Common-Mode Noise Mitigation. *Li, H.*, +, *TPEL April 2025 5252-5264*

A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*

A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*

A Low-Loss Dynamically Reconfigurable Battery Topology for DC Microgrid Applications. *Zhu, J.*, +, *TPEL Feb. 2025 2708-2714*

A Mixed Conduction Mode Control Strategy Based on Fixed Turn-off Time for Totem-Pole PFC Converter. *Meng, F.*, +, *TPEL Oct. 2025 15768-15779*

A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*

A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*

A Multi-Output Modular Wireless Power Transfer System With Constant-Current Characteristic. *Pan, W.*, +, *TPEL April 2025 6272-6281*

A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*

A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*

A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage. *Pang, Y.*, +, *TPEL Sept. 2025 13415-13433*

A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*

A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*

A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*

A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*

A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle. *Liu, S.*, +, *TPEL Aug. 2025 10456-10468*

A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*

A Novel Adaptive Model Predictive Current Control for Three-Level Simplified Neutral-Point-Clamped Inverter With Carrier-Based Modulation. *Jin, F.*, +, *TPEL May 2025 6593-6604*

A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*

A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*

A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*

A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency. *Wu, X.*, +, *TPEL Aug. 2025 11283-11295*

A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*

A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*

A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*

A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*

A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*

A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*

A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*

A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*

A Novel Single-Phase Nonisolated Dual-Input Microinverter With Active Power Decoupling. *Xiao, C.*, +, *TPEL March 2025 4437-4448*

A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*

A Novel Systematic Topology Derivation Method for Single-Inductor Three-Port DC–DC Converters from Separate Components. *Mo, L.*, +, *TPEL Jan. 2025 1376-1388*

A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*

A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*

A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*

A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*

A Resonant DC-Link Inverter to Reduce the Influence of Resonant Capacitor of Auxiliary Circuit. *Song, J.*, +, *TPEL Jan. 2025 1099-1110*

A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*

A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*

A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*

A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*

A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*

A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*

A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*

A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*

A Soft-Switched Multiport Converter for Distributed PV Application With Energy Storage. *Karpana, S.*, +, *TPEL Jan. 2025 2300-2314*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*

A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*

A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*

A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*

A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*

A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*

A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*

A Trifoil Quadrature Pad Topology for Electric Vehicle Wireless Charging Applications. *Lin, F.J.*, +, *TPEL Nov. 2025 17514-17528*

A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*

A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*

AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*

Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation. *Yao, Y.*, +, *TPEL Oct. 2025 15359-15370*

Adaptive Parameter Tuning and Virtual Impedance Injection Control for Coupled Harmonic Mitigation of Photovoltaic Converter. *Shan, P.*, +, *TPEL Jan. 2025 162-175*

Advanced Modeling Approach for LLC Resonant Converters: From Multiharmonic Analysis to Small Signal Model. *Corti, F.*, +, *TPEL March 2025 3899-3915*

An Adaptive and Efficient Equalizer Based on Bidirectional Flyback Conversion. *Wang, Y.*, +, *TPEL Oct. 2025 15687-15699*

An Adaptive and Scalable Wireless Charging System for Electric Vehicles With Enhanced Interoperability and Misalignment Tolerance. *Pan, W.*, +, *TPEL Sept. 2025 14159-14168*

An Analytical Simplified Algorithm With Unified Zero-Sequence Component Injection for 3L Symmetrical DPWM. *Yan, Q.*, +, *TPEL June 2025 7628-7633*

An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*

An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*
An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*
An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*
An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*
An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*
An Improved Three-Port Resonant PV Converter for Wide Range Operation Based on Adjustable Inductor Coupling Assisted Resonance. *Qian, T.*, +, *TPEL April 2025 5531-5543*
An Inductive Coupled Three-Port Resonant Converter to Achieve Adaptive Power Flow Adjustment for PV Systems. *Qian, T.*, +, *TPEL Nov. 2025 17267-17280*
An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*
An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*
An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*
An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*
An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*
An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*
An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*
An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*
Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*
Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*
Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*
Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters. *Du, H.*, +, *TPEL May 2025 7215-7226*
Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*
Asymmetrical Duty-Cycle Limit Control-Based Multiport Bidirectional DC–DC Converter for Distributed Energy Storage System Applications. *Liu, S.*, +, *TPEL July 2025 9518-9542*
Asymmetrical Interleaved Switching Power Amplifier Based on Arm Multiplexing. *Hu, J.*, +, *TPEL Jan. 2025 375-388*
Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*
Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*
Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*
Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*
Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*
Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*
Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*
Common-Mode Analysis and Suppression Method for Series-End Winding Motor Drive. *Liu, Z.*, +, *TPEL Jan. 2025 1748-1761*
Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter. *Lee, K.*, +, *TPEL Oct. 2025 15003-15012*
Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*
Common-Mode Voltage Suppression Strategy for CHB-Based Motor Drive Based on Topology and Modulation Optimization. *Wang, Z.*, +, *TPEL Jan. 2025 1697-1716*
Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*
Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*
Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*
Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*
Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*
Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*
Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*
Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*
Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*
Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*
Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*
Data-Driven Component-Level Design of Switching Power Converters Using Predictive Modeling. *Reese, S.*, +, *TPEL Aug. 2025 11126-11142*
Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*
Design and Analysis of a Frontside Series/Parallel Piezoelectric Resonator-Based DC–DC Converter. *Liu, W.B.*, +, *TPEL Jan. 2025 1389-1403*
Design and Analysis of a Hybrid Inverting Buck Converter With 5 µs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*
Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*
Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*
Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*
Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*

Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*

Design of Improved Finite-Time Composite Controller for PMSM Servo System Under Position and Speed Single-Loop Structure. *Gao, Y.*, +, *TPEL Jan. 2025 1886-1899*

Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter. *Liu, L.*, +, *TPEL Aug. 2025 11552-11563*

Direct Pulsewidth Modulation Technique for Modular Multilevel Converters Based on Full-Bridge Submodules. *Yin, J.*, +, *TPEL Jan. 2025 1085-1098*

Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters. *Zhang, L.*, +, *TPEL Oct. 2025 15595-15606*

Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*

Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*

Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*

Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*

Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*

Dual-Band Rectifier Using Coupled Inductor for Wireless Power Transfer Receivers. *Kim, D.*, +, *TPEL May 2025 7488-7499*

Dual-Layer SVM-Based Power Flow Control of ANPC-Type Multiport Inverter in Multisource Electric Vehicles. *Zhou, D.*, +, *TPEL Dec. 2025 18448-18460*

Dual-Stage MPC for SoC Balancing in Second-Life Battery Energy Storage Systems Based on Delta-Connected Cascaded H-Bridge Converters. *Poblete, P.*, +, *TPEL Jan. 2025 500-515*

Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*

Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*

Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*

Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults. *Zhao, R.*, +, *TPEL Aug. 2025 11477-11489*

Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*

Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*

Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters. *Cao, T.*, +, *TPEL Dec. 2025 18214-18225*

Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*

Extended Physics-Informed Neural Networks for Parameter Identification of Switched Mode Power Converters With Undetermined Topological Durations. *Xiang, Y.*, +, *TPEL Jan. 2025 2235-2247*

Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*

Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives. *Xu, Y.*, +, *TPEL March 2025 4374-4385*

Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*

Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*

Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*

Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*

General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*

Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*

Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*

High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*

High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*

High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*

High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*

High-Gain Single-Stage Single-Phase Common-Ground Buck–Boost Inverter. *Oppong, F.N.*, +, *TPEL Jan. 2025 1074-1084*

High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*

High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*

High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*

Hybrid Commutation-Based Active Loss-Balancing Control Scheme for Si/SiC Hybrid Three-Level ANPC Inverters. *Zhuge, H.*, +, *TPEL Dec. 2025 18305-18317*

Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*

Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*

Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*

Improved PWM Control With Wide Speed Range for a Double-Side Asynchronous Rotor AFPMM Series-End Winding Drive. *Huang, R.*, +, *TPEL Jan. 2025 1728-1738*

Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*

Improvement of Low-Switching-Frequency Rectifier With Hybrid Cascaded H-Bridge Multilevel Cell. *Wang, S.*, +, *TPEL June 2025 8253-8263*

Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*

Inductive Power Transfer System With Constant Current-Constant Voltage Charging Tolerating Misalignment Based on Multiobjective Optimization for Compensation Topology. *Wang, Q.*, +, *TPEL March 2025 4581-4591*

Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*

Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*

Interactions Analysis and Life Modeling for High-Frequency Transformers Insulation Under Multistress. *Wang, Z.*, +, *TPEL April 2025 5646-5660*

Interoperability and Misalignment Tolerance of Electric Vehicle Wireless Charging System Based on Multiple Self-Decoupled Transmitting Coils and Vector Synthesis Strategy. *Zhang, Y.*, +, *TPEL May 2025 7512-7522*

Isolated MVdc-HVdc-AC Three-Port Power Router for High-Power Large-Scale PV Applications. *Liao, Z.*, +, *TPEL Jan. 2025 1991-2004*
Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*
Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*
Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*
Low-Capacitance Operation and Its Hierarchical Control for STATCOM Based on T-Type Converter With MMDTC. *Liu, S.*, +, *TPEL Jan. 2025 1153-1167*
Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*
Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault. *Liu, Y.*, +, *TPEL April 2025 5743-5755*
Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*
Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*
Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*
Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*
Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*
Modified Harmonic Current Control and Load Range Extension Method for Single-Stage Isolated DCM Boost AC–DC Converter. *Bi, Y.*, +, *TPEL Jan. 2025 263-278*
Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*
Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*
Modulation and Soft-Switching Optimization Control of Multilevel Dual Active Bridge DC–DC Converters. *Pang, J.*, +, *TPEL Jan. 2025 1936-1951*
Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*
MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*
Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*
Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids. *Jiang, S.*, +, *TPEL Nov. 2025 17426-17437*
Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*
Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*
Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*
Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index. *Xiong, Y.*, +, *TPEL Sept. 2025 13217-13230*
New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*
No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter. *Li, J.*, +, *TPEL Sept. 2025 12690-12702*
Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*
Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods. *Li, Z.*, +, *TPEL Oct. 2025 15718-15729*
Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*
On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*
Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*
Optimizing PV–Battery Hybrid Systems: A Reconfigurable Approach With Module-Level Maximum-Power-Point Tracking and Load Sharing. *Jiang, W.*, +, *TPEL Jan. 2025 2327-2341*
Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*
Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*
Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*
Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*
Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*
Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*
Power Flow Control of Bidirectional Modular Multilevel Resonant Converters in MVDC and LVDC Distribution Networks. *Li, B.*, +, *TPEL Jan. 2025 1168-1182*
Predictive Direct Control of Nine-Switch Converter Unified Power Quality Conditioner Based on Time-Sharing Cooperative Control. *Wang, G.*, +, *TPEL April 2025 5895-5906*
Problem Analysis and Improvement of Traditional Efficiency Optimization Method for Inductive Power Transfer Systems. *Chen, D., TPEL May 2025 7466-7476*
PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*
Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*
Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*
Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*
Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*
Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*
Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation. *Wang, Z.*, +, *TPEL Nov. 2025 16611-16625*
Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives. *Carrillo-Rios, J.*, +, *TPEL Feb. 2025 3419-3429*
Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*
Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*

Review of Current-Sharing Schemes for Multiphase LLC Resonant Converter. *Dong, H.*, +, *TPEL Jan. 2025 1322-1345*
Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*
Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*
Seamless Fault-Tolerant Model Predictive Control for Cascaded Full-Bridge NPC Inverters With Cascaded Open-Circuit Faults. *Wei, X.*, +, *TPEL June 2025 8658-8673*
Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*
Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*
Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*
Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*
Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*
Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*
Single-Stage Matrix-Type Solid-State Transformer Based on Push–Pull DAB. *Yu, T.*, +, *TPEL Jan. 2025 2005-2016*
Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*
Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*
Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*
Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*
Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*
Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*
Systematic Topology Synthesis and Power Density Visualization of Partial Power Processing Architecture. *Tian, Y.*, +, *TPEL Jan. 2025 1346-1358*
The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*
Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives. *Luo, K.*, +, *TPEL Aug. 2025 10705-10716*
Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*
Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*
Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*
Topology Construction, Modeling, and Control of Multilevel Inverters Without Shoot-Through Problem. *Zheng, X.*, +, *TPEL May 2025 6787-6800*
Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*
Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*
Topology Reconstruction of Multicoil Transmitter in UAV System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL Oct. 2025 15865-15879*
Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*
Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*
Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*
Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*
Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*
Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*
Ultralocal-Model Generalized Integrator Observer Based Current Reconstruction Strategy for Single DC-Link Shunt PMSM Drives. *Wang, H.*, +, *TPEL Aug. 2025 10758-10768*
Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*
Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*
Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor. *Chen, W.*, +, *TPEL Jan. 2025 638-651*
Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*
ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

Toroidal magnetic fields

Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*
Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*

Torque

A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*
A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*
A Disturbance Suppression Method for Permanent Magnet Arc Motor Using Robust Deadbeat Predictive Current Control and Quasi Resonant Control. *Song, Z.*, +, *TPEL Sept. 2025 13792-13804*
A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*
A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*
A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*
A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*
A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*
A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*

A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*

Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*

Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*

Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*

Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*

Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*

Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*

Adaptive High-Order Sliding-Mode Low-speed Control With RBF Neural Network Nonlinear Disturbance Observer for PMSM Drive System. *Wang, W.*, +, *TPEL Aug. 2025 10865-10876*

Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*

An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*

An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives. *Zhou, C.*, +, *TPEL Sept. 2025 12204-12214*

An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*

An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*

Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*

Analysis of Cogging Torque in a Series Hybrid Variable Flux Machine for EV Using Lumped Magnetic Circuit. *Barman, D.*, +, *TPEL May 2025 7423-7438*

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*

Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*

Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*

Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*

Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*

Diagnosis-Free Self-Tolerant Scheme for Four-Leg Inverter Fed PMSM Drives With Open-Circuit Faults. *Gu, M.*, +, *TPEL Nov. 2025 16080-16084*

Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*

Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*

Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives. *Zhang, Z.*, +, *TPEL Dec. 2025 17726-17737*

Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection. *Zhou, Z.*, +, *TPEL Dec. 2025 17803-17820*

Extended Flux Projection Vector Observer Based Position Error Compensation Strategy for Sensorless Direct Torque Controlled PMSM Drives. *Zhao, J.*, +, *TPEL June 2025 8416-8429*

Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*

Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range. *Lu, L.*, +, *TPEL Feb. 2025 3385-3394*

General Modeling and Control of Multiple Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Jan. 2025 1900-1909*

GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors. *Zhang, Y.*, +, *TPEL Sept. 2025 12309-12320*

High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*

Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*

Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*

Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*

Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*

Loss Minimization Control for High-Speed SPMSM Based on Magnetizing Current Observation and Iron Loss Resistance Online Estimation. *Mao, K.*, +, *TPEL Oct. 2025 14651-14661*

Maximum Torque Per Ampere (MTPA) Control for Interior PMSM Using Position-Offset Injection Considering Inverter Distortion and Saturation. *Tong, Z.*, +, *TPEL July 2025 9764-9774*

Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault. *Liu, Y.*, +, *TPEL April 2025 5743-5755*

Model Predictive Control Strategies in Switched Reluctance Motor Drives—An Overview. *Cai, J.*, +, *TPEL Jan. 2025 1669-1685*

Model Predictive Torque Control of Switched Reluctance Machines With Torque Sharing Function and PWM Control Signals Based on Linear Polynomial Fitting. *Ge, L.*, +, *TPEL Jan. 2025 40-45*

Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*

MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*

Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*

Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*

Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*

Online Estimation of Load Torque and Moment of Inertia Incorporating Extended Disturbance Observer With Trigger. *Tang, S.*, +, *TPEL April 2025 5731-5742*

Online Postfault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault. *Yu, K.*, +, *TPEL Oct. 2025 14733-14745*

Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*

Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*

Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*

Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*

Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Dec. 2025 17690-17702*

Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*

Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*

Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*

Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*

Relative Coupling EMPC for High-Precision Contouring Control in Multiaxis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*

Robust Adaptive Resonant Control Strategy for Flexible Joint Surface Permanent Magnet Synchronous Motors. *Yang, Z.*, +, *TPEL Sept. 2025 12416-12427*

Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*

Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*

Sensorless Active Disturbance Rejection Hybrid Control With Adaptive Sliding Mode Observer for BLDC Motor Drives. *Joshi, D.*, +, *TPEL Dec. 2025 17832-17843*

Sensorless Control of IPMSM Drives Based on Extended State Observer With Enhanced Position Estimation Accuracy. *Zuo, Y.*, +, *TPEL Jan. 2025 787-800*

Sensorless Control Scheme for PMSM Drive via Generalized Proportional Integral Observers and Kalman Filter. *Yu, K.*, +, *TPEL March 2025 4020-4033*

Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*

Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*

Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*

Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*

Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*

Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*

Surface-PMSM Sensorless Control Strategy Based on Reduced-Order Linear Kalman Filter Cooperating With Prediction Error Rolling Compensation. *Xu, S.*, +, *TPEL Aug. 2025 10804-10815*

Synchronous Estimation Scheme of PMSM Mechanical Parameters: A Decoupled Extended Sliding-Mode Observer. *Chang, H.*, +, *TPEL Aug. 2025 10877-10888*

Synchronous Operation Analysis and Control for Single-Converter Dual-Switched Reluctance Motor System. *Ding, S.*, +, *TPEL May 2025 7162-7175*

Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*

Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*

Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*

Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*

Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*

Ultra-Low Frequency Oscillation Damping Control Method for Hydro-Photovoltaic Integrated Systems. *Wang, S.*, +, *TPEL Jan. 2025 2397-2418*

Universal Integrated Onboard Charger With Model Predictive Current Control for Plug-In EV Charging. *Karneddi, H.*, +, *TPEL Jan. 2025 28-33*

Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor. *Chen, W.*, +, *TPEL Jan. 2025 638-651*

Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*

Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*

Torque control

Cost-Function Extremum Seeking Based Model Predictive Torque Control of PMSM With Sensorless Position Estimation. *Cai, J.*, +, *TPEL Dec. 2025 17664-17673*

Direct Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor. *Pan, B.*, +, *TPEL Sept. 2025 12475-12487*

Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives. *Zhang, Z.*, +, *TPEL Dec. 2025 17726-17737*

GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors. *Zhang, Y.*, +, *TPEL Sept. 2025 12309-12320*

Model Predictive Torque Control of Switched Reluctance Machines With Torque Sharing Function and PWM Control Signals Based on Linear Polynomial Fitting. *Ge, L.*, +, *TPEL Jan. 2025 40-45*

Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*

Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients. *De Martin, I.D.*, +, *TPEL Sept. 2025 12393-12401*

Torque measurement

A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*

Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*

Direct Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor. *Pan, B.*, +, *TPEL Sept. 2025 12475-12487*

Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives. *Zhang, Z.*, +, *TPEL Dec. 2025 17726-17737*

Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives. *Zhang, Y.*, +, *TPEL Nov. 2025 16184-16194*

Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*
Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range. *Lu, L.*, +, *TPEL Feb. 2025 3385-3394*
GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors. *Zhang, Y.*, +, *TPEL Sept. 2025 12309-12320*
Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy. *Tang, Y.*, +, *TPEL Oct. 2025 15780-15794*
Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault. *Liu, Y.*, +, *TPEL April 2025 5743-5755*
Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model. *Yang, Z.*, +, *TPEL Aug. 2025 10783-10792*
Model Predictive Torque Control of Switched Reluctance Machines With Torque Sharing Function and PWM Control Signals Based on Linear Polynomial Fitting. *Ge, L.*, +, *TPEL Jan. 2025 40-45*
Optimal Excitation Angles Analysis Based on the SRM Quasi-Linear Normalized Model for Enhanced Overall Performance. *Chai, Z.*, +, *TPEL Nov. 2025 16431-16442*
Performance Evaluation and Comparison for Fault Tolerant Control of Dual Three-Phase PMSM Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Dec. 2025 17690-17702*
Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*
Selective Harmonic Elimination-Based Torque Ripple Optimization for PMSMs With Model Predictive Pulse Pattern Control. *Wang, C.*, +, *TPEL Sept. 2025 12350-12364*
Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*
Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*
Torque Ripple Minimization Control of Switched Reluctance Motor Based on Online Torque Sharing Function. *Yang, R.*, +, *TPEL April 2025 4878-4888*
Torque Ripple Mitigation in Sensorless PMBLDC Motor Drive With Adaptive Observer for LEV. *Saha, B.*, +, *TPEL Jan. 2025 1739-1747*
Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*
Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*
Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor. *Chen, W.*, +, *TPEL Jan. 2025 638-651*
Virtual Multiphase Drive-Based Harmonic Current Injection Approach for PMSMs With Distorted Back-EMFs. *Lyu, Z.*, +, *TPEL March 2025 3844-3849*

Total harmonic distortion
Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*
Topological Derivation and Harmonic Suppression for Single-Phase Three-Switch Common-Ground AC–DC Converter With Reduced Capacitance. *Yang, J.*, +, *TPEL April 2025 5907-5921*

Tracking
Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*
Relative Coupling EMPC for High-Precision Contouring Control in Multi-axis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*

Tracking loops
Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*
QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*

Traction motors
A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*
D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*

Traction power supplies
A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*
Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*

Training
A Fast and Efficient Two-Step Open Phase Fault Diagnostic Method for Dual Three-Phase PMSMs Using Harmonic Components. *Tong, Z.*, +, *TPEL Sept. 2025 11991-11997*
A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*
A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*
A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*
A Graph Propagation-Based Automatic Differentiation Method for Power Electronic and Electric Machine Systems Simulation. *Jia, S.*, +, *TPEL Oct. 2025 14259-14264*
A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*
A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*
A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*
A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage. *Pang, Y.*, +, *TPEL Sept. 2025 13415-13433*
A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*
A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*
A Novel Simultaneous Diagnosis Method for IGBT Open-Circuit Faults and Current Sensor Faults of Three-Phase SPWM Inverter. *Lu, F.*, +, *TPEL Aug. 2025 11369-11379*
A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data. *Xia, Y.*, +, *TPEL April 2025 5949-5958*
A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*
A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*
A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*
A Traction Control System Signal-Based Method for Gear Slack Fault Detection in Electric Locomotive. *Ni, Q.*, +, *TPEL June 2025 8766-8775*

A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*

Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*

An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*

An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*

An Efficient Electrothermal Coupling Simulation Method Based on Neural Network-Aided Power Loss Model for Power Module Thermal Optimization. *Yang, Y.*, +, *TPEL March 2025 3830-3837*

An Empirical Model Informed Neural Network Core Loss Predictor for Soft Magnetic Materials. *Rajput, N.*, +, *TPEL Aug. 2025 11257-11267*

An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model. *Luo, T.*, +, *TPEL Oct. 2025 15104-15117*

An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*

Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*

Autotuned Nonlinear Extended State Observer-Based Fixed-Time Control for Motor-Drive Servo Systems. *Xu, R.*, +, *TPEL Oct. 2025 14536-14546*

Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*

Carrier-Based Minimum-Loss Discontinuous PWM With Neutral-Point Voltage Balancing for Three-Level NPC Inverters. *Cho, H.*, +, *TPEL Sept. 2025 13895-13906*

Common-Mode EMI Analysis With Active CMV Cancellation in Neutral-Point-Less H-Type Inverter. *Lee, K.*, +, *TPEL Oct. 2025 15003-15012*

Coordination of Machine Learning and Current Modulation for DC Series Arc Fault Detection and Extinguishing for Module-Level PV Systems. *Kim, B.*, +, *TPEL Nov. 2025 16061-16067*

Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback. *Huang, Z.*, +, *TPEL Aug. 2025 11787-11798*

Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability. *Chatterjee, D.*, +, *TPEL Nov. 2025 16740-16751*

Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*

General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*

Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*

Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*

Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*

Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*

LDNet-RUL: Lightweight Deformable Neural Network for Remaining Useful Life Prognostics of Lithium-Ion Batteries. *Wu, X.*, +, *TPEL Sept. 2025 13514-13528*

Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*

Machine Learning-Driven Joint Structuring of WPT Coil and Core for Enhanced Mutual Inductance and Reduced Ferrite Volume. *Fawad, .*, +, *TPEL Oct. 2025 15880-15890*

Machine-Learned Models for Power Magnetic Material Characteristics. *Leszczynski, P.*, +, *TPEL Jan. 2025 1554-1562*

Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*

Model Analysis and Design of the Control Strategy for the Bidirectional Resonant DAB Converter. *Jia, P.*, +, *TPEL July 2025 9556-9576*

Modified Discrete-Time Super-Twisting Control of PMSM Speed Regulation System: Theory and Experimentation. *Mei, K.*, +, *TPEL June 2025 7980-7993*

Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*

Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*

Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*

New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*

On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*

Optimal Elman Recurrent Neural Networks-Based Induction Motor Drives With Estimated Machine Parameters. *Arya, S.R.*, +, *TPEL June 2025 8480-8489*

Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*

Optimizing and Controlling Nonlinear Metrics of Multichannel LED Systems With Ambient Light Interference via Reinforcement Learning. *Wang, Q.*, +, *TPEL Nov. 2025 16265-16280*

Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*

Physics-Informed Intelligent Thermal Model for SiC Power Modules With High Generalization. *Tang, Y.*, +, *TPEL Oct. 2025 14459-14477*

Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*

Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*

Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances. *Liu, L.*, +, *TPEL July 2025 9153-9166*

Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*

Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*

Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*

Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*

Robust Health Monitoring for Lithium-Ion Batteries Under Guidance of Proxy Labels: A Deep Multitask Learning Approach. *Guo, R.*, +, *TPEL Aug. 2025 10272-10285*

Self-Sensing Technology of Rotor Displacement for Six-Pole Radial Active Magnetic Bearing Based on Physics-Informed Neural Network. *Zhu, H.*, +, *TPEL Sept. 2025 12998-13006*

Self-Supervised Learning-Based Multiparameters Optimization Framework in Servo Systems. *Li, H.*, +, *TPEL Nov. 2025 16123-16128*

Simultaneous State and Disturbances Estimation for Sensorless PMSM Control: Design and Experiments. *Yu, K.*, +, *TPEL Dec. 2025 17750-17760*

Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*

Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*

Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*

Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*
Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*
Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*
Universal Eddy Current Loss Modeling for Seawater WPT Systems via Pattern Extraction and Curve Fitting. *Fei, Y.*, +, *TPEL Sept. 2025 14000-14013*
Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*

Trajectory

A Computationally Efficient Full-Speed Domain Control Method for PMaSynRM Considering Magnetic Saturation. *Tan, K.*, +, *TPEL June 2025 7754-7764*
A Double Pulse Switching Pattern for LLC Resonant Converter With Noise Suppression Capability Under Extreme Light Load Operation. *Li, Z.*, +, *TPEL May 2025 6448-6453*
A Soft Startup Method With Natural Short-Circuit Tolerance Features for CLLC Converters. *Chen, H.*, +, *TPEL March 2025 4008-4019*
A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*
Adaptive Fault-Tolerant Cooperative Optimization Control for PMSM Servo System With Input Saturation and Multisource Disturbances. *Meng, X.*, +, *TPEL May 2025 6506-6518*
Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*
Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*
Critical Current-Constrained Continuous Nonsingular Terminal Sliding Mode Control for PMSM Based on Control Barrier Function. *Dai, B.*, +, *TPEL Oct. 2025 15093-15103*
Fully Simulated Data-Driven Domain Generalized Method for Multiphase Converters Fault Diagnosis. *Xu, H.*, +, *TPEL Jan. 2025 2099-2113*
High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*
HSS Eigenvalue Sensitivity for Small-Signal Stability Analysis of Nonlinear Time-Periodic System. *Guo, Z.*, +, *TPEL April 2025 4762-4766*
Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*
Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*
Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*
Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*
Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*
Modified Back-Stepping Sliding Mode Controller With Robust Observer-Less Disturbance Rejection for DC Microgrid Applications. *Chabukswar, A.*, +, *TPEL Jan. 2025 451-466*
Multi Module Parallel MHz Power Amplifier with Hybrid Structure and Optimized Control Strategy. *Liu, C.*, +, *TPEL June 2025 7994-8004*
Open-Circuit Fault Diagnosis Method for Inverters Based on Common Characteristics in Critical Region. *Liu, B.*, +, *TPEL June 2025 8540-8552*
Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*
Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation. *Gonzalez, C.*, +, *TPEL Sept. 2025 12719-12729*
Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*
Relative Coupling EMPC for High-Precision Contouring Control in Multi-axis Motion Systems With Sensorless Operation Enabled by Kalman Filter. *Zhou, Z.*, +, *TPEL Sept. 2025 12463-12474*
Self-Supervised Learning-Based Multiparameters Optimization Framework in Servo Systems. *Li, H.*, +, *TPEL Nov. 2025 16123-16128*
Small-Signal Modeling and Comparisons of the Pulse Frequency Modulation and Time Shift Control for the *LLC* Converters. *Guo, Z.*, +, *TPEL Jan. 2025 526-539*
Small-Signal Stability Criterion for Multibus DC Cascaded System Based on Bus Admittance Matrix. *Zhang, Y.*, +, *TPEL May 2025 6442-6447*
Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*
State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*
Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*
Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*
Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*
Variable-Slope-Based Ripple Reduction Method for Speed-Sensorless Induction Motor During Zero Frequency Crossing With Optimized Boundaries. *Luo, C.*, +, *TPEL April 2025 5883-5894*

Transceivers

Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*

Transconductance

A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*
A Novel Class-E Quasi-Constant Transconductance Rectifier. *Zhou, H.*, +, *TPEL Oct. 2025 14289-14294*
General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*
Screening Indicator Selection and Clustering Method for Dynamic Current Balancing of Paralleled SiC MOSFETs. *Zhang, L.*, +, *TPEL Sept. 2025 12154-12166*

Transfer functions

A 96.3% Efficient, 6mV_{pp} Line Transient Response Time-Based Boost Converter With Feedback-PID for AMOLED Displays. *Melillo, P.*, +, *TPEL Jan. 2025 328-339*
A Dispersing Proportional Resonance Controller for Selective Harmonic Current Compensation in a Shunt Active Power Filter. *Wu, Z.*, +, *TPEL Jan. 2025 279-289*
A Multiharmonics Suppression Backstepping Extended State Observer for the PMSM Electrolytic Capacitorless Drives Sensorless Control. *Li, Y.*, +, *TPEL Aug. 2025 10769-10782*
A Robust Inertia Identification Method for Dual Three-Phase PMSM Drives Accounting for Speed Harmonic. *Liu, L.*, +, *TPEL Nov. 2025 16419-16430*
A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*
Adaptive Harmonic Tracking Based Speed Ripple Reduction Method for Permanent Magnet Synchronous Motor Drives. *Wang, S.*, +, *TPEL Nov. 2025 16456-16468*
An Adaptive Sliding Mode Control for PMSM Servo Systems Beyond the Inertia Ratio Limit. *Wang, S.*, +, *TPEL Nov. 2025 16352-16366*
An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*

An Improved Discrete-Time Complex Vector Current Regulator for Position Sensorless UhsPMSM Based on Enhanced Active Damping Function. *Li, Y.*, +, *TPEL Sept. 2025 13822-13834*
Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*
Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*
Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*
Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*
Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*
Discrete Current Controller for SPMSMs at Low Sampling-to-Fundamental Frequency Ratios Using Critical Damping Feedback. *Huang, Z.*, +, *TPEL Aug. 2025 11787-11798*
Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*
Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL Sept. 2025 13673-13685*
Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*
Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L*+*L*+*C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*
Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*
Modified Digital Current Controller for High Precision Electric Motor Emulators. *Wang, Z.*, +, *TPEL Sept. 2025 12452-12462*
Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*
Multifrequency Small-Signal Modeling for Three-Phase Grid-Tied Converter Considering Digital Control and PWM Effect. *Li, H.*, +, *TPEL Feb. 2025 3670-3683*
Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*
Novel Single-Loop dq Control for *LC* Filter-Based Single-Phase Standalone Inverter Systems Under Nonlinear Loads. *Iyer, V.G.*, +, *TPEL Jan. 2025 227-240*
Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*
Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL June 2025 7668-7680*
Time-Step-Adaptive Filter Discretization for Variable Sampling Frequency Control of Power Converters. *Hwang, I.*, +, *TPEL Jan. 2025 574-587*

Transfer learning

An Adaptive ML Framework for Power Converter Monitoring via Federated Transfer Learning. *Kakosimos, P.*, +, *TPEL Nov. 2025 16048-16054*
Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*

Transformer cores

A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*
A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*
A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*
A T-Shaped High Isolation Gate Driver Power Supply for Medium-Voltage SiC Half-Bridges. *Zhang, F.*, +, *TPEL Aug. 2025 11235-11245*
A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*
A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*
Accurate Magnetic Core Losses Measurement Under Arbitrary Excitation Waveforms. *Cabizza, S.*, +, *TPEL Jan. 2025 34-39*
An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*
Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*
Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*
Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*
Coreless DC Transformer With Near-Unity Power Factor by a Reactive Power Injector. *Lin, J.*, +, *TPEL Jan. 2025 1123-1134*
Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*
Fabrication-Specific Simulation of Mn-Zn Ferrite Core-Loss for Machine Learning-Based Surrogate Modeling With Limited Experimental Data. *Choi, M.*, +, *TPEL Jan. 2025 1519-1531*
Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*
Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*
Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*
Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*
Origin Analysis and Mitigation Method of Voltage Oscillation Occurred Inside the Winding of Medium-Voltage Medium-Frequency Transformer. *Wang, Y.*, +, *TPEL Jan. 2025 1974-1990*
Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*
Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*

Transformers

3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*
A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*
A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*
A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*
A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*
A Capacity-Expandable Cascaded Multilevel Energy Storage System Based on Laminated Power Modules. *Zhang, J.*, +, *TPEL April 2025 5265-5278*
A Compact Large-Current Equalizer Based on Flyback Conversion for Large-Scale Battery Packs. *Liu, S.*, +, *TPEL Jan. 2025 738-748*

A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*

A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*

A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*

A Dual-Transformer-Based *LLC* Resonant Converter With Ultrawide Output Voltage Range. *Zhang, H.*, +, *TPEL Jan. 2025 2457-2471*

A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*

A High Conversion Ratio Matrix Autotransformer Switched-Capacitor Converter for 48 V Datacenter Application. *Qiu, M.*, +, *TPEL Jan. 2025 1359-1375*

A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*

A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*

A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*

A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*

A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*

A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*

A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*

A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*

A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*

A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*

A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*

A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*

A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*

A Novel Integrated OBC and LDC System With Flux Path Reconfiguration for Electric Vehicles. *Jo, C.*, +, *TPEL Jan. 2025 2484-2494*

A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids. *Zhang, H.*, +, *TPEL July 2025 9370-9387*

A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*

A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*

A Robust Load Adaptability Method to Suppress AC Harmonic for Series-Connected 12-Pulse Rectifier With DC Side Active Harmonic Injection Circuit. *Sun, R.*, +, *TPEL Sept. 2025 12794-12815*

A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*

A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*

A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*

A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*

A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*

A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*

A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*

A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*

A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*

Accurate Magnetic Core Losses Measurement Under Arbitrary Excitation Waveforms. *Cabizza, S.*, +, *TPEL Jan. 2025 34-39*

Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*

An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*

An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*

An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*

An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*

An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*

An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*

Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*

Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*

Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*

Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*

Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*

Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*

Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*

Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*

Control and Modulation Methods of Single-/Three-Phase PWM Converter for Suppressing Leakage Current. *Lee, J.*, +, *TPEL July 2025 9137-9152*

Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*

Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*

DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*

Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*

Design and Optimization of the MMC-Based Power Electronic Transformer Considering Ripple Power Transfer. *Li, Z.*, +, *TPEL April 2025 5352-5370*

Differential Detection of Feeder and Mesh Impedances Through a Series–Parallel Direct-Injection Soft Open Point. *Lu, M.*, +, *TPEL Jan. 2025 1964-1973*

Direct Mitigation of Common Mode Current in Transformerless Flexible Interconnection Devices. *Wang, L.*, +, *TPEL Dec. 2025 17946-17957*

Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*

Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*

Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*

Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*

Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*

Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*

Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*

Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*

High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*

High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*

High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*

High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*

High-Efficiency, High-Power Asymmetrically Designed Three-Phase Power Supply for Electrolytic Hydrogen Production. *Tian, H.*, +, *TPEL Jan. 2025 92-97*

High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*

High-Gain Single-Stage Single-Phase Common-Ground Buck–Boost Inverter. *Oppong, F.N.*, +, *TPEL Jan. 2025 1074-1084*

High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*

Highly Efficient 800-to-48-V *LLC*-DCX With Matrix Transformer Using Side Leg Windings. *Zhang, Y.*, +, *TPEL Jan. 2025 112-117*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*

Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*

Isolated MVdc-HVdc-AC Three-Port Power Router for High-Power Large-Scale PV Applications. *Liao, Z.*, +, *TPEL Jan. 2025 1991-2004*

Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*

Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*

Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*

Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*

Modeling and Analysis of MHz-Frequency PRC- *C*+*L*+*C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*

Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*

Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*

Multimode Three-Phase *CLLLC* Bidirectional Resonant Converter With Wide Output Voltage Range and Improved Light-Load Efficiency. *Wang, T.*, +, *TPEL Sept. 2025 12542-12554*

Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*

New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*

Origin Analysis and Mitigation Method of Voltage Oscillation Occurred Inside the Winding of Medium-Voltage Medium-Frequency Transformer. *Wang, Y.*, +, *TPEL Jan. 2025 1974-1990*

Planar Rogowski Coil Based Short-Circuit Detection and Partial Open-Circuit Recovery of the Resonant Capacitor in Series-Resonant DC Transformers. *Pradhan, R.*, +, *TPEL Dec. 2025 17894-17910*

Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*

Power Flow Control of Bidirectional Modular Multilevel Resonant Converters in MVDC and LVDC Distribution Networks. *Li, B.*, +, *TPEL Jan. 2025 1168-1182*

Prediction Method for the Remaining Useful Life of Power MOSFETs Based on Deep Learning. *Gao, L.*, +, *TPEL Nov. 2025 16676-16686*

Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*

Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*

Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*

Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*

Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*

Remaining Useful Life Prediction of Power Electronic Devices With Physics-Informed Deep Learning and Sparse Data. *Gao, L.*, +, *TPEL Nov. 2025 16068-16073*

Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*

Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*

Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*

Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*

Single-Stage Matrix-Type Solid-State Transformer Based on Push–Pull DAB. *Yu, T.*, +, *TPEL Jan. 2025 2005-2016*

Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*

Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*

Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*

System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*

The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*

Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*

Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*

Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*

Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*

Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*

Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*

Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*

ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*

Transforms

A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*

A Robust Data-Driven Method for Open-Circuit Fault Diagnosis of Power Switches in Three-Phase Inverters With Low-Quality Data. *Xia, Y.*, +, *TPEL April 2025 5949-5958*

Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*

Transient analysis

A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*

A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*

A Brief Review of SiC MOSFET Transient Analytical Modeling Methods: Principles, Current Status, and Parameters Modeling. *Wang, L.*, +, *TPEL April 2025 5177-5189*

A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*

A Current Source Gate Driver for Reducing Switching Losses in SiC MOSFETs Under Hard Switching Conditions. *Xiao, L.*, +, *TPEL Dec. 2025 17587-17603*

A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*

A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*

A Novel Crosstalk Suppression Method With Miller Clamp Circuit for GaN HEMTs. *Wang, T.*, +, *TPEL March 2025 4314-4323*

A Novel Level Shifter Driver for SiC MOSFET With Passive Triggered Clamping Circuit. *Zheng, X.*, +, *TPEL July 2025 9685-9698*

A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*

A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*

A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*

A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*

A Sophisticated Grid-Forming Dispatchable-Virtual Oscillator Control With Robust Inner Current Control for Improving Transient Stability. *Al Talaq, M.*, +, *TPEL Oct. 2025 15064-15079*

A Stable and Ultrafast Control for Multiparallel Grid-Tied SiC Inverters With LVRT Capability Considering Cable Impedance. *Quan, X.*, +, *TPEL Sept. 2025 13919-13930*

A Temperature-Dependent Analytical Transient Model of SiC MOSFET in Half-Bridge Circuits. *Xue, P.*, +, *TPEL Jan. 2025 892-905*

A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*

A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*

A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*

Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*

Active Gate Driver With Auxiliary Branch for Current Sharing of Paralleled SiC MOSFETs. *Chen, C.*, +, *TPEL Nov. 2025 16315-16326*

Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*

Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*

Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*

Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*

Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*

Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*

An Active Gate Driver Method for Transient Current Balancing of Parallel IGBT Modules Based on PCB RCCS. *Tang, T.*, +, *TPEL Nov. 2025 16300-16314*

An Asynchronous Geometric Sequence Array-Based Binary Search Digital Low-Dropout Regulator for$O(\log n)$-Complexity Coarse Searching Operations. *Kim, H.*, +, *TPEL Jan. 2025 1431-1440*

An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*

An Efficient Switching Transient Analytical Model for P-GaN Gate HEMTs With Dynamic $C_G(V_{DS}, V_{GS})$. *Du, J.*, +, *TPEL Jan. 2025 2139-2148*

An Equivalent Switching Model for FPGA-Based Real-Time Simulation of SiC MOSFET Transient Behaviors in Power Electronic Converters. *Wang, S.*, +, *TPEL Sept. 2025 13063-13074*

An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*

An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*

An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*

An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*

Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*

Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*

Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*

Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*

Circuit-to-Circuit Cosimulation for Closed-Loop Electrical Systems Using Waveform Relaxation. *Alam, M.M.*, +, *TPEL June 2025 8553-8565*

Conversion Function Theory of DC–DC Switching Power Converters. *Shawartamimi, A.*, +, *TPEL Aug. 2025 10419-10432*

Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*

Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*

Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*

Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*

Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit. *Luo, C.*, +, *TPEL Jan. 2025 2472-2483*

Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*

Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*

Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*

Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability. *Chatterjee, D.*, +, *TPEL Nov. 2025 16740-16751*

Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*

Dual-NMOS GaN Gate Driver With Active Bootstrap and Infinite-CMTI Level Shifter for Configurable d*V*/*dt* and MHz Operation. *Xiong, Y.*, +, *TPEL Sept. 2025 11969-11973*

Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*

Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults. *Zhao, R.*, +, *TPEL Aug. 2025 11477-11489*

Enhanced Power Injection Strategies for Voltage Sag Minimization: Integrating the Maximum Apparent Power of the Converter and the Thévenin Equivalent. *de Pontes, G.P.*, +, *TPEL Jan. 2025 351-360*

Fast Battery Parameters Identification Algorithm Based on Equivalent Circuit Model Polarization Network Comprehensive Impedance Quantification. *Yu, Z.*, +, *TPEL Nov. 2025 16764-16779*

Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*

Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*

High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*

Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*

Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*

Influence of Mismatched Gate Loop Inductance on Threshold Dispersity Evolution and Current Sharing of Parallel SiC MOSFETs. *Tang, L.*, +, *TPEL May 2025 6921-6932*

Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*

Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*

Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*

Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*

Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*

Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*

Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*

Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*

Modeling and Design of Load Current Based Adaptive Voltage Positioning (AVP) Control for Multiphase Buck Converter Using Digital Current Estimation Algorithm. *Li, L.*, +, *TPEL Jan. 2025 316-327*

Modeling the dV_{CE}/dt and dI_C/dt at the Turn-On Transient for High-Voltage IGBTs in the Clamped Inductive Circuit. *Zhang, Z.*, +, *TPEL Jan. 2025 840-850*

Modulation-Independent Initial Current Control of DAB-Based Single-Stage AC–DC Converter for DC Bias Elimination. *Mo, N.*, +, *TPEL Jan. 2025 406-421*

Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*

Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*

Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*

Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*

Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current. *Liu, B.*, +, *TPEL Sept. 2025 12280-12294*

+ *Check author entry for coauthors*

Optimal Switching Sequence MPC of a Three- Port-Converter for Variable-Speed PMSM With Hybrid Energy Storage. *Rubio, F.*, +, *TPEL April 2025 5069-5079*

Optimized Design of Demagnetization Control for DFIG-Based Wind Turbines to Enhance Transient Stability During Weak Grid Faults. *Ma, Y.*, +, *TPEL Jan. 2025 76-81*

Optimized-Pulse-Pattern Multistep Finite-Control-Set MPC With Real-Time Validation. *Gonzalez, C.*, +, *TPEL Sept. 2025 12719-12729*

Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*

Preset Power Based Droop Control for Improving Primary Frequency Regulation of Inverters Under Large Disturbances. *Liu, L.*, +, *TPEL July 2025 9153-9166*

Quantitative Transient Stability Analysis for Parallel Grid-Tied Grid-Forming Inverters Considering Reactive Power Control. *Luo, C.*, +, *TPEL April 2025 4780-4786*

Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*

Reduced Overshoots, Oscillations, and *dV/dt* Generation in Parallel Connected SiC MOSFET Modules With Optional Active Current Balancing. *Parker, M.*, +, *TPEL Jan. 2025 1035-1050*

Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*

Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*

Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*

Short-Circuit Analysis of Inverter-Based Distributed Generation and Energy Storage System With Different Control Modes. *Hong, Y.*, +, *TPEL Nov. 2025 17218-17233*

Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*

Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*

Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*

State-Plane Centric Control of Bidirectional Dual Active Bridge Converters in V2X Applications. *Sposito, M.*, +, *TPEL Dec. 2025 18281-18291*

Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*

Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*

Synchronization Stability Analysis Based on Dual-Sequence Dynamic Coupling Model for Grid-Following Inverters Under Asymmetrical Grid Faults. *Yu, J.*, +, *TPEL Feb. 2025 3622-3635*

Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Three-Level Gate Drive for Crosstalk Suppression of GaN Devices With Low Reverse Conduction Loss. *Yan, Y.*, +, *TPEL Oct. 2025 14415-14424*

Transient DC Bias Suppression for Three-Level Dual-Active-Bridge Converter. *Yang, G.*, +, *TPEL Sept. 2025 12084-12094*

Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*

Transient Stability Analysis and Coordinated Phase Control Method for Multiparallel PLL-Synchronized Inverters During Grid Fault. *Lin, Z.*, +, *TPEL Aug. 2025 11442-11451*

Transient Stability Analysis and Enhancement of Inverter-Based Microgrid Considering Current Limitation. *Li, D.*, +, *TPEL Jan. 2025 2429-2441*

Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*

Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*

Transient Stability Evaluation and Decoupled Control for Grid-Following Converters Considering Nonideal Alternating Current Control. *Li, X.*, +, *TPEL July 2025 8990-9003*

Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*

Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*

Transient Thermal Characterization and Assessment of Power Module With Encapsulated Phase Change Material Toward Overload Capability. *Liang, Y.*, +, *TPEL Dec. 2025 17563-17568*

Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients. *De Martin, I.D.*, +, *TPEL Sept. 2025 12393-12401*

Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*

Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*

Transient response

A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*

A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*

A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*

A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*

A 96.3% Efficient, 6mV_{pp} Line Transient Response Time-Based Boost Converter With Feedback-PID for AMOLED Displays. *Melillo, P.*, +, *TPEL Jan. 2025 328-339*

A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*

A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*

A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*

An Asynchronous Geometric Sequence Array-Based Binary Search Digital Low-Dropout Regulator for$O(\log n)$-Complexity Coarse Searching Operations. *Kim, H.*, +, *TPEL Jan. 2025 1431-1440*

An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*

Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*

General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*

On the Role of Switch Output Capacitance on Passive Balancing Within the Flying Capacitor Multilevel Converter. *Bayliss, R.S.*, +, *TPEL Feb. 2025 3275-3285*

Transistors

A 30-mA Compensation-Free Output-Capacitorless Analog LDO With Hybrid Adaptive Biasing. *Tan, Y.*, +, *TPEL Aug. 2025 11182-11196*

A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*

An Asynchronous Geometric Sequence Array-Based Binary Search Digital Low-Dropout Regulator for $O(\log n)$-Complexity Coarse Searching Operations. *Kim, H.*, +, *TPEL Jan. 2025 1431-1440*

An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*

An Improved Crosstalk Suppression Driver Topology for SiC MOSFET With Fast Switching Transient in the Phase-Leg Configuration. *Ye, J.*, +, *TPEL June 2025 8448-8467*

Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*

Co-Simulation of a Printed Circuit Board Modeled by a Cauer Ladder Network Approach Combined With GaN Transistors. *Henneron, T.*, +, *TPEL May 2025 7095-7105*

Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*

Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*

General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*

High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*

High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*

High-Frequency Pulsed Laser Driver Using Complementary GaN HEMTs. *Liu, C.*, +, *TPEL Feb. 2025 3370-3384*

Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*

Monolithic Integration of p-GaN HEMT With Antiparallel Lateral Rectifier to Reduce the Negative Resistance Effect. *Tian, Y.*, +, *TPEL May 2025 6860-6873*

Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*

Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*

On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*

Optimizing PV–Battery Hybrid Systems: A Reconfigurable Approach With Module-Level Maximum-Power-Point Tracking and Load Sharing. *Jiang, W.*, +, *TPEL Jan. 2025 2327-2341*

Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation. *Wang, Z.*, +, *TPEL Nov. 2025 16611-16625*

Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*

Transmission line matrix methods

A Hierarchical Multiarea Hybrid Equivalent for Efficient Simulation of Scalable Power Electronics Systems. *Jin, C.*, +, *TPEL Nov. 2025 16790-16808*

Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*

Transmission line measurements

An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*

Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*

Eddy-Current Effect in Shielded Rogowski Coil for Power Electronic Applications: Mechanism, Essence, and Countermeasure. *Wang, Y.*, +, *TPEL Oct. 2025 14478-14495*

Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust dv/dt Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

Light Load Efficiency Improvement of DAB Converters With Optimal Switching Sequences. *Xiao, Z.*, +, *TPEL July 2025 9343-9356*

Transmitters

A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*

A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*

A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*

A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*

A Dynamic Wireless Power Transfer System Using DC-Controlled Variable Inductor for Segment Transmitter Automatic Switching. *Zhang, Z.*, +, *TPEL Jan. 2025 23-27*

A Fast Front-End Monitoring Method for Mutual Inductance and Load Movement in SS-Compensated Wireless Power Transfer Systems Based on Harmonics Extraction. *Zeng, J.*, +, *TPEL Jan. 2025 2569-2580*

A Generic Coupled and/or Decoupled Integrated Inductors Optimization for WPT Applications. *Darvish, P.*, +, *TPEL Oct. 2025 15976-16003*

A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*

A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*

A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*

A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*

A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*

An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*

An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*

Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*

Compensation Parameter Optimization of Inductive Wireless Power Transfer System for Low Stray Magnetic Field. *Guan, Y.*, +, *TPEL May 2025 7537-7548*

Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*

Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*

Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*
Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*
General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*
High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*
High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*
Highly Integrated Hybrid Inductive and Capacitive Power Transfer System With Asymmetrical Printed-Circuit-Board-Based Self-Resonator. *Wang, Y.*, +, *TPEL July 2025 10254-10264*
Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*
Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*
Nanocrystalline Power Loss and Thermal Mitigation for 11.1 kW Inductive Power Transfer Pads: A Novel Frequency-Dependent Optimization. *Dou, R.*, +, *TPEL Jan. 2025 2513-2526*
Power and Communication Decoupling for a Dual-Active-Bridge Converter With FSK-Based Talkative Power Conversion. *Leng, Y.*, +, *TPEL Oct. 2025 15292-15305*
Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*
Robust Wide-Area Wireless Charging of Multipath Movable Receivers: A Coupling Mechanism and Simplified Configuration Strategy. *Cai, C.*, +, *TPEL Jan. 2025 2527-2541*
Robust Wireless Power and Data Transmission System against Misalignment for Implantable Medical Devices. *Zhu, H.*, +, *TPEL Sept. 2025 14169-14180*
Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*
Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*
The Impact of Signal Delay and Power Surge on the Performance of Parity-Time Symmetric Wireless Power Transfer System. *Tao, J.*, +, *TPEL Aug. 2025 11836-11848*
Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System. *Li, Y.*, +, *TPEL Jan. 2025 2619-2629*
Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*
Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*
Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*

Transmitting antennas

An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*

Triboelectricity

A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*
Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Trigger circuits

Monolithically Integrated Bidirectional Gate ESD Protection Scheme of p-GaN Power HEMT by Dual-Gate Device Technology. *Ma, Y.*, +, *TPEL Feb. 2025 2721-2725*

Tumors

High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*

Tuning

A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*
A High Frequency Active Clamping Source Based SiC Resonant Gate Driving Technology for Multi-kW and Tens of MHz Switched Mode Power Amplifier. *Liu, W.*, +, *TPEL June 2025 8380-8394*
A Novel Decentralized Droop Control Scheme for Multiparalleled APFs With Grid Current Detected. *Zhang, Z.*, +, *TPEL April 2025 5922-5938*
A PI Self-Tuning Method for Three-Phase PWM Rectifiers Based on Stability-and-Dynamics- Constrained Fuzzy Backpropagation Neural Network. *Zhang, Y.*, +, *TPEL Jan. 2025 2419-2428*
A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*
Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*
An Improved Nonlinear Cross-Coupled Control Strategy for Dual-Motor System Based on CM/DM Separation. *Li, S.*, +, *TPEL Feb. 2025 3430-3440*
Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*
Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*
Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*
Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*
Error Dynamics Diagonalization Technique-Based Model-Free Filter Embedding LPF for Servo Drive Applications. *Kim, S.*, +, *TPEL Jan. 2025 764-773*
Form Induced State-Drop Compensator: Compensation Scheme in Electric Motors With Zero-Speed Drop. *Yin, Z.*, +, *TPEL May 2025 6753-6770*
General Parameter Tuning Method for Impedance Shaping of the Grid-Tied Inverter. *Fang, J.*, +, *TPEL Sept. 2025 13459-13473*
Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*
GRA-TOPSIS-Based Model Predictive Torque Control for Induction Motor Without Weighting Factors. *Zhang, Y.*, +, *TPEL Sept. 2025 12309-12320*
Gradient-Based Black-Box Method for Improving the Stability Margin of Power Station Constructed by Inverters Without Exposing Controller Details. *Fang, J.*, +, *TPEL April 2025 4830-4847*
Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*
K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*
Modified Back-Stepping Sliding Mode Controller With Robust Observer-Less Disturbance Rejection for DC Microgrid Applications. *Chabukswar, A.*, +, *TPEL Jan. 2025 451-466*
Multi-Objective Controller Design for Grid-Following Converters With Easy Transfer Reinforcement Learning. *Zeng, Y.*, +, *TPEL May 2025 6566-6577*
Self-Supervised Learning-Based Multiparameters Optimization Framework in Servo Systems. *Li, H.*, +, *TPEL Nov. 2025 16123-16128*

Sensorless Control of PMSM Drives Using Octant Newton–Raphson Method and Reduced-Order EKF Considering Speed Reversal and Noise. *Xiang, F.*, +, *TPEL Aug. 2025 10793-10803*

Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*

Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*

Tuning-Less Model Predictive Torque Control for Synchronous Motor Drives With Maximum Torque-Per-Ampere Criterion Including Transients. *De Martin, I.D.*, +, *TPEL Sept. 2025 12393-12401*

Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*

Tunneling magnetoresistance

Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*

TV

A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*

Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*

U

Uncertain systems

QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*

Uncertainty

A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*

A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*

A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*

A Novel RC-ESO-ADRC for Harmonics Suppression and Robustness Improvement of Grid-Tied Inverters in a Weak and Distorted Grid. *Zhao, Q.*, +, *TPEL Sept. 2025 12581-12593*

A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*

A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*

Adaptive Back-EMF Observer Based on Filtered Transformation for Sensorless SPMSM Control. *Pan, A.*, +, *TPEL Nov. 2025 16231-16242*

Combining Data-Driven and Event-Driven for Online Learning Predictive Control in Power Converters. *Liu, X.*, +, *TPEL Jan. 2025 563-573*

Design of SSUDE Nominal Model for Stability Improvement of Grid-Tied Inverters. *Xiong, Y.*, +, *TPEL April 2025 5025-5036*

Detectability Based Data-Driven Fault Diagnosis Method for Multiple Device Faults of Converters. *Wu, F.*, +, *TPEL April 2025 5983-5998*

Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*

Event-Driven Based Reinforcement Learning Predictive Controller Design for Three-Phase NPC Converters Using Online Approximators. *Liu, X.*, +, *TPEL April 2025 4914-4926*

Fixed Time Cooperative Control for PMSM Servo Systems With Multisource Uncertainties and Faults. *Meng, X.*, +, *TPEL Nov. 2025 16469-16482*

Maximum Correntropy Filter-Based Adaptive Fusion Method for SOH Estimation Considering Capacity Regeneration Phenomenon. *Pan, C.*, +, *TPEL March 2025 4473-4485*

Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model. *Yang, Z.*, +, *TPEL Aug. 2025 10783-10792*

Model-Free Sliding Mode Control of Permanent Magnet Linear Synchronous Motor Using Dynamic Gain Time Delay Estimation. *Wang, L.*, +, *TPEL Sept. 2025 12215-12229*

Modified Back-Stepping Sliding Mode Controller With Robust Observer-Less Disturbance Rejection for DC Microgrid Applications. *Chabukswar, A.*, +, *TPEL Jan. 2025 451-466*

Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*

On the Sensitivity Analysis in Reliability Evaluation for Power Electronic Converters. *Song, Y.*, +, *TPEL May 2025 7251-7260*

QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*

Robust Model Predictive Control of Converter-Based Microgrids. *Babayomi, O.*, +, *TPEL Nov. 2025 17124-17146*

Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*

Uncertainty-Aware Stability Analysis of IBR-Dominated Power System With Neural Networks. *Humblot-Renaux, G.*, +, *TPEL Nov. 2025 16055-16060*

Underwater cables

Modeling and Implementation of a Long-Distance Seawater Single-Wire CPT System for Underwater Sensor. *Li, C.*, +, *TPEL June 2025 7603-7614*

Underwater vehicles

Advanced Startup and Smooth Transition to Sensorless Field Oriented Control for CSI-Fed PMSM Drives in Submersible Pumps. *Bahrami-Fard, M.*, +, *TPEL Sept. 2025 12402-12415*

Uninterruptible power systems

A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*

Upper bound

Composite Adaptive Super-Twisting Sliding Mode Control Using Barrier Function for PM Motor Drives Toward Electric Aircraft Applications. *Hou, Q.*, +, *TPEL Nov. 2025 16255-16264*

Dynamic Threshold Adjustment-Based Event-Triggered Model Predictive Control for PMSM Motor. *Luo, J.*, +, *TPEL Nov. 2025 16206-16218*

Urban areas

A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*

Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*

V

Valves

A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*

A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*

A Power Losses and Thermal Energy Optimization Method for Hybrid DC Chopper Based on Hysteresis Control Strategy. *Li, Y.*, +, *TPEL Jan. 2025 486-499*

An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*

Bidirectional Hybrid Isolated DC Transformer for All-DC Collection and Transmission System. *Li, B.*, +, *TPEL Aug. 2025 11598-11615*

Health-Conscious Integrated Thermal Management Strategy Using Hybrid Attention Deep Reinforcement Learning for Battery Electric Vehicles. *Wu, C.*, +, *TPEL Oct. 2025 15795-15807*

High Interference-Resistant Magnetic Field Probe for Non-Invasive Current Distribution Monitoring in Press Pack IGBTs of HVDC Valves. *Lu, Y.*, +, *TPEL Jan. 2025 2210-2218*

Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*

Variable speed drives

A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*

Varistors

Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*

Vehicle dynamics

A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*

A Dynamic Study of the Single Active Bridge Converter. *Rodriguez, A.*, +, *TPEL April 2025 4805-4817*

A Multipolarity-Coupling Composite Design for Enhancing Lateral and Rotational Misalignment Tolerance of Long-Track DWPT Systems. *Wang, J.*, +, *TPEL April 2025 6319-6333*

A Robust Incremental Model-Based DPCC for SPMSM With a Hybrid Compensation Method. *Yan, S.*, +, *TPEL Oct. 2025 14598-14612*

A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*

A Staggered Bipolar Magnetic Coupler for Dynamic Wireless Charging System. *Cheng, L.*, +, *TPEL July 2025 10242-10253*

A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*

Adaptive Antisaturation Fixed-Time Control for PS-HEV Mode Transition With Predefined Performance. *Rong, X.*, +, *TPEL Sept. 2025 13852-13865*

Disturbance Pre-Estimation Based Receding Horizon Predictive Control for PMSM Drives. *Wang, J.*, +, *TPEL Oct. 2025 14638-14650*

Dynamic Decoupling Sliding Mode Control for PMSM of Electro-Mechanical-Braking System Based on Parameters Estimation of Progressive Trigger. *Wang, X.*, +, *TPEL Aug. 2025 10816-10823*

Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*

Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*

Health State Estimation and Long-Term Durability Prediction for Vehicular PEM Fuel Cell Stacks Under Dynamic Operational Conditions. *Tang, X.*, +, *TPEL March 2025 4498-4509*

In Situ Characterization of Lithium-Ion Battery Dynamic Impedance Spectrum for Real-World Driving Applications. *Du, X.*, +, *TPEL Aug. 2025 11739-11748*

Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*

K-Infy Adaptive Super-Twisting Cascade Surface States Observe Scheme for PMSM Sensorless Control. *Liu, S.*, +, *TPEL Sept. 2025 12268-12279*

Large-Spacing Segmented Transmitter Track for Dynamic Wireless Power Transfer With Low Output Fluctuation. *Xu, H.*, +, *TPEL Sept. 2025 14134-14145*

On the Analysis of Asymmetrical Switching of SiC MOSFETs. *Lee, Y.*, +, *TPEL Oct. 2025 14437-14446*

One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*

Power Management of Hybrid Flywheel-Battery Energy Storage Systems Considering the State of Charge and Power Ramp Rate. *Maroufi, S.M.*, +, *TPEL July 2025 9944-9956*

Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives. *Carrillo-Rios, J.*, +, *TPEL Feb. 2025 3419-3429*

Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*

Vehicle-to-grid

A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*

A Novel Integrated OBC and LDC System With Flux Path Reconfiguration for Electric Vehicles. *Jo, C.*, +, *TPEL Jan. 2025 2484-2494*

An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*

Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*

Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*

Vehicles

High-Frequency Pulsed Laser Driver Using Complementary GaN HEMTs. *Liu, C.*, +, *TPEL Feb. 2025 3370-3384*

Vehicular ad hoc networks

A Multifunction Power Converter With Multimode Capabilities for Low Power Electric Vehicles. *Maurya, V.P.*, +, *TPEL Sept. 2025 13778-13791*

Velocity control

A Predefined Time Fast Terminal Sliding Mode Predictive Speed Control for PMSM Drives. *Kong, D.*, +, *TPEL July 2025 9068-9079*

A Predictive Bandwidth Extended State Observer With Gain Optimization for Model Predictive Speed Control of Electrical Drives. *Li, R.*, +, *TPEL April 2025 5810-5822*

A Variable Rate Supertwisting Sliding Mode Speed Control With Overcurrent Protection for PMSM Considering Aperiodic and Periodic Disturbances. *Chen, Y.*, +, *TPEL April 2025 5787-5798*

Active Disturbance Rejection Speed Control of IPMSM Drive System Based on Generalized Multifrequency Quasi-Resonant Filter Decoupling Linear Extended State Observer. *Cui, Y.*, +, *TPEL Aug. 2025 11296-11313*

An Improved Model-Free Predictive Current Control for SPMSM Drives Based on Adaptive Extended State Observer With Robust Sliding Mode Speed Controller. *Dang, C.*, +, *TPEL Sept. 2025 12378-12392*

Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*

Finite-Time Fast Integral Terminal Sliding-Mode Speed Control Method With Disturbance Observer for SPMSM. *Li, C.*, +, *TPEL Aug. 2025 10694-10704*

Novel Speed Control Method for Load Commutation Inverters for Synchronous Condensers. *Kim, D.*, +, *TPEL Nov. 2025 16395-16408*

Robust Speed Control Strategy of PMSMs Using Improved Sliding-Mode Controller With New Reaching Law and Variable-Parameter Generalized Super-Twisting Observer. *Xu, Y.*, +, *TPEL Nov. 2025 16548-16559*

Smooth Speed Control for Electric Drives Based on Adaptive RBF Neural Network Method. *Zhao, C.*, +, *TPEL Nov. 2025 16158-16168*

Strong-Robustness Sliding Mode Torque Observer With Frequency Adaptive Filter Integrated for PMSMs. *Sun, J.*, +, *TPEL Aug. 2025 11206-11217*

Velocity measurement

Inertia Decoupling Identification Strategy Based on Disturbance Torque Adaptive Observation for PMSM Drives. *Huang, Y.*, +, *TPEL May 2025 7150-7161*

Vertical cavity surface emitting lasers

An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*

Very large scale integration

A Multiple Energy Conversion Channels Fusion Grid-Connected Inverter for Large-Scale PV Active Power Injection Preventing Power Loss Caused by Insufficient MPP PV Voltage. *Pang, Y.*, +, *TPEL Sept. 2025 13415-13433*

Vibration measurement
Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*
Vibrations
A Novel Online Noninvasive Diagnosis Approach for Rolling Bearing Faults in Electric Drive System Based on Motor Radial Force Active Injection. *Wang, J.*, +, *TPEL Dec. 2025 17821-17831*
A Zero-Sequence Current Analysis Approach for Rotating Machinery Fault Diagnosis of Induction Motor Drivetrain Based on Sparse Learning. *Liu, Z.*, +, *TPEL July 2025 9800-9810*
An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*
An Energy Harvesting Interface Based on Reconfigurable Piezoelectric Harvester Array. *Chen, Z.*, +, *TPEL Oct. 2025 15949-15958*
An Improved Electromagnetic-Structural Coupling Vibration Model of Wound Core Under SPWM Excitation. *Yang, B.*, +, *TPEL Sept. 2025 12937-12952*
Control Study for Suppressing Rotor Vibration of the Six-Pole Hybrid Magnetic Bearing System Based on No-Parameter Variable-Step-Size Least-Mean-Square Algorithm. *Shen, L.*, +, *TPEL Aug. 2025 10672-10681*
Design and Analysis of a Frontside Series/Parallel Piezoelectric Resonator-Based DC–DC Converter. *Liu, W.B.*, +, *TPEL Jan. 2025 1389-1403*
Direct Capture of Switching Mechanical Wave on IGBT Bare Dies. *Bai, L.*, +, *TPEL March 2025 4131-4141*
Disturbance Rejection With Transmission Torque Constraint Using a Novel EMPC-DSMC Method in Elastic Servo Drive Systems. *Wang, C.*, +, *TPEL Sept. 2025 13023-13034*
Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*
Speed Signature Analysis for Servo Motor Bearing Fault Detection Under Dynamic Load Conditions. *Huang, X.*, +, *TPEL May 2025 7275-7285*
Synchronous Vibration Control of MSCSG Based on High-Precision Closed-Loop Synchronous Rotating Frame Transformation. *Han, W.*, +, *TPEL April 2025 4793-4804*
System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*
Torque Ripple Reduction of Permanent Magnet Synchronous Machine Drives With Tangential Vibration Acceleration Control. *Qu, J.*, +, *TPEL April 2025 4902-4913*
Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*
Video recording
A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*
Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*
An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*
Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids. *Ning, G.*, +, *TPEL Nov. 2025 16626-16638*
Design and Analysis of a Frontside Series/Parallel Piezoelectric Resonator-Based DC–DC Converter. *Liu, W.B.*, +, *TPEL Jan. 2025 1389-1403*
Full Range Synchronous Rectification Strategy for *LCC* Converter With Capacitive Output Filter Based on Accurate Time-Domain Analysis. *Shao, Z.*, +, *TPEL Oct. 2025 14755-14770*
Virtual private networks
An Improved Voltage Reconstruction Method for Current Source Inverter. *Wei, Y.*, +, *TPEL Nov. 2025 16409-16418*
Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*
ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*
Visualization
Electric Field Visualization and Quantitative Analysis Based on Electroluminescence Effect Excited by High-Frequency Square Wave Voltage. *Wang, K.*, +, *TPEL Aug. 2025 10581-10593*
Systematic Topology Synthesis and Power Density Visualization of Partial Power Processing Architecture. *Tian, Y.*, +, *TPEL Jan. 2025 1346-1358*
Voltage
3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*
4-Vector SVPWM for Single-Phase Transformerless UPQC With Two-Leg and Low DC Voltage. *Wang, S.*, +, *TPEL Jan. 2025 98-104*
5-kW, 96.5% Efficiency Capacitive Power Transfer System With a Five-Plate Coupler: Design and Optimization. *Rong, E.*, +, *TPEL Jan. 2025 2542-2555*
A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*
A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*
A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*
A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*
A Coarse-to-Fine Neural Network Framework for Multitask Fault Diagnosis Across Diverse Converter Types. *Wu, F.*, +, *TPEL Sept. 2025 13231-13245*
A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*
A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*
A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*
A Coupled Inductor-Based SSCB With Reduced Components for DC Microgrid Protection. *Pithanisetty, P.*, +, *TPEL Aug. 2025 11428-11441*
A Current-Balancing Gate Driver for Dynamic Current Sharing of Paralleled SiC MOSFETs With Kelvin-Source Connection. *Chang, C.*, +, *TPEL Jan. 2025 1215-1233*
A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*
A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*
A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*
A Family of Class EF Resonant Inverters With Constant AC Voltage Output and Load-Independent Characteristics. *Cheng, Y.*, +, *TPEL May 2025 7029-7041*
A Family of Dual Power Path Hybrid Converter for AC-AC Power Conversion. *Zhu, J.*, +, *TPEL Aug. 2025 11064-11075*
A Family of Nonisolated Quadratic Buck-Boost Bidirectional Converters With Reduced Current Ripple for EV Charger Applications. *Kallelapu, R.*, +, *TPEL Dec. 2025 18407-18420*
A Fast and Reliable Start-up Strategy for Three-Phase DAB Power Converters. *Chen, Z.*, +, *TPEL July 2025 10027-10037*
A Fault Tolerant Modulation Scheme for a Hybrid Multilevel Inverter in the Event of Open-Switch Fault. *Goel, R.*, +, *TPEL March 2025 3861-3872*
A Flexible-PCB on DPC GaN Power Module With Ultralow Parasitic Inductance. *Kong, H.*, +, *TPEL April 2025 5241-5251*

A Four Switch Common Ground-Based Single Phase Current-Fed Boost Inverter. *Ravitheja, R.*, +, *TPEL Jan. 2025 1064-1073*
A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*
A Frequency-Adaptive Synchronization Method for Bidirectional IPT Systems. *Hu, H.*, +, *TPEL Nov. 2025 16704-16717*
A Front-Driven Independent Power Factor Partial Compensation for Decreasing Capacity in Electrified Railway. *Wu, T.X.*, +, *TPEL Jan. 2025 1915-1924*
A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*
A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*
A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*
A High Conversion Ratio Matrix Autotransformer Switched-Capacitor Converter for 48 V Datacenter Application. *Qiu, M.*, +, *TPEL Jan. 2025 1359-1375*
A High Frequency Bipolar Nanosecond Pulse Generator With High Voltage Gain Based on Inductive Discharge for DBD Application. *Lv, Y.*, +, *TPEL Dec. 2025 17998-18010*
A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*
A High Misalignment Tolerance SCC-WPT System With Relay Single Capacitive Coupler for UAV Wireless Charging Applications. *Lv, X.*, +, *TPEL Aug. 2025 10372-10377*
A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*
A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*
A High-Performance Step-Down DC–DC Converter With Low Output Impedance. *Li, X.*, +, *TPEL Oct. 2025 15182-15198*
A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*
A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*
A High-Speed High-Voltage Pulse Generator With Adjustable Falling Slope Based on Programable Multi Narrow Pulses Drive Method for Series MOSFETs. *Zhang, Y.*, +, *TPEL Jan. 2025 1645-1653*
A Highly Reliable Zeta-Based AC-Link Universal Converter. *Salehi, M.*, +, *TPEL Feb. 2025 3210-3224*
A Lumped Disturbance Compensation Scheme for Unbiased State-of-Charge Estimation of Lithium-ion Batteries. *Xi, H.*, +, *TPEL March 2025 4569-4580*
A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*
A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*
A Monolithic GaN-Based LLC-SRC With Sub-1 mA Quiescent Current and 98.6% Peak Efficiency for Energy Star Standard and 80 Plus Titanium Standard. *Chen, C.*, +, *TPEL Dec. 2025 17637-17649*
A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*
A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*
A New Control Method to Operate Isolated MLI as a Fast Fault-Tolerant Configuration for Handling a Wide Variety of Open Circuit Failures. *Yadav, G.*, +, *TPEL Sept. 2025 12770-12778*
A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*
A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle. *Liu, S.*, +, *TPEL Aug. 2025 10456-10468*
A Novel Active EMI Filter Based on Transferring Common-Mode Noise to Differential-Mode Noise. *Wang, H.*, +, *TPEL July 2025 8950-8955*
A Novel Cascode-Diode-Based Functional Multiplexing Circuit for Both Efficient Freewheeling and Accurate on-State Voltage Extraction for IGBTs. *Zhao, C.*, +, *TPEL Dec. 2025 17552-17557*
A Novel Communication-Free Carrier Synchronization High-Frequency Circulating Current Suppression Method Based on Reference Prediction for Parallel Power Converters. *Feng, K.*, +, *TPEL Oct. 2025 15620-15637*
A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*
A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*
A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*
A Novel Delta-Type Transformerless Unified Power Flow Controller With Multiple Power Regulation Ports. *Qiu, H.*, +, *TPEL Oct. 2025 15820-15834*
A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency. *Wu, X.*, +, *TPEL Aug. 2025 11283-11295*
A Novel Family of Four-Port Three-Phase DC–AC Converter and Its Carrier-Based PWM Strategy. *Li, C.*, +, *TPEL April 2025 5130-5146*
A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*
A Novel Full-Bridge Boost LCL-Type DC/DC Converter With a Constant Off-Time: Analysis, Design, and Experimental Results. *Zhu, Y.*, +, *TPEL Jan. 2025 1023-1034*
A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*
A Novel Lattice Boltzmann Based Electromagnetic Solver for Efficient Evaluation of Capacitor Layout and Busbar Structure in Power Electronics. *Hui, X.*, +, *TPEL Dec. 2025 17911-17923*
A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*
A Novel Open-Circuit Fault Detection and Localization Method for the CLLC Converter. *Karimzadeh, M.S.*, +, *TPEL July 2025 9898-9907*
A Novel Rectifier for Decoupled DD Pads in Electric Vehicle WPT System With High Misalignment Tolerance and Interoperability. *Mai, J.*, +, *TPEL Oct. 2025 14337-14342*
A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives. *Sun, Z.*, +, *TPEL Nov. 2025 16195-16205*
A Novel Saturable-Reactor-Free Hybrid Commutated Converter Based on Transient Impulse Characteristics of RB-IGCT. *Wang, Z.*, +, *TPEL Nov. 2025 16687-16695*
A Novel Simplified Time Domain Analysis-Based Synchronous Rectification Strategy for *LLC* Converter Featuring Real-Time Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 4997-5013*
A Novel Single-Driver Series-Parallel IGBTs Solid State Circuit Breaker Component. *Ma, J.*, +, *TPEL Oct. 2025 15215-15225*
A Novel SVM Strategy With Carrier-Based Implementation for Three-Level Simplified Neutral-Point-Clamped-Inverters. *Lin, Z.*, +, *TPEL June 2025 8726-8738*
A Novel T-Type Active EMI Filter Based on Sensing and Injection Multiplexing Configuration. *Wang, H.*, +, *TPEL Sept. 2025 11963-11968*
A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*

A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*

A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*

A Pseudodecoupled Modeling and Analysis Method for Interleaved Multiphase Converters With Coupled Inductors. *Wei, L.*, +, *TPEL May 2025 6605-6628*

A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*

A Real-Time Simulation Model With Constant Admittance Matrix for Multiple Grid-Connected Converters System. *Xu, M.*, +, *TPEL Oct. 2025 15080-15092*

A Resonant DC-Link Inverter to Reduce the Influence of Resonant Capacitor of Auxiliary Circuit. *Song, J.*, +, *TPEL Jan. 2025 1099-1110*

A Ripple Compensation Auxiliary Half-Bridge for Coupled Inductor Multiphase Buck Converter. *Jiang, T.*, +, *TPEL July 2025 9452-9462*

A Robust Adjustable Speed Drive to Operate in Polluted Grid Conditions With Improved Line Current Harmonics. *Gopalan, S.*, +, *TPEL April 2025 5823-5834*

A Scalable N-Level Dickson Charge Pump Based 12 V to 1–1.8 V Hybrid Buck Converter. *Lee, C.*, +, *TPEL Sept. 2025 12021-12025*

A Self-Powered Bipolar Rectifierless Series-SSHI Circuit With Dual-Polarity Energy Extraction for Piezoelectric Energy Harvesting. *Qiu, Z.*, +, *TPEL Oct. 2025 15937-15948*

A Simplified Switch Short-Circuit Fault-Tolerant Scheme for Three-Phase Six-Switch Current Source Rectifier. *Hu, W.*, +, *TPEL Jan. 2025 105-111*

A Simplified Time-Domain Model-Based Maximum Efficiency Tracking-Aided Synchronous Rectification Strategy for *CLLC* Chargers. *Wei, R.*, +, *TPEL Nov. 2025 17160-17171*

A Single-Stage Common-Ground Inverter With High-Voltage-Gain Ability. *Wang, L.*, +, *TPEL May 2025 7058-7069*

A Single-Switch Non-Isolated Ripple-Less Step-Up DC-DC Converter With Ultra-High Gain Capability. *Falahi, F.*, +, *TPEL March 2025 4244-4254*

A Single-Switch ZVS High Step-Up DC–DC Converter With Stacked Voltage Multiplier Cell. *Ding, X.*, +, *TPEL June 2025 8292-8304*

A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*

A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*

A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*

A Thyristor-Based Solid-State DC Circuit Breaker With a Three-Winding Coupled Inductor. *Wang, S.*, +, *TPEL April 2025 6192-6202*

A Time Series Characterization of IGBT Junction Temperature Method Based on LSTM Network. *Du, Z.*, +, *TPEL Jan. 2025 2070-2085*

A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*

A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*

A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*

A Totem-Pole Flying Capacitor Based Series Hybrid DCCB With Bi-Directional Interruption and Energy Recovery Ability. *Xiong, W.*, +, *TPEL June 2025 8739-8750*

A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*

A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*

A Wide Pulse-Repetitive-Frequency Range Pulsed Power Supply With Improved Dynamic Response and Efficiency. *Xu, Y.*, +, *TPEL Jan. 2025 252-262*

A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*

A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*

AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*

Achieving Wide Voltage-Conversion-Ratio and Reduced Power Losses for High Efficiency With EVCR Buck Converter for a 1.8 V Power Rail. *Park, H.*, +, *TPEL Sept. 2025 12011-12014*

Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*

Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*

Advanced Dual-Channel Gate Driver With Short-Circuit Protection for Series-Connected Medium-Voltage SiC MOSFETs. *Wang, R.*, +, *TPEL Oct. 2025 15572-15582*

Aging and Lifetime of Power Module Packaging Insulation Due to Partial Discharge Under High dV/dt Square Wave Voltage and High Temperature. *Ding, Y.*, +, *TPEL July 2025 9864-9875*

An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*

An Analytical Formula for the PETT Oscillation Over a Wide Voltage Range in NPT Planar IGBT Chips. *Dongye, Z.*, +, *TPEL Jan. 2025 958-968*

An Asymmetric Hybrid Phase-Leg Modular Multilevel Converter With Small Volume, Low Cost, and DC Fault-Blocking Capability. *Zhang, R.*, +, *TPEL April 2025 5336-5351*

An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*

An Efficiency Optimization Method for Doubled-Sided LCC Compensated Inductive Power Transfer Systems Based on Circuit Parameter Matching. *Xia, J.*, +, *TPEL April 2025 6260-6271*

An Efficient and Compact Supply for Electroactive Polymers. *Almanza, M.*, +, *TPEL Aug. 2025 11197-11205*

An Electric Vehicle Wireless Charging System With 400-V and 800-V Battery Tolerance and Strong Offset Resistance. *Shen, Z.*, +, *TPEL April 2025 4722-4726*

An Electrochemical Aging-Informed Data-Driven Approach for Health Estimation of Lithium-Ion Batteries With Parameter Inconsistency. *Zhang, S.*, +, *TPEL May 2025 7354-7369*

An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*

An Extendable Transformer-Less Bidirectional DC–DC Converter With High Voltage Gain and Zero-Current Ripple. *Hu, X.*, +, *TPEL March 2025 4227-4243*

An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs. *Liu, X.*, +, *TPEL Oct. 2025 15745-15756*

An Improved All-Solid-State Hybrid Energy Storage Pulse Circuit for Excimer Laser Power Supply. *Chen, J.*, +, *TPEL Aug. 2025 10443-10455*

An Improved Switching Method-Based Diagnostic Strategy for IGBT Open-Circuit Faults in Hybrid Modular Multilevel Converters. *Wu, H.*, +, *TPEL Feb. 2025 3578-3599*

An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*

An Improved Voltage Reconstruction Method for Current Source Inverter. *Wei, Y.*, +, *TPEL Nov. 2025 16409-16418*

An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*

An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*

An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*

An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*

An Interleaved Soft-Switching Bidirectional Converter for EV Application. *Chen, Q.*, +, *TPEL Dec. 2025 18237-18250*

An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*

An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*

An Optimal DC–DC Converter for Fuel Cell-Supercap Series-Connected Powertrain in Fuel Cell Electric Vehicles. *Kang, S.H.*, +, *TPEL Nov. 2025 17384-17399*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

An Optimization Approach for Efficiency and Interoperability Enhancement of WPT Systems for Autonomous Underwater Vehicles. *Wang, Z.*, +, *TPEL April 2025 6345-6358*

Analysis and Mitigation Methods of Gate Oscillation in Paralleled 10 kV SiC MOSFETs. *Liu, G.*, +, *TPEL Aug. 2025 10531-10542*

Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*

Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*

Analysis and Optimization of Current Injection Method for Mitigating the Current Ripple of MMC-BESS. *Yu, Y.*, +, *TPEL Sept. 2025 13050-13062*

Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*

Analysis of Carrier Overlap Modulation and Space Vector Modulation Equivalence in NPC Inverters. *Du, H.*, +, *TPEL May 2025 7215-7226*

Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*

Analytical Transient Model of Field-Stop IGBT Accounting for Temperature Dependence. *Xue, P.*, +, *TPEL June 2025 8062-8074*

Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*

Asymmetrical Interleaved Switching Power Amplifier Based on Arm Multiplexing. *Hu, J.*, +, *TPEL Jan. 2025 375-388*

Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*

Automated Power Converter Topology Derivation Methodology Based on Exhaustive Graph Search. *Deckers, M.*, +, *TPEL April 2025 6147-6161*

Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*

Autonomous Battery Equalization Module Using Capacitively Coupled Input-Parallel Output-Series Structure. *Wei, Z.*, +, *TPEL April 2025 6162-6176*

Autonomous Inductive Power Transfer System With Quasi Constant Power Output Against Coupling and Load Variations. *Li, A.L.*, +, *TPEL Sept. 2025 14061-14071*

Balancing Flying Capacitor Multilevel Converters With Coupled Inductors: Multiresonant Dynamics. *Zhou, D.H.*, +, *TPEL May 2025 6578-6592*

Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*

Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*

Capacitance Distribution in Charge Pumps With Capacitive Load to Reduce Area and Input Energy. *Ballo, A.*, +, *TPEL Sept. 2025 13991-13999*

Carrier Phase Synchronization Based on Circulating Current Identification for Distributed Inverters. *Zhang, J.*, +, *TPEL Aug. 2025 10433-10442*

Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*

Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*

Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*

CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*

Comments on "An Effective Power Improving Method of Magnetic Field Energy Harvesters Using a Series-Connected Capacitor for Wireless Sensors in Smart Grids". *Kuperman, A., TPEL Jan. 2025 2643-2647*

Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*

Compact Nanosecond Pulse Generator Based on Distributed Inductive Energy Storage of Twisted Pair Wire. *Ma, J.*, +, *TPEL Jan. 2025 1111-1122*

Compact Rectifier With Wide Range of Output Load Based on Self-Bias Impedance Compensation. *Wu, P.*, +, *TPEL April 2025 4706-4710*

Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*

Compensation Network Design for WPTS With Independence Coupling Coefficient in CC and CV Modes With ZPA, and Its Simplest Network. *Xiao, Q.*, +, *TPEL April 2025 6385-6397*

Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*

Constant Frequency CC–CV Operation of Isolated *LLC* Resonant DC-DC Converter Using Switched Capacitor Network for WCS. *Gautam, K.K.*, +, *TPEL Jan. 2025 64-70*

Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*

Control and Design of a Novel Dual Multiplexing Soft Open Point With Small Volume. *Chen, Y.*, +, *TPEL Aug. 2025 10988-11000*

Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*

Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*

Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*

Current Sensor-Less Dead Time Distortion Compensation in Three-Phase PWM Inverter. *Chatterjee, D.*, +, *TPEL Sept. 2025 12873-12892*

Current Sharing for a Multiphase Inverter Based on Coupled External Parallel Resonant Branches for Wireless Power Transfer System. *Liu, R.*, +, *TPEL Jan. 2025 71-75*

Customized Output Voltage Stacked Blumlein Pulse Generator: Its High-Voltage Isolation and Coupling Elimination. *Hao, Y.*, +, *TPEL July 2025 9418-9428*

Data Regression Compensation Algorithm for Improving the Current Dynamic Performance of Grid-Tied Inverters. *Li, C.*, +, *TPEL March 2025 4034-4050*

DC-Link Capacitance Online Estimation Based on Current Hybrid Reconstruction by Charge Equivalence for Boost PFC Converters. *Qu, D.*, +, *TPEL April 2025 4818-4829*

Decipher Turn-On Voltage Plateau of High-Voltage Integrated Gate Commutated Thyristors. *Wu, J.*, +, *TPEL April 2025 5223-5230*

Design and Analysis of a Hybrid Inverting Buck Converter With 5 μs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*

Design and Characterization of Bus Bars for 1-MVA Three-Level ANPC Inverters in Aerospace Applications. *Wang, D.*, +, *TPEL Jan. 2025 1135-1152*

Design and Implementation of 40-kV Active Pull-Down Pulsed-Power Modulator for Driving Plasma Reactor in Gas Abatement. *Ahn, J.*, +, *TPEL Aug. 2025 11012-11020*

Design and Reliability Analysis of a New Non-Isolated DC–DC Converter Without Coupled Inductors. *Rajesh, R.*, +, *TPEL Nov. 2025 16752-16763*

Design Methodology of Three-Phase *LLC* Charger Based on Time-Domain Model With Enhanced Analytical Accuracy and Power Efficiency. *Guo, N.*, +, *TPEL May 2025 7042-7057*

Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*

Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*

Detrimental Voltage Elevation Phenomenon of the SGTOs and Its Optimization Methods. *Shang, Z.*, +, *TPEL Sept. 2025 12143-12153*

Direct Charge Control for a Dual-Bridge Series Resonant Converter in the Half-Cycle Discontinuous Conduction Mode. *Li, Z.*, +, *TPEL Dec. 2025 18113-18132*

Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter. *Liu, L.*, +, *TPEL Aug. 2025 11552-11563*

Direct Pulsewidth Modulation Technique for Modular Multilevel Converters Based on Full-Bridge Submodules. *Yin, J.*, +, *TPEL Jan. 2025 1085-1098*

Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*

Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*

Dual Matrix Converter Based Wireless Power Transfer System. *Chen, X.F.*, +, *TPEL Dec. 2025 18474-18488*

Dual Mode 1- Φ Transformerless Inverter With Common Ground Configuration for PV Application. *Neti, S.S.*, +, *TPEL Sept. 2025 13603-13614*

Dual Motor Drive System Based on Distributed Battery Pack Modular Multilevel Converter. *Barresi, M.*, +, *TPEL Dec. 2025 17674-17689*

Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*

Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives. *Zhang, Z.*, +, *TPEL Dec. 2025 17726-17737*

Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*

Effects of Modulator-Injected Zero-Sequence Signals on System Stability in Three-Phase Voltage Source Converters. *Jiang, Y.*, +, *TPEL Jan. 2025 435-450*

Electrochemistry-Driven Design of Multiwinding CLLC Resonant Converter. *Groon, F.*, +, *TPEL Nov. 2025 17309-17324*

Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults. *Zhao, R.*, +, *TPEL Aug. 2025 11477-11489*

Energy Flow Path Planning and Multiload Constant Voltage Outputs in Domino WPT System Based on Current Phase Configuration. *Li, Y.*, +, *TPEL May 2025 7523-7536*

Enhanced Accuracy Finite-Control-Set Model-Predictive Control for Three-Phase Three-Level NPC Inverter. *Zhang, X.*, +, *TPEL Aug. 2025 10330-10334*

Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*

Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*

Enhanced Sequential High-Frequency Voltage Injection Method for Low-Speed Sensorless Control of IPMSM. *Wu, T.*, +, *TPEL Aug. 2025 10836-10845*

Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part II: Hybrid Switch With IGBT Integration and Experimental Validation. *Chen, L.*, +, *TPEL Feb. 2025 3168-3176*

Enhancing Turn-Off Performance in IGCT-Based High Power Applications—Part I: Anomalous High Current Turn-Off Mode and Safe Operating Area Expansion at Ultra-Low Voltage. *Wang, J.*, +, *TPEL April 2025 5309-5318*

Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*

Extended Phasor Analysis-Based Unified Approach to Accurate Small-Signal Modeling of *L+L+C* Resonant Converters. *Ghosh, G.*, +, *TPEL Sept. 2025 12906-12919*

Family of Capacitor–Diode Network Extended High Gain Quadratic Boost Converters for Microgrid Applications. *Naresh, S.V.K.*, +, *TPEL Jan. 2025 1418-1430*

Fast Convergent On-Board Li-Ion Battery State-of-Charge Estimation via Back-Forth Moving Horizon Estimation. *Liu, Z.*, +, *TPEL Sept. 2025 13187-13201*

Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*

Frequency-Domain Modeling of Electrical Insulation and Application to High-Voltage Power Electronics: A Review. *Dai, X.*, +, *TPEL Oct. 2025 15399-15421*

Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*

Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*

General Instantaneous Dynamic Phasor. *Rim, C.T.*, +, *TPEL Nov. 2025 16953-16962*

General Performance Enhancement for Capacitor-Less Low-Dropout Regulator Using Local Positive-Feedback Technique. *Li, P.*, +, *TPEL Jan. 2025 1498-1507*

Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*

Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*

Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*

Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios. *Wang, Q.*, +, *TPEL July 2025 9723-9736*

Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*

High Conversion Ratio Multiphase Boost Converter With Dynamic Charge Equilibration for Bipolar Outputs. *Lin, S.*, +, *TPEL May 2025 6898-6907*

High Efficiency High Power Density Double-Clamp ZVS Flyback Converter With Secondary Absorption. *Ding, S.*, +, *TPEL Sept. 2025 12514-12526*

High Power and High Repetition Frequency Nanosecond Marx Generator Based on Avalanche Transistor With Triggering Acceleration Circuit. *Wen, K.*, +, *TPEL June 2025 8153-8167*

High Step-Down Bidirectional Multiport Converter. *Murugan, K.*, +, *TPEL Aug. 2025 10355-10360*
High Step-Down Ripple-Free Resonant DC/DC Converter Using Stacked T-Type Half-Bridge. *Atiq, S.*, +, *TPEL Feb. 2025 3286-3299*
High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*
High-Current Output for AGV Wireless Charging System With Intertwined Receiving Coils and Split Compensating Capacitors. *Zhang, Y.*, +, *TPEL July 2025 8923-8927*
High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*
High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*
High-Efficiency, High-Power Asymmetrically Designed Three-Phase Power Supply for Electrolytic Hydrogen Production. *Tian, H.*, +, *TPEL Jan. 2025 92-97*
High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*
High-Misalignment Tolerance WPT System for UAV by Multichannel Conformal Receiver. *Yang, F.S.*, +, *TPEL Nov. 2025 16085-16089*
High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*
High-Precision Soft-Switching Converter With Low Voltage Stress and Fast Response Characteristics Based on SiC Power Devices. *Wei, J.*, +, *TPEL Oct. 2025 15030-15041*
High-Voltage Ultrashort Pulse Power Module With MHz Repetition Rate Based on SSST. *Yang, Q.*, +, *TPEL Jan. 2025 1247-1257*
Hybrid Current Stress Optimization Strategy for Three-Level Dual Active Bridge Adapted to Wide Voltage Ranges. *Lin, M.*, +, *TPEL Nov. 2025 17091-17104*
Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*
Impacts of Self-healing Properties on the Thermal Model of Metalized Film Capacitors Under AC Harmonics. *Cheng, L.*, +, *TPEL Oct. 2025 15339-15347*
Impacts of the Bottom Copper Layer of Direct-Bond Copper Substrates on the Partial Discharge Performance in Power Modules. *Gao, Y.*, +, *TPEL April 2025 5999-6009*
Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive. *Panda, B.*, +, *TPEL June 2025 7777-7788*
Improved PWM Control With Wide Speed Range for a Double-Side Asynchronous Rotor AFPMM Series-End Winding Drive. *Huang, R.*, +, *TPEL Jan. 2025 1728-1738*
Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter. *Zhao, M.*, +, *TPEL Feb. 2025 3189-3209*
Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*
Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*
Investigation on Degradation of 1.2-kV Planar and Trench SiC MOSFETs Under Repetitive Pulse Current Stress of Body Diode. *Yu, H.*, +, *TPEL Oct. 2025 14496-14507*
Isolated MVdc-HVdc-AC Three-Port Power Router for High-Power Large-Scale PV Applications. *Liao, Z.*, +, *TPEL Jan. 2025 1991-2004*
Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*
Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*
Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System. *Li, Z.*, +, *TPEL May 2025 7315-7328*
Level-Increased iSHE Modulation Method for Modular Multilevel Converters Based on DDPG. *Qin, X.*, +, *TPEL Feb. 2025 2874-2886*
Lithium-Ion Battery SOH Estimation Based on a Long Short-Term Memory Model Using Short History Data. *Li, W.*, +, *TPEL May 2025 7370-7384*
Low-Capacitance Operation and Its Hierarchical Control for STATCOM Based on T-Type Converter With MMDTC. *Liu, S.*, +, *TPEL Jan. 2025 1153-1167*
Low-Capacitance Three-Phase Series-Connected Modular Multilevel Converter With Second Harmonic Voltage Injection and High Capacitor Voltage Ripples for HVDC Application. *Chen, H.*, +, *TPEL July 2025 9315-9328*
Low-Frequency Voltage-Ripple Minimization of Asymmetric Multiport Y-Converter. *Farag, A.Y.*, +, *TPEL Nov. 2025 16074-16079*
Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*
Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*
Medium Voltage Auxiliary Power Supply Using Forward Converter Integrated With Switched Capacitor Cells. *da Silva, R.L.*, +, *TPEL Jan. 2025 1404-1417*
Minimal Switching Loss Three-Stage Active Gate Driving Strategy Based on Dynamic *dv*/*dt* Switching Model for GaN HEMT. *Zhang, S.*, +, *TPEL March 2025 4142-4155*
Minimum Capacitor Current (MC^2) Three-Vector Modulation for Three-Phase Inverter. *Wang, Y.*, +, *TPEL April 2025 4938-4951*
Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*
Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*
Mitigation of Conducted Electromagnetic Noise of DC–DC Converter by a Novel Inductor–Diode Based Circuit Technology. *Pandey, V.*, +, *TPEL June 2025 8125-8138*
Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*
Model-Based Switching Frequency and Secondary-Side Phase-Shift Angle Matching for Optimizing Efficiency of PV Microconverters. *Shen, Q.*, +, *TPEL Feb. 2025 3636-3656*
Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*
Modeling and Analysis of MHz-Frequency PRC- *C*+*L*+*C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*
Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*
Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*
Modeling and Design Guideline of Optimal Split Inductance Range for Split-Output Power Module Considering Normal and Fault Conditions. *Gao, H.*, +, *TPEL Jan. 2025 828-839*
Modeling Method for DFIG-Based Wind Farm in High-Efficiency Real-Time Electromagnetic Transient (EMT) Simulations. *Liu, Y.*, +, *TPEL Sept. 2025 13632-13642*
Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*
Modified Gyrator–Capacitor Model for Circuit Simulation. *Ben-Yaakov, S.*, +, *TPEL March 2025 3850-3853*
Modified Soft-Switching System With Safe Connections of Capacitors and Inductors in Three-Phase Voltage Source Inverter. *Mazgaj, W.*, +, *TPEL Jan. 2025 1797-1812*

Modular Commutated Converter With High-Overload Capability. *Zhao, B.*, +, *TPEL Sept. 2025 12033-12037*

Modular Impedance Modeling and AC Bus Voltage Stability Analysis of Cascaded System in More-Electric Aircraft. *Xu, Z.*, +, *TPEL June 2025 8751-8765*

Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*

Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*

Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*

Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*

New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*

No-Circulation Current Commutation Modulation Strategy for Parallel Resonant DC Link Inverter. *Li, J.*, +, *TPEL Sept. 2025 12690-12702*

Novel Current Sensor Based on Parasitic Inductance With Adaptive Compensation for Parasitic Resistance. *Zhao, X.*, +, *TPEL May 2025 6403-6412*

Novel Hybrid Cross-Connected Submodule-Based MMC for MV Applications. *Shahane, R.*, +, *TPEL Sept. 2025 13866-13879*

Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*

Novel Synchronized Three-Level SVPWM Algorithms With Boundary Sampling Methods. *Li, Z.*, +, *TPEL Oct. 2025 15718-15729*

Online Converter-Level Temperature Estimation for IGBTs Using Proportional Calibration Method. *Fang, X.*, +, *TPEL Jan. 2025 157-161*

Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*

Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*

Overview of IGBT Driving Technology for High Voltage and High Capacity Applications. *Huang, X.*, +, *TPEL Dec. 2025 18461-18473*

Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*

Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*

Peak Operation Mode-Matching Online Fast Frequency Response Capacity Estimation for Lithium-ion Battery Energy Storage System. *Shi, S.*, +, *TPEL Dec. 2025 17582-17586*

Performance Limits of Resonant Switched-Capacitor Converter With Voltage Regulation. *Xie, W.*, +, *TPEL Jan. 2025 1441-1456*

Performance-Based Experimental Characterization and Maximum Efficiency Point Detection of Power Inductors. *Femia, N.*, +, *TPEL Jan. 2025 1532-1541*

Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*

Phase-Shifting SPWM-Based Modulation for Single-Source Five-Level Current Source Inverter. *Xing, L.*, +, *TPEL Aug. 2025 10343-10348*

Physical Structure, Characteristics, and Applications of Monolithic Bidirectional Switches: A Comprehensive Review. *Wang, G.*, +, *TPEL July 2025 9187-9199*

Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*

Postfault Operation Strategy With Minimum Harmonic Injection for Cascaded H-Bridge Inverters Driving a Multiphase Motor. *Lopez, O.*, +, *TPEL Jan. 2025 8-22*

Power Boosting of Strongly Coupled Wireless Power Transfer Systems by Aligning 1st/3rd Harmonic Frequencies With Splitting Frequencies. *Zhang, B.*, +, *TPEL July 2025 8917-8922*

Power Losses Modeling and Thermal Imbalance Suppression of Modular Multilevel Resonant DC–DC Converters. *Sheng, J.*, +, *TPEL July 2025 9463-9478*

Power Segmentation Optimum: A Novel Technique for Continuous Optimal Efficiency Tracking in Monolithic DC–DC Converters. *Iob, F.*, +, *TPEL May 2025 6629-6642*

Prediction of Common Mode Far-Field Radiation for a Low-Side Buck Converter With Cables via Feko Electromagnetic Simulation. *Wang, W.*, +, *TPEL Sept. 2025 12829-12844*

Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*

Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*

PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*

PWM Technique of Dual Inverter With an Isolated DC Bus Considering Power Factor to Minimize and Balance Power Loss. *Kim, T.*, +, *TPEL March 2025 4303-4313*

Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*

Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*

Quasi-Single-Stage Micro-Inverter Based on Discrete Capacitor Resonant DAB and its Control Strategy. *Bi, K.*, +, *TPEL Nov. 2025 17203-17217*

Real Time Terminal Voltage Prediction and State-of-Charge Estimation for Supercapacitors Using Fractional Order Model. *Rahman, S.H.*, +, *TPEL Oct. 2025 15172-15181*

Real-Time Simulation Method Based on Voltage Controlled Current Source for Power Electronic Converters With Low Resource Consumption. *Sun, Z.*, +, *TPEL Nov. 2025 16894-16905*

Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*

Recovery Characteristics of RB-IGCT and Its Low Reactive Power Application in Hybrid Commutated Converter Based HVDC. *Wang, Z.*, +, *TPEL Aug. 2025 11799-11808*

Reliability Enhanced Fault-Tolerant Full-Bridge Modular Multilevel Converters Using Reconfiguration During Open-Circuit Failures. *Ahmadi, M.*, +, *TPEL Sept. 2025 13311-13323*

Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index. *Lee, D.*, +, *TPEL July 2025 9876-9888*

Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*

Research on Rectifier Fault Diagnosis and Self-Protecting for Inductive Power Transfer System With Constant-Current Output. *Li, Y.*, +, *TPEL Feb. 2025 3750-3769*

Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*

Ripple Current Reduction in DC-Link Capacitor for a Single-Phase Two-Stage Inverter. *Liang, G.*, +, *TPEL March 2025 4080-4089*

Scalable Bidirectional Switched-Capacitor Multilevel Inverter With Enhanced Voltage Gain. *Assuncao, G.d.O.*, +, *TPEL Sept. 2025 13931-13940*

Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*

Sensor Fusion-Enabled State of Charge Estimation of Smart Battery Module. *Cui, H.*, +, *TPEL Jan. 2025 2273-2283*

Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*

Simplified Universal Suppression Method for Transient DC Bias of DAB Converters With Multiple Phase-Shift Modulation. *Li, T.*, +, *TPEL Nov. 2025 17246-17255*

Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*

Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*

Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*

Stability Analysis of Series-Capacitor Buck Converters With Different Phase Shift Strategies via Filippov's Method. *Wang, H.*, +, *TPEL Sept. 2025 12964-12976*

State of Health Estimation for Lithium-Ion Batteries Based on Partial Charging Curve Reconstruction. *Sun, Y.*, +, *TPEL April 2025 6107-6118*

State of Health Estimation for Lithium-Ion Battery With Label-Free Data Based on Deep Domain Feature Independent Alignment Network. *Song, C.*, +, *TPEL Oct. 2025 15607-15619*

State-of-Charge Estimation of Automotive Lithium-Ion Batteries during Lack of Input Data Update. *Ouyang, T.*, +, *TPEL May 2025 7125-7135*

Study, Quantification, and Correction of Steady State DC Current in the Transformer of Nonresonant Dual Active Bridge Converters. *Vilella, M.*, +, *TPEL Nov. 2025 16639-16650*

Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements. *Sanchez-Squella, A.*, +, *TPEL Sept. 2025 13941-13951*

Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*

Surge Current Distribution in Paralleled SiC MOSFETs Under Third-Quadrant Operation. *Zhang, M.*, +, *TPEL Feb. 2025 3077-3089*

Switched Capacitor Nonisolated Step-Up DC–DC Converter With Low Voltage Stress of Devices and High Efficiency. *Sabetfar, T.*, +, *TPEL Oct. 2025 15130-15148*

Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*

Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*

System Design and Experimental Demonstration of Spherical Piezoelectric Ceramic Transformers in Radial Vibration. *Tang, Y.*, +, *TPEL Dec. 2025 18489-18498*

Systematic Topology Synthesis and Power Density Visualization of Partial Power Processing Architecture. *Tian, Y.*, +, *TPEL Jan. 2025 1346-1358*

The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*

The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*

The Influence and Optimization Constraints of SiC Power Module Layout on High-Frequency Conducted CM Current During Switching Transients. *Yang, Q.*, +, *TPEL June 2025 8075-8092*

Thermal Balance Oriented Model Predictive Control for 100 kHz Large-Signal Parallel Inverters With Optimized Pulse Patterns. *Tang, C.*, +, *TPEL July 2025 9908-9920*

Three Segment Vector Pulsewidth Modulation With Improved Harmonic Performance and Linear Overmodulation Gain for Low-Carrier Ratios. *Zhang, W.*, +, *TPEL Dec. 2025 17761-17775*

Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives. *Luo, K.*, +, *TPEL Aug. 2025 10705-10716*

Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*

Time Domain Analysis and Gain Curve Modeling of Fractional-Order Full-Bridge LLC Resonant Converter. *Ma, C.*, +, *TPEL Sept. 2025 13035-13049*

Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters. *Chen, S.*, +, *TPEL Feb. 2025 3020-3032*

Topology Derivation Method of Common-Ground Transformerless Single-Phase Inverters Based on Graph Theory. *Yao, Z.*, +, *TPEL March 2025 4510-4521*

Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*

Topology, Modeling, and Optimization of Switched-Capacitor Equalizer Based on Multiplexing Technology for Multiple Battery Strings. *Luo, L.*, +, *TPEL Aug. 2025 11452-11466*

Transformer-Less Converters Using Capacitive Isolated Network. *Gunawardena, P.*, +, *TPEL Sept. 2025 11974-11978*

Transformer-Less Two-Phase Interleaved Boost Converter With Wide Input Voltage Range and Low Electric Stress for Fuel Cell Vehicles. *Qin, L.*, +, *TPEL April 2025 5480-5495*

Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System. *Li, Y.*, +, *TPEL Jan. 2025 2619-2629*

Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*

Ultra-Early Prediction of Lithium-Ion Battery Cycle Life Based on Visualized Single-Cycle Data. *Yang, W.*, +, *TPEL May 2025 7342-7353*

Ultra-Fast MPPT for Residential PV Systems With Low DC-Link Capacitance and Differential Power Processing. *Meineri, N.A.*, +, *TPEL Feb. 2025 2736-2745*

Ultra-High-Gain Interleaved Boost Converter With Low Electric Stress for 800 V Standalone Photovoltaic Charging System. *Qin, L.*, +, *TPEL Oct. 2025 15670-15686*

Ultra-High-Voltage Gain DC–DC Converter Based on Three-Winding Coupled Inductor With Ripple Free Input Current and Soft Switching for Renewable Energy Applications. *Tian, Q.*, +, *TPEL Sept. 2025 13686-13702*

Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*

Unilateral Compensation for Compact and Lightweight IPT Converters With Near Unity Power Factor and Load-Independent Constant Output. *Guo, Z.*, +, *TPEL July 2025 10189-10197*

Universal Active Gate Driver IC With Closed-Loop Timing Control and Gate-Sensing Technique for Silicon Carbide Power Devices. *Kuo, C.*, +, *TPEL April 2025 5120-5129*

Universal Integrated Onboard Charger With Model Predictive Current Control for Plug-In EV Charging. *Karneddi, H.*, +, *TPEL Jan. 2025 28-33*

Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*

Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*

Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*

Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*

Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*

ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*

ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

Voltage control

A 0.6-to-1.1-V 2-A Dead-Zone-Based Dual-Loop Ring-Amplifier LDO for High-Current-Density Custom HBM Applications. *Hwang, Y.*, +, *TPEL Oct. 2025 14282-14288*

A 1.5 kV/30 kV/10 MW Series Resonant DC Transformer Based on IGCT and Medium Frequency Isolation for Solar-PV DC Collection Application. *Ma, Y.*, +, *TPEL July 2025 9439-9451*

A 12/24 V-to-Sub-1 V Double Step-Down Converter With Dual-Ramp Control for V_{CF} Balancing and Fast Transient Response. *Guo, Z.*, +, *TPEL Jan. 2025 1483-1497*

A 500 kHz Wide Output LLC-T Resonant Converter With Narrow Frequency Range, Reduced Circulating Energy, and Low Voltage Stress. *Hou, Z.*, +, *TPEL Aug. 2025 11749-11762*

A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*

A 93% Efficiency Delay Hysteretic Buck Converter With Ring Oscillator Based Frequency Synchronization and No-Load Operating *Iq* of 5.17 μA. *Nayak, R.D.*, +, *TPEL Dec. 2025 17604-17618*

A 96.3% Efficient, 6mV_{pp} Line Transient Response Time-Based Boost Converter With Feedback-PID for AMOLED Displays. *Melillo, P.*, +, *TPEL Jan. 2025 328-339*

A Battery-Less Energy Harvesting Front-End for Powering Multiple IoT Nodes Using Single Solar Cell: A System-Level Perspective. *Chakraborty, A.*, +, *TPEL Sept. 2025 14072-14083*

A Below-Resonant-Frequency Phase-Shift Modulation Method for *CLLC* Converters With Enhanced Light-Load Efficiency. *Jiao, L.*, +, *TPEL July 2025 8905-8910*

A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*

A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*

A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*

A Control Strategy for Modular Multilevel Converters Based on Arm Current Control Under Grid-Side Open-Circuit Fault. *Zhang, D.*, +, *TPEL Aug. 2025 11820-11835*

A Control to Address Issues of Synchronization and Voltage Rise in Grid Integrated Solar Photovoltaic-Battery Storage System. *Modi, G.*, +, *TPEL Jan. 2025 2385-2396*

A Cooperative Power Flow Control Strategy for Low-Voltage DC Microgrid Clusters. *Yin, H.*, +, *TPEL July 2025 9048-9067*

A Cost-Effective DC-Link Precharge and Voltage Balance Method for Modular Magnetic-Coupled Converter (MMCC). *Song, Q.*, +, *TPEL June 2025 8242-8252*

A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*

A Current-Limiting Method Based on Two-Stage Adaptive Virtual Impedance for Improved Grid-Supporting Capability of Grid-Forming Inverters. *Peng, H.*, +, *TPEL May 2025 6539-6554*

A Data-Driven Control Method for Nonlinear Characteristics of Variable Frequency Regulation for Wide-Distance-Range Adaptive WPT System. *Xia, Z.*, +, *TPEL July 2025 10221-10241*

A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*

A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points. *Shi, G.*, +, *TPEL Aug. 2025 10402-10418*

A Digital Pulse Frequency Modulation Technique for a Series Resonant Converter-Based LED Driver. *Pal, A.K.*, +, *TPEL Feb. 2025 2797-2808*

A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*

A Dispatchable Virtual Oscillator Controller in the dq Frame With Enhanced Grid-Forming Power Reference Tracking Capability. *Zeng, Z.*, +, *TPEL Aug. 2025 10973-10987*

A Dual-Transformer-Based *LLC* Resonant Converter With Ultrawide Output Voltage Range. *Zhang, H.*, +, *TPEL Jan. 2025 2457-2471*

A Dynamic Gain Modulation Scheme for Differential Inverters With Enhanced Harmonic Performance. *Qin, H.*, +, *TPEL Oct. 2025 15466-15477*

A Dynamic Two-Stage Gate Driver for Unlocking the Fast-Switching Potential of GaN HEMT. *Shu, J.*, +, *TPEL April 2025 4752-4756*

A Fast-Transient One-Shot Droop Recovery Digital LDO With Reinforcement-Learning Droop Compensation for D2D Interfaces. *Song, M.*, +, *TPEL Oct. 2025 14253-14258*

A Five-Switch Single-Phase Buck–Boost AC–AC Converter With Inherent Commutation and Continuous Input Current. *Zargariafshar, D.*, +, *TPEL Feb. 2025 2726-2735*

A Flexible-AC-Port Solid-State Transformer-Based Enhanced Soft Normally Open Point for Interconnecting Distribution Networks. *Zhang, J.*, +, *TPEL Jan. 2025 1198-1214*

A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*

A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*

A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*

A GaN HEMT Active Gate Driver to Combat Turn-Off Drain-Source Voltage Overshoot and EMI Based on Magnetic Coupling Closed-Loop Control. *Wang, L.*, +, *TPEL Aug. 2025 10649-10660*

A Generalized Current Residual-Based Diagnosis and Classification Method for Interturn Fault and High-Resistance Connection Fault in Model Predictive Controlled PMSMs. *Jia, Z.*, +, *TPEL May 2025 7239-7250*

A Generalized Multi-Loop Controller With Enhanced Robustness and Its Design Guideline. *Yuan, H.*, +, *TPEL July 2025 9289-9300*

A Half-Bridge/Dual Stacked-Switches Structured AC/DC Electrolytic Capacitor-Less Bidirectional Converter With Soft-Switching for High-Voltage EV Charger. *Derakhshan, S.*, +, *TPEL Aug. 2025 10912-10930*

A High Precision Method for Acquiring the Fundamental Component Voltage of IPMSM Under High Modulation Index Conditions. *Gu, X.*, +, *TPEL Aug. 2025 10731-10745*

A High Voltage Power Supply With a Hybrid Full Wave Voltage Multiplier Featuring Low Voltage Ripple and Voltage Drop. *Liu, Y.*, +, *TPEL Sept. 2025 12072-12083*

A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*

A High-Efficiency Dual-Mode DC–DC Converter With a Low-Cost Seamless Transition Scheme. *Hao, Y.*, +, *TPEL Sept. 2025 12488-12498*

A High-Efficiency MHz-Integrated Three-Phase Interleaved Boost–*LLC* Converter With Voltage Regulation. *Guan, J.*, +, *TPEL June 2025 8328-8343*

A High-Frequency-Link Split-Phase Voltage-Source Microinverter Based on Buck–Boost AC Chopper for High Efficiency and Low Voltage Stress. *Li, X.*, +, *TPEL Aug. 2025 11673-11689*

A High-Performance DC Controllable Arrester With Flexible Operation Based on Semicontrolled and Fully-Controlled Hybrid Bypass Switch. *Yang, T.*, +, *TPEL Aug. 2025 10945-10956*

A High-Power MVAC-LVDC Rectifier Empowering Wide Voltage Range Operation. *Wang, N.*, +, *TPEL May 2025 6963-6976*

A Master-Slave Model Predictive Control Approach for Microgrids. *Carnielutti, F.*, +, *TPEL Jan. 2025 540-550*

A Mixed-Frequency and Hybrid-Module Based Single-Stage Solid-State Transformer With Quasi-Square Wave Modulation. *Deng, Z.*, +, *TPEL Dec. 2025 18011-18026*

A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*

A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*

A Multilevel Self-Driving Gate Driver of SiC MOSFET for Crosstalk Suppression Considering Common-Source Inductance. *Hu, K.*, +, *TPEL Jan. 2025 906-919*

A New Compact Soft Open Point Based on Cascaded H-Bridge and Mixed-Frequency Modulation. *Zhao, H.*, +, *TPEL March 2025 4213-4226*

A Novel Analog Control Strategy With Simplified Implementation Scheme for Boundary Conduction Mode Flyback Microinverter. *Deng, C.*, +, *TPEL June 2025 7967-7979*

A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*

A Novel Continuous Control Set Current-Based Model Predictive Control for a Three-Phase, Two-Level AC/DC Converter With the LCL Filter. *Dmitruk, K.*, +, *TPEL Sept. 2025 12095-12111*

A Novel Control Scheme for Light Load Power Reduction of Flyback Converter. *Liu, Q.*, +, *TPEL Feb. 2025 2691-2696*

A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*

A Novel Demodulation for HF Pulsating Carrier Voltage Injection Method for PMSM Position Sensorless Control. *Xu, G.*, +, *TPEL Dec. 2025 17715-17725*

A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control. *Zhang, Z.*, +, *TPEL Jan. 2025 118-123*

A Novel Demodulation for Pulsating Carrier Voltage Injection-Based Encoderless Control. *Zhang, Z.*, +, *TPEL Jan. 2025 118-123*

A Novel Double-Vector Model-Predictive Current Control for PMSM With Low Computational Burden and Switching Frequency. *Wu, X.*, +, *TPEL Aug. 2025 11283-11295*

A Novel Flying Inductor-Based Universal Converter Topology. *Kurdkandi, N.V.*, +, *TPEL Nov. 2025 17281-17294*

A Novel Integrated OBC and LDC System With Flux Path Reconfiguration for Electric Vehicles. *Jo, C.*, +, *TPEL Jan. 2025 2484-2494*

A Novel Isolated Hybrid Three-Level DC Converter With High Voltage Gain and Wide Voltage Range. *Jiang, Y.*, +, *TPEL Feb. 2025 3062-3076*

A Novel Model Predictive Control for Quasi Z-Source Inverter to Eliminate Negative Influence of Inductor Current Ripple on Output Current. *Qiao, S.*, +, *TPEL July 2025 9672-9684*

A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*

A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*

A Novel Passivity Model Predictive Control for Predefined-Time Feedforward Compensation in DC Microgrids Feeding Constant Power Loads. *Zhang, Z.*, +, *TPEL April 2025 5147-5162*

A Novel Robust Dead-Beat Structure for Double Vector Model Predictive Control in Three-Level Inverter Fed PMSM Drives. *Sun, Z.*, +, *TPEL Nov. 2025 16195-16205*

A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*

A Novel Torque Ripple Suppression Method With High Power Factor for Electrolytic Capacitor-Less IPMSM Drive Systems. *Ma, Y.*, +, *TPEL April 2025 5756-5767*

A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*

A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids. *Zhang, H.*, +, *TPEL July 2025 9370-9387*

A PI Self-Tuning Method for Three-Phase PWM Rectifiers Based on Stability-and-Dynamics- Constrained Fuzzy Backpropagation Neural Network. *Zhang, Y.*, +, *TPEL Jan. 2025 2419-2428*

A Power Losses and Thermal Energy Optimization Method for Hybrid DC Chopper Based on Hysteresis Control Strategy. *Li, Y.*, +, *TPEL Jan. 2025 486-499*

A Practical Control Method for Single-Phase Input PMSM Drives With Small DC-Link Capacitor. *Deshmukh, A.V.*, +, *TPEL March 2025 4358-4373*

A Pulsed Power Supply Based on a Series Pulsed Power Compensator for Low Pulse Repetition Frequency Applications. *Xu, Y.*, +, *TPEL April 2025 5505-5517*

A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*

A Reference Frame Rematching Method for Enhancing Large-Signal Stability of Grid-Following Inverter Under Weak Grid. *Huang, L.*, +, *TPEL April 2025 6135-6146*

A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*

A Robust Controller Based on High-Order Fully Actuated Approach for DC–DC Buck Converter With Constant Power Loads in DC Microgrids. *Wei, Y.*, +, *TPEL July 2025 9090-9106*

A Robust Model Predictive Current Closed-Loop Control With Parameter Estimation Strategy Based on Immune Chaotic Antipredator PSO for PMSM. *Zhang, Y.*, +, *TPEL Jan. 2025 1836-1848*

A Safe and Fast Closed-Loop Start-Up Strategy for Triple-Active-Bridge Converters Under DC Microgrid Application. *Li, Y.*, +, *TPEL Sept. 2025 12676-12689*

A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*

A Self-Powered SICE Circuit for Piezoelectric Energy Harvesting With a Complete Charge Extraction Electronic Breaker. *Qiu, H.*, +, *TPEL Aug. 2025 11467-11476*

A Self-Regulating Active Gate Driver of Voltage Overshoot Suppression for SiC MOSFETs Under Variable Load Current Conditions. *Song, W.*, +, *TPEL Aug. 2025 10623-10634*

A Series-Connected Half-Bridge Constant Current to Constant Voltage Converter With Full Output Power Regulation. *Shen, Z.*, +, *TPEL Oct. 2025 14842-14853*

A Series-Parallel Inverter-Based WPT System for Electric Vehicles With Different Input Voltages and Z Classes. *Lai, A.*, +, *TPEL June 2025 8847-8858*

A Simple Multifunctional DC Chopper for Fault Ride-Through Capacity Enhancement of a DFIG. *Yan, C.*, +, *TPEL Sept. 2025 12048-12054*

A Single-Phase Seven-Level Nested Switched-Capacitor Converter With Enhancing Lifetime and Reducing Size of Flying Capacitors. *Ebrahimi, J.*, +, *TPEL July 2025 9234-9248*

A Small-Signal Charge Model for Active Balancing of Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18070-18082*

A Small-Signal Stability Analysis Method for DC Microgrids Based on Immittance Phases. *He, B.*, +, *TPEL Oct. 2025 14271-14276*

A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*

A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Symmetrical Inductor Current Modulated Buck Converter With Spread-Spectrum Scheme for Low EMI and Low Output Ripple. *Ren, J.*, +, *TPEL Oct. 2025 14974-14984*

A Three-Phase Four-Leg Neutral-Point-Clamped Photovoltaic Inverter With Decoupled Active and Reactive Power Control and DC-Link Voltage Ripple Minimization Under Unbalanced Grid Operation. *Bhowmick, S.*, +, *TPEL June 2025 7829-7843*

A Three-Phase Unfolding-Based Solid-State Traction Transformer for Railway Application. *Khan, A.*, +, *TPEL May 2025 7439-7452*

A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*

A Trigger-Free Dual-Ramp Controller for a Three-Level Buck-Boost Converter Achieving Fast Transient Response and Seamless Mode Transition. *Ding, C.*, +, *TPEL Nov. 2025 16111-16115*

A Two-Level Hysteresis-Based Sliding Mode Control for Three-Level Single-Phase Inverters. *Repecho, V.*, +, *TPEL Oct. 2025 15852-15864*

A Unified Adaptive Damping Ratio Control for Multitype DC–DC Converters in Shipboard Power Systems. *Lin, Z.*, +, *TPEL April 2025 5052-5068*

A Unified Framework for Adaptive and Flexible Phase Angle Regulation in Single-Phase UPQC. *Li, Z.*, +, *TPEL Sept. 2025 12779-12793*

A Unified Variable Active Impedance Module With Minimum Power Processing. *Lin, Z.*, +, *TPEL July 2025 8944-8949*

A Wide Pulse-Repetitive-Frequency Range Pulsed Power Supply With Improved Dynamic Response and Efficiency. *Xu, Y.*, +, *TPEL Jan. 2025 252-262*

A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*

AC Component-Based Control and Phase Shift Applications on Bidirectional Chopper With Auxiliary Full-Bridge Converter. *Nasution, G.A.M.*, +, *TPEL April 2025 5440-5455*

Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*

Active Fault-Tolerant Control for Three-Level T-Type Converter With Unbalanced Neutral-Point Voltage Modulation. *Yao, Y.*, +, *TPEL Oct. 2025 15359-15370*

Active Filtering of Second-Order Harmonic in Two-Stage Single-Phase AC/DC Converters With Frequency Modulated Series-Resonant Converters. *Cervone, A.*, +, *TPEL Oct. 2025 14908-14922*

Active Power Transfer Capability Enhancement for DFIG-Based WT Under Asymmetrical Faults. *Zhang, S.*, +, *TPEL Oct. 2025 14313-14317*

Active Thermal Control for Enhancing Fault Current Output Capability of Grid-Forming Converters. *Deng, Z.*, +, *TPEL Sept. 2025 13448-13458*

Active Voltage Balancing of Series-Connected SiC MOSFETs During Body-Diode Turn-Off Using an Active Gate Driver. *Rai, A.*, +, *TPEL Aug. 2025 10609-10622*

Adaptive Constraints Model Active Mismatch Predictive Control for Power Converters of Energy Storage System. *Zhang, X.*, +, *TPEL Sept. 2025 13730-13740*

Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*

Adaptive Kalman-Based Constrained Predictive Control With Neural Estimator for a Noninverting Buck–Boost Converter. *Asvadi-Kermani, O.*, +, *TPEL Feb. 2025 2901-2915*

Adaptive Power Coordination Control for Electrolysis Hydrogen Directly Driven by Wind Turbines. *He, H.*, +, *TPEL Jan. 2025 2315-2326*

Adaptive Two-Step Arm Current MPC for Transformerless Hybrid MMC With Overmodulation Conditions in Unbalanced AC Grids. *Chang, X.*, +, *TPEL July 2025 9249-9265*

Adjustable Virtual Impedance via Anti-windup Method for Enhancing Transient Stability and Grid-Forming Capability Under Current Limiting Conditions. *Kim, S.*, +, *TPEL May 2025 6423-6428*

Advanced Control of Grid-Connected Microgrids: Challenges, Advances, and Trends. *Babayomi, O.*, +, *TPEL June 2025 7681-7708*

An Active Power Feedforward Compensation-Based Power Decoupling Method for Droop Control Converters. *Wang, P.*, +, *TPEL May 2025 6726-6739*

An Asynchronous Geometric Sequence Array-Based Binary Search Digital Low-Dropout Regulator for $O(\log n)$-Complexity Coarse Searching Operations. *Kim, H.*, +, *TPEL Jan. 2025 1431-1440*

An Efficient Dual-Output Bipolar Buck-Boost AC-AC Converter With Flexible Operation Range. *Ahmed, H.F., TPEL June 2025 8395-8404*

An EMI-Compliant and Automotive-Rated 48 V to Point-of-Load Dickson-Based Hybrid Switched-Capacitor DC–DC Converter. *Krishnan, S.*, +, *TPEL July 2025 9266-9277*

An Enhanced Grid-Tied Off-Board Electric Vehicle Charger With Improved Power Quality Using Unified Control Approach. *Behera, S.*, +, *TPEL July 2025 9775-9785*

An Enhanced Modular Multilevel Converter With Multiple MVAC Ports Based on Active Fundamental-Frequency Circulating Current Injection to Realize Full-Range Operation. *Chen, J.*, +, *TPEL April 2025 5423-5439*

An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*

An Improved Duty-Cycle-Based Model Predictive Flux Control for Induction Motor Drives. *Zhou, C.*, +, *TPEL Sept. 2025 12204-12214*

An Improved Synchronous Rectification *LLC* Resonant Converter for Hold-Up Time Operation. *Luo, Z.*, +, *TPEL June 2025 8305-8314*

An Injection Circuit Coupling Impedance Matching Converter and Its Compromised Control Method of Automobile-Based Electromagnetic Prospecting Transmitters for Energy Utilization Enhancement. *Pang, Y.*, +, *TPEL April 2025 5384-5399*

An Injection Circuit Coupling Low-DC Voltage Impedance Matching System With Flexible Resonance Points for Square-Wave Voltage Power Amplifier in EM Exploration. *Pang, Y.*, +, *TPEL Aug. 2025 11032-11050*

An Interline HVDC Power Flow Controller Based on Energy-Exchanging Arm. *Jiao, Y.*, +, *TPEL April 2025 5412-5422*

An LLC Resonant Converter With Symmetric Pulse-Width Balancing and Fixed-Period Hysteresis Burst Control for High Efficiency Over Full Load Range. *Shi, H.*, +, *TPEL Oct. 2025 15316-15328*

An Online DC-Link Capacitor Condition Monitoring Method for CHB-Type SVG. *Wang, H.*, +, *TPEL Aug. 2025 10385-10390*

An Online ESR Estimation Method for Output Capacitor of DC–DC Boost Converter Without Current Sensor. *Leong, C.*, +, *TPEL Jan. 2025 2196-2209*

An Online Neural Network Approximator-Based Model-Free Predictive Control Approach for Power Converters. *Zhao, P.*, +, *TPEL Oct. 2025 15757-15767*

An Open-Circuit Fault-Tolerant Scheme for Single-Phase Current-Fed Dual-Active-Bridge DC/DC Converter. *Zhang, Y.*, +, *TPEL March 2025 3968-3979*

An Optimal Burst Mode Control Method for CLLC Converter Based on Time Domain Model. *Luo, T.*, +, *TPEL Oct. 2025 15104-15117*

An Optimal VF-TPS Modulation Scheme for *CLLC* Converter With Minimized RMS Current. *Luo, T.*, +, *TPEL March 2025 4170-4185*

An Optimized Fault-Tolerant Control Strategy Based on Dynamic Modulation Voltage Adjustment for Solid-State Transformers. *Wang, H.*, +, *TPEL July 2025 9811-9823*

An Optimum Transient Response Synchronous Buck Converter Employing a Novel Analog Multiplier Controller. *Kargaran, M.*, +, *TPEL Sept. 2025 12112-12122*

An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*

Analysis and Damping of Subsynchronous Oscillations for Cascaded Grid-Forming Converters Considering DC-Link Dynamics. *Kong, L.*, +, *TPEL Jan. 2025 2284-2299*

Analysis and Design of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Wang, L.*, +, *TPEL June 2025 8315-8327*

Analysis and Modeling of a Hybrid MMC Coordinated With a Circuit Breaker Under DC Short-Circuit Fault Conditions. *Iman-Eini, H.*, +, *TPEL Sept. 2025 12566-12580*

Analysis and Modeling of Transient Voltage Overshoot Behaviors in Bidirectional Phase-Shift Full-Bridge Converters. *Li, T.*, +, *TPEL Oct. 2025 15013-15029*

Analysis and Performance of Non-Isolated DC–DC Converter With Single Auxiliary Chopper Circuit. *Hamdan, N.A.K.*, +, *TPEL Nov. 2025 17325-17338*

Analysis of Low-Cost BTB-DC Electric Spring in DC Microgrid Considering Impedance Ratio Impact. *Liu, L.*, +, *TPEL June 2025 8566-8576*

Analytic Model Predictive Current Control of Grid-Connected Power Conversion System in Battery Energy Storage System. *Zhang, M.*, +, *TPEL March 2025 3952-3967*

Analytical Phase Shift Control for Asymmetric Two-Input Boost Converters to Minimize Output Capacitor Current. *Sadeghi, Z.*, +, *TPEL Dec. 2025 17879-17893*

Anti-Deadtime Strategy for PMSM Based on the Cross-Coupling Method in Fifth Multiple Reference Frame. *Zhou, J.*, +, *TPEL Jan. 2025 1862-1871*

Antiovervoltage Control Strategy for Electrolytic Capacitorless PMSM Drives Based on Power Balance State Regulation. *Ren, Z.*, +, *TPEL June 2025 8005-8015*

Asymmetric Impedance Model for Grid-Forming Converters With Droop Control. *Perez-Estevez, D.*, +, *TPEL Sept. 2025 12977-12997*

Asymmetrical Cascaded-Bridge Converter With Equal Modules and Sensorless Voltage Balancing for High-Quality Output. *Hashemi-Zadeh, A.*, +, *TPEL April 2025 5279-5291*

Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*

Automatic Input Voltage Sharing of ISOP Converter Using Duty Ratio Feedforward Control Without Interconnection and Input Voltage Monitor. *Zhou, W.*, +, *TPEL Aug. 2025 11143-11156*

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*

Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*

Boost-Gain Reduction and Resonant-Frequency Limitation on Bidirectional CLLC Resonant Converters Due to Drain-Source Capacitance. *Wang, Y.*, +, *TPEL Oct. 2025 15203-15214*

Boundary Adjustment Hysteresis Current Control for Improving the Efficiency of Parallel-Form Switch-Linear Hybrid Envelope Tracking Power Supply. *Liu, N.*, +, *TPEL Jan. 2025 146-151*

Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids. *Ning, G.*, +, *TPEL Nov. 2025 16626-16638*

Carrier-Based Minimum-Loss Discontinuous PWM With Neutral-Point Voltage Balancing for Three-Level NPC Inverters. *Cho, H.*, +, *TPEL Sept. 2025 13895-13906*

Carrier-Based Minimum-Loss Discontinuous PWM With Neutral-Point Voltage Balancing for Three-Level NPC Inverters. *Cho, H.*, +, *TPEL Sept. 2025 13895-13906*

Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*

Characterization of Impedance and Stability for Doubly-Fed Induction Generator Based on Voltage-Modulated Direct Power Control. *Wang, J.*, +, *TPEL Oct. 2025 15529-15544*

Circular Power Balancing Topology and Power Flow Optimization Strategy for Solving PV Power Mismatch Problem of Modular MVDC Converters. *Zhuang, Y.*, +, *TPEL July 2025 9933-9943*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Coherent Vector-Based Model Predictive Control With Zero-Sequence Component Injection for Three-Level NPC Inverter Fed PMSM Drives. *Tang, X.*, +, *TPEL Oct. 2025 14686-14696*

Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*

Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*

Composite Control Scheme for Input Capacitors Voltage Dynamic Regulation of I-RSCC. *Liu, Y.*, +, *TPEL Aug. 2025 10957-10972*

Comprehensive Analysis of Buck Mode Frozen Leg Operation for Three-Phase Dual Active Bridge Converters. *Wang, C.*, +, *TPEL June 2025 8674-8690*

Constant Valley Current Control Strategy for Bridge-Type Switched-Capacitor-Based Medium Voltage DC–DC Converter Under Near Critical Conduction Mode. *Chen, P.*, +, *TPEL Dec. 2025 18292-18304*

Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*

Control Architecture for LLC Resonant Converters With High Input Disturbance Rejection Capability Using Output Diode Current. *Maheshwari, A.*, +, *TPEL Jan. 2025 652-664*

Control of the Neutral Point Voltage Balance in the Hybrid Three-Level Active Neutral-Point Clamped Inverter. *Xiao, Y.*, +, *TPEL May 2025 6685-6699*

Control of Three-Phase PMSM Drive With Minimum Sensor Usage. *Ren, S.*, +, *TPEL Nov. 2025 16538-16547*

Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*

Cross-Forming Control and Fault Current Limiting for Grid-Forming Inverters. *He, X.*, +, *TPEL March 2025 3980-4007*

Current and Magnetic Flux DC Bias Suppression Strategy for MMC-Based DC Transformers. *Zhang, D.*, +, *TPEL Dec. 2025 17558-17562*

Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*

Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*

Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*

Deadbeat Model Predictive Control for Modular Multilevel Matrix Converter Under Unbalanced Grid Conditions. *Gong, Z.*, +, *TPEL Jan. 2025 1258-1271*

Decoupled Dead-Time Compensation Method Using Revised-Resonant Control-Based Disturbance Observer in PMSM Drives. *Lang, J.*, +, *TPEL Jan. 2025 340-350*

Design and Analysis of a Hybrid Inverting Buck Converter With 5 µs Response Time and 92.9% Efficiency for Micro-LED Displays. *Yan, X.*, +, *TPEL Oct. 2025 14388-14400*

Design and Analysis of Predictive Inductor Current Control for PMSM Drives With *LC* Filter. *Zheng, C.*, +, *TPEL Jan. 2025 1872-1885*

Design-Oriented Analysis and Transient Control for VSG With Current Saturation Unit. *Luo, C.*, +, *TPEL Jan. 2025 2472-2483*

Detection and Differentiation of Winding Inter-Turn Fault and High-Resistance Fault in PM Machines. *Feng, X.*, +, *TPEL Sept. 2025 12440-12451*

Direct DC-Bus Control for Grid-Forming Converters: Toward the Concept of Dual-Voltage-Forming Converters. *Mourouvin, R.*, +, *TPEL June 2025 7789-7799*

Direct Power Distribution Strategy Based on Space Vector Modulation for Single-Stage Dual-DC-Port Inverter. *Liu, L.*, +, *TPEL Aug. 2025 11552-11563*

Direct Synthesis Based Centralized PI Controller Design for Single Inductor Multioutput (SIMO) Buck Converter to Alleviate Cross Regulation. *Ram, M.K.*, +, *TPEL Oct. 2025 15226-15237*

Direct Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor. *Pan, B.*, +, *TPEL Sept. 2025 12475-12487*

Discontinuous Dual-Signal PWM for Neutral-Point Voltage Balancing in Three-Level Converters. *Liu, C.*, +, *TPEL Nov. 2025 17147-17159*

Discontinuous Pulse-Width Modulation With Balanced DC-Link Capacitor Voltages for Three-Phase Four-Level Inverters. *Zhang, L.*, +, *TPEL Oct. 2025 15595-15606*

Discrete-Time State Feedback Design Approach in a Digitally Current Mode Controlled Boost Converter for Improving Transient Performance and Stability. *Chatterjee, D.*, +, *TPEL Nov. 2025 16740-16751*

Distributed Economic Coordination Controller for Parallel DC–DC Converters in Shipboard DC Microgrids Based on Prescribed-Time Consensus Observer. *Zeng, Y.*, +, *TPEL Jan. 2025 2495-2512*

Distributed Predefined-Time Droop-Free Unified Control Scheme for Parallel Energy Storage Units in All-Electric Aircraft Onboard DC Microgrid. *Yu, H.*, +, *TPEL Oct. 2025 15730-15744*

Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*

Disturbance Observer-Based Robust Current Control Scheme for Three-Phase Grid-Tied Inverters With *LCL* Filter Considering Unbalanced Grid Voltages. *Viswambharan, A.*, +, *TPEL Feb. 2025 2761-2779*

Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*

Dual-Loop Estimation Based Adaptive Controller for Microgrid Connected Boost Converters. *Santana, I.*, +, *TPEL Jan. 2025 551-562*

Dual-Stage MPC for SoC Balancing in Second-Life Battery Energy Storage Systems Based on Delta-Connected Cascaded H-Bridge Converters. *Poblete, P.*, +, *TPEL Jan. 2025 500-515*

Duty-Modulated Direct Torque Control Strategy Based on Efficient Voltage Vector Selection for Induction Motor Drives. *Zhang, Z.*, +, *TPEL Dec. 2025 17726-17737*

Dynamic DC Voltage Enhancement for Modular Multilevel Converter Using Capacitor Voltage Ripple. *van der Sande, R.*, +, *TPEL June 2025 8179-8193*

Dynamic Defense Method Against Malicious Attacks for DC Microgrids. *Zhang, Z.*, +, *TPEL July 2025 9591-9605*

Dynamic Performance Improvement Method for Buck Converters With Small Input Capacitors in WPT Systems Based on Voltage Feedforward Active Damping Control. *Dong, S.*, +, *TPEL Oct. 2025 16022-16031*

Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL Sept. 2025 13673-13685*

Enabling High-Frequency Operation of MMC-Based Chargers: Frequency-Decoupled Modulation Strategy and Soft Switching. *Pouresmaeil, K.*, +, *TPEL June 2025 8139-8152*

Energy Harmonic Stability Analysis of Energy-Balancing Control for Modular Multilevel Converter. *Chen, C.*, +, *TPEL June 2025 7844-7860*

Energy-Based Analysis and Predictive Variable Frequency Control Scheme of a High-Voltage Solid State Pulse Generator for Space Applications. *Kuldip, C.*, +, *TPEL May 2025 7070-7085*

Enhanced MMC With Mechanical Disconnectors for DC Fault Blocking and Reduced Power Losses. *Fang, X.*, +, *TPEL Sept. 2025 12038-12042*

Enhanced Observer With Series-Correction for Active Disturbance Rejection Control in DAB Converters. *Yin, H.*, +, *TPEL Oct. 2025 15519-15528*

Enhanced Power Injection Strategies for Voltage Sag Minimization: Integrating the Maximum Apparent Power of the Converter and the Thévenin Equivalent. *de Pontes, G.P.*, +, *TPEL Jan. 2025 351-360*

Enhanced Sampled-Data Models for Multistage Predictive Current Control of Four-Level Inverters. *Le, H.*, +, *TPEL Sept. 2025 11945-11950*

Enhanced Seamless Transition Control of Grid-Tied Converters Using Dual-eSOGI Vector-Based Synchronization Under Grid Faults. *Nigam, A.*, +, *TPEL Sept. 2025 13952-13964*

Enhanced Single-Loop dq Control Based on Inductor Current Feed-Forward and Virtual Damping for Nonlinear Load Application. *Iyer, V.G.*, +, *TPEL Aug. 2025 10496-10508*

Enhancing the Voltage-Support Capabilities of Grid-Feeding Inverters in an Islanded Microgrid Under a Short Circuit. *Miret, J.*, +, *TPEL Dec. 2025 18040-18053*

Exploring the Extreme Dynamic Transition Response of Dual Active Bridge Converters. *Xiao, Z.*, +, *TPEL May 2025 6988-7001*

Exploring the Inherent Fault-Tolerance of Model-Free Predictive Control in Three-Level T-Type Converters. *Cao, T.*, +, *TPEL Dec. 2025 18214-18225*

Extending the Harmonic Optimization Function of Capacitively Coupled Active Damper for LCL-Equipped High-Speed PMSM Drives. *Zhou, J.*, +, *TPEL Feb. 2025 2916-2929*

Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*

Fault Diagnosis and Fault-Tolerant Operation Strategy for Triple-Port Hydrogen Production System. *Zhang, S.*, +, *TPEL Aug. 2025 11526-11536*

Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives. *Zhang, Y.*, +, *TPEL Nov. 2025 16184-16194*

Feedback Linearization-Based Load-Current Feedforward Control Strategy for Fast Dynamic Response of Hybrid Modular DC Transformers. *Wang, W.*, +, *TPEL June 2025 7709-7726*

Fixed Switching Frequency Model Predictive Control for Grid-Forming Inverters. *Carnielutti, F.*, +, *TPEL July 2025 9080-9089*

Fixed-Frequency K+D Modulation of Modular Multilevel Resonant DC–DC Converters for Output Voltage Overshoot Optimization. *Luo, Z.*, +, *TPEL March 2025 3927-3937*

Full-State Feedback Power Decoupling Control for Grid Forming Converter With Improved Stability and Inertia Response. *Tian, Y.*, +, *TPEL Feb. 2025 2930-2942*

Fully Soft Switching Single-Stage Isolated Three-Phase AC to DC Series Resonant Converter. *Kosesoy, Y.*, +, *TPEL Sept. 2025 12527-12541*

Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*

Gate Voltage Closed-Loop Regulation Technique for High-Voltage Supercascode Power Switches. *Xiao, Y.*, +, *TPEL Jan. 2025 879-891*

Generalized Averaged Modeling of Capacitor Voltage Balancing Dynamics in Flying Capacitor Multilevel Converters. *Iyer, R.K.*, +, *TPEL Dec. 2025 18097-18112*

Global Flexible Power Control of Photovoltaic Systems Under Partial Shading Conditions Based on Direct Multipeak P-V Curve-Fitting. *Peng, Q.*, +, *TPEL July 2025 9972-9985*

Grid-Following Voltage Source Converter With a PLL-Less PI Passivity-Based Controller for Unbalanced Grid Conditions. *Avila-Becerril, S.*, +, *TPEL Aug. 2025 11537-11551*

Grid-Forming Control and Experimental Validation for High Voltage Transformerless Battery Energy Storage System. *Wu, X.*, +, *TPEL April 2025 4889-4901*

Grid-Forming Converter With Enhanced Current Limiting Dynamics During Grid Faults and Wide Stability Range. *Rios-Castro, D.*, +, *TPEL Oct. 2025 15042-15063*

Harmonic Current Injection Control Algorithm for Narrowing the Switching Frequency Range in CrM Totem-Pole PFC. *Park, H.*, +, *TPEL Feb. 2025 2958-2970*

Harmonic Distortion Analysis and Suppression for Asynchronous SVPWM at Low Sampling- to-Fundamental Frequency Ratios. *Wang, Q.*, +, *TPEL July 2025 9723-9736*

Hierarchical Control of DC Coupled Fast EV Charging Station. *Sharida, A.*, +, *TPEL Aug. 2025 11690-11700*

High Current, High Power-Density Intermediate Bus Converters for Vertical Power Delivery to Next-Generation Processors. *Prakash, P.R.*, +, *TPEL Oct. 2025 14771-14784*

High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*

High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*

High Gain Proportional Resonant Voltage Ripple Suppression for PWM Rectifiers Under Unbalanced Grid. *Zhang, Y.*, +, *TPEL Sept. 2025 13490-13498*
High Isolation Voltage Auxiliary Power Supply Method With Diode-Capacitor Network (DCN) for Nanosecond Pulse Power Supply. *Jin, S.*, +, *TPEL Aug. 2025 10299-10312*
High Step-Down Bidirectional Multiport Converter. *Murugan, K.*, +, *TPEL Aug. 2025 10355-10360*
High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*
High-Performance Boundary Control for NPC-DAB Converters: Multitrajectory Natural Switching Surface Derivation and Implementation. *Dai, L.*, +, *TPEL Aug. 2025 11701-11714*
High-Precision Third Harmonic Fault-Tolerant Control for F-PMSM Based on Adaptive Control Set. *Chen, X.*, +, *TPEL Sept. 2025 12242-12256*
High-Voltage DC/DC Converter Topology With Active Filtering Arms. *Wang, Z.*, +, *TPEL Jan. 2025 1183-1197*
Highly Adaptive Voltage Disturbance Decomposition-Based Online Diagnosis and Classification of Stator Electrical Faults in PMSMs. *Jia, Z.*, +, *TPEL Nov. 2025 17013-17024*
How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*
Hybrid Multifunctional Arc Suppression Inverter With Its Steady and Transient State Operation Optimization Method. *Huang, Z.*, +, *TPEL Aug. 2025 10313-10323*
Hybrid Power Synchronization Based Transient Stability Enhanced Control for Grid-Forming Inverters Under Symmetrical Grid Fault. *Sun, P.*, +, *TPEL Feb. 2025 2780-2796*
Hysteretic Current Mode Control of a Wide Output Voltage Three-Level Converter. *Anderson, O.B.*, +, *TPEL May 2025 6771-6786*
Immittance-Based Stability and Instability Participation Analysis for DC Microgrids. *He, B.*, +, *TPEL June 2025 7861-7871*
Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*
Impedance Profile Prediction for Grid-Connected VSCs With Data-Driven Feature Extraction. *Wu, Y.*, +, *TPEL Feb. 2025 3043-3061*
Impedance Reshaping Method Based on Compensating PLL Dynamic to Improve Active Power Transfer Capability of VSC Under Weak Grid. *Xiong, X.*, +, *TPEL Jan. 2025 422-434*
Implementation of SOLM as an Extended SVPWM for Variable Six Pulse DC-Bus Electrolytic Capacitor-Less VSI Based Constant V/f Induction Motor Drive. *Panda, B.*, +, *TPEL June 2025 7777-7788*
Improved Asymmetric Double-Vector Model-Predictive Current Control of Power Converters With Current Harmonic Minimization and Switching Frequency Reduction. *Cao, D.*, +, *TPEL Feb. 2025 2833-2846*
Improved Capacitor Energy Balance Control Strategy for Three-Port Rectifier With Low-Frequency Pulse Load Frequency Drop. *Luan, X.*, +, *TPEL July 2025 8962-8971*
Improved Deadbeat Predictive Current Control of PMSM Drives With Repetitive Control-Based Disturbance Correction Observer. *Cao, H.*, +, *TPEL Jan. 2025 801-812*
Improved Feedforward Control of Active Power Decoupler for PV Microinverter With Nonsinusoidal Power Decoupling Capability. *Shen, Y.*, +, *TPEL Sept. 2025 13499-13513*
Improved Inductance Identification Method Based on High Frequency Signal Characteristics Acquisition for IPMSM Considering Voltage Phase Delay. *Chen, Z.*, +, *TPEL Sept. 2025 12230-12241*
Improved Leading-Angle Flux-Weakening Control for Surface-Inset Permanent Magnet Synchronous Motor Considering Asymmetric Rotor Effects. *Zhao, W.*, +, *TPEL July 2025 9699-9708*
Improved Single DC Source Hybrid Neutral Point Clamped Converter With 13 Levels. *Zakzewski, D.*, +, *TPEL Sept. 2025 12648-12660*
Improved Synchronized SVPWM Strategy for High-Power Three-Level Active Neutral Point Clamped Traction Inverter. *Zhao, M.*, +, *TPEL Feb. 2025 3189-3209*
Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*
Inherent Switching Reallocated CPS-PWM With Improved Voltage Balancing for MMC. *Peng, L.*, +, *TPEL Sept. 2025 12863-12872*
Instantaneous Pulse Pattern Control for Optimized Dynamic Performance of Three-Phase Dual-Active Bridge Converter. *Yun, J.*, +, *TPEL July 2025 9019-9033*
Integrated Induction Motor Drive for Variable Speed Industrial Applications. *Bahrami-Fard, M.*, +, *TPEL May 2025 7176-7188*
Integrated Model Predictive Control of Double-Stage Solid-State Transformers With Dynamic Reference. *Kong, D.*, +, *TPEL Sept. 2025 13965-13976*
Integrated Power Management Strategy for Multisource Hybrid Power Systems in Fuel Cell Vessels: Focusing on Dynamic Lifetime Extension and Optimal Hydrogen Consumption. *Zeng, Y.*, +, *TPEL June 2025 8792-8811*
Intelligent Inner Loop-Based Output-Feedback System for DC/DC Power Converters With Model-Free Observer. *Kim, Y.*, +, *TPEL Oct. 2025 14746-14754*
Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*
Investigation of Reflected Wave Phenomenon in SiC-Based Two-Level Split-Phase Inverter-Fed Motor Drives. *Mirza, A.B.*, +, *TPEL April 2025 5768-5786*
Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*
Isolated Three-Phase Soft-Switching DC-DC Converter With Reduced Voltage Stress on Rectifier Diodes for Off-Board Chargers. *de Oliveira, R.N.M.*, +, *TPEL July 2025 9407-9417*
Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*
Leakage Current Suppression for Dual-DC-Port DC–AC Converter in PV-Battery Hybrid System. *Li, Z.*, +, *TPEL May 2025 7315-7328*
Limit Cycle Analyses of Extended EMF-Based Position-Sensorless in IPMSM Drives. *Wang, X.*, +, *TPEL May 2025 6519-6528*
Low-Voltage Ride-Through Algorithm for Grid-Forming Converters. *Fernandez, J.D.*, +, *TPEL Jan. 2025 303-315*
Low-Voltage Thyristor Based Multi-Port DC Breaker for Single-Source Multi-Loads System in Substation. *Wen, W.*, +, *TPEL May 2025 6838-6846*
Magnetic Field Energy Harvesting and Power Management With Transfer Window Modulation. *Xiao, H.*, +, *TPEL May 2025 7573-7585*
Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*
Medium Voltage Auxiliary Power Supply Using Forward Converter Integrated With Switched Capacitor Cells. *da Silva, R.L.*, +, *TPEL Jan. 2025 1404-1417*
Minimum Steady-State Fault Current of Grid-Forming Inverters With Virtual Impedance-Based Current Limiting Caused by Active Power Control. *Liu, T.*, +, *TPEL Sept. 2025 11908-11917*
Mitigation of Motor Reflected Overvoltage Fed by SiC Drives—A New Solution Based on Smart Coils. *Fard, M.T.*, +, *TPEL March 2025 4335-4344*
Model and Data Hybrid Reinforcement Learning for Optimal Voltage-Current Control of Hybrid Active Power Filter. *Gong, C.*, +, *TPEL Sept. 2025 12845-12857*
Model Predictive Control of Robot Flexible Joint Motor Based on Lyapunov Prediction Model. *Yang, Z.*, +, *TPEL Aug. 2025 10783-10792*
Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters. *Queiroz, E.D.*, +, *TPEL July 2025 9301-9314*
Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*
Model-Free Predictive Control Based on Data-Driven for Fast and Accurate Power Allocation in Solid-State DC Transformers. *Kong, D.*, +, *TPEL Jan. 2025 1925-1935*
Model-Free Predictive Current Control of PMSM Using Modified Extended State Observer. *Liu, Z.*, +, *TPEL Jan. 2025 679-690*

Model-Predictive Dual-Control Loop With Improved Current-Limiting Capability for Grid-Forming Inverter Under Grid Faults. *Zhang, H.*, +, *TPEL Jan. 2025 813-827*

Modeling and Control of a Three-Phase Five-Port Partially Isolated DC–DC Converter for DC-Powered Commercial Buildings. *Mondal, A.*, +, *TPEL Oct. 2025 15652-15669*

Modeling and Control of Current Sensorless PFC Three-Phase Vienna Rectifier With Balanced and Unbalanced DC-Link Voltage. *Liao, Y.*, +, *TPEL March 2025 4051-4066*

Modeling and Current Feedforward Control of Series-Arm Modular Multilevel DC/DC Converter With Quasi-Square-Wave Modulation. *Jin, H.*, +, *TPEL May 2025 6933-6950*

Modeling and Decoupled Control of the Three-Level Interleaved DC–DC Converter With Coupled Inductors. *Petric, I.Z., TPEL Sept. 2025 13529-13542*

Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*

Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*

Modeling and Design of Load Current Based Adaptive Voltage Positioning (AVP) Control for Multiphase Buck Converter Using Digital Current Estimation Algorithm. *Li, L.*, +, *TPEL Jan. 2025 316-327*

Modeling for Oscillation Propagation With Frequency-Voltage Coupling Effect in Grid-Connected Virtual Synchronous Generator. *Li, C.*, +, *TPEL Jan. 2025 82-86*

Modified Bridgeless SEPIC PFC Converter With Reduced Conduction Losses and Simple Structure for Medium-Line-Frequency Applications. *Ding, M.*, +, *TPEL Sept. 2025 12594-12605*

Modified Harmonic Current Control and Load Range Extension Method for Single-Stage Isolated DCM Boost AC–DC Converter. *Bi, Y.*, +, *TPEL Jan. 2025 263-278*

Modularized Diode Rectifiers: A New Family of Solid-State Transformers. *Cervone, A.*, +, *TPEL April 2025 4747-4751*

Modulation and Soft-Switching Optimization Control of Multilevel Dual Active Bridge DC–DC Converters. *Pang, J.*, +, *TPEL Jan. 2025 1936-1951*

Multi-Port Collaborative Control Strategy With Smooth Operational Transitions for Photovoltaics, Energy Storage, Direct Current, and Flexibility System. *Zhang, Y.*, +, *TPEL Aug. 2025 11715-11724*

Multifrequency Model of Dual Active Bridge Resonant Converters With Phase-Shift Control. *Li, X.*, +, *TPEL Sept. 2025 13007-13022*

Multilayer Modulation Scheme for a Single-Stage Dual-AC and Dual-DC Port Interlinking Converter in Hybrid Microgrids. *Jiang, S.*, +, *TPEL Nov. 2025 17426-17437*

Multiloop Stability Analysis of Input Voltage Balancing Control in Dual-Active-Bridge-Based Input-Series Output-Parallel Converters. *Yang, J.*, +, *TPEL June 2025 8709-8725*

Multimode Carrier-Based PWM Strategy of Open-End Winding PMSM With Isolated DC Sources. *Gu, X.*, +, *TPEL Jan. 2025 1826-1835*

Multiobjective Model Predictive Control of LCL Grid-Connected Inverter Based on an Improved Gray Wolf Algorithm. *Wang, F.*, +, *TPEL Sept. 2025 13977-13990*

Multiple Open-Switch Fault Diagnosis of Grid-Connected Three-Phase Inverters Under Unknown Parameter Conditions Using ICRLS and Disturbance Sliding Mode Observer. *Xu, S.*, +, *TPEL June 2025 8631-8647*

New Stability Region for the Single-Loop AC-Voltage Control in *LC*-Filtered VSIs and Its Improvement by Means of Voltage Decoupling. *Fernandez-Abraldes, P.M.*, +, *TPEL April 2025 4668-4684*

Noncascade Structure Equivalent SMC for PMSM Driving Based on Improved ESO. *Liu, J.*, +, *TPEL Jan. 2025 611-624*

Novel Single-Loop dq Control for *LC* Filter-Based Single-Phase Standalone Inverter Systems Under Nonlinear Loads. *Iyer, V.G.*, +, *TPEL Jan. 2025 227-240*

Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*

Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*

Online Estimation of Direct- and Quadrature-Axis Inductances Without Rotational Transformation for Finite Control Set PMSM Drives. *Zhou, Y.*, +, *TPEL Oct. 2025 14626-14637*

Optimal Voltage Level-Based Sequential Predictive Current Control With Reduced Complexity for Multilevel Inverters. *Le, H.*, +, *TPEL Jan. 2025 1272-1288*

Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*

Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*

Optimizing PV–Battery Hybrid Systems: A Reconfigurable Approach With Module-Level Maximum-Power-Point Tracking and Load Sharing. *Jiang, W.*, +, *TPEL Jan. 2025 2327-2341*

Output Voltage Chopping Compensation Control Method and Current Fluctuation Suppression Strategy for High-Rate Discharge LBESS. *Liu, Y.*, +, *TPEL May 2025 6476-6491*

Overmodulatable Parameter-Free Predictive Current Control for PMSMs. *Zhu, Z.*, +, *TPEL Jan. 2025 1774-1786*

Overview of Voltage Balancing Schemes in Bipolar DC Microgrids. *Ren, Q.*, +, *TPEL Feb. 2025 3469-3489*

Peak Current-Mode Control for *LLC* Resonant Converter. *Qiu, Y.*, +, *TPEL Oct. 2025 14228-14234*

Performance Limits of Resonant Switched-Capacitor Converter With Voltage Regulation. *Xie, W.*, +, *TPEL Jan. 2025 1441-1456*

Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*

Physics Informed Neural Network—Estimated Circuit Parameter Adaptive Modulation of DAB. *Dey, S.*, +, *TPEL Oct. 2025 14821-14841*

Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*

Power Converter Decentralized Specifications in Different Grid Nodes for DC Distribution Systems. *Stojanovic, L.*, +, *TPEL Nov. 2025 17400-17413*

Power Coupling Index (PCI) Oriented Stability Analysis and Interaction Control Design for Inverter-Based Microgrid Under Complex Line Impedance. *Fu, S.*, +, *TPEL Feb. 2025 3697-3709*

Power Flow Analysis and Current Optimization Control in Automatic Neutral Section Power Supplier With Partial Capacity. *Zhang, Z.*, +, *TPEL Dec. 2025 18421-18436*

Power Reserve Control of PV Grid-Tied Inverter With Transient Stability Constraint. *Ling, Y.*, +, *TPEL Sept. 2025 13474-13489*

Predictive Direct Control of Nine-Switch Converter Unified Power Quality Conditioner Based on Time-Sharing Cooperative Control. *Wang, G.*, +, *TPEL April 2025 5895-5906*

Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*

Problem Analysis and Improvement of Traditional Efficiency Optimization Method for Inductive Power Transfer Systems. *Chen, D., TPEL May 2025 7466-7476*

Pulse Injection Modulation Method for Current-Fed Dual Active Bridge Converter With Full Load Range ZVS Under Wide Input-Voltage Range. *Liu, C.*, +, *TPEL Feb. 2025 2668-2673*

Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*

Pulse Pattern Optimization-Assisted MPC for SiC-Based PMSM Drives to Reduce Both Common-Mode and Differential-Model Voltages. *Ma, C.*, +, *TPEL July 2025 9107-9120*

PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*

QFT-Based Robust Tracking Control of Nonminimum Phase Boost DC–DC Converter with Sensor Noise Suppression. *Kalvapalli, S.R.*, +, *TPEL May 2025 6436-6441*

Quad-Active-Bridge Resonant-Type Single-Stage Three-Phase AC–DC Converter: Modulation and Control for V2G Applications. *Sal y Rosas, D.*, +, *TPEL July 2025 9034-9047*

Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*

Quasi-Six-Step Operation to Improve Torque Capability of Inverter System With Bootstrap Circuit. *Song, B.*, +, *TPEL Oct. 2025 14613-14625*

Quasi-Square-Wave PWM Modulation for Modular Multilevel Converter in Variable Speed Motor Drives With Inductor Energy Recovery. *Xia, P.*, +, *TPEL Sept. 2025 12321-12336*

Quasi-Transformer Mode Control of Interlinking Converter for Multivoltage Levels DC Grids. *Ma, J.*, +, *TPEL May 2025 7398-7413*

Reactive Power Hybrid Synchronization Control for Oscillatory Stability Enhancement of Grid-Connected Inverters Under Ultraweak Grids. *Gao, L.*, +, *TPEL Nov. 2025 16837-16852*

Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*

Reconfigurable LLC Resonant Converter for Wide Voltage Range and Reduced Voltage Stress in DC-Connected EV Charging Stations. *Zuo, Y.*, +, *TPEL March 2025 3838-3843*

Reducing Torque Ripples for Switched Reluctance Motor via Robust Adaptive Direct Torque Control Strategy. *Niu, Z.*, +, *TPEL April 2025 5871-5882*

Reevaluating the Role of Single-Vector FCS-MPC for Multiphase Electric Drives. *Carrillo-Rios, J.*, +, *TPEL Feb. 2025 3419-3429*

Reference-Frame Selection on Impedance Modeling of VSCs With Fundamental Frequency Dynamics. *Wu, Y.*, +, *TPEL July 2025 10059-10076*

Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*

Research on Energy Management Strategies for Integrated Energy System in Electric Propulsion Aircraft. *Wen, Q.*, +, *TPEL Sept. 2025 13754-13766*

Reserved-Energy-Aided Control in Solid-State Transformers. *Sarda, R.*, +, *TPEL July 2025 9479-9491*

Review of Current-Sharing Schemes for Multiphase LLC Resonant Converter. *Dong, H.*, +, *TPEL Jan. 2025 1322-1345*

Review of Health Monitoring Techniques for Capacitors in Modular Multilevel Converters. *Yu, Q.*, +, *TPEL Sept. 2025 13363-13382*

Robust Coordination Control Strategy for Large-Scale Alkaline Water Electrolyzers Driven by Renewable Energy. *Li, L.*, +, *TPEL July 2025 9957-9971*

Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*

Second Harmonic Injection With Model Predictive Control: Attenuation of DC-Link Pulsations in Single-Phase Inverters. *Zhou, L.*, +, *TPEL May 2025 6529-6538*

Second Harmonic Suppression for DC Output Voltage of Three-Phase Four-Leg PWM Rectifier Under Unbalanced Grid Voltage Conditions. *Tan, G.*, +, *TPEL Aug. 2025 11088-11106*

Series IGBT Chopping Strategy Based on SVPWM for PMSM Drives With Small DC-Link Capacitance. *Li, X.*, +, *TPEL Jan. 2025 129-134*

Series Thyristor Branches-Based Protection for Hybrid MMCs Against Valve-Side Single-Phase-to-Ground Faults in Bipolar HVDC Systems. *Li, H.*, +, *TPEL July 2025 9840-9852*

Simple Power Control Method for Induction Heating Cookers Using Fundamental Frequency Power under Asymmetrical Pulse-Width Modulation. *Huang, M.*, +, *TPEL April 2025 5094-5108*

Simple Vector Calculation and Constraint-Based Fault-Tolerant Control for a Single-Phase CHBMC. *Xie, D.*, +, *TPEL Jan. 2025 2028-2041*

Simplified Implementation Architecture for Current-Source SVPWAM. *Wu, Z.*, +, *TPEL April 2025 4727-4733*

Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*

Single-Stage Multiport AC–DC–DC Converter With Reactive Power Control Capability. *Sun, T.*, +, *TPEL May 2025 6700-6713*

Single-Stage Switched-Capacitor Integrated DC Transformer for DC Distribution Networks. *Huang, X.*, +, *TPEL Nov. 2025 17234-17245*

Small-Signal Behavioral Model and Voltage Control Parameter Optimization for MMC Considering Internal Dynamics. *Chen, H.*, +, *TPEL Sept. 2025 12920-12936*

Small-Signal Modeling and Loop Analysis of Ultrafast Series Capacitor Trans-Inductor Voltage Regulator With Constant On-Time Control. *Li, C.*, +, *TPEL Feb. 2025 3262-3274*

Small-Signal Stability of Sequence-Decomposed Grid-Forming IBRs With DC-Link Voltage Dynamics. *Liu, Q.*, +, *TPEL Feb. 2025 2971-2986*

Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*

Soft-Morphing: Unlocking the Potential of *CLLC* Converters for Ultrawide Range Applications. *Xiao, Z.*, +, *TPEL Jan. 2025 1289-1304*

Spectral Decomposition-Based Mitigation of Radiative Side-Channel Noise Intrusion in a Cascaded SST. *Sur, D.*, +, *TPEL Feb. 2025 2674-2679*

Speed Extended Maximum Torque per Voltage Fault-Tolerant Control of Dual Three-Phase PMSMs Under Open-Phase Fault. *Lu, Y.*, +, *TPEL Sept. 2025 11934-11939*

Stability Analysis and Control Design of Grid-Forming Converters With DC-Link Effect. *Xu, C.*, +, *TPEL May 2025 6813-6828*

Stability Analysis and Harmonic Filtering Enhancement of Single-Voltage-Loop PI- Controlled Grid-Forming Converters. *Li, W.*, +, *TPEL April 2025 5939-5948*

Stability Constrained Transient Overcurrent Capability Enhancement of Grid Forming Converters Based on Switching Frequency Adjustment. *Liu, B.*, +, *TPEL Feb. 2025 2987-3004*

Stability Criterion for Near-Area Grid-Forming Converters Under the Weak Grid Condition. *Wang, P.*, +, *TPEL Jan. 2025 361-374*

Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*

Suppressing High-Frequency Oscillations in Dual Active Bridge Converters With Active-Clamped Series-Connected Power Devices. *Cui, W.*, +, *TPEL Nov. 2025 16596-16610*

Synergetic Control of a Monolithic-Bidirectional-GaN-Transistor-Based Three-Phase Current DC-Link AC–AC Converter. *Nain, N.*, +, *TPEL July 2025 9167-9186*

The Constant Power Transmission Control for Suppressing DC-Link Voltage Ripple Effect of Single-Phase AC–DC–AC Converter. *Zou, M.*, +, *TPEL Aug. 2025 11583-11597*

The Grid Interfaced PV-Driven Dual Port Solar System With Improved Depth of Power Extraction Under Solar Irradiance Disparity. *Kumar, A.*, +, *TPEL Sept. 2025 13907-13918*

The Grid-Connected Inverter Stability Enhancement Control Based on Impedance Instability Region Elimination. *Sui, Z.*, +, *TPEL July 2025 9606-9624*

The Harmonically Partitioned Power Converter Architecture: Single-Stage Single-Phase ac/dc Power Conversion Using Bidirectional Switches. *Anderson, J.R.*, +, *TPEL Oct. 2025 14854-14867*

The Magnetic Branch Snubber Channel and Magnetic Model Analysis for SM Capacitor Reduction of SST. *Pan, Y.*, +, *TPEL June 2025 8216-8241*

Three-Dimensional Vector Cube Decomposition-Based Power Allocation for Multisource Inverter-Fed PMSM Drives. *Luo, K.*, +, *TPEL Aug. 2025 10705-10716*

Tolerant Sequential Model Predictive Control Based on Lexicographic Optimization Method for T-Type Three-Phase Three-Level Inverters. *Chen, S.*, +, *TPEL Feb. 2025 3020-3032*

Topology Derivation Method of DC/DC Converter With Wide Third-Order Voltage Conversion Ratio. *Dong, M.*, +, *TPEL Aug. 2025 11001-11011*

Torque Regulation Theory and Sensorless Control Technology for Unipolar Salient Synchronous Permanent Magnet Motor Based on Unified Models. *He, Z.*, +, *TPEL April 2025 5672-5684*

Torque Ripple Suppression Synchronous Optimal PWM for IPMSMs by Reallocating Current Harmonics in Multiple Synchronous Reference Frame. *Shao, Z.*, +, *TPEL Aug. 2025 11775-11786*

Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*
Transient DC Bias Suppression for Three-Level Dual-Active-Bridge Converter. *Yang, G.*, +, *TPEL Sept. 2025 12084-12094*
Transient Modeling and Postfault Stability Analysis of GFM-DFIG Considering Rotor-Side Current Limitation. *Zhan, L.*, +, *TPEL Sept. 2025 11979-11984*
Transient Stability Analysis and Enhancement of Inverter-Based Microgrid Considering Current Limitation. *Li, D.*, +, *TPEL Jan. 2025 2429-2441*
Transient Stability Analysis for Hybrid Parallel-Connected Converters by Two-Dimensional Phase Portrait. *Wang, S.*, +, *TPEL June 2025 7765-7776*
Transient Stability Analysis of Multiparallel Grid-Forming Converters Considering Active and Reactive Power Control Coupling and Current Limiting. *Wang, Z.*, +, *TPEL Sept. 2025 13615-13631*
Transient Stability-Enhancing Method for Grid-Forming Inverters Under Current Limiting. *Baeckeland, N.*, +, *TPEL May 2025 6714-6725*
Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*
Two-Segment High-Performance PV Grid-Connected Inverter. *Liu, A.*, +, *TPEL Feb. 2025 2809-2821*
Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*
Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*
Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*
Unified Modeling and Full-Mode Energy Control of Two-Time-Scale Cascaded Systems. *He, K.*, +, *TPEL Dec. 2025 18390-18406*
Universal Integrated Onboard Charger With Model Predictive Current Control for Plug-In EV Charging. *Karneddi, H.*, +, *TPEL Jan. 2025 28-33*
Unlocking the Full Potential of GaN/SiC Cascode Device With 3D Co-Packaging and Enhanced dv/dt Control Capability. *Shu, J.*, +, *TPEL May 2025 6874-6882*
Variable-Gain *LLC* Converter With Series–Parallel Hybrid Switch-Controlled Capacitor Network. *Gao, L.*, +, *TPEL March 2025 3885-3898*
Vertically Stacked Dual-Bus DC–DC Converter for Data Center High-Current Power Delivery. *Geng, J.*, +, *TPEL May 2025 7002-7014*
Vibration Reduction for Dual Three-Phase PMSM Drives With Constant Carrier Period and No Extra Switching Loss. *Wang, C.*, +, *TPEL Nov. 2025 16243-16254*
Virtual Admittance Reshaping Based Ripple Current Suppression Strategy of DC-Link Capacitors for PMSM Drives. *Qu, D.*, +, *TPEL Nov. 2025 16443-16455*
Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*
Voltage Feedforward Damping Control Based on Duffing–Hopf Oscillator for Parallel Grid-Forming Inverters. *Luo, S.*, +, *TPEL Sept. 2025 13703-13715*
Voltage Ride-Through Strategy for Grid-Connected Dual Voltage Source Inverter Under Unsymmetrical Fault Conditions. *Muraleedharan, N.*, +, *TPEL Nov. 2025 17438-17450*
Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*
Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*
Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*
Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*
Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*
Zero-Speed Sensorless Control Method for IPMSM Drives Using Virtual Voltage Signal Injection Based Full-Order State Observer. *Wang, K.*, +, *TPEL Sept. 2025 12428-12439*

Voltage fluctuations

A Capacitor Voltage Fluctuation Suppression Method Employing Compound Mutual Inductance Charge Channel for Modular Multilevel Converter Operating at Low Frequency. *Yao, F.*, +, *TPEL Sept. 2025 13202-13216*
A Decentralized Self-Synchronizing Method for Cascaded Converter System Based on Analysis of the Existence of Equilibrium Points. *Shi, G.*, +, *TPEL Aug. 2025 10402-10418*
A Direct Modulation Index Control Strategy for Three-Phase Vienna Rectifier at Light Load. *Wang, Y.*, +, *TPEL Sept. 2025 12634-12647*
A Novel Single-Phase Transformerless TC-UPQC With Reduced DC-Link Voltage. *Fu, W.*, +, *TPEL May 2025 7200-7214*
A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*
Consolidated Carrier-Based Discontinuous PWM Strategies for DC-Link Capacitance Reduction in Three-Phase Three-Level Converters. *Pei, Y.*, +, *TPEL Sept. 2025 13556-13567*
Design-Oriented Transient Stability Analysis of Grid-Connected Converters: A Comparative Study of Analysis Methods. *Liu, C.C.*, +, *TPEL Jan. 2025 749-763*
Gate Voltage Dip as a New Indicator for Online Health Monitoring of SiC MOSFETS. *Picot-Digoix, M.*, +, *TPEL Jan. 2025 142-145*
Optimal Voltage Unbalance Suppression Control Using PV Inverter in Distribution Network. *Feng, Q.*, +, *TPEL Oct. 2025 14985-15002*
Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*
Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*
Unified Modeling and Control Methods for Ripple Power Decoupling Circuit Based on DC-Split Capacitor. *Wang, Z.*, +, *TPEL Jan. 2025 665-678*
Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*
Voltage-Compensation-Based Hybrid-Capacitor Converter With Partial Power Conversion for Pulsed Power Suppression. *Yang, F.*, +, *TPEL July 2025 9507-9517*

Voltage measurement

A 500 mA Output-Capacitorless NMOS LDO With Dynamic Load Range Adaptation Achieving Fast Settling Time and Enhanced PSR for Chiplet Power Managements. *Lee, J.*, +, *TPEL Oct. 2025 14508-14523*
A Combined Model-Based and Data-Driven Multi-Fault Diagnosis Method for Series–Parallel Battery Packs. *Lin, T.*, +, *TPEL Aug. 2025 11355-11368*
A Decentralized Secondary Voltage Control Method With Unbalance Voltage Compensation Capability for Parallel Inverters in Islanded Microgrids. *Shi, Y.*, +, *TPEL Aug. 2025 11564-11582*
A Differentiated Operation Strategy for Main Circuit Ground Faults in Electrical Traction Drive System. *Ni, Q.*, +, *TPEL Nov. 2025 17355-17365*
A Dual-Frequency Tuning Method for Estimating Coupling Coefficient and Output Voltage by Measuring Transmitter Current of IPT System. *Han, M.E.*, +, *TPEL Sept. 2025 14027-14037*
A High Order Nonlinear Adaptive Observer for PMSM Speed-Flux Transformation Model: A PMSM Sensorless Control Scheme. *Liu, S.*, +, *TPEL Aug. 2025 10889-10898*
A High-Sensitive Online T_j Extracting Method Based on Electrothermal Interaction and Linear-Mode Current Response for Power MOSFET Devices. *Yang, F.*, +, *TPEL July 2025 9357-9369*
A High-Voltage PMIC Using an Efficient Perturb and Observe Technique for Energy Harvesting of Triboelectric Nanogenerators. *Moon, S.*, +, *TPEL Feb. 2025 3225-3239*
A Multi-Port Solid State Circuit Breaker for LVDC Protection: Towards A Lossless Design. *Nawafleh, Y.*, +, *TPEL July 2025 8899-8904*

A Novel Short-Circuit Protection Scheme for Silicon Carbide (SiC) MOSFET Module Considering Operation Temperature. *Wen, Y.*, +, *TPEL Aug. 2025 10661-10671*

A Short-Circuit Protection Method for SiC MOSFET Using Combined V_{gs} and V_{ds} Detection. *Xie, J.*, +, *TPEL Sept. 2025 11940-11944*

A Waveform-Informed Fault Diagnosis Algorithm for Combined Inverters Under Variable Input Voltage Disturbances Based on VMSS. *Huang, Z.*, +, *TPEL Oct. 2025 15348-15358*

Accuracy Improvement of Back-EMF-Based Position Sensorless Control of PMSM Drives Based on Virtual Current Sampling. *Zhang, Y.*, +, *TPEL Aug. 2025 10378-10384*

Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*

Accurate Magnetic Core Losses Measurement Under Arbitrary Excitation Waveforms. *Cabizza, S.*, +, *TPEL Jan. 2025 34-39*

An Adaptive Two-Mode Bias-Flip Rectifier With Lowered Cold-Startup Voltage Requirement for Multiple Piezoelectric Energy Harvesting. *Yue, X.*, +, *TPEL June 2025 8283-8291*

An Embedded Current Sensing Method for Nanosecond-Pulsewidth and High-Power LIV Testing. *Zeng, Y.*, +, *TPEL Oct. 2025 14277-14281*

An Experimentally Verified Behavioral GaN HD-GIT Transistor Model. *Udabe, A.*, +, *TPEL May 2025 6883-6897*

An IGBT Junction Temperature Estimation Method Based on Turn-Off Maximum di_C/dt With Decoupling Load Current. *Shi, Y.*, +, *TPEL Jan. 2025 2057-2069*

An Improved Methodology for Measuring the Conduction Characteristics of SiC MOSFETs. *DeBoi, B.T.*, +, *TPEL Sept. 2025 13075-13085*

An Improved Voltage Reconstruction Method for Current Source Inverter. *Wei, Y.*, +, *TPEL Nov. 2025 16409-16418*

An Online Junction Temperature Monitoring Method for Press-pack IGBT Based on a Novel TSEP With a Good Linearity. *Zhang, Z.*, +, *TPEL May 2025 6829-6837*

Asymmetric Space Vector Pulse Width Modulation for the Phase Current Reconstruction in Three-Phase Inverters. *Shen, Y.*, +, *TPEL Jan. 2025 1686-1696*

Bennet's Doubler-Extended Converter With Optimized Bias for Enhanced Energy Extraction From Triboelectric Nanogenerators. *Su, Y.*, +, *TPEL Sept. 2025 12026-12030*

Bias-Compensated State of Charge and State of Health Joint Estimation for Lithium Iron Phosphate Batteries. *Yi, B.*, +, *TPEL Feb. 2025 3033-3042*

Calibration and Measurement of V_{ce}-T_j Correlation With Temperature Distribution of IGBT and Interconnections. *Lu, G.*, +, *TPEL Jan. 2025 2149-2157*

Cascaded H-Bridge Converter-Based Flexible Arc Suppression Method Adapting to Line Parameter Variations. *Zhao, G.*, +, *TPEL Aug. 2025 11809-11819*

CNN-Based Robust Harmonic Feature Extraction for Open-Circuit Fault Detection and Localization in Modular Multilevel Converters. *Huang, D.*, +, *TPEL Dec. 2025 17575-17581*

Compensating Frequency Converter Nonlinearity. *Baumgartner, T.*, +, *TPEL Jan. 2025 691-703*

Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*

Controller Design of *LC*-Based Grid-Tied Converter to Guarantee Passivity Up to the Nyquist Frequency. *Morales-Munoz, A.*, +, *TPEL May 2025 6675-6684*

Current Measurement Error Compensation Based on Modified Multiple Complex-Coefficient Filters in PMSM Drives. *Song, P.*, +, *TPEL March 2025 4067-4079*

Current Sensorless Synchronous Rectification Method of SiC-Based LLC Resonant Converter in Power Supply Units. *Jang, W.*, +, *TPEL Oct. 2025 14797-14810*

Diagnosing Thermal-Interface Aging of Power Devices Using Self-Sensing. *Austrup, I.*, +, *TPEL March 2025 4386-4398*

Enhancing Buck Converter Efficiency by Using GaN/Si Hybrid Switches to Suppress Dynamic On-State Resistance. *Deng, G.*, +, *TPEL Oct. 2025 14425-14436*

Fault Diagnosis and Tolerant Operation Method of Open Circuit Fault in Modular Multilevel DC/DC Converter With Quasi-Two-Level Modulation. *Hu, C.*, +, *TPEL Sept. 2025 13643-13658*

Fault-Tolerant Control of Common Electrical Faults and Sensor Faults in Sensorless PMSM Drives. *Zhang, Y.*, +, *TPEL Nov. 2025 16184-16194*

Flexible 1.5-GHz Probe Isolation Extension With High CMRR and Robust dv/dt Immunity Empowering Next-Generation WBG Measurement. *Wang, Y.*, +, *TPEL Jan. 2025 862-878*

High Accuracy and Wide Temperature Range Converter-level On-State Voltage Measurement With Localization Function for SiC MOSFETs. *Wu, Q.*, +, *TPEL April 2025 5971-5982*

High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*

High-Performance Continuous-Current Capacitive Battery Balancer With Flexibility in Battery Cells Connection and Independent of Cells Location. *Tazehkand, M.Z.*, +, *TPEL Sept. 2025 13767-13777*

How to Identify Grid-Connected Inverter Stability Region: A Model-Free Measurement-Based Method. *Rong, Q.*, +, *TPEL Nov. 2025 16780-16789*

Impact of DC Voltage Reference on Subsynchronous Dynamics in Grid-Forming Inverters. *Zeng, Z.*, +, *TPEL July 2025 8934-8938*

Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*

Improved Oscillation Method for High-Frequency Magnetic Core Loss Measurement. *Xiang, D.*, +, *TPEL Jan. 2025 1577-1588*

In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*

Iron Loss Extrapolation Predictions for High-Frequency Magnetic Components Using Denoising Diffusion Models. *Shen, X.*, +, *TPEL Oct. 2025 15254-15264*

Kalman Filter Based Detection Scheme for DC-Link Voltage Measurement Faults in MMC-HVDC Systems. *Song, S.*, +, *TPEL March 2025 4199-4212*

Load-Independent Junction Temperature Estimation via Combined TSEPs Modeling for SiC MOSFETs. *Luo, M.*, +, *TPEL Jan. 2025 851-861*

Machine-Learning-Based Probe Skew Correction for High-Frequency BH Loop Measurements. *Wang, Y.*, +, *TPEL Oct. 2025 14356-14362*

Model, Analysis, and Design of a *q*-Axis Self-Synchronizing Current Control for Three-Phase Grid-Connected Converters. *Queiroz, E.D.*, +, *TPEL July 2025 9301-9314*

Mutual Inductance and Output Voltage Estimation From Transmitter Side of Wireless Power Transfer by Utilizing Reflected Third-Order Harmonics. *Han, M.E.*, +, *TPEL Dec. 2025 18226-18236*

Novel On-State Voltage Measurement Circuit Topology, Operation, and Performance for High-Voltage Wide-Bandgap Devices. *Gill, L.*, +, *TPEL Oct. 2025 15433-15449*

Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*

Novel Topology for Single-Input Triple Output Three-Level Buck Converter. *Kwon, J.*, +, *TPEL Oct. 2025 14295-14300*

Offset-Free Optimal Control of Cascaded H-Bridge Converters Based on a Kalman Filter Harmonic Compensator. *Poblete, P.*, +, *TPEL Jan. 2025 625-637*

On-State Voltage Sensing of Fast-Switching Power Transistors: Evaluation, Challenges, and Advanced Design Considerations. *Weiser, M.C.J.*, +, *TPEL Sept. 2025 13289-13299*

One-Step Method of Dynamic Capacitances Extraction From a SiC Power MOSFET in a Half-Bridge Package for EMI Analysis. *Rhee, J.*, +, *TPEL Jan. 2025 969-983*

Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*

Online Harmonic Reduction for Aircraft Electrical Power Distribution System With Global Phase-Shifted Carrier PWM. *Peng, Q.*, +, *TPEL Jan. 2025 599-610*
Open-Circuit Fault Diagnosis Method for Inverters Based on Critical Characteristics of Half-Wave Current. *Liu, B.*, +, *TPEL Sept. 2025 12280-12294*
Output Voltage Chopping Compensation Control Method and Current Fluctuation Suppression Strategy for High-Rate Discharge LBESS. *Liu, Y.*, +, *TPEL May 2025 6476-6491*
Parameter Identification Method for Multifrequency and Multiload MCR-WPT System Based on Hysteresis Current Control. *Sun, A.*, +, *TPEL Sept. 2025 12661-12675*
Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*
Quantitative Evaluation of Frequency Domain Approaches in Assessing Small-Signal Stability of Grid-Tied Converters. *Xin, H.*, +, *TPEL Dec. 2025 18378-18389*
Reduction of the Effect of Machine Saturation on the Quality of Self-Sensing Control. *Himker, N.*, +, *TPEL Feb. 2025 2887-2900*
Reliability Improved Discontinuous Pulse Width Modulation for NPC Inverters Operated at High Modulation Index. *Lee, D.*, +, *TPEL July 2025 9876-9888*
Research on Core Losses Quantification Method of DC Bias Excitation Based on Finite Element Analysis. *Wang, J.*, +, *TPEL June 2025 8405-8415*
Research on the Capability of Star-Connected CHB-STATCOM to Compensate the Unbalanced Voltage of Power Grid. *Li, J.*, +, *TPEL June 2025 8577-8591*
Resonant Drive Optimization for Synchronous Rectifiers in High-Current and Ultra-Low-Voltage LLC DCX. *Wang, K.*, +, *TPEL Nov. 2025 16809-16821*
Robust Wide-Area Wireless Charging of Multipath Movable Receivers: A Coupling Mechanism and Simplified Configuration Strategy. *Cai, C.*, +, *TPEL Jan. 2025 2527-2541*
Secondary-Fault Diagnosis of Rotating Rectifier in Brushless Wound-Rotor Synchronous Starter-Generator Based on Estimated Rotor Currents. *Jiao, N.*, +, *TPEL Jan. 2025 1813-1825*
Stray Inductance Extraction Methods for Power Modules: A Comprehensive Review and Analysis. *Yang, M.*, +, *TPEL June 2025 8016-8035*
Submodule Capacitor Voltage Estimator for Modular Multilevel Converters Without Internal Measurements. *Sanchez-Squella, A.*, +, *TPEL Sept. 2025 13941-13951*
Surge Characteristics of Planar-Gate Silicon Carbide MOSFET in the Third Quadrant. *Liang, B.*, +, *TPEL Aug. 2025 10635-10648*
Switch Fault Diagnosis for Switched Reluctance Motors Based on Current Double-Measurement. *Xu, S.*, +, *TPEL April 2025 6010-6019*
Unified Control Scheme Based on Model Predictive Control for Hybrid-Energy-Storage-Based Microgrids. *Kumar, K.*, +, *TPEL Sept. 2025 13383-13402*
Utilization of Shaft Voltage Measured From Induction Motor Rolling Bearings for Early Gear Fault Detection. *Chen, X.*, +, *TPEL Nov. 2025 17051-17060*
Utilizing Voltage Transients to Identify Mutual Inductance and Load Voltage of Wireless Power Transfer System. *Wang, X.*, +, *TPEL July 2025 10165-10175*

Voltage source inverters
Dynamic Interleaving Strategy to Reduce DC-Link Ripple of Dual Three-Phase Permanent Magnet Synchronous Machine Drives by Using Discontinuous Space Vector Modulation. *Chowdhury, A.*, +, *TPEL Jan. 2025 1762-1773*
Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*

Voltage transformers
Adaptive Dual-Side Phase-Shift Modulation for Complete and Decoupled Elimination of Transient DC Bias in DAB Converter. *He, Y.*, +, *TPEL Oct. 2025 14331-14336*

Voltage-controlled oscillators
A 96.3% Efficient, 6mV_{pp} Line Transient Response Time-Based Boost Converter With Feedback-PID for AMOLED Displays. *Melillo, P.*, +, *TPEL Jan. 2025 328-339*
A Fully Integrated Switched-Capacitor Voltage Regulator With Switching-Aware Ripple Injection LDO Achieving up to 77% Ripple Reduction. *Jung, S.*, +, *TPEL Oct. 2025 14318-14323*
Distributed Self-Interleaving PWM Signals With Fault-Tolerant Capability for High-Performance Microprocessor Power Supply in Aerospace. *Almeida, G.*, +, *TPEL April 2025 5583-5592*

W

Waste heat
Programmable Matrix-Array Thermoelectric System With Tri-State Energy Conversion. *Wang, N.*, +, *TPEL Sept. 2025 11897-11907*

Water conservation
Water Failure Diagnosis of PEMFC in Actual Operating Conditions With High-Frequency Impedance Features. *Wei, Z.*, +, *TPEL May 2025 7414-7422*

Water heating
Single-Phase and Evaporating Two-Phase Flow Microchannel Cooling of Power Modules for Temporary Overcurrent Operation. *Iosifidis, N.*, +, *TPEL Oct. 2025 15381-15398*

Water pumps
A New PV Fed High Gain Boost-Cuk Converter Employed SRM Driven Water Pumping Scheme With IDEPSO MPPT. *Priyadarshi, N.*, +, *TPEL Jan. 2025 2371-2384*

Wheels
Multimotor Synchronous and Antidisturbance Control for Two-Stage Friction Wheels Launcher. *Bu, S.*, +, *TPEL June 2025 7893-7903*

White noise
Robust Open-Switch Fault Diagnosis of Three-Level NPC Inverters Based on Data Augmentation With White Noise Injection. *Jung, J.*, +, *TPEL Feb. 2025 3553-3565*

Wide band gap semiconductors
Characteristics and Operation of a Monolithic Bidirectional GaN-on-AlN/SiC Power Transistor Employing Dual-Gate. *Geng, X.*, +, *TPEL April 2025 5231-5240*

Wideband
Multiresolution Dynamic Mode Decomposition for Wideband Harmonic Instability Identification. *Kong, R.*, +, *TPEL April 2025 5037-5051*
Narrowband and Wideband Dual-Mode Wireless Power Transfer System With a Single Transmitter. *Ayaz, E.*, +, *TPEL Jan. 2025 135-141*
Wideband Tunneling Magnetoresistance Current Sensor With Dual-Parallel Current Trace Utilizing the Skin Effect. *Gao, J.*, +, *TPEL Sept. 2025 12626-12633*

Wind energy
A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*
Adaptive Power Coordination Control for Electrolysis Hydrogen Directly Driven by Wind Turbines. *He, H.*, +, *TPEL Jan. 2025 2315-2326*
Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*
Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*

Wind farms
A Power Losses and Thermal Energy Optimization Method for Hybrid DC Chopper Based on Hysteresis Control Strategy. *Li, Y.*, +, *TPEL Jan. 2025 486-499*
Communication-Less Proportional Voltage Balancing to Set up a Voltage-Sourced Platform-Less DC Collection System for Offshore Wind Farms. *Singh, S.*, +, *TPEL Oct. 2025 15478-15490*
Comprehensive Impedance Analysis of DFIG-Based Wind Farms Considering Dynamic Couplings. *Wang, J.*, +, *TPEL Jan. 2025 2259-2272*
Dynamic-Tracking Damping Controller for DFIG-Based Wind Farms to Mitigate Sub-Synchronous Control Interactions. *Han, J.*, +, *TPEL Jan. 2025 2248-2258*

Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults. *Zhao, R.*, +, *TPEL Aug. 2025 11477-11489*
Model-Free Adaptive Control for Mitigation of SSO in PMSG-Based Wind Farms With VSC-HVDC. *Wu, X.*, +, *TPEL Feb. 2025 3684-3696*
Stability Criterion for Near-Area Grid-Forming Converters Under the Weak Grid Condition. *Wang, P.*, +, *TPEL Jan. 2025 361-374*
Steady-State Analysis of the DR-MMC Based Hybrid Topology for Offshore Wind Power Transmission. *Chen, L.*, +, *TPEL Feb. 2025 3177-3188*

Wind power generation
Adaptive Power Coordination Control for Electrolysis Hydrogen Directly Driven by Wind Turbines. *He, H.*, +, *TPEL Jan. 2025 2315-2326*
Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*
Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop. *Li, L.*, +, *TPEL Feb. 2025 2697-2701*
Faulty Phase Localization and Severity Estimation of Interturn Short-Circuit Fault in PMSG of Wind Power System Under Wind Fluctuations. *Sun, B.*, +, *TPEL Sept. 2025 13246-13259*
Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*

Wind speed
Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*

Wind turbines
A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*
A Frequency Adaptive Control Strategy for Grid-Connected Inverters Without AC Voltage Sensor Based on an Improved Finite Position Set-Phase Locked Loop. *Yang, H.*, +, *TPEL March 2025 3938-3951*
Adaptive Power Coordination Control for Electrolysis Hydrogen Directly Driven by Wind Turbines. *He, H.*, +, *TPEL Jan. 2025 2315-2326*
Collaborative Design of Multiloop Controllers for DFIG-Based Wind Turbines to Optimize Inertia Characteristics. *Zhou, Y.*, +, *TPEL April 2025 6177-6191*
Criteria and Enhancement of Fast Inertial Response for DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL May 2025 6429-6435*
Dynamic-Tracking Damping Controller for DFIG-Based Wind Farms to Mitigate Sub-Synchronous Control Interactions. *Han, J.*, +, *TPEL Jan. 2025 2248-2258*
Effects of Active and Reactive Power Control on Inertia in DFIG-Based Wind Turbines. *Guo, X.*, +, *TPEL Sept. 2025 13673-13685*
Fast Inertial Response of PMSG-Based Wind Turbines With Optimized Frequency-Locked Loop. *Li, L.*, +, *TPEL Feb. 2025 2697-2701*
Phase Step Control in PLL of DFIG-Based Wind Turbines for Ultrafast Frequency Support. *Zhou, Y.*, +, *TPEL Jan. 2025 51-56*
Potential and Challenges in LVRT for Grid-Forming Wind Turbines Brought by the Emergence of New Power Modules With Enhanced Short-Circuit Current. *Xu, S.*, +, *TPEL Feb. 2025 3657-3669*
Power Management for Off-Grid Hydrogen-Electric Coupling System Considering Electrolyzer Temperature-Varying Characteristics. *Xia, Y.*, +, *TPEL May 2025 7385-7397*
Robust Power Self-Balancing Control for Wind-Hydrogen Direct-Connected System. *Xia, Y.*, +, *TPEL April 2025 6119-6134*
Sensitivity Analysis of the High-Frequency-Link MMC to DC Link Voltage Ripples in a Back-to-Back Connected MMC-Based Power Electronic Transformer. *Vipin, V.N.*, +, *TPEL June 2025 8691-8708*
Stress Management of Wind Turbine Components Using a Nano-Enhanced Phase Change Material Integrated Power Module. *Zhang, X.*, +, *TPEL Nov. 2025 16979-16994*
Transient Synchronous Stability Analysis of PMSG Grid-Connected System Considering Transient Switching Control Under Severe Faults. *Zhang, Y.*, +, *TPEL May 2025 7298-7314*
Trends and Influencing Factors in Power-Converter Reliability of Wind Turbines: A Deepened Analysis. *Anderson, F.*, +, *TPEL May 2025 7286-7297*

Windings
A 120 kW Symmetrical Multi-Winding Split Planar Transformer for High-Power High-Efficiency Isolated DC-DC Applications. *Lu, S.*, +, *TPEL April 2025 5456-5466*
A Charging-Torque Suppression in Three-Phase Integrated Dual-Battery Charger for EV Based on Six-Winding Machine Drive System. *Raherimihaja, H.J.*, +, *TPEL Dec. 2025 17789-17802*
A Composite Converter Architecture for Wind Energy Systems Connected to AC Grid. *Mukherjee, D.*, +, *TPEL Sept. 2025 13584-13602*
A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*
A Dual-Objective Magnetic Integration-Based WPT Link for UAV Hover Charging With High-Resolution Dynamic Position Detection. *Cai, C.*, +, *TPEL Oct. 2025 14363-14367*
A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils. *Luo, T.*, +, *TPEL March 2025 4279-4288*
A Generalized Voltage Gain Model of the Asymmetric Γ-Source Converter With Typical Parasitic Parameters Considered. *Cai, J.*, +, *TPEL July 2025 9577-9587*
A High Frequency Voltage Harmonic Excitation Strategy for Self-Excited Synchronous Motor At Zero and Low Speed. *Zhao, Y.*, +, *TPEL Oct. 2025 15808-15819*
A High Power Density and Low Loss DWPT Two-Phase Rail With II-Type Core and Interval Lap Winding. *Zhou, X.*, +, *TPEL July 2025 10209-10220*
A High-Ratio and High-Current DCX With Vertical Duplex Matrix Transformer. *Sanusi, B.N.*, +, *TPEL Oct. 2025 15278-15291*
A Hybrid Advanced Traction Power Supply Equipment Based on Triple-Port High-Frequency Isolated Converter With Its Control Strategy. *Wang, X.*, +, *TPEL July 2025 10038-10048*
A New Three-Port Electric Drive Reconfiguration Converter for Mobile Emergency Energy Storage Vehicle. *Liu, S.*, +, *TPEL Aug. 2025 10456-10468*
A Novel All-Passive Resonant Gate for *LLC* DCX Synchronous Rectification. *Zhou, W.*, +, *TPEL Feb. 2025 2715-2720*
A Novel Control Scheme for Light Load Power Reduction of Flyback Converter. *Liu, Q.*, +, *TPEL Feb. 2025 2691-2696*
A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*
A Novel CTTC Structure and Optimization Design Method for CLLC Bidirectional Resonant Converter. *Chen, M.*, +, *TPEL June 2025 7800-7813*
A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*
A Novel Integrated OBC and LDC System With Flux Path Reconfiguration for Electric Vehicles. *Jo, C.*, +, *TPEL Jan. 2025 2484-2494*
A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*
A Parallel Input and Versatile Output Dual Active Bridge Converter. *Qazi, S.*, +, *TPEL April 2025 6203-6215*
A Partially Rated Interlinking Converter With Distributed Energy Storage for Active Power Sharing in DC Microgrids. *Zhang, H.*, +, *TPEL July 2025 9370-9387*
A Phase Current Reconstruction Method for Open-End Winding Permanent Magnet Synchronous Machine to Reduce Immeasurable Regions of High Modulation. *Huang, S.*, +, *TPEL Aug. 2025 11763-11774*
A Radially Symmetrical Star-Shaped Core Multiwinding Transformer With Controllable Magnetic Integration for N-Port MAB Converters. *Cai, Y.*, +, *TPEL April 2025 5622-5634*
A Self-Optimization Commutation Correction Strategy Integrating Model Calculation and Tabu Search for High-Speed BLDCM. *Cao, Y.*, +, *TPEL April 2025 5700-5714*
A Sensorless Position Estimation Method For Primary Winding Segmented Permanent Magnet Synchronous Arc Motor Based on Improved DOB. *Wu, Z.*, +, *TPEL Jan. 2025 727-737*

A Smooth-Output Dynamic Wireless Charging System for Automated Guided Vehicles With Dual-Receiver Magnetic Coupler. *Zhang, Y.*, +, *TPEL April 2025 4711-4715*

A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*

A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging With Constant Current and Constant Voltage Outputs. *Wen, H.*, +, *TPEL May 2025 7586-7598*

A System Model for the Effect of Self-Balancing in Multiactive Bridge Converters. *Grimm, F.*, +, *TPEL Dec. 2025 17988-17997*

A Vertical Overlapping Decoupled Coil for Wireless Power Transfer With High Interoperability. *Li, Y.*, +, *TPEL Oct. 2025 16032-16041*

A Wide Range LLC Resonant Converter Realized by an Adjustable Turns Ratio Transformer. *Jia, P.*, +, *TPEL Aug. 2025 10396-10401*

A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*

A Zero Net Flux Modulation Scheme for 3-Leg Core Transformer Based 3-Phase AC–DC Topologies. *Bolonne, S.*, +, *TPEL May 2025 6470-6475*

Accurate Interturn Short-Circuit Faults Diagnosis in PMSMs Under Variable Operating Conditions by Signal Compensation. *Niu, F.*, +, *TPEL Feb. 2025 3530-3542*

Adaptive Harmonic Injection Strategy for Torque Ripple Reduction in the 6/4 Variable Flux Reluctance Machine With Open Winding Configuration. *Aouiche, E.M.*, +, *TPEL Oct. 2025 14662-14674*

An Efficient High-Power-Density Integrated Trap-LCL Filter for Inverters. *Mazloum, N.*, +, *TPEL Jan. 2025 1589-1608*

An Extendable High-Voltage Gain Soft-Switching Bidirectional DC–DC Converter With Coupled Inductor. *Yuan, F.*, +, *TPEL Sept. 2025 12499-12513*

An Improved 3-D Space Vector Modulation Strategy for Three-Phase Series-End Winding PMSMs. *Liu, X.*, +, *TPEL Oct. 2025 15745-15756*

An Improved Current Harmonic Decomposition for IPMSM Based on Multiple Virtual Three Phase Systems Construction. *Chen, Z.*, +, *TPEL Sept. 2025 12337-12349*

An Improved Generalized Extended State Observer for Current Harmonic Compensation in Dual Three-Phase PMSMs. *Zhang, X.*, +, *TPEL May 2025 7136-7149*

An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*

Analysis and Compensation of Rounding Error in Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL March 2025 3824-3829*

Analysis and High-Frequency Model of Three-Phase Four-Wire Common Mode Chokes. *Lan, Y.*, +, *TPEL March 2025 4156-4169*

Analysis and Suppression of Negative-Sequence Current in Single-Channel Operation of Dual Three-Phase PMSM With Zero Angle Displacement. *Lyu, Z.*, +, *TPEL Sept. 2025 11957-11962*

Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*

Applying Model-Free Predictive Current Control With Parallel Cost Functions for Open-End Winding Synchronous Reluctance Motor. *Mousavi, M.S.*, +, *TPEL May 2025 6801-6812*

Asymmetric Phase Winding Based Pulsating HF Signal Injection Technique for Surface PMSMs. *De Soysa, G.S.*, +, *TPEL Jan. 2025 241-251*

Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*

Bidirectional Series-Type DC Hybrid Circuit Breaker With Self-Restart Capability and Energy Regeneration. *Liu, Z.*, +, *TPEL March 2025 4449-4460*

Characterization and Circuit Modeling of Electromagnetic Interference Filtering Chokes in Power Electronics: A Review. *Jie, H.*, +, *TPEL Jan. 2025 920-943*

Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*

Common-Mode Analysis and Suppression Method for Series-End Winding Motor Drive. *Liu, Z.*, +, *TPEL Jan. 2025 1748-1761*

Common-Mode Noise Characterization and Reduction for Isolated PWM DC-DC Converters With Stacked-Rectifiers. *Song, M.*, +, *TPEL Aug. 2025 11021-11031*

Compact Wireless Power Transfer With Enhanced Misalignment Tolerance via Independent Secondary PWM Control. *Yu, X.*, +, *TPEL Sept. 2025 11998-12002*

Composite Sensing Scheme for Permanent Magnet Bearingless Motors Based on Levitating Orthogonal Coordinate System. *Bao, X.*, +, *TPEL Aug. 2025 10824-10835*

Conducted Common-Mode EMI Modeling of Active Magnetic Bearings Based on Multiaxis Online Impedance Measurement. *Xie, Y.*, +, *TPEL Jan. 2025 1849-1861*

Configurable Nanocrystalline Flake Ribbon Transformer With Variable Leakage Inductance. *Ren, S.*, +, *TPEL Oct. 2025 14345-14350*

Core Loss Calculation Method Considering Leakage Flux Induced Power Loss for Nanocrystalline Core High-Frequency Transformer Under Load Condition. *Liu, Z.*, +, *TPEL Sept. 2025 13126-13141*

Coreless DC Transformer With Near-Unity Power Factor by a Reactive Power Injector. *Lin, J.*, +, *TPEL Jan. 2025 1123-1134*

Current Harmonic Minimum Pulse Width Modulation for Dual Three-Phase PMSM System With 3L-NPC Inverter and Output Filter. *Lian, C.*, +, *TPEL Feb. 2025 2847-2859*

D-Axis High-Frequency Impedance Extraction Method for Online Diagnosis of Inter-Turn Short-Circuit Faults in Traction Motors. *He, L.*, +, *TPEL Nov. 2025 17061-17072*

DC-Bias Extraction and Elimination of Three-Phase Dual-Active Bridge via Intelligent DC-Link Sensing. *Lu, M.*, +, *TPEL Sept. 2025 12055-12060*

Decoupled Current Control Using Adaptive Quasi Resonant-Based ESO for Novel Matrix-Torque-Component Machines. *Jia, S.*, +, *TPEL June 2025 8503-8515*

Deduction Measurement Method and High-Accuracy Calculation Model of Leakage Flux Eddy Current Loss in Nanocrystalline Core High-Frequency Transformer. *Liu, Z.*, +, *TPEL April 2025 5609-5621*

Design for Ultra-High Power Density VRM Based on Six-Phase Coupled Inductors With Small Leakage Inductances. *Yang, Y.*, +, *TPEL Aug. 2025 10286-10298*

Design of a Single-Stage Dual Active Bridge Microinverter With Wide Load Adaptability Based on Loss Optimization. *Xue, X.*, +, *TPEL June 2025 7919-7935*

Development of a Half-Bridge Cell-Derived All-Inclusive Conducted Emission Noise Model for SiC-Based Single Phase Boost PFC Converter. *Reece, C.*, +, *TPEL Feb. 2025 3150-3167*

Direct Torque Control Based on Duty Ratio Modulation for Dual Three-Phase Open-End Winding Permanent Magnet Synchronous Motor. *Pan, B.*, +, *TPEL Sept. 2025 12475-12487*

Displacement Selfsensing Control of Outer Rotor Coreless Bearingless Permanent Magnet Synchronous Motor Based on Least Square Support Vector Machine Optimized by IMFO. *Zhu, H.*, +, *TPEL Jan. 2025 716-726*

Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*

Enhancing Six-Phase PMSMs Performance Recovery Post Open-Circuit Fault via Specific Harmonic Injection. *Zhou, Z.*, +, *TPEL Dec. 2025 17803-17820*

Enhancing the Dynamic Performance of Current-Fed Triple-Active-Bridge DC–DC Converters Utilizing Freewheeling States for Inductor-Current Adjustment. *Kowalewski, P.*, +, *TPEL June 2025 7740-7753*

Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*

Fast Maximum Efficiency Point Determination for Multiple Transmitters Wireless Power Transfer Systems With Unknown Receivers. *Nie, Z.*, +, *TPEL April 2025 4685-4694*

Fault-Tolerant Control and Common-Mode Voltage Reduction for Dual Three-Phase CSIs Fed Motor Drives. *Xu, Y.*, +, *TPEL March 2025 4374-4385*

Fault-Tolerant Control for One-Phase Current Sensor Fault in Open-End Winding PMSM fed by Dual Inverter With a Common DC Bus. *Lee, K., TPEL Jan. 2025 124-128*

Fault-Tolerant Control Strategy for Doubly Salient Electromagnetic Machine Based on Current Profile Function Under Loss of Excitation. *Xiong, L.*, +, *TPEL Feb. 2025 3441-3455*

Fault-Tolerant Optimization Control of Open-Winding Dual Three-Phase PMSM Drives in Full Operation Range. *Lu, L.*, +, *TPEL Feb. 2025 3385-3394*

FEA-Free Multiparameter Optimization of Low-EMI Toroidal Air-Core Reactors via NSGA-II for Compact Power Conversion Systems. *Du, Z.*, +, *TPEL Nov. 2025 16116-16122*

Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*

Gate Driver Power Supply With Low-Capacitance-Coupling and Constant Output Voltage for Medium-Voltage SiC MOSFETs. *Yan, Z.*, +, *TPEL June 2025 8194-8205*

General Analysis and Implementation of Lateral Misalignment-Adaptive WPT Systems Based on Flux-Compensation Winding. *Huang, T.*, +, *TPEL May 2025 7549-7559*

General Modeling and Control of Multiple Three-Phase PMSM Drives. *Wang, X.*, +, *TPEL Jan. 2025 1900-1909*

Heterogeneous Integration of Transformer Windings—Fundamentals, Principles, and Implementations. *Wu, H.*, +, *TPEL Aug. 2025 11246-11256*

Hierarchical Physics-Embedding Neural Network Framework for 3D Magnetic Modeling of Medium-Frequency Transformers. *Yang, X.*, +, *TPEL March 2025 4486-4497*

High-Efficiency Asymmetrically Designed Three-Phase Virtual 48-Pulse Power Supply for Electrolytic Hydrogen. *Tian, H.*, +, *TPEL Aug. 2025 10335-10342*

High-Frequency Bipolar Pulse Transformer With an Undershoot Damping Circuit for Tumor Application. *Lv, Y.*, +, *TPEL March 2025 4186-4198*

High-Frequency Current Transformer Design and Analysis for Partial Discharge Detection of Power Electronic Modules. *Wang, H.*, +, *TPEL May 2025 7227-7238*

High-Frequency Electromagnetic Behavior, Impedance Modeling, and Enhancement of Low-Permeability Powder Cores. *Xie, B.*, +, *TPEL Feb. 2025 3336-3356*

High-Frequency Modeling of Electrical Drive Systems Considering Test Bench Environment Influence. *Peng, H.*, +, *TPEL Sept. 2025 12816-12828*

High-Frequency Transformer Loss Measurement and Modeling: A DC Loss Method. *Yang, D.*, +, *TPEL April 2025 5635-5645*

Higher Power Density Decoupled Magnetic Device With Core Integrated Orthogonal Windings for Power Converters. *Fayyaz, S.*, +, *TPEL April 2025 5595-5608*

Highly Efficient 800-to-48-V *LLC*-DCX With Matrix Transformer Using Side Leg Windings. *Zhang, Y.*, +, *TPEL Jan. 2025 112-117*

Improved PWM Control With Wide Speed Range for a Double-Side Asynchronous Rotor AFPMM Series-End Winding Drive. *Huang, R.*, +, *TPEL Jan. 2025 1728-1738*

Improvement of Electromagnetic-Thermal Characteristics in a Modular In-Wheel Motor Under Open-Circuit Faults and Asymmetric Working Winding Operations Based on Fault-Tolerant Strategy. *Tang, Y.*, +, *TPEL Oct. 2025 15780-15794*

Incremental Deadbeat Predictive Current Control Strategy With Disturbance Observer for PMSM Drive Systems Using Four-Leg Inverters. *Zhou, Y.*, +, *TPEL Nov. 2025 16483-16497*

Independent Charging Control Method for Dual-Channel Electric-Drive-Reutilized Onboard Charger. *Cheng, X.*, +, *TPEL July 2025 10049-10058*

Integrated Inductor-Transformers for High-Frequency Converters: An Overview. *Wouters, H.*, +, *TPEL Sept. 2025 13157-13176*

Interturn Short-Circuit Fault Diagnosis and Fault-Tolerant Control of DTP-PMSM Based on Subspace Current Residuals. *Hang, J.*, +, *TPEL Feb. 2025 3395-3404*

Isolated Symmetric-Bipolar Bidirectional Buck–Boost AC–AC Converters With Reduced Components. *Ahmed, H.F.*, +, *TPEL June 2025 8356-8366*

Low Profile Superparamagnetic Inductor for Portable Electronics Power Management. *Sanusi, B.N.*, +, *TPEL Dec. 2025 18148-18163*

Magnetic Integration With Controllable Leakage Inductance and Unbalanced Current Suppression for CF DAB Converter Based on Single EE Core. *Guo, J.*, +, *TPEL Oct. 2025 15562-15571*

Magnetized Dickson Charge Pump Inverters. *Esmaeili, S.*, +, *TPEL Dec. 2025 18265-18280*

Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*

Maximal Force Capability Strategy for Short-Circuit Fault-Tolerant of AMB Power Electronics Drive. *Shuai, Y.*, +, *TPEL Oct. 2025 14560-14570*

Minimum Torque Ripple Control for Brushless Doubly-Fed Induction Generator-DC System Under Power Winding Open-Phase Fault. *Liu, Y.*, +, *TPEL April 2025 5743-5755*

Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*

Modified Robust Predictive Current Control Design of Windings-Discontinuous-Segmented PMLSM Based on an Improved Analysis Method. *Wang, A.*, +, *TPEL Jan. 2025 774-786*

MTPA Cooperative Control Strategy of Double Stator DC-Bias Hybrid Excitation Machine Considering Inductance Nonlinearity. *Yi, H.*, +, *TPEL May 2025 7189-7199*

Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*

Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*

Multiphase Parallel Winding Current Source Inverter With High Maximum Modulation Index. *Xiong, Y.*, +, *TPEL Sept. 2025 13217-13230*

Multiwinding Transformer Based Cell Balancing System With Cost-Effective Gate Drivers. *Ye, Y.*, +, *TPEL Feb. 2025 2685-2690*

Nonlinear Coupled Inductor-Based Light-Load Efficiency Boost Technique for Trans-Inductor Voltage Regulators. *Li, Z.*, +, *TPEL Oct. 2025 14368-14373*

Novel Unified Normalized DC Current-Based Diagnosis Scheme of Interturn and Open-Switch Faults for VSI-Fed Induction Motor Drive System. *Gardouh, A.S.*, +, *TPEL Oct. 2025 14710-14721*

On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*

On the Instability Mechanism of PV-Thermal-Bundled Power System Under Different PV Penetration Ratios. *Yan, Y.*, +, *TPEL Sept. 2025 13434-13447*

Online Diagnosis of Partial Demagnetization Fault in PMSMs Based on Kurtosis of Air-Gap Flux Density Signal Difference. *Ding, S.*, +, *TPEL Nov. 2025 16219-16230*

Online Postfault Strategy of Minimum Copper Loss in Full Torque Operation Range for Dual Three-Phase PMSM Under Single Open-Phase Fault. *Yu, K.*, +, *TPEL Oct. 2025 14733-14745*

Open-Circuit Fault Diagnosis for Active Rectifiers in Doubly Salient Electromagnetic Generator Systems. *Xu, Y.*, +, *TPEL April 2025 5835-5845*

Optimization of PCB Winding Arrangement in Three-Port MHz Transformer of RDCX. *Xu, Y.*, +, *TPEL Dec. 2025 18340-18349*

Optimization Study of Parasitic Parameters in Parallel Interleaved Windings for High-Frequency PCB Transformers. *Ba, D.*, +, *TPEL Oct. 2025 14894-14907*

Origin Analysis and Mitigation Method of Voltage Oscillation Occurred Inside the Winding of Medium-Voltage Medium-Frequency Transformer. *Wang, Y.*, +, *TPEL Jan. 2025 1974-1990*

Parameter Estimation and Flux Weakening Cooperative Control Strategy of a Double Stator Hybrid Excitation Machine With DC Biased Current. *Yi, H.*, +, *TPEL Nov. 2025 16367-16378*

Partial Discharge Behavior of High-Frequency Transformer Insulation Under High-Voltage PWM Stress. *Wang, Z.*, +, *TPEL Sept. 2025 13142-13156*

Postfault Operation of Three-Level Inverter Driven Six-Phase PMSM With Enhanced Torque–Speed Region. *Das, P.P.*, +, *TPEL April 2025 5685-5699*

Primary-Side Regulated Active-Clamp Forward Converter by Controlling Clamp Capacitor Voltage. *Shin, J.*, +, *TPEL Oct. 2025 15149-15159*

PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*

Quad-Port Magnetic Integrated Coupled Inductor Based Magnetic Network Energy Routers With High Power Density. *Lv, Y.*, +, *TPEL Aug. 2025 11655-11672*

Quadratic High Step-Up Interleaved Z-Source DC-DC Converters Based on Asymmetric Gamma Cell. *Daneshgar, S.*, +, *TPEL Dec. 2025 17858-17868*

Quantitative Characteristics of the Rotary Machinery Fault Signatures in Induction Motor Stator Current: Modeling and Evaluation. *Chen, X.*, +, *TPEL July 2025 9889-9897*

Reconfigurable Open-End Winding Motor Drive Topology for Inverter Short-Circuit Fault Tolerance. *Zhang, B.*, +, *TPEL March 2025 3854-3860*

Reliable Detection of Armature Fault in Brushless Exciters With *m*-Phase Toroidal Winding Using Search-Coil Voltage and Field Current Signature Analysis. *Chen, J.*, +, *TPEL Dec. 2025 18202-18213*

Research on Cross Regulation Rate Control Based on Equivalent Leakage Inductance Constraint of Flyback Multiwinding Transformer. *An, S.*, +, *TPEL April 2025 5544-5553*

Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*

Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*

Rotor Position Estimation Method of Brushless Synchronous Starter/Generators by Using Stator Currents of the Main Exciter in Both Excitation Modes. *Li, X.*, +, *TPEL April 2025 5799-5809*

Self-Excitation, Balanced, Passive Variable Inductor for Fast-Response Buck Converter. *Jiang, M.*, +, *TPEL Sept. 2025 11985-11990*

Self-Resonant Coil With High-Order Compensation Characteristics. *Yi, Z.*, +, *TPEL Sept. 2025 14110-14123*

Sensorless Control Design and Stability Analysis of High-Speed Dual Three-Phase Permanent Motor Drive for Future Aircraft Applications. *Bi, G.*, +, *TPEL Nov. 2025 16169-16183*

Sensorless Starting Control of the Brushless Synchronous Starter/Generator Based on Rotor Current Characteristics of the Main Exciter. *Ma, C.*, +, *TPEL April 2025 5857-5870*

Simplified Integration of Bidirectional OBC and WPT Charging Systems With Reconfiguring Topology for Electric Vehicles. *Jo, C.*, +, *TPEL June 2025 7651-7656*

Simulation and Experimental Verification of Vibration and Noise Characteristics of Nanocrystalline High-Frequency Transformer. *Zhang, P.*, +, *TPEL July 2025 9429-9438*

Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*

Stability Analysis and Parameter Design of Virtual-Winding-Based Harmonic Current Controller for Permanent Magnet Synchronous Machines. *Song, P.*, +, *TPEL June 2025 7668-7680*

Suppression of Phase Current Ripple and Torque Harmonics in Four-Module PMSM With Asymmetric Mutual Inductance. *Liu, K.*, +, *TPEL Sept. 2025 13805-13821*

Thermal Enhancement of Permeability-Gradient Nanocrystalline Toroidal Core With Uniform Magnetic Flux Density Distribution. *Chen, C.*, +, *TPEL April 2025 5661-5671*

Three-Dimensional Interconnect *LLC*-DCX Converter for Datacenter Application. *Wang, P.*, +, *TPEL Oct. 2025 15306-15315*

Three-Phase Interleaved Bidirectional *LLC* Resonant Converter With Vertically Integrated Magnetics for Energy Storage System Applications. *Bao, J.*, +, *TPEL April 2025 5371-5383*

Torque Performance Improving Strategy for DSEM Based on Online Self-Searching Six-State Advanced Angle Commutation. *Zhou, X.*, +, *TPEL July 2025 9223-9233*

Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System. *Li, Y.*, +, *TPEL Jan. 2025 2619-2629*

UMP Suppression Strategy for 8-Pole SPMSMs With Rotor Dynamic Eccentricity Faults. *Wang, P.*, +, *TPEL Oct. 2025 14675-14685*

Unbypassed Soft-Start of Hybrid Distribution Transformer With Delayed Enablement and Parameters-Varying Control. *Liu, Y.*, +, *TPEL July 2025 8972-8989*

Universal Integrated Onboard Charger With Model Predictive Current Control for Plug-In EV Charging. *Karneddi, H.*, +, *TPEL Jan. 2025 28-33*

Variable Conduction Mode Control Method to Reduce Torque Ripple for Symmetrical Winding Multiphase Brushless DC Motor. *Chen, W.*, +, *TPEL Jan. 2025 638-651*

Virtual-Balanced-Systems-Based Modeling and Control for Dual Three-Phase PMSM Under Unbalanced Power Sharing Operation. *Ma, X.*, +, *TPEL March 2025 4289-4302*

Wire

A Comprehensive Mathematical Model for Health and Multiple Faults of Permanent Magnet Synchronous Motor Based on Coil Subunit. *Gao, C.*, +, *TPEL Nov. 2025 16963-16978*

A Fast 3-D Numerical Impedance Calculation for Litz Wire and Air-Core Coils. *Luo, T.*, +, *TPEL March 2025 4279-4288*

AC-Resistance Evaluation and Reduction Based on Nonuniformity Current Distribution of Large-Strand-Count Litz Wire. *Deng, Q.*, +, *TPEL July 2025 10111-10122*

An Improved Compensation Method Reducing Displacement Current Loss for Multilayer Coils in IPT System. *Zhang, Y.*, +, *TPEL Jan. 2025 87-91*

An Online Monitoring Method of Bond Wire Lift-off Unevenness in Multichip SiC MOSFET Power Modules. *Zhang, Z.*, +, *TPEL April 2025 6033-6043*

Analysis and Suppression of Common Mode Noise for Underwater IPT Systems With Parasitic Capacitances. *Li, J.*, +, *TPEL Sept. 2025 14181-14192*

Compact Nanosecond Pulse Generator Based on Distributed Inductive Energy Storage of Twisted Pair Wire. *Ma, J.*, +, *TPEL Jan. 2025 1111-1122*

Design and Control of a Four-Wire MMC-Based Power Conditioning System for the Unbalanced Load Support in a Transformer-Less Asynchronous Microgrid. *Li, D.*, +, *TPEL Feb. 2025 3456-3468*

Direct Drive D-Mode GaN HEMT Switching Characteristics and Turn-Off Loss Reductions. *Lai, J.*, +, *TPEL April 2025 5190-5200*

Enhanced Thermal–Electrical Interconnect for Single-Sided Cooling SiC MOSFET Power Device Based on Polycrystalline Diamond. *Zhang, T.*, +, *TPEL Nov. 2025 16327-16340*

Fast Analytical Loss Model for Litz Wire in Transformers With Arbitrary Winding Arrangements. *Meng, Q.*, +, *TPEL Feb. 2025 3302-3312*

Impact of Thermal Interface Materials on the Device Thermal Coupling in Semiconductor Power Modules. *Li, X.*, +, *TPEL Feb. 2025 3129-3137*

In Situ Monitoring Method for Chip Open-Circuit Failure in Multichip IGBT Modules Based on the Precharge Time of Gate Voltage. *Xu, P.*, +, *TPEL Oct. 2025 14401-14414*

Influence of Pulse Duration on the Double Linear Damage Accumulation Rule With Power Cycling Test for the Lifetime Prediction in Power Devices. *Zhang, C.*, +, *TPEL June 2025 8604-8616*

Investigation of Electro-Thermo-Mechanical Degradation and Crack Propagation of Wire Bonds in Power Modules Using Integrated Phase Field Modeling and Finite Element Analysis. *Jiang, H.*, +, *TPEL Feb. 2025 3600-3609*

Matrix-Based Inductor Structure for MV Applications. *Anurag, A.*, +, *TPEL Aug. 2025 10361-10365*

Modeling and Analysis of Undersea Capacitive Power Transfer Based on Conduction Current in Seawater. *Liu, X.*, +, *TPEL March 2025 4640-4651*

Modeling and Optimization of Axial Winding Segmented Coreless Transformers. *Lai, L.*, +, *TPEL April 2025 6069-6083*

Multiobjective Optimization and Enhanced Design of an Ω-Shaped Current Sensor for WBG Devices. *Du, X.*, +, *TPEL May 2025 6908-6920*

Research on IGBT Chip Bond Wire Lift-Off Fault Detection Method Based on Decoupling of Time Domain Reflective Signal Feature. *Cheng, S.*, +, *TPEL April 2025 6055-6068*

Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*

Rotor Position Detection of IPMSM Based on Search Coil in Full-Speed Range. *Li, X.*, +, *TPEL Oct. 2025 14571-14584*

Study on the Mechanism Model of the Influence of IGBT Device Health Status on Electromagnetic Voiceprint Signals. *Wen, S.*, +, *TPEL June 2025 8617-8630*

Wireless communication

3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*

A Dual-Band Rectifier With a Novel Impedance Compression Network for WPT. *Cao, B.*, +, *TPEL June 2025 7646-7650*

A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*

A Novel Wireless Switched Reluctance Motor With Improved Current Commutation. *Liu, Y.*, +, *TPEL Nov. 2025 16131-16145*

A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

A Reconfigurable Rectifier Based Communication-Free Wireless LED Driver With Dual-Customization CC Outputs. *Yang, L.*, +, *TPEL Feb. 2025 2680-2684*

A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*

A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*

An Active-Rectifier Wireless Motor System With Dual-Side Phase Shift Control for Phase Synchronization and Efficiency Optimization. *Hu, Y.*, +, *TPEL Feb. 2025 3798-3809*

An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*

Analysis and Design of Multichannel High-Frequency Wireless Power Transfer System Based on Load Impedance Compression. *Sun, Z.*, +, *TPEL Oct. 2025 15905-15921*

Characterization and Modeling of Dual-Single-Layer PCB Resonators for Megahertz Hybrid Inductive and Capacitive Wireless Power Transfer. *Li, K.*, +, *TPEL Oct. 2025 16004-16021*

Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*

Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*

High Efficiency Three-Coil Wireless Power Transfer for EV Battery Charging Through Negative-Polarity Partial Power Conversion. *Wu, M.*, +, *TPEL June 2025 8834-8846*

High-Efficiency Wireless Integrated On-Board Charger System Using Partial Power Conversion. *Wu, M.*, +, *TPEL May 2025 7560-7572*

Laminated Hybrid Metamaterial Block for Enhanced Efficiency and SNR in Simultaneous Wireless Power and Signal Transmission System With Dual-Sided LCCL Compensation Networks. *Ma, H.*, +, *TPEL July 2025 10077-10094*

Maximum Efficiency Tracking Control for Omnidirectional Wireless Power Transfer System Based on AdamW Algorithm. *Chen, Z.*, +, *TPEL March 2025 4602-4612*

Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*

Optimized Design of Opened Quasi-Static Cavity for Omnidirectional Wireless Charging Systems. *Rong, C.*, +, *TPEL June 2025 8859-8868*

Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*

Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*

UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*

Undersea Capacitive Coupled Simultaneous Wireless Power and Data Transfer for Multiload Applications. *Da, C.*, +, *TPEL Jan. 2025 2630-2642*

Universal Resonant Parameter Design Method Based on Multiple Boundary Constraints for Wireless Fast Charging. *Jiang, Y.*, +, *TPEL Nov. 2025 17451-17468*

Wireless power transfer

A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*

A Generalized Modeling Method for Domino Wireless Power Transfer System. *Wang, J.*, +, *TPEL March 2025 4592-4601*

A Hybrid Topology Relay Based Wireless Power Transfer System With Mutual Inductance Enhancement and High Misalignment Tolerance. *Zhang, Y.*, +, *TPEL June 2025 7640-7645*

A Large-Area Free-Positioning SCC-WPT System for Movable Receivers. *Liu, Z.*, +, *TPEL July 2025 8911-8916*

A New Design for Tapped-Inductor Transmitter With Multiple Concurrent Resonant Frequency Outputs for Wireless Power Transfer. *Leung, C.P.*, +, *TPEL Feb. 2025 3738-3749*

A Novel Class-E Quasi-Constant Transconductance Rectifier. *Zhou, H.*, +, *TPEL Oct. 2025 14289-14294*

A Regional Coupling Enhanced Omnidirectional Wireless Power Transfer System With Low-Fluctuation Regulation Strategy. *Li, M.*, +, *TPEL Sept. 2025 11918-11922*

A Repeater-Based Dynamic Wireless Power Transfer System With Controllable Detuning Rate for a Constant Output Profile. *Xiong, W.*, +, *TPEL July 2025 10176-10188*

A Self-Adaptive Dual-Channel LCC-S Detuned Topology for Misalignment Tolerance in AUV Wireless Power Transfer Systems. *Tang, H.*, +, *TPEL March 2025 4630-4639*

An Antirotation Wireless Power Transfer System With a Flexible Magnetic Coupler for Autonomous Underwater Vehicles. *Zhang, B.*, +, *TPEL Jan. 2025 2593-2603*

An Integrated Charger of Wireless Power Transfer, Onboard Charger, and Auxiliary Power Module for Electric Vehicles. *Wu, Y.*, +, *TPEL April 2025 6334-6344*

Constant Voltage and Constant Current Control Method of Undersea Wireless Power Supply System Based on Frequency Tracking Method. *Yang, L.*, +, *TPEL April 2025 6359-6369*

Efficiency Improvement Strategy Based on Frequency Reduction With Constant Current Characteristic for Underwater Wireless Power Transfer Systems. *Hu, H.*, +, *TPEL Sept. 2025 14038-14049*

Extending the Strong-Coupling Region and Enhancing the Power Conversion Capability of the Conventional Three-Coil Pseudo-Hermitian WPT System by Using Double Receivers. *Liang, Z.*, +, *TPEL Oct. 2025 15922-15936*

Frequency-Selective Suppression Method of Harmonic Magnetic Field for Double-Sided *LCC* Wireless Power Transfer Systems. *Woo, S.*, +, *TPEL April 2025 4701-4705*

Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*

Phase Synchronization Method Based on Self-Oscillation Mode for Bidirectional EC-WPT System. *Sun, M.*, +, *TPEL May 2025 7477-7487*

Reconfigurable Inductive Power Transfer Scheme Across Reinforced Concrete Walls for Building Attached Photovoltaic Grid Connection. *Gu, P.*, +, *TPEL Oct. 2025 15891-15904*

Research on Resonant Frequency Characteristics of Wireless Power Transfer in Seawater Medium. *Zhai, Y.*, +, *TPEL Sept. 2025 14099-14109*

Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*

Stable Wireless Power Transfer System for Capsule Robot Using Three-Dimensional Hybrid Transmitting Coil Pairs. *Han, D.*, +, *TPEL June 2025 8824-8833*

Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*

Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System. *Li, Y.*, +, *TPEL Jan. 2025 2619-2629*

UAV Fleet Charging on Telecom Towers With Differential Capacitive Wireless Power Transfer. *Liao, M.*, +, *TPEL April 2025 6370-6384*

Virtual DC Motor-Based Coordinated Control Strategy for Multi-Receiver Dynamic WPT System. *Zeng, Y.*, +, *TPEL Nov. 2025 17503-17513*

Wireless sensor networks

3-D Embedded Receiving Coil Positioning Based on Decoupled Transformer for Wireless Sensor Power Supply System. *Li, J.*, +, *TPEL Oct. 2025 14222-14227*

A Reconfigurable Circuit Strategy and Its Application in Low-Power Rectifier for Ambient Energy Harvesting. *He, Z.*, +, *TPEL Nov. 2025 16100-16104*

A Wireless Permanent-Magnet Brushless DC Motor Using Contactless Feedback and Autonomous Commutation. *Li, S.*, +, *TPEL July 2025 10140-10153*

An Arbitrary-Frequency Dual-Band High-Efficiency Rectifier Employing a Novel Frequency-Selective Power Allocation Network. *He, H.*, +, *TPEL July 2025 8939-8943*

An Underwater Simultaneous Wireless Power and Analog–Digital Hybrid Signal Transfer System. *Luo, B.*, +, *TPEL Dec. 2025 17569-17574*

Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*

Synchronous Bridge Rectifier for MHz Resonant Converter Based on Digital Control. *Wang, X.*, +, *TPEL Nov. 2025 16587-16595*

Wires

A Cubic Wireless Charging Container System With Highly Uniform Magnetic Field Distribution. *Wang, K.*, +, *TPEL March 2025 4613-4629*

A Hermetic Conformal Coating Based High-Temperature Encapsulation Method for 250 °C SiC Power Module. *Wu, Y.*, +, *TPEL March 2025 4090-4099*

A Novel Condition Monitoring Method for Full Modes of Package Degradation in High Power Modules Based on Hysteresis Curves of Forward Voltage Drop. *Wang, Y.*, +, *TPEL April 2025 5959-5970*

A Novel Construction Method and Control Strategy of Modular Battery Energy Storage Systems Based on Improved Droop Control. *Wang, C.*, +, *TPEL Aug. 2025 11490-11508*

Analytical Double-2D Models of Leakage Inductance and Frequency-Dependent Resistance for Litz-Wire Medium Frequency Transformer. *Jiang, Y.*, +, *TPEL Nov. 2025 16911-16925*

Failure Mechanism Investigations of Bond Wires Lifting-Off and Die-Attach Solder Aging Considering the Thermal Coupling Effects. *Ge, X.*, +, *TPEL Jan. 2025 2042-2056*

Identification of IGBT Bonding Wire Degradation Based on Feature Extraction and State Classification. *Shen, X.*, +, *TPEL Oct. 2025 15371-15380*

Impedance-Based Online Internal Temperature Estimation for Lithium-Ion Batteries Considering the Parasitic Parameters of Power Wires. *Geng, A.*, +, *TPEL May 2025 6454-6458*

Multilevel Boundary-Coupled Method for the Efficient Thermal Prediction of High-Frequency Transformers (HFTs) With Cylindrical Windings. *Dang, Y.*, +, *TPEL April 2025 5566-5582*

Novel Prognostics for IGBTs Using Wire-Bond Contact Degradation Model Considering On-Chip Temperature Distribution. *Wu, X.*, +, *TPEL March 2025 4411-4424*

Online Condition Monitoring of Bonding Wires Lift-Off in Power Modules Based on Magnetic Field Measurement. *Guo, W.*, +, *TPEL March 2025 4425-4436*

Split Impedance Tuning of Multistrand PCB Windings for Constructing Efficient Wireless Power Transfer Module. *Wang, J.*, +, *TPEL Oct. 2025 14247-14252*

Symmetric and Staggered Terminal Layouts for Enhanced Current Balance and Reduced Parasitic Inductance in SiC Power Modules. *Wang, Y.*, +, *TPEL March 2025 4100-4111*

Three-Dimensional Electro-Thermal Coupling Temperature Evaluation Modeling of Wire-Bonded Power Chips Under Surge Conditions. *Zheng, F.*, +, *TPEL Feb. 2025 3112-3128*

Triangulated Transmitter Coils With High Design Freedom for Free-Positioning and Omnidirectional Wireless Power Transfer System. *Li, Y.*, +, *TPEL Jan. 2025 2619-2629*

Wiring

Elliptical-Curve-Based Method for Precise Calculation of Maximum Rotor EMF in DFIG Under Grid Faults. *Zhao, R.*, +, *TPEL Aug. 2025 11477-11489*

Equivalent Circuit for Single/Three Phase Magnetic Coupling With Graph Neural Networks. *Yamakaji, Y.*, +, *TPEL Feb. 2025 3313-3325*

Z

Zero current switching

A Bidirectional Thyristor-Based DC Circuit Breaker With an RC Auxiliary Circuit. *Hou, N.*, +, *TPEL Dec. 2025 17937-17945*

A Coupled Inductor High Step-Down Voltage Regulator Module With Zero Current Soft-Switching. *Soleymani, B.*, +, *TPEL Nov. 2025 16664-16675*

A Novel Coupled Winding Nonisolated Quasi-Z-Source High Step-Up DC–DC Converter With Low Input Current Ripple. *Goudarzhagh, H.*, +, *TPEL April 2025 6097-6106*

A Novel Full-Bridge Boost LCL-Type DC/DC Converter With a Constant Off-Time: Analysis, Design, and Experimental Results. *Zhu, Y.*, +, *TPEL Jan. 2025 1023-1034*

A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*

A Reconfigurable Multiresonant Switched-Capacitor Converter for 48 V Data Center Application. *Fu, Y.*, +, *TPEL Dec. 2025 17958-17971*

A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*

A Time-Domain Model for *CLLC* DAB Converter Considering Asymmetric Resonant Tank Parameters. *Wu, J.*, +, *TPEL Aug. 2025 10349-10354*

Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*

Design of Novel High-Efficiency Inverse Class-E Power Amplifier. *Sheikhi, A.*, +, *TPEL Aug. 2025 11117-11125*

Extendable Multi-Input High Step-Up DC–DC Converter for Multisource Energy Systems. *Abbasian, S.*, +, *TPEL Sept. 2025 13403-13414*

Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*

Single Switch Asymmetrical High Step-Up DC–DC Converter Based on Differential Connection. *Loureiro, P.H.C.d.S.B.*, +, *TPEL Jan. 2025 1457-1466*

Totem Pole Dual Output Bridgeless Rectifier for High-Performance Low Power SRM Drive. *Singh, V.K.*, +, *TPEL Nov. 2025 16498-16511*

Zero voltage switching

A Bipolar-Assisted Regulation Quasi-Single-Stage DC-DC Converter for a Wide Input Voltage Range. *Yan, Y.*, +, *TPEL Sept. 2025 12555-12565*

A Constant Switching Frequency Real-Time Digital Control for ZVS Four-Switch-Buck-Boost Converter. *Yang, F.*, +, *TPEL July 2025 9649-9659*

A Cost-Effective Dual-Independent-Output IPT System With Flexible Adjustment Capability for Industrial Power Supplies. *Wang, J.*, +, *TPEL Nov. 2025 16696-16703*

A Dual-Side Variable Duty Cycle Phase-Shift Modulation Strategy for DAB Converter With Minimal Current Stress. *Gao, S.*, +, *TPEL Sept. 2025 12061-12071*

A Four-Port Resonant DC/DC Converter Topology and its Soft-Switching Optimization Design Method. *Liu, J.*, +, *TPEL Aug. 2025 10931-10944*

A Full-Range Soft-Switching Class-E Inverter Achieving Quasi-Constant Voltage Output. *Cheng, C.*, +, *TPEL June 2025 7663-7667*

A Full-Range ZVS Comprehensive Control Strategy for Dual-Port LLLC Induction Heating System. *Yang, Q.*, +, *TPEL Oct. 2025 14881-14893*

A High-Efficiency Control Method With Lossless Current Sensing and Seamless Transition for Four-Switch Buck–Boost Converter. *Liu, Q.*, +, *TPEL July 2025 8871-8885*

A High-Gain Three-Port DC–DC Converter With Soft-Switching for Renewable Energy System Applications. *Zhou, M.*, +, *TPEL Jan. 2025 1508-1518*

A High-Power Two-Port Multiple-Frequency *LLLC* Induction Heating Power System. *Wang, J.*, +, *TPEL Jan. 2025 1234-1246*

A Hybrid Control Strategy of LCC–LCC Compensated Electric Vehicles Wireless Charging System With Wide ZVS Range. *Peng, J.*, +, *TPEL April 2025 6282-6295*

A Modified Asymmetric Half-Bridge Topology for High-Voltage High-Power Intermediate Bus Converters. *Rana, D.*, +, *TPEL Sept. 2025 12614-12625*

A Modulation Scheme for Differential-Mode ZVS Resonant-Switched-Capacitor Rectifier. *Rad, S.E.*, +, *TPEL Jan. 2025 1467-1482*

A Multicell SCC Capacitive Coupler With Strong Lateral, Longitudinal, and Rotational Antioffset Performance. *Liang, C.*, +, *TPEL April 2025 6230-6247*

A New Active Clamp Quasi-Resonant High Step-Up DC/DC Converter Based on Built-In Transformer With Low Voltage Stress. *Hasanpour, S.*, +, *TPEL Aug. 2025 11509-11525*

A New High Voltage Gain Transformerless Dual- Duty-Triple-Mode DC–DC Converter With Reduced Voltage Stress Across Components. *Imanlou, A.*, +, *TPEL April 2025 5554-5565*

A Novel Class-E Quasi-Constant Transconductance Rectifier. *Zhou, H.*, +, *TPEL Oct. 2025 14289-14294*

A Novel Current-Fed Dual-Active-Bridge DC–DC Converter for Ultra-Wide Output Voltage Range Electric Vehicle Battery Charger. *Chaudhury, T.*, +, *TPEL Nov. 2025 17339-17354*

A Novel Full-Bridge Boost LCL-Type DC/DC Converter With a Constant Off-Time: Analysis, Design, and Experimental Results. *Zhu, Y.*, +, *TPEL Jan. 2025 1023-1034*

A Novel High-Efficiency Fully Soft-Switching High Step-Up DC–DC Converter Utilizing an Active Switched Inductor. *Akhlaghi, Z.*, +, *TPEL Dec. 2025 18330-18339*

A Novel Modulation Method for *LLC* Converter-Based Semi-Single-Stage Isolated Inverter With Hybrid Sliding Mode Control. *Chen, J.*, +, *TPEL Jan. 2025 704-715*

A Novel Multiplier Circuit for PFC Controllers With Low Total Harmonic Distortion and High Power Factor. *Wu, Q.*, +, *TPEL Nov. 2025 16105-16110*

A Parameter-Centric Approach for Enhancing Misalignment Tolerance in Wireless Power Transfer Systems. *Yuan, Z.*, +, *TPEL Sept. 2025 14146-14158*

A Quasi-Single-Stage AC-DC Converter Based on Resonant Semi-Dual-Active-Bridge With Decoupled Control and Fixed Switching Frequency. *Ma, P.*, +, *TPEL Nov. 2025 17414-17425*

A Seamless Thermal Balance Control Strategy for Asynchronous Parallel Half-Bridge Circuit. *Zheng, J.*, +, *TPEL June 2025 7657-7662*

A Soft-Switching High Step-Down Regulated DC–DC Converter: Topology Construction and Control Method. *Guan, Y.*, +, *TPEL April 2025 4952-4968*

A Soft-Switching Secondary-Side Control Method Without AC Current Detection for Wireless Power Transfer Systems. *Zheng, K.*, +, *TPEL Feb. 2025 3785-3797*

A Structure and Design Method for Magnetic Integration of Current-Fed Dual Active Bridge DC–DC Converters. *Guo, Z.*, +, *TPEL Aug. 2025 10594-10608*

A Structure-Reconfigurable Isolated Bidirectional DC–DC Converter for Wide Voltage Gain Range Applications. *Qi, X.*, +, *TPEL April 2025 5319-5335*

A Switched-Capacitor-Based Reconfigurable DC–DC Converter for Nanosatellite Power System. *Fu, Y.*, +, *TPEL Nov. 2025 16572-16586*

A Three-Port Five-Channel Converter With High Output Current and Wide Voltage Range. *Nie, J.*, +, *TPEL June 2025 8264-8280*

A Topology-Reconstructed Minimum-Current-Stress Modulation for a Single-Phase Isolated DC–AC Converter. *Hou, N.*, +, *TPEL Aug. 2025 10391-10395*

A Totem-Pole Bridgeless PFC Converter With ZVS Capacitor. *Shao, F.*, +, *TPEL March 2025 4255-4267*

A Variable Parameter Series Compensation Method Featuring Fast Dynamic Response for Dual Active Bridge Converter in Battery Charging/Discharging Applications. *Wang, F.*, +, *TPEL Sept. 2025 13543-13555*

A Wide-Input High Step-Up Resonant Converter With High-Ratio Transformer in High-Voltage Applications. *Yue, Y.*, +, *TPEL Oct. 2025 15583-15594*

A Zero-Voltage Switching Control for Four-Switch Buck–Boost Converters Using the Energy-Based Modeling. *Gallo, E.*, +, *TPEL April 2025 4757-4761*

An Easy-to-Implement Flexible Commutation Design With Reduced Switching Losses, di/dt and dv/dt for High-Speed and High-Power IGBTs. *Xiao, Y.*, +, *TPEL Sept. 2025 12123-12142*

An Interleaved Forward/Flyback DC–DC Converter With Bidirectional Capability and Wide Voltage Range Characteristic. *Mayer, R.*, +, *TPEL Aug. 2025 11051-11063*

An L2C2 Resonant Converter With Reduced Components and Wide Gain Range. *Nie, J.*, +, *TPEL Nov. 2025 16090-16095*

An Ultrawide Range Pulse Width Modulated LLC Converter With Voltage Multiplier Rectifiers. *Hou, Z.*, +, *TPEL April 2025 6216-6229*

Analytical Closed-Form ZVS Boundaries of Triple-Phase-Shift Modulated Dual Active Bridge Converter. *Dey, P.*, +, *TPEL Nov. 2025 16870-16893*

Asymmetrical Quasi-Two-Level Modulation of a Compact Modular Multilevel DC–DC Converter (MMDC) With Reduced SM Number. *Tong, L.*, +, *TPEL July 2025 9388-9406*

Automatic Voltage-Balancing DC–DC Converter With Wide Voltage Gain and Full Range ZVS for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Aug. 2025 10469-10480*

Auxiliary Commutated Resonant Pole-Based DC–AC Converter With Ultralow THD for Planar Actuation System With SiC Devices. *Cui, S.*, +, *TPEL June 2025 8430-8447*

Bang-Bang Pulse Magnitude Modulation and Binary Search Tree-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL Oct. 2025 14868-14880*

Branch-Sharing Modular Multilevel DC Transformer With Interleaved Buck-Integrated and Wide Voltage Range for MVDC Distribution Grids. *Ning, G.*, +, *TPEL Nov. 2025 16626-16638*

Challenges and Comparison in Achieving 6.78 MHz Multi-kW H-Bridge DC–AC Inverters Using High-Voltage SiC and GaN Switching Devices. *Wang, Y.*, +, *TPEL Nov. 2025 17469-17487*

Charge Control of Critical Conduction Mode Grid-Tied Inverters to Enhance Dynamics and Robustness. *He, Y.*, +, *TPEL Dec. 2025 18365-18377*

Charging Strategy of Electrolytic Capacitorless Integrated OBC for Electric Vehicles With High-Frequency Voltage Pulses in Intermediate Link. *Sun, Y.*, +, *TPEL July 2025 9737-9748*

Continuous Pulse-Density Modulation of Series-Resonant Converter for Wide-Range High-Resolution Output Voltage and High Efficiency. *Fang, Z.*, +, *TPEL March 2025 3873-3884*

Coupled Inductor-Based DC–DC Converter With Bipolar Self-Balancing Voltage and Full Load Range of ZVS. *Xiong, W.*, +, *TPEL May 2025 6951-6962*

Coupled Inductor-Based Soft-Switched Boost-Ćuk Converter for Microinverter Applications. *Heidari, R.*, +, *TPEL July 2025 9543-9555*

Cubic Synchronous Bidirectional DC–DC Battery Charger Converter With Common-Ground and High Voltage Gain Ratio Features. *Hosseini, H.M.*, +, *TPEL Sept. 2025 11880-11896*

Current Mode Control for High Frequency Piezoelectric Resonator-Based DC–DC Converters. *Stolt, E.*, +, *TPEL Sept. 2025 12730-12738*

Current Ripple Prediction and ZVS-Based Variable Switching Frequency Control for Interleaved Multiphase Three-Level DC–DC Converter. *Yao, Z.*, +, *TPEL April 2025 5109-5119*

Current Ripple Reduction and ZVS Realization With Optimized DCM Modulation Based on Off-Time Discrete Control for Grid-Tied Inverters. *Huang, C.*, +, *TPEL Oct. 2025 15835-15851*

Current Stress Optimal Hybrid-VSFPWM of ZVS Paralleled Inverters With Coupled Inductors for AC Motor Drive. *Fu, X.*, +, *TPEL Nov. 2025 16146-16157*

Current Stress Optimized Strategy for the Dual-Active-Bridge Converter With Triple-Phase-Shift and Variable DC-Link Voltage Control. *Yan, Y.*, +, *TPEL June 2025 8344-8355*

Design and Analysis of a Frontside Series/Parallel Piezoelectric Resonator-Based DC–DC Converter. *Liu, W.B.*, +, *TPEL Jan. 2025 1389-1403*

Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*

Design of a Megawatt-Scale IGCT-Based Medium-Voltage Direct Current Transformer. *Wang, R.*, +, *TPEL Aug. 2025 11616-11627*

Doubled-Frequency Triangular Current Mode Modulation With Sinusoidal Frequency Profile for a Three-Level ANPC Converter. *Zhang, G.*, +, *TPEL Oct. 2025 14923-14936*

Dual Floating Based Three Port DC-DC Converter for EV-APM. *Kieu, H.*, +, *TPEL March 2025 4268-4278*

Dual-Active-Bridge Based Self-Balancing DC–DC Converter With Coupled Inductor for Bipolar DC Microgrids. *Ning, G.*, +, *TPEL Dec. 2025 17869-17878*

Duty and Phase Control of a Self-Synchronized Class E Rectifier for High-Frequency Wireless Power Transfer System. *Kim, M.*, +, *TPEL April 2025 6296-6306*

Efficiency-Oriented Multiobjective Modulation Optimization for the Dual Active Bridge Converter Using Fuzzy Logic-Aided Strategy. *Wang, K.*, +, *TPEL Dec. 2025 18133-18147*

Enhanced Active Thermal Balancing Strategy for Three-Phase Dual-Active Bridge Converter Suppressing Transformer Flux Saturation. *Yun, J.*, +, *TPEL April 2025 5014-5024*

Enhanced Modulation Strategy and Magnetic Component Parameter Design for Dual Active Bridge Converters to Improve Efficiency Under Variable Load Conditions. *Zhang, H.*, +, *TPEL Aug. 2025 11641-11654*

Extended Hybrid Modulation for Multistage Constant-Current Wireless EV Charging. *Zhu, G.*, +, *TPEL July 2025 10095-10110*

Fault-Tolerant Multiport Quadruple Active Bridge Converter for Resilient Interconnection of Bipolar DC Systems. *Shen, X.*, +, *TPEL Oct. 2025 15545-15561*

Full-Si-Based Two-Stage VSI and Its Specialized Modulation Strategy to Reduce Switching Power Loss and Increase PWM Harmonic Frequency. *Zhang, P.*, +, *TPEL May 2025 7110-7124*

Fully Soft-Switched High Voltage Gain Quasi-Z-Source Converter With Continuous Input Current and Low Switch Voltage Stress. *Hajilou, M.*, +, *TPEL May 2025 7086-7094*

Generalized Trapezoidal Current Mode-Based Zero-Voltage Switching for Multilevel DC–DC Converters. *Yao, Z.*, +, *TPEL July 2025 8956-8961*

Hardware-Free Multivariable Collaborative Power Positioning Method for ZCD in Totem-Pole PFC. *Chen, K.*, +, *TPEL Oct. 2025 14241-14246*

High Efficiency Quasi-Single-Stage DAB-DC/AC Converter With Wide Input Voltage Range. *Chen, Q.*, +, *TPEL Nov. 2025 16937-16952*

High Step-Up Zero-Voltage Switching Resonant Converter for Megahertz Applications. *Song, Y.*, +, *TPEL Oct. 2025 14937-14948*

High-Efficiency Nonisolated Boost Converter Using *LC* Resonance for Quasi Soft Switching Operation in PV Applications. *Kim, J.J.*, +, *TPEL Dec. 2025 18318-18329*

Identification of Phase Shift Variables to Match Multiobjective Optimization Strategy for EPS Modulated Dual Active Bridge DC–DC Converter. *Cyriac, S.*, +, *TPEL Oct. 2025 14811-14820*

Improving Light-Load Performance in Bidirectional AC–DC DAB Using Asymmetric Semivariable Frequency Modulation. *Jena, P.*, +, *TPEL May 2025 7015-7028*

Integrated Coupler Design for UAV Free-Positioning Wireless Power Transfer With Inherent Cross- Coupling Utilization and Enlarged Charging Coverage. *Wang, H.*, +, *TPEL Oct. 2025 14324-14330*

Minimizing and Balancing Power Losses in Multiphase Paralleled Bridge Legs. *Xiao, Z.*, +, *TPEL Sept. 2025 13835-13851*

Minimum Loss Trajectory Modulation for Single-Stage SR-DAB Based DC/AC Converter. *Bao, J.*, +, *TPEL Oct. 2025 15238-15253*

Model-Based Dynamic Control of Two-Degree-of-Freedom Modulation for Dual Active Half-Bridge Converter. *Kim, G.*, +, *TPEL June 2025 8367-8379*

Model-Guided Modulation for Matrix-Type AC-DC DAB Converter Considering AC-Side Capacitor Voltage Ripple. *Chen, X.*, +, *TPEL Dec. 2025 18251-18264*

Modeling and Analysis of MHz-Frequency PRC- *C*+*L*+*C* Resonant Converter Utilizing Only Parasitic Capacitance From Planar Transformer and Cockcroft–Walton Voltage Multiplier as Parallel Capacitor. *Wang, R.*, +, *TPEL April 2025 5400-5411*

Modeling and Design of a Frequency-Regulated Series Resonant Inverter With a Linear Variable Capacitor. *Pratik, U.*, +, *TPEL Dec. 2025 18054-18069*

Modeling and Design of Four-Switch Buck–Boost Converter With Combined PWM and Phase-Shift Control Scheme. *Xiao, L.*, +, *TPEL Aug. 2025 11157-11169*

Multifrequency Resonant Compensated Wireless Power Transfer SRM Drive System. *Cai, J.*, +, *TPEL July 2025 9709-9722*

New Coupled Inductor Rectifier With Low Voltage-Rated Diode for Low Conduction Losses in Phase-Shift Full-Bridge Converter. *Ahn, J.*, +, *TPEL Aug. 2025 10899-10911*

New Dual Active Bridge-Series Resonant Converter With Switching and Conduction Loss Reduction for HV-LV Converter in EV Application. *Do, N.*, +, *TPEL Oct. 2025 14210-14221*

Novel Quasi-Resonant Parameter Optimization Method of LCC–LCC Compensated IPT Systems With Wide Output Range. *Shi, K.*, +, *TPEL Dec. 2025 17924-17936*

On the Design of Novel Single-Switch Low Loss Boost Converters With High Step-Up Voltages. *Rafiee, R.*, +, *TPEL June 2025 8206-8215*

Online Reactive Power Suppression Strategy for Triple Active Bridge Converter Based on Dynamic Fundamental Voltage-Balance Modulation. *Jiang, L.*, +, *TPEL June 2025 7936-7953*

Optimal Resonant Condition for Maximum Output Power in Tightly Coupled WPT Systems Considering Harmonics. *Niu, S.*, +, *TPEL Jan. 2025 152-156*

Optimized Timing Control for Leading-Edge Aligned Modulation of a T-Type Bridge in Unfolding-Based AC–DC Converters. *Gurudiwan, S.*, +, *TPEL April 2025 4716-4721*

Phase-Shift Controlled Push-Pull Class-E Inverter With Diode Balance for Load Impedance Variations. *Komiyama, Y.*, +, *TPEL Nov. 2025 16822-16836*

Phase-Shift Modulated Hybrid *SCLLC* Topology at Fixed-Frequency for Wide Voltage Range Without Extra Components. *Gu, Y.*, +, *TPEL Aug. 2025 11076-11087*

Problem Analysis and Improvement of Traditional Efficiency Optimization Method for Inductive Power Transfer Systems. *Chen, D., TPEL May 2025 7466-7476*

Pulse Alternation Modulation for Four-Level Buck/Boost Converter With Full Voltage ZVS Range. *Zhang, T.*, +, *TPEL Sept. 2025 11928-11933*

Pulse Injection Modulation Method for Current-Fed Dual Active Bridge Converter With Full Load Range ZVS Under Wide Input-Voltage Range. *Liu, C.*, +, *TPEL Feb. 2025 2668-2673*

Pulse Magnitude Modulation and Token Rotation-Based Voltage Balancing Method of Multilevel Inverter for Wireless Power Transfer. *Guo, J.*, +, *TPEL March 2025 4652-4663*

PWM Controlled Single Stage Resonant Converter With Multiwinding Coupled Inductor. *Xu, J.*, +, *TPEL Nov. 2025 16651-16663*

Quantum Power Pulse Combination Modulation to Achieve Full Load Range ZVS of DAB Converters in Wide Voltage Gain. *Fan, Z.*, +, *TPEL April 2025 4767-4774*

Reactive-Power Compensation in a Single-Stage Differential-Mode Solid-State Transformer. *Gupta, S.*, +, *TPEL July 2025 9121-9136*

Real-Time Optimal Control of Dual-Bridge Series Resonant DC–AC Converters. *Wang, L.*, +, *TPEL Sept. 2025 13568-13583*

Reducing Turn-OFF Losses in DAB Converters by Minimizing Voltage–Current Overlap Under ZVS Operation. *Wang, Z.*, +, *TPEL Nov. 2025 16611-16625*

Research on LCL-T Resonant High-Voltage Capacitor Charger Including the Effect of the High-Ratio Transformer Parasitic Capacitance. *Zhu, H.*, +, *TPEL Oct. 2025 14374-14387*

Research on Power Decoupling and Optimal Control of Modular Multiactive Bridge Converter With Relay Port. *Gao, C.*, +, *TPEL April 2025 5292-5308*

Single-Stage Isolated Three-Phase SWISS AC–DC Converter Based on Dual Active Bridge Converters. *Guo, Z.*, +, *TPEL Nov. 2025 17105-17123*

Single-Stage Matrix-Type Solid-State Transformer Based on Push–Pull DAB. *Yu, T.*, +, *TPEL Jan. 2025 2005-2016*

Six-Degree-of-Freedom Modulation Technique for Dual Active Bridge DC–DC Converter. *Qiu, G.*, +, *TPEL Sept. 2025 12739-12753*

Smooth Optimal Trajectory and Voltage Balancing Control for T-Type Three-Level LLC Resonant Converter in Alternating Mode. *Yao, Z.*, +, *TPEL July 2025 9278-9288*

Soft-Switching Full-Bridge Forward-Flyback Converter Without Output Inductor. *Huynh, K.K.N.*, +, *TPEL Dec. 2025 18164-18177*

Synchronous Rectification for High-Speed Resonant Wireless Power Transfer Under Variable Coupling and Load. *Herpers, C.*, +, *TPEL April 2025 6248-6259*

Three-Phase ZVS-TNPC Inverter With Common-Mode Voltage Suppression. *Chen, T.*, +, *TPEL Dec. 2025 18350-18364*

Tri-Coupled Dual-LCC Compensation Network for Wireless Charging of AUVs With High Misalignment Tolerance. *Wang, J.*, +, *TPEL Sept. 2025 14124-14133*

Triple Phase Ratio Shift Control for Bidirectional Wireless Power Transfer Application Based on Totem-Pole Single-Stage AC-AC Converter. *Zhang, X.*, +, *TPEL Aug. 2025 11863-11873*

Tuning Control Against Coupler Parameter Variations Due to Misalignment in an Optimal-Efficiency-Tracking and Constant-Power-Output IPT System. *Zou, B.*, +, *TPEL May 2025 7500-7511*

Unified Two-Time-Scale Modeling and Hybrid ZVS Modulation of *LCC–LCC* Compensated IPT System With Wide Input Voltage Range. *He, K.*, +, *TPEL Nov. 2025 17529-17548*

Waveform Programming Control for Four-Switch Buck–Boost Converter With Minimum RMS Current. *Shen, H.*, +, *TPEL Dec. 2025 17972-17987*

Wide Voltage Range Efficiency Enhancement Scheme for Input-Parallel-Output-Series DAB Converters in 800 V DC Microgrids. *Zhang, H.*, +, *TPEL Sept. 2025 13716-13729*

Wide Voltage Range Reconfigurable DAB Converter Realized by Monolithic Bidirectional GaN/Discrete SiC-FETs, and Planar Transformer. *Barzegarkhoo, R.*, +, *TPEL Nov. 2025 17366-17383*

ZVS Boundary Analysis and Optimization Strategy of Phase-Shift Values for Three-Level Dual-Active-Bridge Converters Using Harmonic Decomposition. *Shao, W.*, +, *TPEL Sept. 2025 12953-12963*

ZVS Implementation Analysis and Optimization Design of *LLC* Converter Based on TDM-DC. *Meng, F.*, +, *TPEL Oct. 2025 15160-15171*

ZVS-Enhanced and RMS-Current-Minimized Optimal Modulation Scheme of Dual-Active Bridge Converter With Comprehensive ZVS Analysis. *Park, G.*, +, *TPEL July 2025 9004-9018*

Zirconium

Design of a High Misalignment Tolerance and CV Output WPT System Using a Secondary Repeater. *Li, Y.*, +, *TPEL Nov. 2025 17488-17502*

Zero-Sequence Current and Voltage Control Strategy of Multiple MMCs for Single-Phase Ground Fault Protection in AC–DC Hybrid Distribution Networks. *Zhang, Y.*, +, *TPEL June 2025 7727-7739*